
Brock Documentation

Release latest

Mar 30, 2018

1	Main	1
2	Sponsored Raids	3
3	Raid Lobby System	5
4	Commands Overview	7
5	Supporter Commands	9
6	Feed Commands	11
7	Notification Commands	13
8	Moderator Commands	17
9	Reminder Commands	19

CHAPTER 1

Main

[Brock](#) is a Discord bot developed by [versx](#). What originally started as a simple project to filter sponsored raids and pokemon notifications has now evolved into something much greater.

CHAPTER 2

Sponsored Raids

Brock checks the raid channels for raids that are 'Sponsored' raids e.g. Sprint or Starbucks locations and sends them to the #sponsored_raids channel in the 'Raids By Type Feeds' section.

CHAPTER 3

Raid Lobby System

Information regarding the raid lobby system goes here.

Commands Overview

General

- .teams
- .team, .iam
- .search
- .map, .maps
- .donate
- .scanlist
- .nests
- .google
- .door
- .checkapi
- .weather
- .help, .commands
- .about, .v, .ver, .version

Feeds

- .feeds, .cities
- .feedme
- .feedmenot

Notifications

- .pokeme
- .pokemenot
- .raidme

- `.raidmenot`
- `.enable`
- `.disable`
- `.info`
- `.demo`

Custom Commands

- `.listcmds`
- `.addcmd`
- `.editcmd`
- `.delcmd`

CHAPTER 5

Supporter Commands

Supporter only commands go here.

CHAPTER 6

Feed Commands

Manage what city feeds you see in Discord by assigning or unassigning yourself from the cities feed role.

.feeds, .cities

Description Displays a list of available assignable city feed roles.

Examples

```
.feeds  
.cities
```

.feedme

Description Assign yourself to a city feed's role.

Examples

```
.feedme Upland, ontario, eastla (Joins a city)  
.feedme all (Joins all cities)
```

.feedmenot

Description Unassign yourself from a city feed's role.

Examples

```
.feedmenot Ontario (Leaves specified city)  
.feedmenot all (Leaves all cities)
```


CHAPTER 7

Notification Commands

Commands to setup notifications if a certain Pokemon spawns or a raid boss takes over a gym.

Notes:

- The 'all' and 'level' parameters are only available to Supporters but everyone is able to use the IV parameter.
- Normal members have a maximum of 25 different Pokemon subscriptions.
- **Everyone** is limited to 50 DM notifications from Brock a minute.
- Supporters have unlimited different Pokemon and Raid subscriptions (Complete pokdex and raid boss list).
- Brock rounds the IVs for the Pokemon so if it's 95.6% and you specified 95.6% you'll still get the notification.
- Please keep your IV values set to decent values. Using 0% IV is ok for rare Pokemon but not common types such as Mankey, Pikachu, Pidgy (eek), etc.
- You are only sent DM notifications of Pokemon spawns for city feed zones that you're assigned to, others will be ignored.

.pokeme

Usage .pokeme <pokemon(s),all> <IV> <Level>

Description Subscribe to Pokemon notifications based on the pokdex number or name, minimum IV stats, or minimum level.

Examples

```
.pokeme 147 95
.pokeme pikachu 97
.pokeme 113,242,248 90
.pokeme pikachu,26,129,Dratini 97
.pokeme 113 90 L35 (Supporters Only: Subscribe to Chansey notifications with minimum IV of 90% and minimum level of 32.)
.pokeme all 90 (Subscribe to all Pokemon notifications with minimum IV of 90%. Excludes Unown)
```

`.pokeme all 90 L30` (Supporters Only: Subscribe to all Pokemon notifications with minimum IV of 90% and minimum level of 30.)

.pokemenot

Usage `.pokemenot <pokemon(s), all>`

Description Unsubscribe from a one or more or even all subscribed Pokemon notifications by pokedex number or name.

Examples

```
.pokemenot 149
.pokemenot pikachu
.pokemenot 3,6,9,147,148,149
.pokemenot bulbasuar,7,tyran
.pokemenot all (Removes all subscribed Pokemon notifications.)
```

.raidme

Usage `.raidme <pokemon(s), all>`

Description Subscribe to raid boss Pokemon notifications.

Examples

```
.raidme Absol (Subscribe to Absol raid notifications.)
.raidme Tyranitar,Magikarp (Subscribe to Tyranitar and Magikarp raid notifications.)
.raidme all (Subscribe to all raid boss notifications.)
```

.raidmenot

Usage `.raidmenot <pokemon(s), all>`

Description Unsubscribe from a one or more or even all subscribed Raid notifications.

Examples

```
.raidmenot Absol
.raidmenot Tyranitar,Snorlax
.raidmenot all (Removes all subscribed Raid notifications.)
```

.enable

Usage `.enable`

Description Enables all of your Pokemon and Raid notification subscriptions at once.

Example `.enable`

.disable

Usage `.disable`

Description Disables all of your current Pokemon and Raid boss notification subscriptions at once.

Example `.disable`

.info

Usage `.info`

Description Shows your current Pokemon and Raid boss notification subscriptions.

Example `.info`

.demo

Usage `.demo`

Description Displays a demos regarding how to use Brock.

Example `.demo`

Moderator Commands

.setlist

Description Sets the encounter list for a specific city feed.

Example

```
.setlist Upland Clear (Sets a city feed's scan list.)  
.setlist all clear (Sets all city feed's scan list.)
```

.elite

Description Assigns the specified member the TMxEliteEastLA and EastLA roles.

Example `.elite @versx`

Reminder Commands

Reminder commands go here.

.reminders

Description List all reminders that Brock will notify you of.

Example `.reminders`

.remindme

Description Have Brock remind you to do something.

Examples

`.remindme "to update you in 2 minutes 30s"` (Direct message)

`.remindme here "to update you in 2 minutes 30s"` (In the current channel.)

remindmenot

Description Stop Brock from reminding you to do something based on the reminders index.

Example `.remindmenot 4` (Deletes reminder number four.)