
django-auth-abakus Documentation

Release 1.1.0

Abakus Webkom

August 21, 2016

1	Usage	3
2	Contribute	5
2.1	Settings	5

A django auth module that can be used to to authenticate users against the API of abakus.no. If you would like to use it you need a API token.

Contact webkom@abakus.no to request one.

Usage

Set the authentication backend to **AbakusBackend*:

```
AUTHENTICATION_BACKENDS = ( 'abakus.auth.AbakusBackend', )
```

The token should be added in the django-settings as *ABAKUS_TOKEN*:

```
ABAKUS_TOKEN = 'private_token'
```

Contribute

Open an issue or a pull-request with your fix or awesome new feature. Make sure to check those that are already open, to avoid duplicates.

Contents:

2.1 Settings

ABAKUS_AUTH_REQUIRE_ABAKUS

Default: *False*

Set `ABAKUS_AUTH_REQUIRE_ABAKUS = True` to require Abakus membership in order to authenticate.

ABAKUS_AUTH_REQUIRE_ABAKOM

Default: *False*

Set `ABAKUS_AUTH_REQUIRE_ABAKOM = True` to require committee membership in order to authenticate.

ABAKUS_GROUP_REQUIRED

Default: *[]*

`ABAKUS_GROUP_REQUIRED` is a list of required groups.

Example: The user needs to be member of Webkom:

```
ABAKUS_GROUP_REQUIRED = ['Webkom']
```

ABAKUS_SUPERUSER_GROUPS

Default: *[]*

`ABAKUS_SUPERUSER_GROUPS` is a list of committees with superuser access.

Example: The user needs to be member of Webkom or HS:

```
ABAKUS_SUPERUSER_GROUPS = ['Webkom', 'HS']
```