
django-i18next Documentation

Release 0.1.1

Artur Barseghyan <artur.barseghyan@gmail.com>

April 09, 2015

1 Prerequisites	3
2 Roadmap	5
3 Installation	7
4 Usage	9
4.1 Override locale	9
4.2 Disable translations	9
5 Demo	11
5.1 Live demo	11
5.2 Run demo locally	11
6 Debugging	13
7 License	15
8 Support	17
9 Author	19
10 Documentation	21
11 Indices and tables	23

django-i18next - Additions to Django's i18n module.

Prerequisites

- Django 1.4, 1.5, 1.6, 1.7, 1.8
- Python >= 2.6.8, >= 2.7, >= 3.3

Roadmap

See the [TODOS](#) for the full list of planned-, pending- in-development- or to-be-implemented features.

Installation

1. Install latest stable version from PyPI:

```
$ pip install django-i18next
```

Or latest stable version from GitHub:

```
$ pip install -e git+https://github.com/barseghyanartur/django-i18next@stable#egg=django-i18next
```

Or latest stable version from BitBucket:

```
$ pip install -e hg+https://bitbucket.org/barseghyanartur/django-i18next@stable#egg=django-i18next
```

2. Add *i18next* to INSTALLED_APPS of the your projects' Django settings.

```
INSTALLED_APPS = (
    # ...
    'i18next',

    # Other project specific apps
    'foo', # Test app
    # ...
)
```

Usage

4.1 Override locale

No matter what your current locale is, you can override it for a certain part of your template using the `overridelocale` template tag.

```
{% load i18n i18next %}

{% overridelocale 'en' %}
  <p>
    <a href="/login/">{> trans "Log in" %}</a>
  </p>
{% endoverridelocale %}
```

4.2 Disable translations

No matter what your current locale is, you can disable translations for a certain part of your template using the `disabletranslations` template tag.

```
{% load i18n i18next %}

{% disabletranslations %}
  <p>
    <a href="/login/">{> trans "Log in" %}</a>
  </p>
{% enddisabletranslations %}
```

Demo

5.1 Live demo

See the [live demo app](#) on Heroku.

5.2 Run demo locally

In order to be able to quickly evaluate the *django-i18next*, a demo app (with a quick installer) has been created (works on Ubuntu/Debian, may work on other Linux systems as well, although not guaranteed). Follow the instructions below for having the demo running within a minute.

Grab the latest *django_i18next_example_app_installer.sh*:

```
$ wget https://raw.github.com/barseghyanartur/django-i18next/stable/examples/django_i18next_example_
```

Assign execute rights to the installer and run the *django_i18next_example_app_installer.sh*:

```
$ chmod +x django_i18next_example_app_installer.sh  
$ ./django_i18next_example_app_installer.sh
```

Open your browser and test the app.

- URL: <http://127.0.0.1:8001/nl/>

If quick installer doesn't work for you, see the manual steps on running the example project.

Debugging

By default debugging is turned off. Set the `I18NEXT_DEBUG` to True in the `settings.py` of your project in order to do so.

License

GPL 2.0/LGPL 2.1

Support

For any issues contact me at the e-mail given in the *Author* section.

CHAPTER 9

Author

Artur Barseghyan <artur.barseghyan@gmail.com>

Documentation

Contents:

Indices and tables

- *genindex*
- *modindex*
- *search*