
django-nano Documentation

Release 0.9.4

kaleissin

December 28, 2015

1 Installation	3
2 Usage	5
2.1 Common for all apps	5
2.2 Specific apps	5
3 Indices and tables	9
Python Module Index	11

Does less!

This is a set of nano-size tools and apps for Django 1.4 and later.

Contents:

Installation

Thanks for downloading django-nano.

Install via - unpacking and running ‘python setup.py install’ - pip install django-nano - easy_install django-nano

These tools and applications require Python 2.6 or later, and Django 1.3 or later. You can obtain Python from <http://www.python.org/> and Django from <http://www.djangoproject.com/>.

This version will run on Django 1.3 if you rewrite the templates (search for `{% url` ‘) and Django 1.4 and newer otherwise.

Usage

2.1 Common for all apps

Append `nano.<subapp>` to your INSTALLED_APPS, where subapp is any of the tools listed above except tools.

Check the docs for the apps themselves for anything app-specific.

2.2 Specific apps

2.2.1 activation

A place to store activation-codes for e.g. authentication

```
nano.activation.baseNgenerator (base=10, keylength=5, step=1)  
Generate keys of base <base> and length <keylength>
```

```
nano.activation.generate_keys (generator, amount=50)  
Generate <amount> keys with <generator>
```

```
nano.activation.to_base (num, base, numerals='0123456789abcdefghijklmnopqrstuvwxyz')  
Convert <num> to <base> using the symbols in <numerals>
```

Models

2.2.2 badge

User-badges worth certain points ala. StackOverflow

```
nano.badge.add_badge (badge, model)  
Put a badge on a model
```

```
nano.badge.batchbadge (badge, queryset)  
Put a badge on all models that do not already have the badge
```

Models

2.2.3 blog

A very basic blog-app.

It is also possible to convert from `django-tagging` to `django-taggit` using the management command `migrate_tagging_to_taggit`. This will convert *all* tags, not just those for blog entries.

Models

Tools

Changes to settings

NANO_BLOG_USE_TAGS (optional) Set to True to use `django-taggit` or `django-tagging` if either is installed.
`django-taggit` will be preferred if both are installed.

Default: Not set

NANO_BLOG_SPECIAL_TAGS (optional) A list of tags that may be treated specially.

Default: ('pinned',)

2.2.4 chunk

A chunk is a template that is stored in the database.

It has a unique name, the `slug`, and some `content`, which is whatever you'd put in an ordinary template.

You use it by setting the `template_name` to the slug of the chunk, or by `{% include %}`-ing it directly.

If the chunk uses non-builtin template tags, remember to `{% load %}` the template tag library in the chunk.

There's a model and a template loader:

Models

Chunks can be created, updated and deleted via the django admin.

Changes to settings

Add '`nano.chunk.loader.Loader`' to `TEMPLATE_LOADERS`.

2.2.5 comments

Unmoderated comments for logged-in users.

Models

Views

Forms

Changes to settings

COMMENT_MAX_LENGTH (optional)

Default: 3000

2.2.6 countries

Drop-in, nanofied replacement for <https://code.google.com/p/django-countries/>.

To use: import from `nano.countries` instead of `countries`. The primary key is the two-letter iso country code, name and `printable_name` points to the same thing: what was known as `printable_name` in `dango-countries`.

There is an admin, there are no template tags, views, forms or fields.

Models

2.2.7 faq

Just about as simple a FAQ as is possible

Models

2.2.8 privmsg

Private messages with separate archives for sent and received

Models

2.2.9 tools

Utility-functions used by some of the other apps.

Models

Tree

Denormalized text-field

Model with one generic foreign key

Template tags

Either import the tags into some other templatetags-library. or add 'nano.tools' to INSTALLED_APPS.

2.2.10 user

Doesn't have any models so just hook up the views in an urls.py:

- signup()
- password_change()
- password_reset()

Changes to settings

NANO_USER_EMAIL_SENDER The From:-address on a password-reset email. If unset, no email is sent.

Default: Not set

NANO_USER_TEST_USERS Special-cased usernames for live testing.

Default: ()

NANO_USER_BLOG_TEMPLATE Template used for auto-blogging new users.

Default: blog/new_user.html

Indices and tables

- genindex
- modindex
- search

n

`nano.activation`, 5
`nano.badge`, 5
`nano.blog`, 6
`nano.chunk`, 6
`nano.comments`, 6
`nano.countries`, 7
`nano.faq`, 7
`nano.privmsg`, 7
`nano.user`, 8

A

activation

- nano.activation, 5

add_badge() (in module nano.badge), 5

B

badge

- nano.badge, 5

baseNgenerator() (in module nano.activation), 5batchbadge() (in module nano.badge), 5blog

- nano.blog, 6

C

chunk

- nano.chunk, 6

comments

- nano.comments, 6

countries

- nano.countries, 7

F

faq

- nano.faq, 7

G

generate_keys() (in module nano.activation), 5

N

nano.activation

- activation, 5

nano.activation (module), 5nano.badge

- badge, 5

nano.badge (module), 5nano.blog

- blog, 6
- settings, 6

nano.blog (module), 6nano.chunk

chunk, 6

settings, 6

nano.chunk (module), 6

nano.comments

comments, 6

nano.comments (module), 6

nano.countries

countries, 7

nano.countries (module), 7

nano.faq

faq, 7

nano.faq (module), 7

nano.privmsg

privmsg, 7

nano.privmsg (module), 7

nano.tools

tools, 7

nano.user

settings, 8

user, 8

nano.user (module), 8

P

privmsg

- nano.privmsg, 7

S

settings

nano.blog, 6

nano.chunk, 6

nano.user, 8

T

to_base() (in module nano.activation), 5

tools

nano.tools, 7

U

user

nano.user, 8