

---

# **django-settings-startup Documentation**

***Release 1.0***

**Gilles LEGOUX**

January 22, 2016



<b>1</b>	<b>Usage</b>	<b>3</b>
<b>2</b>	<b>Install</b>	<b>5</b>
<b>3</b>	<b>Version</b>	<b>7</b>
<b>4</b>	<b>Changelog</b>	<b>9</b>
<b>5</b>	<b>Read The Docs : Documentation</b>	<b>11</b>
<b>6</b>	<b>GitHub : Source Code</b>	<b>13</b>
<b>7</b>	<b>PyPI : open source Python packages</b>	<b>15</b>
<b>8</b>	<b>Travis CI : continous integration</b>	<b>17</b>
<b>9</b>	<b>Coveralls : code coverage</b>	<b>19</b>
<b>10</b>	<b>Useful links</b>	<b>21</b>
<b>11</b>	<b>License</b>	<b>23</b>



See your chosen settings on standard output when django is starting with `runserver` command with an additional CLI option.

For Django 1.8.5 and Python 2.7, 3.2, 3.3, 3.4.

**Python package information** **Other information**



---

### Usage

---

Once installed, using this command:

```
python manage.py runserver --config
```

#### Additional CLI Options

**--config**      Show your settings on standard output.

Please see `python manage.py runserver --help` for more information additional options.





---

### Install

---

1. Download package:

```
pip install django-settings-startup
```

2. Add “django\_settings\_startup” in first rank to your INSTALLED\_APPS settings like this:

```
INSTALLED_APPS = [  
    'django_settings_startup',  
    ...  
]
```

It is important to install this app in first (before native django apps), to override the command `runserver`.



---

**Version**

---

see [VERSION](#)



---

## Changelog

---

see [CHANGELOG](#)



---

## Read The Docs : Documentation

---

- <http://django-settings-startup.readthedocs.org/en/2.x/>





---

## GitHub : Source Code

---

- <https://github.com/glegoux/django-settings-startup/>



---

## PyPI : open source Python packages

---

- home page: <https://pypi.python.org/pypi/django-settings-startup>
- ranking: <http://pypi-ranking.info/module/django-settings-startup>



---

## Travis CI : continous integration

---

- <https://travis-ci.org/glegoux/django-settings-startup>



---

## Coveralls : code coverage

---

- <https://coveralls.io/github/glegoux/django-settings-startup>





---

### Useful links

---

- <https://github.com/django/django/blob/stable/1.8.x/django/core/management/commands/runserver.py>
- <https://github.com/django/django/blob/stable/1.8.x/django/core/management/base.py>
- <https://github.com/django/django/blob/stable/1.8.x/django/core/management/commands/testserver.py>
- <https://docs.djangoproject.com/en/1.8/howto/custom-management-commands/>
- <https://docs.djangoproject.com/en/1.8/ref/django-admin/#running-management-commands-from-your-code>



---

**License**

---

see [LICENSE](#)