# domogik-plugin-xeedevice

Release 0.1

Dec 09, 2018

## Contents

1	Plugin documentation					
	1.1 1.2 1.3	Last change	1 1 1			
2	<b>2</b> Changelog 2.1 0.1		<b>3</b> 3			

## CHAPTER 1

### Plugin documentation



## 1.1 Last change

• Previous change

## 1.2 Purpose

This Domogik plugin XeeDevices allow user to see informations from xee API (Car/Car.status). You Need to create a Xee dev account here https://dev.xee.com/register and create an apps. In redirect url don't forget to put http://localhost and for Scopes select all. Here is an the related docs from xee apidoc: https://dev.xee.com/doc/setup/README.html Save your apps Id and Secret. You will need them later to configure the plugin.

## **1.3 Plugin configuration**

#### 1.3.1 Configuration

In Domogik administration section, go to client plugin-xeedevice details page.

Key	Default value	Description
startup-plugin	false	Automatically start plugin at Domogik startup
client_id		Your Xee dev client-id
client_secret		Your Xee dev client-secret
redirect_url	http://localhost	Your Xee dev redirect_url
period	300	Refresh period from Xee API platform in seconds

#### 1.3.2 Generating token from admin page

Once you have saved your credentails in Configuration go to the Advanced page to generate a token file.

In section "Generating a Code for Token" open th proposed link in a new tab to get the code from url after you validate the needed autorisation.

Paste the code in the input and clic on genrate token file.

#### 1.3.3 Creating devices for xee device

In clients page of admin UI, go to **plugin-xeedevice-<your\_host\_domogik>**, select tab **"Devices"**, **"New"** to create your devices.

Chose one way creation by product or device type.

#### device\_types : xee.information

Key	Example	Description
Device name	my Car	The display name for this device.
Description	What you want	A short description for this device.
Reference	What you want	A Reference for this device.

carid 10000 Id of a car from you xee account. See advanced page to get all Car Id

#### device\_types : xee.status

Key	Example	Description
Device	Car status	The display name for this device.
Description	What you want	A short description for this device.
Reference	What you want	A Reference for this device.

carid	10000	Should be the id of a car from you xee account
-------	-------	------------------------------------------------

# CHAPTER 2

## Changelog

## 2.1 0.1

- Plugin creation
- Todo add device autodiscovering.