
Inirama Documentation


Release 0.8.0

Kirill Klenov

Sep 27, 2017

Contents

I User's Guide	3
1 Requirements	7
2 Installation	9
3 Quickstart	11
II API Reference	13
4 API	17
III Bug tracker	19
IV Contributing	23
V Contributors	27
VI License	31



Inirama is a python module that parses INI files. Inirama – Simplest parser for INI-style files.

Features:

- One single module;
- No requirements;
- Tiny interface;
- Supports variable interpolation;

copyright 2013 by Kirill Klenov.

license BSD, see LICENSE for more details.

Part I

User's Guide

This part of the documentation will show you how to get started in using Inirama.

Contents

- *Requirements*
- *Installation*

CHAPTER 1

Requirements

- python (2.6, 2.7, 3.2, 3.3)

CHAPTER 2

Installation

Inirama could be installed using pip:

```
pip install inirama
```

Contents

- *Quickstart*
-

CHAPTER 3

Quickstart

```
from inirama import Namespace

ns = Namespace()
ns.read('config.ini')

print ns['section']['key']

ns['other']['new'] = 'value'
ns.write('new_config.ini')
```


Part II

API Reference

If you are looking for information on a specific function, class or method, this part of the documentation is for you.

CHAPTER 4

API

Contents

- *API*
 - *Namespace*
 - *Interpolation Namespace*

This part of the documentation documents all the public classes and functions in Inirama.

Namespace

class `inirama.Namespace(**default_items)`
Default class for parsing INI.

Parameters `**default_items` – Default items for default section.

```
from inirama import Namespace

ns = Namespace()
ns.read('config.ini')

print ns['section']['key']

ns['other']['new'] = 'value'
ns.write('new_config.ini')
```

default

Return default section or empty dict.

```
:return inirama.Section: section
```

parse (*source*, *update=True*, ***params*)

Parse INI source as string.

Parameters

- **source** – Source of INI
- **update** – Replace already defined items

read (**files*, ***params*)

Read and parse INI files.

Parameters

- ***files** – Files for reading
- ****params** – Params for parsing

Set *update=False* for prevent values redefinition.

section_type

alias of Section

write (*f*)

Write namespace as INI file.

Parameters **f** – File object or path to file.

Interpolation Namespace

class inirama.InterpolationNamespace(default_items)**

That implements the interpolation feature.

```
from inirama import InterpolationNamespace

ns = InterpolationNamespace()
ns.parse('''
    [main]
    test = value
    foo = bar {test}
    more_deep = wow {foo}
''')
print ns['main']['more_deep'] # wow bar value
```

Part III

Bug tracker

If you have any suggestions, bug reports or annoyances please report them to the issue tracker at <https://github.com/klen/inirama/issues>

Part IV

Contributing

Development of inirama happens at github: <https://github.com/klen/inirama>

Part V

Contributors

- [klen](#) (Kirill Klenov)

Part VI

License

Licensed under a [BSD license](#).

Index

D

default (inirama.Namespace attribute), [17](#)

I

inirama (module), [1](#)

InterpolationNamespace (class in inirama), [18](#)

N

Namespace (class in inirama), [17](#)

P

parse() (inirama.Namespace method), [17](#)

R

read() (inirama.Namespace method), [18](#)

S

section_type (inirama.Namespace attribute), [18](#)

W

write() (inirama.Namespace method), [18](#)