
listenclosely-whatsapp Documentation

Release 0.1.0

Juan Madurga

January 15, 2016

| | | |
|----------|-----------------------------------|-----------|
| 1 | listenclosely-whatsapp | 3 |
| 1.1 | Features | 3 |
| 1.2 | Terms and conditions | 3 |
| 1.3 | Legal | 3 |
| 2 | Installation | 5 |
| 3 | Usage | 7 |
| 4 | Contributing | 9 |
| 4.1 | Types of Contributions | 9 |
| 4.2 | Get Started! | 10 |
| 4.3 | Pull Request Guidelines | 10 |
| 4.4 | Tips | 11 |
| 5 | Credits | 13 |
| 5.1 | Development Lead | 13 |
| 5.2 | Contributors | 13 |
| 6 | History | 15 |
| 6.1 | 0.1.0 (2016-01-14) | 15 |
| 7 | Indices and tables | 17 |

Contents:

listenclosely-whatsapp

CI: PyPI: Docs: ListenClosely service backend to work with Whatsapp

- Free software: ISC license
- Documentation: <https://listenclosely-whatsapp.readthedocs.org>.

1.1 Features

- Integration with Listenclosely app using yowsup whatsapp library

1.2 Terms and conditions

You will NOT use this API for marketing purposes (spam, massive sending...). We do NOT give support to anyone that wants this API to send massive messages or similar. We reserve the right to block any user of this repository that does not meet these conditions.

1.3 Legal

This code is in no way affiliated with, authorized, maintained, sponsored or endorsed by WhatsApp or any of its affiliates or subsidiaries. This is an independent and unofficial API. Use at your own risk.

Installation

At the command line:

```
$ pip install listenclosely-whatsapp
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv listenclosely-whatsapp  
$ pip install listenclosely-whatsapp
```

Note: yowsup-celery dependency with yowsup requires a special fork:

```
% pip install -e git+https://github.com/jlmadurga/yowsup.git@issue_1181#egg=yowsup
```

Usage

To use listenclosely-whatsapp in a Listenclosely project:

```
LISTENCLOSELY_MESSAGE_SERVICE_BACKEND = "listenclosely_whatsapp.service.YowsupMessageServiceBackend"  
LISTENCLOSELY_YOWSUP_NUMBER = "phone_number"  
LISTENCLOSELY_YOWSUP_PASS = "registration_password"
```

To register a phone number in whatsapp use yowsup-cli: <https://github.com/tgalal/yowsup/wiki/yowsup-cli-2.0>

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at <https://github.com/jlmadurga/listenclosely-whatsapp/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

4.1.4 Write Documentation

listenclosely-whatsapp could always use more documentation, whether as part of the official listenclosely-whatsapp docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/jlmadurga/listenclosely-whatsapp/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *listenclosely-whatsapp* for local development.

1. Fork the *listenclosely-whatsapp* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/listenclosely-whatsapp.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv listenclosely-whatsapp
$ cd listenclosely-whatsapp/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 listenclosely-whatsapp tests
$ python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.6, 2.7, 3.3, 3.4 and 3.5, and for PyPy. Check https://travis-ci.org/jlmadurga/listenclosely-whatsapp/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_listenclosely-whatsapp
```

Credits

5.1 Development Lead

- Juan Madurga <jlmadurga@gmail.com>

5.2 Contributors

None yet. Why not be the first?

History

6.1 0.1.0 (2016-01-14)

- First release on PyPI.

Indices and tables

- `genindex`
- `modindex`
- `search`