
MizukiSonoko/iroha-cli Documentation

Release latest

Nov 28, 2017

1	What's Iroha-cli?	1
2	Who uses Iroha-cli?	3
3	What Iroha-cli has function?	5
4	Contents	7
4.1	Getting Started	7
4.2	Samples	8
4.3	Generate KeyPair / Configure	8
4.4	Send Transaction	9
4.5	Send Query	9
4.6	Transaction	9
4.7	Query	9
4.8	Built In	9
4.9	Add New Command	9
4.10	Add New Query	9

CHAPTER 1

What's Iroha-cli?

iroha-ya-cli Irohaquery / tx

iroha-ya-cli is that send tx / query to Iroha and read / write ledger data

CHAPTER 2

Who uses Iroha-cli?

User who wants to access Iroha ledger. **Not support user who wants to provision or manage Iroha network**
(Tx/Query)

CHAPTER 3

What Iroha-cli has function?

Generally iroha-ya-cli has two parts.

CLI2

- send transaction to iroha for writing data / Transaction
- send query to iroha for getting data / Query

In addition, supports this

- generate keypair,config /

CHAPTER 4

Contents

4.1 Getting Started

4.1.1 What's required Iroha-cli?

iroha-ya-cli running on Python

In now, only Python3.5

4.1.2 Simple Install

Cli is hosted by pypi. [pypi/iroha-ya-cli](https://pypi.org/project/iroha-ya-cli/) so you can install using this command.

```
pip install iroha-ya-cli
```

or

```
git clone -b v1.2.5 https://github.com/MizukiSonoko/iroha-cli.git
cd iroha-cli
python setup.py install
```

This is release list .

4.1.3 Generate key pair and config

You should create keypair and config.

**KeyPair is very important.If you lost keypair, You willn't be able to access Iroha ledger
KeyPairIroha(Transaction/Query)**

```
iroha-ya-cli keygen --account_name mizuki --make_conf yes
```

- account_name KeyPairAccountKeyCreateAccountIroha

```
root@9a7f3f24d416:/# ls -ahl
total 76K
-rw-r--r-- 1 root root 122 Nov 28 01:33 config.yml
-rw-r--r-- 1 root root 88 Nov 28 01:33 mizuki.pri
-rw-r--r-- 1 root root 44 Nov 28 01:33 mizuki.pub
```

TestPermission644600

4.1.4 Common Error

chino

4.2 Samples

4.3 Generate KeyPair / Configure

IrohaIroha

```
iroha-ya-cli keygen --account_name mizuki --make_conf yes
```

-h

```
root@9a7f3f24d416:/# iroha-ya-cli keygen -h
usage: iroha-ya-cli keygen [-h] [--make_conf MAKE_CONF] --account_name ACCOUNT_NAME [-c CONFIG]

optional arguments:
-h, --help            show this help message and exit
--make_conf MAKE_CONF           generate config.yml
--account_name ACCOUNT_NAME      target's account name
--config CONFIG          config.yml's path
```

config.yml mizuki.pri mizuki.pri 3

```
root@9a7f3f24d416:/# ls -l
total 76K
-rw-r--r-- 1 root root 122 Nov 28 01:33 config.yml
-rw-r--r-- 1 root root 88 Nov 28 01:33 mizuki.pri
-rw-r--r-- 1 root root 44 Nov 28 01:33 mizuki.pub
```

- mizuki.pri Base64
- mizuki.pub Base64
- config.yml
- account CliPathconfig
- peer Transaction/Query

4.4 Send Transaction

4.5 Send Query

4.6 Transaction

4.7 Query

4.8 Built In

4.9 Add New Command

4.10 Add New Query