

---

# MyTardis Documentation

*Release 4.0.2*

Aug 02, 2019



---

## Contents

---

<b>1 Overview</b>	<b>3</b>
<b>2 Key features for users</b>	<b>5</b>
<b>3 Key features for instrument facilities</b>	<b>7</b>
<b>4 Developing for MyTardis</b>	<b>9</b>
<b>5 Find out more</b>	<b>11</b>
<b>6 Known deployments</b>	<b>13</b>
<b>7 Related projects and repositories</b>	<b>15</b>
<b>8 Releases</b>	<b>17</b>
<b>9 Reporting Bugs</b>	<b>19</b>
<b>10 Contributing</b>	<b>21</b>
<b>11 Documentation</b>	<b>23</b>
11.1 User Guide . . . . .	23
11.2 Configuration and Administration . . . . .	42
11.3 Development . . . . .	62
11.4 Documentation for included Apps . . . . .	238
11.5 Releases . . . . .	246
<b>12 Indices and tables</b>	<b>253</b>
<b>Python Module Index</b>	<b>255</b>
<b>Index</b>	<b>261</b>







# CHAPTER 1

---

## Overview

---

MyTardis began at Monash University to solve the problem of users needing to store large datasets and share them with collaborators online. Its particular focus is on integration with scientific instruments, instrument facilities and research storage and computing infrastructure; to address the challenges of data storage, data access, collaboration and data publication.

[Read more...](#)



# CHAPTER 2

---

## Key features for users

---

The MyTardis data management platform is a software solution that manages research data and the associated metadata. MyTardis handles the underlying storage to ensure that data is securely archived and provides access to the data through a web portal. Data hosted in MyTardis can also be accessed via SFTP.

[Read more...](#)



# CHAPTER 3

---

## Key features for instrument facilities

---

MyTardis takes care of distributing data to your users. Its instrument integration technology takes care of securely and automatically shifting data from instrument to repository and makes it accessible by the right users.

[Read more...](#)



# CHAPTER 4

---

## Developing for MyTardis

---

MyTardis is mostly written in the [Python](#) programming language and is built on top of the [Django](#) web framework. A complete installation of the service also includes an [Elasticsearch](#) index, a [RabbitMQ](#)-based task queue, an [Nginx](#) server, and a [PostgreSQL](#) database.

To set up and manage these services we employ the [SaltStack](#) orchestration software and cloud technologies.

[Read more...](#)



# CHAPTER 5

---

Find out more

---

Project homepage <http://mytardis.org>

The source code is hosted at <https://github.com/mytardis/mytardis>

Documentation at <http://mytardis.readthedocs.org> includes

- User documentation
- Administrator documentation
- Developer documentation

The wiki at <https://github.com/mytardis/mytardis/wiki> includes

- Links to MyTardis add-ons, including apps and post-save filters
- Information about MyTardis community events



# CHAPTER 6

---

## Known deployments

---

- **Store.Synchrotron:** <https://store.synchrotron.org.au/>
- **Store.Monash:** <https://store.erc.monash.edu>
- **NIF ImageTrove:** <https://imagetrove.cai.uq.edu.au/>
- **MHTP Medical Genomics:** <https://mhtp-seq.erc.monash.edu/>
- **ANSTO:** <https://tardis.nbi.ansto.gov.au/>
- **Monash MyTardis Demo:** <https://mytardisdemo.erc.monash.edu/>



# CHAPTER 7

---

## Related projects and repositories

---

- **MyData:** <https://github.com/mytardis/mydata>
  - A desktop application for managing uploads to MyTardis
- **NIF ImageTrove:** <https://github.com/NIF-au/imagetrove>
  - A tool for ingesting and archiving NIF datasets, including
    - \* Web front end: [MyTardis](#)
    - \* A DICOM server: [DICOM ToolKit](#)
    - \* A dataset uploader: [imagetrove-uploader](#)
    - \* Federated authentication with the Australian Access Federation's [Rapid Connect](#) service
- **NIF ImageTrove Docker deployment:** <https://github.com/UWA-FoS/docker-mytardis>
  - For ease of deployment, all of ImageTrove's components are packaged into a Docker container.
- **NIF Trusted Data Repositories:** <https://github.com/NIF-au/TDR>
  - Delivering durable, reliable, high-quality image data



# CHAPTER 8

---

## Releases

---

The default branch on GitHub is `develop`. This is the cutting edge development version. Please DO NOT use this in production, as it may have bugs that eat your data.

The `master` branch is the current stable release with all the latest bugfixes included. It will move to newer versions automatically. Follow this branch if you want to stay up to date in a production environment.

Each version has its own branch named by version number. At the time of writing, the latest release is `4.0.2`, tagged from the `series-4.0` branch. Follow this branch for your production installation and perform version upgrades manually.

Each bugfix or set of fixes bumps the minor version and each new release is tagged, eg. `4.0.3`. Use tagged releases if you are paranoid about changes to the code you have not tested yourself.

To follow development, please see the contributing section below.



# CHAPTER 9

---

## Reporting Bugs

---

Bug reports and feature requests can be made via our [public issue tracker](#).



# CHAPTER 10

---

## Contributing

---

New contributors are always welcome, however all developers should review the [pull-request checklist](#) before making pull requests.

For any wishes, comments, praise etc. either open a GitHub issue or contact us.

Active developers are also welcome to join our Slack team.

Contact details can be found on [mytardis.org](#).



# CHAPTER 11

## Documentation

### 11.1 User Guide

#### 11.1.1 Basics

##### Organising Data

##### Data Structure Overview

Data in MyTardis is organised into a uniform hierarchy, which includes Experiments, Datasets and Data Files. Experiments are at the top of the hierarchy and can contain multiple Datasets. Similarly, Datasets can contain multiple Data Files. The hierarchy can be thought of like a directory structure on a typical PC (Fig. 1) in which a the Experiment directory contains multiple Dataset directories, which in turn contain multiple Data Files.

##### Creating Experiments

1. Navigate to the **My Data** page.
2. Click on the **Create** button to the right of the page.

The screenshot shows the 'My Data' page with the 'Experiments' tab selected. At the top right, there is a yellow button labeled '+ Create'. Below it are two green buttons: 'Collapse all' and 'Expand all'. A blue button labeled 'yesterday' shows statistics: 1 experiment, 0 datasets, and 0 data files. To the right of these buttons is a link 'Download data as .tar'. The main content area displays one experiment titled 'Test Experiment' created by Peter Capaldi. It is described as a 'Microscopy experiment'. A note at the bottom says 'Latest dataset in this experiment'. A blue button labeled 'Dataset 1' is visible at the bottom left of the experiment card.

3. Fill in the 'Create Experiment' form. Requires at least a Title and one author.




Fig. 1: Fig. 1. Data hierarchy in MyTardis

MyTardis Home About My Data Public Data Stats Help thedoctor ▾

### Create Experiment

Title

Authors   
Comma-separated authors and optional emails/URLs

Institution name

Description

Powered by [MyTardis](#)

4. Click **Save**.

## Adding Datasets

Datasets always have at least one parent Experiment. To add a dataset to an Experiment:

1. Navigate to the Experiment page into which you would like to add a dataset.
2. Click the **+ Add New** button to the right of the page.

The screenshot shows the 'Test Experiment' page. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a user account dropdown. Below the navigation is the experiment title 'Test Experiment' and author 'Peter Capaldi'. A summary bar indicates 1 dataset, 0 files, 0 bytes, and the date yesterday. A 'Private' link is also present. The main content area shows a dataset card for 'Dataset 1' with a file icon, 0 files, and 0 bytes. Below this is a search bar and tabs for Description, Metadata, Sharing, and Transfer Datasets. At the bottom, there are download options (Download All, TAR, SFTP) and a note about being powered by MyTardis.

3. Fill in the 'Add new dataset' form. Note: The 'Description' field is actually the name of the dataset.

The screenshot shows the 'Add new dataset' form. It has fields for Description (set to 'Dataset 1'), Directory, and Instrument (set to '-----'). Below the fields is a large text area and a 'Save' button. The 'Save' button is highlighted with a blue box. At the bottom right, it says 'Powered by MyTardis'.

4. Click **Save**.

## Adding Data Files

Data Files can be added to a particular Dataset from the Dataset page.

1. Navigate to the Dataset into which you want to add new files.
2. Click the green **Add files...** button to the right of the page.

The screenshot shows the 'Dataset 1' page from MyTardis. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, and Help. A user account 'thedocor' is shown on the right. The main content area has sections for 'Datafile Information' (with a note to click the icon to view details), 'Dataset Metadata' (empty), and 'Other Experiments' (empty). On the right, there's a summary of '0 Files' with download options for TAR, SFTP, and MD5, and a green 'Add files...' button. Below that is a search bar and download selection buttons for 'All' or 'None'.

Powered by [MyTardis](#)

3. Select the files you want to add from the file selector dialog and Click **Open**. You can add multiple files by holding the “Shift” or “Ctrl” keys to select multiple files in the dialog.

## Accessing Data

### Download a Data File

Individual Data Files can be downloaded as follows:

1. Navigate to the Dataset containing the Data File you want to download.
2. Click the **Download** button on the Data File you want to download.

This screenshot shows the same 'Dataset 1' page as above, but with more content visible. It includes a 'Preview Images' section with a thumbnail and navigation arrows, and a 'Datafile Information' section with a note to click the icon to view details. The right side shows a detailed list of '4 Files' with download buttons for each file: 'cell5\_deskewed.companion.ome' (292.2 KB), 'cell5\_deskewed\_C0\_T0.ome.tif' (1.0 GB) which is highlighted with a red border, 'cell5\_deskewed\_C1\_T0.ome.tif' (1.0 GB), and 'cell5\_deskewed\_C2\_T0.ome.tif' (1.0 GB).

## Download a Dataset

Entire Datasets can be downloaded as a tar archive.

1. Navigate to the Dataset you want to download.
2. Click the **tar** button to the right of the page.

The screenshot shows the MyTardis dataset download interface for 'Dataset 1'. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a user account dropdown for 'thedoctor'. Below the navigation bar, the dataset title 'Dataset 1' is displayed, along with a note 'From the experiment: Test Experiment'. To the right of the title is an 'Edit Dataset Description' button. On the far right, there are download statistics: '0x 1', '0x 4', and '3.1 GB'. A large preview image placeholder with left and right arrows is shown below the title. Underneath it, a file named 'cell5\_deskewed\_C2\_T0.ome.tif' is listed. To the right of the preview area, there's a section titled '4 Files' with a 'Download Dataset' button (highlighted in red) and options for TAR, SFTP, and MD5. Below this, there's a search bar, a 'Select' dropdown (set to 'All / None'), and a 'Download Selected Files' button. A list of four files is provided, each with a checkbox, a download icon, and a file size: 'cell5\_deskewed.companion.ome' (292.2 KB), 'cell5\_deskewed\_C0\_T0.ome.tif' (1.0 GB), 'cell5\_deskewed\_C1\_T0.ome.tif' (1.0 GB), and 'cell5\_deskewed\_C2\_T0.ome.tif' (1.0 GB). At the bottom left, there's a 'Datafile Information' section with a note about viewing details and actions. On the far left, there's a 'Dataset Metadata' section stating 'There is no metadata for this dataset'.

Note: *tar* is an archive format like *zip* that may not be familiar to Windows users and a default Windows installation may not have the appropriate software to expand *tar* archives. We suggest that users install [7-zip](#) to expand *tar* archives from MyTardis.

## Download an Experiment

Entire Experiments can be downloaded as a tar archive.

1. Navigate to the Experiment you want to download.
2. Click the **tar** button under the 'Description' section of the page.

The screenshot shows the 'Test Experiment' page on MyTardis. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a dropdown for 'thedocor'. Below the navigation is the experiment title 'Test Experiment' by 'Peter Capaldi'. To the right are buttons for 'Create publication' and 'Edit Experiment'. Below the title, it says '1 Dataset' with a link to 'Download Selected'. A search bar allows filtering datasets based on descriptions. The main content area shows 'Dataset 1' which contains four files (indicated by small icons) and has a total size of 3.1 GB. Below the dataset list are download links for 'TAR' and 'SFTP'. At the bottom right, it says 'Powered by MyTardis'.

Note: *tar* is an archive format like *zip* that may not be familiar to Windows users and a default Windows installation may not have the appropriate software to expand *tar* archives. We suggest that users install [7-zip](#) to expand *tar* archives from MyTardis.

## Sharing and Publishing Data

MyTardis provides 3 primary mechanisms for sharing your data:

- Sharing with another MyTardis user.
- Sharing via a temporary (obfuscated) link.
- Making data public.

Data sharing is done at the Experiment level and you can find the options to share an Experiment under the **Sharing** tab on the left side of an Experiment page.

**Experiment**

# Test Experiment

Peter Capaldi

Microscopy experiment

[Description](#)[Metadata](#)[Sharing](#)[Transfer Datasets](#)

## Public Access

**Current Public Access Settings**[Private](#)**Current License**

Unspecified

[⚙ Change Public Access](#)

## Sharing

**Users**

Users who have a share in this experiment:

Username	Name
thedoctor	none

[➡ Change User Sharing](#)**Groups**

Groups who have a share in this experiment:

*There are currently no groups with access to this experiment.*[➡ Change Group Sharing](#)

## Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

[Create New Temporary Link](#)

### **Sharing Data with Another MyTardis User**

To share an Experiment with another MyTardis user:

1. Navigate to the Experiment you want to share.
2. Click on the **Sharing** tab on the left side of the page.
3. Click the **Change User Sharing** button.

**Experiment**

# Test Experiment

Peter Capaldi

Microscopy experiment

[Description](#)[Metadata](#)[Sharing](#)[Transfer Datasets](#)

## Public Access

**Current Public Access Settings**[Private](#)**Current License**

Unspecified

[⚙ Change Public Access](#)

## Sharing

**Users**

Users who have a share in this experiment:

Username	Name
thedoctor	none

[➡ Change User Sharing](#)**Groups**

Groups who have a share in this experiment:

*There are currently no groups with access to this experiment.*[➡ Change Group Sharing](#)

## Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

[Create New Temporary Link](#)

4. Enter the **Username** of the user with which you want to share the data.

The screenshot shows a user sharing interface. At the top, it displays the current user's information: [thedoctor] (doctor@tardis.org) with permissions Read, Edit, Owner, and a row of buttons for Edit and Delete. Below this, a section titled "Add new user" contains fields for "Username" (an empty input field) and "Permissions" (a dropdown menu set to "View and Edit"). A note below the permissions dropdown states: "Owners have the ability to change access controls and share experiments with others." A blue button labeled "+ Add User" is located at the bottom left of the form area.

**Note:** Entering the users name or email address with activate autocomplete, which helps to find the username of the user.

5. Select the permissions you'd like to give the user from the **Permissions** dropdown.
6. Click the **+Add User** button.
7. You should now see a new entry under the **Current User Permissions** section showing the user you've shared the Experiment with and the permissions you've given them.

# User Sharing

## Current User Permissions

[thedoctor] (doctor@tardis.org)	<span>Read</span>	<span>Edit</span>	<span>Owner</span>	<span>Edit</span>	<span>Delete</span>
[rosetyler] (rosetyler@tardis.org)	<span>Read</span>	<span>Edit</span>		<span>Edit</span>	<span>Delete</span>

## Add new user

Username:

Permissions:

View and Edit

*Owners have the ability to change access controls and share experiments with others.*

+ Add User

## Sharing Data via a Temporary Link

You can also share Data in an Experiment via a temporary (obfuscated) link. Temporary links expire after 1 month or can be deleted manually. Note: temporary links are not protected (i.e., anybody with the link can access the data); however, they are obfuscated and are thus difficult to find without prior knowledge of the link.

To share an Experiment via a temporary link:

1. Navigate to the Experiment you want to share.
2. Click on the **Sharing** tab on the left of the page.
3. Click the **Create New Temporary Link** button in the links section.

### Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared for direct access.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

Create New Temporary Link

4. You should now see a new entry in the **Links** section. The new entry will provide links to both the Experiment page and a direct download link. These can be copied to the clipboard using the relevant buttons. These can then be shared with collaborators using email etc.

### Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared for direct access.

Temporary access links provide full access to recipients regardless of an experiment's public status.

Temporary Link	Archive direct download	Expiry	Granted By	
<a href="#">Page link</a> <a href="#">Copy to clipboard</a>	<a href="#">Archive link</a> <a href="#">Copy to clipboard</a>	10th January 2018	thedoctor	<a href="#">Delete</a>
<a href="#">Create New Temporary Link</a>				

### Publishing Data

Access to an Experiment in MyTardis is set to “private” by default and no license is attached to the data; however, MyTardis allows data from an Experiment to be made publicly available with an appropriate license. To make an Experiment publicly available:

1. Navigate to the Experiment you wish to publish and activate the **Sharing** tab to the left of the page.
2. Click the **Change Public Access** button. This will activate the Public Access dialog and display the current status of the data.
3. Select **Public** in the “Public access” dropdown menu.
4. Select an appropriate license from the list of licenses presented. In the following screenshot, a “Creative Commons Attribution” license is selected; however, your choices may be different as licenses are configured by your service provider.

# Public Access

## Step 1: Change Public Access:

Public access	Public	▼
---------------	--------	---

## Step 2: Select a license:

### Creative Commons Attribution 3.0 Australia (CC BY 3.0)

This licence lets others distribute, remix, tweak, and build upon your work, even commercially, as long as they credit you for the original creation. This is the most accommodating of licences offered under Creative Commons.



[Reselect License](#)

## Step 3: Accept The Legal Agreement:

Monash University (ABN 12 377 614 012) ("University") maintains a digital repository ("Repository") in which it stores and makes available various works via the Internet or other electronic means.

By submitting material for the Repository ("Work") the person(s) submitting the Work ("Depositor") agree to the following terms and conditions:

5. Agree to the "Terms of Publishing" of your service provider.
6. Click **Confirm**

## 11.1.2 SFTP Access

SFTP is a secure and convenient way to access, browse and download large Experiments, Datasets and Files in MyTardis. Importantly, the SFTP interface to MyTardis is read only i.e., it is a mechanism to access data in MyTardis but does **not** allow adding data to MyTardis.

### Prerequisites for accessing data via SFTP

In order to access data on MyTardis via SFTP, you will first need to install an SFTP client. There are many free and commercial SFTP clients for you to choose from; however, we recommend [Cyberduck \(Win & Mac\)](#), [FileZilla \(All platforms\)](#) or [WinSCP \(Win only\)](#) for the majority of users. The instructions here will focus on Cyberduck (Win & Mac).

### Registering and managing SSH keys in MyTardis

MyTardis uses SSH key pairs to authenticate you when connecting via SFTP. Using SSH keys to authenticate is more secure and private than password-based authentication. SSH keys generally come in a pair: (1) a private part and (2) a public part. Key-based authentication typically requires you to share your public key with the service, again which you use your private key to authenticate. Never share your private key!

MyTardis provide two mechanisms for registering a public key:


1. *Adding an existing public SSH key to MyTardis*
2. *Have MyTardis to generate an SSH key pair*

### Adding an existing public SSH key to MyTardis

If you have an existing SSH keypair, you can register the public key in MyTardis. For instructions on how to create an SSH key pair, Gitlab provide some nice documentation on how to do so [here](#).

To register a public key in MyTardis:

1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the *+ Add Key* button:

A screenshot of the "SSH Keys" management page. At the top, there is a navigation bar with links: Home, About, My Data, Public Data, Stats, and Help. Below the navigation bar, the title "SSH Keys" is displayed, followed by the sub-instruction "Add and manage your public SSH keys for accessing MyTardis via SFTP.". At the bottom of the page, there are two green buttons: "+ Add key" and "+ Generate key". A yellow callout box contains the text "You don't have any public keys registered. Please add keys using the Add key button above.".

3. Fill in the *Add SSH Keys* form by entering a name for the key and the public key text. The public key text should be in OpenSSH format e.g., `ssh-rsa AAAAB3NzaC1yc2EAAAQABAAQDYZYnXpTP6e/BsQw+....`

FTP

## Add SSH Keys

Add your own public SSH Key using the form below. **Important:** Don't add your private key.

Device Name:

Public Key:

```
ssh-rsa
AAAAAB3NzaC1yc2EAAAQABAAQDYZYnXpTP6e/BsQw+QEvdtpvdKJV2pxc9Q
DISjpqsV464bxerFs7+deNShlpJiHy7zBO4zbzGd2vE2wuxXa02tGRwKghQm3/fFRH6ZL4
pfJ/tkasYd7i5sAIKIkh0tPVVU+6HYbnbNjN+rIYh16ECrp7+YmtwPwVieeiTn69cSTkG+way
TFXwO6M3dolb/SMY8zE5JM0tVnaxBJTwNwpQZHmQW4eh87elHbv7QrtRF7ws/Ph6ME
Bpy1A9VI18ysBKMG4YxybxGuwOOMDAOI/2RhqMGV1MPXlushIOAy9vrYCeS40AukYiE
```

[Close](#) [Add Key](#)

4. Click the *Add Key* button.

If successful you should get a new entry in the SSH keys table.

SSH Keys						
Add and manage your public SSH keys for accessing MyTardis via SFTP.						
		<a href="#">+ Add key</a>		<a href="#">+ Generate key</a>		
<b>Key</b>						
<b>massive</b>	Type: SSH-RSA	Fingerprint: f68edca12548c068f8836d412230bdd4	Date added: 2018-08-07	<a href="#">Delete</a>		


### Have MyTardis to generate an SSH key pair

Creating SSH key pairs can be a bit of a challenge, particularly on Windows systems. For this reason, MyTardis provides another you another option for registering a public keys. In this case, MyTardis will generate the key pair for

you, store the public part of the key and provide you with a one time opportunity to download the private part of the key.

It is important to note that MyTardis never stores your private key. If you lose/delete it, MyTardis cannot recover it for you. This isn't really a problem, since MyTardis can always generate another key pair for you; however, you should revoke the public key associated to the lost private key in your account to ensure that no one who gains access to your private key can access your data. See [Deleting previously registered public keys in MyTardis](#).


1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the + *Generate key* button:

A screenshot of the "SSH Keys" management page. At the top, there is a navigation bar with links: MyTardis, Home, About, My Data, Public Data, Stats, and Help. Below the navigation bar, the title "SSH Keys" is displayed, followed by the sub-instruction "Add and manage your public SSH keys for accessing MyTardis via SFTP.". There are two buttons at the top right: "+ Add key" and "+ Generate key" (which is highlighted with a red box). A table lists a single key entry: "massive" (Type: SSH-RSA, Fingerprint: f68edca12548c068f8836d412230bdd4, Date added: 2018-08-07). A "Delete" button is located to the right of the key entry. The entire screenshot is framed by a red border.

3. Give the key a name and click the *Generate & Download* button. The server will generate an SSH key pair, register the public key and trigger your browser to download the private key.



4. The SSH keys table will be updated with your newly registered public key.

MyTardis    Home    About    My Data    Public Data    Stats    Help

## SSH Keys

Add and manage your public SSH keys for accessing MyTardis via SFTP.


Key	
<b>massive</b>	<b>Delete</b>
Type: SSH-RSA	
Fingerprint: f68edca12548c068f8836d412230bdd4	
Date added: 2018-08-07	
<b>TestKey</b>	<b>Delete</b>
Type: SSH-RSA	
Fingerprint: 3c4c3c3eb293d274fbebe687cc46aff76	
Date added: 2018-08-07	

+ Add key    + Generate key

### Deleting previously registered public keys in MyTardis

Removing a previously registered public SSH key from MyTardis is straightforward.

1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the *Delete* button on the key you wish to remove.

A screenshot of the "SSH Keys" management page. At the top, there's a navigation bar with "MyTardis" and links for "Home", "About", "My Data", "Public Data", "Stats", and "Help". Below that is a section titled "SSH Keys" with the sub-instruction "Add and manage your public SSH keys for accessing MyTardis via SFTP.". There are two buttons at the top right: "+ Add key" and "+ Generate key". The main area shows a table of keys:

Key	
<b>massive</b>	<button>Delete</button>
Type: SSH-RSA	
Fingerprint: f68edca12548c068f8836d412230bdd4	
Date added: 2018-08-08	
<b>TestKey</b>	<button>Delete</button>
Type: SSH-RSA	
Fingerprint: e27936d5ccac5b7e5af83cefb29f01f0	
Date added: 2018-08-09	


Attempting to connect to MyTardis via SFTP using the private sister key to the deleted key will no longer work.

### Connecting to MyTardis via SFTP

1. Open your SFTP client and create a new connection with the following configuration:

Parameter	Value
Server:	<i>URL for your MyTardis deployment e.g. <a href="https://store.erc.monash.edu">https://store.erc.monash.edu</a></i>
Port:	<i>Port on which SFTP server is running</i>
Username:	<i>Your MyTardis username</i>
Password:	<i>Leave this blank</i>
SSH Private Key	<i>Path to a private SSH key<sup>1</sup></i>

**Note:** substitute your credentials and details for your MyTardis deployment for the *italicised* values. If you are unsure about any of these value, please contact your system admin should be able to provide these to you.



## 2. Click Connect

3. Upon successful connection you will be presented with a file browser showing all your data on MyTardis.

Data is organised according to the Experiment/Dataset/Data File hierarchy/structure described in the *Organising Data* section.

## Browse and/or Download a Specific Experiment or Dataset

MyTardis also provides a convenient way to access/browse a particular Experiment or Dataset via SFTP.

1. Navigate to the Experiment or Dataset page that you want to access via SFTP using your web browser.
2. There is an **SFTP** button in the *Download* section on both the Experiment and Dataset views.

---

<sup>1</sup> You must register the public key in MyTardis first, see [Registering and managing SSH keys in MyTardis](#)

# Experiment View

## Experiment Test Experiment

Peter Capaldi

Microscopy experiment

[Description](#)   [Metadata](#)   [Sharing](#)   [Transfer Datasets](#)

Institution Monash University

Licensing Unspecified

Administrators Peter Capaldi

[Download All](#)   [TAR](#)   [SFTP](#)

# Dataset View

4 Files

Download Dataset: [TAR](#) [SFTP](#) [MD5](#)[Add files...](#)

Search: Enter part or all of a filename, then press enter.

Select: [All](#) / [None](#)[Download Selected Files](#)
 [cell5\\_deskewed.companion.ome](#) (292.2 KB)

 [cell5\\_deskewed\\_C0\\_T0.ome.tif](#) (1.0 GB)

 [cell5\\_deskewed\\_C1\\_T0.ome.tif](#) (1.0 GB)

 [cell5\\_deskewed\\_C2\\_T0.ome.tif](#) (1.0 GB)


- Clicking the **SFTP** button at either of these two locations will redirect you to a page with instructions and links for starting an SFTP session for a specific experiment or dataset.

## 11.2 Configuration and Administration

### 11.2.1 Installation

The sections through to Extended Configuration below provide a Quick Start guide for getting a basic MyTardis installation up and running. The following section provides additional information on advanced configuration and add-on capabilities of MyTardis.

#### Prerequisites

##### Ubuntu (18.04 LTS is recommended)

Run the script:

```
sudo bash install-ubuntu-requirements.sh
```

It will install required packages with this command:

```
# for Ubuntu 16.04 or 18.04
# sudo bash install-ubuntu-requirements.sh

apt-get update
apt-get install git libldap2-dev libmagickwand-dev libsasl2-dev \
    libssl-dev libxml2-dev libxslt1-dev libmagic-dev curl gnupg \
    python-dev python-pip python-virtualenv virtualenvwrapper \
    zlib1g-dev libfreetype6-dev libjpeg-dev

curl -sL https://deb.nodesource.com/setup_10.x | sudo -E bash -
sudo apt-get install -y nodejs
```

## Download

To get the most recent stable release:

```
git clone -b master https://github.com/mytardis/mytardis.git
cd mytardis
```

This clones the repository as read-only.

Or, to get the current development branch:

```
git clone -b develop git://github.com/mytardis/mytardis.git
cd mytardis
```

## Quick configuration

It is recommended that you use a virtualenv. The list of packages above includes the `virtualenvwrapper` toolkit. Set up your environment with these commands:

Ubuntu 18.04:

```
source /etc/bash_completion.d/virtualenvwrapper
```

For Ubuntu 16.04:

```
source /usr/share/virtualenvwrapper/virtualenvwrapper.sh
```

Then create the `mytardis` virtual environment

```
mkvirtualenv mytardis
pip install -U pip
```

Note: the next time you want to work with this virtualenv, run the appropriate `source` command and then use the command: `workon mytardis`

MyTardis dependencies are then installed with pip:

```
pip install -U -r requirements.txt
```

To install minimal Javascript dependencies for production:

```
npm install --production
```

To install Javascript dependencies for production and for testing:

```
npm install && npm test
```

Configuring MyTardis is done through a standard Django `settings.py` file. MyTardis comes with a set of default settings in its `tardis/default_settings/` package. You can import this as the basis of your own config file - options defined here will override the relevant options in `default_settings/*.py`.

Create a new file `tardis/settings.py` containing the following:

```
from .default_settings import *
# Add site specific changes here.
```

(continues on next page)

(continued from previous page)

```
# Turn on django debug mode.
DEBUG = True

# Use the built-in SQLite database for testing.
# The database needs to be named something other than "tardis" to avoid
# a conflict with a directory of the same name.
DATABASES['default']['ENGINE'] = 'django.db.backends.sqlite3'
DATABASES['default']['NAME'] = 'tardis_db'
```

In addition you will need to create a new SECRET\_KEY for your installation. This is important for security reasons.

A convenient method is to run the following command in your mytardis installation location:

```
python -c "import os; from random import choice; key_line = '%sSECRET_KEY=%s' % (\n    #_generated from build.sh\n    'from .default_settings import * \n\n' if not os.path.\n    isfile('tardis/settings.py') else '', ''.join([choice(\n        'abcdefghijklmnopqrstuvwxyz0123456789@%^&*(-_=+)') for i in range(50)])); f=open(\n    'tardis/settings.py', 'a+'); f.write(key_line); f.close()"
```

This is the minimum set of changes required to successfully run the server in development mode. You can make any other site-specific changes as necessary.

### Initialisation

Create and configure the database:

```
python manage.py migrate
python manage.py createcachetable default_cache
python manage.py createcachetable celery_lock_cache
```

This avoids creating a superuser before the MyTardis specific UserProfile table has been created. More information about the migrate commands can be found at [Configuration and Administration](#).

Next, create a superuser:

```
python manage.py createsuperuser
```

MyTardis can now be executed in its simplest form using:

```
python manage.py runserver
```

This will start the Django web server at <http://localhost:8000/>.

### Extended configuration

See below for some extra configuration options that are specific to MyTardis.

An automatically generated documentation of the settings can be found in [tardis package](#).

### Essential Production Settings

When deploying to production, you should read [Django's deployment checklist](#).

**Warning:** MyTardis's built-in default settings don't include all of the settings required to run a secure (HTTPS) deployment. Django provides a check command which you can run on your production (or pre-production) server to help you to identify missing settings related to security:

```
./manage.py check --deploy
```

The following settings are essential if you want to run MyTardis in production.

#### DEBUG

This must be set to False for production, otherwise your users will see tracebacks containing sensitive information when they encounter an unhandled exception (Internal Server Error).

**Warning:** After setting DEBUG to False, unhandled exceptions will trigger Internal Server Error emails to **ADMINS** which does not scale well. Django suggests “using an error monitoring system such as Sentry before your inbox is flooded by reports”.

#### SECRET\_KEY

This key needs to be unique per installation and, as the name implies, be kept secret.

A new one can be conveniently generated with the command:

```
echo "SECRET_KEY='`python manage.py generate_secret_key`'" >> tardis/settings.py
```

#### ALLOWED\_HOSTS

ALLOWED\_HOSTS is a list of hostnames and/or IP addresses under which the server is accessible. If this is not set you will get a 500 Error for any request, due to Django raising a SuspiciousOperation exception. For more information, see: <https://docs.djangoproject.com/en/1.11/ref/settings/#allowed-hosts>

## Database

### tardis.default\_settings.DATABASE\_ENGINE

The database server engine that will be used to store the MyTardis metadata, possible values are *postgresql\_psycopg2*, *postgresql*, *mysql*, *sqlite3* or *oracle*.

### tardis.default\_settings.DATABASE\_NAME

The name of the database to used to store the data, this is the path to the database if you are using the SQLite storage engine.

### tardis.default\_settings.DATABASE\_USER

The user name used to authenticate to the database. If you are using SQLite this field is not used.

### tardis.default\_settings.DATABASE\_PASSWORD

The password used to authenticate to the database. If you are using SQLite this field is not used.

### tardis.default\_settings.DATABASE\_HOST

The host name of the machine hosting the database service. If this is empty then localhost will be used. If you are using SQLite then this field is ignored.

### tardis.default\_settings.DATABASE\_PORT

The port the database is running on. If this is empty then the default port for the database engine will be used. If you are using SQLite then this field is ignored.

### LDAP

For further information see [LDAP authentication](#)

### Repository

`tardis.default_settings.DEFAULT_STORAGE_BASE_DIR`

The path to the default MyTardis storage location. This is where files will be stored to if you do not provide any other location explicitly through “StorageBox”es.

`tardis.default_settings.REQUIRE_DATAFILE_CHECKSUMS`

If True, a Datafile requires an MD5 or SHA-512 checksum from the time it is first recorded in the MyTardis database. This enables a model-level constraint check each time a Datafile record is saved. Defaults to True. Datafile record is saved.

`tardis.default_settings.REQUIRE_DATAFILE_SIZES`

If True, a Datafile require a size from the time it is first recorded in the MyTardis database. This enables a model-level constraint check each time a Datafile record is saved. Defaults to True.

`tardis.default_settings.REQUIRE_VALIDATION_ON_INGESTION`

If True, ingestion of a Datafile is only permitted if the Datafile matches its supplied size and/or checksums. Defaults to True.

## Access Rights & Licensing

### Licences

By default, no licences are loaded. A user can make metadata public without assigning a licence, but they cannot allow public access to their data.

Creative Commons licences (for Australia) are available in `tardis/tardis_portal/fixtures/cc_licenses.json`. You can load them with `python manage.py loaddata`.

You can use the admin interface to add other licences. Please ensure `allows_distribution` is set to the correct value to ensure the licence appears in conjunction with suitable public access types.

### Legal Notice

When changing the public access rights or licence for an experiment, a legal notice is displayed. You can override it by either:

1. creating a new app (probably your site theme) and putting your legal text in `tardis/apps/<app_name>/static/publishing_legal.txt`, or
2. directly making changes to `tardis/tardis_portal/static/publishing_legal.txt`.

### Filters

`tardis.default_settings.POST_SAVE_FILTERS`

This contains a list of post save filters that are execute when a new data file is created.

The `POST_SAVE_FILTERS` variable is specified like:

```
POST_SAVE_FILTERS = [
    ("tardis.tardis_portal.filters.exif.EXIFFilter", ["EXIF", "http://exif.schema"
    ↵"]),
]
```

For further details please see the [Filter Setup](#) section.

## Archive Organizations

### `tardis.default_settings.DEFAULT_ARCHIVE_FORMATS`.

This is a prioritized list of download archive formats to be used in contexts where only one choice is offered to the user; e.g. the “download selected” buttons. (The list allows for using different archive formats depending on the user’s platform.)

### `tardis.default_settings.DEFAULT_PATH_MAPPER`.

This gives the default archive “organization” to be used. Organizations are defined via the next attribute.

### `tardis.default_settings.DOWNLOAD_PATH_MAPPERS`.

This is a hash that maps archive organization names to Datafile filename mapper functions. These functions are responsible for generating the archive pathnames used for files written to “tar” and “zip” archives by the downloads module.

The `DOWNLOAD_PATH_MAPPERS` variable is specified like:

```
DOWNLOAD_PATH_MAPPERS = {
    'test': ('tardis.apps.example.ExampleMapper',),
    'test2': ('tardis.apps.example.ExampleMapper', {'foo': 1})
}
```

The key for each entry is the logical name for the organization, and the value is a tuple consisting of the function’s pathname and a set of optional keyword arguments to be passed to the function. At runtime, the function is called with each Datafile as a positional argument, and an additional ‘rootdir’ keyword argument. The function should compute and return a (unique) pathname based on the Datafile and associated objects. If the function returns `None`, this tells the archive builder to leave out the file.

By default, the archive builder uses the built-in “deep-storage” mapper which gives pathnames that try to use directory information to rebuild a file tree.

## Storage Locations ( `StorageBox` es)

A MyTardis instance can be configured to support multiple locations ( `StorageBox` es) for storing data files. Each location holds copies ( `DataFileObject` s) of `DataFile` s that are recorded in the MyTardis database.

The `StorageBox` architecture is compatible with the [Django File Storage API](#). This makes it relatively easy to support a number of different storage backends such as cloud storage or SFTP servers. Please refer to the [StorageBox documentation](#) for more detailed information.

## Single Search

Instructions on installing and configuring Elasticsearch for advanced search are available from [Setting Up Search](#).

### Additional Tabs

Additional and custom tabs may be configured in MyTardis on a per-installation basis. The tabs are implemented as separate Django applications with a single view (index), listed in the TARDIS\_APPS configuration item and either linked to, or installed in the TARDIS\_APP\_ROOT directory, by default tardis/apps.

Documentation on the additional tabs is available from [Apps and Contextual Views](#).

### Additional Views

Custom views may be configured in MyTardis on a per-installation basis. The tabs are implemented as separate Django applications with a single view function listed in the \*\_VIEWS configuration item and added to the INSTALLED\_APPS list.

Refer to the [views documentation](#) for further information.

### Site Customisations

Some settings that allow customised messages and styles.

```
PUBLICATION_INTRODUCTION = """
<p><strong>... introduction and publication agreement ...</strong></p>
"""
SITE_STYLES = '' # should be CSS

# if either GA setting is empty, GA is disabled
GOOGLE_ANALYTICS_ID = '' # whatever Google provides
GOOGLE_ANALYTICS_HOST = '' # the host registered with Google

# these refer to any template finder findable location, e.g. APPDIR/templates/...
CUSTOM_ABOUT_SECTION_TEMPLATE = 'tardis_portal/about_include.html'
CUSTOM_USER_GUIDE = 'user_guide/index.html'
```

## Deployment

### Collecting Static Files

For performance reasons you should avoid static files being served via the application, and instead serve them directly through the webserver.

To collect all the static files to a single directory:

```
python manage.py collectstatic
```

tardis.default\_settings.STATIC\_ROOT

This contains the location to deposit static content for serving.

tardis.default\_settings.STATIC\_URL

The path static content will be served from. (eg. /static or http://mytardis-resources.example.com/)

**See also:**

[collectstatic](#), STATIC\_ROOT, STATIC\_URL

## Serving with Nginx + Gunicorn

In this configuration, Nginx serves static files and proxies application requests to a Gunicorn server:



Nginx should then be configured to send requests to the server. Here is an example configuration (SSL part from Mozilla SSL configurator). Please amend for your own needs and understand the settings before deploying it.:

```

upstream mytardis {
    server unix:/var/run/gunicorn/mytardis/socket;
    server 127.0.0.1:8000 backup;
}

server {
    listen 80 default_server;
    server_name demo.mytardis.org;
    return 301 https://$server_name$request_uri;
}

server {
    listen 443 default_server ssl;
    server_name demo.mytardis.org;

    # certs sent to the client in SERVER HELLO are concatenated in ssl_certificate
    ssl_certificate /path/to/signed_cert_plus_intermediates;
    ssl_certificate_key /path/to/private_key;
    ssl_session_timeout 5m;
    ssl_session_cache shared:SSL:50m;

    # Diffie-Hellman parameter for DHE ciphersuites, recommended 2048 bits
    ssl_dhparam /path/to/dhparam.pem;

    # intermediate configuration. tweak to your needs.
    ssl_protocols TLSv1.1 TLSv1.2;
    ssl_ciphers 'ECDHE-RSA-AES128-GCM-SHA256:ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-RSA-
    ↵AES256-GCM-SHA384:ECDHE-ECDSA-AES256-GCM-SHA384:DHE-RSA-AES128-GCM-SHA256:DHE-DSS-
    ↵AES128-GCM-SHA256:kEDH+AESGCM:ECDHE-RSA-AES128-SHA256:ECDHE-ECDSA-AES128-
    ↵SHA256:ECDHE-RSA-AES128-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-RSA-AES256-SHA384:ECDHE-
    ↵ECDSA-AES256-SHA384:ECDHE-RSA-AES256-SHA:ECDHE-ECDSA-AES256-SHA:DHE-RSA-AES128-
    ↵SHA256:DHE-RSA-AES128-SHA:DHE-DSS-AES128-SHA256:DHE-RSA-AES256-SHA256:DHE-DSS-
    ↵AES256-SHA:DHE-RSA-AES256-SHA:DES-CBC3-SHA:!aNULL:!eNULL:!EXPORT:!DES:!RC4:!MD5:!
    ↵PSK:!aECDH:!EDH-DSS-DES-CBC3-SHA:!EDH-RSA-DES-CBC3-SHA:!KRB5-DES-CBC3-SHA';
    ssl_prefer_server_ciphers on;

    # HSTS (ngx_http_headers_module is required) (15768000 seconds = 6 months)
    add_header Strict-Transport-Security max-age=15768000;

    # OCSP Stapling ---
    # fetch OCSP records from URL in ssl_certificate and cache them
    ssl_stapling on;
    ssl_stapling_verify on;

    ## verify chain of trust of OCSP response using Root CA and Intermediate certs
    ssl_trusted_certificate /path/to/root_CA_cert_plus_intermediates;
  
```

(continues on next page)

(continued from previous page)

```
resolver <IP DNS resolver>;  
  
client_max_body_size 4G;  
keepalive_timeout 5;  
  
gzip off; # security reasons  
gzip_proxied any;  
# MyTardis generates uncompressed archives, so compress them in transit  
gzip_types application/x-javascript text/css;  
gzip_min_length 1024;  
gzip_vary on;  
  
location / {  
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
    proxy_set_header X-Forwarded-Proto $scheme;  
    proxy_set_header Host $http_host;  
    proxy_redirect off;  
    proxy_pass http://mytardis;  
    client_max_body_size 4G;  
    client_body_buffer_size 8192k;  
    proxy_connect_timeout 2000;  
    proxy_send_timeout 2000;  
    proxy_read_timeout 2000;  
}  
  
location /static/ {  
    expires 7d;  
    alias /srv/static_files/;  
}  
}
```

The `X-Forwarded-Proto` header is explained in <http://docs.gunicorn.org/en/stable/deploy.html#id5>:

It is recommended to pass protocol information to Gunicorn. Many web frameworks use this information to generate URLs. Without this information, the application may mistakenly generate ‘http’ URLs in ‘https’ responses, leading to mixed content warnings or broken applications.

To tell MyTardis to set this header in its HTTP requests and redirects, you’ll need the following in your `settings.py`:

```
SECURE_PROXY_SSL_HEADER = ('HTTP_X_FORWARDED_PROTO', 'https')
```

For more information, including warnings on the risks of misconfiguring this setting, see: <https://docs.djangoproject.com/en/1.11/ref/settings/#secure-proxy-ssl-header>

Don’t forget to create the static files directory and give it appropriate permissions. The location is set in the `settings.py` file.

```
# Collect static files to ``settings.STATIC_ROOT``  
python manage.py collectstatic  
# Allow Nginx read permissions  
setfacl -R -m user:nginx:rx static_dir
```

### See also:

[Django with Gunicorn](#)

## Serving with Apache HTTPD + mod\_wsgi

We do not support the use of Apache. If you need this and want to support this use case, we welcome your contribution of any relevant documentation.

## Creating Systemd Services for Gunicorn and Celery

Gunicorn is a Python WSGI HTTP Server which is suitable for production (when combined with NGINX). Gunicorn is typically run from a Systemd service (on Ubuntu 16.04 or Ubuntu 18.04), saved in `/etc/systemd/system/gunicorn.service`:

```
[Unit]
Description=gunicorn daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/gunicorn \
-c gunicorn_settings.py -b unix:/tmp/gunicorn.socket \
-b 127.0.0.1:8000 \
--log-syslog \
wsgi:application

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Gunicorn service would be configured in `/etc/supervisor/conf.d/gunicorn.conf`:

```
[program:gunicorn]
command=/home/mytardis/.virtualenvs/mytardis/bin/gunicorn
-c /home/mytardis/mytardis/gunicorn_settings.py
-b unix:/tmp/gunicorn.socket
-b 127.0.0.1:8000
--log-syslog
wsgi:application
user=mytardis
stdout_logfile=/var/log/gunicorn.log
redirect_stderr=true
```

A single server MyTardis deployment requires only one Gunicorn service, but MyTardis can be installed on multiple web nodes, each running NGINX and Gunicorn to accomodate load balancing and high availability using HAProxy.

The Celery workers which run MyTardis asynchronous tasks also require a service configuration, which is typically implemented with Systemd (on Ubuntu 16.04 or Ubuntu 18.04), saved in `/etc/systemd/system/celeryworker.service`:

```
[Unit]
Description=celeryworker daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
```

(continues on next page)

(continued from previous page)

```
Environment=DJANGO_SETTINGS_MODULE=tardis.settings
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/celery worker \
-A tardis.celery.tardis_app \
-c 2 -Q celery,default -n "allqueues.%{h}"

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Celery worker service would be configured in `/etc/supervisor/conf.d/celeryworker.conf`:

```
[program:celeryd]
environment=
    DJANGO_SETTINGS_MODULE=tardis.settings
command=/home/mytardis/.virtualenvs/mytardis/bin/celery worker
    -A tardis.celery.tardis_app
    -c 2 -Q celery,default -n "allqueues.%{h}"
user=mytardis
directory=/home/mytardis/mytardis
stdout_logfile=/var/log/celeryd.log
redirect_stderr=true
killasgroup=true
stopwaitsecs=600
```

For tasks scheduled by Celerybeat, the Systemd service configuration (for Ubuntu 16.04 or Ubuntu 18.04), is saved in `/etc/systemd/system/celerybeat.service`:

```
[Unit]
Description=celerybeat daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
Environment=DJANGO_SETTINGS_MODULE=tardis.settings
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/celery beat \
-A tardis.celery.tardis_app --loglevel INFO

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Celerybeat service would be configured in `/etc/supervisor/conf.d/celerybeat.conf`:

```
[program:celerybeat]
environment=
    DJANGO_SETTINGS_MODULE=tardis.settings
command=/home/mytardis/.virtualenvs/mytardis/bin/celery beat
    -A tardis.celery.tardis_app --loglevel INFO
user=mytardis
directory=/home/mytardis/mytardis
stdout_logfile=/var/log/celerybeat.log
redirect_stderr=true
```

## 11.2.2 Authentication Methods

### Users

MyTardis supports several sources of authentication and identity, referred to as user providers.

In the *settings.py* user providers are activated by specifying them within the **USER\_PROVIDERS** variable:

```
USER_PROVIDERS = ('tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider',)
```

### Groups

MyTardis also supports several sources for group membership information, referred to as group providers.

In the *settings.py* group providers are activated by specifying them within the **GROUP\_PROVIDERS** variable:

```
GROUP_PROVIDERS = ('tardis.tardis_portal.auth.localdb_auth.DjangoGroupProvider',
                    'tardis.tardis_portal.auth.vbl_auth.VblGroupProvider',)
```

### Included Auth Plugins

#### HTTP Basic Endpoint Authentication

`tardis.tardis_portal.auth.httpbasicendpoint_auth`

HTTP Basic Endpoint authentication uses access to a HTTP resource (or endpoint) to determine if authentication should be allowed.

To use HTTP Basic Endpoint authentication, you'll need a HTTP resource protected by HTTP Basic Auth which is accessible from the MyTardis server.

In the *settings.py* add the following to **AUTH\_PROVIDERS** with an appropriate name. eg.

```
AUTH_PROVIDERS = (
    ('acls', 'acls', 'tardis.tardis_portal.auth.httpbasicendpoint_auth.
     ↴HttpBasicEndpointAuth'),
)
```

On each request, MyTardis will attempt to use basic authentication with the provided credentials to access the HTTP resource. If it fails, access is denied.

Endpoint to use in HTTP Basic Endpoint Auth. eg.

```
HTTP_BASIC_AUTH_ENDPOINT = 'https://test.example/endpoint'
```

### LDAP Authentication

`tardis.tardis_portal.auth.ldap_auth`

To enable LDAP you'll need to specify which components of the LDAP authentication backend are enabled. In the *settings.py* add the following to either Authentication, User Provider, Group Provider slugs.:

```
'tardis.tardis_portal.auth.ldap_auth.ldap_auth'
```

This is a wrapper function that allows initialisation of the LDAP provider using *settings.py* values.

### `ldap_auth()` Function

The following are configuration settings that are used when initialising the LDAP backend.

`tardis.default_settings.LDAP_TLS`

Enable TLS connections.

`tardis.default_settings.LDAP_URL`

Set the URL of the LDAP server, e.g. `ldap://localhost:389/`

`tardis.default_settings.LDAP_USER_LOGIN_ATTR`

Set the login attribute of the users, usually this will be either `cn` or `uid`

`tardis.default_settings.LDAP_USER_ATTR_MAP`

The LDAP user attribute map is used to map internal identifiers like `first_name`, `last_name` and `email` to their LDAP equivalents e.g. `{"givenName": "first_name", "sn": "last_name", "mail": "email"}`

`tardis.default_settings.LDAP_GROUP_ID_ATTR`

This is where you specify the group identifier from LDAP, usually it will be `cn`.

`tardis.default_settings.LDAP_GROUP_ATTR_MAP`

This map is used to map internal identifiers like `display` e.g. `{"description": "display"}`

`tardis.default_settings.LDAP_BASE`

Sets the search base of the LDAP queries `dc=example, dc=com`

`tardis.default_settings.LDAP_USER_BASE`

Sets the suffix to append to the user RDN (e.g. `uid=jsmith`) to construct the DN e.g. `"ou=People, " + LDAP_BASE`

`tardis.default_settings.LDAP_GROUP_BASE`

Sets the suffix to append to the group RDN (e.g. `cn=group1`) to construct the DN e.g. `"ou=Group, " + LDAP_BASE`

### Temporary Token Authentication

`tardis.tardis_portal.auth.token_auth`

To use token authentication, you'll need to specify the following `settings.py`

`'tardis.tardis_portal.auth.token_auth.TokenGroupProvider',`

`TOKEN_EXPIRY_DAYS = 30`

`TOKEN_LENGTH = 30`

`TOKEN_USERNAME = 'tokenuser'`

and create a user with

`bin/django createtokenuser`

### Cleaning up

`bin/django cleanuptokens`

It is recommended that you schedule regular purging of expired tokens. Set a cronjob to run `bin/django cleanuptokens`

## Expiry

Token auth works by hijacking the group provider system.

MyTardis groups are calculated and cached when a user logs in.

This means that if a session is active, and a token becomes invalid (either through deletion or expiry) that access will still be granted. To mitigate this, when a token user logs in, an explicit expiry is set on their session - the earlier of 4am the next day, or the session expiry date (the end of the day)

This forces the user to attempt to log in again, and be denied access.

- `tardis.tardis_portal.auth.ip_auth`

The `tardis.tardis_portal.auth package` module contains the authentication specific code.

### 11.2.3 Filter Setup

*filters*

Filters are called once an object has been saved to the database. They build on the [Django Signals Infrastructure](#).

In the `settings.py` file filters are activated by specifying them within the `POST_SAVE_FILTERS` variable, for example

```
POST_SAVE_FILTERS = [
    ("tardis.tardis_portal.filters.exif.EXIFFilter",
     ["EXIF", "http://exif.schema"]),
]
```

The format they are specified in is

```
(<filter class path>, [args], {kwargs})
```

Where `args` and `kwargs` are both optional.

### 11.2.4 Database

#### Initialising

When creating a new database the `migrate` command will need to be called to initialise the schema and insert the initial data fixtures.

#### Usage

```
python manage.py migrate
```

#### Migrating

Some of the upgrades to MyTardis will require that the database schema be upgraded to match the internal data model. The `migrate` command migrates data from old database schemas to the current one. It detects which version of the database you are currently running and will automatically migrate to the current version.

In certain cases it is also necessary to update the permissions table.

### Usage

```
python manage.py migrate
```

If the model changes require it, run:

```
python manage.py update_permissions
```

### creating superuser

After success of database initialization or migration, please use a command line utility called `createsuperuser` to create an administrator account using the admin site which is hooked to the URL `/admin/`.

### Usage

```
python manage.py createsuperuser
```

### Backup

Previous versions of MyTardis included a `backupdb` management command but it has been removed in 4.0. Please use the recommended backup tool for your database engine, e.g. `pg_dump` or `mysqldump`.

## 11.2.5 Schema and Parameter Sets

MyTardis stores metadata as *Parameters*, which are grouped in to *Parameter Sets*, which are defined by a *Schema*.

### Managing Schema

Schemas are managed through the Django administrative interface. The administrative interface is normally accessible from a link similar to:

```
http://domain.com:8000/admin/
```

Selecting “Schemas” in the administrative interface will display a list of the installed schemas. Clicking on a schema displays the editor for that schema.

Schema definitions are the combination of two tables, *Schema* and *ParameterName*.

The *Schema* fields are:

**Namespace** The namespace uniquely identifies the schema. When exporting an experiment as a METS file the namespace is used as an XML Namespace, and thus must follow the XML standard, i.e. in the form of a URL.

The MyTardis naming convention is:

```
http://domain.com/localidentifiers/schemaname/version
```

**Name** The display name of the schema.

**Type** Experiment, Dataset or Datafile.

**Subtype** Used to group and identify schema for forms based searching.

The *ParameterName* fields are:

**Schema** The namespace of the schema which this parameter belongs to.

**Name** The identifier used to ingest parameters.

**Full Name** The display name of the parameter.

**Units** The display name of the units for numerical values.

**Data Type** One of:

- Numeric
- String
- Longstring
- URL
- Filename
- Datetime
- Link

Strings use the input field widget for editing, while longstrings use a textarea widget.

**Immutable** If true, no user editing of the parameter is allowed, regardless of access.

**Comparison Type** The type of search to be performed with Forms Based Search. Not used by Advanced Search.

**Is Searchable** Flag whether this parameter is searchable.

**Choices** If defined, a drop down list of values is displayed.

**Order** The display order of the parameters within the schema. Sorting is by Order, then alphabetically.

## 11.2.6 Setting Up Search

Tardis comes with a single search option which provides users with a search field that returns a list of matching Experiments, Datasets and Datafiles.

The single search box uses Elasticsearch, with a django-haystack frontend, and accordingly requires some setup. The single search box is disabled by default.

### Setting up Elasticsearch

Elasticsearch doesn't work out of the box with MyTardis. It is not currently installed with pip and requires a number of manual steps to get working.

Elasticsearch can be found here: <https://www.elastic.co/products/elasticsearch>

The following are a very simple list of steps that will get everything up and running. It is advisable to follow up with the person responsible for overseeing security policy at your home institution to see if any extra setup is necessary.

### Django Configuration

#### Enabling Single Search

A list of default settings for Single Search are already in `default_settings.py` in the MyTardis repository. Single search is enabled by setting the `SINGLE_SEARCH_ENABLED` option to True.

Other settings are shown below:

## HAYSTACK\_CONNECTIONS

The default value is

```
HAYSTACK_CONNECTIONS = {  
    'default': {  
        'ENGINE': 'haystack.backends.elasticsearch_backend.  
                  ElasticsearchSearchEngine',  
        'URL': 'http://127.0.0.1:9200/',  
        'INDEX_NAME': 'haystack',  
    },  
}
```

## HAYSTACK\_SIGNAL\_PROCESSOR

This setting determines when the information in Elasticsearch is updated. The default value updates it in real time with db changes

```
HAYSTACK_SIGNAL_PROCESSOR = 'haystack.signals.RealtimeSignalProcessor'
```

A more performant implementation would trigger an update task on each db change.

Please see django-haystack documentation for further information: <http://haystacksearch.org>

### Updating Indexes

Once Elasticsearch is set up, and Single Search is enabled (i.e. the SINGLE\_SEARCH\_ENABLED option in settings is set to True) Haystack will automatically register the addition of and changes to models and reflect these in the search index. That is, as soon as a new instance of a model is added to the database, or changes are made to an existing instance, these changes will be searchable.

If you're adding search to an existing deployment of Django then you'll need to manually trigger a rebuild of the indexes (automatic indexing only happens through signals when models are added or changed).

Haystack registers a number of management commands with the Django framework, the important one here being the *rebuild\_index* command. To rebuild, navigate to your checkout and call the following command

```
python manage.py rebuild_index
```

Haystack will then ask you to confirm your decision (Note: Rebuilding will destroy your existing indexes, and will take a while for large datasets, so be sure), and then start rebuilding.

### 11.2.7 Storage Options and Architecture in MyTardis

#### Database layout for storage

The storage for each DataFile is configured individually. A “way to store data” is called StorageBox. Each file has one or many related DataFileObjects, which link a DataFile with a StorageBox. A DataFile can have several copies stored in different StorageBoxes via several DataFileObjects.

## StorageBoxes

StorageBoxes contain all the information needed to store a file except an id unique to the file and storagebox.

Each StorageBox points to a class that implements the Django storage API via a python module path as string.

Optional instantiation parameters for each StorageBox can be stored in StorageBoxOptions. These are used as parameters to the storage class set in the `django_storage_class` attribute of a StorageBox

These parameters are string types by default. However, by setting the optional parameter `value_type` to 'pickle', any picklable object can be stored here and hence used for instantiation of the storage class.

Optional classification and other metadata can be stored in StorageBoxAttributes.

A special case is where someone registers a file and wants to put it into location themselves but needs to be given the place to put it (via the API). Such situation can only be resolved with StorageBoxes that implement the "build\_save\_location" function. Such StorageBoxes need to have a StorageBoxAttribute with key "staging" and value "True".

## DataFiles

DataFiles are the logical representation of the file. They contain information about the name, size, checksum, dates etc.

## DataFileObjects

DataFileObjects point to the DataFile they belong to and the StorageBox they reside in. They also have an identifier that the StorageBox uses to find the actual file. DataFileObjects also have a date, and a state-flag.

## Available backends

Django storage API compatible backends are available for example at <https://github.com/jschneier/django-storages>

We have tested the following backends with MyTardis:

- File on disk or any other system mounted storage
- SFTP
- SWIFT Object Storage

## Documented backends

### S3 compatible storage

S3 and S3 compatible storage backends are supported by the `django-storages` package.

To use the S3 storage backend, you will need to install the following:

```
pip install django-storages
pip install boto3
```

The S3Boto3Storage storage backend provided by django-storages can be used to configure an S3 storage box, or it can be used to store static assets in S3, as described at <https://django-storages.readthedocs.io/en/latest/backends/amazon-S3.html>

To configure an S3 storage box, set the storage box's `django_storage_class` field to `storages.backends.s3boto3.S3Boto3Storage`

## Configuration

The following options can be set as StorageBoxOption on your S3 storage box or system wide in your Django settings (a default of \* labels mandatory settings):

StorageBoxOption	Django Setting	Default
access_key	AWS_S3_ACCESS_KEY_ID *	AWS_ACCESS_KEY_ID
secret_key	AWS_S3_SECRET_ACCESS_KEY *	AWS_SECRET_ACCESS_KEY
file_overwrite	AWS_S3_FILE_OVERWRITE	True
headers	AWS_HEADERS	{}
bucket_name	AWS_STORAGE_BUCKET_NAME	
auto_create_bucket	AWS_AUTO_CREATE_BUCKET	False
default_acl	AWS_DEFAULT_ACL	public-read
bucket_acl	AWS_BUCKET_ACL	default_acl
querystring_auth	AWS_QUERYSTRING_AUTH	True
querystring_expire	AWS_QUERYSTRING_EXPIRE	600
reduced_redundancy	AWS_REDUCED_REDUNDANCY	
location	AWS_LOCATION	''
encryption	AWS_S3_ENCRYPTION	False
custom_domain	AWS_S3_CUSTOM_DOMAIN	None
calling_format	AWS_S3_CALLING_FORMAT	SubdomainCallingFormat()
secure_urls	AWS_S3_SECURE_URLS	True
file_name_charset	AWS_S3_FILE_NAME_CHARSET	UTF-8
gzip	AWS_IS_GZIPPED	False
preload_metadata	AWS_PRELOAD_METADATA	False
gzip_content_types	GZIP_CONTENT_TYPES	('text/css', 'text/javascript', 'application/javascript', 'application/x-javascript', 'image/svg+xml')
url_protocol	AWS_S3_URL_PROTOCOL	http:
host	AWS_S3_HOST	S3Connection.DefaultHost
use_ssl	AWS_S3_USE_SSL	True
port	AWS_S3_PORT	None
proxy	AWS_S3_PROXY_HOST	None
proxy_port	AWS_S3_PROXY_PORT	None
The max amount of memory a returned file can take up before being rolled over into a temporary file on disk. Default is 0: Do not roll over.		
max_memory_size	AWS_S3_MAX_MEMORY_SIZE	

## Appendix: Conversion of ‘Replicas’

Replicas used to be the method of file storage abstraction in MyTardis versions 3.x. The StorageBoxes replace this. For pain-free upgrading, a conversion has been included with the database migrations that works as follows:

All ‘Locations’ that are local are converted to default (folder on disk) StorageBoxes. All ‘Locations’ that are not local are converted to dummy ‘link only’ StorageBoxes with the corresponding name. These can be upgraded manually to a StorageBox with an appropriate backend after the migration has taken place.

Max size is set to size of disk, hence for multiple locations on the same disk this number provides no protection. This also should be set to reasonable values manually after the migration.

Each ‘Replica’ of a file will be converted to a DataFileObject pointing to the relevant StorageBox.

All files are manually reverified, so that unverified entries can be checked for errors.


## 11.2.8 Facility Overview

### Introduction

The Facility Overview included with MyTardis allows facility administrators to monitor the output of connected instruments, highlighting unverified files, dataset size, file counts and file listings.

### Setup

In order for datasets to appear in the Facility Overview, each dataset must be associated with an Instrument, which is itself associated with a Facility. The Facility object will reference a facility administrator’s group, members of which may view the Facility Overview.



The facility managers, facility manager groups, facilities and instruments may be configured via the django admin interface. MyData, the desktop uploader client for the MyTardis server, can be configured to assign the appropriate instrument to uploaded datasets at the point of ingestion.

It should be noted that the dataset visibility within the facility overview is limited to dataset and datafile listings only. Access to the experiment and dataset views, as well as raw data, is still controlled via the [ACL framework](#).

### Usage

Members of the facility manager groups for one or more facilities will see the “Facility Overview” menu item in the MyTardis web portal. After opening the facility overview, a list of recently ingested datasets will be displayed from the facility being managed. If a user manages multiple facilities, a blue drop-down selector will also appear on the

right-hand side of the page. As the facility overview is designed to give a snapshot of recently uploaded datasets, older data is not immediately accessible; MyTardis' *search feature* is better suited to this.

In addition to simply listing the most recent datasets, the datasets can be grouped by instrument or by owner, and filtered by username, experiment name and instrument name. Note that while filters are active, it may appear as though no new pages are loaded by clicking “Load more”, since the additional datasets fetched from the server might not match the active filters.

## 11.3 Development

### 11.3.1 Architecture

This page describes the architecture of MyTardis.

MyTardis is built on the Django web framework, which itself is built on Python, thus MyTardis follows the architectural model of Django.

#### Component Architecture

**Web Server** MyTardis is typically deployed with the standard [Nginx + Gunicorn + Django + Python](#) stack.

**RDBMS** Ideally, use PostgreSQL. MySQL or MariaDB may be usable but it is not as well tested.

**Data Storage** Local disk, network mounted disks as well as S3 and SFTP are supported.

**Ingestion** Ingestion is normally site specific. A desktop application is available (MyData).

#### Functional Architecture

MyTardis follows the standard Django architecture.

The major functional modules in MyTardis are:

**API** A RESTful API provides anonymous and authenticated access to most of the stored data.

**Auth** Authentication and Authorisation.

**Download** Data download functionality.

**Filters** Processing of metadata as data is uploaded, e.g. extract EXIF metadata from JPEG files.

**Management** Additional commands for the Django CLI. The backup utility is implemented as a Django command.

**Migrations** Database migration code.

**Publish** RIF-CS metadata publication.

**Search** Provides a searchable and authorisation enabled index for quickly finding data.

**SFTP server** Provides read access to data in MyTardis via the SFTP protocol

Information on the individual modules is available from the modindex.

## Scalability Model

At the component / module level, performance and Scalability within MyTardis is achieved by:

- Allowing long lived or compute intensive operations to be hosted on separate machines from the main web server.
  - E.g. by running multiple web servers and sending long lived operations, such as ingestion, to a server reserved for such operations.
- Performance and Scalability of the database is achieved by a combination of 1) optimising the SQL requests issued by MyTardis, and 2) database specific scalability, please refer to the appropriate database documentation.
- Performance and Scalability of the web server is provided through the normal mechanisms for nginx / wsgi hosted python applications, e.g.:
  - Increasing individual Server capability
    - \* Individual Server performance / utilization may be managed by controlling the number of python (django) processes active at any one time.
  - Deploying multiple web servers
    - \* Multiple web servers may be deployed using standard mechanisms, e.g. load balancers. State (session) information is distributed using Django's standard session model.
- The Data Archive is a normal file system, e.g. NFS, SAMBA, etc., with performance and scalability dependent on the implementation and deployment.
- Extraction and formatting of metadata for ingestion is up to the client and may be distributed across any number of machines.

## SQL Scalability Notes

The datafileparameter table is expected to be the single largest table by an order of magnitude, in the hundreds of millions of records (at the Australian Synchrotron).

For Postgres, this will probably be addressed by table partitioning. In this case using a date field to partition is often recommended. Dates may be introduced as part of the support for annotations, raw data, versioned data and derived data.

## Persistance and Data Architecture

Django provides an Object-Relational-Model that maps Django Models to the underlying relational database.

The Django Models are defined in `tardis.tardis_portal.models`.

## Security Model

### Authentication

Access to data catalogued by MyTardis may be either public, i.e. anonymous access allowed, or private, requiring authentication. The Authentication Framework is documented in `ref-authframework`.

### Authorisation

MyTardis includes an extensible authorisation engine, documented in [ref-authframework](#) and [Authorisation Framework](#).

### Class Diagram

Unless the application has a very rich business model (which MyTardis does not), a class diagram doesn't convey much information in Django applications (it ends up being a flat list of classes). To understand the context in which the MyTardis classes are created, please refer to the Django documentation, <http://docs.djangoproject.com/> on the responsibilities of models, views, managers and templates.

### Source Code

This section describes the top level layout of the source code in the [GitHub](#) repository.

- docs
  - MyTardis User and Administrative documentation
- tardis
  - apps
    - \* **Contains all the optional functionality and installation specific** functionality. Examples include the optional ANDS Register (ands\_register) and Related Info (related\_info) tabs, and the ANSTO (mecat-ansto) and Australian Synchrotron (mecat-as) installation specific modules.
    - \* **Some applications are part of the main code base, others can be added** at installation time.
  - search
    - \* Search related code
  - tardis\_portal
    - \* This is the main django application that contains most of the core MyTardis functionality

### 11.3.2 Authorisation Framework

#### Django Authorisation

Django has a built-in authorisation/permission mechanism that is in use by default. It is enabled in MyTardis in `default_settings.py` together with the custom object level permission framework described below.

```
AUTHENTICATION_BACKENDS = (
    'django.contrib.auth.backends.ModelBackend',
    'tardis.tardis_portal.auth.authorisation.ACIAwareBackend',
)
```

The Django default permissions are automatically available for each Model. The verbs are add, change, delete, and they can be queried on the user object as follows:

```
user.has_perm('tardis_portal.add_experiment')
user.has_perm('tardis_portal.add_dataset')
user.has_perm('tardis_portal.change_experiment')
user.has_perm('tardis_portal.delete_datasetparameterset')
```

There is a function in `tardis.tardis_portal.auth.authservice` called `_set_user_from_dict` that adds the following permissions for each new user created using custom methods:

```
'add_experiment'
'change_experiment'
'change_group'
'change_userauthentication'
'change_experimentacl'
```

These permissions apply in general and are augmented by ACLs

### Object Level Permissions and Access Control Lists

The main purpose of the ACL system is to manage per experiment permissions. The architecture allows for future expansion to more fine grained permission management. However, at this stage only the Experiment level is supported by the user interface.

Permissions are applied with a few predefined roles:

**read** read permission allows individuals and groups access to view an experiment.

**write** write permissions cover addition of new datasets and datafiles and also deletion of datafile.

**delete** delete permission allows deletion of datasets and experiments.

Roles are applied through the web using the *Control Panel* and can be applied to either users or groups.

To make an experiment public requires an explicit publish action.

The ACL permissions can be queried on the user object just like standard permissions, however, with the addition of the object in question:

```
user.has_perm('tardis_acls.change_experiment', experiment)
```

Verbs currently available are change, view, delete, owns, share.

The translation of ACLs to `has_perm` verbs is defined in a function in `tardis.tardis_portal.auth.authorisation`.

To allow for querying on any object related to experiments, extra logic was added to some of the models. To support the logic, in addition to ACLs, `has_perm` calls model functions named `_has_VERB_perm`, which allows model-specific permission logic.

The current policy is that if those functions return True or False then that result is returned without further checking. If they return an object, permissions will be checked for this object thereby allowing delegation.

### 11.3.3 RESTful API for MyTardis

The data and metadata stored in MyTardis instances is made accessible through a RESTful API.

Not all functionality has been exposed via the API at this time. This documentation reflects what is available and tested.

The API version v1 is built on the Tastypie framework.

The RESTful API can also be explored via the automatically generated Swagger documentation at <http://mytardis-example.com/api/v1/swagger/>.

See [swagger.io](https://swagger.io) for details on the Swagger standard.

## **API accessible models**

- Experiment
- ExperimentParameterSet
- ExperimentParameter
- 
- Dataset
- DatasetParameterSet
- DatasetParameter
- 
- DataFile
- DatafileParameterSet
- DatafileParameter
- 
- StorageBox
- StorageBoxOption
- StorageBoxAttribute
- 
- Schema
- ParameterName
- 
- User
- Group
- 
- Facility
- Instrument
- 
- ObjectACL

## **Authentication**

Currently implemented are Basic Auth, to be used via HTTPS only, and SessionAuth which queries Django sessions.

Due to our desire to provide information to users without any login, eg. for public data, the Basic Auth mechanism is slightly non-standard.

The standard sends an anonymous request, awaits a WWW-Authenticate header, then sends authentication credentials. Instead, this API sends public data for anonymous requests.

Using `curl` or the `requests` library this poses no problem. However, using `urllib2` or web browser without a Django session is not going to work out of the box.

Here is a snippet (found here: <http://stackoverflow.com/questions/4628610/does-urllib2-support-preemptive-authentication-authentication>) that makes urllib2 work, should you want to use this library:

```
class PreemptiveBasicAuthHandler(urllib2.BaseHandler):

    def __init__(self, password_mgr=None):
        if password_mgr is None:
            password_mgr = urllib2.HTTPPasswordMgrWithDefaultRealm()
        self.passwd = password_mgr
        self.add_password = self.passwd.add_password

    def http_request(self, req):
        uri = req.get_full_url()
        user, pw = self.passwd.find_user_password(None, uri)
        if pw is None:
            return req

        raw = "%s:%s" % (user, pw)
        auth = 'Basic %s' % base64.b64encode(raw).strip()
        req.add_unredirected_header('Authorization', auth)
        return req

auth_handler = PreemptiveBasicAuthHandler()
auth_handler.add_password(realm=None,
                         uri=url,
                         user='mytardis',
                         passwd='mytardis')
opener = urllib2.build_opener(auth_handler)
# ...and install it globally so it can be used with urlopen.
urllib2.install_opener(opener)
```

## Querying the database (GET)

All endpoints support querying lists and individual records via GET requests. Some support more complex queries via GET parameters as well.

## Creating objects, adding files (POST)

The creation of Experiments, Datasets and Dataset\_Files via POSTs with the option to include metadata/parametersets has been implemented and tested.

The following examples demonstrate how to go about it.

In all except the file attachment case the POST data should be a JSON string, the Content-Type header needs to be set to application/json and the Accept header as well. Other response formats may be made available in the future.

In all cases the URI of the created object is returned in the Location header of the response.

### Experiments

Example JSON input

```
{  
    "title": "API-created Experiment #1",  
    "description": "Wow, all automatic!",  
    "institution_name": "Monash University",  
    "parameter_sets": [  
        {  
            "schema": "http://institution.com/my/schema",  
            "parameters": [  
                {  
                    "name": "important_parameter_1",  
                    "value": "Test16"  
                },  
                {  
                    "name": "important_parameter_3",  
                    "value": "57.136"  
                }  
            ]  
        },  
        {  
            "schema": "http://company.com/some/other/schema",  
            "parameters": [  
                {  
                    "name": "meaningful_name",  
                    "value": "Test17"  
                },  
                {  
                    "name": "meaningless_name",  
                    "value": "1234"  
                }  
            ]  
        }  
    ]  
}
```

This creates an experiment with two parametersets with two parameters each.

Alternative to Schema namespaces and Parameter names, you can also specify the URIs to each. Until the querying of Schemas and Parameters is documented this is discouraged.

## Datasets

Example JSON input:

```
{  
    "description": "API-created Dataset",  
    "experiments": [  
        "/api/v1/experiment/1/",  
        "/api/v1/experiment/2/"  
    ],  
    "immutable": false,  
    "parameter_sets": [  
        {  
            "parameters": [  
                {  
                    "name": "obscure-instrument-setting-52",  
                    "value": "awesome dataset api POST"  
                }  
            ]  
        }  
    ]  
}
```

(continues on next page)

(continued from previous page)

```

},
{
    "name": "temperature",
    "value": "301"
}
],
"schema": "http://datasets.com/need/schemas/too"
},
{
    "parameters": [
        {
            "name": "someotherparameter",
            "value": "some other value"
        }
    ],
"schema": "http://better-datasets.com/offers/better/schemas"
}
]
}
}

```

## DataFiles

There are three ways to add a file to MyTardis via the API.

### Via multipart form POST

This works for single files at the moment.

The key is to send a multipart-form instead of ‘application/json’. This can be accomplished with the requests library as shown in the following example.

To use requests you need to install it first, eg. `pip install requests`.

Also, for this to work, the POST data needs to be sent with the JSON string called ‘`json_data`’ and the file called ‘`attached_file`’.

Example JSON input:

```
{
    "dataset": "/api/v1/dataset/1/",
    "filename": "mytestfile.txt",
    "md5sum": "c858d6319609d6db3c091b09783c479c",
    "size": "12",
    "mimetype": "text/plain",
    "parameter_sets": [
        {
            "schema": "http://datafileshop.com/fileinfo/v1",
            "parameters": [
                {
                    "name": "fileparameter1",
                    "value": "123"
                },
                {
                    "name": "fileparameter2",
                    "value": "1234"
                }
            ]
        }
    ]
}
```

(continues on next page)

(continued from previous page)

```
    }]
}
```

Example requests script:

```
import requests
from requests.auth import HTTPBasicAuth

url = "http://localhost:8000/api/v1/dataset_file/"
headers = {'Accept': 'application/json'}
response = requests.post(url, data={"json_data": data}, headers=headers,
                         files={'attached_file': open(filename, 'rb')},
                         auth=HTTPBasicAuth(username, password)
)
```

### Via staging location

Another way to add a file is to create the database entry first without providing a storage location. This will return back a location on the server that you are assumed to have access to. Once the file appears there, for example when you copy it there, it will be moved to its permanent storage location managed by MyTardis.

The full file path that you should copy/move the file to is returned as the content of the response.

Example JSON input:

```
{
    "dataset": "/api/v1/dataset/1/",
    "filename": "mytestfile.txt",
    "md5sum": "c858d6319609d6db3c091b09783c479c",
    "size": "12",
    "mimetype": "text/plain",
    "parameter_sets": [
        {
            "schema": "http://datafileshop.com/fileinfo/v1",
            "parameters": [
                {
                    "name": "fileparameter1",
                    "value": "123"
                },
                {
                    "name": "fileparameter2",
                    "value": "1234"
                }
            ]
        }
    ]
}
```

### Via shared permanent storage location

This method assumes that there exists a storage that is shared between MyTardis and you. The registered file will remain in this location.

For this to work you need to get a `Location` (internal MyTardis settings) name to submit with your metadata.

Examples JSON:

```
{
    "dataset": "/api/v1/dataset/1/",
    "filename": "mytestfile.txt",
    "md5sum": "c858d6319609d6db3c091b09783c479c",
    "size": "12",
    "mimetype": "text/plain",
    "replicas": [
        {
            "url": "mytestfile.txt",
            "location": "local",
            "protocol": "file"
        }
    ],
    "parameter_sets": [
        {
            "schema": "http://datafileshop.com/fileinfo/2",
            "parameters": [
                {
                    "name": "fileparameter1",
                    "value": "123"
                },
                {
                    "name": "fileparameter2",
                    "value": "123"
                }
            ]
        }
    ]
}
```

### urllib2 POST example script

Replace MODEL with one of the available model names in lower case. data is the JSON as a string.

```
import urllib2
url = "http://localhost:8000/api/v1/MODEL/"
headers = {'Accept': 'application/json',
           'Content-Type': 'application/json'}
auth_handler = urllib2.HTTPBasicAuthHandler()
auth_handler.add_password(realm="django-tastypie",
                          uri=url,
                          user=username,
                          passwd=password)
opener = urllib2.build_opener(auth_handler)
urllib2.install_opener(opener)
myrequest = urllib2.Request(url=url, data=data,
                            headers=headers)
myrequest.get_method = lambda: 'POST'
output = "error"
output = urllib2.urlopen(myrequest)
print output.headers["Location"]
```

## 11.3.4 Tests

### Running the Test Suite

Run this command to run the unit tests:

```
./test.py
```

If you want to specify any options or specific tests to run, the test argument is required first:

```
./test.py test --some-argument
```

You can choose to run the test suite with different options (e.g. with coverage, with different verbosity, etc.). To see the full list of options, run the same command with the `--help` flag.

### Running Individual Unit Tests

The unit tests reside in the `tardis/tardis_portal/tests` directory. To run the unit tests individually, you can use this command:

```
./test.py test <test_module_name_here>
```

Note that the test module name argument should be the relative file path with “.” as folder separator. For example, if you want to run the test “`test_authentication.py`”, then your command to execute this test would be:

```
./test.py test tardis.tardis_portal.tests.test_authentication
```

### Other options

You can choose to include different options when running the unit tests (e.g. run in verbose mode, print out a traceback, etc.). Run the `test` or `django test` command with `--help` flag to see the the full list of options:

```
./test.py test --help
```

### Running BDD tests

To run BDD (Behaviour Driven Development) tests with the default settings and headless Chrome, download ChromeDriver from <http://chromedriver.chromium.org/downloads> and make it available in your PATH (e.g. in `/usr/local/bin/`) and run:

```
./test.py behave
```

### Running QUnit tests

The QUnit tests reside in the `js_tests/` directory.

`package.json` contains `devDependencies` required for running these tests.

Running `npm install` will install everything you need, whereas `npm install --production` will skip the `devDependencies`.

You will need PhantomJS to run the QUnit tests, which can be installed with:

```
npm install -g phantomjs-prebuilt
```

You can run the QUnit tests with:

```
npm test
```

Or by running a web server:

```
python -m SimpleHTTPServer
```

and opening [http://127.0.0.1:8000/js\\_tests/tests.html](http://127.0.0.1:8000/js_tests/tests.html) in your browser.

## 11.3.5 tardis

### tardis package

#### Subpackages

##### tardis.analytics package

###### Submodules

###### tardis.analytics.apps module

```
class tardis.analytics.apps.AnalyticsConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
        name = 'tardis.analytics'
        verbose_name = 'Analytics framework'
```

###### tardis.analytics.ga module

Google analytics tracking

```
tardis.analytics.ga.track_download(label, session_id, ip, user, total_size=None,
                                    num_files=None, ua=None)
tardis.analytics.ga.track_login(label, session_id, ip, user)
tardis.analytics.ga.track_logout(label, session_id, ip, user)
```

###### tardis.analytics.tracker module

Generic tracking and analytics interface Supports Google Analytics through ga.py, others may follow

```
class tardis.analytics.tracker.IteratorTracker(iterator, tracker_data=None)
    Bases: object
        wraps file iterator to track successful and incomplete downloads
        close()
        next()
tardis.analytics.tracker.service = <module 'tardis.analytics.ga' from '/home/docs/checkouts...
```

This can become a setting to other service in the future

## Module contents

### tardis.apps package

#### Subpackages

##### tardis.apps.deep\_storage\_download\_mapper package

#### Submodules

##### tardis.apps.deep\_storage\_download\_mapper.mapper module

File mapper that works for files stored in deep directory structures. It recreates the structure as stored in the datafile directory

```
tardis.apps.deep_storage_download_mapper.mapper.deep_storage_mapper(obj,  
                                root-  
                                dir=None)
```

If rootdir is None, just return a filesystem-safe representation of the object, e.g. “DatasetDescription\_123” or “strange %2F filename.txt”

For now, only DataFiles are supported when rootdir is not None.

#### Parameters

- **obj** (`DataFile`, `Dataset` or `Experiment`) – The model instance (DataFile, Dataset or Experiment) to generate a path for.
- **rootdir** (`basestring`) – The top-level directory name, or None

**Returns** Filesystem-safe path for the object in the archive or SFTP view.

**Return type** basestring

#### Raises

- `Exception` –
- `NotImplementedError` –

##### tardis.apps.deep\_storage\_download\_mapper.urls module

## Module contents

### tardis.apps.dl\_mapper\_df\_dir\_only package

#### Submodules

##### tardis.apps.dl\_mapper\_df\_dir\_only.mapper module

File mapper that works for files stored in deep directory structures. It recreates the structure as stored in the datafile directory

```
tardis.apps.dl_mapper_df_dir_only.mapper.df_dir_only(datafile, rootdir)
```

[tardis.apps.dl\\_mapper\\_df\\_dir\\_only.urls module](#)[Module contents](#)[tardis.apps.equipment package](#)[Subpackages](#)[tardis.apps.equipment.migrations package](#)[Submodules](#)[tardis.apps.equipment.migrations.0001\\_initial module](#)

```
class tardis.apps.equipment.migrations.0001_initial.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0002_auto_20150528_1128')]
    operations = [CreateModel(fields=[(u'id', AutoField), (u'key', CharField), (u'description', CharField), (u'last_update', DateTimeField), (u'last_modify', DateTimeField), (u'last_modify_ip', CharField), (u'last_modify_user', CharField), (u'last_update_ip', CharField), (u'last_update_user', CharField), (u'parent', ForeignKey(to='Equipment'))], name=u'Equipment')]]
```

[Module contents](#)[tardis.apps.equipment.south\\_migrations package](#)[Submodules](#)[tardis.apps.equipment.south\\_migrations.0001\\_initial module](#)[Module contents](#)[Submodules](#)[tardis.apps.equipment.admin module](#)[tardis.apps.equipment.forms module](#)

```
class tardis.apps.equipment.forms.EquipmentSearchForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
    Bases: django.forms.Form
    base_fields = {'description': <django.forms.fields.CharField object>, 'key': <django.forms.fields.CharField object>, 'parent': <django.forms.fields.ForeignKey object>, 'last_update': <django.forms.fields.DateTimeField object>, 'last_modify': <django.forms.fields.DateTimeField object>, 'last_modify_ip': <django.forms.fields.CharField object>, 'last_modify_user': <django.forms.fields.CharField object>, 'last_update_ip': <django.forms.fields.CharField object>, 'last_update_user': <django.forms.fields.CharField object>}
```

```
declared_fields = {'description': <django.forms.fields.CharField object>, 'key': <dj...  
media
```

### tardis.apps.equipment.models module

```
class tardis.apps.equipment.models.Equipment(id, key, description, make, model, type, se-  
rial, comm, decomm, url)  
Bases: django.db.models.base.Model
```

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**comm**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**dataset**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):  
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**decomm**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**make**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**model**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**serial**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.apps.equipment.tests module

tests.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.apps.equipment.tests.EquipmentTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    fixtures = ['initial_data.json']

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testEquipmentDetail()
    testEquipmentList()
    testSearchEquipmentForm()
    testSearchEquipmentResult()

tardis.apps.equipment.tests.suite()
```

## tardis.apps.equipment.urls module

### tardis.apps.equipment.views module

```
tardis.apps.equipment.views.index(request)
tardis.apps.equipment.views.search(request)
tardis.apps.equipment.views.view_id(request, object_id)
tardis.apps.equipment.views.view_key(request, object_key)
```

## Module contents

### tardis.apps.filepicker package

#### Submodules

##### tardis.apps.filepicker.filepicker\_settings module

##### tardis.apps.filepicker.urls module

## tardis.apps.filepicker.utils module

taken from [https://raw.github.com/Filepicker/django-filepicker/master/django\\_filepicker/utils.py](https://raw.github.com/Filepicker/django-filepicker/master/django_filepicker/utils.py) on 11 Apr 2013

```
class tardis.apps.filepicker.utils.FilepickerFile(url)
    Bases: object

    cleanup()
        Removes any downloaded objects and closes open files.

    filepicker_url_regex = <_sre.SRE_Pattern object>

    get_file()
        Downloads the file from filepicker.io and returns a Django File wrapper object
```

## tardis.apps.filepicker.views module

Filepicker.io button view and upload handler

### Module contents

#### tardis.apps.oaipmh package

##### Subpackages

##### tardis.apps.oaipmh.provider package

##### Submodules

##### tardis.apps.oaipmh.provider.base module

```
class tardis.apps.oaipmh.provider.base.BaseProvider(site)
    Bases: oaipmh.interfaces.IOAI, object

    A base provider which roughly implements the PyOAI interface for OAI-PMH servers.

    Extend this if you're writing your own provider for a new type or a different metadata format.

    getRecord(metadataPrefix, identifier)
        Get a record for a metadataPrefix and identifier.
```

##### Parameters

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **identifier** (*string*) –
  - repository-unique identifier of record

##### Raises

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is unknown or not supported by identifier.
- **oaipmh.error.IdDoesNotExistError** – if identifier is unknown or illegal.

**Returns** a header, metadata, about tuple describing the record.

**identify()**

Retrieve information about the repository.

Returns an Identify object describing the repository.

**listIdentifiers (metadataPrefix, set=None, from\_=None, until=None)**

Get a list of header information on records.

**Parameters**

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return headers in set
- **from** (*datetime*) – only retrieve headers from **from\_** date forward (in naive UTC)
- **until** (*datetime*) – only retrieve headers with dates up to and including until date (in naive UTC)

**Raises**

- **error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of headers.

**listMetadataFormats (identifier=None)**

List metadata formats supported by repository or record.

**Parameters** **identifier** (*string*) – identify record for which we want to know all supported metadata formats. If absent, list all metadata formats supported by repository.

**Raises**

- **error.IdDoesNotExistError** – if record with identifier does not exist.
- **error.NoMetadataFormatsError** – if no formats are available for the indicated record.

**Returns** an iterable of metadataPrefix, schema, metadataNamespace tuples (each entry in the tuple is a string).

**listRecords (metadataPrefix, set=None, from\_=None, until=None)**

Get a list of header, metadata and about information on records.

**Parameters**

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return records in set
- **from** (*datetime*) – only retrieve records from **from\_** date forward (in naive UTC)
- **until** (*datetime*) – only retrieve records with dates up to and including until date (in naive UTC)

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **oaipmh.error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of header, metadata, about tuples.

**listSets()**

Get a list of sets in the repository.

**Raises** `error.NoSetHierarchyError` – if the repository does not support sets.

**Returns** an iterable of setSpec, setName tuples (strings).

**writeMetadata(element, metadata)**

Create XML elements under the given element, using the provided metadata.

Should avoid doing any model-lookups, as they should be done when creating the metadata.

**Parameters**

- **element** (`lxml.etree.Element`) – element to put all content under (as SubElements)
- **metadata** (`oaipmh.common.Metadata`) – metadata to turn into XML

**Raises** `NotImplementedError` – not implemented

## tardis.apps.oaipmh.provider.experiment module

**class** `tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider(site)`  
Bases: `tardis.apps.oaipmh.provider.base.BaseProvider`

**NS\_CC** = '`http://www.tardis.edu.au/schemas/creativecommons/2011/05/17'`

**getRecord(metadataPrefix, identifier)**

Return record if we handle it.

**static get\_id(obj)**

**listIdentifiers(metadataPrefix, set=None, from\_=None, until=None)**

Return identifiers in range, provided we handle this metadata prefix.

**listRecords(metadataPrefix, set=None, from\_=None, until=None)**

Return records in range, provided we handle this metadata prefix.

**listSets()**

No support for sets.

**class** `tardis.apps.oaipmh.provider.experiment.DcExperimentProvider(site)`

Bases: `tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider`

**listMetadataFormats(identifier=None)**

Return metadata format if no identifier, or identifier is a valid experiment.

**class** `tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider(site)`

Bases: `tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider`

**class ExperimentWriter(root, metadata, site)**

**write()**

**writeRegistryObjectsWrapper()**

**writeRelatedAuthor(element, obj, relation)**

**writeRelatedInfo(element, obj)**

**writeRelatedUser(element, obj, relation)**

**writeSubject(element, obj)**

```
static get_rifcs_id(id_, site_=None)
listMetadataFormats(identifier=None)
    Return metadata format if no identifier, or identifier is a valid experiment.

static writeExperimentMetadata(element, metadata, site=None, writer=None)
    Wrapper around experiment writer.

static writeUserMetadata(element, metadata, site=None)
```

## Module contents

### tardis.apps.oaipmh.tests package

#### Subpackages

##### tardis.apps.oaipmh.tests.provider package

#### Submodules

##### tardis.apps.oaipmh.tests.provider.test\_base module

```
class tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testGetRecord()
    Default behaviour should be to not handle the identifier.

testIdentify()
    There can be only one provider that responds. By default, don't.

testListIdentifiers()
    By default a provider cannot handle the given metadata prefix.

testListMetadataFormats()
    By default a provider handles no metadata formats.

testListRecords()
    By default a provider cannot handle the given metadata prefix.

testListSets()
    By default a provider does not implement sets.
```

##### tardis.apps.oaipmh.tests.provider.test\_experiment module

```
class tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC
Bases: object

setUp()
tearDown()
```

```
testGetRecordHandlesInvalidIdentifiers()
testIdentify()
    There can be only one provider that responds. This one does not.
testListIdentifiers()
testListIdentifiersDoesNotHandleSets()
testListMetadataFormats()
testListSets()

class tardis.apps.oaipmh.tests.provider.test_experiment.DcExperimentProviderTestCase(methodName)
    Bases: tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC, django.test.testcases.TestCase

    testGetRecord()
    testListRecords()

class tardis.apps.oaipmh.tests.provider.test_experiment.RifCsExperimentProviderTestCase(methodName)
    Bases: tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC, django.test.testcases.TestCase

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    testGetRecord()
    testListRecords()
```

### Module contents

#### Submodules

##### tardis.apps.oaipmh.tests.test\_oai module

```
class tardis.apps.oaipmh.tests.test_oai.EndpointTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    testGetRecord()
    testIdentify()
    testListIdentifiers()
    testListMetadataFormats()
    testListRecords()
```

### Module contents

#### Submodules

## tardis.apps.oaipmh.models module

### tardis.apps.oaipmh.server module

**class** `tardis.apps.oaipmh.server.ProxyingMetadataRegistry`(*providers*)

Bases: `oaipmh.metadata.MetadataRegistry`

A registry that only writes, and does so by proxying to Providers.

**hasReader** (*metadata\_prefix*)

**hasWriter** (*metadata\_prefix*)

**readMetadata** (*metadata\_prefix, element*)

Turn XML into metadata object.

*element* - element to read in

*returns* - metadata object

**registerReader** (*metadata\_prefix, reader*)

**registerWriter** (*metadata\_prefix, writer*)

**writeMetadata** (*metadata\_prefix, element, metadata*)

Write metadata as XML.

*element* - ElementTree element to write under metadata - metadata object to write

**class** `tardis.apps.oaipmh.server.ProxyingServer`(*providers*)

Bases: `oaipmh.interfaces.IOAI`

**getRecord** (*metadataPrefix, identifier*)

Get a record for a metadataPrefix and identifier.

#### Raises

- `oaipmh.error.CannotDisseminateFormatError` – if no provider returns a result, but at least one provider responds with `oaipmh.error.CannotDisseminateFormatError` (meaning the identifier exists)
- `oaipmh.error.IdDoesNotExistError` – if all providers fail with `oaipmh.error.IdDoesNotExistError`

**Returns** first successful provider response

**Return type** response

**identify()**

Retrieve information about the repository.

**Returns** an `oaipmh.common.Identify` object describing the repository.

**Return type** `oaipmh.common.Identify`

**listIdentifiers** (*metadataPrefix, \*\*kwargs*)

Lists identifiers from all providers as a single set.

#### Raises

- `error.CannotDisseminateFormatError` – if *metadataPrefix* is not supported by the repository.
- `error.NoSetHierarchyError` – if a set is provided, as the repository does not support sets.

**Returns** a `set`.`Set` of headers.

**Return type** `set`

**listMetadataFormats** (\*\*kwargs)

List metadata formats from all providers in a single set.

**Raises**

- `error.IdDoesNotExistError` – if record with identifier does not exist.
- `error.NoMetadataFormatsError` – if no formats are available for the indicated record, but it does exist.

**Returns** a *frozense*`set` of `metadataPrefix`, schema, `metadataNamespace` tuples (each entry in the tuple is a string).

**Return type** `frozense`

**listRecords** (`metadataPrefix`, \*\*kwargs)

Lists records from all providers as a single set.

**Raises**

- `error.CannotDisseminateFormatError` – if `metadataPrefix` is not supported by the repository.
- `error.NoSetHierarchyError` – if a set is provided, as the repository does not support sets.

**Returns** a `set`.`Set` of header, metadata, about tuples.

**Return type** `set`

**listSets** ()

List sets.

**Raises** `oaipmh.error.NoSetHierarchyError` – because set hierarchies are currently not implemented

`tardis.apps.oaipmh.server.get_server` (`current_site`)

## tardis.apps.oaipmh.urls module

## tardis.apps.oaipmh.views module

`tardis.apps.oaipmh.views.endpoint` (`request`)

## Module contents

### tardis.apps.openid\_migration package

#### Subpackages

##### tardis.apps.openid\_migration.migrations package

#### Submodules

## tardis.apps.openid\_migration.migrations.0001\_initial module

```
class tardis.apps.openid_migration.migrations.0001_initial.Migration(name,
                                                                    app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0012_userauthentication_approved'), (u'auth', u'__')
    initial = True
    operations = [CreateModel fields=[(u'id', <django.db.models.fields.AutoField>), (u'ac...
```

### Module contents

#### tardis.apps.openid\_migration.tests package

##### Submodules

#### tardis.apps.openid\_migration.tests.test\_forms module

Tests related to OpenID migration forms

```
class tardis.apps.openid_migration.tests.test_forms.OpenIDMigrationFormTestCase(methodName='')
    Bases: django.test.testcases.TestCase
    setUp()
        Hook method for setting up the test fixture before exercising it.
    test_init()
```

#### tardis.apps.openid\_migration.tests.test\_migration module

Tests related to OpenID migration

```
class tardis.apps.openid_migration.tests.test_migration.OpenIDMigrationTestCase(methodName='')
    Bases: django.test.testcases.TestCase
    setUp()
        Hook method for setting up the test fixture before exercising it.
    test_do_migration()
```

#### tardis.apps.openid\_migration.tests.test\_models module

```
class tardis.apps.openid_migration.tests.test_models.ModelTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase
    create_OpenidUserMigration()
    setUp()
        Hook method for setting up the test fixture before exercising it.
    test_OpenidUserMigration_creation()
```

## tardis.apps.openid\_migration.tests.test\_views module

Tests related to OpenID migration views

```
class tardis.apps openid_migration.tests test_views.OpenIDMigrationViewTestCase(methodName='')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_migrate_accounts()
```

### Module contents

#### Submodules

## tardis.apps.openid\_migration.apps module

```
class tardis.apps openid_migration.apps.OpenidMigrationConfig(app_name,
                                                               app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig
    name = 'tardis.apps openid_migration'
    verbose_name = 'OpenID migrations'
```

## tardis.apps.openid\_migration.context\_processors module

```
tardis.apps openid_migration.context_processors.openid_migration_processor(request)
    adds context for openid_migration
```

## tardis.apps.openid\_migration.default\_settings module

## tardis.apps.openid\_migration.email\_text module

```
tardis.apps openid_migration.email_text.email_migration_success(user,
                                                               new_username,
                                                               auth_method)
tardis.apps openid_migration.email_text.interpolate_template(template_name,
                                                               **kwargs)
```

## tardis.apps.openid\_migration.forms module

```
tardis.apps openid_migration.forms.openid_user_migration_form()
    Create a user migration form with username and password field.
```

## tardis.apps.openid\_migration.migration module

```
tardis.apps openid_migration.migration.acl_migration(userIdToBeReplaced,
                                                       replacementUserId,
                                                       user_migration_record)
```

```
tardis.apps.openid_migration.migration.confirm_migration(request)
```

```
tardis.apps.openid_migration.migration.do_migration(request)
```

Migrating account from the account that the logged in user has provided in the Authentication Form. Migration involve relinking the UserAuthentication table entries, transferring ObjectACL entries to the migrated account, changing the Group memberships and making the old account inactive.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s new list of authentication methods

**Return type** `HttpResponse`

```
tardis.apps.openid_migration.migration.getSupportedAuthMethods()
```

Return the list of authentication methods.

```
tardis.apps.openid_migration.migration.get_api_key(user)
```

```
tardis.apps.openid_migration.migration.get_matching_auth_provider(backend)
```

```
tardis.apps.openid_migration.migration.migrate_api_key(old_user, new_user)
```

```
tardis.apps.openid_migration.migration.migrate_user_permissions(old_user, new_user)
```

```
tardis.apps.openid_migration.migration.openid_migration_method(request)
```

## tardis.apps.openid\_migration.models module

```
class tardis.apps.openid_migration.models.OpenidACLMigration(id, user_migration, acl_id)
```

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**acl\_id**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**acl\_id\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**user\_migration**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_migration\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.apps.openid_migration.models.OpenidACLMigrationAdmin(model, ad-
                                                               min_site)
Bases: django.contrib.admin.options.ModelAdmin

list_display = ['user_migration_obj', 'acl_id']

media

user_migration_obj(obj)

class tardis.apps.openid_migration.models.OpenidUserMigration(id,      old_user,
                                                               old_user_auth_method,
                                                               new_user,
                                                               new_user_auth_method,
                                                               migra-
                                                               tion_timestamp,
                                                               migra-
                                                               tion_status)

Bases: django.db.models.base.Model
```

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**get\_next\_by\_migration\_timestamp** (\*\*morekwargs)

**get\_previous\_by\_migration\_timestamp** (\*\*morekwargs)

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **migration\_status**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **migration\_timestamp**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **new\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**new\_user\_auth\_method**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**new\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****old\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**old\_user\_auth\_method**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**old\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**openidaclmigration\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.apps.openid_migration.models.OpenidUserMigrationAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    list_display = ['__unicode__', 'old_user', 'old_user_auth_method', 'new_user_id', 'new_media'
```

## tardis.apps.openid\_migration.tasks module

## tardis.apps.openid\_migration.urls module

## tardis.apps.openid\_migration.user\_menu\_modifiers module

```
tardis.apps.openid_migration.user_menu_modifiers.add_migrate_account_menu_item(request, user_menu)
```

Add a ‘Migrate My Account’ item to the user menu

### Parameters

- **request** (`django.http.HttpRequest`) – an HTTP Request instance
- **user\_menu** (`list`) – user menu context to modify

**Returns** user\_menu list

**Return type** list

## tardis.apps.openid\_migration.utils module

```
tardis.apps.openid_migration.utils.rollback_migration(user_migration_obj)
```

## tardis.apps.openid\_migration.views module

```
tardis.apps.openid_migration.views.migrate_accounts(request, *args, **kwargs)
```

Manage user migration using AJAX.

### Module contents

## tardis.apps.push\_to package

### Subpackages

## tardis.apps.push\_to.migrations package

### Submodules

## tardis.apps.push\_to.migrations.0001\_initial module

```
class tardis.apps.push_to.migrations.0001_initial.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'auth', u'__first__'), (u'auth', u'0006_require_contenttypes_0002')]
    operations = [CreateModel(fields=[(u'id', AutoField()), (u'key_type', CharField()), (u'key_value', CharField())])]
```

## tardis.apps.push\_to.migrations.0002\_auto\_20160518\_1953 module

```
class tardis.apps.push_to.migrations.0002_auto_20160518_1953.Migration(name,
    app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'push_to', u'0001_initial')]
    operations = [AlterField(field=CharField(), name=u'key_type', new_field=models.CharField(max_length=255))]
```

## Module contents

### tardis.apps.push\_to.tests package

#### Submodules

##### tardis.apps.push\_to.tests.test\_models module

```
class tardis.apps.push_to.tests.test_models.ModelsTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_credential_generation()
    test_get_allowed_signing_services()
    test_keys_from_private_key_only()
    test_pkey_to_credential()
```

## Module contents

#### Submodules

##### tardis.apps.push\_to.apps module

```
class tardis.apps.push_to.apps.PushToConfig (app_name, app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.apps.push_to'
    verbose_name = 'Push To'
```

##### tardis.apps.push\_to.exceptions module

```
exception tardis.apps.push_to.exceptions.NoSuitableCredential
    Bases: exceptions.Exception

This exception is thrown when attempting to find a suitable credential for a remote host but none is found
```

##### tardis.apps.push\_to.models module

```
class tardis.apps.push_to.models.Credential (*args, **kwargs)
    Bases: tardis.apps.push_to.models.KeyPair
```

A credential that may contain a password and/or key. The auth method chosen depends on the credentials available, allowed auth methods, and priorities defined by the SSH client.

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist
```

```
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned

static generate_keypair_credential (tardis_user,      remote_user,      remote_hosts,
bit_length=2048)
Generates and saves an RSA key pair credential. Credentials returned by this method are intended to be registered on remote systems before being used. @type tardis_user: User @type remote_user: str @type bit_length: int @type remote_hosts: list[RemoteHost] :return: the generated credential :rtype: object

get_client_for_host (remote_host)
Attempts to establish a connection with the remote_host using this credential object. The remote_host may be any host, but only those in the remote_hosts field are expected to work. @type remote_host: .RemoteHost :return: a connected SSH client :rtype: SSHClient

static get_suitable_credential (tardis_user, remote_host, remote_user=None)

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

password
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

remote_hosts
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

class Pizza (Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create_forward_many_to_many_manager() defined below.

remote_user
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

user
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

class Child (Model):
    parent = ForeignKey(Parent, related_name='children')

child.parent is a ForwardManyToOneDescriptor instance.

user_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

verify_remote_access (remote_host=None)
@type remote_host: RemoteHost
```

```

class tardis.apps.push_to.models.CredentialAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

form
    alias of CredentialForm

media

class tardis.apps.push_to.models.CredentialForm(data=None, files=None,
                                                auto_id=u'id_%s', prefix=None,
                                                initial=None, error_class=<class
                                                'django.forms.utils.ErrorList'>,
                                                label_suffix=None,
                                                empty_permitted=False,
                                                instance=None,
                                                use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta

    fields = '__all__'

model
    alias of Credential

    widgets = {'password': <django.forms.widgets.PasswordInput object>}
    base_fields = {'key_type': <django.forms.fields.CharField object>, 'password': <django.forms.widgets.PasswordInput object>}
    declared_fields = {}

media

class tardis.apps.push_to.models.DBHostKeyPolicy
Bases: paramiko.client.MissingHostKeyPolicy

Host key verification policy based on the host key stored in the database.

missing_host_key(client, hostname, key)
    @type key: PKey

class tardis.apps.push_to.models.KeyPair(*args, **kwargs)
Bases: django.db.models.base.Model

A key pair

class Meta

    abstract = False

key

Returns a subclass of PKey of the appropriate key type
Return type PKey
Raises ValidationError –

key_type
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```

**private\_key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**public\_key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**save (\*args, \*\*kwargs)**

```
class tardis.apps.push_to.models.OAuthSSHCertSigningService(*args, **kwargs)
Bases: django.db.models.base.Model
```

Connection parameters for an OAuth2 SSH certificate signing service. Supports certificate signing server available here: <https://github.com/monash-merc/ssh-authz>

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**allow\_for\_all**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**allowed\_groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**allowed\_remote\_hosts**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**allowed\_users**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**`cert_signing_url`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`static get_available_signing_services(user)`**

Gets all SSH cert signing services available for a given user :param User user: User :return: allowed signing services :rtype: User

**`static get_oauth_service(user, service_id)`**

@type user: User @type service\_id: int

**`id`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`nickname`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`oauth_authorize_url`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`oauth_check_token_url`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`oauth_client_id`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`oauth_client_secret`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`oauth_token_url`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`objects = <django.db.models.manager.Manager object>`****`class tardis.apps.push_to.models.RemoteHost(*args, **kwargs)`**

Bases: `tardis.apps.push_to.models.KeyPair`

A remote host that may be connected to via SSH

**`exception DoesNotExist`**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**`exception MultipleObjectsReturned`**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**`administrator`**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### administrator\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### credential\_set

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### host\_name

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### logo\_img

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### nickname

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### oathshhcertsigningservice\_set

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### objects = <django.db.models.manager.Manager object>

### port

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### class tardis.apps.push\_to.models.RemoteHostAdmin(model, admin\_site)

Bases: django.contrib.admin.options.ModelAdmin

Hides the private key field, which is not necessary for host keys

```
fields = ['nickname', 'administrator', 'host_name', 'port', 'key_type', 'public_key',
media
```

### tardis.apps.push\_to.oauth\_tokens module

`tardis.apps.push_to.oauth_tokens.get_token(request, oauth_service)`

Returns the OAuth2 token from the current session :param Request request: django session object :param OAuthSSHCertSigningService oauth\_service: an OAuthSSHCertSigningService object

**Returns**

**Return type** string

`tardis.apps.push_to.oauth_tokens.get_token_data(oauth_service, token)`

Gets the OAuth2 user attributes using the supplied token :param OAuthSSHCertSigningService oauth\_service: an

OAuthSSHCertSigningService object

**Parameters** `token` (`basestring`) – an OAuth2 token

**Returns** a json object of user attributes

**Return type** dict

`tardis.apps.push_to.oauth_tokens.set_token(request, oauth_service, token)`

Stores the OAuth2 token in the current session :param Request request: django request object :param OAuthSSHCertSigningService oauth\_service: an

OAuthSSHCertSigningService object

**Parameters** `token` (`basestring`) – the OAuth2 token

### tardis.apps.push\_to.ssh\_authz module

`tardis.apps.push_to.ssh_authz.sign_certificate(credential, token, url)`

An interface to the OAuth2 SSH certificate signing service @type credential: models.Credential

### tardis.apps.push\_to.tasks module

```
tardis.apps.push_to.tasks.do_file_copy(credential_id,      remote_host_id,      datafile_map,
                                         base_dir=None)
```

```
tardis.apps.push_to.tasks.make_dirs(sftp_client, dir_list)
```

```
tardis.apps.push_to.tasks.notify_user(user_id, remote_host_id, success=True)
```

## tardis.apps.push\_to.urls module

### tardis.apps.push\_to.utils module

```
tardis.apps.push_to.utils.bytes_available(ssh_client, path)
tardis.apps.push_to.utils.can_copy(ssh_client, object_type, object_id, path)
tardis.apps.push_to.utils.get_default_push_location(sftp_client)
tardis.apps.push_to.utils.get_object_size(type, id)
tardis.apps.push_to.utils.is_directory(sftp_client, path)
tardis.apps.push_to.utils.list_subdirectories(sftp_client, path, show_hidden=False)
tardis.apps.push_to.utils.shell_escape(s)
```

## tardis.apps.push\_to.views module

```
tardis.apps.push_to.views.authorize_remote_access(request, *args, **kwargs)
```

Generates an SSH certificate using an OAuth2 SSH signing service :param Request request: request object :param basestring remote\_host\_id: remote host id :param basestring service\_id: OAuth2 SSH certificate signing service id :return: an error message or OAuth2 redirects :type: HttpResponseRedirect

```
tardis.apps.push_to.views.get_accessible_hosts(request, *args, **kwargs)
```

Retrieves all accessible hosts (i.e. hosts for which the user already has credentials for) including push-to trigger URLs if the object type and id are supplied :param Request request: request object :param object obj\_type: data type to be copied

(experiment, dataset or datafile)

**Parameters** `push_obj_id` (`int`) – the database object id

**Returns** json object with accessible hosts

**Return type** HttpResponseRedirect

```
tardis.apps.push_to.views.get_credential(request, remote_host)
```

Fetches a suitable credential for the remote host, or raises an exception if none found :param Request request: request object :param RemoteHost remote\_host: the RemoteHost for which a credential

should be found

**Returns** the credential

**Return type** object

**Raises** `NoSuitableCredential` – raised when no credential is found

```
tardis.apps.push_to.views.get_push_url_for_host(remote_host, obj_type, push_obj_id)
```

Constructs a push-to URL to trigger data transfer :param RemoteHost remote\_host: the RemoteHost to which data should be copied :param obj\_type: data type to be copied (experiment, dataset or datafile) :type obj\_type: object :param int push\_obj\_id: the database object id :return: a push-to URL :type: basestring

```
tardis.apps.push_to.views.get_signing_services(request, *args, **kwargs)
```

Retrieves all certificate signing services and associated hosts including push-to trigger URLs if the object type

and id are supplied :param Request request: request object :param class obj\_type: data type to be copied (experiment, dataset or datafile) :param int push\_obj\_id: the database object id :return: json object with signing services and hosts :rtype: HttpResponse

```
tardis.apps.push_to.views.oauth_callback(request, *args, **kwargs)
```

OAuth2 callback endpoint to continue the SSH certificate signing process :param Request request: request object :return: error message or redirect to the signing service with access token :rtype: HttpResponse

```
tardis.apps.push_to.views.oauth_callback_url(request)
```

Builds the oauth callback URL :param Request request: request object :return: callback URL :rtype: basestring

```
tardis.apps.push_to.views.render_error_message(request, message, status=500)
```

```
tardis.apps.push_to.views.render_success_message(request, message, status=200)
```

```
tardis.apps.push_to.views.validate_remote_path(request, *args, **kwargs)
```

## Module contents

### tardis.apps.related\_info package

#### Subpackages

##### tardis.apps.related\_info.tests package

#### Submodules

##### tardis.apps.related\_info.tests.test\_oaipmh module

```
class tardis.apps.related_info.tests.test_oaipmh.RifCSTestCase(methodName='runTest')
```

Bases: django.test.testcases.TransactionTestCase

```
setUp()
```

Hook method for setting up the test fixture before exercising it.

```
testExistsInOaipmh()
```

##### tardis.apps.related\_info.tests.tests module

```
class tardis.apps.related_info.tests.tests.CreateTestCase(methodName='runTest')
```

Bases: django.test.testcases.TransactionTestCase

```
setUp()
```

Hook method for setting up the test fixture before exercising it.

```
testCanCreate()
```

```
testDetectsBadInput()
```

```
testMustHaveWrite()
```

```
class tardis.apps.related_info.tests.tests.DeleteTestCase(methodName='runTest')
```

Bases: django.test.testcases.TransactionTestCase

```
setUp()
```

Hook method for setting up the test fixture before exercising it.

```
testCanDelete()
testMustHaveWrite()

class tardis.apps.related_info.tests.tests.GetTestCase (methodName='runTest')
Bases: django.test.testcases.TransactionTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testHandlesFound()
testHandlesNotFound()

class tardis.apps.related_info.tests.tests.ListTestCase (methodName='runTest')
Bases: django.test.testcases.TransactionTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testHandlesEmptySet()
testHandlesMultipleEntries()
testHandlesSingleEntry()

class tardis.apps.related_info.tests.tests.TabTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testAccessWithReadPerms()
testAccessWithoutReadPerms()

class tardis.apps.related_info.tests.tests.UpdateTestCase (methodName='runTest')
Bases: django.test.testcases.TransactionTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testDetectsBadInput()
testMustHaveWrite()
```

## Module contents

### Submodules

[tardis.apps.related\\_info.forms module](#)

```
class tardis.apps.related_info.forms.RelatedInfoForm(data=None, files=None,
                                                      auto_id=u'id_%s', prefix=None,
                                                      initial=None, error_class=<class
                                                      'django.forms.utils.ErrorList'>, label_suffix=None,
                                                      empty_permitted=False, field_order=None,
                                                      use_required_attribute=None, renderer=None)
Bases: django.forms.Form
base_fields = {'identifier': <django.forms.fields.URLField object>, 'notes': <django.forms.fields.URLField object>}
declared_fields = {'identifier': <django.forms.fields.URLField object>, 'notes': <django.forms.fields.URLField object>}
media
```

[tardis.apps.related\\_info.models module](#)[tardis.apps.related\\_info.settings module](#)[tardis.apps.related\\_info.urls module](#)[tardis.apps.related\\_info.views module](#)

## Module contents

[tardis.apps.sftp package](#)

### Subpackages

[tardis.apps.sftp.management package](#)

### Subpackages

[tardis.apps.sftp.management.commands package](#)

### Submodules

[tardis.apps.sftp.management.commands.sftpd module](#)

```
class tardis.apps.sftp.management.commands.sftpd.Command(stdout=None,
                                                       stderr=None,
                                                       no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
```

## Module contents

### Module contents

#### tardis.apps.sftp.migrations package

##### Submodules

##### tardis.apps.sftp.migrations.0001\_initial module

```
class tardis.apps.sftp.migrations.0001_initial.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration

    dependencies = [(u'tardis_portal', u'0011_auto_20160505_1643'), (u'auth', u'__first__')
        initial = True

    operations = [ <CreateModel fields=[(u'id', <django.db.models.fields.AutoField>), (u'na
```

## Module contents

### tardis.apps.sftp.tests package

##### Submodules

#### tardis.apps.sftp.tests.test\_sftp module

```
class tardis.apps.sftp.tests.test_sftp.SFTPDManagementTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    testSFTPDWithoutHostKey()
        Attempting to start the SFTPD service without a host key should raise an SSHException

class tardis.apps.sftp.tests.test_sftp.SFTPTest(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_cyberduck_connection_window()
    test_sftp()
    test_sftp_dynamic_docs_dataset()
    test_sftp_dynamic_docs_experiment()
    test_sftp_key_connect()
```

## Module contents

### Submodules

## tardis.apps.sftp.admin module

### tardis.apps.sftp.api module

```
class tardis.apps.sftp.api.SFTPACLAuthorization
    Bases: tastypie.authorization.Authorization

    create_detail(object_list, bundle)
    delete_detail(object_list, bundle)
    read_detail(object_list, bundle)
    read_list(object_list, bundle)

class tardis.apps.sftp.api.SFTPPublicKeyAppResource(api_name=None)
    Bases: tastypie.resources.ModelResource

    Tastypie model resource for SFTPPublicKey model

    class Meta

        authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
        authorization
        detail_allowed_methods = ['get', 'delete']
        filtering = {'id': ('exact',), 'name': ('exact',)}
        list_allowed_methods = ['get', 'post']
        object_class
            alias of tardis.apps.sftp.models.SFTPPublicKey
        queryset
        resource_name = 'sftp/key'
        validation = <tastypie.validation.FormValidation object>
        base_fields = {'added': <tastypie.fields.DateField object>, u'id': <tastypie.fields.IntegerField object>}
        declared_fields = {}
        dehydrate(bundle)
        hydrate(bundle)
```

### tardis.apps.sftp.apps module

```
class tardis.apps.sftp.apps.SFTPConfig(app_name, app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.apps.sftp'
    verbose_name = 'SFTP'
```

## tardis.apps.sftp.default\_settings module

```
tardis.apps.sftp.default_settings.REQUIRE_SSL_TO_GENERATE_KEY = True
```

Require a secure connection (i.e., HTTPS) to allow key generation.

```
tardis.apps.sftp.default_settings.SFTP_USERNAME_ATTRIBUTE = 'email'
```

The attribute from the User model ('email' or 'username') used to generate the SFTP login example on the sftp\_access help page.

## tardis.apps.sftp.forms module

```
class tardis.apps.sftp.forms.KeyAddForm(data=None, files=None, auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
```

Bases: django.forms.Form

```
base_fields = {'key_type': <django.forms.fields.CharField object>, 'name': <django.f
```

```
clean()
```

```
declared_fields = {'key_type': <django.forms.fields.CharField object>, 'name': <django.f
```

```
media
```

```
class tardis.apps.sftp.forms.KeyGenerateForm(data=None, files=None, auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
```

Bases: django.forms.Form

```
base_fields = {'name': <django.forms.fields.CharField object>}
```

```
declared_fields = {'name': <django.forms.fields.CharField object>}
```

```
media
```

## tardis.apps.sftp.models module

```
class tardis.apps.sftp.models.SFTPPublicKey(*args, **kwargs)
```

Bases: django.db.models.base.Model

Model for associated SFTP public keys with users

### Parameters

- **user** (*ForeignKey for User*) – user who owns this public key
- **name** (*string*) – name for this public key
- **public\_key** (*string*) – OpenSSH formatted public key
- **added** (*date*) – date the public key was added (Optional)

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

added
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

get_next_by_added(**morekwargs)
get_previous_by_added(**morekwargs)

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

key_type
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

name
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

public_key
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

user
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:



```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```



    child.parent is a ForwardManyToOneDescriptor instance.

user_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

## tardis.apps.sftp.sftp module

### SFTP Server

```
class tardis.apps.sftp.sftp.DynamicTree(host_obj=None)
    Bases: object

add_child(name, obj=None)
add_path(path)
add_path_elems(elems)
clear_children()
```

```
get_leaf(path, update=False)
update_all_files()
update_dataset_files()
update_datasets()
update_experiments()
update_nothing()

class tardis.apps.sftp.sftp.MySFTPHandle(df, flags=0, optional_args=None)
    Bases: paramiko.sftp_handle.SFTPHandle

    SFTP File Handle

    stat()
        Return an L{SFTPAttributes} object referring to this open file, or an error code. This is equivalent to L{SFTPServerInterface.stat}, except it's called on an open file instead of a path.

        @return: an attributes object for the given file, or an SFTP error code (like L{SFTP_PERMISSION_DENIED}). @rtype: L{SFTPAttributes} I{or error code}

class tardis.apps.sftp.sftp.MySFTPRequestHandler(request, client_address, server)
    Bases: SocketServer.BaseRequestHandler

    auth_timeout = 60
    handle()
    handle_timeout()
    setup()
    timeout = 60

class tardis.apps.sftp.sftp.MySFTPServer(*args, **kwargs)
    Bases: paramiko.sftp_server.SFTPServer

    override SFTPServer to provide channel information to the SFTP subsystem

class tardis.apps.sftp.sftp.MySFTPServerInterface(server, *args, **kwargs)
    Bases: paramiko.sftp_si.SFTPServerInterface

    MyTardis data via SFTP

    canonicalize(path)
        Return the canonical form of a path on the server.

    experiments

    list_folder(path)
        Returns a list of files within a given folder. The C{path} will use posix notation (C{"/"} separates folder names) and may be an absolute or relative path.

        The list of files is expected to be a list of L{SFTPAttributes} objects, which are similar in structure to the objects returned by C{os.stat}. In addition, each object should have its C{filename} field filled in, since this is important to a directory listing and not normally present in C{os.stat} results.

        In case of an error, you should return one of the C{SFTP_*} error codes, such as L{SFTP_PERMISSION_DENIED}.

        @param path: the requested path (relative or absolute) to be listed. @type path: str @return: a list of the files in the given folder, using L{SFTPAttributes} objects. @rtype: list of L{SFTPAttributes} I{or error code}
```

**lstat** (*path*)

symbolic links are not supported

**open** (*path, flags, attr*)

Open a file on the server and create a handle for future operations on that file. On success, a new object subclassed from L{SFTPHandle} should be returned. This handle will be used for future operations on the file (read, write, etc). On failure, an error code such as L{SFTP\_PERMISSION\_DENIED} should be returned.

C{flags} contains the requested mode for opening (read-only, write-append, etc) as a bitset of flags from the C{os} module:

- C{os.O\_RDONLY}
- C{os.O\_WRONLY}
- C{os.O\_RDWR}
- C{os.O\_APPEND}
- C{os.O\_CREAT}
- C{os.O\_TRUNC}
- C{os.O\_EXCL}

(One of C{os.O\_RDONLY}, C{os.O\_WRONLY}, or C{os.O\_RDWR} will always be set.)

The C{attr} object contains requested attributes of the file if it has to be created. Some or all attribute fields may be missing if the client didn't specify them.

@note: The SFTP protocol defines all files to be in “binary” mode. There is no equivalent to python’s “text” mode.

**Parameters**

- **path** (*basestring*) – the requested datafile path
- **flags** (*int*) – flags or'd together from the C{os} module indicating the requested mode for opening the file.
- **attr** (*SFTPAttributes*) – requested attributes of the file if it is newly created.

**Returns** a new L{SFTPHandle} I{or error code}.

**Return type** SFTPHandle

**session-ended()**

run cleanup on exceptions or disconnection. idea: collect stats and store them in this function

**session-started()**

run on connection initialisation

**stat** (*path*)

Return an L{SFTPAttributes} object for a path on the server, or an error code. If your server supports symbolic links (also known as “aliases”), you should follow them. (L{lstat} is the corresponding call that doesn’t follow symlinks/aliases.)

@param path: the requested path (relative or absolute) to fetch file statistics for. @type path: str

@return: an attributes object for the given file, or an SFTP error code (like L{SFTP\_PERMISSION\_DENIED}). @rtype: L{SFTPAttributes} I{or error code}

**class** tardis.apps.sftp.sftp.**MyTSFTPTCPServer** (*address, host\_key, RequestHandler-Class=None*)

Bases: SocketServer.TCPServer

```
allow_reuse_address = True
close_request(request)
shutdown_request(request)

class tardis.apps.sftp.sftp.MyTServerInterface
Bases: paramiko.server.ServerInterface
```

### check\_auth\_interactive(username, submethods)

Begin an interactive authentication challenge, if supported. You should override this method in server mode if you want to support the "keyboard-interactive" auth type, which requires you to send a series of questions for the client to answer.

Return AUTH\_FAILED if this auth method isn't supported. Otherwise, you should return an *.InteractiveQuery* object containing the prompts and instructions for the user. The response will be sent via a call to *check\_auth\_interactive\_response*.

The default implementation always returns AUTH\_FAILED.

#### Parameters

- **username** (*str*) – the username of the authenticating client
- **submethods** (*str*) – a comma-separated list of methods preferred by the client (usually empty)

**Returns** AUTH\_FAILED if this auth method isn't supported; otherwise an object containing queries for the user

**Return type** int or *.InteractiveQuery*

### check\_auth\_interactive\_response(responses)

Continue or finish an interactive authentication challenge, if supported. You should override this method in server mode if you want to support the "keyboard-interactive" auth type.

Return AUTH\_FAILED if the responses are not accepted, AUTH\_SUCCESSFUL if the responses are accepted and complete the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this set of responses is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

If you wish to continue interactive authentication with more questions, you may return an *.InteractiveQuery* object, which should cause the client to respond with more answers, calling this method again. This cycle can continue indefinitely.

The default implementation always returns AUTH\_FAILED.

**Parameters** **responses** – list of *str* responses from the client

**Returns** AUTH\_FAILED if the authentication fails; AUTH\_SUCCESSFUL if it succeeds; AUTH\_PARTIALLY\_SUCCESSFUL if the interactive auth is successful, but authentication must continue; otherwise an object containing queries for the user

**Return type** int or *.InteractiveQuery*

### check\_auth\_password(username, password)

Determine if a given username and password supplied by the client is acceptable for use in authentication.

Return AUTH\_FAILED if the password is not accepted, AUTH\_SUCCESSFUL if the password is accepted and completes the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this key is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

The default implementation always returns AUTH\_FAILED.

#### Parameters

- **username** (*str*) – the username of the authenticating client.
- **password** (*str*) – the password given by the client.

**Returns** AUTH\_FAILED if the authentication fails; AUTH\_SUCCESSFUL if it succeeds; AUTH\_PARTIALLY\_SUCCESSFUL if the password auth is successful, but authentication must continue.

#### Return type *int*

### `check_auth_publickey` (*username*, *key*)

Determine if a given key supplied by the client is acceptable for use in authentication. You should override this method in server mode to check the username and key and decide if you would accept a signature made using this key.

Return AUTH\_FAILED if the key is not accepted, AUTH\_SUCCESSFUL if the key is accepted and completes the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this password is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

Note that you don't have to actually verify any key signature here. If you're willing to accept the key, Paramiko will do the work of verifying the client's signature.

The default implementation always returns AUTH\_FAILED.

#### Parameters

- **username** (*str*) – the username of the authenticating client
- **key** (*PKey*) – the key object provided by the client

**Returns** AUTH\_FAILED if the client can't authenticate with this key; AUTH\_SUCCESSFUL if it can; AUTH\_PARTIALLY\_SUCCESSFUL if it can authenticate with this key but must continue with authentication

#### Return type *int*

### `check_channel_request` (*kind*, *chanid*)

Determine if a channel request of a given type will be granted, and return OPEN\_SUCCEEDED or an error code. This method is called in server mode when the client requests a channel, after authentication is complete.

If you allow channel requests (and an ssh server that didn't would be useless), you should also override some of the channel request methods below, which are used to determine which services will be allowed on a given channel:

- *check\_channel\_pty\_request*
- *check\_channel\_shell\_request*
- *check\_channel\_subsystem\_request*
- *check\_channel\_window\_change\_request*
- *check\_channel\_x11\_request*
- *check\_channel\_forward\_agent\_request*

The `chanid` parameter is a small number that uniquely identifies the channel within a `.Transport`. A `.Channel` object is not created unless this method returns `OPEN_SUCCEEDED` – once a `.Channel` object is created, you can call `.Channel.get_id` to retrieve the channel ID.

The return value should either be `OPEN_SUCCEEDED` (or 0) to allow the channel request, or one of the following error codes to reject it:

- `OPEN_FAILED_ADMINISTRATIVELY_PROHIBITED`
- `OPEN_FAILED_CONNECT_FAILED`
- `OPEN_FAILED_UNKNOWN_CHANNEL_TYPE`
- `OPEN_FAILED_RESOURCE_SHORTAGE`

The default implementation always returns `OPEN_FAILED_ADMINISTRATIVELY_PROHIBITED`.

### Parameters

- `kind` (`str`) – the kind of channel the client would like to open (usually "session").
- `chanid` (`int`) – ID of the channel

**Returns** an `int` success or failure code (listed above)

### `get_allowed_auths` (`username`)

Return a list of authentication methods supported by the server. This list is sent to clients attempting to authenticate, to inform them of authentication methods that might be successful.

The “list” is actually a string of comma-separated names of types of authentication. Possible values are "password", "publickey", and "none".

The default implementation always returns "password".

**Parameters** `username` (`str`) – the username requesting authentication.

**Returns** a comma-separated `str` of authentication types

### `myt_auth` (`username, password`)

`tardis.apps.sftp.sftp.start_server` (`host=None, port=None, keyfile=None`)

The SFTP\_HOST\_KEY setting is required for configuring SFTP access. The SFTP\_PORT setting defaults to 2200.

See: `tardis/default_settings/sftp.py`

## `tardis.apps.sftp.urls` module

### `tardis.apps.sftp.user_menu_modifiers` module

`tardis.apps.sftp.user_menu_modifiers.add_ssh_keys_menu_item` (`request, user_menu`)

Add a ‘Manage SSH Keys’ item to the user menu

### Parameters

- `request` (`django.http.HttpRequest`) – an HTTP Request instance
- `user_menu` (`list`) – user menu context to modify

**Returns** user\_menu list

**Return type** `list`

## tardis.apps.sftp.views module

`tardis.apps.sftp.views.cybderduck_connection_window(request, *args, **kwargs)`

`tardis.apps.sftp.views.sftp_access(request, *args, **kwargs)`

    Show dynamically generated instructions on how to connect to SFTP  
    :param Request request:  
    :return: HttpResponseRedirect :rtype: HttpResponseRedirect

`tardis.apps.sftp.views.sftp_keys(request, *args, **kwargs)`

    Generate an RSA key pair for a user.

    Generates a key pair, stores the public part of the key and provides a one time opportunity for the user to download the private part of the key.

**Parameters** `request` (`HttpRequest`) – http request

**Returns** either returns form on GET request or private key download on POST request

**Return type** `HttpResponse`

## Module contents

### tardis.apps.social\_auth package

#### Subpackages

#### tardis.apps.social\_auth.auth package

##### Submodules

##### tardis.apps.social\_auth.auth.authorisation module

##### tardis.apps.social\_auth.auth.social\_auth module

`tardis.apps.social_auth.auth.social_auth.add_authentication_method(**kwargs)`

    Creates an authentication record for OpenID authenticated user

`tardis.apps.social_auth.auth.social_auth.add_migration_permission(**kwargs)`

    Adds permission to migrate account for OpenID authenticated user

`tardis.apps.social_auth.auth.social_auth.add_user_permissions(**kwargs)`

    Adds default permission to OpenID authenticated user

`tardis.apps.social_auth.auth.social_auth.approve_user_auth(**kwargs)`

    Sets approved status to True in user authentication This will add user permissions as well.

`tardis.apps.social_auth.auth.social_auth.get_auth_method(authenticatedBackendName)`

    Return matching user authentication method from list of authentication methods in settings

`tardis.apps.social_auth.auth.social_auth.is_openid_migration_enabled()`

`tardis.apps.social_auth.auth.social_auth.migrate_user_message(**kwargs)`

    Automatically detects if a user has an account with the same email address and prompts user to perform migration.

`tardis.apps.social_auth.auth.social_auth.requires_admin_approval(authenticationBackend)`

```
tardis.apps.social_auth.auth.social_auth.send_admin_email(**kwargs)
    Sends MyTardis admins an email for approving account
```

### Module contents

#### Submodules

##### [tardis.apps.social\\_auth.apps module](#)

```
class tardis.apps.social_auth.apps.SocialAuthConfig(app_name, app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.apps.social_auth'
    verbose_name = 'Social Auth'
```

##### [tardis.apps.social\\_auth.default\\_settings module](#)

##### [tardis.apps.social\\_auth.urls module](#)

### Module contents

### Module contents

##### [tardis.default\\_settings package](#)

#### Submodules

##### [tardis.default\\_settings.admins module](#)

```
tardis.default_settings.adminsADMINS = []
```

A list of all the people who get code error notifications. When DEBUG=False and AdminEmailHandler is configured in LOGGING (done by default), Django emails these people the details of exceptions raised in the request/response cycle.

Each item in the list should be a tuple of (Full name, email address). Example:

```
[('John', 'john@example.com'), ('Mary', 'mary@example.com')]
```

##### [tardis.default\\_settings.analytics module](#)

##### [tardis.default\\_settings.apps module](#)

```
tardis.default_settings.apps.USER_MENU_MODIFIERS = ['tardis.apps.sftp.user_menu_modifiers.1']
```

A list of methods which can modify the user menu defined in tardis.tardis\_portal.context\_processors.user\_menu\_processor. The modifications will be applied in order, so it is possible for one app to overwrite changes made by another app whose modifier method is earlier in the list.

Each modifier method should take a django.http.HttpRequest object and a list of user menu items, and return a modified list of user menu items.

An example from the SFTP app is below:

```
USER_MENU_MODIFIERS.extend([
    'tardis.apps.sftp.user_menu_modifiers.add_ssh_keys_menu_item'
])
```

### tardis.default\_settings.auth module

`tardis.default_settings.auth.AUTOGENERATE_API_KEY = False`

Generate a tastypie API key with user post\_save (tardis/tardis\_portal/models/hooks.py)

`tardis.default_settings.auth.REGISTRATION_OPEN = True`

Enable/disable the self-registration link and form in the UI. Note - this does not actually disable the URL endpoints for registration. You must also remove the *registration* app from `INSTALLED_APPS` to disable registration.

### tardis.default\_settings.caches module

`tardis.default_settings.caches.CACHES = {'celery-locks': {'BACKEND': 'django.core.cache.b`

change the CACHES setting to memcached if you prefer. Requires additional dependencies.

### tardis.default\_settings.celery\_settings module

### tardis.default\_settings.custom\_views module

`tardis.default_settings.custom_views.DATASET_VIEWS = []`

Dataset view overrides ('contextual views') are specified as tuples mapping a Schema namespace to a class-based view (or view function). See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#dataset-and-experiment-views](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#dataset-and-experiment-views)

e.g.:

```
DATASET_VIEWS = [
    ('http://example.org/schemas/dataset/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomDatasetViewSubclass'),
]
```

`tardis.default_settings.custom_views.EXPERIMENT_VIEWS = []`

Experiment view overrides ('contextual views') are specified as tuples mapping a Schema namespace to a class-based view (or view function). See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#dataset-and-experiment-views](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#dataset-and-experiment-views)

e.g.:

```
EXPERIMENT_VIEWS = [
    ('http://example.org/schemas/expt/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomExptViewSubclass'),
]
```

```
tardis.default_settings.custom_views.INDEX_VIEWS = {}
```

A custom index page override is defined in as dictionary mapping a class-based view (or view function) to a Django Site, specified by SITE\_ID (an integer) or the domain name of the incoming request. See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#custom-index-view](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#custom-index-view)

e.g.:

```
INDEX_VIEWS = {  
    1: 'tardis.apps.my_custom_app.views.MyCustomIndexSubclass',  
    'store.example.com': 'tardis.apps.myapp.AnotherCustomIndexSubclass'  
}
```

```
tardis.default_settings.custom_views.LOGIN_VIEWS = {}
```

A custom login page override is defined in as dictionary mapping a class-based view (or view function) to a Django Site, specified by SITE\_ID (an integer) or the domain name of the incoming request. See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#custom-login-view](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#custom-login-view)

e.g.:

```
LOGIN_VIEWS = {  
    1: 'tardis.apps.my_custom_app.views.MyCustomLoginSubclass',  
    'store.example.com': 'tardis.apps.myapp.AnotherCustomLoginSubclass'  
}
```

## tardis.default\_settings.database module

### tardis.default\_settings.debug module

```
tardis.default_settings.debug.ALLOWED_HOSTS = ['*']
```

For security reasons this needs to be set to your hostname and/or IP address in production.

```
tardis.default_settings.debug.DEBUG = True
```

Set to false for production use

```
tardis.default_settings.debug.INTERNAL_IPS = ('127.0.0.1',)
```

**A list of IP addresses, as strings, that:** Allow the debug() context processor to add some variables to the template context.

## tardis.default\_settings.downloads module

```
tardis.default_settings.downloads.DEFAULT_ARCHIVE_FORMATS = ['tar']
```

Site's preferred archive types, with the most preferred first other available option: 'tgz'. Add to list if desired

### tardis.default\_settings.email module

```
tardis.default_settings.email.DEFAULT_FROM_EMAIL = 'webmaster@localhost'
```

This can be set as : "MyTardis Admins <admins@mytardis.org>"

```
tardis.default_settings.email.EMAIL_HOST = 'localhost'
```

Set this to your local SMTP server, e.g. 'smtp.example.edu' or to a remote SMTP server, e.g. 'smtp.gmail.com'

```
tardis.default_settings.email.EMAIL_HOST_PASSWORD = ''
```

When using a local SMTP server, you probably don't need to authenticate, so you can leave this blank.

If using a remote SMTP server, this can be set to the password used to authenticate.

```
tardis.default_settings.email.EMAIL_HOST_USER = ''
```

When using a local SMTP server, you probably don't need to authenticate, so you can leave this blank.

If using a remote SMTP server, this can be set to the email address used to authenticate, e.g. 'bob@bobmail.com'

```
tardis.default_settings.email.EMAIL_PORT = 25
```

Some SMTP servers require a different port, e.g. 587. Django's default value for this setting is 25.

```
tardis.default_settings.email.EMAIL_USE_TLS = False
```

Some SMTP servers require this to be set to True. Django's default value for this setting is False.

## **[tardis.default\\_settings.filters module](#)**

## **[tardis.default\\_settings.frontend module](#)**

```
tardis.default_settings.frontend.BLEACH_ALLOWED_ATTRIBUTES = {'a': ['href', 'title'], 'ab
```

These are the default bleach values and shown here as an example.

```
tardis.default_settings.frontend.BLEACH_ALLOWED_TAGS = ['a', 'abbr', 'acronym', 'b', 'blockc
```

These are the default bleach values and shown here as an example.

## **[tardis.default\\_settings.i18n module](#)**

## **[tardis.default\\_settings.localisation module](#)**

## **[tardis.default\\_settings.logging module](#)**

## **[tardis.default\\_settings.middlewares module](#)**

## **[tardis.default\\_settings.publication module](#)**

## **[tardis.default\\_settings.search module](#)**

## **[tardis.default\\_settings.sharing module](#)**

## **[tardis.default\\_settings.site\\_customisations module](#)**

```
tardis.default_settings.site_customisations.SITE_TITLE = 'MyTardis'
```

customise the title of your site

```
tardis.default_settings.site_customisations.SPONSORED_TEXT = None
```

add text to the footer to acknowledge someone

## **[tardis.default\\_settings.static\\_files module](#)**

## **[tardis.default\\_settings.storage module](#)**

```
tardis.default_settings.storage.METADATA_STORE_PATH = '/home/docs/checkouts/readthedocs.org
```

storage path for image paths stored in parameters. Better to set to another location if possible

## tardis.default\_settings.templates module

### tardis.default\_settings.uploads module

```
tardis.default_settings.uploads.UPLOAD_METHOD = False
```

Old version: UPLOAD\_METHOD = “uploadify”. This can be changed to an app that provides an upload\_button function, eg. “tardis.apps.filepicker.views.upload\_button” to use a fancy commercial uploader. To use filepicker, please also get an API key at <http://filepicker.io>

## tardis.default\_settings.urls module

### Module contents

```
tardis.default_settings.get_git_version()
```

## tardis.search package

### Submodules

#### tardis.search.datafile\_index module

search indexes for single search

```
class tardis.search.datafile_index.DataFileIndex
    Bases: haystack.indexes.SearchIndex, haystack.constants.Indexable

    datafile_filename = <haystack.fields.CharField object>
    dataset_id_stored = <haystack.fields.IntegerField object>
    experiment_id_stored = <haystack.fields.MultiValueField object>
    fields = {'datafile_filename': <haystack.fields.CharField object>, 'dataset_id_stored':
        get_model()}
    objects = <haystack.manager.SearchIndexManager object>
    prepare_experiment_id_stored(obj)
    prepare_text(obj)
    text = <haystack.fields.CharField object>
```

#### tardis.search.forms module

```
class tardis.search.forms.GroupedSearchForm(*args, **kwargs)
    Bases: haystack.forms.ModelSearchForm

    base_fields = {'q': <django.forms.fields.CharField object>}
    declared_fields = {'q': <django.forms.fields.CharField object>}
    media
    search(*args, **kwargs)
```

## tardis.search.search\_indexes module

search indexes for single search

```
class tardis.search.search_indexes.DatasetIndex
    Bases: haystack.indexes.SearchIndex, haystack.constants.Indexable
    dataset_description = <haystack.fields.CharField object>
    dataset_id_stored = <haystack.fields.IntegerField object>
    experiment_id_stored = <haystack.fields.MultiValueField object>
    fields = {'dataset_description': <haystack.fields.CharField object>, 'dataset_id_stor
    get_model()
    objects = <haystack.manager.SearchIndexManager object>
    prepare_experiment_id_stored(obj)
    prepare_text(obj)
    Elasticsearch's standard tokenizer won't split on underscores, as it uses the Unicode Text Segmentation
    algorithm, as specified in the Unicode Standard Annex #29. Some MyTardis users replace spaces with
    underscores in folder names, because their instrument data collection software won't allow spaces in paths,
    so we replace underscores with spaces in the search index, but they will still appear as underscores in the
    search results.
    text = <haystack.fields.CharField object>
class tardis.search.search_indexes.ExperimentIndex
    Bases: haystack.indexes.SearchIndex, haystack.constants.Indexable
    experiment_author = <haystack.fields.MultiValueField object>
    experiment_created_time = <haystack.fields.DateTimeField object>
    experiment_creator = <haystack.fields.CharField object>
    experiment_description = <haystack.fields.CharField object>
    experiment_end_time = <haystack.fields.DateTimeField object>
    experiment_id_stored = <haystack.fields.IntegerField object>
    experiment_institution_name = <haystack.fields.CharField object>
    experiment_start_time = <haystack.fields.DateTimeField object>
    experiment_title = <haystack.fields.CharField object>
    experiment_update_time = <haystack.fields.DateTimeField object>
    fields = {'experiment_author': <haystack.fields.MultiValueField object>, 'experiment_'
    get_model()
    index_queryset(using=None)
        Used when the entire index for model is updated.
    objects = <haystack.manager.SearchIndexManager object>
    prepare_experiment_creator(obj)
    prepare_experimentauthor(obj)
```

```
prepare_text(obj)
```

Elasticsearch's standard tokenizer won't split on underscores, as it uses the Unicode Text Segmentation algorithm, as specified in the Unicode Standard Annex #29. Some MyTardis users replace spaces with underscores in folder names, because their instrument data collection software won't allow spaces in paths, so we replace underscores with spaces in the search index, but they will still appear as underscores in the search results.

```
text = <haystack.fields.CharField object>
```

### tardis.search.urls module

#### tardis.search.utils module

```
class tardis.search.utils.SearchQueryString(query_string)
```

Bases: object

Class to manage switching between space separated search queries and '+' separated search queries (for addition to urls)

TODO This would probably be better handled with filters

```
query_string()
```

```
url_safe_query()
```

### tardis.search.views module

views relevant to search

```
class tardis.search.views.ExperimentSearchView(**kwargs)
```

Bases: haystack.generic\_views.SearchView

```
create_response()
```

```
extra_context()
```

```
class tardis.search.views.SingleSearchView(**kwargs)
```

Bases: haystack.generic\_views.SearchView

```
form_class
```

alias of `tardis.search.forms.GroupedSearchForm`

```
form_valid(form)
```

If the form is valid, redirect to the supplied URL.

```
template_name = 'search/search.html'
```

```
tardis.search.views.search_experiment(request)
```

Either show the search experiment form or the result of the search experiment query.

```
tardis.search.views.search_quick(request)
```

### Module contents

#### tardis.tardis\_portal package

## Subpackages

### tardis.tardis\_portal.auth package

#### Submodules

##### tardis.tardis\_portal.auth.authentication module

A module containing helper methods for the manage\_auth\_methods function in views.py.

`tardis.tardis_portal.auth.authentication.add_auth_method(request)`

Add a new authentication method to request.user's existing list of authentication methods. This method will ask for a confirmation if the user wants to merge two accounts if the authentication method he provided already exists as a method for another user.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s new list of authentication methods

**Return type** `HttpResponse`

`tardis.tardis_portal.auth.authentication.edit_auth_method(request)`

Change the local DB (Django) password for `request.user`.

`tardis.tardis_portal.auth.authentication.list_auth_methods(request)`

Generate a list of authentication methods that `request.user` uses to authenticate to the system and send it back in a `HttpResponse`.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s list of authentication methods

**Return type** `HttpResponse`

`tardis.tardis_portal.auth.authentication.merge_auth_method(request)`

Merge the account that the user is logged in as and the account that he provided in the Authentication Form. Merging accounts involve relinking the UserAuthentication table entries, transferring ObjectACL entries to the merged account, changing the Group memberships and deleting the unneeded account.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s new list of authentication methods

**Return type** `HttpResponse`

`tardis.tardis_portal.auth.authentication.remove_auth_method(request)`

Removes the non-local DB auth method from the UserAuthentication model.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s new list of authentication methods

**Return type** `HttpResponse`

##### tardis.tardis\_portal.auth.authorisation module

Object-level authorisation backend

`class tardis.tardis_portal.auth.authorisation.ACIAwareBackend`

Bases: `object`

```
app_label = 'tardis_acls'
authenticate(request)
    do not use this backend for authentication
get_perm_bool(verb)
    relates ACLs to permissions
has_perm(user_obj, perm, obj=None)
    main method, calls other methods based on permission type queried
supports_anonymous_user = True
supports_object_permissions = True
```

### tardis.tardis\_portal.auth.authservice module

models.py

```
class tardis.tardis_portal.auth.authservice.AuthService(settings=<LazySettings
                                                       "tardis.test_settings">)
The AuthService provides an interface for querying the auth(nlz) framework within MyTardis. The auth service works by reading the class path to plugins from the settings file.
```

**Parameters** `settings` (`django.conf.settings`) – the settings object that contains the list of user and group plugins.

**authenticate** (`authMethod`, `**credentials`)

Try and authenticate the user using the auth type he/she specified to use and if authentication didn't work using that

#### Parameters

- `authMethod` (`string`) – the shortname of the auth method.
- `credentials` (`kwargs`) – the credentials as expected by the auth plugin

**Returns** authenticated User or None

**Return type** User or None

**getGroups** (`user`)

**Parameters** `user` (`User`) – User

**Returns** a list of tuples containing pluginname and group id

**Return type** list

**getGroupsForEntity** (`entity`)

Return a list of the groups an entity belongs to

**Parameters** `entity` (`string`) – the entity to search for, user or group.

**Returns** groups

**Return type** Group

The groups will be returned as a list similar to:

```
[{'name': 'Group 456', 'id': '2'},
 {'name': 'Group 123', 'id': '1'}]
```

**getUser** (*authMethod*, *user\_id*, *force\_user\_create=False*)

Return a user model based on the given auth method and user id.

This function is responsible for creating the user within the Django DB and returning the resulting user model.

**getUsernameByEmail** (*authMethod*, *email*)

Return a username given the auth method and email address of a user.

**get\_or\_create\_user** (*user\_obj\_or\_dict*, *authMethod=None*)

refactored out for external use by AAF and possibly others

**searchEntities** (*filter*)

Return a list of users and/or groups

**searchGroups** (\*\*kw)

basestring *id*: the value of the id to search for basestring *name*: the value of the displayname to search for int *max\_results*: the maximum number of elements to return basestring *sort\_by*: the attribute the users should be sorted on basestring *plugin*: restrict the search to the specific group provider

returns: a list of users and/or groups rtype: list

**searchUsers** (*filter*)

Return a list of users and/or groups

## tardis.tardis\_portal.auth.decorators module

tardis.tardis\_portal.auth.decorators.**datafile\_access\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**dataset\_access\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**dataset\_download\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**dataset\_write\_permissions\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**delete\_permissions\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**experiment\_access\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**experiment\_download\_required**(*f*)

tardis.tardis\_portal.auth.decorators.**experiment\_ownership\_required**(*f*)

A decorator for Django views that validates if a user is an owner of an experiment or ‘superuser’ prior to further processing the request. Unauthenticated requests are redirected to the login page. If the user making the request satisfies none of these criteria, an error response is returned.

**Parameters** *f* (*types.FunctionType*) – A Django view function

**Returns** A Django view function

**Return type** *types.FunctionType*

tardis.tardis\_portal.auth.decorators.**get\_accessible\_datafiles\_for\_user**(*request*)

tardis.tardis\_portal.auth.decorators.**get\_accessible\_experiments**(*request*)

tardis.tardis\_portal.auth.decorators.**get\_accessible\_experiments\_for\_dataset**(*request*, *dataset\_id*)

tardis.tardis\_portal.auth.decorators.**get\_owned\_experiments**(*request*)

tardis.tardis\_portal.auth.decorators.**get\_shared\_experiments**(*request*)

```
tardis.tardis_portal.auth.decorators.group_ownership_required(f)
```

A decorator for Django views that validates if a user is a group admin or ‘superuser’ prior to further processing the request. Unauthenticated requests are redirected to the login page. If the user making the request satisfies none of these criteria, an error response is returned.

**Parameters** `f` (`types.FunctionType`) – A Django view function

**Returns** A Django view function

**Return type** `types.FunctionType`

```
tardis.tardis_portal.auth.decorators.has_datafile_access(request, datafile_id)
```

```
tardis.tardis_portal.auth.decorators.has_datafile_download_access(request,  
datafile_id)
```

```
tardis.tardis_portal.auth.decorators.has_dataset_access(request, dataset_id)
```

```
tardis.tardis_portal.auth.decorators.has_dataset_download_access(request,  
dataset_id)
```

```
tardis.tardis_portal.auth.decorators.has_dataset_ownership(request, dataset_id)
```

```
tardis.tardis_portal.auth.decorators.has_dataset_write(request, dataset_id)
```

```
tardis.tardis_portal.auth.decorators.has_delete_permissions(request, experi-  
ment_id)
```

```
tardis.tardis_portal.auth.decorators.has_experiment_access(request, experi-  
ment_id)
```

```
tardis.tardis_portal.auth.decorators.has_experiment_download_access(request,  
experience_id)
```

```
tardis.tardis_portal.auth.decorators.has_experiment_ownership(request, experi-  
ment_id)
```

```
tardis.tardis_portal.auth.decorators.has_experiment_write(request, experi-  
ment_id)
```

```
tardis.tardis_portal.auth.decorators.has_read_or_owner_ACL(request, experi-  
ment_id)
```

Check whether the user has read access to the experiment - this means either they have been granted read access, or that they are the owner.

NOTE: This does not check whether the experiment is public or not, which means even when the experiment is public, this method does not automatically return true.

As such, this method should NOT be used to check whether the user has general read permission.

```
tardis.tardis_portal.auth.decorators.has_write_permissions(request, experi-  
ment_id)
```

```
tardis.tardis_portal.auth.decorators.is_group_admin(request, *args, **kwargs)
```

```
tardis.tardis_portal.auth.decorators.upload_auth(f)
```

```
tardis.tardis_portal.auth.decorators.write_permissions_required(f)
```

### **tardis.tardis\_portal.auth.fix\_circular module**

```
tardis.tardis_portal.auth.fix_circular.getGroups(user)
```

**tardis.tardis\_portal.auth.interfaces module**

**class** `tardis.tardis_portal.auth.interfaces.AuthProvider`

**authenticate** (*request*)

from a request authenticate try to authenticate the user. return a user dict if successful.

**getUsernameByEmail** (*email*)

returns the username (format string) from the auth domain

Implementing this function is optional- it is needed for resolving experiment owner email addresses to usernames during ingestion.

**get\_user** (*user\_id*)

**class** `tardis.tardis_portal.auth.interfaces.GroupProvider`

**getGroupById** (*id*)

return the group associated with the id

**getGroups** (*user*)

return an iteration of the available groups.

**getGroupsForEntity** (*id*)

return a list of groups associated with a particular entity id

**searchGroups** (\*\**filter*)

return a list of groups that match the filter

**class** `tardis.tardis_portal.auth.interfaces.UserProvider`

**getUserById** (*id*)

return the user dictionary in the format of:

```
{"id": 123,
"first_name": "John",
"last_name": "Smith",
"email": "john@example.com"}
```

**getUsernameByEmail** (*email*)

returns the username (format string) from the auth domain needed for resolving experiment owners during ingestion

**searchUsers** (\*\**filter*)

return a list of user descriptions from the auth domain.

each user is in the format of:

```
{"id": 123,
"first_name": "John",
"last_name": "Smith",
"email": "john@example.com"}
```

**tardis.tardis\_portal.auth.ldap\_auth module**

## tardis.tardis\_portal.auth.localdb\_auth module

Local DB Authentication module.

**class** `tardis.tardis_portal.auth.localdb_auth.DjangoAuthBackend`

Bases: `tardis.tardis_portal.auth.interfacesAuthProvider`

Authenticate against Django's Model Backend.

**authenticate** (`request`)

authenticate a user, this expect the user will be using form based auth and the `username` and `password` will be passed in as **POST** variables.

**Parameters** `request` (`django.http.HttpRequest`) – a HTTP Request instance

**Returns** authenticated User

**Return type** User

**get\_user** (`user_id`)

**class** `tardis.tardis_portal.auth.localdb_auth.DjangoGroupProvider`

Bases: `tardis.tardis_portal.auth.interfaces.GroupProvider`

**getGroupId** (`id`)

return the group associated with the id:

```
{"id": 123,
```

“display”: “Group Name”,}

**getGroups** (`user`)

return an iteration of the available groups.

`name = u'django_group'`

**searchGroups** (\*\*filter)

**class** `tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider`

Bases: `tardis.tardis_portal.auth.interfaces.UserProvider`

**getUserById** (`id`)

return the user dictionary in the format of:

```
{"id": 123,
"first_name": "John",
"last_name": "Smith",
"email": "john@example.com"}
```

`name = u'django_user'`

## tardis.tardis\_portal.auth.token\_auth module

token authentication module

**class** `tardis.tardis_portal.auth.token_auth.TokenAuthMiddleware` (`get_response`)

Bases: `object`

adds tokens to the user object and the session from a GET query

**process\_request** (`request`)

```
class tardis.tardis_portal.auth.token_auth.TokenGroupProvider
Bases: tardis.tardis_portal.auth.interfaces.GroupProvider

Transforms tokens into auth groups

getGroups (user)
name = u'token_group'

searchGroups (**kwargs)
return nothing because these are not groups in the standard sense
```

## tardis.tardis\_portal.auth.utils module

Created on 15/03/2011

@author: gerson

```
tardis.tardis_portal.auth.utils.configure_user (user)
Configure a user account that has just been created by adding the user to the default groups and marking it as a
not a Django account.

Parameters user (User) – the User instance for the newly created account

Returns User profile for user

Return type UserProfile
```

```
tardis.tardis_portal.auth.utils.create_user (auth_method, user_id, email="")
tardis.tardis_portal.auth.utils.get_or_create_user (auth_method, user_id, email="")
```

## Module contents

### tardis.tardis\_portal.filters package

#### Submodules

##### tardis.tardis\_portal.filters.jeolsem module

```
class tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter
Bases: object

This filter collects metadata from JEOL SEM text files.

param name: the short name of the schema. type name: string param schema: the name of the schema to load
the EXIF data into. type schema: string

ATTR_PREFIXES = ('$CM_', '$$SM_')

SCHEMA = 'http://www.jeol.com/#jeol-sem-schema'

get_file_contents (datafile)
get_metadata (schema, filedata)
is_already_processed (datafile)
is_jeol_sem_metadata (filedata)
is_text_file (datafile)
```

```
save_metadata (datafile, schema, metadata)
```

## Module contents

```
__init__.py

class tardis.tardis_portal.filters.FilterInitMiddleware (get_response, filters=None)
    Bases: object
```

## tardis.tardis\_portal.management package

### Subpackages

#### tardis.tardis\_portal.management.commands package

##### Submodules

###### tardis.tardis\_portal.management.commands.createuser module

Management utility to create regular users.

```
class tardis.tardis_portal.management.commands.createuser.Command (stdout=None,
    stderr=None,
    no_color=False)
    Bases: django.core.management.base.BaseCommand
    add_arguments (parser)
    handle (*args, **options)
    help = 'Used to create a MyTardis user.'
tardis.tardis_portal.management.commands.createuser.is_valid_email (value)
```

###### tardis.tardis\_portal.management.commands.dumpschemas module

Command for dumping soft schema definitions

```
class tardis.tardis_portal.management.commands.dumpschemas.Command (stdout=None,
    stderr=None,
    no_color=False)
    Bases: django.core.management.base.BaseCommand
    add_arguments (parser)
    args = '[namespace... ]'
    handle (*args, **options)
    help = 'Dump soft schema definitions. No namespace = dump all schemas'
```

## `tardis.tardis_portal.management.commands.loadschemas module`

Command for loading soft schema definitions

```
class tardis.tardis_portal.management.commands.loadschemas.Command(stdout=None,
stderr=None,
no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
args = 'schema [schema ...]'
handle(*args, **options)
help = 'Load soft schema definitions'
```

## `tardis.tardis_portal.management.commands.rmexperiment module`

Management command to delete the specified experiment and its associated datasets, datafiles and parameters.

The operation is atomic, either the entire experiment is deleted, or nothing.

rmexperiment was introduced due to the Oracle DISTINCT workaround causing sql delete cascading to fail. The current implementation of rmexperiment still relies on some cascading.

```
class tardis.tardis_portal.management.commands.rmexperiment.Command(stdout=None,
stderr=None,
no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
args = '<MyTardis Exp ID>'
handle(*args, **options)
help = 'Delete the supplied MyTardis Experiment ID'
```

## `tardis.tardis_portal.management.commands.runfilters module`

Management command to (re-)run the ingestion filters by hand.

```
class tardis.tardis_portal.management.commands.runfilters.Command(stdout=None,
stderr=None,
no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
args = '[<filter-no>] ...'
handle(*args, **options)
help = "Run selected ingestion filters on all Datafiles.\nNote that a typical ingestion filter"
listFilters()
runFilters(filters, dryRun=False)
```

## Module contents

### Module contents

#### tardis.tardis\_portal.migrations package

##### Submodules

###### tardis.tardis\_portal.migrations.0001\_initial module

```
class tardis.tardis_portal.migrations.0001_initial.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'contenttypes', u'0002_remove_content_type_name'), (u'auth', u'__first__')]
    operations = [CreateModel(fields=[(u'id', AutoField())], name=u'tardis_portal')]
```

###### tardis.tardis\_portal.migrations.0001\_squashed\_0011\_auto\_20160505\_1643 module

```
class tardis.tardis_portal.migrations.0001_squashed_0011_auto_20160505_1643.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'contenttypes', u'0002_remove_content_type_name'), (u'auth', u'__first__')]
    operations = [CreateModel(fields=[(u'id', AutoField())], name=u'tardis_portal')]
    replaces = [(u'tardis_portal', u'0001_initial'), (u'tardis_portal', u'0002_auto_20150528_1128')]
```

###### tardis.tardis\_portal.migrations.0002\_auto\_20150528\_1128 module

```
class tardis.tardis_portal.migrations.0002_auto_20150528_1128.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0001_initial')]
    operations = [AlterField(field=OneToOneField(), name=u'data_type', to_field=u'content_type')]
```

###### tardis.tardis\_portal.migrations.0003\_auto\_20150907\_1315 module

```
class tardis.tardis_portal.migrations.0003_auto_20150907_1315.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0002_auto_20150528_1128')]
    operations = [AlterField(field=IntegerField(), name=u'data_type', to_field=u'content_type')]
```

**tardis.tardis\_portal.migrations.0004\_storageboxoption\_value\_type module**

```
class tardis.tardis_portal.migrations.0004_storageboxoption_value_type.Migration(name,  
                                app_label)  
Bases: django.db.migrations.migration.Migration  
dependencies = [(u'tardis_portal', u'0003_auto_20150907_1315')]  
operations = [<AddField field=<django.db.models.fields.CharField>, name=u'value_type',
```

**tardis.tardis\_portal.migrations.0005\_datafile\_add\_size\_int\_column module**

```
class tardis.tardis_portal.migrations.0005_datafile_add_size_int_column.Migration(name,  
                                app_label)  
Bases: django.db.migrations.migration.Migration  
dependencies = [(u'tardis_portal', u'0004_storageboxoption_value_type')]  
operations = [<AddField field=<django.db.models.fields.BigIntegerField>, name=u'_size'  
tardis.tardis_portal.migrations.0005_datafile_add_size_int_column.cast_string_to_integer(ap  
sc
```

**tardis.tardis\_portal.migrations.0006\_datafile\_remove\_size\_string\_column module**

```
class tardis.tardis_portal.migrations.0006_datafile_remove_size_string_column.Migration(nam  
                                app_label)  
Bases: django.db.migrations.migration.Migration  
dependencies = [(u'tardis_portal', u'0005_datafile_add_size_int_column')]  
operations = [<RemoveField name=u'size', model_name=u'datafile', <RenameField new_nam
```

**tardis.tardis\_portal.migrations.0007\_remove\_parameter\_string\_value\_index module**

```
class tardis.tardis_portal.migrations.0007_remove_parameter_string_value_index.Migration(na  
                                app_label)  
Bases: django.db.migrations.migration.Migration  
dependencies = [(u'tardis_portal', u'0006_datafile_remove_size_string_column')]  
operations = [<AlterField field=<django.db.models.fields.TextField>, name=u'string_val
```

**tardis.tardis\_portal.migrations.0008\_string\_value\_partial\_index\_postgres module**

```
class tardis.tardis_portal.migrations.0008_string_value_partial_index_postgres.Migration(na  
                                app_label)  
Bases: django.db.migrations.migration.Migration  
dependencies = [(u'tardis_portal', u'0007_remove_parameter_string_value_index')]  
operations = []
```

### tardis.tardis\_portal.migrations.0009\_auto\_20160128\_1119 module

```
class tardis.tardis_portal.migrations.0009_auto_20160128_1119.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0008_string_value_partial_index_postgres')]
    operations = [AlterUniqueTogether unique_together=set([(u'name', u'facility')]), name=...]
```

### tardis.tardis\_portal.migrations.0010\_auto\_20160503\_1443 module

```
class tardis.tardis_portal.migrations.0010_auto_20160503_1443.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0009_auto_20160128_1119')]
    operations = [AlterField field=<django.db.models.fields.CharField>, name=u'mimetype', ...]
```

### tardis.tardis\_portal.migrations.0011\_auto\_20160505\_1643 module

```
class tardis.tardis_portal.migrations.0011_auto_20160505_1643.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0010_auto_20160503_1443')]
    operations = [AlterField field=<django.db.models.fields.CharField>, name=u'directory', ...]
```

### tardis.tardis\_portal.migrations.0012\_userauthentication\_approved module

```
class tardis.tardis_portal.migrations.0012_userauthentication_approved.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0011_auto_20160505_1643')]
    operations = [AddField field=<django.db.models.fields.BooleanField>, name=u'approved', ...]
```

### tardis.tardis\_portal.migrations.0013\_auto\_20181002\_1136 module

```
class tardis.tardis_portal.migrations.0013_auto_20181002_1136.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0012_userauthentication_approved')]
    operations = [AlterModelOptions options={u'ordering': (u'name',), u'verbose_name_plus': ...}]
```

### tardis.tardis\_portal.migrations.0014\_auto\_20181002\_1154 module

```
class tardis.tardis_portal.migrations.0014_auto_20181002_1154.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
```

```
dependencies = [(u'tardis_portal', u'0013_auto_20181002_1136')]
operations = [AlterField field=<django.db.models.fields.BigIntegerField>, name=u'max_
```

## tardis.tardis\_portal.migrations.0015\_dataset\_created\_time module

```
class tardis.tardis_portal.migrations.0015_dataset_created_time.Migration(name,
                                                                           app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0014_auto_20181002_1154')]
operations = [AddField field=<django.db.models.fields.DateTimeField>, name=u'created_
```

## tardis.tardis\_portal.migrations.0016\_add\_timestamps module

```
class tardis.tardis_portal.migrations.0016_add_timestamps.Migration(name,
                                                                     app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0015_dataset_created_time')]
operations = [AddField field=<django.db.models.fields.DateTimeField>, name=u'created_
```

## Module contents

### tardis.tardis\_portal.models package

#### Submodules

##### tardis.tardis\_portal.models.access\_control module

```
class tardis.tardis_portal.models.access_control.GroupAdmin(*args, **kwargs)
Bases: django.db.models.base.Model
```

GroupAdmin links the Django User and Group tables for group administrators

**Attribute user** a foreign key to the `django.contrib.auth.models.User`

**Attribute group** a foreign key to the `django.contrib.auth.models.Group`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.access_control.ObjectACL(*args, **kwargs)
Bases: django.db.models.base.Model
```

The ObjectACL (formerly ExperimentACL) table is the core of the Tardis Authorisation framework

**Attribute pluginId** the name of the auth plugin being used

**Attribute entityId** a foreign key to auth plugins

**Attribute object\_type** a foreign key to ContentType

**Attribute object\_id** the primary key/id of the object\_type

**Attribute canRead** gives the user read access

**Attribute canWrite** gives the user write access

**Attribute canDelete** gives the user delete permission

**Attribute isOwner** the experiment owner flag.

**Attribute effectiveDate** the date when access takes into effect

**Attribute expiryDate** the date when access ceases

**Attribute aclOwnershipType** system-owned or user-owned.

System-owned ACLs will prevent users from removing or editing ACL entries to a particular experiment they own. User-owned ACLs will allow experiment owners to remove/add/edit ACL entries to the experiments they own.

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**OWNER OWNED** = 1

**SYSTEM OWNED** = 2

**aclOwnershipType**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**canDelete**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**canRead**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**canWrite**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**content\_object**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

**content\_type**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**content\_type\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**effectiveDate**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**entityId**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**expiryDate**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_aclOwnershipType\_display(\*\*morekwargs)****classmethod get\_effective\_query()****get\_related\_object()**

If possible, resolve the pluginId/entityId combination to a user or group object.

**get\_related\_object\_group()**

If possible, resolve the pluginId/entityId combination to a user or group object.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isOwner**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**object\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**openidaclmigration\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**pluginId**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.access_control.UserAuthentication(id, user-
Profile,
user-
name,
authen-
tication-
Method,
ap-
proved)
```

Bases: django.db.models.base.Model

```
CHOICES = ()
```

```
exception DoesNotExist
```

Bases: django.core.exceptions.ObjectDoesNotExist

```
exception MultipleObjectsReturned
```

Bases: django.core.exceptions.MultipleObjectsReturned

```
approved
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
authenticationMethod
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
getAuthMethodDescription()
```

```
id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**save**(\*args, \*\*kwargs)

**userProfile**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**userProfile\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**username**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** tardis.tardis\_portal.models.access\_control.**UserProfile**(\*args, \*\*kwargs)

Bases: django.db.models.base.Model

UserProfile class is an extension to the Django standard user model.

**Attribute isDjangoAccount** is the user a local DB user

**Attribute user** a foreign key to the django.contrib.auth.models.User

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**ext\_groups**

**getUserAuthentications()**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isDjangoAccount**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isValidPublicContact()**

Checks if there's enough information on the user for it to be used as a public contact.

Note: Last name can't be required, because people don't necessarily have a last (or family) name.

**objects** = <django.db.models.manager.Manager object>

**rapidConnectEduPersonTargetedID**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

restaurant.place is a ForwardOneToOneDescriptor instance.

### user\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### userauthentication\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
tardis.tardis_portal.models.access_control.create_user_api_key(sender,
                                                               **kwargs)
```

Auto-create ApiKey objects using Tastypie's `create_api_key`

```
tardis.tardis_portal.models.access_control.create_user_profile(sender,
                                                               instance,
                                                               created,
                                                               **kwargs)
```

## tardis.tardis\_portal.models.datafile module

```
class tardis.tardis_portal.models.datafile.DataFile(*args, **kwargs)
Bases: django.db.models.base.Model
```

A DataFile is a record of a file which includes its filename, its size in bytes, its relative directory, and various other meta-data. Each DataFile belongs to a `Dataset` which usually represents the files from one folder on an instrument PC.

The physical copy (or copies) of a file are described by distinct `DataFileObject` records.

**Attribute dataset** The foreign key to the `tardis.tardis_portal.models.Dataset` the file belongs to.

**Attribute filename** The name of the file, excluding the path.

**Attribute size** The size of the file.

**Attribute created\_time** Should be populated with the file's creation time from the instrument PC.

**Attribute modification\_time** Should be populated with the file's last modification time from the instrument PC.

**Attribute mimetype** For example 'application/pdf'

**Attribute md5sum** Digest of length 32, containing only hexadecimal digits

**Attribute sha512sum** Digest of length 128, containing only hexadecimal digits

### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**cache\_file()****created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafileparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**dataset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**dataset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**deleted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**deleted\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**directory**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**file\_object****file\_objects**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**filename**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**getParameterSets (schemaType=None)**

Return datafile parametersets associated with this datafile.

**get\_absolute\_filepath ()**

**get\_as\_temporary\_file (\*\*kwds)**

Returns a traditional file-system-based file object that is a copy of the original data. The file is deleted when the context is destroyed.

**Parameters** **directory** (*basestring*) – the directory in which to create the temp file

**Returns** the temporary file object

**Return type** NamedTemporaryFile

**get\_default\_storage\_box ()**

try to guess appropriate box from files, dataset or experiment

**get\_download\_url ()**

**get\_file (verified\_only=True)**

Returns the file as a readable file-like object from the best available storage box.

If verified\_only=False, the return of files without a verified checksum is allowed, otherwise None is returned for unverified files.

**Parameters** **verified\_only** (*bool*) – if False return files without verified checksums

**Returns** Python file object

**Return type** Python File object

**get\_image\_data ()**

**get\_mimetype ()**

**get\_preferred\_dfo (verified\_only=True)**

**get\_receiving\_storage\_box ()**

**get\_size ()**

**get\_view\_url ()**

**has\_image ()**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_image ()**

returns True if it's an image and not an x-icon and not an img the image/img mimetype is made up though and may need revisiting if there is an official img mimetype that does not refer to diffraction images

**is\_local ()**

**is\_online**

return False if a file is on tape. At this stage it checks it returns true for no file objects, because those files are offline through other checks

**is\_public ()**

**md5sum**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**mimetype**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**modification\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****save(\*args, \*\*kwargs)****sha512sum**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**size**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**status**

returns information about the status of the file. States are defined in StorageBox

**classmethod sum\_sizes(datafiles)**

Takes a query set of datafiles and returns their total size.

**update\_mimetype(mimetype=None, force=False, save=True)****verified****verify(reverify=False)****version**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class tardis.tardis\_portal.models.datafile.DataFileObject(\*args, \*\*kwargs)**

Bases: django.db.models.base.Model

The physical copy (or copies) of a *DataFile* are described by distinct *DataFileObject* records.

**Attribute datafile** The *DataFile* record which this DataFileObject is storing a copy of.

**Attribute storage\_box** The *StorageBox* containing this copy of the file. The StorageBox could represent a directory on a mounted filesystem, or a bucket in an Object Store.

**Attribute uri** The relative path of the file location within the the *StorageBox*, e.g. dataset1-12345/file1.txt for a copy of a *DataFile* with filename file1.txt which belongs to a *Dataset* with a description of dataset1 and an ID of 12345.

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**cache\_file()****copy\_file(dest\_box=None, verify=True)**

copies verified file to new storage box checks for existing copy triggers async verification if not disabled

:param StorageBox dest\_box: StorageBox instance :param bool verify: :returns: DataFileObject of copy  
:rtype: DataFileObject

**create\_set\_uri** (*force=False, save=False*)

sets the uri as well as building it :param bool force: :param book save: :return: :rtype: basestring

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafile**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**datafile\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**delete\_data()**

**file\_object**

A set of accessor functions that convert the file information to a standard Python file object for reading and copy the contents of an existing file\_object into the storage backend.

**Returns** a file object

**Return type** Python File object

**get\_full\_path()**

**get\_next\_by\_created\_time** (\*\*morekwargs)

**get\_previous\_by\_created\_time** (\*\*morekwargs)

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_verified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**modified\_time**

**move\_file** (*dest\_box=None*)

moves a file copies first, then synchronously verifies deletes file if copy is true copy and has been verified

**Parameters** **dest\_box** (`StorageBox`) – StorageBox instance

**Returns** moved file dfo

**Return type** `DataFileObject`

**objects** = <`django.db.models.manager.Manager` object>

**save** (\*args, \*\*kwargs)

**storage\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**storage\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**storage\_type**

**Returns** storage\_box type

**Return type** StorageBox type constant

**uri**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**verified**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**verify (add\_checksums=True, add\_size=True)**

```
tardis.tardis_portal.models.datafile.compute_checksums(file_object,          com-
                                                       pute_md5=True,           com-
                                                       pute_sha512=True,        close_file=True)
```

Computes checksums for a python file object

**Parameters**

- **file\_object** (*object*) – Python File object
- **compute\_md5** (*bool*) – whether to compute md5 default=True
- **compute\_sha512** (*bool*) – whether to compute sha512, default=True
- **close\_file** (*bool*) – whether to close the file\_object, default=True

**Returns** the checksums as {‘md5sum’: result, ‘sha512sum’: result}

**Return type** dict

```
tardis.tardis_portal.models.datafile.delete_dfo(sender, instance, **kwargs)
Deletes the actual file / object, before deleting the database record
```

## tardis.tardis\_portal.models.dataset module

```
class tardis.tardis_portal.models.dataset.Dataset (*args, **kwargs)
Bases: django.db.models.base.Model
```

A dataset represents a collection files usually associated with a folder on an instrument PC. Each file within the dataset is represented by a tardis.tardis\_portal.models.DataFile record. A dataset can appear in one or more *Experiment* records. Access controls are configured at the Experiment level by creating

*ObjectACL* records. Each dataset can be associated with an *Instrument* record, but it is possible to create a dataset without specifying an instrument.

**Attribute experiment** A foreign key to the one or more *Experiment* records which contain this dataset

**Attribute instrument** The foreign key to the instrument that generated this data

**Attribute description** Description of this dataset, which usually corresponds to the folder name on the instrument PC

**Attribute immutable** Whether this dataset is read-only

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafile\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**directory**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**equipment\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### experiments

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### getParameterSets(`schemaType=None`)

Return the dataset parametersets associated with this experiment.

#### get\_absolute\_url(\*\*kwargs)

Return the absolute url to the current Dataset

#### get\_all\_storage\_boxes\_used()

#### get\_datafiles()

#### get\_download\_urls()

#### get\_edit\_url(\*\*kwargs)

Return the absolute url to the edit view of the current Dataset

#### get\_first\_experiment()

#### get\_images()

#### get\_path()

#### get\_size()

#### get\_thumbnail\_url()

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### image

#### immutable

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### instrument

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### instrument\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### is\_online

### modified\_time

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <tardis.tardis_portal.managers.OracleSafeManager object>
save(force_insert=False, force_update=False, using=None, update_fields=None)
```

## tardis.tardis\_portal.models.experiment module

```
class tardis.tardis_portal.models.experiment.Experiment(*args, **kwargs)
Bases: django.db.models.base.Model
```

An Experiment is a collection of *Dataset* records. A *Dataset* record can appear in multiple Experiment records. Access controls are configured at the Experiment level by creating *ObjectACL* records.

**Attribute url** An optional URL associated with the data collection

**Attribute approved** An optional field indicating whether the collection is approved

**Attribute title** The title of the experiment.

**Attribute description** The description of the experiment.

**Attribute institution\_name** The name of the institution who created the experiment.

**Attribute start\_time** Undocumented

**Attribute end\_time** Undocumented

**Attribute created\_time** Undocumented

**Attribute handle** Undocumented

**Attribute public** Whether the experiment is publicly accessible

**Attribute objects** Default model manager

**Attribute safe** ACL aware model manager

### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

```
PUBLICATION_DETAILS_SCHEMA = 'http://www.tardis.edu.au/schemas/publication/details/'
```

```
PUBLICATION_DRAFT_SCHEMA = 'http://www.tardis.edu.au/schemas/publication/draft/'
```

```
PUBLICATION_SCHEMA_ROOT = 'http://www.tardis.edu.au/schemas/publication/'
```

```
PUBLIC_ACCESS_CHOICES = ((1, 'No public access (hidden)'), (25, 'Ready to be released'))
```

```
PUBLIC_ACCESS_EMBARGO = 25
```

```
PUBLIC_ACCESS_FULL = 100
```

**PUBLIC\_ACCESS\_METADATA** = 50

**PUBLIC\_ACCESS\_NONE** = 1

#### **approved**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **created\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

#### **created\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **datasets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **end\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **experimentauthor\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**experimentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**getParameterSets(*schemaType=None*)**

Return the experiment parametersets associated with this experiment.

**get\_absolute\_url(\*\*kwargs)**

Return the absolute url to the current Experiment

**get\_create\_token\_url(\*\*kwargs)**

Return the absolute url to the create token view of the current Experiment

**get\_ct()****get\_datafiles()****get\_download\_urls()****get\_edit\_url(\*\*kwargs)**

Return the absolute url to the edit view of the current Experiment

**get\_groups()****get\_images()****get\_next\_by\_created\_time(\*\*morekwargs)****get\_next\_by\_update\_time(\*\*morekwargs)****get\_or\_create\_directory()****get\_owners()****get\_previous\_by\_created\_time(\*\*morekwargs)****get\_previous\_by\_update\_time(\*\*morekwargs)****get\_public\_access\_display(\*\*morekwargs)****get\_size()****handle**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**institution\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_publication()****is\_publication\_draft()**

**license**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**license\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**locked**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objectacl**

Accessor to the related objects manager on the one-to-many relation created by GenericRelation.

In the example:

```
class Post(Model):
    comments = GenericRelation(Comment)
```

post.comments is a ReverseGenericManyToOneDescriptor instance.

**objects** = <tardis.tardis\_portal.managers.OracleSafeManager object>

**public\_access**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**classmethod public\_access\_implies\_distribution(public\_access\_level)**

Determines if a level of public access implies that distribution should be allowed, or alternately if it should not be allowed. Used to prevent free-distribution licences for essentially private data, and overly-restrictive licences for public data.

**public\_download\_allowed()**

instance method version of ‘public\_access\_implies\_distribution’

**safe** = <tardis.tardis\_portal.managers.ExperimentManager object>

**save(\*args, \*\*kwargs)**

**start\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**token\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### `update_time`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### `url`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.experiment.ExperimentAuthor(id, experiment,
                                                               author, institution, email, order,
                                                               url)
```

Bases: `django.db.models.base.Model`

### `exception DoesNotExist`

Bases: `django.core.exceptions.ObjectDoesNotExist`

### `exception MultipleObjectsReturned`

Bases: `django.core.exceptions.MultipleObjectsReturned`

### `author`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### `email`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### `experiment`

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### `experiment_id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### `id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### `institution`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

### `order`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
save(*args, **kwargs)
```

**url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**tardis.tardis\_portal.models.facility module**

```
class tardis.tardis_portal.models.facility.Facility(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents a facility that produces data.

Each *Instrument* record must belong to exactly one facility. Many *Instrument* records can be associated with the same facility.

**Attribute name** The name of the facility, e.g. “Test Facility”

**Attribute manager\_group** The group of users who can access the Facility Overview for this facility.

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrument\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**manager\_group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**manager\_group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**save()**

tardis.tardis\_portal.models.facility.**facilities\_managed\_by(user)**

Returns a list of facilities managed by a user

tardis.tardis\_portal.models.facility.**is\_facility\_manager(user)**

Returns true if the user manages one or more facilities

## **tardis.tardis\_portal.models.hooks module**

**tardis.tardis\_portal.models.hooks.post\_save\_experiment(sender, \*\*kwargs)**

**tardis.tardis\_portal.models.hooks.post\_save\_experiment\_parameter(sender, \*\*kwargs)**

**tardis.tardis\_portal.models.hooks.post\_save\_experimentauthor(sender, \*\*kwargs)**

**tardis.tardis\_portal.models.hooks.publish\_public\_expt\_rifcs(experiment)**

## **tardis.tardis\_portal.models.instrument module**

**class tardis.tardis\_portal.models.instrument.Instrument(\*args, \*\*kwargs)**

Bases: django.db.models.base.Model

Represents an instrument belonging to a facility that produces data

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**dataset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**facility**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**facility\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**getParameterSets (schemaType=None)**

Return the instrument parametersets associated with this instrument.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**save ()**

## tardis.tardis\_portal.models.jti module

**class tardis.tardis\_portal.models.jti.JTI (id, jti, created\_time)**

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_created_time(**morekwargs)
get_previous_by_created_time(**morekwargs)

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

jti
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>
```

### tardis.tardis\_portal.models.license module

```
class tardis.tardis_portal.models.license.License(*args, **kwargs)
Bases: django.db.models.base.Model
```

Represents a licence for experiment content.

Instances should provide enough detail for both researchers to select the licence, and for the users of their data to divine correct usage of experiment content.

(Non-US developers: We're using US spelling in the code.)

```
exception DoesNotExist
```

Bases: django.core.exceptions.ObjectDoesNotExist

```
exception MultipleObjectsReturned
```

Bases: django.core.exceptions.MultipleObjectsReturned

```
allows_distribution
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
experiment_set
```

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

```
classmethod get_none_option_license()
```

```
classmethod get_suitable_licenses(public_access_method=None)
```

```
id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
image_url
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**internal\_description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_active**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.tardis\_portal.models.parameters module

```
class tardis.tardis_portal.models.parameters.DatafileParameter(id, name,  
                                         string_value,  
                                         numerical_value,  
                                         datetime_value,  
                                         link_id, link_ct,  
                                         parameterset)
```

Bases: *tardis.tardis\_portal.models.parameters.Parameter*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**link\_gfk**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

**name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameter\_type = 'Datafile'**

**parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** tardis.tardis\_portal.models.parameters.**DatafileParameterSet** (*id, schema, datafile*)

Bases: *tardis.tardis\_portal.models.parameters.ParameterSet*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**datafile**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**datafile\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafileparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**parameter\_class**

alias of [DatafileParameter](#)

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.tardis_portal.models.parameters.DatasetParameter(id, name,
                                                               string_value,
                                                               numerical_value,
                                                               datetime_value,
                                                               link_id, link_ct,
                                                               parameterset)
```

Bases: `tardis.tardis_portal.models.parameters.Parameter`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### link\_gfk

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

### name

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### parameter\_type = 'Dataset'

### parameterset

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### parameterset\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.DatasetParameterSet(id, schema,
                                                               dataset)
```

Bases: `tardis.tardis_portal.models.parameters.ParameterSet`

### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

### exception MultipleObjectsReturned

Bases: `django.core.exceptions.MultipleObjectsReturned`

### dataset

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### dataset\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### datasetparameter\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### parameter\_class

alias of `DatasetParameter`

#### schema

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### storage\_box

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.tardis_portal.models.parameters.ExperimentParameter(id, name,
                                                               string_value,
                                                               numeri-
                                                               cal_value,
                                                               date-
                                                               time_value,
                                                               link_id,
                                                               link_ct, pa-
                                                               rameterset)
```

Bases: `tardis.tardis_portal.models.parameters.Parameter`

#### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### exception MultipleObjectsReturned

Bases: `django.core.exceptions.MultipleObjectsReturned`

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **link\_gfk**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

### **name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **parameter\_type = 'Experiment'**

### **parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **save(\*args, \*\*kwargs)**

```
class tardis.tardis_portal.models.parameters.ExperimentParameterSet(id,
                                                                     schema,
                                                                     experiment)
```

Bases: `tardis.tardis_portal.models.parameters.ParameterSet`

### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

### **experiment**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### experiment\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### experimentparameter\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### parameter\_class

alias of `ExperimentParameter`

#### schema

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### storage\_box

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

`class tardis.tardis_portal.models.parameters.FreeTextSearchField(id, parameter_name)`

Bases: `django.db.models.base.Model`

#### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

```
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned
```

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

### parameter\_name

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### parameter\_name\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.InstrumentParameter(id, name,
                                                               string_value,
                                                               numeri-
                                                               cal_value,
                                                               date-
                                                               time_value,
                                                               link_id,
                                                               link_ct, pa-
                                                               rameterset)
```

Bases: tardis.tardis\_portal.models.parameters.Parameter

### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### link\_ct

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### link\_gfk

Provide a generic many-to-one relation through the content\_type and object\_id fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

**name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameter\_type = 'Instrument'****parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.InstrumentParameterSet(id,
                                                                     schema,
                                                                     instru-
                                                                     ment)
```

Bases: *tardis.tardis\_portal.models.parameters.ParameterSet*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrument**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**instrument\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**objects** = <`django.db.models.manager.Manager` object>

**parameter\_class**

alias of `InstrumentParameter`

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**class** tardis.tardis\_portal.models.parameters.Parameter(\*args, \*\*kwargs)

Bases: `django.db.models.base.Model`

**class Meta**

```
abstract = False
app_label = 'tardis_portal'
ordering = ['name']
```

**datetime\_value**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get()**

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### link\_ct\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### link\_gfk

Provide a generic many-to-one relation through the content\_type and object\_id fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

#### link\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### link\_url

##### name

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### name\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### numerical\_value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### objects

#### parameter\_type = 'Abstract'

#### set\_value(value)

Sets the parameter value, converting into the appropriate data type. Deals with date/time strings that are timezone naive or aware, based on the USE\_TZ setting.

**Parameters** `value` (`basestring`) – a string (or string-like) repr of the value

**Raises** `SuspiciousOperation` –

#### string\_value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.ParameterName(id, schema, name,
                                                          full_name, units,
                                                          data_type, immutable,
                                                          comparison_type,
                                                          is_searchable,
                                                          choices, order)
```

Bases: `django.db.models.base.Model`

**CONTAINS\_COMPARISON** = 8

**DATETIME** = 6

**exception DoesNotExist**  
Bases: `django.core.exceptions.ObjectDoesNotExist`

**EXACT\_VALUE\_COMPARISON** = 1

**FILENAME** = 5

**GREATER\_THAN\_COMPARISON** = 4

**GREATER\_THAN\_EQUAL\_COMPARISON** = 5

**JSON** = 8

**LESS\_THAN\_COMPARISON** = 6

**LESS\_THAN\_EQUAL\_COMPARISON** = 7

**LINK** = 4

**LONGSTRING** = 7

**exception MultipleObjectsReturned**  
Bases: `django.core.exceptions.MultipleObjectsReturned`

**NOT\_EQUAL\_COMPARISON** = 2

**NUMERIC** = 1

**RANGE\_COMPARISON** = 3

**STRING** = 2

**URL** = 3

**choices**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**comparison\_type**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**data\_type**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafileparameter\_set**  
Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**experimentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**freetextsearchfield\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**full\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
getUniqueShortName()
get_comparison_type_display(**morekwargs)
get_data_type_display(**morekwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**immutable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**isDateTime()**

**isFilename()**

**isLink()**

**isLongString()**

**isNumeric()**

**isString()**

**isURL()**

**is\_json()**

**is\_searchable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**natural\_key()**

**objects** = `<tardis.tardis_portal.managers.ParameterNameManager object>`

**order**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**schema\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**units**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.ParameterSet(*args, **kwargs)
Bases: django.db.models.base.Model, tardis.tardis_portal.models.parameters.ParameterSetManagerMixin
```

```

class Meta

    abstract = False
    app_label = 'tardis_portal'
    ordering = ['id']
    parameter_class = None
    save(*args, **kwargs)

```

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```

class Child(Model) :
    parent = ForeignKey(Parent, related_name='children')

```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**schema\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```

class Pizza(Model) :
    toppings = ManyToManyField(Topping, related_name='pizzas')

```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```

class tardis.tardis_portal.models.parameters.ParameterSetManagerMixin(parameterset=None,
    par-
    en-
    tOb-
    ject=None,
    schema=None)

```

Bases: `tardis.tardis_portal.ParameterSetManager`.`ParameterSetManager`

for clarity's sake and for future extension this class makes `ParameterSetManager` local to this file. At the moment its only function is increasing the line count

```

class tardis.tardis_portal.models.parameters.Schema(id, namespace, name, type, sub-
    type, immutable, hidden)

```

Bases: `django.db.models.base.Model`

**DATAFILE** = 3

**DATASET** = 2

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**EXPERIMENT** = 1

```
INSTRUMENT = 5
exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned
```

NONE = 4

```
exception UnsupportedType(msg)
    Bases: exceptions.Exception
```

#### datafileparameterset\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### datasetparameterset\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### experimentparameterset\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### classmethod getNamespaces(type\_, subtype=None)

Return the list of namespaces for equipment, sample, and experiment schemas.

#### classmethod getSubTypes()

#### classmethod get\_schema\_type\_name(schema\_type, short=False)

#### get\_type\_display(\*\*morekwargs)

#### hidden

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**immutable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**namespace**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**natural\_key()**

```
objects = <tardis.tardis_portal.managers.SchemaManager object>
```

**parametername\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**subtype**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.tardis\_portal.models.storage module

```
class tardis.tardis_portal.models.storage.StorageBox(*args, **kwargs)
```

Bases: `django.db.models.base.Model`

table that holds storage boxes of any type. to extend to new types, add fields if necessary

**Attribute max\_size** max size in bytes

```
BUNDLE = 6
CACHE = 3
DISK = 1

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

TAPE = 2
TEMPORARY = 4

TYPES = {'bundle': 6, 'cache': 3, 'disk': 1, 'receiving': 4, 'tape': 2}
TYPE_UNKNOWN = 5
```

**attributes**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**autocache**

Whether to automatically copy data into faster storage

**Returns** True if data should be automatically cached

**Return type** bool

**cache\_box**

Get cache box if set up

**cache\_files()**

Copy all files to faster storage.

This can be used to copy data from a Vault cache (containing data which will soon be pushed to tape) to Object Storage, so that the data can always be accessed quickly from Object Storage, and the Vault can be used for disaster recovery if necessary.

**child\_boxes**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**copy\_files(dest\_box=None)**

```
copy_to_master()
classmethod create_local_box(location=None)
datafileparametersets
```

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**django\_storage\_class**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**experimentparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**file\_objects**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**classmethod get\_default\_storage**(*location=None, user=None*)

gets default storage box or get local storage box with given base location or create one if it doesn't exist.

policies: Have a StorageBoxAttribute: key='default', value=True find a storage box where location is DEFAULT\_STORAGE\_BASE\_DIR create a default storage box at DEFAULT\_STORAGE\_BASE\_DIR lowest id storage box is default no storage box defined, use hard coded default for now TODO: consider removing this

Would be nice: get largest free space one, test for authorisation

**get\_initialised\_storage\_instance()**

**get\_options\_as\_dict()**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**master\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**master\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**max\_size**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**move\_files**(*dest\_box=None*)

**move\_to\_master()**

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**offline\_types** = [2]

**online\_types** = [3, 1, 4, 6]

**options**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**status**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**storage\_type**

```
type_order = [3, 6, 1, 2, 4, 5]
```

```
class tardis.tardis_portal.models.storage.StorageBoxAttribute(*args, **kwargs)
```

Bases: `django.db.models.base.Model`

Can hold attributes/metadata about different storage locations.

**Attribute key** The key used to look up the attribute (e.g. “type”).

**Attribute value** The value of the attribute e.g. “cache”.

The “type” key has three values support by the core MyTardis code: “permanent”, “receiving” and “cache”.

Adding an attribute with key “type” and value “permanent” preserves the default behaviour of a storage box, i.e. it is equivalent to not adding the attribute.

Adding an attribute with key “type” and value “receiving” means that the storage box will be treated as a staging area which receives files intended to be transferred to a permanent storage box. If a storage box has the “type: receiving” attribute, it must link to a permanent storage box (via its `master_box` foreign key).

Adding an attribute with key “type” and value “cache” means that the storage box will be used to copy data from slow-access storage to fast-access storage. If a storage box has the “type: cache” attribute, it must link to a permanent storage box (via its `master_box` foreign key).

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**storage\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### storage\_box\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** tardis.tardis\_portal.models.storage.**StorageBoxOption**(\*args, \*\*kwargs)

Bases: django.db.models.base.Model

holds the options passed to the storage class defined in StorageBox. key->value store with support for typed values through pickling when value\_type is set to ‘pickle’

### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

PICKLE = 'pickle'

STRING = 'string'

TYPE\_CHOICES = (('string', 'String value'), ('pickle', 'Pickled value'))

get\_value\_type\_display(\*\*morekwargs)

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### key

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

### storage\_box

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### storage\_box\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### unpickled\_value

### value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**value\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**tardis.tardis\_portal.models.token module**

```
class tardis.tardis_portal.models.token.Token(id, token, experiment, expiry_date, user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**experiment**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**experiment\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**expiry\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_expiry_date(**morekwargs)
```

```
get_previous_by_expiry_date(**morekwargs)
```

```
get_session_expiry()
```

A token login should expire at the earlier of a) tomorrow at 4am b) the (end of) the token's expiry date

It is the responsibility of token\_auth to set the session expiry

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
is_expired()
```

```
objects = <tardis.tardis_portal.managers.OracleSafeManager object>
```

```
save_with_random_token()
```

**token**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### user\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## Module contents

models/\_\_init\_\_.py

## tardis.tardis\_portal.publish package

### Subpackages

#### tardis.tardis\_portal.publish.provider package

### Submodules

##### tardis.tardis\_portal.publish.provider.rifcsprovider module

```
class tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider
Bases: object

can_publish(experiment)
get_rifcs_context(experiment)
get_template(experiment)
is_schema_valid(experiment)
```

## Module contents

### Submodules

#### tardis.tardis\_portal.publish.publishservice module

```
class tardis.tardis_portal.publish.publishservice.PublishService(providers, experiment)

get_context()
get_template()
manage_rifcs(oaipath)
```

## Module contents

### tardis.tardis\_portal.storage package

#### Submodules

##### tardis.tardis\_portal.storage.file\_system module

```
class tardis.tardis_portal.storage.file_system.MyTardisLocalFileSystemStorage(location=None,  
                                base_url=None)  
Bases: django.core.files.storage.FileSystemStorage
```

Simply changes the FileSystemStorage default store location to the MyTardis file store location. Makes it easier to migrate 2.5 installations.

## Module contents

### tardis.tardis\_portal.storage.DummyStorage

Bases: django.core.files.storage.Storage

Does nothing except serve as a place holder for Storage classes not implemented yet

### exception tardis.tardis\_portal.storage.MisconfiguredStorageError

Bases: exceptions.Exception

### tardis.tardis\_portal.templatetags package

#### Submodules

##### tardis.tardis\_portal.templatetags.approved\_user\_tags module

```
tardis.tardis_portal.templatetags.approved_user_tags.check_if_user_not_approved(request)  
    Custom template filter to identify whether a user account is approved.
```

```
tardis.tardis_portal.templatetags.approved_user_tags.get_matching_authmethod(backend)
```

##### tardis.tardis\_portal.templatetags.basiccomparisonfilters module

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.gt(value, arg)  
    Returns a boolean of whether the value is greater than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.gte(value, arg)  
    Returns a boolean of whether the value is greater than or equal to the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_gt(value,  
                    arg)  
    Returns a boolean of whether the value's length is greater than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_gte(value,  
                     arg)  
    Returns a boolean of whether the value's length is greater than or equal to the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_lt(value,  
arg)
```

Returns a boolean of whether the value's length is less than the argument.

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_lte(value,  
arg)
```

Returns a boolean of whether the value's length is less than or equal to the argument.

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.lt(value, arg)
```

Returns a boolean of whether the value is less than the argument.

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.lte(value, arg)
```

Returns a boolean of whether the value is less than or equal to the argument.

### tardis.tardis\_portal.templatetags.bleach\_tag module

```
tardis.tardis_portal.templatetags.bleach_tag.bleach_value(value)
```

### tardis.tardis\_portal.templatetags.capture module

```
class tardis.tardis_portal.templatetags.capture.CaptureNode(nodelist, varname)
```

Bases: django.template.base.Node

```
render(context)
```

```
tardis.tardis_portal.templatetags.capture.capture(parser, token)
```

{% capture as [foo] %}

### tardis.tardis\_portal.templatetags.dataset\_tags module

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_datafiles_badge(dataset=None,  
count=None)
```

Displays an badge with the number of datafiles for this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_experiments_badge(dataset)
```

Displays an badge with the number of datasets for this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_size_badge(dataset=None,  
size=None)
```

Displays an badge with the total size of the files in this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_tiles(experiment, in-  
clude_thumbnails)
```

### tardis.tardis\_portal.templatetags.dynurl module

```
class tardis.tardis_portal.templatetags.dynurl.DynUrlNode(*args)
```

Bases: django.template.base.Node

```
render(context)
```

```
tardis.tardis_portal.templatetags.dynurl.dynurl(parser, token)
```

## [tardis.tardis\\_portal.templatetags.experiment\\_tags module](#)

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_browse_item(experiment,  
**kwargs)  
    Displays an experiment for a browsing view.  
  
tardis.tardis_portal.templatetags.experiment_tags.experiment_datafiles_badge(experiment)  
    Displays an badge with the number of datafiles for this experiment  
  
tardis.tardis_portal.templatetags.experiment_tags.experiment_datasets_badge(experiment)  
    Displays an badge with the number of datasets for this experiment  
  
tardis.tardis_portal.templatetags.experiment_tags.experiment_last_updated_badge(experiment)  
tardis.tardis_portal.templatetags.experiment_tags.experiment_public_access_badge(experiment)  
    Displays an badge the level of public access for this experiment  
  
tardis.tardis_portal.templatetags.experiment_tags.experiment_size_badge(experiment)  
    Displays an badge with the total size of the files in this experiment
```

## [tardis.tardis\\_portal.templatetags.experimentstats module](#)

```
tardis.tardis_portal.templatetags.experimentstats.experiment_file_count(value)
```

## [tardis.tardis\\_portal.templatetags.facility\\_tags module](#)

```
tardis.tardis_portal.templatetags.facility_tags.check_if_facility_manager(request)  
    Custom template filter to identify whether a user is a facility manager.
```

## [tardis.tardis\\_portal.templatetags.feed module](#)

```
tardis.tardis_portal.templatetags.feed.todatetime(value)
```

## [tardis.tardis\\_portal.templatetags.formfieldfilters module](#)

This module holds filters that can be used in postprocessing a form field.

@author: Gerson Galang

```
tardis.tardis_portal.templatetags.formfieldfilters.parametername_form(value)  
    Removes all values of arg from the given string  
  
tardis.tardis_portal.templatetags.formfieldfilters.sanitize_html(html,  
                                bad_tags=['body'])  
    Removes identified malicious HTML content from the given string.
```

```
tardis.tardis_portal.templatetags.formfieldfilters.size(value, actualSize)  
    Add the size attribute to the text field.
```

## [tardis.tardis\\_portal.templatetags.lookupfilters module](#)

```
tardis.tardis_portal.templatetags.lookupfilters.get_item(dictionary, key)  
    Returns a value from a dictionary.
```

## tardis.tardis\_portal.templatetags.pagination module

```
tardis.tardis_portal.templatetags.pagination.pagination(data_list, paginator,  
page_num, query_string)
```

Generates the series of links to the pages in a paginated list.

```
tardis.tardis_portal.templatetags.pagination.paginator_number(data_list, paginator,  
page_num, query_string,  
page_index)
```

Generates an individual page index link in a paginated list.

## tardis.tardis\_portal.templatetags.xmldate module

```
tardis.tardis_portal.templatetags.xmldate.toxmldatetime(value)
```

### Module contents

#### tardis.tardis\_portal.tests package

##### Subpackages

##### tardis.tardis\_portal.tests.api package

###### Submodules

###### tardis.tardis\_portal.tests.api.test\_auth module

Testing authentication and authorization in the Tastypie-based MyTardis REST API

```
class tardis.tardis_portal.tests.api.test_auth.ACLAuthorizationTest(methodName='runTest')  
    Bases: django.test.testcases.TestCase  
  
class tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticationTest(methodName='runTest')  
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase  
        test_apikey_authentication()  
        test_bad_credentials()
```

###### tardis.tardis\_portal.tests.api.test\_datafile\_metadata\_resources module

Testing the DatafileParameter and DatafileParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_datafile_metadata_resources.DatafileParameterReso  
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase  
  
class tardis.tardis_portal.tests.api.test_datafile_metadata_resources.DatafileParameterSet  
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_datafile\_resource module

Testing the DataFile resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_datafile_resource.DataFileResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_download_file()
        Doesn't actually check the content downloaded yet Just checks if the download API endpoint responds
        with 200

    test_post_single_file()
    test_shared_fs_many_files()
        tests sending many files with known permanent location (useful for Australian Synchrotron ingestions)
    test_shared_fs_single_file()
```

## tardis.tardis\_portal.tests.api.test\_dataset\_metadata\_resources module

Testing the DatasetParameter and DatasetParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_dataset_metadata_resources.DatasetParameterResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

class tardis.tardis_portal.tests.api.test_dataset_metadata_resources.DatasetParameterSetResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_dataset\_resource module

Testing the Dataset resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_dataset_resource.DatasetResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_get_dataset_filter_instrument()
    test_get_dataset_no_instrument()
    test_get_dataset_with_instrument()
    test_post_dataset()
```

## tardis.tardis\_portal.tests.api.test\_experiment\_metadata\_resources module

Testing the ExperimentParameter and ExperimentParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_experiment_metadata_resources.ExperimentParameterResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

class tardis.tardis_portal.tests.api.test_experiment_metadata_resources.ExperimentParameterSetResourceTest (methodName='test')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_experiment\_resource module

Testing the Experiment resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_experiment_resource.ExperimentResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_get_experiment()
    test_post_experiment()
```

## tardis.tardis\_portal.tests.api.test\_facility\_resource module

Testing the Facility resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_facility_resource.FacilityResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_facility_by_id()
    test_get_facility_by_manager_group_id()
        This type of query can be used to iterate through a user's groups, and use each group's id to determine which facilities a user manages, i.e. a way to obtain the functionality implemented by facilities_managed_by() via the API
    test_get_facility_by_name()
```

## tardis.tardis\_portal.tests.api.test\_group\_resource module

Testing the Group resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_group_resource.GroupResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_group_by_id()
    test_get_group_by_name()
```

## tardis.tardis\_portal.tests.api.test\_instrument\_resource module

Testing the Instrument resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_instrument_resource.InstrumentResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_instrument_by_id()
    test_get_instrument_by_name()
    test_post_instrument()
    test_rename_instrument()
    test_unauthorized_instrument_access_attempt()
```

## tardis.tardis\_portal.tests.api.test\_location\_resource module

Testing the Location resource in MyTardis's Tastypie-based REST API

“Location” was the old name for what is now known as a StorageBox in MyTardis. The API v1 endpoint is still /api/v1/location/

```
class tardis.tardis_portal.tests.api.test_location_resource.LocationResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_replica\_resource module

Testing the Replica resource in MyTardis's Tastypie-based REST API

“Replica” was the old name for what is now known as a DataFileObject in MyTardis. The API v1 endpoint is still /api/v1/replica/

```
class tardis.tardis_portal.tests.api.test_replica_resource.ReplicaResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_schema\_resource module

Testing the Schema resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_schema_resource.SchemaResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_serializer module

Testing the serializer in the Tastypie-based MyTardis REST API

```
class tardis.tardis_portal.tests.api.test_serializer.SerializerTest (methodName='runTest')
    Bases: django.test.testcases.TestCase

    test_debug_serializer()
    test_pretty_serializer()
```

## Module contents

Testing the tastypie-based mytardis api

```
class tardis.tardis_portal.tests.api.MyTardisResourceTestCase (methodName='runTest')
    Bases: tastypie.test.ResourceTestCaseMixin, django.test.testcases.TestCase

    abstract class without tests to combine common settings in one place

    get_apikey_credentials()
    get_credentials()
    setUp()
        Hook method for setting up the test fixture before exercising it.
```

## tardis.tardis\_portal.tests.auth package

### Module contents

## tardis.tardis\_portal.tests.filters package

### Submodules

#### tardis.tardis\_portal.tests.filters.test\_jeolsem module

```
class tardis.tardis_portal.tests.filters.test_jeolsem.JEOLSEMTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testJEOLComplex()
    testJEOLSimples()
```

#### tardis.tardis\_portal.tests.filters.test\_middleware module

```
class tardis.tardis_portal.tests.filters.test_middleware.Filter1

    classmethod getTuples()
        tuples = []

class tardis.tardis_portal.tests.filters.test_middleware.Filter2

    classmethod getTuples()
        tuples = []

class tardis.tardis_portal.tests.filters.test_middleware.FilterInitTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testFiltering()

class tardis.tardis_portal.tests.filters.test_middleware.RunFiltersTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    testAll()
        Just test that we can run ./manage.py runfilters --all without any runtime exceptions

    testDryRun()
        Just test that we can run ./manage.py runfilters --dryRun without any runtime exceptions
```

**testList()**

Just test that we can run ./manage.py runfilters –list without any runtime exceptions

## Module contents

### Submodules

#### tardis.tardis\_portal.tests.ldap\_ldif module

#### tardis.tardis\_portal.tests.mock\_vbl\_auth module

Created on 24/01/2011

@author: gerson

**class tardis.tardis\_portal.tests.mock\_vbl\_auth.MockBackend**

Authenticate against the VBL SOAP Webservice. It is assumed that the request object contains the username and password to be provided to the VBLgetExpIDs function.

a new local user is created if it doesn't already exist

if the authentication succeeds, the session will contain a VBL session key used for downloads as well as the user's EPN list

**authenticate** (*request*)

**get\_user** (*user\_id*)

#### tardis.tardis\_portal.tests.mock\_vbl\_download module

**tardis.tardis\_portal.tests.mock\_vbl\_download.download\_datafile** (*request*, \**args*, \*\**kwargs*)

Dummy view for vbl download tests

#### tardis.tardis\_portal.tests.slapd module

Utilities for starting up a test slapd server and talking to it with ldapsearch/ldapadd.

**class tardis.tardis\_portal.tests.slapd.Slapd**

Controller class for a slapd instance, OpenLDAP's server.

This class creates a temporary data store for slapd, runs it on a private port, and initialises it with a top-level dc and the root user.

When a reference to an instance of this class is lost, the slapd server is shut down.

**PATH\_LDAPADD** = None

**PATH\_LDAPSEARCH** = None

**PATH\_SCHEMA\_DIR** = '/home/docs/checkouts/readthedocs.org/user\_builds/mytardis/checkouts'

**PATH\_SLAPD** = None

**PATH\_SLAPTEST** = None

**PATH\_TMPDIR** = '/tmp/tmpYyclBt'

```
TEST_UTILS_DIR = '/home/docs/checkouts/readthedocs.org/user_builds/mytardis/checkouts/'

classmethod check_paths()
    Checks that the configured executable paths look valid. If they don't, then logs warning messages (not errors).

configure(cfg)
    Appends slapd.conf configuration lines to cfg. Also re-initializes any backing storage. Feel free to subclass and override this method.

get_address()
get_dn_suffix()
get_root_dn()
get_root_password()
get_tmpdir()
get_url()

ldapadd(ldif, extra_args=[])
    Runs ldapadd on this slapd instance, passing it the ldif content

ldapsearch(base=None, filter='(objectClass=*)', attrs=[], scope='sub', extra_args=[])
restart()
    Restarts the slapd server; ERASING previous content. Starts the server even if it isn't already running.

set_debug()
set_dn_suffix(dn)
set_port(port)
set_root_cn(cn)
set_root_password(pw)
set_slapd_debug_level(level)
set_tmpdir(path)

start()
    Starts the slapd server process running, and waits for it to come up.

started()
    This method is called when the LDAP server has started up and is empty. By default, this method adds the two initial objects, the domain object and the root user object.

stop()
    Stops the slapd server, and waits for it to terminate

wait()
    Waits for the slapd process to terminate by itself.

tardis.tardis_portal.tests.slapd.delete_directory_content(path)
tardis.tardis_portal.tests.slapd.find_available_tcp_port(host='127.0.0.1')
tardis.tardis_portal.tests.slapd.mkdirs(path)
    Creates the directory path unless it already exists

tardis.tardis_portal.tests.slapd.quote(s)
    Quotes the " and characters in a string and surrounds with "..."
```

```
tardis.tardis_portal.tests.slapd.which(executable)
```

### **tardis.tardis\_portal.tests.test\_authentication module**

Created on 19/01/2011

```
class tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testCreateNewAccount()
testManageAuthMethods()
testSimpleAuthenticate()
test_djangoauth()
```

### **tardis.tardis\_portal.tests.test\_authorisation module**

```
class tardis.tardis_portal.tests.test_authorisation.ObjectACLTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testCantEditLockedExperiment()
testChangeUserPermissions()
testOwnedExperiments()
testReadAccess()
testWriteAccess()
urls = 'tardis.urls'
```

### **tardis.tardis\_portal.tests.test\_authservice module**

```
class tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testAuthenticate()
testGetGroupsForEntity()
testGroupProvider()
testGroupSearch()
```

```
    testInitialisation()

class tardis.tardis_portal.tests.test_authservice.MockAuthProvider

    authenticate(request)
class tardis.tardis_portal.tests.test_authservice.MockGroupProvider
    Bases: tardis.tardis_portal.auth.interfaces.GroupProvider

        getGroupById(id)
        getGroups(user)
        getGroupsForEntity(id)
        searchGroups(**filter)

class tardis.tardis_portal.tests.test_authservice.MockRequest
    Bases: django.http.request.HttpRequest

        setPost(field, value)

class tardis.tardis_portal.tests.test_authservice.MockSettings
    Bases: object
```

### tardis.tardis\_portal.tests.test\_collectstatic module

```
class tardis.tardis_portal.tests.test_collectstatic.CollectstaticTest(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_collectstatic()
```

### tardis.tardis\_portal.tests.test\_createuser module

```
class tardis.tardis_portal.tests.test_createuser.CreateUserTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    testInteractive()
        Just test that we can run ./manage.py createuser without any runtime exceptions by mocking the raw_input
        username and email entry

    testNoInput()
        Just test that we can run ./manage.py createuser --username testuser1 --email testuser1@example.com
        --noinput without any runtime exceptions
```

### tardis.tardis\_portal.tests.test\_download module

```
class tardis.tardis_portal.tests.test_download.DownloadTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.
```

```
tearDown()
    Hook method for deconstructing the test fixture after testing it.

testDatasetFile()
testDownload()
testView()

tardis.tardis_portal.tests.test_download.get_size_and_sha512sum(testfile)
```

### tardis.tardis\_portal.tests.test\_download\_apikey module

```
class tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownloadTestCase (methodName='runTest')
    Bases: tastypie.test.ResourceTestCaseMixin, django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_download_apikey()
```

### tardis.tardis\_portal.tests.test\_dumpschemas module

```
class tardis.tardis_portal.tests.test_dumpschemas.DumpSchemasTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testDumpSchemas()
    Just test that we can run ./manage.py dumpschemas without any runtime exceptions
```

### tardis.tardis\_portal.tests.test\_facility\_overview module

Tests relating to facility overview

```
class tardis.tardis_portal.tests.test_facility_overview.FacilityOverviewTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_facility_overview_datafile_list()
test_facility_overview_experiments()
    Despite the name of the test_facility_overview_experiments method, it actually returns a JSON list of
    datasets (not experiments)
```

## tardis.tardis\_portal.tests.test\_forms module

test\_models.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_forms.RightsFormTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_ensures_suitable_license()
    test_needs_confirmation()
```

## tardis.tardis\_portal.tests.test\_iif module

class tardis.tardis\_portal.tests.test\_iif.ExtraTestCases (methodName='runTest')
 Bases: django.test.testcases.TestCase

As per: <http://library.stanford.edu/iiif/image-api/compliance.html>

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testImageCacheControl()
testImageHasEtags()
testInfoHasEtags()
```

class tardis.tardis\_portal.tests.test\_iif.Level0TestCase (methodName='runTest')
 Bases: django.test.testcases.TestCase

As per: <http://library.stanford.edu/iiif/image-api/compliance.html>

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetInfoAsJSON()
testCanGetInfoAsXML()
testCanGetOriginalImage()
```

class tardis.tardis\_portal.tests.test\_iif.Level1TestCase (methodName='runTest')
 Bases: django.test.testcases.TestCase

As per: <http://library.stanford.edu/iiif/image-api/compliance.html>

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetJpegFormat()
testHandleRegions()
testHandleRotation()
testHandleSizing()
```

class tardis.tardis\_portal.tests.test\_iif.Level2TestCase (methodName='runTest')
 Bases: django.test.testcases.TestCase

As per: <http://library.stanford.edu/iiif/image-api/compliance.html>

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetRequiredFormats()

testHandleSizing()
```

### tardis.tardis\_portal.tests.test\_ldap module

```
class tardis.tardis_portal.tests.test_ldap.LDAPErrorTest (methodName='runTest')
Bases: django.test.testcases.TestCase

test_search()

class tardis.tardis_portal.tests.test_ldap.LDAPTest (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_authenticate()
test_getgroupbyid()
test_getgroups()
test_getgroupsforentity()
test_getuserbyid()
test_search()
test_searchgroups()
```

### tardis.tardis\_portal.tests.test\_loadschemas module

```
class tardis.tardis_portal.tests.test_loadschemas.LoadSchemasTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

testLoadSchemas()
    Test that we can run ./manage.py loadschemas tardis/tardis_portal/fixtures/jeol_metadata_schema.json
```

### tardis.tardis\_portal.tests.test\_models module

```
test_models.py http://docs.djangoproject.com/en/dev/topics/testing/

class tardis.tardis_portal.tests.test_models.ModelTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_authors()
test_create_user_automatically_generate_api_key()
test_datafile()
```

```
test_dataset()
test_deleting_dfo_without_uri()
test_experiment()
test_instrument()
test_parameter()
```

## tardis.tardis\_portal.tests.test\_parametersets module

test\_parametersets.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_parametersets.EditParameterSetTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_add_datafile_params()
    test_add_dataset_params()
    test_add_experiment_params()
    test_edit_datafile_params()
    test_edit_dataset_params()
    test_edit_experiment_params()

class tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_existing_parameterset()
    test_link_parameter_type()
        Test that Parameter.link_gfk (GenericForeignKey) is correctly assigned after using Parameter.set_value(some_url) for a LINK Parameter.

    test_link_parameter_type_extra()
    test_new_parameterset()
    test_tz_aware_date_handling()
        Ensure that dates are handling in a timezone-aware way.

    test_tz_naive_date_handling()
        Ensure that dates are handling in a timezone-aware way.

    test_unresolvable_link_parameter()
        Test that LINK Parameters that can't be resolved to a model (including non-URL values) still work.
```

### tardis.tardis\_portal.tests.test\_publishservice module

```
class tardis.tardis_portal.tests.test_publishservice.MockRifCsProvider
    Bases: tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider

        get_beamline(experiment)
        get_license_uri(experiment)
        get_rifcs_context(experiment)
        get_template(experiment)
        is_schema_valid(experiment)

class tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

        setUp()
            Hook method for setting up the test fixture before exercising it.

        testContext()
        testInitialisation()
        testInitialisationNoProvider()
        testManageRifCsCheckContent()
        testManageRifCsCreateAndRemove()
```

### tardis.tardis\_portal.tests.test\_rmexperiment module

```
class tardis.tardis_portal.tests.test_rmexperiment.RmExperimentTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

        testList()
        testRemove()
```

### tardis.tardis\_portal.tests.test\_storage module

test\_storage.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_storage.ModelTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

        setUp()
            Hook method for setting up the test fixture before exercising it.

        tearDown()
            Hook method for deconstructing the test fixture after testing it.

        test_get_receiving_box()
        test_storageboxoption()
```

### tardis.tardis\_portal.tests.test\_tar\_download module

```
class tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_tar_experiment_download()
```

### tardis.tardis\_portal.tests.test\_tasks module

```
class tardis.tardis_portal.tests.test_tasks.BackgroundTaskTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.

testLocalFile()
test_wrong_size_verification()
```

### tardis.tardis\_portal.tests.test\_tokens module

test\_tokens.py

```
class tardis.tardis_portal.tests.test_tokens.FrozenTime (*args, **kwargs)

    classmethod freeze_time (time)
    classmethod now()

class tardis.tardis_portal.tests.test_tokens.TokenTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_create_token()
test_default_expiry()
test_get_session_expiry()
test_get_session_expiry_expired_token()
test_get_session_expiry_near_expiry()
test_is_expired()
test_retrieve_access_list_tokens()
test_save_with_random_token()
```

```
test_save_with_random_token_failures()
test_save_with_random_token_gives_up()
test_token_delete()
urls = 'tardis.tardis_portal.tests.urls'
```

### tardis.tardis\_portal.tests.test\_views module

test\_views.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_views.ContextualViewTest (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        setting up essential objects, copied from tests above

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    testDetailsDisplay()
        test display of view for an existing schema and no display for an undefined one.

class tardis.tardis_portal.tests.test_views.ExperimentListsTest (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        setting up essential objects, copied from tests above

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_mydata_view()
        Test My Data view

    test_shared_view()
        Test Shared view

class tardis.tardis_portal.tests.test_views.ExperimentTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testCreateAndEdit()

    testDataSetJson()

class tardis.tardis_portal.tests.test_views.ManageAccountTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    testManageAccount()

class tardis.tardis_portal.tests.test_views.RightsTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    testRightsRequireValidOwner()

class tardis.tardis_portal.tests.test_views.UploadTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.
```

```
tearDown()
    Hook method for deconstructing the test fixture after testing it.

testFileUpload()

testUploadComplete()

class tardis.tardis_portal.tests.test_views.UserListTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    User lists are used for autocompleting the user-to-share-with field when granting access to an experiment

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testGetUserList()

class tardis.tardis_portal.tests.test_views.ViewTemplateContextsTest (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    setting up essential objects, copied from tests above

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testDatasetView()
    test some context parameters for a dataset view

testExperimentView()
    test some template context parameters for an experiment view

class tardis.tardis_portal.tests.test_views.listTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testGetGroupList()

testGetUserList()
```

## tardis.tardis\_portal.tests.tests module

tests.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.tests.SearchTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testSearchExperimentAuthentication(**kwargs)

testSearchExperimentForm(**kwargs)
```

```
testSearchExperimentResults(**kwargs)
class tardis.tardis_portal.tests.tests.UserInterfaceTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase
        test_login()
        test_root()
        test_search_urls(**kwargs)
        test_urls()
        test_urls_with_some_content()
tardis.tardis_portal.tests.tests.suite()
```

## tardis.tardis\_portal.tests.urls module

### Module contents

#### tardis.tardis\_portal.views package

##### Submodules

##### tardis.tardis\_portal.views.ajax\_actions module

views that perform some action and don't return anything very useful

##### tardis.tardis\_portal.views.ajax\_json module

views that return JSON data

```
tardis.tardis_portal.views.ajax_json.retrieve_licenses(request)
```

##### tardis.tardis\_portal.views.ajax\_pages module

views that return HTML that is injected into pages

```
tardis.tardis_portal.views.ajax_pages.experiment_public_access_badge(request,
    experi-
    ment_id)
```

```
tardis.tardis_portal.views.ajax_pages.retrieve_owned_exps_list(request, *args,
    **kwargs)
```

```
tardis.tardis_portal.views.ajax_pages.retrieve_shared_exps_list(request, *args,
    **kwargs)
```

##### tardis.tardis\_portal.views.authentication module

views that have to do with authentication

```
tardis.tardis_portal.views.authentication.create_user(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.authentication.login(request, *args, **kwargs)
    handler for login page

tardis.tardis_portal.views.authentication.logout(request)

tardis.tardis_portal.views.authentication.manage_auth_methods(request,      *args,
                                                               **kwargs)
    Manage the user's authentication methods using AJAX.

tardis.tardis_portal.views.authentication.manage_user_account(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authentication.rcauth(*args, **kwargs)
```

### **tardis.tardis\_portal.views.authorisation module**

views that have to do with authorisations

```
tardis.tardis_portal.views.authorisation.create_group(*args, **kwargs)

tardis.tardis_portal.views.authorisation.manage_groups(request, *args, **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_access_list_group_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_access_list_user_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_list(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_list_by_user(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_userlist_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_user_list(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.share(request, experiment_id)
    Choose access rights and licence.

tardis.tardis_portal.views.authorisation.token_delete(request, *args, **kwargs)
```

### **tardis.tardis\_portal.views.facilities module**

views relevant for facilities and the facility view

```
tardis.tardis_portal.views.facilities.dataset_aggregate_info(dataset)

tardis.tardis_portal.views.facilities.datetime_to_us(dt)
    The datetime objects are kept as None if they aren't set, otherwise they're converted to milliseconds so AngularJS can format them nicely.
```

```
tardis.tardis_portal.views.facilities.facility_overview_data_count(request,  
                      *args,  
                      **kwargs)  
    returns the total number of datasets for pagination in json format  
  
tardis.tardis_portal.views.facilities.facility_overview_datafile_list(dataset)  
  
tardis.tardis_portal.views.facilities.facility_overview_dataset_detail(request,  
                      *args,  
                      **kwargs)  
  
tardis.tardis_portal.views.facilities.facility_overview_experiments(request,  
                      *args,  
                      **kwargs)  
    json facility datasets  
  
tardis.tardis_portal.views.facilities.facility_overview_facilities_list(request,  
                      *args,  
                      **kwargs)  
    json list of facilities managed by the current user
```

## tardis.tardis\_portal.views.images module

views that return images or route to images

```
tardis.tardis_portal.views.images.load_datafile_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_dataset_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_experiment_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_image(request, *args, **kwargs)
```

## tardis.tardis\_portal.views.machine module

views that return data useful only to other machines (but not JSON)

```
tardis.tardis_portal.views.machine.site_settings(request)
```

## tardis.tardis\_portal.views.pages module

views that render full pages

```
class tardis.tardis_portal.views.pages.DatasetView(**kwargs)  
    Bases: django.views.generic.base.TemplateView  
  
    find_custom_view_override(request, dataset)  
        Determines if any custom view overrides have been defined in settings.DATASET_VIEWS and returns  
        the view function if a match to one the schemas for the dataset is found. (DATASET_VIEWS is a list of  
        (schema_namespace, view_function) tuples).
```

### Parameters

- **request** –
- **dataset** –

### Returns

#### Return type

**get** (*request, \*args, \*\*kwargs*)

View an existing dataset.

This default view can be overriden by defining a dictionary DATASET\_VIEWS in settings.

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **args** (`list`) –
- **kwargs** (`dict`) –

**Returns** The Django response object

**Return type** `django.http.HttpResponse`

**get\_context\_data** (*request, dataset, \*\*kwargs*)

Prepares the values to be passed to the default dataset view, respecting authorization rules. Returns a dict of values (the context).

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **dataset** (`tardis.tardis_portal.models.dataset.Dataset`) – the Dataset model instance
- **kwargs** (`dict`) –

**Returns** A dictionary of values for the view/template.

**Return type** `dict`

`template_name = 'tardis_portal/view_dataset.html'`

**class** `tardis.tardis_portal.views.pages.ExperimentView(**kwargs)`  
Bases: `django.views.generic.base.TemplateView`

**find\_custom\_view\_override** (*request, experiment*)

**get** (*request, \*args, \*\*kwargs*)

View an existing experiment.

This default view can be overriden by defining a dictionary EXPERIMENT\_VIEWS in settings.

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP Request instance
- **args** (`list`) –
- **kwargs** (`dict`) – In kwargs: param int experiment\_id: the ID of the experiment

**Returns** an `HttpResponse`

**Return type** `django.http.HttpResponse`

**get\_context\_data** (*request, experiment, \*\*kwargs*)

Prepares the values to be passed to the default experiment view, respecting authorization rules. Returns a dict of values (the context).

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **experiment** (`tardis.tardis_portal.models.experiment.Experiment`) – the experiment model instance

- **kwargs** (*dict*) – kwargs

**Returns** A dictionary of values for the view/template.

**Return type** *dict*

```
template_name = 'tardis_portal/view_experiment.html'

class tardis.tardis_portal.views.pages.IndexView(**kwargs)
    Bases: django.views.generic.base.TemplateView
```

**get** (*request*, \**args*, \*\**kwargs*)

The index view, intended to render the front page of the MyTardis site listing recent experiments.

This default view can be overridden by defining a dictionary INDEX\_VIEWS in settings which maps SITE\_ID's or domain names to an alternative view function (similar to the DATASET\_VIEWS or EXPERIMENT\_VIEWS overrides).

**Parameters**

- **request** (*django.http.HttpRequest*) – a HTTP request object
- **args** (*list*) –
- **kwargs** (*dict*) –

**Returns** The Django response object

**Return type** *django.http.HttpResponse*

**get\_context\_data** (\**args*, \*\**kwargs*)

```
template_name = 'tardis_portal/index.html'
```

```
tardis.tardis_portal.views.pages.about(request)
```

```
tardis.tardis_portal.views.pages.add_dataset(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.control_panel(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.create_experiment(request, *args, **kwargs)
```

Create a new experiment view.

**Parameters**

- **request** (*django.http.HttpRequest*) – a HTTP Request instance
- **template\_name** (*string*) – the path of the template to render

**Returns** an *HttpResponse*

**Return type** *django.http.HttpResponse*

```
tardis.tardis_portal.views.pages.edit_dataset(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.facility_overview(request, *args, **kwargs)
    summary of experiments in a facility
```

```
tardis.tardis_portal.views.pages.my_data(request, *args, **kwargs)
    show owned data with credential-based access
```

```
tardis.tardis_portal.views.pages.public_data(request)
    list of public experiments
```

```
tardis.tardis_portal.views.pages.shared(request, *args, **kwargs)
    show shared data with credential-based access
```

```
tardis.tardis_portal.views.pages.site_routed_view(request, _default_view,
                                                 _site_mappings, *args, **kwargs)
```

Allows a view to be overridden based on the Site (eg domain) for the current request. Takes a default fallback view (\_default\_view) and a dictionary mapping Django Sites (domain name or int SITE\_ID) to views. If the current request matches a Site in the dictionary, that view is used instead of the default.

The intention is to define {site: view} mappings in settings.py, and use this wrapper view in urls.py to allow a single URL to be routed to different views depending on the Site in the request.

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **\_default\_view** (`types.FunctionType` / `str`) – The default view if no Site in \_site\_mappings matches the current Site.
- **\_site\_mappings** (`dict`) – A dictionary mapping Django sites to views (sites are specified as either a domain name str or int SITE\_ID).
- **args** –
- **kwargs** –

**Returns** A view function

**Return type** `types.FunctionType`

```
tardis.tardis_portal.views.pages.stats(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.use_rapid_connect(fn)
```

A decorator that adds AAF Rapid Connect settings to a get\_context\_data method.

**Parameters** `fn` (`types.FunctionType`) – A get\_context\_data function/method.

**Returns** A get\_context\_data function that adds RAPID\_CONNECT\_\* keys to its output context.

**Return type** `types.FunctionType`

```
tardis.tardis_portal.views.pages.user_guide(request)
```

## tardis.tardis\_portal.views.parameters module

views to do with metadata, parameters etc. Mostly ajax page inclusions

```
tardis.tardis_portal.views.parameters.add_datafile_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_dataset_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_experiment_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_par(request, parentObject, otype, stype)
```

```
tardis.tardis_portal.views.parameters.edit_datafile_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_dataset_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_experiment_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_parameters(request, parameterSet, otype)
```

## tardis.tardis\_portal.views.upload module

views for uploading files via HTTP

```
tardis.tardis_portal.views.upload.upload_complete(request, template_name='tardis_portal/upload_complete.html')
```

The ajax-loaded result of a file being uploaded

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP Request instance
- **template\_name** (`string`) – the path of the template to render

**Returns** an `HttpResponse`

**Return type** `django.http.HttpResponse`

## tardis.tardis\_portal.views.utils module

helper functions used by other views

```
class tardis.tardis_portal.views.utils.HttpResponseMethodNotAllowed(*args, **kwargs)
Bases: django.http.response.HttpResponse
status_code = 303

class tardis.tardis_portal.views.utils.HttpResponseSeeAlso(redirect_to, *args, **kwargs)
Bases: django.http.response.HttpResponseRedirect
status_code = 303

tardis.tardis_portal.views.utils.feedback(request)
tardis.tardis_portal.views.utils.get_dataset_info(dataset, include_thumbnail=False, exclude=None)
tardis.tardis_portal.views.utils.remove_csrf_token(request)
```

rather than fixing the form code that loops over all POST entries indiscriminately, I am removing the csrf token with this hack. This is only required in certain form code and can be removed should this ever be fixed

## Module contents

importing all views files here, so that any old code will work as expected, when importing from `tardis.tardis_portal.views`

## Submodules

### tardis.tardis\_portal.ParameterSetManager module

```
class tardis.tardis_portal.ParameterSetManager(ParameterSetManager(parameterset=None, parentObject=None, schema=None))
Bases: object
```

```
blank_param = None
delete_all_params()
delete_params(parname)
get_param(parname, value=False)
get_params(parname, value=False)
get_schema()
new_param(parname, value, fullparname=None)
parameters = None
parameterset = None
set_param(parname, value, fullparname=None, example_value=None)
set_param_list(parname, value_list, fullparname=None)
set_params_from_dict(dict)
```

## tardis.tardis\_portal.admin module

```
class tardis.tardis_portal.admin.DataFileObjectInline(parent_model, admin_site)
    Bases: django.contrib.admin.options.TabularInline

    extra = 0

    form
        alias of DataFileObjectInlineForm

    media

    model
        alias of tardis.tardis_portal.models.datafile.DataFileObject

class tardis.tardis_portal.admin.DataFileObjectInlineForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None,
    error_class=<class 'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    instance=None,
    use_required_attribute=None)
    Bases: django.forms.models.ModelForm

    class Meta

        fields = '__all__'

        model
            alias of tardis.tardis_portal.models.datafile.DataFileObject

        widgets = {'uri': <django.forms.widgets.TextInput object>}

        base_fields = {'datafile': <django.forms.models.ModelChoiceField object>, 'last_verified': <django.forms.models.ModelChoiceField object>}

        declared_fields = {}

        media
```

```
class tardis.tardis_portal.admin.DatafileAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

form
    alias of DatafileAdminForm

inlines = [<class 'tardis.tardis_portal.admin.DataFileObjectInline'>]

media

search_fields = ['filename', 'id']

class tardis.tardis_portal.admin.DatafileAdminForm(data=None, files=None,
                                                    auto_id=u'id_%s', prefix=None,
                                                    initial=None, error_class=<class
                                                    'django.forms.utils.ErrorList'>,
                                                    label_suffix=None,
                                                    empty_permitted=False,
                                                    instance=None,
                                                    use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.datafile.DataFile

    widgets = {'directory': <django.forms.widgets.TextInput object>}

base_fields = {'created_time': <django.forms.fields.DateTimeField object>, 'dataset': None}

declared_fields = {}

media

class tardis.tardis_portal.admin.DatasetAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

media

search_fields = ['description', 'id']

class tardis.tardis_portal.admin.ExperimentAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

inlines = [<class 'tardis.tardis_portal.admin.ObjectACLIInline'>]

media

search_fields = ['title', 'id']

class tardis.tardis_portal.admin.ExperimentParameterInline(parent_model, admin_site)
Bases: django.contrib.admin.options.TabularInline

extra = 0

formfield_overrides = {<class 'django.db.models.fields.TextField'>: {'widget': <class
    media

model
    alias of tardis.tardis_portal.models.parameters.ExperimentParameter
```

```
class tardis.tardis_portal.admin.ExperimentParameterSetAdmin(model,      ad-
                                                               min_site)
    Bases: django.contrib.admin.options.ModelAdmin

    inlines = [<class 'tardis.tardis_portal.admin.ExperimentParameterInline'>]

    media

class tardis.tardis_portal.admin.FacilityAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

    search_fields = ['name']

class tardis.tardis_portal.admin.FreeTextSearchFieldAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

class tardis.tardis_portal.admin.InstrumentAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

    search_fields = ['name']

class tardis.tardis_portal.admin.InstrumentParameterInline(parent_model,     ad-
                                                               min_site)
    Bases: django.contrib.admin.options.TabularInline

    extra = 0

    media

    model
        alias of tardis.tardis_portal.models.parameters.InstrumentParameter

class tardis.tardis_portal.admin.InstrumentParameterSetAdmin(model,      ad-
                                                               min_site)
    Bases: django.contrib.admin.options.ModelAdmin

    inlines = [<class 'tardis.tardis_portal.admin.InstrumentParameterInline'>]

    media

class tardis.tardis_portal.admin.ObjectACLAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ['__str__', 'pluginId', 'entityId', 'canRead', 'canWrite', 'canDelete',
                   media

    search_fields = ['content_type', 'object_id']

class tardis.tardis_portal.admin.ObjectACLInline(parent_model, admin_site)
    Bases: django.contrib.contenttypes.admin.GenericTabularInline

    extra = 0

    media

    model
        alias of tardis.tardis_portal.models.access_control.ObjectACL

class tardis.tardis_portal.admin.ParameterNameAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
```

```
media
search_fields = ['name', 'schema_id']

class tardis.tardis_portal.admin.ParameterNameInline(parent_model, admin_site)
    Bases: django.contrib.admin.options.TabularInline
    extra = 0

media
model
    alias of tardis.tardis_portal.models.parameters.ParameterName

class tardis.tardis_portal.admin.SchemaAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    inlines = [<class 'tardis.tardis_portal.admin.ParameterNameInline'>]

media
search_fields = ['name', 'namespace']

class tardis.tardis_portal.admin.StorageBoxAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    form
        alias of StorageBoxForm
    inlines = [<class 'tardis.tardis_portal.admin.StorageBoxOptionInline'>, <class 'tardis
media
search_fields = ['name']

class tardis.tardis_portal.admin.StorageBoxAttributeInline(parent_model,      ad-
min_site)
    Bases: django.contrib.admin.options.TabularInline
    extra = 0

form
    alias of StorageBoxAttributeInlineForm

media
model
    alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

class tardis.tardis_portal.admin.StorageBoxAttributeInlineForm(data=None,
    files=None,
    auto_id=u'id_%s',
    pre-
fix=None,    ini-
tial=None,    er-
ror_class=<class
'django.forms.utils.ErrorList'>,
la-
bel_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None)
Bases: django.forms.models.ModelForm
```

```
class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

    widgets = {'key': <django.forms.widgets.TextInput object>, 'value': <django.forms.

base_fields = {'key': <django.forms.fields.CharField object>, 'storage_box': <django.

declared_fields = {}

media

class tardis.tardis_portal.admin.StorageBoxForm(data=None, files=None,
                                                auto_id=u'id_%s', prefix=None,
                                                initial=None, error_class=<class
                                                'django.forms.utils.ErrorList'>,
                                                label_suffix=None,
                                                empty_permitted=False,
                                                instance=None,
                                                use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBox

    widgets = {'description': <django.forms.widgets.TextInput object>, 'django_storage_.

base_fields = {'description': <django.forms.fields.CharField object>, 'django_storage_.

declared_fields = {}

media

class tardis.tardis_portal.admin.StorageBoxOptionInline(parent_model, min_site)

Bases: django.contrib.admin.options.TabularInline

extra = 0

form
    alias of StorageBoxOptionInlineForm

media

model
    alias of tardis.tardis_portal.models.storage.StorageBoxOption
```

```
class tardis.tardis_portal.admin.StorageBoxOptionInlineForm(data=None,
                                                               files=None,
                                                               auto_id=u'id_%s',
                                                               prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta:

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBoxOption

    widgets = {'key': <django.forms.widgets.TextInput object>, 'value': <django.forms.widgets.Textarea object>}

    base_fields = {'key': <django.forms.fields.CharField object>, 'storage_box': <django.forms.fields.ModelChoiceField object>}

    declared_fields = {}

    media

class tardis.tardis_portal.admin.UserAuthenticationAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

media

search_fields = ['username', 'authenticationMethod', 'userProfile__user__username']
```

## tardis.tardis\_portal.api module

RESTful API for MyTardis models and data. Implemented with Tastypie.

```
class tardis.tardis_portal.api.ACIAuthorization
Bases: tastypie.authorization.Authorization

Authorisation class for Tastypie.

create_detail(object_list, bundle)
create_list(object_list, bundle)
delete_detail(object_list, bundle)
delete_list(object_list, bundle)
read_detail(object_list, bundle)
read_list(object_list, bundle)
update_detail(object_list, bundle)

Latest TastyPie requires update_detail permissions to be able to create objects. Rather than duplicating code here, we'll just use the same authorization rules we use for create_detail.

update_list(object_list, bundle)
```

```
class tardis.tardis_portal.api.DataFileResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    filtering = {'dataset': 2, 'directory': ('exact', 'startswith'), 'filename': ('e
        object_class
            alias of tardis.tardis_portal.models.datafile.DataFile
        ordering = ['filename', 'modification_time']
        queryset
            resource_name = 'dataset_file'
        base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'datafile': <
        declared_fields = {'datafile': <tastypie.fields.FileField object>, 'dataset': <tasty
        deserialize(request, data, format=None)
            from https://github.com/toastdriven/django-tastypie/issues/42 modified to deserialize json sent via POST.
            Would fail if data is sent in a different format. uses a hack to get back pure json from request.POST

        download_file(request, **kwargs)
            curl needs the -J switch to get the filename right auth needs to be added manually here

        hydrate(bundle)

        obj_create(bundle, **kwargs)
            Creates a new DataFile object from the provided bundle.data dict.
            If a duplicate key error occurs, responds with HTTP Error 409: CONFLICT

        post_list(request, **kwargs)

        prepend_urls()
        put_detail(request, **kwargs)
            from https://github.com/toastdriven/django-tastypie/issues/42

        temp_url = None

        verify_file(request, **kwargs)
            triggers verification of file, e.g. after non-POST upload complete

class tardis.tardis_portal.api.DatafileParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.parameters.DatafileParameter
    queryset
    base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, u'id': <tas
    declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.DatafileParameterSetResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterSetResource

class Meta
    Bases: tardis.tardis_portal.api.Meta
```

```

object_class
    alias of tardis.tardis_portal.models.parameters.DatafileParameterSet

queryset

base_fields = {'datafile': <tastypie.fields.ForeignKey object>, u'id': <tastypie.fields.IntegerField object>,
declared_fields = {'datafile': <tastypie.fields.ForeignKey object>, 'parameters': <tastypie.fields.DictField object>}

class tardis.tardis_portal.api.DatasetParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.parameters.DatasetParameter

queryset

base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, u'id': <tastypie.fields.IntegerField object>,
declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.DatasetParameterSetResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterSetResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.parameters.DatasetParameterSet

queryset

base_fields = {'dataset': <tastypie.fields.ForeignKey object>, u'id': <tastypie.fields.IntegerField object>,
declared_fields = {'dataset': <tastypie.fields.ForeignKey object>, 'parameters': <tastypie.fields.DictField object>}

class tardis.tardis_portal.api.DatasetResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

always_return_data = True

filtering = {'description': ('exact',), 'directory': ('exact',), 'experiments': ('exact',)}

object_class
    alias of tardis.tardis_portal.models.dataset.Dataset

ordering = ['description']

queryset

base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'description': ('exact',),
declared_fields = {'experiments': <tastypie.fieldsToManyField object>, 'instrument': ('exact',),
get_datafiles(request, **kwargs)
prepend_urls()

class tardis.tardis_portal.api.ExperimentParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterResource

```

```
class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.parameters.ExperimentParameter

    queryset

    base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, 'id': <tastypie.fields.IntegerField object>}

    declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.ExperimentParameterSetResource (api_name=None)
    Bases: tardis.tardis_portal.api.ParameterSetResource

API for ExperimentParameterSets

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.parameters.ExperimentParameterSet

    queryset

    base_fields = {'experiment': <tastypie.fields.ForeignKey object>, 'id': <tastypie.fields.IntegerField object>}

    declared_fields = {'experiment': <tastypie.fields.ForeignKey object>, 'parameters': <tastypie.fields.DictField object>}

class tardis.tardis_portal.api.ExperimentResource (api_name=None)
    Bases: tardis.tardis_portal.api.MyTardisModelResource

API for Experiments also creates a default ACL and allows ExperimentParameterSets to be read and written.

TODO: catch duplicate schema submissions for parameter sets

class Meta
    Bases: tardis.tardis_portal.api.Meta

    always_return_data = True

    filtering = {'id': ('exact',), 'title': ('exact',)}

    object_class
        alias of tardis.tardis_portal.models.experiment.Experiment

    ordering = ['title', 'created_time', 'update_time']

    queryset

    base_fields = {'approved': <tastypie.fields.BooleanField object>, 'created_by': <tastypie.fields.ForeignKey object>, 'parameter_sets': <tastypie.fields.ManyToManyField object>}

    declared_fields = {'created_by': <tastypie.fields.ForeignKey object>, 'parameter_sets': <tastypie.fields.ManyToManyField object>}

    dehydrate(bundle)

    hydrate_m2m(bundle)
        create ACL before any related objects are created in order to use ACL permissions for those objects.

    obj_create(bundle, **kwargs)
        experiments need at least one ACL to be available through the ExperimentManager (Experiment.safe)
        Currently not tested for failed db transactions as sqlite does not enforce limits.

class tardis.tardis_portal.api.FacilityResource (api_name=None)
    Bases: tardis.tardis_portal.api.MyTardisModelResource
```

```
class Meta
    Bases: tardis.tardis_portal.api.Meta

    always_return_data = True

    filtering = {'id': ('exact',), 'manager_group': 2, 'name': ('exact',)}

    object_class
        alias of tardis.tardis_portal.models.facility.Facility

    queryset

    base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'id': <tastypie.fields.IntegerField object>}

    declared_fields = {'manager_group': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.GroupResource(api_name=None)
    Bases: tastypie.resources.ModelResource

    class Meta

        authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>

        authorization
            Authorisation class for Tastypie.

        filtering = {'id': ('exact',), 'name': ('exact',)}

        object_class
            alias of django.contrib.auth.models.Group

        queryset

        base_fields = {'id': <tastypie.fields.IntegerField object>, 'name': <tastypie.fields.CharField object>}

        declared_fields = {}

class tardis.tardis_portal.api.InstrumentResource(api_name=None)
    Bases: tardis.tardis_portal.api.MyTardisModelResource

    class Meta
        Bases: tardis.tardis_portal.api.Meta

        always_return_data = True

        filtering = {'facility': 2, 'id': ('exact',), 'name': ('exact',)}

        object_class
            alias of tardis.tardis_portal.models.instrument.Instrument

        queryset

        base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'facility': <tastypie.fields.ForeignKey object>, 'id': <tastypie.fields.IntegerField object>, 'name': <tastypie.fields.CharField object>}

        declared_fields = {'facility': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.LocationResource(api_name=None)
    Bases: tardis.tardis_portal.api.MyTardisModelResource

    class Meta
        Bases: tardis.tardis_portal.api.Meta

        object_class
            alias of tardis.tardis_portal.models.storage.StorageBox

        queryset
```

```
base_fields = {'description': <tastypie.fields.CharField object>, 'django_storage_cla
declared_fields = {}

class tardis.tardis_portal.api.MyTardisAuthentication
Bases: object

custom tastypie authentication that works with both anonymous use and a number of available auth mechanisms.

get_identifier(request)
isAuthenticated(request, **kwargs)
handles backends explicitly so that it can return False when credentials are given but wrong and return
Anonymous User when credentials are not given or the session has expired (web use).

class tardis.tardis_portal.api.MyTardisModelResource(api_name=None)
Bases: tastypie.resources.ModelResource

class Meta

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
    authorization
        Authorisation class for Tastypie.
    object_class = None
    serializer = <tardis.tardis_portal.api.PrettyJSONSerializer object>
base_fields = {u'resource_uri': <tastypie.fields.CharField object>}
declared_fields = {}

lookup_kwargs_with_identifiers(bundle, kwargs)

class tardis.tardis_portal.api.ObjectACLResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
    authorization
        Authorisation class for Tastypie.
    filtering = {'entityId': ('exact',), 'pluginId': ('exact',)}
    object_class
        alias of tardis.tardis_portal.models.access_control.ObjectACL
    queryset
base_fields = {'aclOwnershipType': <tastypie.fields.IntegerField object>, 'canDelete'
declared_fields = {'content_object': <tastypie.contrib.contenttypes.fields.GenericFor
hydrate(bundle)

class tardis.tardis_portal.api.ParameterNameResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta
```

```

filtering = {'schema': 2}

object_class
    alias of tardis.tardis_portal.models.parameters.ParameterName

queryset

base_fields = {'choices': <tastypie.fields.CharField object>, 'comparison_type': <tastypie.fields.ComparisonType object>}

declared_fields = {'schema': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.ParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

base_fields = {'name': <tastypie.fields.ForeignKey object>, u'resource_uri': <tastypie.fields.CharField object>}

declared_fields = {'name': <tastypie.fields.ForeignKey object>, 'value': <tastypie.fields.CharField object>}

hydrate(bundle)
    sets the parametername by uri or name if untyped value is given, set value via parameter method, otherwise
    use modelresource automatisms

class tardis.tardis_portal.api.ParameterSetResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

base_fields = {u'resource_uri': <tastypie.fields.CharField object>, 'schema': <tastypie.fields.CharField object>}

declared_fields = {'schema': <tastypie.fields.ForeignKey object>}

hydrate_schema(bundle)

class tardis.tardis_portal.api.PrettyJSONSerializer(formats=None, content_types=None, date_time_formatting=None)
Bases: tastypie.serializers.Serializer

json_indent = 2

to_json(data, options=None)

class tardis.tardis_portal.api.ReplicaResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

filtering = {'url': ('exact', 'startswith'), 'verified': ('exact',)}

object_class
    alias of tardis.tardis_portal.models.datafile.DataFileObject

queryset

base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'datafile': <tastypie.fields.ForeignKey object>}

declared_fields = {'datafile': <tastypie.fields.ForeignKey object>}

dehydrate(bundle)

hydrate(bundle)

class tardis.tardis_portal.api.SchemaResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

filtering = {'id': ('exact',), 'namespace': ('exact',)}

```

```
object_class
    alias of tardis.tardis_portal.models.parameters.Schema

queryset

base_fields = {'hidden': <tastypie.fields.BooleanField object>, u'id': <tastypie.fields.IntegerField object>,
               'name': <tastypie.fields.CharField object>, 'storage_box': <tastypie.fields.ForeignKey object>,
               'storage_box_attributes': <tastypie.fields.ManyToManyField object>, 'storage_box_options': <tastypie.fields.ManyToManyField object>,
               'storage_type': <tastypie.fields.CharField object>, 'status': <tastypie.fields.CharField object>,
               'user': <tastypie.fields.ForeignKey object>}

declared_fields = {}

lookup_kwargs_with_identifiers(bundle, kwargs)

class tardis.tardis_portal.api.StorageBoxAttributeResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

    queryset

    base_fields = {u'id': <tastypie.fields.IntegerField object>, 'key': <tastypie.fields.CharField object>,
                  'storage_box': <tastypie.fields.ForeignKey object>}

    declared_fields = {'storage_box': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.StorageBoxOptionResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.storage.StorageBoxOption

    queryset

    accessible_keys = ['location']

    base_fields = {u'id': <tastypie.fields.IntegerField object>, 'key': <tastypie.fields.CharField object>,
                  'storage_box': <tastypie.fields.ForeignKey object>}

    declared_fields = {'storage_box': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.StorageBoxResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.storage.StorageBox

    queryset

    base_fields = {'attributes': <tastypie.fieldsToManyField object>, 'description': <tastypie.fields.CharField object>,
                  'storage_box': <tastypie.fields.ForeignKey object>,
                  'storage_box_attributes': <tastypie.fields.ManyToManyField object>, 'storage_box_options': <tastypie.fields.ManyToManyField object>,
                  'storage_type': <tastypie.fields.CharField object>, 'status': <tastypie.fields.CharField object>,
                  'user': <tastypie.fields.ForeignKey object>}

    declared_fields = {'attributes': <tastypie.fieldsToManyField object>, 'options': <tastypie.fields.CharField object>,
                      'storage_box': <tastypie.fields.ForeignKey object>,
                      'storage_box_attributes': <tastypie.fields.ManyToManyField object>, 'storage_box_options': <tastypie.fields.ManyToManyField object>,
                      'storage_type': <tastypie.fields.CharField object>, 'status': <tastypie.fields.CharField object>,
                      'user': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.UserResource(api_name=None)
Bases: tastypie.resources.ModelResource

class Meta

    allowed_methods = ['get']

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
```

```

authorization
    Authorisation class for Tastypie.

fields = ['username', 'first_name', 'last_name', 'email']

filtering = {'email': ('iexact',), 'username': ('exact',)}

object_class
    alias of django.contrib.auth.models.User

queryset

serializer = <tardis.tardis_portal.api.PrettyJSONSerializer object>

base_fields = {'email': <tastypie.fields.CharField object>, 'first_name': <tastypie.}

declared_fields = {'groups': <tastypie.fields.ManyToManyField object>}

dehydrate(bundle)
    use cases:

public user:
anonymous:
    name, uri, email, id
authenticated:
other user:
    name, uri, email, id [, username if facility manager]
same user:
    name, uri, email, id, username
private user:
anonymous:
    none
authenticated:
other user:
    name, uri, id [, username, email if facility manager]
same user:
    name, uri, email, id, username

```

`tardis.tardis_portal.api.lookup_by_unique_id_only(resource)`  
 returns custom lookup function. initialise with resource type

## [tardis.tardis\\_portal.constants module](#)

`constants.py`

@author: Gerson Galang

## [tardis.tardis\\_portal.context\\_processors module](#)

`tardis.tardis_portal.context_processors.global_contexts(request)`

`tardis.tardis_portal.context_processors.google_analytics(request)`  
 adds context for portal\_template.html

`tardis.tardis_portal.context_processors.registration_processor(request)`

`tardis.tardis_portal.context_processors.single_search_processor(request)`

`tardis.tardis_portal.context_processors.user_details_processor(request)`

```
tardis.tardis_portal.context_processors.user_menu_processor(request)
```

### tardis.tardis\_portal.creativecommonshandler module

Creative Commons Handler

A wrapper for creative commons interactions on a ParameterSet

```
class tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler(experiment_id=None,  
                           create=  
                           True)  
  
    experiment_id = None  
  
    get_or_create_cc_parameterset(create=True)  
        Gets the creative commons parameterset for the experiment :param create: If true, creates a new parameterset object to hold the cc license if one doesn't exist :type create: boolean :return: The parameterset manager for the cc parameterset :rtype: tardis.tardis_portal.ParameterSetManager.ParameterSetManager  
  
    has_cc_license()  
  
        Returns True if there's a cc license parameterset for the experiment  
  
        Return type boolean  
  
    psm = None  
  
    save_license(request)  
        Saves a license parameterset with the POST variables from the creative commons form :param request: a  
        HTTP Request instance :type request: django.http.HttpRequest  
  
    schema = 'http://www.tardis.edu.au/schemas/creative_commons/2011/05/17'
```

### tardis.tardis\_portal.deprecations module

Deprecation warnings

```
exception tardis.tardis_portal.deprecations.RemovedInMyTardis41Warning  
Bases: exceptions.DeprecationWarning
```

Used to raise warnings about deprecated functionality.

Usage:

```
import warnings  
  
warnings.warn(  
    "This method will be removed in MyTardis 4.1. "  
    "Please use method2 instead.",  
    RemovedInMyTardis41Warning  
)
```

```
exception tardis.tardis_portal.deprecations.RemovedInMyTardis42Warning  
Bases: exceptions.PendingDeprecationWarning
```

Used to raise warnings about deprecated functionality.

Usage:

```
import warnings

warnings.warn(
    "This method will be removed in MyTardis 4.2. "
    "Please use method2 instead.",
    RemovedInMyTardis42Warning
)
```

## tardis.tardis\_portal.download module

download.py

```
class tardis.tardis_portal.download.UncachedTarStream(mapped_file_objs, filename,
                                                    do_gzip=False, buffer-
                                                    size=131072, comp_level=6,
                                                    http_buffersize=65535)
```

Bases: `tarfile.TarFile`

Stream files into a compressed tar stream on the fly

`close_gzip()`

`compress(buf)`

`compute_size()`

`get_response(tracker_data=None)`

`make_tar()`

main tar generator. until python 3 needs to be in one function because ‘yield’s don’t bubble up.

`prepare_output(uc_buf, remainder)`

`tarinfo_for_df(df, name)`

`tardis.tardis_portal.download.classic_mapper(roottdir)`

`tardis.tardis_portal.download.download_api_key(request, *args, **kwargs)`

`tardis.tardis_portal.download.download_datafile(request, datafile_id)`

`tardis.tardis_portal.download.get_download_organizations()`

`tardis.tardis_portal.download.make_mapper(organization, roottdir)`

`tardis.tardis_portal.download.streaming_download_datafiles(request)`

takes string parameter “comptype” for compression method. Currently implemented: “tgz” and “tar”. The datafiles to be downloaded are selected using “datafile”, “dataset” or “url” parameters. An “expid” parameter may be supplied for use in the download archive name. If “url” is used, the “expid” parameter is also used to limit the datafiles to be downloaded to a given experiment.

`tardis.tardis_portal.download.view_datafile(request, datafile_id)`

## tardis.tardis\_portal.email module

`tardis.tardis_portal.email.build_template_html(template_filename, context)`

`tardis.tardis_portal.email.build_template_text(template_filename, context)`

`tardis.tardis_portal.email.email_user(subject, template_filename, context, user)`

## tardis.tardis\_portal.errors module

Created on 02/09/2010

```
exception tardis.tardis_portal.errors.ParameterChoicesFormatError(msg)
    Bases: exceptions.Exception

exception tardis.tardis_portal.errors.SearchQueryTypeUnprovidedError(msg)
    Bases: exceptions.Exception

exception tardis.tardis_portal.errors.UnsupportedSearchQueryTypeError(msg)
    Bases: exceptions.Exception
```

## tardis.tardis\_portal.fields module

```
class tardis.tardis_portal.fields.MultiValueCommaSeparatedField(fields=(),
                                                               *args,
                                                               **kwargs)
    Bases: django.forms.fields.MultiValueField

    compress(data_list)
```

## tardis.tardis\_portal.forms module

forms module

```
class tardis.tardis_portal.forms.AddGroupPermissionsForm(data=None, files=None,
                                                          auto_id=u'id_%s', prefix=None, initial=None,
                                                          error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
                                                          empty_permitted=False, field_order=None,
                                                          use_required_attribute=None, renderer=None)
    Bases: django.forms.forms.Form

    base_fields = {'addgroup': <django.forms.fields.CharField object>, 'authMethod': <django.forms.fields.CharField object>}
    declared_fields = {'addgroup': <django.forms.fields.CharField object>, 'authMethod': <django.forms.fields.CharField object>}
    media = None

class tardis.tardis_portal.forms.AddUserPermissionsForm(data=None, files=None,
                                                       auto_id=u'id_%s', prefix=None, initial=None,
                                                       error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
                                                       empty_permitted=False, field_order=None,
                                                       use_required_attribute=None, renderer=None)
    Bases: django.forms.forms.Form

    base_fields = {'authMethod': <django.forms.fields.CharField object>, 'autocomp_user': <django.forms.fields.CharField object>}
```

```
declared_fields = {'authMethod': <django.forms.fields.CharField object>, 'autocomp_us
media

class tardis.tardis_portal.forms.ChangeGroupPermissionsForm(data=None,
    files=None,
    auto_id=u'id_%s',
    prefix=None,     ini-
    tial=None,       er-
    ror_class=<class
        'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    field_order=None,
    use_required_attribute=None,
    renderer=None)

Bases: django.forms.forms.Form

base_fields = {'canDelete': <django.forms.fields.BooleanField object>, 'canRead': <d
declared_fields = {'canDelete': <django.forms.fields.BooleanField object>, 'canRead': <d
media

class tardis.tardis_portal.forms.ChangeUserPermissionsForm(data=None,
    files=None,
    auto_id=u'id_%s',
    prefix=None,     ini-
    tial=None,       er-
    ror_class=<class
        'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    instance=None,
    use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta

    class ObjectACL (*args, **kwargs)
        Bases: django.db.models.base.Model
```

The ObjectACL (formerly ExperimentACL) table is the core of the Tardis Authorisation framework

**Attribute pluginId** the the name of the auth plugin being used

**Attribute entityId** a foreign key to auth plugins

**Attribute object\_type** a foreign key to ContentType

**Attribute object\_id** the primary key/id of the object\_type

**Attribute canRead** gives the user read access

**Attribute canWrite** gives the user write access

**Attribute canDelete** gives the user delete permission

**Attribute isOwner** the experiment owner flag.

**Attribute effectiveDate** the date when access takes into effect

**Attribute expiryDate** the date when access ceases

**Attribute aclOwnershipType** system-owned or user-owned.

System-owned ACLs will prevent users from removing or editing ACL entries to a particular experiment they own. User-owned ACLs will allow experiment owners to remove/add/edit ACL entries to the experiments they own.

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

OWNER_OWNED = 1
SYSTEM_OWNED = 2

aclOwnershipType
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

canDelete
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

canRead
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

canWrite
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

content_object
    Provide a generic many-to-one relation through the content_type and object_id fields.

    This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

content_type
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:



```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```



    child.parent is a ForwardManyToOneDescriptor instance.

content_type_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

effectiveDate
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

entityId
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

expiryDate
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

get_aclOwnershipType_display(**morekwargs)
classmethod get_effective_query()
```

**get\_related\_object()**  
If possible, resolve the pluginId/entityId combination to a user or group object.

**get\_related\_object\_group()**  
If possible, resolve the pluginId/entityId combination to a user or group object.

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isOwner**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**object\_id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**openidaclmigration\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**pluginID**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
fields = ['canDelete', 'canRead', 'canWrite', 'effectiveDate', 'expiryDate', 'isOwner']
model
    alias of tardis.tardis_portal.models.access_control.ObjectACL
```

```
widgets = {'effectiveDate': <django.forms.widgets.SelectDateWidget object>, 'expiryDate': <django.forms.widgets.SelectDateWidget object>}
```

```
base_fields = {'canDelete': <django.forms.fields.BooleanField object>, 'canRead': <django.forms.fields.BooleanField object>, 'canWrite': <django.forms.fields.BooleanField object>}
```

```
declared_fields = {}
```

**media**

```
class tardis.tardis_portal.forms.CreateGroupPermissionsForm(data=None,
    files=None,
    auto_id=u'id_%s',
    prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
```

Bases: django.forms.Form

```
base_fields = {'addgroup': <django.forms.fields.CharField object>, 'adduser': <django.forms.fields.CharField object>}
declared_fields = {'addgroup': <django.forms.fields.CharField object>, 'adduser': <django.forms.fields.CharField object>}
media

class tardis.tardis_portal.forms.CreateUserPermissionsForm(data=None,
                                                             files=None,
                                                             auto_id=u'id_%s',
                                                             prefix=None,      initial=None,      error_class=<class 'django.forms.utils.ErrorList'>,
                                                             label_suffix=None, empty_permitted=False,
                                                             field_order=None, use_required_attribute=None,
                                                             renderer=None)
Bases: tardis.tardis_portal.forms.RegistrationForm

base_fields = {'authMethod': <django.forms.fields.CharField object>, 'email': <django.forms.fields.CharField object>}
declared_fields = {'authMethod': <django.forms.fields.CharField object>, 'email': <django.forms.fields.CharField object>}
media

class tardis.tardis_portal.forms.DatasetForm(data=None,           files=None,
                                              auto_id=u'id_%s',      prefix=None,
                                              initial=None,          error_class=<class 'django.forms.utils.ErrorList'>,
                                              label_suffix=None,      empty_permitted=False,  instance=None,
                                              use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = ['description', 'directory', 'instrument']

    model
        alias of tardis.tardis_portal.models.dataset.Dataset
base_fields = {'description': <django.forms.fields.CharField object>, 'directory': <django.forms.fields.CharField object>}
declared_fields = {'description': <django.forms.fields.CharField object>}
media

class tardis.tardis_portal.forms.ExperimentAuthor(data=None,           files=None,
                                                   auto_id=u'id_%s',      prefix=None,
                                                   initial=None,          error_class=<class 'django.forms.utils.ErrorList'>,
                                                   label_suffix=None,      empty_permitted=False,
                                                   instance=None,
                                                   use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = ['author', 'institution', 'email', 'order', 'url']
```

```

model
    alias of tardis.tardis_portal.models.experiment.ExperimentAuthor

base_fields = {'author': <django.forms.fields.CharField object>, 'email': <django.forms.fields.EmailField object>}

declared_fields = {}

media

class tardis.tardis_portal.forms.ExperimentForm(data=None, files=None, auto_id='%', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=':', empty_permitted=False, instance=None, extra=0)
Bases: django.forms.ModelForm

This handles the complex experiment forms.

All internal datasets forms are prefixed with dataset_, and all internal dataset file fields are prefixed with file_. These are parsed out of the post data and added to the form as internal lists.

class FullExperiment(**kwargs)
Bases: UserDict.UserDict

This is a dict wrapper that store the values returned from the tardis.tardis_portal.forms.ExperimentForm.save() function. It provides a convience method for saving the model objects.

save_m2m()
{'experiment': experiment, 'experiment_authors': experiment_authors, 'authors': authors, 'datasets': datasets, 'datafiles': datafiles}

class Meta

fields = ('title', 'institution_name', 'description')

model
alias of tardis.tardis_portal.models.experiment.Experiment

base_fields = {'description': <django.forms.fields.CharField object>, 'institution_name': <django.forms.fields.CharField object>}

declared_fields = {'url': <django.forms.fields.CharField object>}

is_valid()
Test the validity of the form, the form may be invalid even if the error attribute has no contents. This is because the returnd value is dependent on the validity of the nested forms.

This validity also takes into account forign keys that might be dependent on an unsaved model.

Returns validity
Return type bool

media

save (commit=True)

```

```
class tardis.tardis_portal.forms.ImportParamsForm(data=None, files=None,
                                                 auto_id=u'id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 field_order=None,
                                                 use_required_attribute=None,
                                                 renderer=None)
Bases: django.forms.forms.Form

base_fields = {'params': <django.forms.fields.FileField object>, 'password': <django.forms.fields.CharField object>}
declared_fields = {'params': <django.forms.fields.FileField object>, 'password': <django.forms.fields.CharField object>}
media

class tardis.tardis_portal.forms.LoginForm(*args, **kwargs)
Bases: django.contrib.auth.forms.AuthenticationForm

base_fields = {'password': <django.forms.fields.CharField object>, 'username': <django.forms.fields.CharField object>}
declared_fields = {'password': <django.forms.fields.CharField object>, 'username': <django.forms.fields.CharField object>}
media

class tardis.tardis_portal.forms.ManageAccountForm(data=None, files=None,
                                                 auto_id=u'id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 instance=None,
                                                 use_required_attribute=None)
Bases: django.forms.models.ModelForm

Form for changing account details.

class Meta

    fields = ('first_name', 'last_name', 'email')
    model
        alias of django.contrib.auth.models.User
    base_fields = {'email': <django.forms.fields.EmailField object>, 'first_name': <django.forms.fields.CharField object>}
    declared_fields = {}
    media
```

```
class tardis.tardis_portal.forms.ManageGroupPermissionsForm(data=None,
                                                               files=None,
                                                               auto_id=u'id_%s',
                                                               prefix=None,    initial=None,      error_class=<class 'django.forms.utils.ErrorList'>,
                                                               label_suffix=None, empty_permitted=False,
                                                               field_order=None, use_required_attribute=None,
                                                               renderer=None)

Bases: django.forms.Form

base_fields = {'adduser': <django.forms.fields.CharField object>, 'admin': <django.forms.fields.CharField object>}

declared_fields = {'adduser': <django.forms.fields.CharField object>, 'admin': <django.forms.fields.CharField object>}

media

class tardis.tardis_portal.forms.NoInput(attrs=None)
Bases: django.forms.widgets.Widget

media

render(name, value, attrs=None)

class tardis.tardis_portal.forms.RawSearchForm(*args, **kwargs)
Bases: haystack.forms.SearchForm

base_fields = {'q': <django.forms.fields.CharField object>}

declared_fields = {'q': <django.forms.fields.CharField object>}

media

search()

class tardis.tardis_portal.forms.RegisterExperimentForm(data=None, files=None,
                                                       auto_id=u'id_%s', prefix=None, initial=None,
                                                       error_class=<class 'django.forms.utils.ErrorList'>,
                                                       label_suffix=None, empty_permitted=False,
                                                       field_order=None, use_required_attribute=None,
                                                       renderer=None)

Bases: django.forms.Form

base_fields = {'experiment_owner': <django.forms.fields.CharField object>, 'from_url': <django.forms.fields.CharField object>}

declared_fields = {'experiment_owner': <django.forms.fields.CharField object>, 'from_url': <django.forms.fields.CharField object>}

media
```

```
class tardis.tardis_portal.forms.RegistrationForm(data=None, files=None,
auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
```

Bases: django.forms.forms.Form

Form for registering a new user account.

Validates that the requested username is not already in use, and requires the password to be entered twice to catch typos.

Subclasses should feel free to add any additional validation they need, but should avoid defining a `save()` method – the actual saving of collected user data is delegated to the active registration backend.

```
base_fields = {'email': <django.forms.fields.EmailField object>, 'password1': <django.forms.fields.CharField object>}

clean()
Verify that the values entered into the two password fields match. Note that an error here will end up in non_field_errors() because it doesn't apply to a single field.

clean_username()
Validate that the username is alphanumeric and is not already in use.

declared_fields = {'email': <django.forms.fields.EmailField object>, 'password1': <django.forms.fields.CharField object>}

media

save(**kwargs)
```

```
class tardis.tardis_portal.forms.RightsForm(data=None, files=None,
auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None)
```

Bases: django.forms.models.ModelForm

Form for changing public access and licence.

class Meta

```
fields = ('public_access', 'license')

model
alias of tardis.tardis_portal.models.experiment.Experiment

widgets = {'license': <django.forms.widgets.HiddenInput object>}

base_fields = {'license': <django.forms.models.ModelChoiceField object>, 'public_access': <django.forms.models.ModelChoiceField object>}

clean()

declared_fields = {}

media
```

```
class tardis.tardis_portal.forms.StaticField(required=True,           widget=None,
                                              label=None,             initial=None,
                                              help_text=u'',          error_messages=None,
                                              show_hidden_initial=False, validators=(),
                                              localize=False, disabled=False,
                                              label_suffix=None)

Bases: django.forms.fields.Field

clean(value)

widget
alias of NoInput

tardis.tardis_portal.forms.createLinkedUserAuthenticationForm(authMethods)
Create a LinkedUserAuthenticationForm and use the contents of authMethods to the list of options in the drop-down menu for authenticationMethod.

tardis.tardis_portal.forms.createSearchExperimentForm()

tardis.tardis_portal.forms.create_datafile_add_form(schema, parentObject, request=None)

tardis.tardis_portal.forms.create_parameterset_edit_form(parameterset, request=None)

tardis.tardis_portal.forms.getAuthMethodChoices()

tardis.tardis_portal.forms.save_datafile_add_form(schema, parentObject, request)

tardis.tardis_portal.forms.save_datafile_edit_form(parameterset, request)
```

## tardis.tardis\_portal.hacks module

hacks.py For hacks which should be removed at a later stage

```
tardis.tardis_portal.hacks.oracle_dbops_hack(f)
affects only oracle - safe for other database engines
```

## tardis.tardis\_portal.iiif module

```
tardis.tardis_portal.iiif.compliance_header(f)
tardis.tardis_portal.iiif.compute_etag(request, datafile_id, *args, **kwargs)
tardis.tardis_portal.iiif.download_image(request, *args, **kwargs)
tardis.tardis_portal.iiif.download_info(request, *args, **kwargs)
```

## tardis.tardis\_portal.logging\_middleware module

```
class tardis.tardis_portal.logging_middleware.LoggingMiddleware(get_response)
Bases: object

process_exception(request, exception)

process_response(request, response)

tardis.tardis_portal.logging_middleware.get_client_ip(request)
```

## tardis.tardis\_portal.managers module

managers.py

```
class tardis.tardis_portal.managers.ExperimentManager  
Bases: tardis.tardis_portal.managers.OracleSafeManager
```

Implements a custom manager for the Experiment model which checks the authorisation rules for the requesting user first

To make this work, the request must be passed to all class functions. The username and the group memberships are then resolved via the user.userprofile.ext\_groups and user objects.

The tardis.tardis\_portal.auth.AuthService is responsible for filling the request.groups object.

**all**(user)

Returns all experiments a user - either authenticated or anonymous - is allowed to see and search

**Parameters** `user` (`User`) – a User instance

**Returns** QuerySet of Experiments

**Return type** QuerySet

**external\_users**(experiment\_id)

returns a list of groups which have external ACL rules

**Parameters** `experiment_id` (`int`) – the ID of the experiment to be edited

**Returns** list of groups with external ACLs

**Return type** list

**get**(user, experiment\_id)

Returns an experiment under the consideration of the ACL rules Raises `PermissionDenied` if the user does not have access.

**Parameters**

- `user` (`User`) – a User instance
- `experiment_id` (`int`) – the ID of the experiment to be edited

**Returns** Experiment

**Return type** `Experiment`

**Raises** `PermissionDenied` –

**group\_acls\_system\_owned**(experiment\_id)

Returns a list of ACL rules associated with this experiment.

**Parameters** `experiment_id` (`int`) – the ID of the experiment

**Returns** QuerySet of system-owned ACLs for experiment

**Return type** QuerySet

**group\_acls\_user\_owned**(experiment\_id)

Returns a list of ACL rules associated with this experiment.

**Parameters** `experiment_id` (`int`) – the ID of the experiment

**Returns** QuerySet of ACLs

**Return type** QuerySet

**owned** (*user*)  
Return all experiments which are owned by a particular user, including those shared with a group of which the user is a member.

**Parameters** **user** (*User*) – a User instance  
**Returns** QuerySet of Experiments owned by user  
**Return type** QuerySet

**owned\_and\_shared** (*user*)

**owned\_by\_group** (*group*)  
Return all experiments that are owned by a particular group

**owned\_by\_user** (*user*)  
Return all experiments which are owned by a particular user id

**Parameters** **user** (*User*) – a User Object  
**Returns** QuerySet of Experiments owned by user  
**Return type** QuerySet

**owned\_by\_user\_id** (*userId*)  
Return all experiments which are owned by a particular user id

**Parameters** **userId** (*int*) – a User ID  
**Returns** QuerySet of Experiments owned by user id  
**Return type** QuerySet

**public** ()

**shared** (*user*)

**system\_owned\_groups** (*experiment\_id*)  
returns a list of system-owned groups which have ACL rules associated with this experiment

**Parameters** **experiment\_id** (*string*) – the ID of the experiment to be edited  
**Returns** system owned groups for experiment  
**Return type** QuerySet

**user\_acls** (*experiment\_id*)  
Returns a list of ACL rules associated with this experiment.

**Parameters** **experiment\_id** (*string*) – the ID of the experiment  
**Returns** QuerySet of ACLs  
**Return type** QuerySet

**user\_owned\_groups** (*experiment\_id*)  
returns a list of user owned-groups which have ACL rules associated with this experiment

**Parameters** **experiment\_id** (*int*) – the ID of the experiment to be edited  
**Returns** QuerySet of non system Groups  
**Return type** QuerySet

**users** (*experiment\_id*)  
Returns a list of users who have ACL rules associated with this experiment.

**Parameters** **experiment\_id** (*int*) – the ID of the experiment

**Returns** QuerySet of Users with experiment access

**Return type** QuerySet

```
class tardis.tardis_portal.managers.OracleSafeManager
```

Bases: django.db.models.manager.Manager

Implements a custom manager which automatically defers the retrieval of any TextField fields on calls to get\_queryset. This is to avoid the known issue that ‘distinct’ calls on query\_sets containing TextFields fail when Oracle is being used as the backend.

```
get_queryset()
```

Returns a new QuerySet object. Subclasses can override this method to easily customize the behavior of the Manager.

```
class tardis.tardis_portal.managers.ParameterNameManager
```

Bases: django.db.models.manager.Manager

```
get_by_natural_key(namespace, name)
```

```
class tardis.tardis_portal.managers.SchemaManager
```

Bases: django.db.models.manager.Manager

```
get_by_natural_key(namespace)
```

## tardis.tardis\_portal.rfc3339 module

The function `rfc3339` formats dates according to the [RFC 3339](#). `rfc3339` tries to have as much as possible sensible defaults.

```
tardis.tardis_portal.rfc3339.rfc3339(date, utc=False, use_system_timezone=True)
```

Return a string formatted according to the [RFC 3339](#). If called with `utc=True`, it normalizes `date` to the UTC date. If `date` does not have any timezone information, uses the local timezone:

```
>>> date = datetime.datetime(2008, 4, 2, 20)
>>> rfc3339(date, utc=True, use_system_timezone=False)
'2008-04-02T20:00:00Z'
>>> rfc3339(date)
'2008-04-02T20:00:00...'
```

If called with `use_system_time=False` don’t use the local timezone and consider the offset to UTC to be zero:

```
>>> rfc3339(date, use_system_timezone=False)
'2008-04-02T20:00:00+00:00'
```

`date` must be a a `datetime.datetime`, `datetime.date` or a timestamp as returned by `time.time()`:

```
>>> rfc3339(0, utc=True, use_system_timezone=False)
'1970-01-01T00:00:00Z'
>>> rfc3339(datetime.date(2008, 9, 6), use_system_timezone=False)
'2008-09-06T00:00:00+00:00'
>>> rfc3339('foo bar')
Traceback (most recent call last):
...
TypeError: expected datetime, got str instead
```

## tardis.tardis\_portal.search\_backend module

```
class tardis.tardis_portal.search_backend.HighlightSearchBackend(connection_alias,
                                                               **connection_options)
Bases: haystack.backends.elasticsearch_backend.ElasticsearchSearchBackend

search(query_string, sort_by=None, start_offset=0, end_offset=None, fields='', highlight=False, facets=None, date_facets=None, query_facets=None, narrow_queries=None, spelling_query=None, limit_to_registered_models=None, result_class=None, **kwargs)
```

## tardis.tardis\_portal.search\_query module

```
search_backend.py

class tardis.tardis_portal.search_query.FacetFixedSearchQuery(using=u'default')
Bases: haystack.backends.elasticsearch_backend.ElasticsearchSearchQuery

get_facet_counts()
```

## tardis.tardis\_portal.shortcuts module

```
class tardis.tardis_portal.shortcuts.RestfulExperimentParameterSet(schema_func,
                                                                    form_cls)
Bases: object

Helper class which enables a Backbone.sync-compatible interface to be created for a ExperimentParameterSet just by specifying a function which provides the schema and a form.

(A function for the schema is required rather than the actual schema, as to run unit tests effectively the object needs to be able to create the schema after instantiation.)

For UI consistency, it's best to make sure the schema has hidden == true.

schema
    Use schema function to get the schema.

view_functions

tardis.tardis_portal.shortcuts.get_experiment_referer(request, dataset_id)
tardis.tardis_portal.shortcuts.redirect_back_with_error(request, message)
tardis.tardis_portal.shortcuts.render_error_message(request, message, status=400)
    Render a simple text error message in a generic error page. Any newlines are turned into <br>.

tardis.tardis_portal.shortcuts.render_response_index(request, *args, **kwargs)
tardis.tardis_portal.shortcuts.render_response_search(request, url, c)
tardis.tardis_portal.shortcuts.render_to_file(template, filename, context)
tardis.tardis_portal.shortcuts.return_response_error(request)
tardis.tardis_portal.shortcuts.return_response_error_message(request, redirect_path, context)
tardis.tardis_portal.shortcuts.return_response_not_found(request)
```

## tardis.tardis\_portal.signals module

### tardis.tardis\_portal.tasks module

`tardis.tardis_portal.tasks.get_response(_)`

`tardis.tardis_portal.tasks.init_filters()`

load filters and avoid circular import

### tardis.tardis\_portal.util module

`tardis.tardis_portal.util.generate_file_checksums(sourceFile, tempFile=None, leave_open=False)`

DEPRECATED Generate checksums, etcetera for a file read from ‘sourceFile’. If ‘tempFile’ is provided, the bytes are written to it as they are read. The result is a tuple comprising the MD5 checksum, the SHA512 checksum, the file length, and chunk containing the start of the file (for doing mimetype guessing if necessary).

`tardis.tardis_portal.util.get_filesystem_safe_dataset_name(dataset)`

Given a Dataset, return a filesystem safe string representing the dataset. Useful for filenames for dataset downloads, maybe URLs.

**Parameters** `dataset` (`tardis.tardis_portal.models.dataset.Dataset`) – A Dataset object.

**Returns** A filesystem safe string as a Dataset name.

**Return type** basestring

`tardis.tardis_portal.util.get_filesystem_safe_experiment_name(experiment)`

Given an Experiment, return a filesystem safe string representing the experiment. Useful for filenames for experiment downloads, maybe URLs.

**Parameters** `experiment` (`tardis.tardis_portal.models.experiment.Experiment`) – A Experiment object.

**Returns** A filesystem safe string as a Experiment name.

**Return type** basestring

`tardis.tardis_portal.util.get_free_space(fs_dir)`

Return free space on the file system holding the given directory (in bytes). This should work on Linux, BSD, Mac OSX and Windows.

`tardis.tardis_portal.util.get_local_time(dt)`

Ensure datetime is timezone-aware and in local time.

If the USE\_TZ setting in the current dev version of Django comes in, this *should* keep providing correct behaviour.

`tardis.tardis_portal.util.get_utc_time(dt)`

Ensure datetime is timezone-aware and in UTC time.

If the USE\_TZ setting in the current dev version of Django comes in, this *should* keep providing correct behaviour.

`tardis.tardis_portal.util.render_mustache(template_name, data)`

`tardis.tardis_portal.util.render_public_access_badge(experiment)`

`tardis.tardis_portal.util.split_path(p)`

## tardis.tardis\_portal.widgets module

```
class tardis.tardis_portal.widgets.CommaSeparatedInput(attrs=None)
    Bases: django.forms.widgets.TextInput

    media

    render(name, value, attrs=None, renderer=None)

    value_from_datadict(data, files, name)

class tardis.tardis_portal.widgets.Label(attrs=None)
    Bases: django.forms.widgets.Widget

    media

    render(name, value, attrs=None)

    tag = 'label'

class tardis.tardis_portal.widgets.Span(attrs=None)
    Bases: tardis.tardis_portal.widgets.Label

    media

    tag = 'span'
```

## tardis.tardis\_portal.xmlwriter module

```
class tardis.tardis_portal.xmlwriter.XMLWriter

    static write_template_to_dir(dest_dir, dest_filename, template_path, context)

        Parameters
            • dest_dir (string) – The directory to store the resulting document in
            • dest_filename (string) – The name of the file to be output
            • template_path (string) – The relative path to the Django template to be rendered
            • context (django.template.context.Context) – The Context object (dictionary of variables for template output)

        Returns The full path to the created file

        Return type string

    static write_template_to_file(prefix_dir, objectprefix, uniqueid, templatepath, context)

        Parameters
            • prefix_dir (string) – The subdirectory off of the OAI_DOCS_PATH to store the resulting document in
            • objectprefix (string) – The name prefix of the resulting file. Files are output in the format prefix-uniqueid.xml
            • uniqueid (string) – The unique ID of the file to be output
            • templatepath (string) – The relative path to the Django template to be rendered
            • context (django.template.context.Context) – The Context object (dictionary of variables for template output)
```

**Returns** The full path to the created file

**Return type** string

**static** `write_xml_to_file(prefix_dir, objectprefix, uniqueid, xmlstring)`

**Parameters**

- **prefix\_dir** (string) – The subdirectory off of the OAI\_DOCS\_PATH to store the resulting document in
- **objectprefix** (string) – The name prefix of the resulting file. Files are output in the format prefix-uniqueid.xml
- **uniqueid** (string) – The unique ID of the file to be output
- **xmlstring** (string) – The relative path to the Django template to be rendered

**Returns** The full path to the created file

**Return type** string

```
tardis.tardis_portal.xmlwriter.logger = <celery.utils.log.ProcessAwareLogger object>
XML Writer
```

A set of static methods for writing xml files.

## Module contents

importing all views files here, so that any old code will work as expected, when importing from tardis.tardis\_portal.views

models/\_\_init\_\_.py

## tardis.urls package

### Submodules

[tardis.urls.accounts module](#)

[tardis.urls.ajax module](#)

[tardis.urls.api module](#)

[tardis.urls.core module](#)

[tardis.urls.datafile module](#)

[tardis.urls.dataset module](#)

[tardis.urls.display module](#)

[tardis.urls.download module](#)

[tardis.urls.experiment module](#)[tardis.urls.facility module](#)[tardis.urls.group module](#)[tardis.urls.token module](#)**Module contents****Submodules**[tardis.app\\_config module](#)

```
class tardis.app_config.AbstractTardisAppConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
```

All MyTardis app configuration classes should extend this abstract class to have their APIs and URLs automatically added to URL routing.

```
app_dependencies = []
```

```
tardis.app_config.check_app_dependencies(app_configs, **kwargs)
```

Checks currently installed apps for dependencies required by installed apps as defined by the app\_dependencies attribute of the AppConfig object, if present.

**Parameters**

- **app\_configs** (*AppConfig*) – a list of app\_configs to check, or None for all apps to be checked
- **kwargs** (*list of args*) – unknown list of args

**Returns** a list of unsatisfied dependencies

**Return type** list of strings

```
tardis.app_config.format_app_name_for_url(name)
```

```
tardis.app_config.get_tardis_apps()
```

Gets a list of tuples where the first element is the app name, and the second is the module path

**Returns** a list of tardis apps

**Return type** list of apps

```
tardis.app_config.is_tardis_app(app_config)
```

Determines whether the installed app is a MyTardis app

**Parameters** **app\_config** (*AppConfig*) – the AppConfig object of an installed app

**Returns** True if the app is a MyTardis app, False otherwise

**Return type** bool

[tardis.celery module](#)

[tardis.search\\_sites module](#)

[tardis.test\\_on\\_mysql\\_settings module](#)

[tardis.test\\_on\\_postgresql\\_settings module](#)

[tardis.test\\_settings module](#)

`tardis.test_settings.get_all_tardis_apps()`

[tardis.views module](#)

`tardis.views.error_handler(request, **kwargs)`

## Module contents

importing all views files here, so that any old code will work as expected, when importing from `tardis.tardis_portal.views`

`models/__init__.py`

## 11.4 Documentation for included Apps

### 11.4.1 Apps and Contextual Views

#### Introduction

In order to better represent specific data types and facilities, MyTardis allows apps to override the default views for Experiments, Datasets, DataFile metadata, and the main index and login pages. The following sections detail settings and requirements of apps to make this happen.

#### Datafile Views

#### Rationale

By default there exists an option to show the metadata of individual DataFiles in the default Dataset view. Some kinds of files allow for rich and useful visualisation and/or processing. For this purpose there exist contextual views, views that are available depending on the type of file they refer to.

#### User Guide

A default installation has no contextual views. To enable them a few steps are needed:

- an app needs to be installed either in `tardis/apps/`, or the app's configuration must subclass `AbstractTardisAppConfig` thereby enabling autodetection. `AbstractTardisAppConfig` replaces  `AppConfig` as described in these [django docs](#).

- DataFile s need to be manually or automatically tagged with a schema that identifies them as viewable with a particular view. Filters are a convenient way to do this. See below for an example.
- settings need to be added to settings.py. A list called DATAFILE\_VIEWS holds a tuple for each available view. The first entry of the tuple is a schema namespace and is matched against all schemas attached to the DataFile. If a match occurs, a link to the url given as second entry of the tuple is added to the Datafile Detail section of the default Dataset view and loaded via AJAX on demand. Example:

```
DATAFILE_VIEWS = [("http://example.org/schemas/datafile/my_awesome_schema",
                  "/apps/my-awesome-app/view"), ]
```

Currently, the default view is always DataFile metadata. This can be changed, for example, by developing a custom Dataset view, which is explained in the following section.

## Dataset and Experiment Views

### Rationale

For some specific uses the data available can be presented and/or processed in useful ways. MyTardis allows views for Experiments and Datasets to be overridden by apps on a per-schema basis, allowing custom views for specific data types. The example that this feature was built for are single-image and many-image datasets from the Australian Synchrotron. Single images can be displayed large and for a many-image dataset it is more useful to show a couple of example images taken at regular intervals not from the beginning of the set of files. These different datasets can be detected via their schema namespace and displayed differently.

### User Guide

Akin to DataFile contextual views, Dataset and Experiment contextual views rely on matching a specific schema namespace in an attached ParameterSet.

Existing schemas can be used, or a special schema intended only for tagging an Experiment or Dataset for contextual view override can be attached (via an otherwise empty ParameterSet).

**Dataset and Experiment contextual views are configured in settings by** associating a schema namespace with a class-based view (or view function).

Unlike DataFile contextual views which inject content into the DOM via an AJAX call, these contextual views override the entire page.

Example:

```
DATASET_VIEWS = [
    ('http://example.org/schemas/dataset/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomDatasetViewSubclass'),
]

EXPERIMENT_VIEWS = [
    ('http://example.org/schemas/expt/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomExptViewSubclass'),
]
```

### Custom Index View

### Rationale

Specific sites or facilities often want to display a custom index page that presents recently ingested experiments in a way which is more meaningful for their particular domain or application. MyTardis support overriding the index page (/) on a per-domain or per-Site basis.

### User Guide

Example:

```
INDEX_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomIndexSubclass',
    'facility.example.org': 'tardis.apps.myapp.AnotherCustomIndexSubclass'
}
```

A custom view override is defined in settings as dictionary mapping a class-based view (or view function) to a Django Site. A Site is specified by SITE\_ID (an integer) or the domain name of the incoming request.

Developers creating custom contextual index views are encouraged to subclass `tardis.tardis_portal.views.pages.IndexView`.

### Custom Login View

### Rationale

Specific sites or facilities may want to display a custom login page that which is more meaningful to their particular domain or application. MyTardis supports overriding the login page (/login) on a per-domain or per-Site basis.

### User Guide

Example:

```
LOGIN_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomLoginViewClass',
    'facility.example.org': 'tardis.apps.myapp.AnotherCustomLoginViewClass'
}
```

A custom view override is defined in settings as dictionary mapping a class-based view (or view function) to a Django Site. A Site is specified by SITE\_ID (an integer) or the domain name of the incoming request.

### Good practice for app developers

In order to benefit from future bug and security fixes in core MyTardis, app developers are strongly encouraged to override `IndexView`, `DatasetView` and `ExperimentView` (from `tardis.tardis_portal.pages`) when creating custom contextual views.

The default and well-tested `index.html`, `login.html`, `view_dataset.html` and `view_experiment.html` templates can be used as a basis for these custom contextual views.

New versions may change the default templates and view functions. If you copy and paste parts for your application, please check with each upgrade that you are still using up to date code.

## 11.4.2 OAI-PMH Producer

### Using to provide RIF-CS

Minimal providers for Dublin Core and RIF-CS are included in the app.

To enable the app, include `tardis.apps.oaipmh` in `settings.INSTALLED_APPS`.

Your OAI-PMH query endpoint will be on: <http://mytardis-example.com/apps/oaipmh/>

### Implementing your own providers

To allow multiple metadata formats (and types within them) the `tardis.apps.oaipmh.server.ProxyingServer` handles all requests and proxies them to the providers specified in `settings.OAIPMH_PROVIDERS`.

You should extend `tardis.apps.oaipmh.provider.base.BaseProvider` or one of the existing providers if you wish to extend the functionality in a site-specific way.

**class** `tardis.apps.oaipmh.provider.base.BaseProvider(site)`

A base provider which roughly implements the PyOAI interface for OAI-PMH servers.

Extend this if you're writing your own provider for a new type or a different metadata format.

**getRecord(metadataPrefix, identifier)**

Get a record for a metadataPrefix and identifier.

#### Parameters

- **metadataPrefix** (`string`) – identifies metadata set to retrieve
- **identifier** (`string`) –
  - repository-unique identifier of record

#### Raises

- `oaipmh.error.CannotDisseminateFormatError` – if metadataPrefix is unknown or not supported by identifier.
- `oaipmh.error.IdDoesNotExistError` – if identifier is unknown or illegal.

**Returns** a header, metadata, about tuple describing the record.

**identify()**

Retrieve information about the repository.

Returns an Identify object describing the repository.

**listIdentifiers(metadataPrefix, set=None, from\_=None, until=None)**

Get a list of header information on records.

#### Parameters

- **metadataPrefix** (`string`) – identifies metadata set to retrieve
- **set** (`string`) – set identifier; only return headers in set
- **from** (`datetime`) – only retrieve headers from `from_` date forward (in naive UTC)
- **until** (`datetime`) – only retrieve headers with dates up to and including until date (in naive UTC)

#### Raises

- **error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of headers.

**listMetadataFormats** (*identifier*=*None*)

List metadata formats supported by repository or record.

**Parameters** **identifier** (*string*) – identify record for which we want to know all supported metadata formats. If absent, list all metadata formats supported by repository.

**Raises**

- **error.IdDoesNotExistError** – if record with identifier does not exist.
- **error.NoMetadataFormatsError** – if no formats are available for the indicated record.

**Returns** an iterable of *metadataPrefix*, *schema*, *metadataNamespace* tuples (each entry in the tuple is a string).

**listRecords** (*metadataPrefix*, *set*=*None*, *from\_*=*None*, *until*=*None*)

Get a list of header, metadata and about information on records.

**Parameters**

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return records in set
- **from** (*datetime*) – only retrieve records from *from\_* date forward (in naive UTC)
- **until** (*datetime*) – only retrieve records with dates up to and including until date (in naive UTC)

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if *metadataPrefix* is not supported by the repository.
- **oaipmh.error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of header, metadata, about tuples.

**listSets** ()

Get a list of sets in the repository.

**Raises** **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of *setSpec*, *setName* tuples (strings).

**writeMetadata** (*element*, *metadata*)

Create XML elements under the given element, using the provided metadata.

Should avoid doing any model-lookups, as they should be done when creating the metadata.

**Parameters**

- **element** (*lxml.etree.Element*) – element to put all content under (as SubElements)
- **metadata** (*oaipmh.common.Metadata*) – metadata to turn into XML

**Raises** **NotImplementedError** – not implemented

```
class tardis.apps.oaipmh.server.ProxyingServer(providers)
```

**getRecord**(*metadataPrefix*, *identifier*)

Get a record for a metadataPrefix and identifier.

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if no provider returns a result, but at least one provider responds with `oaipmh.error.CannotDisseminateFormatError` (meaning the identifier exists)
- **oaipmh.error.IdDoesNotExistError** – if all providers fail with `oaipmh.error.IdDoesNotExistError`

**Returns** first successful provider response

**Return type** response

**identify()**

Retrieve information about the repository.

**Returns** an `oaipmh.common.Identify` object describing the repository.

**Return type** `oaipmh.common.Identify`

**listIdentifiers**(*metadataPrefix*, *\*\*kwargs*)

Lists identifiers from all providers as a single set.

**Raises**

- **error.CannotDisseminateFormatError** – if *metadataPrefix* is not supported by the repository.
- **error.NoSetHierarchyError** – if a set is provided, as the repository does not support sets.

**Returns** a `set`.`Set` of headers.

**Return type** `set`

**listMetadataFormats**(*\*\*kwargs*)

List metadata formats from all providers in a single set.

**Raises**

- **error.IdDoesNotExistError** – if record with identifier does not exist.
- **error.NoMetadataFormatsError** – if no formats are available for the indicated record, but it does exist.

**Returns** a *frozense*t of *metadataPrefix*, schema, metadataNamespace tuples (each entry in the tuple is a string).

**Return type** `frozense`t

**listRecords**(*metadataPrefix*, *\*\*kwargs*)

Lists records from all providers as a single set.

**Raises**

- **error.CannotDisseminateFormatError** – if *metadataPrefix* is not supported by the repository.
- **error.NoSetHierarchyError** – if a set is provided, as the repository does not support sets.

**Returns** a set. Set of header, metadata, about tuples.

**Return type** set

**listSets()**

List sets.

**Raises** `oaipmh.error.NoSetHierarchyError` – because set hierarchies are currently not implemented

### 11.4.3 MyTardis Social Authentication

#### Usage

To enable the app, include `tardis.apps.social_auth` in `settings.INSTALLED_APPS`.

#### Adding backends

You will need to add authentication backends that you want to enable. To enable Google authentication add following AUTHENTICATION\_BACKENDS to `settings.py`

```
AUTHENTICATION_BACKENDS += (
    'social_core.backends.open_id.OpenIdAuth',
    'social_core.backends.google.GoogleOpenId',
    'social_core.backends.google.GoogleOAuth2',
)
```

To enable Australian Access federation(AAF) OpenID connect Provider(OIDC) authentication add following AUTHENTICATION\_BACKENDS to `settings.py`

```
AUTHENTICATION_BACKENDS += (
    'tardis.apps.social_auth.auth.authorisation-AAFOpenId',
)
```

#### Adding authentication providers

You will need add authentication providers that you want to enable.

```
AUTH_PROVIDERS += (
    ('Google', 'Google',
     'social_core.backends.google.GoogleOAuth2'),
    ('AAF', 'AAF',
     'tardis.apps.social_auth.auth.authorisation-AAFOpenId'),
)
```

#### Adding Exception Middleware

You may want to add exception middleware provided by `python-social-auth`. To do this add following to `settings.py`

```
MIDDLEWARE += (
    'social_django.middleware.SocialAuthExceptionMiddleware',
)
```

## Adding Context Processor

You will need to add following context processor to *settings.py*

```
TEMPLATES[0]['OPTIONS']['context_processors'].extend([
    'social_django.context_processors.backends',
    'social_django.context_processors.login_redirect'])
```

## Application setup

Once the application is enabled and installed define the following settings to enable authentication behaviour.

```
SOCIAL_AUTH_AAF_PIPELINE = (
    'social_core.pipeline.social_auth.social_details',
    'social_core.pipeline.social_auth.social_uid',
    'social_core.pipeline.social_auth.social_user',
    'social_core.pipeline.user.get_username',
    'social_core.pipeline.user.create_user',
    'tardis.apps.social_auth.auth.social_auth.add_authentication_method',
    'tardis.apps.social_auth.auth.social_auth.approve_user_auth',
    'tardis.apps.social_auth.auth.social_auth.add_user_permissions',
    'social_core.pipeline.social_auth.associate_user',
    'social_core.pipeline.social_auth.load_extra_data',
    'social_core.pipeline.user.user_details',
)
```

```
SOCIAL_AUTH_GOOGLE_OAUTH2_PIPELINE = (
    'social_core.pipeline.social_auth.social_details',
    'social_core.pipeline.social_auth.social_uid',
    'social_core.pipeline.social_auth.social_user',
    'social_core.pipeline.user.get_username',
    'social_core.pipeline.user.create_user',
    'tardis.apps.social_auth.auth.social_auth.add_authentication_method',
    'social_core.pipeline.social_auth.associate_user',
    'social_core.pipeline.social_auth.load_extra_data',
    'social_core.pipeline.user.user_details',
    'tardis.apps.social_auth.auth.social_auth.send_admin_email',
)
```

Get key and secrets from the OIDC provider that you want to enable and add following settings.

```
SOCIAL_AUTH_URL_NAMESPACE_BEGIN = 'social:begin',
SOCIAL_AUTH_GOOGLE_OAUTH2_KEY = 'Get this from Google'
SOCIAL_AUTH_GOOGLE_OAUTH2_SECRET = 'Get this from Google'
SOCIAL_AUTH_AAF_KEY = 'Get this from AAF'
SOCIAL_AUTH_AAF_SECRET = 'Get this from AAF'
SOCIAL_AUTH_AAF_AUTH_URL = 'Get this from AAF'
SOCIAL_AUTH_AAF_TOKEN_URL = 'Get this from AAF'
SOCIAL_AUTH_AAF_USER_INFO_URL = 'Get this from AAF'
```

## 11.5 Releases

### 11.5.1 4.0.2

- Upgraded Django to 1.11.23
- Upgraded vulnerable dependencies of JS dev dependencies
- Fixed #1844 (remove a hard-coded LDAP attribute)

### 11.5.2 4.0.1

- Removed anzsrc\_codes tardis app which contained a potentially insecure dependency (rdflib)
- Added created\_time and modified\_time fields in the Instrument and Facility models
- Updated Python and Javascript dependencies which had vulnerabilities reported since the v4.0 release.
- Fixed token authentication (#1531, 615d9df)
- Fixed some Font Awesome icons (1ac549d)
- Fixed an incomplete database migration for the Dataset created\_time field. This fix is included in the tardis/tardis\_portal/migrations/0016\_add\_timestamps.py migration which also adds the created\_time and modified\_time fields to the Instrument and Facility models (ec238b4)
- Removed hard-coded LDAP attributes (#1664, 96a0fbf)
- Fixed issue with get\_accessible\_datafiles\_for\_user potentially returning an empty list instead of an empty QuerySet (a13cefc)
- Fixed issue with Add/Save Experiment Metadata - added a form attribute to the Save button. (fd2393a)
- In S3 storage documentation, removed reference to old fork of django-storages. (f0c62d5)
- Fixed issue where MyTardis could try to verify SHA512 sums even when COMPUTE\_SHA512 was set to False (#1419, 1da1b3b)
- In S3 storage documentation, removed reference to old fork of django-storages. (f0c62d5)
- Fixed issue where MyTardis could try to verify SHA512 sums even when COMPUTE\_SHA512 was set to False (#1419, 1da1b3b)
- Fixed issue where downloading a TAR of a dataset including unverified files could result in a “Truncated tar archive” error (#1425, b4fa17c)
- Fixed issue where MyTardis tried to retrieve thumbnail images for non-image files, resulting in 404 errors (e261065)
- Fixed issue where failing to set ADMINS in tardis/settings.py could cause MyTardis to attempt to send emails to [bob@bobmail.com](mailto:bob@bobmail.com) (#1613, f8ed6dd)
- Fixed issue where Facility Overview’s “Load more” button was enabled while content was still loading. (a28a253)

### 11.5.3 4.0

- Django 1.11
- jQuery 3.3.1

- Improved test coverage
- Continuous Integration tests run against Ubuntu 18.04 (MyTardis v3.x used 14.04)
- ChromeDriver is used for BDD (Behaviour Driven Development) tests
- Social Auth, including AAF and Google Auth via OpenID Connect
- Migrating user accounts from LDAP or localdb to OpenID Connect
- Customizable user menu
- Using message.level\_tag instead of message.tags in portal\_template, so that extra tags can be added to Django messages without interfering with the Bootstrap alert class.
- My Data page (which previously contained Owned and Shared experiments) has been split into two pages - “My Data” and “Shared” - Each page loads thumbnails asynchronously for faster initial page load time - An improved pagination widget allows for a very large number of pages.
- Index page’s thumbnails are loaded asynchronously for faster initial page load time.
- Login page can be replaced with a site-specific page
- SFTP can now be used with keys instead of passwords
- Upgraded Bootstrap from 2.0.4 to 2.3.2 (further upgrades coming soon)
- Fixed some bugs in single search
- jQuery code is being moved out of HTML templates and into JS files which can be linted (with ESLint) and tested (with QUnit).
- **Removed old broken code and unnecessary code which is duplicated in other repositories.**
  - Import via staging with jsTree
  - Uploadify
- **Updated or removed (as appropriate) some out-of-date JS dependencies bundled within the MyTardis repository**
  - Most JS dependences are installed by npm now, so we can run security checks with npm audit
- manage.py can now be used instead of mytardis.py and mytardis.py will soon be deprecated
- New support\_email setting can be used in email templates or HTML templates.
- Updating loadschemas management command for Django 1.11 and adding test for it
- Updated the dumpschemas management command for Django 1.11 and added a test for it
- **Bug fixes (GitHub Issue numbers below)** Fixed #243. Bug in tardis\_acls.change\_experiment permissions check Fixed #516 - only show “Add files” button if user has permission to upload files Fixed #636 Fixed #637 - “()” is added to “Author” line every time an experiment is edited Fixed #779 Fixed #868 Fixed #893 Fixed #988 Fixed #1083 Fixed #1185
- Added docs on X-Forwarded-Proto HTTP header for HTTPS deployments
- Added docs on configuring services in systemd or supervisor
- Removed password length restriction in linked user authentication form
- Removed settings\_changeme - use default\_settings instead
- Removed backslash from set of characters used to generate secret key.
- Removed django-celery - it is no longer necessary to run Celery via Django
- Improved forwards compatibility with Python 3, but we’re not fully Python 3 compatible yet.

- Switched to PEP 328 relative imports
- Tests no longer require the unmaintained “compare” module
- Added a default value for DATA\_UPLOAD\_MAX\_MEMORY\_SIZE (required by Django 1.10+) to default settings
- Removed some unused dependencies, e.g. PyYAML
- Removed the createmysuperuser which is no longer needed
- Removed the checkhashes management command
- Removed the diffraction image filter
- Removed the backupdb management command
- Removed the old publication form - a new publication workflow is coming soon.

#### **11.5.4 3.9**

- Added deprecation warnings for functionality which will be removed in 4.0
- Added INTERNAL\_IPS to default settings for template debugging on localhost
- Disabled the old publication forms app in default settings, and ensured that MyTardis didn’t attempt to access its static content when disabled
- Removed apps code from ExperimentView’s get\_context\_data which assumed that each app would provide a views module with an index
- Fixed a bug where creating a group which already existed gave a 500 error
- Fixed a bug where non-ASCII characters in experiment names could break SFTP
- Made dataset thumbnails optional - disabling them can improve page load times
- Fixed a bug which had made it difficult to delete a DataFileObject without a URI from the Django shell
- Fixed a bug which made search indexing fail when there were users with non-ASCII characters in their first or last name

#### **11.5.5 3.8.1**

- Fix regression in Push To app

#### **11.5.6 3.8**

- Refactored settings
- Added pagination to My Data view
- BDD tests using behave and phantomjs
- Added download MD5 checksum buttons to Dataset View
- Add *autocaching* task that allows data from a StorageBox to be cached to another StorageBox
- Re-wrote user documentation and switched to hosting docs on RTD
- Switched to using NPM to manage JS deps.
- Facility and instrument are now visible on Experiment and dataset views - thanks @avrljk

- Added setting that allows datasets ordered by id on the Experiment page.
- Added setting to make sha512 checksums optional.

### 11.5.7 3.7 - 17 March 2016

- DataFile size is now a BigInteger field
- New settings for customisations, contextual view overrides (eg INDEX\_VIEWS).
- A new AbstractTardisAppConfig class that all new tardis apps should subclass
- Third-party tardis app dependency checking
- Removed database index from Parameter.string\_value to allow longer strings in Postgres. Migrations add a Postgres partial index for string\_values shorter than 256 characters.
- Changed constraints on the instrument model; facility and instrument name are now unique together
- changed method tasks to task functions, pre-empting the removal of methods tasks in new celery versions
- RESTful API now supports ordering, e.g. &order\_by=-title, for Experiments, Datasets and DataFiles.
- Allowed groups to be ‘owners’ of an Experiment. Enforce rule in views for web UI requiring every Experiment to have at least one user owner.
- Registration support updated for latest django-registration-redux package
- Speed-ups for dataset view page loading for datasets with large numbers of images. The carousel is now limited to a maximum of 100 preview images.
- Reorganised and updated documentation

### 11.5.8 3.6 - 16 March 2015

- removed legacy operations files (foreman, apache, uwsgi, etc)
- moved CI from Travis CI to Semaphore app
- removed buildout build system and setup.py dependency management
- build instructions in build.sh, using requirements.txt for dependencies now
- gunicorn instead of uwsgi
- updated Django to version 1.6.10
- removed migrations app
- renamed Dataset\_File to DataFile
- DataFile have a deleted and a version flag, for upcoming support of these features.
- verifying files does not have side-effects anymore
- renamed Author\_Experiment to ExperimentAuthor
- an ExperimentAuthor can now have an email and or a URL
- recoded Replica and Location as DataFileObject with associated StorageBox, based on the Django File API
- API v1 got some additions, largely or fully backwards-compatible
- a publication workflow app, guided publication of data

- download data via SFTP using a built-in SFTP server
- removed most traces of METS
- AAF authentication support
- parameters that can store a generic foreign key (link to any database object)
- new models `Instrument` and `Facility`
- basic support for SquashFS archives as `StorageBox`. Probably requires installation-specific code such as what is used at the [Australian Synchrotron](#).
- error pages are now normal-sized
- new view “Facility Overview”, for facility administrators to have overview over data.
- “MyData” includes owned and shared data
- safely allowing HTML in descriptions now. Achieved by “bleaching” of tags
- stats page faster through DB-server-side aggregation
- layout improvements
- pep8 and pylint improvements
- bug fixes

### 11.5.9 3.5 - 26 August 2013

- REST API
- REST API keys
- Authorisation now supports object-level permissions
- Front page overview
- Contextual views for Datafiles, Datasets and Experiments
- Backwards incompatible database changes
- Replica multi file location support
- Migration of replicas
- Streaming downloads
- Django 1.5
- REDIS option for celery queue
- auto-verify files
- provisional directory support
- Pylint testing on Travis CI
- Some error pages are now functional
- optionally upload comfortably with Filepicker.io
- Experiment view page load speedup
- Removed ancient XML ingest format.

### 11.5.10 3.0 - unreleased

- Twitter Bootstrap
- javascript templates
- backbone.js rendering of datasets
- UI for transferring datasets
- bpython shell
- celery queue

### 11.5.11 2.0 - Unreleased

- Auth/Auth redesign [Gerson, Uli, Russel]
  - Authorisation. Support for several pluggable authorisation plugins (Django internal, LDAP, VBL). The added AuthService middleware provides a mechanism to query all available auth modules to determine what group memberships a users has.
  - Alternative authorisation. Rule based experiment access control engine was implemented with the following access attributes for individual users and groups: canRead, canWrite, canDelete, isOwner. Additionally, a time stamp can be specified for each access rule.

Further information can be found at the wiki: [Authorisation Engine design](#)

- Metadata Editing [Steve, Grischa]
- New METS parser & METS exporter [Gerson]
- Dist/Buildout infrastructure [Russell]
- Through the web creation and editing of experiments [Steve, Russell]
- Through the web upload of files [Steve]
- Download protocol handler [Russel, Uli]
- Logging framework [Uli]
- Django 1.3

### 11.5.12 1.07 - 01/06/2010

- Publish to tardis.edu.au interface created, though not implemented, pending legal text

### 11.5.13 1.06 - 15/03/2010

- Parameter import interface for creation of new parameter/schema definitions
- iPhone Interface

### 11.5.14 1.05 - 01/03/2010

- Images as parameters supported
- Data / metadata transfer from synchrotron is now ‘threaded’ using asynchronous web service transfers.

### **11.5.15 1.0 - 01/02/2010**

- MyTardis created from existin MyTardis python / django codebase
- Allows private data to be stored
- Open key/value parameter model, replacing current crystallography one
- Internal data store for data
- LDAP Login
- Pagination of files
- Creation of synchrotron-tardis from MyTardis codebase including specific code for the VBL login service and data transfer to MyTardis deployments.
- Web server changed to apache and mod\_wsgi

### **11.5.16 0.5 - 2009**

- Re-wrote federated index (python / django)
- Federated stores are now simple web server based with optional FTP access
- Runs on Jython / Tomcat

### **11.5.17 0.1 - 2007**

- Federated index (php) running on Apache HTTP Server
- Crystallography data deposition and packaging tools for Fedora Commons (java swing desktop)
- Search Interface via web

# CHAPTER 12

---

## Indices and tables

---

- genindex
- modindex
- search



---

## Python Module Index

---

### t

tardis, 238  
tardis.analytics, 74  
tardis.analytics.apps, 73  
tardis.analytics.ga, 73  
tardis.analytics.tracker, 73  
tardis.app\_config, 237  
tardis.apps, 112  
tardis.apps.deep\_storage\_download\_mapper,  
    74  
tardis.apps.deep\_storage\_download\_mapper.mapper,  
    74  
tardis.apps.deep\_storage\_download\_mapper.mapper,  
    74  
tardis.apps.dl\_mapper\_df\_dir\_only, 75  
tardis.apps.dl\_mapper\_df\_dir\_only.mapper,  
    74  
tardis.apps.dl\_mapper\_df\_dir\_only.urls,  
    75  
tardis.apps.equipment, 77  
tardis.apps.equipment.admin, 75  
tardis.apps.equipment.forms, 75  
tardis.apps.equipment.migrations, 75  
tardis.apps.equipment.migrations.0001\_init  
    75  
tardis.apps.equipment.models, 76  
tardis.apps.equipment.south\_migrations,  
    75  
tardis.apps.equipment.tests, 77  
tardis.apps.equipment.urls, 77  
tardis.apps.equipment.views, 77  
tardis.apps.filepicker, 78  
tardis.apps.filepicker.filepicker\_settings,  
    77  
tardis.apps.filepicker.urls, 77  
tardis.apps.filepicker.utils, 78  
tardis.apps.filepicker.views, 78  
tardis.apps.oaipmh, 84  
tardis.apps.oaipmh.models, 83  
tardis.apps.oaipmh.provider, 81  
tardis.apps.oaipmh.provider.base, 78  
tardis.apps.oaipmh.provider.experiment,  
    80  
tardis.apps.oaipmh.server, 83  
tardis.apps.oaipmh.tests, 82  
tardis.apps.oaipmh.tests.provider, 82  
tardis.apps.oaipmh.tests.provider.test\_base,  
    81  
tardis.apps.oaipmh.tests.provider.test\_experiment,  
    81  
tardis.apps.oaipmh.tests.test\_oai, 82  
tardis.apps.oaipmh.urls, 84  
tardis.apps.oaipmh.views, 84  
tardis.apps.openid\_migration, 90  
tardis.apps.openid\_migration.apps, 86  
tardis.apps.openid\_migration.context\_processors,  
    86  
tardis.apps.openid\_migration.default\_settings,  
    86  
tardis.apps.openid\_migration.email\_text,  
    86  
tardis.apps.openid\_migration.forms, 86  
tardis.apps.openid\_migration.migration,  
    86  
tardis.apps.openid\_migration.migrations,  
    85  
tardis.apps.openid\_migration.migrations.0001\_init  
    85  
tardis.apps.openid\_migration.models, 87  
tardis.apps.openid\_migration.tasks, 89  
tardis.apps.openid\_migration.tests, 86  
tardis.apps.openid\_migration.tests.test\_forms,  
    85  
tardis.apps.openid\_migration.tests.test\_migration,  
    85  
tardis.apps.openid\_migration.tests.test\_models,  
    85  
tardis.apps.openid\_migration.tests.test\_views,  
    86

```
tardis.apps.openid_migration.urls, 89
tardis.apps.openid_migration.user_menu_modifiers,
    89
tardis.apps.openid_migration.utils, 90
tardis.apps.openid_migration.views, 90
tardis.apps.push_to, 99
tardis.apps.push_to.apps, 91
tardis.apps.push_to.exceptions, 91
tardis.apps.push_to.migrations, 91
tardis.apps.push_to.migrations.0001_initial,
    90
tardis.apps.push_to.migrations.0002_auto_20160508_058_settings, 90
tardis.apps.push_to.models, 91
tardis.apps.push_to.oauth_tokens, 97
tardis.apps.push_to.ssh_authz, 97
tardis.apps.push_to.tasks, 97
tardis.apps.push_to.tests, 91
tardis.apps.push_to.tests.test_models,
    91
tardis.apps.push_to.urls, 98
tardis.apps.push_to.utils, 98
tardis.apps.push_to.views, 98
tardis.apps.related_info, 101
tardis.apps.related_info.forms, 101
tardis.apps.related_info.models, 101
tardis.apps.related_info.settings, 101
tardis.apps.related_info.tests, 100
tardis.apps.related_info.tests.test_oaipmhdis.default_settings.localisation,
    99
tardis.apps.related_info.tests.tests,
    99
tardis.apps.related_info.urls, 101
tardis.apps.related_info.views, 101
tardis.apps.sftp, 111
tardis.apps.sftp.admin, 103
tardis.apps.sftp.api, 103
tardis.apps.sftp.apps, 103
tardis.apps.sftp.default_settings, 104
tardis.apps.sftp.forms, 104
tardis.apps.sftp.management, 102
tardis.apps.sftp.management.commands,
    102
tardis.apps.sftp.management.commands.sftpardis.search, 101
tardis.apps.sftp.migrations, 102
tardis.apps.sftp.migrations.0001_initial,
    102
tardis.apps.sftp.models, 104
tardis.apps.sftp.sftp, 105
tardis.apps.sftp.tests, 102
tardis.apps.sftp.tests.test_sftp, 102
tardis.apps.sftp.urls, 110
tardis.apps.sftp.user_menu_modifiers,
    10
tardis.apps.sftp.views, 111
tardis.apps.social_auth, 112
tardis.apps.social_auth.apps, 112
tardis.apps.social_auth.auth, 112
tardis.apps.social_auth.auth.social_auth,
    111
tardis.apps.social_auth.default_settings,
    112
tardis.celery, 237
tardis.default_settings.admins, 112
tardis.default_settings.analytics, 112
tardis.default_settings.apps, 112
tardis.default_settings.auth, 113
tardis.default_settings.caches, 113
tardis.default_settings.celery_settings,
    113
tardis.default_settings.custom_views,
    113
tardis.default_settings.database, 114
tardis.default_settings.debug, 114
tardis.default_settings.downloads, 114
tardis.default_settings.email, 114
tardis.default_settings.filters, 115
tardis.default_settings.frontend, 115
tardis.default_settings.i18n, 115
tardis.default_settings.localisation,
    115
tardis.default_settings.logging, 115
tardis.default_settings.middlewares, 115
tardis.default_settings.publication, 115
tardis.default_settings.search, 115
tardis.default_settings.sharing, 115
tardis.default_settings.site_customisations,
    115
tardis.default_settings.static_files,
    115
tardis.default_settings.storage, 115
tardis.default_settings.templates, 116
tardis.default_settings.uploads, 116
tardis.default_settings.urls, 116
tardis.search.datafile_index, 118
tardis.search.forms, 116
tardis.search.search_indexes, 117
tardis.search.urls, 118
tardis.search.utils, 118
tardis.search.views, 118
tardis.search_sites, 238
tardis.tardis_portal, 236
tardis.tardis_portal.admin, 204
tardis.tardis_portal.api, 209
```

tardis.tardis\_portal.auth, 125  
tardis.tardis\_portal.auth.authentication, tardis.tardis\_portal.migrations.0002\_auto\_20150528\_119, 128  
tardis.tardis\_portal.auth.authorisation, tardis.tardis\_portal.migrations.0003\_auto\_20150907\_119, 128  
tardis.tardis\_portal.auth.authservice, tardis.tardis\_portal.migrations.0004\_storageboxopt, 120, 129  
tardis.tardis\_portal.auth.decorators, tardis.tardis\_portal.migrations.0005\_datafile\_add\_s, 121, 129  
tardis.tardis\_portal.auth.fix\_circular, tardis.tardis\_portal.migrations.0006\_datafile\_remo, 122, 129  
tardis.tardis\_portal.auth.interfaces, tardis.tardis\_portal.migrations.0007\_remove\_paramet, 123, 129  
tardis.tardis\_portal.auth.localdb\_auth, tardis.tardis\_portal.migrations.0008\_string\_value\_p, 124, 129  
tardis.tardis\_portal.auth.token\_auth, tardis.tardis\_portal.migrations.0009\_auto\_20160128\_124, 130  
tardis.tardis\_portal.auth.utils, 125  
tardis.tardis\_portal.constants, 217  
tardis.tardis\_portal.context\_processors, tardis.tardis\_portal.migrations.0011\_auto\_20160505\_217, 130  
tardis.tardis\_portal.creativecommonsand, tardis.tardis\_portal.migrations.0012\_userauthenticat, 218, 130  
tardis.tardis\_portal.deprecations, 218  
tardis.tardis\_portal.download, 219  
tardis.tardis\_portal.email, 219  
tardis.tardis\_portal.errors, 220  
tardis.tardis\_portal.fields, 220  
tardis.tardis\_portal.filters, 126  
tardis.tardis\_portal.filters.jeolsem, 125  
tardis.tardis\_portal.forms, 220  
tardis.tardis\_portal.hacks, 229  
tardis.tardis\_portal.iiif, 229  
tardis.tardis\_portal.logging\_middleware, tardis.tardis\_portal.models.datafile, 229, 136  
tardis.tardis\_portal.management, 128  
tardis.tardis\_portal.management.commands, tardis.tardis\_portal.models.dataset, 141  
tardis.tardis\_portal.management.commands, tardis.tardis\_portal.models.experiment, 144  
tardis.tardis\_portal.management.commands, tardis.tardis\_portal.models.facility, 149  
tardis.tardis\_portal.management.commands, tardis.tardis\_portal.models.hooks, 150  
tardis.tardis\_portal.management.commands, tardis.tardis\_portal.models.instrument, 150  
tardis.tardis\_portal.management.commands.loadschemas, 150  
tardis.tardis\_portal.management.commands.loadschemas, tardis.tardis\_portal.models.jti, 151  
tardis.tardis\_portal.management.commands.loadschemas, tardis.tardis\_portal.models.license, 152  
tardis.tardis\_portal.management.commands.loadschemas, tardis.tardis\_portal.models.parameters, 152  
tardis.tardis\_portal.management.commands.runfilters, 153  
tardis.tardis\_portal.management.commands.runfilters, tardis.tardis\_portal.models.storage, 169  
tardis.tardis\_portal.managers, 230  
tardis.tardis\_portal.migrations, 131  
tardis.tardis\_portal.migrations.0001\_initial, 203  
tardis.tardis\_portal.migrations.0001\_initial, 203  
tardis.tardis\_portal.publish, 177  
tardis.tardis\_portal.migrations.0001\_squashadds0001dastpo20050511643provider,

176	181
tardis.tardis_portal.publish.provider.rifas@sirovic@tardis.tardis_portal.tests.api.test_experiment_meta	181
176	181
tardis.tardis_portal.publish.publishservice@tardis.tardis_portal.tests.api.test_experiment_reso	182
176	182
tardis.tardis_portal.rfc3339, 232	tardis.tardis_portal.tests.api.test_facility_resou
tardis.tardis_portal.search_backend, 233	182
tardis.tardis_portal.search_query, 233	tardis.tardis_portal.tests.api.test_group_resource,
tardis.tardis_portal.shortcuts, 233	182
tardis.tardis_portal.signals, 234	tardis.tardis_portal.tests.api.test_instrument_reso
tardis.tardis_portal.storage, 177	182
tardis.tardis_portal.storage.file_system@tardis.tardis_portal.tests.api.test_location_resou	183
177	183
tardis.tardis_portal.tasks, 234	tardis.tardis_portal.tests.api.test_replica_resour
tardis.tardis_portal.templatetags, 180	183
tardis.tardis_portal.templatetags.approve@tardis.tardis_portal.tests.api.test_schema_resource	183
177	183
tardis.tardis_portal.templatetags.basiccontent@tardis.tardis_portal.tests.api.test_serializer,	183
177	183
tardis.tardis_portal.templatetags.bleach@tardis.tardis_portal.tests.auth, 184	184
178	tardis.tardis_portal.tests.filters, 185
tardis.tardis_portal.templatetags.capture@tardis.tardis_portal.tests.filters.test_jeolsem,	184
178	184
tardis.tardis_portal.templatetags.dataset@tardis.tardis_portal.tests.filters.test_middleware,	184
178	184
tardis.tardis_portal.templatetags.dynurl@tardis.tardis_portal.tests.ldap_ldif,	185
178	185
tardis.tardis_portal.templatetags.experiment@tardis.tardis_portal.tests.mock_vbl_auth,	185
179	185
tardis.tardis_portal.templatetags.experiment@tardis.tardis_portal.tests.mock_vbl_download,	185
179	185
tardis.tardis_portal.templatetags.facility@tardis.tardis_portal.tests.slapd, 185	185
179	tardis.tardis_portal.tests.test_authentication,
tardis.tardis_portal.templatetags.feed, 187	187
179	tardis.tardis_portal.tests.test_authorisation,
tardis.tardis_portal.templatetags.formfieldfilter@tardis.tardis_portal.tests.test_authservice,	187
179	tardis.tardis_portal.tests.test_authservice,
tardis.tardis_portal.templatetags.lookupfilters@tardis.tardis_portal.tests.test_collectstatic,	187
179	tardis.tardis_portal.tests.test_collectstatic,
tardis.tardis_portal.templatetags.pagination, 188	188
180	tardis.tardis_portal.tests.test_createuser,
tardis.tardis_portal.templatetags.xmldate, 188	188
180	tardis.tardis_portal.tests.test_download,
tardis.tardis_portal.tests, 188	188
tardis.tardis_portal.tests.api, 183	tardis.tardis_portal.tests.test_download_apikey,
tardis.tardis_portal.tests.api.test_auth, 189	189
180	tardis.tardis_portal.tests.test_dumpschemas,
tardis.tardis_portal.tests.api.test_datafile_metadata@tardis.tardis_portal.tests.test_facility_overview,	189
180	tardis.tardis_portal.tests.test_facility_overview,
tardis.tardis_portal.tests.api.test_datafile_resource, 189	189
181	tardis.tardis_portal.tests.test_forms,
tardis.tardis_portal.tests.api.test_dataset_meta@tardis.tardis_portal.tests.test_iif,	189
181	tardis.tardis_portal.tests.test_iif,
tardis.tardis_portal.tests.api.test_dataset_reso@tardis.tardis_portal.tests.test_resource,	190

```
tardis.tardis_portal.tests.test_ldap,  
    191  
tardis.tardis_portal.tests.test_loadschemas,  
    191  
tardis.tardis_portal.tests.test_models,  
    191  
tardis.tardis_portal.tests.test_parametersets,  
    192  
tardis.tardis_portal.tests.test_publishservice,  
    193  
tardis.tardis_portal.tests.test_rmexperiment,  
    193  
tardis.tardis_portal.tests.test_storage,  
    193  
tardis.tardis_portal.tests.test_tar_download,  
    194  
tardis.tardis_portal.tests.test_tasks,  
    194  
tardis.tardis_portal.tests.test_tokens,  
    194  
tardis.tardis_portal.tests.test_views,  
    195  
tardis.tardis_portal.tests.tests, 196  
tardis.tardis_portal.util, 234  
tardis.tardis_portal.views, 203  
tardis.tardis_portal.views.ajax_actions,  
    197  
tardis.tardis_portal.views.ajax_json,  
    197  
tardis.tardis_portal.views.ajax_pages,  
    197  
tardis.tardis_portal.views.authentication,  
    197  
tardis.tardis_portal.views.authorisation,  
    198  
tardis.tardis_portal.views.facilities,  
    198  
tardis.tardis_portal.views.images, 199  
tardis.tardis_portal.views.machine, 199  
tardis.tardis_portal.views.pages, 199  
tardis.tardis_portal.views.parameters,  
    202  
tardis.tardis_portal.views.upload, 203  
tardis.tardis_portal.views.utils, 203  
tardis.tardis_portal.widgets, 235  
tardis.tardis_portal.xmlwriter, 235  
tardis.test_on_mysql_settings, 238  
tardis.test_on_postgresql_settings, 238  
tardis.test_settings, 238  
tardis.views, 238
```



---

## Index

---

### A

about () (in module *tardis.tardis\_portal.views.pages*), 201  
abstract (*tardis.apps.push\_to.models.KeyPair.Meta* attribute), 93  
abstract (*tardis.tardis\_portal.models.parameters.Parameter.Meta* attribute), 162  
abstract (*tardis.tardis\_portal.models.parameters.ParameterSet.Meta* attribute), 167  
AbstractExperimentProvider (class in *tardis.tardis\_portal.auth.authentication*), 119  
AbstractExperimentProviderTC (class in *tardis.apps.oaipmh.tests.provider.test\_experiment*), 111  
AbstractTardisAppConfig (class in *tardis.app\_config*), 237  
accessible\_keys (*tardis.tardis\_portal.api.StorageBoxOptionResource* attribute), 216  
acl\_id (*tardis.apps.openid\_migration.models.OpenidACLMigration* attribute), 87  
acl\_id\_id (*tardis.apps.openid\_migration.models.OpenidACLMigration* attribute), 87  
acl\_migration () (in module *tardis.apps.openid\_migration.migration*), 86  
ACLAuthorization (class in *tardis.tardis\_portal.api*), 209  
ACLAuthorizationTest (class in *tardis.tardis\_portal.tests.api.test\_auth*), 180  
ACLAwareBackend (class in *tardis.tardis\_portal.auth.authorisation*), 119  
aclOwnershipType (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm* attribute), 222  
aclOwnershipType (*tardis.tardis\_portal.models.access\_control.ObjectACL* attribute), 132  
add\_arguments () (tardis.apps.sftp.management.commands.sftpd method), 101  
add\_arguments () (tardis.tardis\_portal.management.commands.dumpsite method), 126  
add\_arguments () (tardis.tardis\_portal.management.commands.loadschedule method), 127  
add\_arguments () (tardis.tardis\_portal.management.commands.rmxexp method), 127  
add\_auth\_method () (in module *tardis.tardis\_portal.auth.authentication*), 119  
add\_authentication\_method () (in module *tardis.apps.social\_auth.auth.social\_auth*), 111  
add\_child () (*tardis.apps.sftp.sftp.DynamicTree* method), 105  
add\_datafile\_par () (in module *tardis.tardis\_portal.views.parameters*), 202  
add\_dataset () (in module *tardis.tardis\_portal.views.parameters*), 202  
add\_dataset\_par () (in module *tardis.tardis\_portal.views.parameters*), 202  
add\_experiment\_par () (in module *tardis.tardis\_portal.views.parameters*), 202  
add\_migrate\_account\_menu\_item () (in module *tardis.apps.openid\_migration.user\_menu\_modifiers*), 89  
add\_migration\_permission () (in module *tardis.apps.social\_auth.auth.social\_auth*), 111  
add\_par () (in module *tardis.tardis\_portal.views.parameters*), 202  
add\_path () (*tardis.apps.sftp.sftp.DynamicTree* method), 105  
add\_path\_elems () (*tardis.apps.sftp.sftp.DynamicTree* method), 105  
add\_ssh\_keys\_menu\_item () (in module *tardis.apps.sftp.sftp.user\_menu\_modifiers*), 110  
add\_user\_permissions () (in module *tardis.apps.social\_auth.auth.social\_auth*), 111

added (*tardis.apps.sftp.models.SFTPPublicKey attribute*), 105  
 AddGroupPermissionsForm (*class tardis.tardis\_portal.forms*), 220  
 AddUserPermissionsForm (*class tardis.tardis\_portal.forms*), 220  
 administrator (*tardis.apps.push\_to.models.RemoteHost attribute*), 95  
 administrator\_id (*tardis.apps.push\_to.models.RemoteHost attribute*), 96  
 ADMINS (*in module tardis.default\_settings.admins*), 112  
 all () (*tardis.tardis\_portal.managers.ExperimentManager method*), 230  
 allow\_for\_all (*tardis.apps.push\_to.models.OAuthSSHCertSigningService attribute*), 94  
 allow\_reuse\_address (*tardis.apps.sftp.sftp.MySFTPTCPServer attribute*), 107  
 allowed\_groups (*tardis.apps.push\_to.models.OAuthSSHCertSigningService attribute*), 94  
 ALLOWED\_HOSTS, 45  
 ALLOWED\_HOSTS (*in module tardis.default\_settings.debug*), 114  
 allowed\_methods (*tardis.tardis\_portal.api.UserResource.Meta attribute*), 216  
 allowed\_remote\_hosts (*tardis.apps.push\_to.models.OAuthSSHCertSigningService attribute*), 94  
 allowed\_users (*tardis.apps.push\_to.models.OAuthSSHCertSigningService attribute*), 94  
 allows\_distribution (*tardis.tardis\_portal.models.license.License attribute*), 152  
 always\_return\_data (*tardis.tardis\_portal.api.DatasetResource.Meta attribute*), 211  
 always\_return\_data (*tardis.tardis\_portal.api.ExperimentResource.Meta attribute*), 212  
 always\_return\_data (*tardis.tardis\_portal.api.FacilityResource.Meta attribute*), 213  
 always\_return\_data (*tardis.tardis\_portal.api.InstrumentResource.Meta attribute*), 213  
 AnalyticsConfig (*class in tardis.analytics.apps*), 73  
 ApiKeyDownloadTestCase (*class in tardis.tardis\_portal.tests.test\_download\_apikey*), 189  
 app\_dependencies (*tardis.app\_config.AbstractTardisAppConfig attribute*), 237  
 app\_label (*tardis.tardis\_portal.auth.authorisation.ACIAwareBackend attribute*), 119  
 app\_label (*tardis.tardis\_portal.models.parameters.ParameterMeta attribute*), 148  
 attribute), 162  
 app\_label (*tardis.tardis\_portal.models.parameters.ParameterSet.Meta attribute*), 167  
 approve\_user\_auth () (*in module tardis.apps.social\_auth.auth.social\_auth*), 111  
 approved (*tardis.tardis\_portal.models.access\_control.UserAuthentication attribute*), 134  
 Host approved (*tardis.tardis\_portal.models.experiment.Experiment attribute*), 145  
 args (*tardis.tardis\_portal.management.commands.dumpschemas.Command attribute*), 126  
 args (*tardis.tardis\_portal.management.commands.loadschemas.Command attribute*), 127  
 args (*tardis.tardis\_portal.management.commands.rmxperiment.Command attribute*), 127  
 args (*tardis.tardis\_portal.management.commands.runfilters.Command attribute*), 127  
 attributes (*tardis.tardis\_portal.models.storage.StorageBox attribute*), 170  
 auth\_timeout (*tardis.apps.sftp.sftp.MySFTPPRequestHandler attribute*), 120  
 authenticate () (*tardis.tardis\_portal.auth.authorization.ACIAwareBackend method*), 120  
 authenticate () (*tardis.tardis\_portal.auth.authService.AuthService method*), 120  
 authenticate () (*tardis.tardis\_portal.auth.interfacesAuthProvider method*), 123  
 authenticate () (*tardis.tardis\_portal.auth.localdb\_auth.DjangoAuthBackend method*), 124  
 authenticate () (*tardis.tardis\_portal.tests.mock\_vbl\_auth.MockBackend method*), 185  
 authenticate () (*tardis.tardis\_portal.tests.test\_authservice.MockAuthBackend method*), 188  
 authentication (*tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta attribute*), 103  
 authentication (*tardis.tardis\_portal.api.GroupResource.Meta attribute*), 213  
 authentication (*tardis.tardis\_portal.api.MyTardisModelResource.Meta attribute*), 214  
 authentication (*tardis.tardis\_portal.api.ObjectACLResource.Meta attribute*), 214  
 authentication (*tardis.tardis\_portal.api.UserResource.Meta attribute*), 216  
 authenticationMethod (*tardis.tardis\_portal.models.access\_control.UserAuthentication attribute*), 134  
 authenticationTestCase (*class in tardis.tardis\_portal.tests.test\_authentication*), 187  
 author (*tardis.tardis\_portal.models.experiment.ExperimentAuthor attribute*), 148

authorization (*tardis.apps.sftp.api.SFTPPublicKeyAppResource* *attribute*), 103  
 authorization (*tardis.tardis\_portal.api.GroupResource* *Meta* \_fields (*tardis.tardis\_portal.api.DataFileResource* *attribute*), 213  
 authorization (*tardis.tardis\_portal.api.MyTardisModelResource* *Meta* \_fields (*tardis.tardis\_portal.api.DatasetParameterResource* *attribute*), 214  
 authorization (*tardis.tardis\_portal.api.ObjectACLResource* *Meta* \_fields (*tardis.tardis\_portal.api.DatasetParameterSetResource* *attribute*), 214  
 authorization (*tardis.tardis\_portal.api.UserResource* *Meta* \_fields (*tardis.tardis\_portal.api.DatasetResource* *attribute*), 216  
 authorize\_remote\_access () (in module *tardis.push\_to.views*), 98  
 AuthProvider (class in *tardis.tardis\_portal.auth.interfaces*), 123  
 AuthService (class in *tardis.tardis\_portal.auth.authservice*), 120  
 AuthServiceTestCase (class in *tardis.tardis\_portal.tests.test\_authservice*), 187  
 autocache (*tardis.tardis\_portal.models.storage.StorageBox* *attribute*), 170  
 AUTOGENERATE\_API\_KEY (in module *tardis.default\_settings.auth*), 113

**B**

BackgroundTaskTestCase (class in *tardis.tardis\_portal.tests.test\_tasks*), 194  
 base\_fields (*tardis.apps.equipment.forms.EquipmentSearchForm* *attribute*), 75  
 base\_fields (*tardis.apps.push\_to.models.CredentialForm* *attribute*), 93  
 base\_fields (*tardis.apps.related\_info.forms.RelatedInfoForm* *attribute*), 101  
 base\_fields (*tardis.apps.sftp.api.SFTPPublicKeyAppResource* *attribute*), 103  
 base\_fields (*tardis.apps.sftp.forms.KeyAddForm* *attribute*), 104  
 base\_fields (*tardis.apps.sftp.forms.KeyGenerateForm* *attribute*), 104  
 base\_fields (*tardis.search.forms.GroupedSearchForm* *attribute*), 116  
 base\_fields (*tardis.tardis\_portal.admin.DatafileAdminForm* *attribute*), 205  
 base\_fields (*tardis.tardis\_portal.admin.DataFileObjectInlineForm* *attribute*), 204  
 base\_fields (*tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm* *attribute*), 208  
 base\_fields (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm* *attribute*), 209  
 base\_fields (*tardis.tardis\_portal.api.DatafileParameterResource* *attribute*), 210  
 base\_fields (*tardis.tardis\_portal.api.ExperimentParameterResource* *attribute*), 212  
 base\_fields (*tardis.tardis\_portal.api.ExperimentResource* *attribute*), 212  
 base\_fields (*tardis.tardis\_portal.api.FacilityResource* *attribute*), 213  
 base\_fields (*tardis.tardis\_portal.api.GroupResource* *attribute*), 213  
 base\_fields (*tardis.tardis\_portal.api.InstrumentResource* *attribute*), 213  
 base\_fields (*tardis.tardis\_portal.api.LocationResource* *attribute*), 213  
 base\_fields (*tardis.tardis\_portal.api.MyTardisModelResource* *attribute*), 214  
 base\_fields (*tardis.tardis\_portal.api.ObjectACLResource* *attribute*), 214  
 base\_fields (*tardis.tardis\_portal.api.ParameterNameResource* *attribute*), 215  
 base\_fields (*tardis.tardis\_portal.api.ParameterResource* *attribute*), 215  
 base\_fields (*tardis.tardis\_portal.api.ParameterSetResource* *attribute*), 215  
 base\_fields (*tardis.tardis\_portal.api.ReplicaResource* *attribute*), 215  
 base\_fields (*tardis.tardis\_portal.api.SchemaResource* *attribute*), 216  
 base\_fields (*tardis.tardis\_portal.api.StorageBoxAttributeResource* *attribute*), 216  
 base\_fields (*tardis.tardis\_portal.api.StorageBoxOptionResource* *attribute*), 216  
 base\_fields (*tardis.tardis\_portal.api.StorageBoxResource* *attribute*), 216  
 base\_fields (*tardis.tardis\_portal.api.UserResource* *attribute*), 217  
 base\_fields (*tardis.tardis\_portal.forms.AddGroupPermissionsForm* *attribute*), 220  
 base\_fields (*tardis.tardis\_portal.admin.StorageBoxForm* *attribute*), 220  
 base\_fields (*tardis.tardis\_portal.forms.AddUserPermissionsForm* *attribute*), 220  
 base\_fields (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm* *attribute*), 220  
 base\_fields (*tardis.tardis\_portal.forms.ChangeGroupPermissionsForm* *attribute*), 221  
 base\_fields (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm* *attribute*), 223

base\_fields (*tardis.tardis\_portal.forms.CreateGroupPermissionsForm*) (*tardis.tardis\_portal.models.datafile.DataFile*  
attribute), 223  
base\_fields (*tardis.tardis\_portal.forms.CreateUserPermissionsForm*) (*tardis.tardis\_portal.models.datafile.DataFileObject*  
attribute), 224  
base\_fields (*tardis.tardis\_portal.forms.DatasetForm*) cache\_files () (*tardis.tardis\_portal.models.storage.StorageBox*  
attribute), 224  
base\_fields (*tardis.tardis\_portal.forms.ExperimentAuthForm*) CACHES (in module *tardis.default\_settings.caches*), 113  
attribute), 225  
base\_fields (*tardis.tardis\_portal.forms.ExperimentForm*) can\_publish () (*tardis.tardis\_portal.publish.provider.rifcsprovider.RifC*  
attribute), 225  
base\_fields (*tardis.tardis\_portal.forms.ImportParamsForm*) can\_delete (tardis.tardis\_portal.forms.ChangeUserPermissionsForm.*Met*  
attribute), 226  
base\_fields (*tardis.tardis\_portal.forms.LoginForm*) can\_delete (*tardis.tardis\_portal.models.access\_control.ObjectACL*  
attribute), 226  
base\_fields (*tardis.tardis\_portal.forms.ManageAccountForm*) canonicalize () (*tardis.apps.sftp.MyTSServerInterface*  
attribute), 226  
base\_fields (*tardis.tardis\_portal.forms.ManageGroupPermissionsForm*) (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm.Meta*.*C*  
attribute), 227  
base\_fields (*tardis.tardis\_portal.forms.RawSearchForm*) can\_read (*tardis.tardis\_portal.models.access\_control.ObjectACL*  
attribute), 227  
base\_fields (*tardis.tardis\_portal.forms.RegisterExperimentForm*) can\_write (*tardis.tardis\_portal.models.access\_control.ObjectACL*  
attribute), 227  
base\_fields (*tardis.tardis\_portal.forms.RegistrationForm*) can\_write (*tardis.tardis\_portal.models.access\_control.ObjectACL*  
attribute), 228  
base\_fields (*tardis.tardis\_portal.forms.RightsForm*) capture () (in module  
attribute), 228  
BaseProvider (class in  
tardis.apps.oaipmh.provider.base), 78, 241  
BaseProviderTestCase (class in  
tardis.apps.oaipmh.tests.provider.test\_base),  
81  
blank\_param (*tardis.tardis\_portal.ParameterSetManager.ParameterSetManager*) (*tardis.tardis\_portal.migrations.0001\_squashed\_0011\_auto\_2016*  
attribute), 203  
BLEACH\_ALLOWED\_ATTRIBUTES (in module  
tardis.default\_settings.frontend), 115  
BLEACH\_ALLOWED\_TAGS (in module  
tardis.default\_settings.frontend), 115  
bleach\_value () (in module  
tardis.tardis\_portal.templatetags.bleach\_tag),  
178  
build\_template\_html () (in module  
tardis.tardis\_portal.email), 219  
build\_template\_text () (in module  
tardis.tardis\_portal.email), 219  
BUNDLE (*tardis.tardis\_portal.models.storage.StorageBox*  
attribute), 170  
bytes\_available () (in module  
tardis.apps.push\_to.utils), 98

**C**

CACHE (*tardis.tardis\_portal.models.storage.StorageBox*  
attribute), 170  
cache\_box (*tardis.tardis\_portal.models.storage.StorageBox*  
attribute), 170  
check\_app\_dependencies () (in module  
tardis.app\_config), 237  
check\_auth\_interactive () (*tardis.apps.sftp.sftp.MyTServerInterface*

*method), 108*  
**check\_auth\_interactive\_response()** (*tardis.apps.sftp.sftp.MyTServerInterface method*), 108  
**check\_auth\_password()** (*tardis.apps.sftp.sftp.MyTServerInterface method*), 108  
**check\_auth\_publickey()** (*tardis.apps.sftp.sftp.MyTServerInterface method*), 109  
**check\_channel\_request()** (*tardis.apps.sftp.sftp.MyTServerInterface method*), 109  
**check\_if\_facility\_manager()** (*in module tardis.tardis\_portal.templatetags.facility\_tags*), 179  
**check\_if\_user\_not\_approved()** (*in module tardis.tardis\_portal.templatetags.approved\_user\_tags*), 177  
**check\_paths()** (*tardis.tardis\_portal.tests.slapd.Slapd class method*), 186  
**child\_boxes** (*tardis.tardis\_portal.models.storage.StorageBox attribute*), 170  
**CHOICES** (*tardis.tardis\_portal.models.access\_control.UserAuthentication.tardis.tardis\_portal.models.datafile attribute*), 134  
**choices** (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164  
**classic\_mapper()** (*in module tardis.tardis\_portal.download*), 219  
**clean()** (*tardis.apps.sftp.forms.KeyAddForm method*), 104  
**clean()** (*tardis.tardis\_portal.forms.RegistrationForm method*), 228  
**clean()** (*tardis.tardis\_portal.forms.RightsForm method*), 228  
**clean()** (*tardis.tardis\_portal.forms.StaticField method*), 229  
**clean\_username()** (*tardis.tardis\_portal.forms.RegistrationForm method*), 228  
**cleanup()** (*tardis.apps.filepicker.utils.FilepickerFile method*), 78  
**clear\_children()** (*tardis.apps.sftp.sftp.DynamicTree method*), 105  
**close()** (*tardis.analytics.tracker.IteratorTracker method*), 73  
**close\_gzip()** (*tardis.tardis\_portal.download.UncachedTarStream attribute*), 219  
**close\_request()** (*tardis.apps.sftp.sftp.MyTSFTPTCPServer method*), 108  
**CollectstaticTest** (*class in tardis.tardis\_portal.tests.test\_collectstatic*), 188  
**comm** (*tardis.apps.equipment.models.Equipment attribute*), 76  
**Command** (*class in tardis.apps.sftp.management.commands.sftpd*), 101  
**Command** (*class in tardis.tardis\_portal.management.commands.createuser*), 126  
**Command** (*class in tardis.tardis\_portal.management.commands.dumpschema*), 126  
**Command** (*class in tardis.tardis\_portal.management.commands.loadschema*), 127  
**Command** (*class in tardis.tardis\_portal.management.commands.rmxperiments*), 127  
**Command** (*class in tardis.tardis\_portal.management.commands.runfilters*), 127  
**CommaSeparatedInput** (*class in tardis.tardis\_portal.widgets*), 235  
**comparison\_type** (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164  
**compliance\_header()** (*in module tardis.tardis\_portal.iiif*), 229  
**compress()** (*tardis.tardis\_portal.download.UncachedTarStream method*), 219  
**compress()** (*tardis.tardis\_portal.fields.MultiValueCommaSeparatedField method*), 220  
**compute\_checksums()** (*in module tardis.tardis\_portal.iiif*), 229  
**compute\_etag()** (*in module tardis.tardis\_portal.iiif*), 229  
**compute\_size()** (*tardis.tardis\_portal.download.UncachedTarStream method*), 219  
**configure()** (*tardis.tardis\_portal.tests.slapd.Slapd method*), 186  
**configure\_user()** (*in module tardis.tardis\_portal.auth.utils*), 125  
**confirm\_migration()** (*in module tardis.appsopenid\_migration.migration*), 87  
**CONTAINS\_COMPARISON** (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164  
**content\_object** (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm attribute*), 222  
**content\_object** (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 133  
**content\_type** (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm attribute*), 222  
**content\_type** (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 222  
**content\_type\_id** (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm attribute*), 222  
**content\_type\_id** (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 133  
**ContextualViewTest** (*class in tardis.tardis\_portal.tests.test\_views*), 195  
**control\_panel()** (*in module tardis.tardis\_portal.views.pages*), 201

```

copy_file() (tardis.tardis_portal.models.datafile.DataFileObject attribute), 145
    method), 139
    created_time (tardis.tardis_portal.models.facility.Facility
copy_files() (tardis.tardis_portal.models.storage.StorageBox attribute), 149
    method), 170
    created_time (tardis.tardis_portal.models.instrument.Instrument
copy_to_master() (tardis.tardis_portal.models.storage.StorageBox attribute), 150
    method), 171
    created_time (tardis.tardis_portal.models.jti.JTI at-
create_datafile_add_form() (in module tardis.tardis_portal.forms), 229
CreateGroupPermissionsForm (class in
create_detail() (tardis.apps.sftp.api.SFTPACLAuthorization tardis.tardis_portal.forms), 223
    method), 103
    createLinkedUserAuthenticationForm() (in
create_detail() (tardis.tardis_portal.api.ACIAuthorization module tardis.tardis_portal.forms), 229
    method), 209
    createSearchExperimentForm() (in module
create_experiment() (in module tardis.tardis_portal.views.pages), 201
CreateTestCase (class in
create_group() (in module tardis.tardis_portal.views.authorisation), CreateUserPermissionsForm (class in
    198
    tardis.tardis_portal.forms), 224
create_list() (tardis.tardis_portal.api.ACIAuthorization createUserTestCase (class in
    method), 209
    tardis.tardis_portal.tests.test_createuser),
create_local_box()
    (tardis.tardis_portal.models.storage.StorageBox CreativeCommonsHandler (class in
    class method), 171
    tardis.tardis_portal.creativecommonshandler),
create_OpenidUserMigration()
    (tardis.apps.openid_migration.tests.test_models.ModelTestCase (class in tardis.apps.push_to.models), 91
    method), 85
    Credential.DoesNotExist, 91
create_parameterset_edit_form() (in module tardis.tardis_portal.forms), 229
    Credential.MultipleObjectsReturned, 91
create_response()
    (tardis.search.views.ExperimentSearchView credential_set (tardis.apps.push_to.models.RemoteHost
    method), 118
    attribute), 96
    CredentialAdmin (class in
create_set_uri() (tardis.tardis_portal.models.datafile.DataFileObject DataFileObjectForm (class in
    method), 140
    tardis.apps.push_to.models), 93
create_user()
    (in module tardis.tardis_portal.auth.utils), 125
    CredentialForm.Meta (class in
create_user() (in module tardis.tardis_portal.views.authentication), cybderduck_connection_window() (in module
    197
    tardis.apps.push_to.models), 93
    tardis.tardis_portal.tests.test_authentication),
create_user_api_key()
    (in module tardis.tardis_portal.models.access_control), cybderduck_connection_window() (in module
    136
    tardis.tardis_portal.tests.test_authentication),
create_user_profile()
    (in module tardis.tardis_portal.models.access_control), DATABASE_ENGINE (tardis.default_settings attribute),
    136
    DATABASE_HOST (tardis.default_settings attribute), 45
created_by (tardis.tardis_portal.models.experiment.Experiment DATABASE_NAME (tardis.default_settings attribute), 45
    attribute), 145
    DATABASE_PASSWORD (tardis.default_settings at-
created_by_id (tardis.tardis_portal.models.experiment.Experiment tribute), 45
    attribute), 145
    DATABASE_PORT (tardis.default_settings attribute), 45
created_time (tardis.tardis_portal.models.datafile.DataFile DATABASE_USER (tardis.default_settings attribute), 45
    attribute), 137
    DataFile (class in tardis.tardis_portal.models.datafile),
created_time (tardis.tardis_portal.models.datafile.DataFileObject 136
    attribute), 140
    DataFile (tardis.tardis_portal.models.datafile.DataFileObject
created_time (tardis.tardis_portal.models.dataset.Dataset attribute), 140
    DataFile (tardis.tardis_portal.models.parameters.DatafileParameterSet
    attribute), 142
    DatafileParameterSet (class in tardis.tardis_portal.models.parameters),
created_time (tardis.tardis_portal.models.experiment.Experiment attribute), 154
    DatafileParameterSet

```

## D

data\_type (tardis.tardis\_portal.models.parameters.ParameterName attribute), 164  
 DATABASE\_ENGINE (tardis.default\_settings attribute), 45  
 DATABASE\_HOST (tardis.default\_settings attribute), 45  
 DATABASE\_NAME (tardis.default\_settings attribute), 45  
 DATABASE\_PASSWORD (tardis.default\_settings attribute), 45  
 DATABASE\_PORT (tardis.default\_settings attribute), 45  
 DATABASE\_USER (tardis.default\_settings attribute), 45  
 DataFile (class in tardis.tardis\_portal.models.datafile),  
 Datafile (tardis.tardis\_portal.models.datafile.DataFileObject attribute), 140  
 Datafile (tardis.tardis\_portal.models.parameters.DatafileParameterSet attribute), 142  
 DatafileParameterSet (class in tardis.tardis\_portal.models.parameters), 144

DATAFILE (*tardis.tardis\_portal.models.parameters.Schema attribute*), 167  
 DataFile.DoesNotExist, 136  
 DataFile.MultipleObjectsReturned, 136  
 datafile\_access\_required() (in module *tardis.tardis\_portal.auth.decorators*), 121  
 datafile\_filename (*tardis.search.datafile\_index.DataFileIndex attribute*), 116  
 datafile\_id (*tardis.tardis\_portal.models.datafile.DataFileObject* (*tardis.tardis\_portal.models.parameters.Schema attribute*)), 140  
 datafile\_id (*tardis.tardis\_portal.models.parameters.DatafileParameterSetResource* (class in *tardis.tardis\_portal.api*)), 210  
 datafile\_set (*tardis.tardis\_portal.models.dataset.Dataset* (*tardis.tardis\_portal.models.parameters.Schema attribute*)), 142  
 DatafileAdmin (class in *tardis.tardis\_portal.admin*), 204  
 DatafileAdminForm (class in *tardis.tardis\_portal.admin*), 205  
 DatafileAdminForm.Meta (class in *tardis.tardis\_portal.admin*), 205  
 DataFileIndex (class in *tardis.search.datafile\_index*), 116  
 DataFileObject (class in *tardis.tardis\_portal.models.datafile*), 139  
 DataFileObject.DoesNotExist, 139  
 DataFileObject.MultipleObjectsReturned, 139  
 DataFileObjectInline (class in *tardis.tardis\_portal.admin*), 204  
 DataFileObjectInlineForm (class in *tardis.tardis\_portal.admin*), 204  
 DataFileObjectInlineForm.Meta (class in *tardis.tardis\_portal.admin*), 204  
 DatafileParameter (class in *tardis.tardis\_portal.models.parameters*), 153  
 DatafileParameter.DoesNotExist, 153  
 DatafileParameter.MultipleObjectsReturned, 153  
 datafileparameter\_set (*tardis.tardis\_portal.models.parameters.DatafileParameterSet* (*tardis.tardis\_portal.auth.decorators*), 121), 154  
 datafileparameter\_set (*tardis.tardis\_portal.models.parameters.ParameterSet* (*tardis.tardis\_portal.models.parameters.Parameters*)), 164  
 DatafileParameterResource (class in *tardis.tardis\_portal.api*), 210  
 DatafileParameterResource.Meta (class in *tardis.tardis\_portal.api*), 210  
 DatafileParameterResourceTest (class in *tardis.tardis\_portal.tests.api.test\_datafile\_metadata\_resource* (*tardis.tardis\_portal.auth.decorators*), 121), 180  
 DatafileParameterSet (class in *tardis.tardis\_portal.models.parameters*), 154  
 DatafileParameterSet.DoesNotExist, 154  
 DatafileParameterSet.MultipleObjectsReturned, 154  
 datafileparameterset\_set (*tardis.tardis\_portal.models.datafile.DataFile attribute*), 137  
 datafileparameterset\_set (*tardis.tardis\_portal.models.storage.StorageBox attribute*), 171  
 DataFileResource (class in *tardis.tardis\_portal.api*), 209  
 DataFileResource.Meta (class in *tardis.tardis\_portal.api*), 210  
 DataFileResourceTest (class in *tardis.tardis\_portal.tests.api.test\_datafile\_resource*), 181  
 Dataset (class in *tardis.tardis\_portal.models.dataset*), 141  
 dataset (*tardis.apps.equipment.models.Equipment attribute*), 76  
 dataset (*tardis.tardis\_portal.models.datafile.DataFile attribute*), 137  
 dataset (*tardis.tardis\_portal.models.parameters.DatasetParameterSet attribute*), 156  
 DATASET (*tardis.tardis\_portal.models.parameters.Schema attribute*), 167  
 Dataset.DoesNotExist, 142  
 Dataset.MultipleObjectsReturned, 142  
 dataset\_access\_required() (in module *tardis.tardis\_portal.auth.decorators*), 121  
 dataset\_aggregate\_info() (in module *tardis.tardis\_portal.views.facilities*), 198  
 DatasetDatasetBadge () (in module *tardis.tardis\_portal.templatetags.dataset\_tags*),  
 dataset\_description  
 (tardis.search.search\_indexes.DatasetIndex attribute), 117  
 dataset\_download\_required() (in module *tardis.tardis\_portal.templatetags.dataset\_tags*), 121  
 dataset\_experiments\_badge () (in module *tardis.tardis\_portal.templatetags.dataset\_tags*), 121

178  
dataset\_id (*tardis.tardis\_portal.models.datafile.DataFile attribute*), 137  
dataset\_id (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 156  
dataset\_id\_stored  
    (*tardis.search.datafile\_index.DataFileIndex attribute*), 116  
dataset\_id\_stored  
    (*tardis.search.search\_indexes.DatasetIndex attribute*), 117  
dataset\_set (*tardis.tardis\_portal.models.instrument.Instrument attribute*), 150  
dataset\_size\_badge () (in module *tardis.tardis\_portal.templatetags.dataset\_tags*), 178  
dataset\_tiles () (in module *tardis.tardis\_portal.templatetags.dataset\_tags*), 178  
DATASET\_VIEWS (in module *tardis.default\_settings.custom\_views*), 113  
dataset\_write\_permissions\_required () (in module *tardis.tardis\_portal.auth.decorators*), 121  
DatasetAdmin (class in *tardis.tardis\_portal.admin*), 205  
DatasetForm (class in *tardis.tardis\_portal.forms*), 224  
DatasetForm.Meta (class in *tardis.tardis\_portal.forms*), 224  
DatasetIndex (class in *tardis.search.search\_indexes*), 117  
DatasetParameter (class in *tardis.tardis\_portal.models.parameters*), 155  
DatasetParameter.DoesNotExist, 155  
DatasetParameter.MultipleObjectsReturnedDBHostKeyPolicy (class in *tardis.apps.push\_to.models*), 93  
datasetparameter\_set  
    (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 156  
datasetparameter\_set  
    (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164  
DatasetParameterResource (class in *tardis.tardis\_portal.api*), 211  
DatasetParameterResource.Meta (class in *tardis.tardis\_portal.api*), 211  
DatasetParameterResourceTest (class in *tardis.tardis\_portal.tests.api.test\_dataset\_metadata\_resource*), 93  
181  
DatasetParameterSet (class in *tardis.tardis\_portal.models.parameters*), 156  
DatasetParameterSet.DoesNotExist, 156  
DatasetParameterSet.MultipleObjectsReturned, 156  
datasetparameterset\_set  
    (*tardis.tardis\_portal.models.dataset.Dataset attribute*), 142  
datasetparameterset\_set  
    (*tardis.tardis\_portal.models.parameters.Schema attribute*), 168  
DatasetParameterSetResource (class in *tardis.tardis\_portal.api*), 211  
DatasetParameterSetResource.Meta (class in *tardis.tardis\_portal.api*), 211  
DatasetParameterSetResourceTest (class in *tardis.tardis\_portal.tests.api.test\_dataset\_metadata\_resources*), 181  
datasetparametersets  
    (*tardis.tardis\_portal.models.storage.StorageBox attribute*), 171  
DatasetResource (class in *tardis.tardis\_portal.api*), 211  
DatasetResource.Meta (class in *tardis.tardis\_portal.api*), 211  
DatasetResourceTest (class in *tardis.tardis\_portal.tests.api.test\_dataset\_resource*), 181  
datasets (*tardis.tardis\_portal.models.experiment.Experiment attribute*), 145  
DatasetView (class in *tardis.tardis\_portal.views.pages*), 199  
DATETIME (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164  
datetime\_to\_us () (in module *tardis.tardis\_portal.views.facilities*), 198  
datetime\_value (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 162  
DcExperimentProvider (class in *tardis.apps.oaipmh.provider.experiment*), 80  
DcExperimentProviderTestCase (class in *tardis.apps.oaipmh.tests.provider.test\_experiment*), 82  
DEBUG, 45  
DEBUG (in module *tardis.default\_settings.debug*), 114  
declared\_fields (*tardis.apps.equipment.forms.EquipmentSearchForm attribute*), 75  
declared\_fields (*tardis.apps.push\_to.models.CredentialForm attribute*), 93  
declared\_fields (*tardis.apps.related\_info.forms.RelatedInfoForm attribute*), 101  
declared\_fields (*tardis.apps.sftp.api.SFTPPublicKeyAppResource attribute*), 103  
declared\_fields (*tardis.apps.sftp.forms.KeyAddForm*)

attribute), 104  
 declared\_fields (*tardis.apps.sftp.forms.KeyGenerateForm* attribute), 104  
 declared\_fields (*tardis.search.forms.GroupedSearchForm* attribute), 116  
 declared\_fields (*tardis.tardis\_portal.admin.DatafileAdminForm* attribute), 205  
 declared\_fields (*tardis.tardis\_portal.admin.DataFileObjectAdminForm* attribute), 204  
 declared\_fields (*tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm* attribute), 208  
 declared\_fields (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm* attribute), 209  
 declared\_fields (*tardis.tardis\_portal.admin.StorageBoxForm* attribute), 208  
 declared\_fields (*tardis.tardis\_portal.admin.StorageBoxOptionForm* attribute), 209  
 declared\_fields (*tardis.tardis\_portal.api.DatafileParameterResource* attribute), 210  
 declared\_fields (*tardis.tardis\_portal.api.DatafileParameterSetResource* attribute), 211  
 declared\_fields (*tardis.tardis\_portal.api.DataFileResource* attribute), 210  
 declared\_fields (*tardis.tardis\_portal.api.DatasetParameterResource* attribute), 211  
 declared\_fields (*tardis.tardis\_portal.api.DatasetParameterSetResource* attribute), 211  
 declared\_fields (*tardis.tardis\_portal.api.DatasetResource* attribute), 211  
 declared\_fields (*tardis.tardis\_portal.api.ExperimentParameterResource* attribute), 212  
 declared\_fields (*tardis.tardis\_portal.api.ExperimentParameterSetResource* attribute), 212  
 declared\_fields (*tardis.tardis\_portal.api.ExperimentResource* attribute), 212  
 declared\_fields (*tardis.tardis\_portal.api.FacilityResource* attribute), 213  
 declared\_fields (*tardis.tardis\_portal.api.GroupResource* attribute), 213  
 declared\_fields (*tardis.tardis\_portal.api.InstrumentResource* attribute), 213  
 declared\_fields (*tardis.tardis\_portal.api.LocationResource* attribute), 214  
 declared\_fields (*tardis.tardis\_portal.api.MyTardisModelResource* attribute), 214  
 declared\_fields (*tardis.tardis\_portal.api.ObjectACLResource* attribute), 214  
 declared\_fields (*tardis.tardis\_portal.api.ParameterNameResource* attribute), 215  
 declared\_fields (*tardis.tardis\_portal.api.ParameterResource* attribute), 215  
 declared\_fields (*tardis.tardis\_portal.api.ParameterSetNameResource* attribute), 215  
 declared\_fields (*tardis.tardis\_portal.api.ParameterSetResource* attribute), 215  
 declared\_fields (*tardis.tardis\_portal.api.ReplicaResource* attribute), 215  
 declared\_fields (*tardis.tardis\_portal.api.SchemaResource* attribute), 216  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxAttributeResource* attribute), 216  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxOptionResource* attribute), 216  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxResource* attribute), 216  
 declared\_fields (*tardis.tardis\_portal.api.UserResource* attribute), 217  
 declared\_fields (*tardis.tardis\_portal.forms.AddGroupPermissionsForm* attribute), 220  
 declared\_fields (*tardis.tardis\_portal.forms.AddUserPermissionsForm* attribute), 220  
 declared\_fields (*tardis.tardis\_portal.forms.ChangeGroupPermissionsForm* attribute), 221  
 declared\_fields (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm* attribute), 223  
 declared\_fields (*tardis.tardis\_portal.forms.CreateGroupPermissionsForm* attribute), 224  
 declared\_fields (*tardis.tardis\_portal.forms.CreateUserPermissionsForm* attribute), 224  
 declared\_fields (*tardis.tardis\_portal.forms.DatasetForm* attribute), 224  
 declared\_fields (*tardis.tardis\_portal.forms.ExperimentAuthorForm* attribute), 225  
 declared\_fields (*tardis.tardis\_portal.forms.ExperimentForm* attribute), 225  
 declared\_fields (*tardis.tardis\_portal.forms.ImportParamsForm* attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.LoginForm* attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.ManageAccountForm* attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.ManageGroupPermissionForm* attribute), 227  
 declared\_fields (*tardis.tardis\_portal.forms.RawSearchForm* attribute), 227  
 declared\_fields (*tardis.tardis\_portal.forms.RegisterExperimentForm* attribute), 227  
 declared\_fields (*tardis.tardis\_portal.forms.RegistrationForm* attribute), 228  
 declared\_fields (*tardis.tardis\_portal.forms.RightsForm* attribute), 228  
 declared\_fields (*tardis.tardis\_portal.models.Equipment* attribute), 76  
 declared\_fields (*tardis.tardis\_portal.models.EquipmentMapper* () (in module *tardis.apps.deep\_storage\_download\_mapper.mapper*), 76  
 declared\_fields (*tardis.tardis\_portal.models.DownloadSettings* (in module *tardis.default\_settings.downloads*), 114  
 declared\_fields (*tardis.tardis\_portal.models.EmailSetting* (in module *tardis.default\_settings.email*), 114  
 declared\_fields (*tardis.tardis\_portal.models.StorageBaseDir* (in module *tardis.default\_settings.storage\_base\_dir*), 114  
 declared\_fields (*tardis.tardis\_portal.models.StorageFormat* (in module *tardis.default\_settings.archive\_formats*), 46

```

dehydrate () (tardis.apps.sftp.api.SFTPPublicKeyAppResource attribute), 129
    method), 103
dependencies (tardis.tardis_portal.migrations.0006_datafile_remove_s
dehydrate () (tardis.tardis_portal.api.ExperimentResource attribute), 129
    method), 212
dependencies (tardis.tardis_portal.migrations.0007_remove_parameter
dehydrate () (tardis.tardis_portal.api.ReplicaResource attribute), 129
    method), 215
dependencies (tardis.tardis_portal.migrations.0008_string_value_parti
dehydrate () (tardis.tardis_portal.api.UserResource attribute), 129
    method), 217
dependencies (tardis.tardis_portal.migrations.0009_auto_20160128_1
delete_all_params ()
    (tardis.tardis_portal.ParameterSetManager.ParameterSetManagers attribute), 130
    method), 204
dependencies (tardis.tardis_portal.migrations.0010_auto_20160503_1
delete_data () (tardis.tardis_portal.models.datafile.DataFileObjecties attribute), 130
    method), 140
dependencies (tardis.tardis_portal.migrations.0011_auto_20160505_1
delete_detail () (tardis.apps.sftp.api.SFTPACLAuthorization dependencies (tardis.tardis_portal.migrations.0012_userauthentication
    method), 103
    attribute), 130
dependencies (tardis.tardis_portal.migrations.0013_auto_20181002_1
delete_detail () (tardis.tardis_portal.api.ACIAuthorization dependencies (tardis.tardis_portal.migrations.0014_auto_20181002_1
    method), 209
    attribute), 130
dependencies (tardis.tardis_portal.migrations.0015_dataset_created_t
delete_dfo () (in module tardis.tardis_portal.models.datafile), 141
    attribute), 130
dependencies (tardis.tardis_portal.migrations.0016_add_timestamps.M
delete_directory_content () (in module tardis.tardis_portal.tests.slapd), 186
    attribute), 131
dependencies (tardis.tardis_portal.migrations.0017_add_timestamps.M
delete_list () (tardis.tardis_portal.api.ACIAuthorization dependencies (tardis.tardis_portal.migrations.0018_add_timestamps.M
    method), 209
    attribute), 131
dependencies (tardis.tardis_portal.migrations.0019_add_timestamps.M
delete_params () (tardis.tardis_portal.ParameterSetManagerParameter (tardis.tardis_portal.models.equipment.models.Equipment
    method), 204
    attribute), 76
dependencies (tardis.tardis_portal.migrations.0020_add_timestamps.M
delete_permissions_required () (in module tardis.tardis_portal.auth.decorators), 121
    attribute), 142
dependencies (tardis.tardis_portal.models.datafile.DataFile description (tardis.tardis_portal.models.experiment.Experiment
attribute), 137
    attribute), 145
dependencies (tardis.tardis_portal.models.datafile.DataFile description (tardis.tardis_portal.models.storage.StorageBox
attribute), 137
    attribute), 171
DeleteTestCase (class in tardis.apps.related_info.tests.tests), 99
    deserialize () (tardis.tardis_portal.api.DataFileResource
method), 210
dependencies (tardis.apps.equipment.migrations.0001_initial.Migration (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta
attribute), 75
    attribute), 75
dependencies (tardis.apps.openid_migration.migrations.0001_initiatMigration
attribute), 85
    df_dir_only () (in module tardis.apps.dl_mapper_df_dir_only.mapper),
attribute), 90
    74
dependencies (tardis.apps.push_to.migrations.0001_initial.Migrat(tardis.tardis_portal.models.datafile.DataFile
attribute), 90
    attribute), 137
dependencies (tardis.apps.sftp.migrations.0001_initial.Migratory (tardis.tardis_portal.models.dataset.Dataset
attribute), 102
    attribute), 142
dependencies (tardis.tardis_portal.migrations.0001_initial.Migrat(tardis.tardis_portal.models.storage.StorageBox
attribute), 128
    attribute), 170
dependencies (tardis.tardis_portal.migrations.0001_squashed_0001_20160505_1643.Migration
attribute), 128
    (tardis.tardis_portal.models.storage.StorageBox
dependencies (tardis.tardis_portal.migrations.0002_auto_20150528_12128.Migration
attribute), 128
    DjangoAuthBackend (class in
dependencies (tardis.tardis_portal.migrations.0003_auto_20150907_07d315dMigration.auth.localdb_auth), 124
attribute), 128
    DjangoGroupProvider (class in
dependencies (tardis.tardis_portal.migrations.0004_storageboxoptiridisstahdtypMigratiocaldb_auth), 124
attribute), 129
    DjangoUserProvider (class in
dependencies (tardis.tardis_portal.migrations.0005_datafile_add_tardisintrdislypnntMigrdtlcaldb_auth), 124
    )

```

do\_file\_copy() (in module `tardis.apps.push_to.tasks`), 97

do\_migration() (in module `tardis.appsopenid_migration.migration`), 87

download\_api\_key() (in module `tardis.tardis_portal.download`), 219

download\_datafile() (in module `tardis.tardis_portal.download`), 219

download\_datafile() (in module `tardis.tardis_portal.tests.mock_vbl_download`), 185

download\_file() (`tardis.tardis_portal.api.DataFileResource` method), 210

download\_image() (in module `tardis.tardis_portal.iiif`), 229

download\_info() (in module `tardis.tardis_portal.iiif`), 229

DownloadTestCase (class in `tardis.tardis_portal.tests.test_download`), 188

DummyStorage (class in `tardis.tardis_portal.storage`), 177

DumpSchemasTestCase (class in `tardis.tardis_portal.tests.test_dumpschemas`), 189

DynamicTree (class in `tardis.apps.sftp.sftp`), 105

dynurl() (in module `tardis.tardis_portal.templatetags.dynurl`), 178

DynUrlNode (class in `tardis.tardis_portal.templatetags.dynurl`), 178

**E**

edit\_auth\_method() (in module `tardis.tardis_portal.auth.authentication`), 119

edit\_datafile\_par() (in module `tardis.tardis_portal.views.parameters`), 202

edit\_dataset() (in module `tardis.tardis_portal.views.pages`), 201

edit\_dataset\_par() (in module `tardis.tardis_portal.views.parameters`), 202

edit\_experiment\_par() (in module `tardis.tardis_portal.views.parameters`), 202

edit\_parameters() (in module `tardis.tardis_portal.views.parameters`), 202

EditParameterSetTestCase (class in `tardis.tardis_portal.tests.test_paramsets`), 192

effectiveDate (`tardis.tardis_portal.forms.ChangeUserPermissionsForm` attribute), 222

module effectiveDate (`tardis.tardis_portal.models.access_control.ObjectACL` attribute), 133

email (`tardis.tardis_portal.models.experiment.ExperimentAuthor` attribute), 148

EMAIL\_HOST (in module `tardis.default_settings.email`), 114

EMAIL\_HOST\_PASSWORD (in module `tardis.default_settings.email`), 114

EMAIL\_HOST\_USER (in module `tardis.default_settings.email`), 115

email\_migration\_success() (in module `tardis.appsopenid_migration.email_text`), 86

EMAIL\_PORT (in module `tardis.default_settings.email`), 115

EMAIL\_USE\_TLS (in module `tardis.default_settings.email`), 115

email\_user() (in module `tardis.tardis_portal.email`), 219

end\_time (`tardis.tardis_portal.models.experiment.Experiment` attribute), 145

endpoint () (in module `tardis.apps.oaipmh.views`), 84

EndpointTestCase (class in `tardis.apps.oaipmh.tests.test_oai`), 82

entityId (`tardis.tardis_portal.forms.ChangeUserPermissionsForm`.Meta attribute), 222

entityId (`tardis.tardis_portal.models.access_control.ObjectACL` attribute), 133

Equipment (class in `tardis.apps.equipment.models`), 76

Equipment.DoesNotExist, 76

Equipment.MultipleObjectsReturned, 76

equipment\_set (`tardis.tardis_portal.models.dataset.Dataset` attribute), 142

EquipmentSearchForm (class in `tardis.apps.equipment.forms`), 75

EquipmentTestCase (class in `tardis.apps.equipment.tests`), 77

error\_handler() (in module `tardis.views`), 238

EXACT\_VALUE\_COMPARISON (`tardis.tardis_portal.models.parameters.ParameterName` attribute), 164

Experiment (class in `tardis.tardis_portal.models.experiment`), 144

experiment (`tardis.tardis_portal.models.experiment.ExperimentAuthor` attribute), 148

experiment (`tardis.tardis_portal.models.parameters.ExperimentParam` attribute), 158

EXPERIMENT (`tardis.tardis_portal.models.parameters.Schema` attribute), 167

experiment (`tardis.tardis_portal.models.token.Token` attribute), 175

Experiment.DoesNotExist, 144

Experiment.MultipleObjectsReturned, 144

```

experiment_access_required() (in module tardis.tardis_portal.auth.decorators), 121
experiment_author (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_browse_item() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_created_time (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_creator (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_datafiles_badge() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_datasets_badge() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_description (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_download_required() (in module tardis.tardis_portal.auth.decorators), 121
experiment_end_time (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_file_count() (in module tardis.tardis_portal.templatetags.experimentstats), 179
experiment_id (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler), 224
attribute), 218
experiment_id (tardis.tardis_portal.models.experiment.Experiment attribute), 148
experiment_id (tardis.tardis_portal.models.parameters.ExperimentAttribute), 159
experiment_id (tardis.tardis_portal.models.token.Token attribute), 175
experiment_id_stored (tardis.search.datafile_index.DataFileIndex attribute), 116
experiment_id_stored (tardis.search.search_indexes.DatasetIndex attribute), 117
experiment_id_stored (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_institution_name (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_last_updated_badge() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_ownership_required() (in module tardis.tardis_portal.auth.decorators), 121
experiment_public_access_badge() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_public_access_badge() (in module tardis.tardis_portal.views.ajax_pages), 197
experiment_set (tardis.tardis_portal.models.license.License attribute), 152
experiment_size_badge() (in module tardis.tardis_portal.templatetags.experiment_tags), 179
experiment_start_time (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_title (tardis.search.search_indexes.ExperimentIndex attribute), 117
experiment_update_time (tardis.search.search_indexes.ExperimentIndex attribute), 117
EXPERIMENT_VIEWS (in module tardis.default_settings.custom_views), 113
ExperimentAdmin (class in tardis.tardis_portal.admin), 205
ExperimentAuthor (class in tardis.tardis_portal.forms), 224
ExperimentAuthor (class in tardis.tardis_portal.models.experiment), 148
ExperimentAuthor.DoesNotExist, 148
ExperimentAuthor.Meta (class in ExperimentAuthor)
ExperimentAuthor.set
ExperimentForm (class in tardis.tardis_portal.forms), 225
ExperimentForm.FullExperiment (class in tardis.tardis_portal.forms), 225
ExperimentForm.Meta (class in tardis.tardis_portal.forms), 225
ExperimentIndex (class in tardis.search.search_indexes), 117
ExperimentListsTest (class in tardis.tardis_portal.tests.test_views), 195
ExperimentManager (class in tardis.tardis_portal.managers), 230
ExperimentParameter (class in tardis.tardis_portal.models.parameters), 157
ExperimentParameter.DoesNotExist, 157
ExperimentParameter.MultipleObjectsReturned,

```

157  
**experimentparameter\_set** (tardis.tardis\_portal.models.parameters.ExperimentParameter, 159  
**attribute**), 159  
**experimentparameter\_set** (tardis.tardis\_portal.models.parameters.ParameterName, 165  
**attribute**), 165  
**ExperimentParameterInline** (class in tardis.tardis\_portal.admin), 205  
**ExperimentParameterResource** (class in tardis.tardis\_portal.api), 211  
**ExperimentParameterResource.Meta** (class in tardis.tardis\_portal.api), 211  
**ExperimentParameterResourceTest** (class in tardis.tardis\_portal.tests.api.test\_experiment\_metadata\_resource), 204  
181  
**ExperimentParameterSet** (class in tardis.tardis\_portal.models.parameters), 158  
**ExperimentParameterSet.DoesNotExist**, 158  
**ExperimentParameterSet.MultipleObjectsReturned**, 206  
158  
**experimentparameterset\_set** (tardis.tardis\_portal.models.experiment.Experiment, 145  
**attribute**), 145  
**experimentparameterset\_set** (tardis.tardis\_portal.models.parameters.Schema, 168  
**attribute**), 168  
**ExperimentParameterSetAdmin** (class in tardis.tardis\_portal.admin), 205  
**ExperimentParameterSetResource** (class in tardis.tardis\_portal.api), 212  
**ExperimentParameterSetResource.Meta** (class in tardis.tardis\_portal.api), 212  
**ExperimentParameterSetResourceTest** (class in tardis.tardis\_portal.tests.api.test\_experiment\_metadata\_resource), 204  
181  
**experimentparametersets** (tardis.tardis\_portal.models.storage.StorageBox, 171  
**attribute**), 171  
**ExperimentResource** (class in tardis.tardis\_portal.api), 212  
**ExperimentResource.Meta** (class in tardis.tardis\_portal.api), 212  
**ExperimentResourceTest** (class in tardis.tardis\_portal.tests.api.test\_experiment\_resource), 182  
**experiments** (tardis.apps.sftp.sftp.MyTardisServerInterface, 106  
**attribute**), 106  
**experiments** (tardis.tardis\_portal.models.dataset.Dataset, 143  
**attribute**), 143  
**ExperimentSearchView** (class in tardis.search.views), 118  
**ExperimentTestCase** (class in tardis.tardis\_portal.tests.test\_views), 195  
**ExperimentView** (class in tardis.tardis\_portal.views.pages), 200  
**expiry\_date** (tardis.tardis\_portal.models.token.Token, 175  
**attribute**), 175  
**expiryDate** (tardis.tardis\_portal.forms.ChangeUserPermissionsForm, 222  
**attribute**), 222  
**ObjectACL** (tardis.tardis\_portal.models.access\_control.ObjectACL, 133  
**attribute**), 133  
**UserProfile** (tardis.tardis\_portal.models.access\_control.UserProfile, 135  
**attribute**), 135  
**external\_users()** (tardis.tardis\_portal.managers.ExperimentManager, 230  
**method**), 230  
**DataFileObjectInline** (extra (tardis.tardis\_portal.admin.DataFileObjectInline, 204  
**tribute**), 204  
**ExperimentParameterInline** (extra (tardis.tardis\_portal.admin.ExperimentParameterInline, 205  
**attribute**), 205  
**InstrumentParameterInline** (extra (tardis.tardis\_portal.admin.InstrumentParameterInline, 206  
**attribute**), 206  
**ObjectACLInline** (extra (tardis.tardis\_portal.admin.ObjectACLInline, 207  
**attribute**), 207  
**StorageBoxAttributeInline** (extra (tardis.tardis\_portal.admin.StorageBoxAttributeInline, 207  
**attribute**), 207  
**StorageBoxOptionInline** (extra (tardis.tardis\_portal.admin.StorageBoxOptionInline, 208  
**attribute**), 208  
**ExperimentSearchView** (extra\_context () (tardis.search.views.ExperimentSearchView, 118  
**method**), 118  
**ExtraTestCases** (class in tardis.tardis\_portal.tests.test\_iif), 190  
**F**  
**FacetFixedSearchQuery** (class in tardis.tardis\_portal.search\_query), 233  
**Facility** (class in tardis.tardis\_portal.models.facility), 149  
**facility** (tardis.tardis\_portal.models.instrument.Instrument, 150  
**attribute**), 150  
**Facility.DoesNotExist**, 149  
**Facility.MultipleObjectsReturned**, 149  
**facility\_id** (tardis.tardis\_portal.models.instrument.Instrument, 151  
**attribute**), 151  
**Facility\_overview()** (in module tardis.tardis\_portal.views.pages), 201  
**Facility\_overview\_data\_count()** (in module tardis.tardis\_portal.views.facilities), 198  
**Facility\_overview\_datafile\_list()** (in module tardis.tardis\_portal.views.facilities), 199  
**Facility\_overview\_dataset\_detail()** (in module tardis.tardis\_portal.views.facilities), 199

199  
facility\_overview\_experiments() (in module `tardis.tardis_portal.views.facilities`), 199  
facility\_overview\_facilities\_list() (in module `tardis.tardis_portal.views.facilities`), 199  
FacilityAdmin (class in `tardis.tardis_portal.admin`), 206  
FacilityOverviewTestCase (class in `tardis.tardis_portal.tests.test_facility_overview`), 189  
FacilityResource (class in `tardis.tardis_portal.api`), 212  
FacilityResource.Meta (class in `tardis.tardis_portal.api`), 212  
FacilityResourceTest (class in `tardis.tardis_portal.tests.api.test_facility_resource`), 182  
feedback () (in module `tardis.tardis_portal.views.utils`), 203  
fields (`tardis.apps.push_to.models.CredentialForm.Meta` attribute), 93  
fields (`tardis.apps.push_to.models.RemoteHostAdmin` attribute), 96  
fields (`tardis.search.datafile_index.DataFileIndex` attribute), 116  
fields (`tardis.search.search_indexes.DatasetIndex` attribute), 117  
fields (`tardis.search.search_indexes.ExperimentIndex` attribute), 117  
fields (`tardis.tardis_portal.admin.DatafileAdminForm.Meta` attribute), 205  
fields (`tardis.tardis_portal.admin.DataFileObjectInlineForm.Meta` attribute), 204  
fields (`tardis.tardis_portal.admin.StorageBoxAttributeInlineForm.Meta` attribute), 208  
fields (`tardis.tardis_portal.admin.StorageBoxForm.Meta` attribute), 208  
fields (`tardis.tardis_portal.admin.StorageBoxOptionInlineForm.Meta` attribute), 209  
fields (`tardis.tardis_portal.api.UserResource.Meta` attribute), 217  
fields (`tardis.tardis_portal.forms.ChangeUserPermissionsForm.Meta` attribute), 223  
fields (`tardis.tardis_portal.forms.DatasetForm.Meta` attribute), 224  
fields (`tardis.tardis_portal.forms.ExperimentAuthor.Meta` attribute), 224  
fields (`tardis.tardis_portal.forms.ExperimentForm.Meta` attribute), 225  
fields (`tardis.tardis_portal.forms.ManageAccountForm.Meta` attribute), 226  
fields (`tardis.tardis_portal.forms.RightsForm.Meta` attribute), 228  
file\_object (`tardis.tardis_portal.models.datafile.DataFile` attribute), 137  
file\_object (`tardis.tardis_portal.models.datafile.DataFileObject` attribute), 140  
file\_objects (`tardis.tardis_portal.models.datafile.DataFile` attribute), 137  
file\_objects (`tardis.tardis_portal.models.storage.StorageBox` attribute), 171  
filename (`tardis.tardis_portal.models.datafile.DataFile` attribute), 138  
FILENAME (`tardis.tardis_portal.models.parameters.ParameterName` attribute), 164  
filepicker\_url\_regex (`tardis.apps.filepicker.utils.FilepickerFile` attribute), 78  
FilepickerFile (class in `tardis.apps.filepicker.utils`), 78  
Filter1 (class in `tardis.tardis_portal.tests.filters.test_middleware`), 184  
Filter2 (class in `tardis.tardis_portal.tests.filters.test_middleware`), 184  
filtering (`tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta` attribute), 103  
filtering (`tardis.tardis_portal.api.DataFileResource.Meta` attribute), 210  
filtering (`tardis.tardis_portal.api.DatasetResource.Meta` attribute), 211  
filtering (`tardis.tardis_portal.api.ExperimentResource.Meta` attribute), 212  
filtering (`tardis.tardis_portal.api.FacilityResource.Meta` attribute), 213  
filtering (`tardis.tardis_portal.api.GroupResource.Meta` attribute), 213  
filtering (`tardis.tardis_portal.api.InstrumentResource.Meta` attribute), 213  
filtering (`tardis.tardis_portal.api.ObjectACLResource.Meta` attribute), 214  
filtering (`tardis.tardis_portal.api.ParameterNameResource.Meta` attribute), 214  
filtering (`tardis.tardis_portal.api.ReplicaResource.Meta` attribute), 215  
filtering (`tardis.tardis_portal.api.SchemaResource.Meta` attribute), 215  
filtering (`tardis.tardis_portal.api.UserResource.Meta` attribute), 217  
FilterInitMiddleware (class in `tardis.tardis_portal.filters`), 126  
FilterInitTestCase (class in `tardis.tardis_portal.tests.filters.test_middleware`), 184  
find\_available\_tcp\_port () (in module `tardis.tardis_portal.tests.slacd`), 186  
find\_custom\_view\_override () (`tardis.tardis_portal.views.pages.DatasetView`

```

        method), 199
find_custom_view_override()                               get() (tardis.tardis_portal.models.parameters.Parameter
                                                    method), 162
                                                    (tardis.tardis_portal.views.pages.DatasetView
                                                    method), 200
fixtures(tardis.apps.equipment.tests.EquipmentTestCase) get() (tardis.tardis_portal.views.pages.ExperimentView
                                                    attribute), 77                                         method), 200
form(tardis.apps.push_to.models.CredentialAdmin attribute), 93                                     get() (tardis.tardis_portal.views.pages.IndexView
                                                    method), 201
form(tardis.tardis_portal.admin.DatafileAdmin attribute), 205                                get_absolute_filepath()
                                                    (tardis.tardis_portal.models.datafile.DataFile
                                                    method), 138
form(tardis.tardis_portal.admin.DataFileObjectInline attribute), 204                                get_absolute_url()
                                                    (tardis.tardis_portal.models.dataset.Dataset
                                                    method), 143
form(tardis.tardis_portal.admin.StorageBoxAdmin attribute), 207                                get_absolute_url()
                                                    (tardis.tardis_portal.models.experiment.Experiment
                                                    method), 146
form(tardis.tardis_portal.admin.StorageBoxAttributeInline attribute), 207                         get_accessible_datafiles_for_user() (in
                                                    module tardis.tardis_portal.auth.decorators),
                                                    121
form_class(tardis.search.views.SingleSearchView attribute), 118                                get_accessible_experiments() (in module
                                                    tardis.tardis_portal.auth.decorators), 121
form_valid()(tardis.search.views.SingleSearchView method), 118                                get_accessible_experiments_for_dataset() (in module
                                                    tardis.tardis_portal.auth.decorators),
                                                    121
format_app_name_for_url() (in module tardis.app_config), 237                                get_accessible_hosts() (in module
                                                    tardis.apps.push_to.views), 98
formfield_overrides                                get_aclOwnershipType_display()
                                                    (tardis.tardis_portal.admin.ExperimentParameterInline
                                                    attribute), 205
FreeTextSearchField (class in get_aclOwnershipType_display()
                                                    tardis.tardis_portal.models.parameters), 159
                                                    (tardis.tardis_portal.forms.ChangeUserPermissionsForm.Meta.O
                                                    method), 222
FreeTextSearchField.DoesNotExist, 159                get_aclOwnershipType_display()
FreeTextSearchField.MultipleObjectsReturned, 160      (tardis.tardis_portal.models.access_control.ObjectACL
                                                    method), 133
freetextsearchfield_set                           get_address() (tardis.tardis_portal.tests.slapd.Slapd
                                                    (tardis.tardis_portal.models.parameters.ParameterName
                                                    attribute), 165
                                                    method), 186
                                                    get_all_storage_boxes_used()
FreeTextSearchFieldAdmin (class in (tardis.tardis_portal.models.dataset.Dataset
                                                    tardis.tardis_portal.admin), 206
                                                    method), 143
freeze_time()(tardis.tardis_portal.tests.test_tokens.FrozenTime) get_tardis_apps() (in module
                                                    tardis.tardis_apps(), 238
                                                    tardis.test_settings), 238
FrozenTime (class in get_allowed_auths()
                                                    tardis.tardis_portal.tests.test_tokens), 194
                                                    (tardis.apps.sftp.sftp.MyTServerInterface
full_name(tardis.tardis_portal.models.parameters.ParameterName) method), 110
attribute), 165                                get_api_key() (in module
                                                    tardis.apps.openid_migration.migration),
                                                    87
G
generate_file_checksums() (in module get_apikey_credentials()
                                                    tardis.tardis_portal.util), 234
                                                    (tardis.tardis_portal.tests.api.MyTardisResourceTestCase
generate_keypair_credential() static get_as_temporary_file()
                                                    (tardis.apps.push_to.models.Credential
                                                    method), 92
                                                    (tardis.tardis_portal.models.datafile.DataFile
get()(tardis.tardis_portal.managers.ExperimentManager method), 230
                                                    method), 138
                                                    get_auth_method() (in module
                                                    tardis.apps.social_auth.auth.social_auth),

```

111  
get\_available\_signing\_services() (in module `tardis.apps.push_to.models`)  
    (`OAuthSSHCertSigningService` class method), 95  
get\_beamline() (in module `tardis.tardis_portal.tests.test_publishservice`)  
    (`get_beamline` method), 193  
get\_by\_natural\_key()  
    (`tardis.tardis_portal.managers.ParameterNameManager` method), 232  
get\_by\_natural\_key()  
    (`tardis.tardis_portal.managers.SchemaManager` method), 232  
get\_client\_for\_host()  
    (`tardis.apps.push_to.models.Credential` method), 92  
get\_client\_ip() (in module `tardis.tardis_portal.logging_middleware`), 229  
get\_comparison\_type\_display()  
    (`tardis.tardis_portal.models.parameters.ParameterName` method), 165  
get\_context() (in module `tardis.tardis_portal.publish.publishservice`)  
    (`PublishService` method), 176  
get\_context\_data()  
    (`tardis.tardis_portal.views.pages.DatasetView` method), 200  
get\_context\_data()  
    (`tardis.tardis_portal.views.pages.ExperimentView` method), 200  
get\_context\_data()  
    (`tardis.tardis_portal.views.pages.IndexView` method), 201  
get\_create\_token\_url()  
    (`tardis.tardis_portal.models.experiment.Experiment` method), 146  
get\_credential() (in module `tardis.apps.push_to.views`), 98  
get\_credentials()  
    (`tardis.tardis_portal.tests.api.MyTardisResourceTestCase` method), 183  
get\_ct() (in module `tardis.tardis_portal.models.experiment.Experiment`)  
    (`method`), 146  
get\_data\_type\_display()  
    (`tardis.tardis_portal.models.parameters.ParameterName` method), 165  
get\_datafiles() (in module `tardis.tardis_portal.api.DatasetResource`)  
    (`method`), 211  
get\_datafiles() (in module `tardis.tardis_portal.models.dataset.Dataset`)  
    (`method`), 143  
get\_datafiles() (in module `tardis.tardis_portal.models.experiment.Experiment`)  
    (`method`), 146  
get\_dataset\_info() (in module `tardis.tardis_portal.views.utils`), 203  
get\_default\_push\_location() (in module `tardis.tardis_portal.util`), 98  
get\_default\_storage()  
    (`tardis.tardis_portal.models.storage.StorageBox` class method), 171  
get\_file()  
    (`tardis.tardis_portal.models.datafile.DataFile` method), 138  
get\_file()  
    (`tardis.tardis_portal.models.access_control.ObjectACL` class method), 133  
get\_experiment\_referer() (in module `tardis.tardis_portal.shortcuts`), 233  
get\_facet\_counts()  
    (`tardis.tardis_portal.search_query.FacetFixedSearchQuery` method), 233  
get\_file()  
    (`tardis.tardis_portal.models.datafile.DataFile` method), 138  
get\_file\_contents()  
    (`tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter` method), 125  
get\_filesystem\_safe\_dataset\_name() (in module `tardis.tardis_portal.util`), 234  
get\_filesystem\_safe\_experiment\_name()  
    (`tardis.tardis_portal.util`), 234  
get\_first\_experiment()  
    (`tardis.tardis_portal.models.dataset.Dataset` method), 143  
get\_expertise()  
    (`tardis.tardis_portal.models.experiment.Experiment` class method), 234  
get\_full\_path()  
    (`tardis.tardis_portal.models.datafile.DataFileObject` method), 140  
get\_git\_version()  
    (`tardis.tardis_portal.util`), 234

`tardis.default_settings)`, 116  
`get_groups()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 175  
`get_id()` (*tardis.apps.oaipmh.provider.experiment.AbstractExperiment*`static method`), 80  
`get_identifier()` (*tardis.tardis\_portal.api.MyTardisAuthentication*`by_update_time`()), 214  
`get_image_data()` (*tardis.tardis\_portal.models.datafile.DataFile*`method`), 146  
`get_images()` (*tardis.tardis\_portal.models.dataset.Dataset*`method`), 143  
`get_images()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 146  
`get_initialised_storage_instance()` (*tardis.tardis\_portal.models.storage.StorageBox*`method`), 172  
`get_item()` (*tardis.tardis\_portal.templatetags.lookupfilters*), 179  
`get_leaf()` (*tardis.apps.sftp.sftp.DynamicTree*`method`), 105  
`get_license_uri()` (*tardis.tardis\_portal.tests.test\_publishservice.MockRTICProvider*`directory`), 193  
`get_local_time()` (*tardis.tardis.util*), 234  
`get_matching_auth_provider()` (*tardis.apps.openid\_migration.migration*), 87  
`get_matching_authmethod()` (*tardis.tardis\_portal.templatetags.approved\_user\_tags*), 177  
`get_metadata()` (*tardis.tardis\_portal.filters.jeolsem.JEOLSEMFilter*`tardis.tardis_portal.auth.decorators`), 121  
`get_mimetype()` (*tardis.tardis\_portal.models.datafile.DataFile*`method`), 138  
`get_model()` (*tardis.search.datafile\_index.DataFileIndex*`method`), 116  
`get_model()` (*tardis.search.search\_indexes.DatasetIndex*`method`), 117  
`get_model()` (*tardis.search.search\_indexes.ExperimentIndex*`method`), 117  
`get_next_by_added()` (*tardis.apps.sftp.models.SFTPPublicKey*`method`), 105  
`get_next_by_created_time()` (*tardis.tardis\_portal.models.datafile.DataFileObject*`method`), 140  
`get_next_by_created_time()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 146  
`get_next_by_created_time()` (*tardis.tardis\_portal.models.jti.JTI*`method`), 151  
`get_next_by_expiry_date()` (*tardis.tardis\_portal.models.token.Token*`get_next_by_migration_timestamp`()), 88  
`get_none_option_license()` (*tardis.tardis\_portal.models.license.License*`class method`), 152  
`get_options_as_dict()` (*tardis.tardis\_portal.models.storage.StorageBox*`method`), 172  
`get_or_create_cc_parameterset()` (*tardis.tardis\_portal.creativecommonshandler.CreativeCommons*`method`), 218  
`get_or_create_user()` (*tardis.tardis\_portal.auth.utils*), 125  
`get_or_create_user()` (*tardis.tardis\_portal.auth.authService*`AuthService`), 121  
`get_owned_experiments()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 146  
`get_owners()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 121  
`get_params()` (*tardis.tardis\_portal.ParameterSetManager*`ParameterSetManager`), 204  
`get_params()` (*tardis.tardis\_portal.ParameterSetManager*`ParameterSetManager`), 204  
`get_path()` (*tardis.tardis\_portal.models.dataset.Dataset*`method`), 143  
`get_perm_bool()` (*tardis.tardis\_portal.auth.authorisation.ACIAwareB*`method`), 120  
`get_preferred_dfo()` (*tardis.tardis\_portal.models.datafile.DataFile*`method`), 138  
`get_previous_by_added()` (*tardis.apps.sftp.models.SFTPPublicKey*`method`), 105  
`get_previous_by_created_time()` (*tardis.tardis\_portal.models.datafile.DataFileObject*`method`), 140  
`get_previous_by_created_time()` (*tardis.tardis\_portal.models.experiment.Experiment*`method`), 146

```

get_previous_by_created_time()           (tardis.tardis_portal.models.parameters.Schema
    (tardis.tardis_portal.models.jti.JTI    method), class method), 168
    152
get_previous_by_expiry_date()           get_server() (in module tardis.apps.oaipmh.server),
    (tardis.tardis_portal.models.token.Token 84
method), 175
get_previous_by_migration_timestamp()   get_session_expiry()
    (tardis.apps.openid_migration.models.OpenidUserMigration  (tardis.tardis_portal.models.token.Token
method), 175
get_previous_by_update_time()           get_edited_experiments() (in module
    (tardis.tardis_portal.models.experiment.Experiment tardis.tardis_portal.auth.decorators), 121
method), 146
get_public_access_display()             get_signing_services() (in module
    (tardis.tardis_portal.models.experiment.Experiment tardis.apps.push_to.views), 98
method), 146
get_push_url_for_host()                get_size() (tardis.tardis_portal.models.dataset.Dataset
    (in module tardis.apps.push_to.views), 98 method), 143
get_queryset() (tardis.tardis_portal.managers.OracleSystemManager_and_sha512sum() (in module
method), 232 tardis.tardis_portal.tests.test_download),
get_receiving_storage_box()            189
    (tardis.tardis_portal.models.datafile.DataFile
method), 138
get_related_object()                  get_suitable_credential()
    (tardis.tardis_portal.forms.ChangeUserPermissionsForm  (tardis.apps.push_to.models.Credential static
method), 222
get_related_object()                  MetaObjectACLenses()
    (tardis.tardis_portal.models.access_control.ObjectACL tardis_portal.models.license.License
method), 152
get_related_object_group()            get_tardis_apps() (in module tardis.app_config),
    (tardis.tardis_portal.models.access_control.ObjectACL 237
method), 133
get_related_object_group()            get_template() (tardis.tardis_portal.publish.provider.rifcsprovider.Rif
    (tardis.tardis_portal.forms.ChangeUserPermissionsForm MetaObjectACL
method), 223
get_related_object_group()            get_template() (tardis.tardis_portal.publish.publishservice.PublishSe
    (tardis.tardis_portal.models.access_control.ObjectACL template() (tardis.tardis_portal.tests.test_publishservice.MockRif
method), 133
method), 176
get_response() (in module tardis.tardis_portal.tasks), 234 get_thumbnail_url()
get_response() (tardis.tardis_portal.download.UncachedTarStream method), 143
    (tardis.tardis_portal.models.dataset.Dataset
method), 219
get_rifcs_context()                  get_tmpdir() (tardis.tardis_portal.tests.slapd.Slapd
    (tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider) (in module
method), 176 tardis.apps.push_to.oauth_tokens), 97
get_rifcs_context()                  get_token_data() (in module
    (tardis.tardis_portal.tests.test_publishservice.MockRifCsProvider
method), 193
get_rifcs_id() (tardis.apps.oaipmh.provider.experiment.RifCsExperiment) (tardis.tardis_portal.models.parameters.Schema
static method), 80
get_root_dn() (tardis.tardis_portal.tests.slapd.Slapd get_url() (tardis.tardis_portal.tests.slapd.Slapd
method), 186
method), 186
get_root_password()                  get_user() (tardis.tardis_portal.auth.interfacesAuthProvider
    (tardis.tardis_portal.tests.slapd.Slapd method), 123
186
get_schema() (tardis.tardis_portal.ParameterSetManager.get_user() (tardis.tardis_portal.auth.localdb_auth.DjangoAuthBackend
method), 204
get_schema_type_name()               get_user() (tardis.tardis_portal.tests.mock_vbl_auth.MockBackend
method), 185

```

get\_utc\_time () (in module `tardis.tardis_portal.util`), 234  
 get\_value\_type\_display () (tardis.tardis\_portal.models.storage.StorageBoxOptions), 174  
 get\_view\_url () (tardis.tardis\_portal.models.datafile.DataFileHubTypes), 138  
 getAuthMethodChoices () (in module tardis.tardis\_portal.forms), 229  
 getAuthMethodDescription () (tardis.tardis\_portal.models.access\_control.UserAuthentication), 134  
 getGroupById () (tardis.tardis\_portal.auth.interfaces.GroupProvider), 123  
 getGroupById () (tardis.tardis\_portal.auth.localdb\_auth.DjangoGroupProvider), 124  
 getGroupById () (tardis.tardis\_portal.tests.test\_authservice.MockGroupProvider), 188  
 getGroups () (in module tardis.tardis\_portal.auth.fix\_circular), 122  
 getGroups () (tardis.tardis\_portal.auth.authservice.AuthService), 120  
 getGroups () (tardis.tardis\_portal.auth.authservice.AuthService), 120  
 getGroups () (tardis.tardis\_portal.auth.interfaces.GroupProvider), 123  
 getGroups () (tardis.tardis\_portal.auth.localdb\_auth.DjangoGroupProvider), 124  
 getGroups () (tardis.tardis\_portal.auth.token\_auth.TokenGroupProvider), 125  
 getGroups () (tardis.tardis\_portal.tests.test\_authservice.MockGroupProvider), 188  
 getGroupsForEntity () (tardis.tardis\_portal.auth.authservice.AuthService), 120  
 getGroupsForEntity () (tardis.tardis\_portal.auth.interfaces.GroupProvider), 123  
 getGroupsForEntity () (tardis.tardis\_portal.tests.test\_authservice.MockGroupProvider), 188  
 getNamespaces () (tardis.tardis\_portal.models.parameters.Schema), 17  
 getParameterSets () (tardis.tardis\_portal.models.datafile.DataFile), 138  
 getParameterSets () (tardis.tardis\_portal.models.dataset.Dataset), 143  
 getParameterSets () (tardis.tardis\_portal.models.experiment.Experiment), 146  
 getParameterSets () (tardis.tardis\_portal.models.instrument.Instrument), 151  
 getRecord () (tardis.apps.oaipmh.provider.base.BaseProvider), 230  
 getRecord () (tardis.apps.oaipmh.provider.experiment.AbstractExperiment), 78, 241  
 getRecord () (tardis.apps.oaipmh.server.ProxyingServer), 83, 243  
 getSupportedAuthMethods () (in module tardis.apps.openid\_migration.migration), 87  
 getAuthentication (class tardis.apps.related\_info.tests.tests), 100  
 getClass () (tardis.tardis\_portal.filters.Filter1), 184  
 getClass () (tardis.tardis\_portal.filters.Filter2), 184  
 getGroupName (tardis.tardis\_portal.models.parameters.ParameterName), 165  
 getUser () (tardis.tardis\_portal.auth.authservice.AuthService), 120  
 getUserAuthentications ()  
 getUserNameByEmail () (tardis.tardis\_portal.models.access\_control.UserProfile), 135  
 getUserNameByEmail () (tardis.tardis\_portal.auth.interfaces.UserProvider), 123  
 getUserNameByEmail () (tardis.tardis\_portal.auth.localdb\_auth.DjangoUserProvider), 124  
 getUserNameByEmail () (tardis.tardis\_portal.auth.service.AuthService), 121  
 getUsernameByEmail () (tardis.tardis\_portal.auth.interfacesAuthProvider), 123  
 getUsernameByEmail () (tardis.tardis\_portal.auth.interfaces.UserProvider), 123  
 getUsernameByEmail () (tardis.tardis\_portal.context\_processors), 217  
 google\_analytics () (in module tardis.tardis\_portal.context\_processors), 217  
 GREATER\_THAN\_COMPARISON (tardis.tardis\_portal.models.parameters.ParameterName attribute), 164  
 GREATER\_THAN\_EQUAL\_COMPARISON (tardis.tardis\_portal.models.parameters.ParameterName attribute), 164  
 group (tardis.tardis\_portal.models.access\_control.GroupAdmin attribute), 131  
 group\_acls\_system\_owned () (tardis.tardis\_portal.managers.ExperimentManager), 230

```

group_acls_user_owned()           (in module
    tardis.tardis_portal.managers.ExperimentManager
    method), 230
group_id (tardis.tardis_portal.models.access_control.GroupAdmin
    attribute), 131
group_ownership_required()        (in module
    tardis.tardis_portal.auth.decorators), 121
GroupAdmin (class)               in
    tardis.tardis_portal.models.access_control),
    131
GroupAdmin.DoesNotExist, 131
GroupAdmin.MultipleObjectsReturned, 131
GroupedSearchForm (class in tardis.search.forms),
    116
GroupProvider (class)            in
    tardis.tardis_portal.auth.interfaces), 123
GroupResource (class in tardis.tardis_portal.api),
    213
GroupResource.Meta (class)       in
    tardis.tardis_portal.api), 213
GroupResourceTest (class)         in
    tardis.tardis_portal.tests.api.test_group_resource),
    182
gt () (in module tardis.tardis_portal.templatetags.basiccomparisonfilter),
    177
gte () (in module tardis.tardis_portal.templatetags.basiccomparisonfilter),
    177
has_dataset_access ()           (in module
    tardis.tardis_portal.auth.decorators), 122
has_dataset_download_access ()   (in module
    tardis.tardis_portal.auth.decorators), 122
has_dataset_ownership ()         (in module
    tardis.tardis_portal.auth.decorators), 122
has_dataset_write ()             (in module
    tardis.tardis_portal.auth.decorators), 122
has_delete_permissions ()       (in module
    tardis.tardis_portal.auth.decorators), 122
has_experiment_access ()         (in module
    tardis.tardis_portal.auth.decorators), 122
has_experiment_download_access () (in module
    tardis.tardis_portal.auth.decorators), 122
has_experiment_ownership ()     (in module
    tardis.tardis_portal.auth.decorators), 122
has_experiment_write ()          (in module
    tardis.tardis_portal.auth.decorators), 122
has_image () (tardis.tardis_portal.models.datafile.DataFile
    method), 138
has_perm () (tardis.tardis_portal.auth.authorisation.ACIAwareBackend
    method), 120
has_read_or_owner_ACL ()        (in module
    tardis.tardis_portal.auth.decorators), 122
has_write_permissions ()         (in module
    tardis.tardis_portal.auth.decorators), 122
hasReader () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry
    method), 83
hasWriter () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry
    method), 83
handle (tardis.tardis_portal.models.experiment.Experiment
    attribute), 146
handle () (tardis.apps.sftp.management.commands.sftpd.Command
    attribute), 126
handle () (tardis.apps.sftp.sftp.MyTSFTPRequestHandler
    method), 106
handle () (tardis.tardis_portal.management.commands.createuser.Createuser,
    method), 126
handle () (tardis.tardis_portal.management.commands.dumpschemas.Dumpschemas,
    method), 126
handle () (tardis.tardis_portal.management.commands.loadschemas.Loadschemas,
    method), 127
handle () (tardis.tardis_portal.management.commands.rmxperiment.Rmxperiment,
    method), 127
handle () (tardis.tardis_portal.management.commands.runfilters.Runfilters,
    method), 127
handle () (tardis.tardis_portal.management.commands.loadschemas.Loadschemas,
    method), 127
handle () (tardis.tardis_portal.management.commands.rmxperiment.Rmxperiment,
    method), 128
handle () (tardis.tardis_portal.management.commands.runfilters.Runfilters,
    method), 127
handle_timeout () (tardis.apps.sftp.sftp.MyTSFTPRequestHandler,
    method), 96
has_cc_license () (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler),
    203
has_datafile_access ()           (in module
    tardis.tardis_portal.auth.decorators), 122
has_datafile_download_access ()  (in module
    tardis.tardis_portal.auth.decorators), 122
HighlightSearchBackend (class)   in
    tardis.tardis_portal.search_backend), 233
host_name (tardis.apps.push_to.models.RemoteHost
    attribute), 203
HttpResponseMethodNotAllowed (class) in
    tardis.tardis_portal.views.utils), 203
HttpResponseSeeAlso (class)      in
    tardis.tardis_portal.views.utils), 203
hydrate () (tardis.apps.sftp.api.SFTPPublicKeyAppResource
    method), 103
hydrate () (tardis.tardis_portal.api.DataFileResource
    method), 210

```

```

hydrate() (tardis.tardis_portal.api.ObjectACLResource id(tardis.tardis_portal.models.parameters.DatafileParameterSet
    method), 214
            attribute), 154
hydrate() (tardis.tardis_portal.api.ParameterResource id(tardis.tardis_portal.models.parameters.DatasetParameter
    method), 215
            attribute), 155
hydrate() (tardis.tardis_portal.api.ReplicaResource id(tardis.tardis_portal.models.parameters.DatasetParameterSet
    method), 215
            attribute), 157
hydrate_m2m() (tardis.tardis_portal.api.ExperimentResource id(tardis.tardis_portal.models.parameters.ExperimentParameter
    method), 212
            attribute), 157
hydrate_schema() (tardis.tardis_portal.api.ParameterSet id(tardis.tardis_portal.models.parameters.ExperimentParameterSet
    method), 215
            attribute), 159
| id(tardis.tardis_portal.models.parameters.FreeTextSearchField
    attribute), 160
id (tardis.apps.equipment.models.Equipment attribute), id(tardis.tardis_portal.models.parameters.InstrumentParameter
    76
            attribute), 160
id(tardis.apps.openid_migration.models.OpenidACLMigration id(tardis.tardis_portal.models.parameters.InstrumentParameterSet
    attribute), 87
            attribute), 161
id(tardis.apps.openid_migration.models.OpenidUserMigration id(tardis.tardis_portal.models.parameters.ParameterName
    attribute), 88
            attribute), 165
id(tardis.apps.push_to.models.Credential attribute), 92 id (tardis.tardis_portal.models.parameters.Schema at-
    tribute), 168
id(tardis.apps.push_to.models.OAuthSSHCertSigningService attribute), 95 id (tardis.tardis_portal.models.storage.StorageBox at-
    tribute), 168
id (tardis.apps.push_to.models.RemoteHost attribute), 96 id(tardis.tardis_portal.models.storage.StorageBoxAttribute
    attribute), 172
id (tardis.apps.sftp.models.SFTPPublicKey attribute), 105 id(tardis.tardis_portal.models.storage.StorageBoxOption
    attribute), 173
id(tardis.tardis_portal.forms.ChangeUserPermissionsForm.Meta.ObjectAttribute), 174
attribute), 223 id (tardis.tardis_portal.models.token.Token attribute),
id(tardis.tardis_portal.models.access_control.GroupAdmin 175
    attribute), 132 identify() (tardis.apps.oaipmh.provider.base.BaseProvider
method), 78, 241
id(tardis.tardis_portal.models.access_control.ObjectACL
attribute), 133 identify() (tardis.apps.oaipmh.server.ProxyingServer
method), 83, 243
id(tardis.tardis_portal.models.access_control.UserAuthentication
attribute), 134 image (tardis.tardis_portal.models.dataset.Dataset at-
tribute), 143
id(tardis.tardis_portal.models.access_control.UserProfile
attribute), 135 image_url (tardis.tardis_portal.models.license.License
attribute), 152
id (tardis.tardis_portal.models.datafile.DataFile
attribute), 138 immutable (tardis.tardis_portal.models.dataset.Dataset
attribute), 143
id (tardis.tardis_portal.models.datafile.DataFileObject
attribute), 140 immutable (tardis.tardis_portal.models.parameters.ParameterName
attribute), 165
id (tardis.tardis_portal.models.dataset.Dataset
attribute), 143 immutable (tardis.tardis_portal.models.parameters.Schema
attribute), 169
id (tardis.tardis_portal.models.experiment.Experiment
attribute), 146 ImportParamsForm (class
in tardis.tardis_portal.forms), 225
id(tardis.tardis_portal.models.experiment.ExperimentAuthor
attribute), 148 index() (in module tardis.apps.equipment.views), 77
id (tardis.tardis_portal.models.facility.Facility
attribute), 149 index_queryset() (tardis.search.search_indexes.ExperimentIndex
method), 117
id (tardis.tardis_portal.models.instrument.Instrument
attribute), 151 INDEX_VIEWS (in module
tardis.default_settings.custom_views), 113
id (tardis.tardis_portal.models.jti.JTI attribute), 152 IndexView (class in tardis.tardis_portal.views.pages),
attribute), 152 201
id (tardis.tardis_portal.models.license.License
attribute), 152 init_filters() (in module
tardis.tardis_portal.tasks), 234
id (tardis.tardis_portal.models.parameters.DatafileParameter
attribute), 153 initial (tardis.apps.openid_migration.migrations.0001_initial.Migration

```

```

    attribute), 85
initial (tardis.apps.sftp.migrations.0001_initial.Migration      InstrumentParameterSet      (class      in
        attribute), 102                                         tardis.tardis_portal.models.parameters),
                                                               161
inlines (tardis.tardis_portal.admin.DatafileAdmin attribute), 205 InstrumentParameterSet.DoesNotExist, 161
inlines (tardis.tardis_portal.admin.ExperimentAdmin attribute), 205 InstrumentParameterSet.MultipleObjectsReturned,
inlines (tardis.tardis_portal.admin.ExperimentAdmin attribute), 206 161
inlines (tardis.tardis_portal.admin.ExperimentParameterSetAdmin instrumentparameterset_set
        attribute), 206 (tardis.tardis_portal.models.instrument.Instrument
                                                               attribute), 151
inlines (tardis.tardis_portal.admin.InstrumentParameterSetAdmin instrumentparameterset_set
        attribute), 206 (tardis.tardis_portal.models.parameters.Schema
                                                               attribute), 169
inlines (tardis.tardis_portal.admin.SchemaAdmin attribute), 207 InstrumentParameterSetAdmin (class      in
inlines (tardis.tardis_portal.admin.StorageBoxAdmin attribute), 207 tardis.tardis_portal.admin), 206
inlines (tardis.tardis_portal.models.storage.StorageBox
instantiateFilters () instrumentparametersets
        (tardis.tardis_portal.management.commands.runfilters.Comatmidute), 172
        method), 127
institution (tardis.tardis_portal.models.experiment.ExperimentAdmin tardis.tardis_portal.api), 213
        attribute), 148
InstrumentResource      (class      in
institution_name (tardis.tardis_portal.models.experiment.ExperimentAdmin tardis.tardis_portal.api), 213
        attribute), 146
InstrumentResourceTest      (class      in
Instrument          (class      in
        tardis.tardis_portal.models.instrument), 150 182
InstrumentResource      (tardis.tardis_portal.tests.api.test_instrument_resource),
instrument (tardis.tardis_portal.models.dataset.Dataset internal_description
        attribute), 143 (tardis.tardis_portal.models.license.License
instrument (tardis.tardis_portal.models.parameters.InstrumentParameterSet 152
        attribute), 161 INTERNAL_IPS      (in      module
INSTRUMENT (tardis.tardis_portal.models.parameters.Schema tardis.default_settings.debug), 114
        attribute), 167 interpolate_template ()      (in      module
Instrument.DoesNotExist, 150 tardis.apps.openid_migration.email_text),
Instrument.MultipleObjectsReturned, 150 86
instrument_id (tardis.tardis_portal.models.dataset.Dataset active (tardis.tardis_portal.models.license.License
        attribute), 144 attribute), 153
instrument_id (tardis.tardis_portal.models.parameters.InstrumentParameterSets is_authenticated()
        attribute), 161 (tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter
instrument_set (tardis.tardis_portal.models.facility.Facility method), 125
        attribute), 149 is_authenticated()
InstrumentAdmin      (class      in
        tardis.tardis_portal.admin), 206 (tardis.tardis_portal.api.MyTardisAuthentication
InstrumentParameter      (class      in method), 214
        tardis.tardis_portal.models.parameters), 160 is_directory ()      (in      module
InstrumentParameter.DoesNotExist, 160 tardis.apps.push_to.utils), 98
InstrumentParameter.MultipleObjectsReturned is_expired () (tardis.tardis_portal.models.token.Token
        attribute), 160 method), 175
InstrumentParameter.isfacility_manager ()      (in      module
        attribute), 160 tardis.tardis_portal.models.facility), 150
instrumentparameter_set      (in      module
        (tardis.tardis_portal.models.parameters.InstrumentParameterSets tardis.tardis_portal.auth.decorators), 122
        attribute), 161 is_group_admin ()      (in      module
instrumentparameter_set      (tardis.tardis_portal.models.parameters.ParameterSetName jeolsem_metadata ()
        attribute), 165 (tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter
InstrumentParameterInline      (class      in method), 125
        tardis.tardis_portal.admin), 206 is_json () (tardis.tardis_portal.models.parameters.ParameterName

```

*method), 166*  
*is\_local () (tardis.tardis\_portal.models.datafile.DataFileIteratorTracker (class in tardis.analytics.tracker), method), 138*  
*is\_online (tardis.tardis\_portal.models.datafile.DataFile attribute), 138*  
*is\_online (tardis.tardis\_portal.models.dataset.Dataset attribute), 144*  
*is\_openid\_migration\_enabled () (in module tardis.apps.social\_auth.auth.social\_auth), 111*  
*is\_public () (tardis.tardis\_portal.models.datafile.DataFile method), 138*  
*is\_publication () (tardis.tardis\_portal.models.experiment.Experiment attribute), 164*  
*is\_publication\_draft () (tardis.tardis\_portal.models.experiment.Experiment method), 146*  
*is\_schema\_valid () (tardis.tardis\_portal.publish.provider.rifcsprovider.RifCsProvider method), 176*  
*is\_schema\_valid () (tardis.tardis\_portal.tests.test\_publishservice.MockRifCsProvider method), 193*  
*is\_searchable (tardis.tardis\_portal.models.parameters.ParameterName attribute), 166*  
*is\_tardis\_app () (in module tardis.app\_config), 237*  
*is\_text\_file () (tardis.tardis\_portal.filters.jeolsem.JEOLSEMFilter method), 125*  
*is\_valid () (tardis.tardis\_portal.forms.ExperimentForm method), 225*  
*is\_valid\_email () (in module tardis.tardis\_portal.management.commands.createuser), 126*  
*isDateTime () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isDjangoAccount (tardis.tardis\_portal.models.access\_control.UserProfile attribute), 135*  
*isFilename () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isLink () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isLongString () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isNumeric () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isOwner (tardis.tardis\_portal.forms.ChangeUserPermissionsForm attribute), 223*  
*isOwner (tardis.tardis\_portal.models.access\_control.ObjectACL attribute), 133*  
*isString () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isURL () (tardis.tardis\_portal.models.parameters.ParameterName method), 166*  
*isValidPublicContact () (tardis.tardis\_portal.models.access\_control.UserProfile attribute), 135*  
*method), 135*  
*JEOLSEMFilter (class in tardis.tardis\_portal.filters.jeolsem), 125*  
*JEOLSEMFilterTestCase (class in tardis.tardis\_portal.tests.filters.test\_jeolsem), 184*  
*JSON (tardis.tardis\_portal.models.parameters.ParameterName attribute), 164*  
*json\_indent (tardis.tardis\_portal.api.PrettyJSONSerializer attribute), 215*  
*JTI (class in tardis.tardis\_portal.models.jti), 151*  
*jti (tardis.tardis\_portal.models.jti.JTI attribute), 152*  
*JTI.DoesNotExist, 151*  
*JTICProvider (tardis.tardis\_portal.publish.provider.RifCsProvider attribute), 151*  
*key (tardis.tardis\_portal.apps.equipment.models.Equipment attribute), 76*  
*key (tardis.tardis\_portal.models.push\_to.models.KeyPair attribute), 93*  
*key (tardis.tardis\_portal.models.storage.StorageBoxAttribute attribute), 173*  
*key (tardis.tardis\_portal.models.storage.StorageBoxOption attribute), 174*  
*key\_type (tardis.apps.push\_to.models.KeyPair attribute), 93*  
*key\_type (tardis.apps.sftp.models.SFTPPublicKey attribute), 105*  
*KeyAddForm (class in tardis.apps.sftp.forms), 104*  
*ParameterNameForm (class in tardis.apps.sftp.forms), 104*  
*KeyPair (class in tardis.apps.push\_to.models), 93*  
*KeyPair.Meta (class in tardis.apps.push\_to.models), 104*  
*Label (class in tardis.tardis\_portal.widgets), 235*  
*last\_verified\_time (tardis.tardis\_portal.models.datafile.DataFileObject attribute), 140*  
*LDAP\_BASE (tardis.default\_settings attribute), 54*  
*LDAP\_GROUP\_ATTR\_MAP (tardis.default\_settings attribute), 54*  
*LDAP\_GROUP\_BASE (tardis.default\_settings attribute), 54*  
*LDAP\_GROUP\_ID\_ATTR (tardis.default\_settings attribute), 54*  
*LDAP\_TLS (tardis.default\_settings attribute), 54*  
*LDAP\_URL (tardis.default\_settings attribute), 54*  
*LDAP\_USER\_ATTR\_MAP (tardis.default\_settings attribute), 54*

LDAP\_USER\_BASE (*tardis.default\_settings attribute*), `link_ct` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 162  
 54

LDAP\_USER\_LOGIN\_ATTR (*tardis.default\_settings attribute*), 54 `link_ct_id` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 163

`ldapadd()` (*tardis.tardis\_portal.tests.slapd.Slapd method*), 186 `link_gfk` (*tardis.tardis\_portal.models.parameters.DatafileParameter attribute*), 153

`LDAPErrorTest` (class in *tardis.tardis\_portal.tests.test\_ldap*), 191 `link_gfk` (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 155

`ldapsearch()` (*tardis.tardis\_portal.tests.slapd.Slapd method*), 186 `link_gfk` (*tardis.tardis\_portal.models.parameters.ExperimentParameter attribute*), 158

`LDAPTest` (class in *tardis.tardis\_portal.tests.test\_ldap*), 191 `link_gfk` (*tardis.tardis\_portal.models.parameters.InstrumentParameter attribute*), 160

`length_gt()` (in module *tardis.tardis\_portal.templates.tags.basiccomparisonfilters*), 163  
 177 `link_id` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 163

`length_gte()` (in module *tardis.tardis\_portal.templates.tags.basiccomparisonfilters*), 163  
 177 `url` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 163

`length_lt()` (in module *tardis.tardis\_portal.templates.tags.basiccomparisonfilters*), 103  
 177 `list_allowed_methods`

`length_lte()` (in module *tardis.tardis\_portal.templates.tags.basiccomparisonfilters*), 119 `list_auth_methods()` (in module *tardis.tardis\_portal.auth.authentication*), 178

`LESS_THAN_COMPARISON` (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 88  
 164 `list_display` (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 89

`LESS_THAN_EQUAL_COMPARISON` (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 206  
 164 `list_display` (*tardis.tardis\_portal.admin.ObjectACLAdmin attribute*), 206

`Level0TestCase` (class in *tardis.tardis\_portal.tests.test\_iif*), 190 `list_folder()` (*tardis.apps.sftp.sftp.MyTSFTPServerInterface method*), 106

`Level1TestCase` (class in *tardis.tardis\_portal.tests.test\_iif*), 190 `list_subdirectories()` (in module *tardis.apps.push\_to.utils*), 98

`Level2TestCase` (class in *tardis.tardis\_portal.tests.test\_iif*), 190 `listFilters()` (*tardis.tardis\_portal.management.commands.runfilters method*), 127

`License` (class in *tardis.tardis\_portal.models.license*), 152 `listIdentifiers()`

`license` (*tardis.tardis\_portal.models.experiment.Experiment attribute*), 146 `(tardis.apps.oaipmh.provider.base.BaseProvider method)`, 79, 241

`License.DoesNotExist`, 152 `listIdentifiers()`

`License.MultipleObjectsReturned`, 152 `(tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider method)`, 80

`license_id` (*tardis.tardis\_portal.models.experiment.Experiment attribute*), 147 `(tardis.apps.oaipmh.server.ProxyingServer method)`, 83, 243

`LINK` (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 164 `listMetadataFormats()`

`link_ct` (*tardis.tardis\_portal.models.parameters.DatafileParameter attribute*), 153 `(tardis.apps.oaipmh.provider.base.BaseProvider method)`, 79, 242

`link_ct` (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 155 `listMetadataFormats()`

`link_ct` (*tardis.tardis\_portal.models.parameters.ExperimentParameter attribute*), 80 `(tardis.apps.oaipmh.provider.experiment.DcExperimentProvider method)`, 80

`link_ct` (*tardis.tardis\_portal.models.parameters.InstrumentParameter attribute*), 160 `listMetadataFormats()`

`link_ct` (*tardis.tardis\_portal.models.parameters.RifCsExperimentProvider attribute*), 81 `(tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider method)`, 81

```

listMetadataFormats ()                                LONGSTRING (tardis.tardis_portal.models.parameters.ParameterName
    (tardis.apps.oaipmh.server.ProxyingServer           attribute), 164
    method), 84, 243
listRecords () (tardis.apps.oaipmh.provider.base.BaseProvider tardis.tardis_portal.api), 217
    method), 79, 242
listRecords () (tardis.apps.oaipmh.provider.experiment.AbstractExperimentAndProxyProvider.MyTardisModelResource
    method), 80
listRecords () (tardis.apps.oaipmh.server.ProxyingServer lookup_kwargs_with_identifiers ())
    method), 84, 243
listSets () (tardis.apps.oaipmh.provider.base.BaseProvider lookup_kwargs_with_identifiers ())
    method), 79, 242
listSets () (tardis.apps.oaipmh.provider.experiment.AbstractExperimentAndProxyProvider
    method), 80
listSets () (tardis.apps.oaipmh.server.ProxyingServer lstat ())
    method), 84, 244
ListTestCase          (class)      in             178
    tardis.apps.related_info.tests.tests, 100
listTestCase          (class)      in             178
    tardis.tardis_portal.tests.test_views, 196
load_datafile_image () (in module      178
    tardis.tardis_portal.views.images), 199
load_dataset_image () (in module      178
    tardis.tardis_portal.views.images), 199
load_experiment_image () (in module      178
    tardis.tardis_portal.views.images), 199
load_image () (in module      178
    tardis.tardis_portal.views.images), 199
LoadSchemasTestCase (class)      in             198
    tardis.tardis_portal.tests.test_loadschemas,
        191
LocationResource     (class)      in             198
    tardis.tardis_portal.api, 213
LocationResource.Meta (class)      in             198
    tardis.tardis_portal.api, 213
LocationResourceTest (class)      in             198
    tardis.tardis_portal.tests.api.test_location_resource,
        183
locked (tardis.tardis_portal.models.experiment.Experiment.attribute), 147
logger (in module tardis.tardis_portal.xmlwriter), 236
LoggingMiddleware    (class)      in             229
login ()            (in module      229
    tardis.tardis_portal.views.authentication),
        197
LOGIN_VIEWS          (in module      229
    tardis.default_settings.custom_views), 114
LoginForm (class in tardis.tardis_portal.forms), 226
logo_img (tardis.apps.push_to.models.RemoteHost attribute), 96
logout ()            (in module      229
    tardis.tardis_portal.views.authentication),
        198
                                            attribute), 164
                                            lookup_by_unique_id_only ()   (in module
                                            tardis.tardis_portal.api), 217
                                            lookup_kwargs_with_identifiers ()
                                            method), 214
                                            ExperimentAndProxyProvider.MyTardisModelResource
                                            method), 214
                                            SchemaResource
                                            method), 216
                                            lstat () (tardis.apps.sftp.sftp.MyTSFTPServerInterface
                                            method), 216
                                            lt () (in module tardis.tardis_portal.templatetags.basiccomparisonfilters),
                                                178
                                            lte () (in module tardis.tardis_portal.templatetags.basiccomparisonfilters
                                                178
                                            M
make   (tardis.apps.equipment.models.Equipment attribute), 76
make_dirs () (in module tardis.apps.push_to.tasks),
            97
make_mapper () (in module      219
    tardis.tardis_portal.download), 219
make_tar () (tardis.tardis_portal.download.UncachedTarStream
method), 219
manage_auth_methods () (in module      219
    tardis.tardis_portal.views.authentication),
        198
manage_groups () (in module      219
    tardis.tardis_portal.views.authorisation),
        198
manage_rifcs () (tardis.tardis_portal.publish.publishservice.PublishService.method), 176
manage_user_account () (in module      219
    tardis.tardis_portal.views.authentication),
        198
ManageAccountForm    (class)      in             226
    tardis.tardis_portal.forms, 226
ManageAccountForm.Meta (class)      in             226
    tardis.tardis_portal.forms, 226
ManageAccountTestCase (class)      in             226
    tardis.tardis_portal.tests.test_views, 195
ManageGroupPermissionsForm (class)      in             226
    tardis.tardis_portal.forms, 226
manager_group (tardis.tardis_portal.models.facility.Facility
attribute), 149
manager_group_id (tardis.tardis_portal.models.facility.Facility
attribute), 149
master_box (tardis.tardis_portal.models.storage.StorageBox
attribute), 172
master_box_id (tardis.tardis_portal.models.storage.StorageBox
attribute), 172

```

max\_size (*tardis.tardis\_portal.models.storage.StorageBox*.*media* (*tardis.tardis\_portal.admin.ParameterNameAdmin* attribute), 172  
attribute), 206  
md5sum (*tardis.tardis\_portal.models.datafile.DataFile* media (*tardis.tardis\_portal.admin.ParameterNameInline* attribute), 138  
attribute), 207  
media (*tardis.apps.equipment.forms.EquipmentSearchForm*.*media* (*tardis.tardis\_portal.admin.SchemaAdmin* attribute), 76  
attribute), 207  
media (*tardis.apps.openid\_migration.models.OpenidACLMigration*.*media* (*tardis.tardis\_portal.admin.StorageBoxAdmin* attribute), 88  
attribute), 207  
media (*tardis.apps.openid\_migration.models.OpenidUserMigration*.*media* (*tardis.tardis\_portal.admin.StorageBoxAttributeInline* attribute), 89  
attribute), 207  
media (*tardis.apps.push\_to.models.CredentialAdmin* attribute), 93  
attribute), 208  
media (*tardis.apps.push\_to.models.CredentialForm* attribute), 93  
attribute), 208  
media (*tardis.apps.push\_to.models.RemoteHostAdmin* attribute), 97  
attribute), 208  
media (*tardis.apps.related\_info.forms.RelatedInfoForm* attribute), 101  
attribute), 209  
media (*tardis.apps.sftp.forms.KeyAddForm* attribute), 104  
attribute), 209  
media (*tardis.apps.sftp.forms.KeyGenerateForm* attribute), 104  
attribute), 220  
media (*tardis.search.forms.GroupedSearchForm* attribute), 116  
attribute), 221  
media (*tardis.tardis\_portal.admin.DatafileAdmin* attribute), 205  
attribute), 221  
media (*tardis.tardis\_portal.admin.DatafileAdminForm* attribute), 205  
attribute), 223  
media (*tardis.tardis\_portal.admin.DataFileObjectInline* attribute), 204  
attribute), 224  
media (*tardis.tardis\_portal.admin.DataFileObjectInlineForm* attribute), 204  
attribute), 224  
media (*tardis.tardis\_portal.admin.DatasetAdmin* attribute), 205  
attribute), 224  
media (*tardis.tardis\_portal.admin.ExperimentAdmin* attribute), 205  
attribute), 225  
media (*tardis.tardis\_portal.admin.ExperimentParameterInline* attribute), 205  
attribute), 225  
media (*tardis.tardis\_portal.admin.ExperimentParameterSetAdmin* attribute), 206  
attribute), 226  
media (*tardis.tardis\_portal.admin.FacilityAdmin* attribute), 206  
attribute), 226  
media (*tardis.tardis\_portal.admin.FreeTextSearchFieldAdmin* attribute), 206  
attribute), 226  
media (*tardis.tardis\_portal.admin.InstrumentAdmin* attribute), 206  
attribute), 227  
media (*tardis.tardis\_portal.admin.InstrumentParameterInline* attribute), 206  
attribute), 227  
media (*tardis.tardis\_portal.admin.InstrumentParameterSetAdmin* attribute), 206  
attribute), 227  
media (*tardis.tardis\_portal.admin.ObjectACLAdmin* attribute), 206  
attribute), 227  
media (*tardis.tardis\_portal.admin.ObjectACLInline* attribute), 206  
attribute), 228

media (*tardis.tardis\_portal.forms.RightsForm* attribute), 129  
 228 Migration (class in *tardis.tardis\_portal.migrations.0006\_datafile\_remove\_size\_string*)  
 media (*tardis.tardis\_portal.widgets.CommaSeparatedInput* attribute), 235 129  
 media (*tardis.tardis\_portal.widgets.Label* attribute), 235 Migration (class in *tardis.tardis\_portal.migrations.0007\_remove\_parameter\_string*)  
 media (*tardis.tardis\_portal.widgets.Span* attribute), 235 129  
 merge\_auth\_method() (in module *tardis.tardis\_portal.auth.authentication*), 119 Migration (class in *tardis.tardis\_portal.migrations.0008\_string\_value\_partial\_index*)  
 129  
 METADATA\_STORE\_PATH (in module *tardis.default\_settings.storage*), 115 Migration (class in *tardis.tardis\_portal.migrations.0009\_auto\_20160128\_1119*),  
 115  
 migrate\_accounts() (in module *tardis.apps.openid\_migration.views*), 90 130 Migration (class in *tardis.tardis\_portal.migrations.0010\_auto\_20160503\_1443*),  
 90  
 migrate\_api\_key() (in module *tardis.apps.openid\_migration.migration*), 87 130 Migration (class in *tardis.tardis\_portal.migrations.0011\_auto\_20160505\_1643*),  
 87  
 migrate\_user\_message() (in module *tardis.apps.social\_auth.auth.social\_auth*), 111 130 Migration (class in *tardis.tardis\_portal.migrations.0012\_userauthentication\_approve*)  
 111  
 migrate\_user\_permissions() (in module *tardis.apps.openid\_migration.migration*), 87 130 Migration (class in *tardis.tardis\_portal.migrations.0013\_auto\_20181002\_1136*),  
 87  
 Migration (class in *tardis.apps.equipment.migrations.0001\_initial*), 75 130 Migration (class in *tardis.tardis\_portal.migrations.0014\_auto\_20181002\_1154*),  
 75  
 Migration (class in *tardis.appsopenid\_migration.migrations.0001\_initial*), 85 130 Migration (class in *tardis.tardis\_portal.migrations.0015\_dataset\_created\_time*),  
 85  
 Migration (class in *tardis.apps.push\_to.migrations.0001\_initial*), 90 131 Migration (class in *tardis.tardis\_portal.migrations.0016\_add\_timestamps*),  
 90  
 Migration (class in *tardis.apps.push\_to.migrations.0002\_auto\_20160518\_1953*), 90 131 migration\_status (*tardis.appsopenid\_migration.models.OpenidUser*  
 90 attribute), 88  
 102 migration\_timestamp  
 Migration (class in *tardis.tardis\_portal.migrations.0001\_initial*), 128 migration\_timestamp (*tardis.appsopenid\_migration.models.OpenidUserMigration*  
 128 attribute), 88  
 Mimetypes (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 139  
 128 missing\_host\_key()  
 Migration (class in *tardis.tardis\_portal.migrations.0001\_squashed\_0001\_fixes*), 128 geError, 177  
 128 missing\_host\_key()  
 Migration (class in *tardis.apps.push\_to.models.DBHostKeyPolicy* method), 93  
 128 mkdirs() (in module *tardis.tardis\_portal.tests.slapd*),  
 128  
 Migration (class in *tardis.tardis\_portal.migrations.0003\_auto\_20150907\_1457*), 128 chProvider (class in *tardis.tardis\_portal.tests.test\_authservice*),  
 128  
 Migration (class in *tardis.tardis\_portal.migrations.0004\_storageboxoption*), 129 MockValueProvider (class in *tardis.tardis\_portal.tests.mock\_vbl\_auth*),  
 129  
 Migration (class in *tardis.tardis\_portal.migrations.0005\_datafile\_addMiscContentProvider*), 129 MockValueProvider (class in *tardis.tardis\_portal.tests.mock\_vbl\_auth*),  
 129

```

tardis.tardis_portal.tests.test_authservice),
188
MockRequest           (class      in ModelTestCase          (class      in
tardis.tardis_portal.tests.test_authservice),
188
MockRifCsProvider    (class      in ModelTestCase          (class      in
tardis.tardis_portal.tests.test_publishservice),
193
MockSettings         (class      in ModelTestCase          (class      in
tardis.tardis_portal.tests.test_authservice),
188
model               (tardis.apps.equipment.models.Equipment modified_time (tardis.tardis_portal.models.dataset.Dataset
attribute), 76
modified_time (tardis.tardis_portal.models.facility.Facility
attribute), 149
model (tardis.tardis_portal.admin.DatafileAdminForm.Meta modified_time (tardis.tardis_portal.models.instrument.Instrument
attribute), 205
modified_time (tardis.tardis_portal.models.instrument.Instrument
attribute), 151
model (tardis.tardis_portal.admin.DataFileObjectInline move_file () (tardis.tardis_portal.models.datafile.DataFileObject
attribute), 204
method), 140
model (tardis.tardis_portal.admin.DataFileObjectInlineForm.Meta files () (tardis.tardis_portal.models.storage.StorageBox
attribute), 204
method), 172
model (tardis.tardis_portal.admin.ExperimentParameterInline move_to_master () (tardis.tardis_portal.models.storage.StorageBox
attribute), 205
method), 172
model (tardis.tardis_portal.admin.InstrumentParameterInline MultiValueCommaSeparatedField (class      in
attribute), 206
tardis.tardis_portal.fields), 220
model (tardis.tardis_portal.admin.ObjectACLInline at_ my_data () (in      module
tribute), 206
tardis.tardis_portal.views.pages), 201
model (tardis.tardis_portal.admin.ParameterNameInline myt_auth () (tardis.apps.sftp.sftp.MyTServerInterface
attribute), 207
method), 110
model (tardis.tardis_portal.admin.StorageBoxAttributeInline MyTardisAuthentication (class      in
attribute), 207
tardis.tardis_portal.api), 214
model (tardis.tardis_portal.admin.StorageBoxAttributeInline MetaForDeMeta authenticationTest (class      in
attribute), 208
tardis.tardis_portal.tests.api.test_auth), 180
model (tardis.tardis_portal.admin.StorageBoxForm.Meta MyTardisLocalFileSystemStorage (class      in
attribute), 208
tardis.tardis_portal.storage.file_system), 177
model (tardis.tardis_portal.admin.StorageBoxOptionInline MyTardisModelResource (class      in
attribute), 208
tardis.tardis_portal.api), 214
model (tardis.tardis_portal.admin.StorageBoxOptionInline MetaForDeMeta ModelResource.Meta (class      in
attribute), 209
tardis.tardis_portal.api), 214
model (tardis.tardis_portal.forms.ChangeUserPermissionsForDeMeta ResourceTestCase (class      in
attribute), 223
tardis.tardis_portal.tests.api), 183
model (tardis.tardis_portal.forms.DatasetForm.Meta at_ MyTServerInterface (class in tardis.apps.sftp.sftp),
tribute), 224
108
model (tardis.tardis_portal.forms.ExperimentAuthor.Meta MyTSFTPHandle (class in tardis.apps.sftp.sftp), 106
attribute), 225
MyTSFTPRequestHandler (class      in
model (tardis.tardis_portal.forms.ExperimentForm.Meta tardis.apps.sftp.sftp), 106
attribute), 225
MyTSFTPServer (class in tardis.apps.sftp.sftp), 106
model (tardis.tardis_portal.forms.ManageAccountForm.Meta MyTSFTPServerInterface (class      in
attribute), 226
tardis.apps.sftp.sftp), 106
model (tardis.tardis_portal.forms.RightsForm.Meta at_ MyTSFTPTCPServer (class in tardis.apps.sftp.sftp),
tribute), 228
107
ModelsTestCase        (class      in N
tardis.apps.push_to.tests.test_models), 91
ModelTestCase         (class      in name (tardis.analytics.apps.AnalyticsConfig attribute),

```

73  
 name (*tardis.apps.openid\_migration.apps.OpenidMigrationConfig*)  
     attribute), 86  
 name (*tardis.apps.push\_to.apps.PushToConfig*)  
     attribute), 91  
 name (*tardis.apps.sftp.apps.SFTPConfig* attribute), 103  
 name (*tardis.apps.sftp.models.SFTPPublicKey* attribute),  
     105  
 name (*tardis.apps.social\_auth.apps.SocialAuthConfig*  
     attribute), 112  
 name (*tardis.tardis\_portal.auth.localdb\_auth.DjangoGroupProvider*  
     attribute), 124  
 name (*tardis.tardis\_portal.auth.localdb\_auth.DjangoUserProvider*  
     attribute), 124  
 name (*tardis.tardis\_portal.auth.token\_auth.TokenGroupProvider*  
     attribute), 125  
 name (*tardis.tardis\_portal.models.facility.Facility*  
     attribute), 150  
 name (*tardis.tardis\_portal.models.instrument.Instrument*  
     attribute), 151  
 name (*tardis.tardis\_portal.models.license.License*  
     attribute), 153  
 name (*tardis.tardis\_portal.models.parameters.DatafileParameter*  
     attribute), 153  
 name (*tardis.tardis\_portal.models.parameters.DatasetParameter*  
     attribute), 156  
 name (*tardis.tardis\_portal.models.parameters.ExperimentParameter*  
     attribute), 158  
 name (*tardis.tardis\_portal.models.parameters.InstrumentParameter*  
     attribute), 160  
 name (*tardis.tardis\_portal.models.parameters.Parameter*  
     attribute), 163  
 name (*tardis.tardis\_portal.models.parameters.ParameterName*  
     attribute), 166  
 name (*tardis.tardis\_portal.models.parameters.Schema*  
     attribute), 169  
 name (*tardis.tardis\_portal.models.storage.StorageBox*  
     attribute), 172  
 name\_id (*tardis.tardis\_portal.models.parameters.Parameter*  
     attribute), 163  
 namespace (*tardis.tardis\_portal.models.parameters.Schema*  
     attribute), 169  
 natural\_key () (*tardis.tardis\_portal.models.parameters.ParameterName*  
     method), 166  
 natural\_key () (*tardis.tardis\_portal.models.parameters.Schema*  
     method), 169  
 new\_param () (*tardis.tardis\_portal.ParameterSetManager*.  
     method), 204  
 new\_user (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     attribute), 88  
 new\_user\_auth\_method  
     (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     attribute), 88  
 new\_user\_id (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     method), 210  
     attribute), 89  
     (*tardis.analytics.tracker.IteratorTracker*  
     method), 73  
 nickname (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 nickname (*tardis.apps.push\_to.models.RemoteHost*  
     attribute), 96  
 NoInput (class in *tardis.tardis\_portal.forms*), 227  
 NONE (*tardis.tardis\_portal.models.parameters.Schema*  
     attribute), 168  
 ProviderableCredential, 91  
 NOT\_EQUAL\_COMPARISON  
 ParameterName  
     attribute), 164  
 (in module  
     *tardis.apps.push\_to.tasks*), 97  
 now () (*tardis.tardis\_portal.tests.test\_tokens.FrozenTime*  
     class method), 194  
 NS\_CC (*tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider*  
     attribute), 80  
 NUMERIC (*tardis.tardis\_portal.models.parameters.ParameterName*  
     attribute), 164  
 numerical\_value (*tardis.tardis\_portal.models.parameters.Parameter*  
     attribute), 163  
 O  
 OAuth  
     authorize\_url  
     (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 oauth\_callback ()  
     (in module  
         *tardis.apps.push\_to.views*), 99  
 oauth\_callback\_url ()  
     (in module  
         *tardis.apps.push\_to.views*), 99  
 oauth\_check\_token\_url  
     (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 oauth\_client\_id (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 oauth\_client\_secret  
     (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 oauth\_token\_url (*tardis.apps.push\_to.models.OAuthSSHCertSigningService*  
     attribute), 95  
 OAuthSSHCertSigningService  
     (class in  
         *tardis.apps.push\_to.models*), 94  
 OAuthSSHCertSigningService.DoesNotExist,  
 OAuthSSHCertSigningService.MultipleObjectsReturned,  
 OAuthSSHCertSigningService.oauthsshcryptsigningservice\_set  
 OAuthSSHCertSigningService.RemoteHost  
     (*tardis.apps.push\_to.models.RemoteHost*  
     attribute), 96  
 OAuthSSHCertSigningService.DataFileResource  
     obj\_create () (*tardis.tardis\_portal.api*.  
         >DataFileResource  
     method), 210

```

obj_create() (tardis.tardis_portal.api.ExperimentResource      132
    method), 212                                         ObjectACL.DoesNotExist, 132

object_class(tardis.apps.sftp.api.SFTPPublicKeyAppResourceMeta).MultipleObjectsReturned, 132
    attribute), 103                                         ObjectACLAdmin      (class      in
                                                               ObjectACLIInline   (class      in
                                                               ObjectACLResource (class      in

object_class(tardis.tardis_portal.api.DatafileParameterResourceMeta)tardis_portal.admin), 206
    attribute), 210                                         ObjectACLIResource (class      in

object_class(tardis.tardis_portal.api.DatafileParameterSetResourceMeta)tardis_portal.admin), 206
    attribute), 210                                         ObjectACLIResource (class      in

object_class(tardis.tardis_portal.api.DataFileResource.Meta  tardis.tardis_portal.api), 214
    attribute), 210                                         ObjectACLResource .Meta (class      in

object_class(tardis.tardis_portal.api.DatasetParameterResourceMeta)tardis_portal.api), 214
    attribute), 211                                         objectacls(tardis.tardis_portal.models.experiment.Experiment
                                                               attribute), 211

object_class(tardis.tardis_portal.api.DatasetParameterSetResourceMeta), 147
    attribute), 211                                         ObjectACLTTestCase (class      in

object_class(tardis.tardis_portal.api.DatasetResource.Meta   tardis.tardis_portal.tests.test_authorisation),
    attribute), 211                                         187

object_class(tardis.tardis_portal.api.ExperimentParameterResourceMeta)tardis.apps.equipment.models.Equipment at-
    attribute), 212                                         tribute), 76

object_class(tardis.tardis_portal.api.ExperimentParameterSetResourceMeta)tardis.apps.openid_migration.models.OpenidACLMigration
    attribute), 212                                         attribute), 87

object_class(tardis.tardis_portal.api.ExperimentResourceMeta)tardis.apps.openid_migration.models.OpenidUserMigration
    attribute), 212                                         attribute), 89

object_class(tardis.tardis_portal.api.FacilityResourceMeta)tardis.push_to.models.Credential
    attribute), 213                                         attribute), 92

object_class(tardis.tardis_portal.api.GroupResource.Meta)tardis.push_to.models.OAuthSSHCertSigningService
    attribute), 213                                         attribute), 95

object_class(tardis.tardis_portal.api.InstrumentResourceMeta)tardis.push_to.models.RemoteHost
    attribute), 213                                         attribute), 96

object_class(tardis.tardis_portal.api.LocationResourceMeta)tardis.apps.sftp.models.SFTPPublicKey
    attribute), 213                                         attribute), 105

object_class(tardis.tardis_portal.api.MyTardisModelResourceMeta)tardis.search.datafile_index.DataFileIndex
    attribute), 214                                         attribute), 116

object_class(tardis.tardis_portal.api.ObjectACLResourceMeta)tardis.search.search_indexes.DatasetIndex
    attribute), 214                                         attribute), 117

object_class(tardis.tardis_portal.api.ParameterNameResourceMeta)tardis.search.search_indexes.ExperimentIndex
    attribute), 215                                         attribute), 117

object_class(tardis.tardis_portal.api.ReplicaResourceMeta)tardis.tardis_portal.forms.ChangeUserPermissionsForm.Meta
    attribute), 215                                         attribute), 223

object_class(tardis.tardis_portal.api.SchemaResourceMeta)tardis.tardis_portal.models.access_control.GroupAdmin
    attribute), 216                                         attribute), 132

object_class(tardis.tardis_portal.api.StorageBoxAttributeResourceMeta)tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 216                                         attribute), 134

object_class(tardis.tardis_portal.api.StorageBoxOptionResourceMeta)tardis.tardis_portal.models.access_control.UserAuthentication
    attribute), 216                                         attribute), 134

object_class(tardis.tardis_portal.api.StorageBoxResourceMeta)tardis.tardis_portal.models.access_control.UserProfile
    attribute), 216                                         attribute), 135

object_class(tardis.tardis_portal.api.UserResourceMeta)tardis.tardis_portal.models.datafile.DataFile
    attribute), 217                                         attribute), 139

object_id(tardis.tardis_portal.forms.ChangeUserPermissionsForm.MetaObjectACL).DataFileObject
    attribute), 223                                         attribute), 140

object_id(tardis.tardis_portal.models.access_control.ObjectACLs)tardis.tardis_portal.models.dataset.Dataset
    attribute), 134                                         attribute), 144

ObjectACL      (class      in  objects(tardis.tardis_portal.models.experiment.Experiment
    tardis.tardis_portal.models.access_control),          attribute), 147

```

objects (*tardis.tardis\_portal.models.experiment.ExperimentAuthor tardis.apps.openid\_migration.forms*), 86  
     attribute), 148  
 objects (*tardis.tardis\_portal.models.facility.Facility*  
     attribute), 150  
 objects (*tardis.tardis\_portal.models.instrument.Instrument*  
     attribute), 151  
 objects (*tardis.tardis\_portal.models.jti.JTI* attribute), openidaclmigration\_set  
     (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
 objects (*tardis.tardis\_portal.models.license.License*  
     attribute), 153  
 objects (*tardis.tardis\_portal.models.parameters.DatafileParameter*  
     attribute), 155  
 objects (*tardis.tardis\_portal.models.parameters.DatasetParameter*  
     attribute), 157  
 objects (*tardis.tardis\_portal.models.parameters.ExperimentParameter*  
     attribute), 159  
 objects (*tardis.tardis\_portal.models.parameters.FreeTextSearchField*  
     attribute), 160  
 objects (*tardis.tardis\_portal.models.parameters.InstrumentParameter*  
     attribute), 162  
 objects (*tardis.tardis\_portal.models.parameters.Parameter*  
     attribute), 163  
 objects (*tardis.tardis\_portal.models.parameters.Parameter*  
     attribute), 166  
 objects (*tardis.tardis\_portal.models.parameters.Schema*  
     attribute), 169  
 objects (*tardis.tardis\_portal.models.storage.StorageBox*  
     attribute), 172  
 objects (*tardis.tardis\_portal.models.storage.StorageBoxAttribute*  
     attribute), 173  
 objects (*tardis.tardis\_portal.models.storage.StorageBoxOption*  
     attribute), 174  
 objects (*tardis.tardis\_portal.models.token.Token* at-  
     tribute), 175  
 offline\_types (*tardis.tardis\_portal.models.storage.StorageBox*  
     attribute), 172  
 old\_user (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     attribute), 75  
 old\_user\_auth\_method  
     (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     attribute), 89  
 old\_user\_id (*tardis.apps.openid\_migration.models.OpenidUserMigration*  
     attribute), 89  
 online\_types (*tardis.tardis\_portal.models.storage.StorageBox*  
     attribute), 172  
 open() (*tardis.apps.sftp.sftp.MyTSFTPServerInterface*  
     method), 107  
 openid\_migration\_method() (in module  
     *tardis.apps.openid\_migration.migration*),  
     87  
 openid\_migration\_processor() (in module  
     *tardis.apps.openid\_migration.context\_processors*)  
     86  
 openid\_user\_migration\_form() (in module  
     operations (*tardis.tardis\_portal.migrations.0004\_storageboxoption\_val*

*attribute), 129*  
*operations (tardis.tardis\_portal.migrations.0005\_datafile\_add\_size) (in module tardis.tardis\_portal.managers.ExperimentManager attribute), 129*  
*operations (tardis.tardis\_portal.migrations.0006\_datafile\_size) (in module tardis.tardis\_portal.managers.ChangeUserPermissionsForm.Migration attribute), 129*  
*operations (tardis.tardis\_portal.migrations.0007\_remove\_size) (in module tardis.tardis\_portal.managers.access\_control.ObjectACL attribute), 132*  
*operations (tardis.tardis\_portal.migrations.0008\_string\_value\_partial\_index\_postgres.Migration attribute), 129*  
**P**  
*operations (tardis.tardis\_portal.migrations.0009\_auto\_20160428\_1119.Migration (in module tardis.tardis\_portal.templatetags.pagination), attribute), 130*  
*operations (tardis.tardis\_portal.migrations.0010\_auto\_20160503\_1643.Migration attribute), 130*  
*operations (tardis.tardis\_portal.migrations.0011\_auto\_20160505\_1d63.Migration (in module tardis.tardis\_portal.templatetags.pagination), attribute), 130*  
*operations (tardis.tardis\_portal.migrations.0012\_userauthentication\_approved.Migration (in module tardis.tardis\_portal.models.parameters), attribute), 130*  
*operations (tardis.tardis\_portal.migrations.0013\_auto\_20181002\_16136.Migration attribute), 130*  
*operations (tardis.tardis\_portal.migrations.0014\_auto\_20181002\_1d154.Migration (in module tardis.tardis\_portal.models.parameters), attribute), 131*  
*operations (tardis.tardis\_portal.migrations.0015\_datasets\_created\_time.Migration (in module tardis.tardis\_portal.models.parameters.DatafileParameterClass), attribute), 131*  
*operations (tardis.tardis\_portal.migrations.0016\_add\_timestamps.Migration (in module tardis.tardis\_portal.models.parameters.DatasetParameterClass), attribute), 131*  
*options (tardis.tardis\_portal.models.storage.StorageBox parameter\_class (in module tardis.tardis\_portal.models.parameters.ExperimentParameterClass), attribute), 172*  
*oracle\_dbops\_hack () (in module tardis.tardis\_portal.hacks), 229*  
*OracleSafeManager (class (in module tardis.tardis\_portal.managers), 232*  
*order (tardis.tardis\_portal.models.experiment.ExperimentAuthor parameter\_name (in module tardis.tardis\_portal.models.parameters.FreeTextSearchField), attribute), 148*  
*order (tardis.tardis\_portal.models.parameters.ParameterName parameter\_name\_id (in module tardis.tardis\_portal.models.parameters.FreeTextSearchField), attribute), 166*  
*ordering (tardis.tardis\_portal.api.DataFileResource.Meta parameter\_type (in module tardis.tardis\_portal.models.parameters.DatafileParameterType), attribute), 210*  
*ordering (tardis.tardis\_portal.api.DatasetResource.Meta parameter\_type (in module tardis.tardis\_portal.models.parameters.DatasetParameterType), attribute), 211*  
*ordering (tardis.tardis\_portal.api.ExperimentResource.Meta parameter\_type (in module tardis.tardis\_portal.models.parameters.ExperimentParameterType), attribute), 212*  
*ordering (tardis.tardis\_portal.models.parameters.Parameter.Meta attribute), 158*  
*ordering (tardis.tardis\_portal.models.parameters.Parameter.Meta attribute), 162*  
*ordering (tardis.tardis\_portal.models.parameters.ParameterSet.Meta attribute), 161*  
*owned () (tardis.tardis\_portal.managers.ExperimentManager attribute), 163*  
*owned () (tardis.tardis\_portal.managers.ExperimentManager method), 230*  
*owned\_and\_shared () (tardis.tardis\_portal.managers.ExperimentManager method), 231*  
*owned\_by\_group () (tardis.tardis\_portal.managers.ExperimentManager ParameterName.DoesNotExist, attribute), 164*  
*owned\_by\_group () (tardis.tardis\_portal.managers.ExperimentManager ParameterName.MultipleObjectsReturned, attribute), 165*  
*owned\_by\_user () (tardis.tardis\_portal.managers.ExperimentManager method), 231*  
*parametername\_form () (in module tardis.tardis\_portal.templatetags.pagination), 166*

tardis.tardis\_portal.templatetags.formfieldfilters), password (*tardis.apps.push\_to.models.Credential* attribute), 92  
 parametername\_set  
     (*tardis.tardis\_portal.models.parameters.Schema* attribute), 169  
 ParameterNameAdmin (class in *tardis.tardis\_portal.admin*), 206  
 ParameterNameInline (class in *tardis.tardis\_portal.admin*), 207  
 ParameterNameManager (class in *tardis.tardis\_portal.managers*), 232  
 ParameterNameResource (class in *tardis.tardis\_portal.api*), 214  
 ParameterNameResource.Meta (class in *tardis.tardis\_portal.api*), 214  
 ParameterResource (class in *tardis.tardis\_portal.api*), 215  
 parameters (*tardis.tardis\_portal.ParameterSetManager*.*ParameterSetManager*, 223  
     attribute), 204  
 ParameterSet (class in *tardis.tardis\_portal.models.parameters*), 166  
 parameterset (*tardis.tardis\_portal.models.parameters*.*DatafileParameter*, *tardis.tardis\_portal.api.DataFileResource* method), 210  
 parameterset (*tardis.tardis\_portal.models.parameters*.*DatasetParameter*, *Experiment* () (in module *tardis.tardis\_portal.models.hooks*), 150  
     attribute), 156  
 parameterset (*tardis.tardis\_portal.models.parameters*.*ExperimentParameter*, *ExperimentParameter* () (in module *tardis.tardis\_portal.models.hooks*), 150  
     attribute), 158  
 parameterset (*tardis.tardis\_portal.models.parameters*.*InstrumentParameter*, *InstrumentParameter* () (in module *tardis.tardis\_portal.models.hooks*), 150  
     attribute), 161  
 parameterset (*tardis.tardis\_portal.ParameterSetManager*.*ParameterSetManager*, *PICKLE* (*tardis.default\_settings* attribute), 46  
 ParameterSet.Meta (class in *tardis.tardis\_portal.models.parameters*, 166  
     attribute), 166  
 parameterset\_id (*tardis.tardis\_portal.models.parameters*.*DatafileParameter*, *DatafileParameter*.*id\_stored* () (in module *tardis.search.datafile\_index*.*DataFileIndex* method), 154  
 parameterset\_id (*tardis.tardis\_portal.models.parameters*.*DatasetParameter*, *DatasetParameter*, 156  
     attribute), 156  
 parameterset\_id (*tardis.tardis\_portal.models.parameters*.*ExperimentParameter*, *ExperimentParameter*.*research\_indexes*.*DatasetIndex* method), 158  
 parameterset\_id (*tardis.tardis\_portal.models.parameters*.*InstrumentParameter*, *InstrumentParameter*.*author* () (in module *tardis.search.search\_indexes*.*ExperimentIndex* method), 161  
 ParameterSetManager (class in *tardis.tardis\_portal.ParameterSetManager*), 203  
 ParameterSetManagerMixin (class in *tardis.tardis\_portal.models.parameters*), 167  
 ParameterSetManagerTestCase (class in *tardis.tardis\_portal.tests.test\_parametersets*), 192  
 ParameterSetResource (class in *tardis.tardis\_portal.api*), 215  
 PATH\_LDAPADD (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PATH\_LDAPSEARCH (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PATH\_SCHEMA\_DIR (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PATH\_SLAPD (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PATH\_SLAPTEST (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PATH\_TMPDIR (*tardis.tardis\_portal.tests.slapd*.*Slapd* attribute), 185  
 PICKLE (*tardis.tardis\_portal.models.storage*.*StorageBoxOption* attribute), 174  
 pluginId (*tardis.tardis\_portal.forms.ChangeUserPermissionsForm*.*Meta*, 223  
     attribute), 134  
 port (*tardis.apps.push\_to.models.RemoteHost* attribute), 96

```

prepend_urls() (tardis.tardis_portal.api.DatasetResource      attribute), 144
    method), 211
    PUBLICATION_DRAFT_SCHEMA
PrettyJSONSerializer      (class      in      (tardis.tardis_portal.models.experiment.Experiment
    tardis.tardis_portal.api), 215      attribute), 144
private_key (tardis.apps.push_to.models.KeyPair at-      PUBLICATION_SCHEMA_ROOT
    tribute), 93      (tardis.tardis_portal.models.experiment.Experiment
process_exception()      attribute), 144
    (tardis.tardis_portal.logging_middleware.LoggingMiddlewarepublic_expt_rifcs() (in module
    method), 229      tardis.tardis_portal.models.hooks), 150
process_request()      PublishService      (class      in
    (tardis.tardis_portal.auth.token_auth.TokenAuthMiddleware      PublishServiceTestCase      (class      in
    tardis.tardis_portal.publish.publishservice),
    method), 124      176
process_response()      PublishServiceTestCase      (class      in
    (tardis.tardis_portal.logging_middleware.LoggingMiddleware      tardis.tardis_portal.tests.test_publishservice),
    method), 229      193
ProxyingMetadataRegistry (class      in      PushToConfig (class in tardis.apps.push_to.apps), 91
    tardis.apps.oaipmh.server), 83      put_detail () (tardis.tardis_portal.api.DataFileResource
ProxyingServer          (class      in      method), 210
    tardis.apps.oaipmh.server), 83, 242
psm (tardis.tardis_portal.creativecommonshandler.Creative CommonsHandler
    attribute), 218
    query_string () (tardis.search.utils.SearchQueryString
public() (tardis.tardis_portal.managers.ExperimentManager      method), 118
    method), 231
    queryset (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta
public_access (tardis.tardis_portal.models.experiment.ExperimentAttribute), 103
    attribute), 147
    queryset (tardis.tardis_portal.api.DatafileParameterResource.Meta
PUBLIC_ACCESS_CHOICES      attribute), 210
    (tardis.tardis_portal.models.experiment.Experiment      queryset (tardis.tardis_portal.api.DatafileParameterSetResource.Meta
    attribute), 144      attribute), 211
PUBLIC_ACCESS_EMBARGO      queryset (tardis.tardis_portal.api.DataFileResource.Meta
    (tardis.tardis_portal.models.experiment.Experiment      attribute), 210
    attribute), 144
    queryset (tardis.tardis_portal.api.DatasetParameterResource.Meta
PUBLIC_ACCESS_FULL        attribute), 211
    (tardis.tardis_portal.models.experiment.Experiment      queryset (tardis.tardis_portal.api.DatasetParameterSetResource.Meta
    attribute), 144      attribute), 211
public_access_implies_distribution()      queryset (tardis.tardis_portal.api.DatasetResource.Meta
    (tardis.tardis_portal.models.experiment.Experiment      attribute), 211
    class method), 147
    queryset (tardis.tardis_portal.api.ExperimentParameterResource.Meta
PUBLIC_ACCESS_METADATA      attribute), 212
    (tardis.tardis_portal.models.experiment.Experiment      queryset (tardis.tardis_portal.api.ExperimentParameterSetResource.Meta
    attribute), 144      attribute), 212
PUBLIC_ACCESS_NONE         queryset (tardis.tardis_portal.api.ExperimentResource.Meta
    (tardis.tardis_portal.models.experiment.Experiment      attribute), 212
    attribute), 145
    queryset (tardis.tardis_portal.api.FacilityResource.Meta
public_data()      (in      module      attribute), 213
    tardis.tardis_portal.views.pages), 201
    queryset (tardis.tardis_portal.api.GroupResource.Meta
public_download_allowed()      attribute), 213
    (tardis.tardis_portal.models.experiment.Experiment      queryset (tardis.tardis_portal.api.InstrumentResource.Meta
    method), 147      attribute), 213
public_key (tardis.apps.push_to.models.KeyPair at-      queryset (tardis.tardis_portal.api.LocationResource.Meta
    tribute), 94      attribute), 213
public_key (tardis.apps.sftp.models.SFTPPublicKey      queryset (tardis.tardis_portal.api.ObjectACLResource.Meta
    attribute), 105      attribute), 214
PUBLICATION_DETAILS_SCHEMA      (tardis.tardis_portal.models.experiment.Experiment      queryset (tardis.tardis_portal.api.ParameterNameResource.Meta
    attribute), 215      attribute), 215

```

queryset (*tardis.tardis\_portal.api.ReplicaResource.Meta* *remote\_hosts* (*tardis.apps.push\_to.models.Credential attribute*), 215  
*attribute*), 92

queryset (*tardis.tardis\_portal.api.SchemaResource.Meta* *remote\_user* (*tardis.apps.push\_to.models.Credential attribute*), 216  
*attribute*), 92

queryset (*tardis.tardis\_portal.api.StorageBoxAttributeResource.Meta* (*class* in *tardis.apps.push\_to.models*), 95  
*attribute*), 216  
*RemoteHost.DoesNotExist*, 95

queryset (*tardis.tardis\_portal.api.StorageBoxOptionResource.Meta* (*class* in *tardis.apps.push\_to.models*), 95  
*attribute*), 216  
*RemoteHost.MultipleObjectsReturned*, 95  
*RemoteHostAdmin* (*class* in *tardis.apps.push\_to.models*), 95

queryset (*tardis.tardis\_portal.api.StorageBoxResource.Meta* (*class* in *tardis.apps.push\_to.models*), 96  
*attribute*), 216  
*remove\_auth\_method()* (*in module tardis.tardis\_portal.auth.authentication*), 119

queryset (*tardis.tardis\_portal.api.UserResource.Meta* (*class* in *tardis.apps.push\_to.models*), 96  
*attribute*), 217  
*remove\_csrf\_token()* (*in module tardis.tardis\_portal.views.utils*), 203

**R**

RANGE\_COMPARISON (*tardis.tardis\_portal.models.parameters.ParameterMeta* (*class* in *tardis.forms.NoInput method*), 227  
*attribute*), 164

rapidConnectEduPersonTargetedID (*tardis.tardis\_portal.models.access\_control.UserProfile* (*method*), 178  
*attribute*), 135

render () (*tardis.tardis\_portal.templatetags.capture.CaptureNode* (*method*), 178  
*method*), 178

RawSearchForm (*class* in *tardis.tardis\_portal.forms*), 227

render () (*tardis.tardis\_portal.templatetags.dynurl.DynUrlNode* (*method*), 178  
*method*), 178

rcauth () (*in module tardis.tardis\_portal.views.authentication*), 198

render () (*tardis.tardis\_portal.widgets.CommaSeparatedInput* (*method*), 235  
*method*), 235

read\_detail () (*tardis.apps.sftp.api.SFTPACLAuthorization* (*method*), 103  
*method*), 103

render\_error\_message () (*in module tardis.apps.push\_to.views*), 99

read\_detail () (*tardis.tardis\_portal.api.ACIAuthorization* (*method*), 209  
*method*), 209

render\_error\_message () (*in module tardis.tardis\_portal.shortcuts*), 233

read\_list () (*tardis.apps.sftp.api.SFTPACLAuthorization* (*method*), 103  
*method*), 103

render\_mustache () (*in module tardis.tardis\_portal.util*), 234

read\_list () (*tardis.tardis\_portal.api.ACIAuthorization* (*method*), 209  
*method*), 209

render\_public\_access\_badge () (*in module tardis.tardis\_portal.util*), 234

readMetadata () (*tardis.apps.oaipmh.server.ProxyingMetadataRegistry* (*method*), 83  
*method*), 83

register\_error\_message () (*in module tardis.tardis\_portal.shortcuts*), 233

redirect\_back\_with\_error () (*in module tardis.tardis\_portal.shortcuts*), 233

render\_response\_index () (*in module tardis.tardis\_portal.shortcuts*), 233

RegisterExperimentForm (*class* in *tardis.tardis\_portal.forms*), 227

render\_success\_message () (*in module tardis.apps.push\_to.views*), 99

registerReader () (*tardis.apps.oaipmh.server.ProxyingMetadataRegistry* (*method*), 83  
*method*), 83

registerWriter () (*tardis.apps.oaipmh.server.ProxyingMetadataRegistry* (*method*), 83  
*method*), 83

RENDERING\_OPEN (*in module tardis.default\_settings.auth*), 113

ReplicaResource (*class* in *tardis.tardis\_portal.api*), 215

registration\_processor () (*in module tardis.tardis\_portal.context\_processors*), 217

ReplicaResource.Meta (*class* in *tardis.tardis\_portal.api*), 215

ReplicaResourceTest (*class* in *tardis.tardis\_portal.tests.api.test\_replica\_resource*), 183

RegistrationForm (*class* in *tardis.tardis\_portal.forms*), 227

RelatedInfoForm (*class* in *tardis.apps.related\_info.forms*), 101

REQUIRE\_DATAFILE\_CHECKSUMS (*tardis.default\_settings attribute*), 46

REQUIRE\_DATAFILE\_SIZES (*tardis.default\_settings*), 46

```

    attribute), 46
REQUIRE_SSL_TO_GENERATE_KEY (in module 80
    tardis.apps.sftp.default_settings), 104
REQUIRE_VALIDATION_ON_INGESTION
    (tardis.default_settings attribute), 46
requires_admin_approval () (in module
    tardis.apps.social_auth.auth.social_auth),
    111
resource_name (tardis.apps.sftp.api.SFTPPublicKeyAppResource
    attribute), 103
resource_name (tardis.tardis_portal.api.DataFileResource
    attribute), 210
restart () (tardis.tardis_portal.tests.slacd.Slapd
    method), 186
RestfulExperimentParameterSet (class in
    tardis.tardis_portal.shortcuts), 233
retrieve_access_list_group_readonly ()
    (in module tardis.tardis_portal.views.authorisation),
    198
retrieve_access_list_user_readonly () (in
    module tardis.tardis_portal.views.authorisation), rollback_migration ()
    (in module tardis.apps.openid_migration.utils), 90
retrieve_group_list () (in module
    tardis.tardis_portal.views.authorisation),
    198
retrieve_group_list_by_user () (in module
    tardis.tardis_portal.views.authorisation), 198
retrieve_group_userlist_readonly () (in
    module tardis.tardis_portal.views.authorisation),
    198
retrieve_licenses () (in module
    tardis.tardis_portal.views.ajax_json), 197
retrieve_owned_exps_list () (in module
    tardis.tardis_portal.views.ajax_pages), 197
retrieve_shared_exps_list () (in module
    tardis.tardis_portal.views.ajax_pages), 197
retrieve_user_list () (in module
    tardis.tardis_portal.views.authorisation),
    198
return_response_error () (in module
    tardis.tardis_portal.shortcuts), 233
return_response_error_message () (in mod-
    ule tardis.tardis_portal.shortcuts), 233
return_response_not_found () (in module
    tardis.tardis_portal.shortcuts), 233
RFC
    RFC 3339, 232
rfc3339 () (in module tardis.tardis_portal.rfc3339),
    232
RifCsExperimentProvider (class in
    tardis.apps.oaipmh.provider.experiment),
    80
RifCsExperimentProvider.ExperimentWriter save ()
    (class in tardis.apps.oaipmh.provider.experiment),
    80
RifCsExperimentProviderTestCase (class in
    tardis.apps.oaipmh.tests.provider.test_experiment),
    82
RifCsProvider (class in
    tardis.tardis_portal.publish.provider.rifcsprovider),
    176
RifCSTestCase (class in
    tardis.apps.related_info.tests.test_oaipmh),
    99
RifMetaForm (class in tardis.tardis_portal.forms), 228
RightsForm.Meta (class in
    tardis.tardis_portal.forms), 228
RightsFormTestCase (class in
    tardis.tardis_portal.tests.test_forms), 190
RightsTestCase (class in
    tardis.tardis_portal.tests.test_views), 195
RmExperimentTestCase (class in
    tardis.tardis_portal.tests.test_rmexperiment),
    193
RunFilters () (tardis.tardis_portal.management.commands.runfilters.C
    method), 127
RunFiltersTestCase (class in
    tardis.tardis_portal.tests.filters.test_middleware),
    184
S
safe (tardis.tardis_portal.models.experiment.Experiment
    attribute), 147
sanitize_html () (in module
    tardis.tardis_portal.templatetags.formfieldfilters),
    179
save () (tardis.apps.push_to.models.KeyPair method),
    94
save () (tardis.tardis_portal.forms.ExperimentForm
    method), 225
save () (tardis.tardis_portal.forms.RegistrationForm
    method), 228
save () (tardis.tardis_portal.models.access_control.UserAuthentication
    method), 134
save () (tardis.tardis_portal.models.datafile.DataFile
    method), 139
save () (tardis.tardis_portal.models.datafile.DataFileObject
    method), 140
save () (tardis.tardis_portal.models.dataset.Dataset
    method), 144
save () (tardis.tardis_portal.models.experiment.Experiment
    method), 147
save () (tardis.tardis_portal.models.experiment.ExperimentAuthor
    method), 148
save () (tardis.tardis_portal.models.facility.Facility
    method), 150

```

```

save() (tardis.tardis_portal.models.instrument.InstrumentSchemaResourceTest      (class      in
       method), 151                                         tardis.tardis_portal.tests.api.test_schema_resource),
save() (tardis.tardis_portal.models.parameters.ExperimentParameter, 158          search() (in module tardis.apps.equipment.views), 77
       method),
save() (tardis.tardis_portal.models.parameters.ParameterSetSearch(), 167        (tardis.search.forms.GroupedSearchForm
       method), 116
       search() (in module tardis.tardis_portal.forms.RawSearchForm
       method), 227
       search() (in module tardis.tardis_portal.search_backend.HighlightSearchBackend
       method), 233
       search() (in module tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler (in      module
       method), 218                                         tardis.search.views), 118
       save_m2m() (tardis.tardis_portal.forms.ExperimentForm.FAILEDExperiment, 225     (tardis.tardis_portal.admin.DatafileAdmin
       method), 225                                         attribute), 205
       save_metadata() (tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter, 125       search_fields (tardis.tardis_portal.admin.DatasetAdmin
       method), 125                                         attribute), 205
       save_with_random_token() (tardis.tardis_portal.models.token.Token, 175        search_fields (tardis.tardis_portal.admin.ExperimentAdmin
       method), 175                                         attribute), 205
       search_fields (tardis.tardis_portal.admin.FacilityAdmin
       Schema (class in tardis.tardis_portal.models.parameters), 167                  attribute), 206
       schema (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler, 218    search_fields (tardis.tardis_portal.admin.ObjectACLAdmin
       attribute), 218                                         attribute), 206
       SCHEMA (tardis.tardis_portal.filters.jeolsem.JEOLSEMFilter, 125      search_fields (tardis.tardis_portal.admin.ParameterNameAdmin
       attribute), 125                                         attribute), 206
       schema (tardis.tardis_portal.models.parameters.DatafileParameterSet, 155      search_fields (tardis.tardis_portal.admin.SchemaAdmin
       attribute), 155                                         attribute), 207
       schema (tardis.tardis_portal.models.parameters.DatasetParameterSet, 157      search_fields (tardis.tardis_portal.admin.StorageBoxAdmin
       attribute), 157                                         attribute), 209
       schema (tardis.tardis_portal.models.parameters.ExperimentParameterSet, 159      search_fields (tardis.tardis_portal.admin.UserAuthenticationAdmin
       attribute), 159                                         attribute), 207
       schema (tardis.tardis_portal.models.parameters.InstrumentParameterSet, 162      search_quick () (in module tardis.search.views), 118
       attribute), 162                                         attribute), 209
       schema (tardis.tardis_portal.models.parameters.ParameterSetName, 166      search_quick () (in module tardis.search.entities), 121
       attribute), 166                                         attribute), 121
       schema (tardis.tardis_portal.models.parameters.ParameterSetSearchGroups, 167      searchGroups () (tardis.tardis_portal.auth.authservice.AuthService
       attribute), 167                                         method), 121
       schema (tardis.tardis_portal.shortcuts.RestfulExperimentParameterSets, 233      searchGroups () (tardis.tardis_portal.auth.authservice.AuthService
       attribute), 233                                         method), 123
       Schema.DoesNotExist, 167                                         searchGroups () (tardis.tardis_portal.auth.localdb_auth.DjangoGroup
       Schema.MultipleObjectsReturned, 168                                         method), 124
       Schema.UnsupportedType, 168                                         searchGroups () (tardis.tardis_portal.auth.token_auth.TokenGroupProv
       schema_id (tardis.tardis_portal.models.parameters.ParameterName, 125      searchGroups () (tardis.tardis_portal.tests.test_authservice.MockGroup
       attribute), 166                                         method), 125
       schema_id (tardis.tardis_portal.models.parameters.ParameterSet, 188      SearchQueryString (class in tardis.search.utils),
       attribute), 167                                         118
       SchemaAdmin (class in tardis.tardis_portal.admin), 207      SearchQueryTypeUnprovidedError, 220
       SchemaManager (class in tardis.tardis_portal.managers), 232      SearchTestCase (class      in
       SchemaResource (class in tardis.tardis_portal.api), 215      tardis.tardis_portal.tests.tests), 196
       SchemaResource.Meta (class in tardis.tardis_portal.api), 215      searchUsers () (tardis.tardis_portal.auth.authservice.AuthService
       method), 121
       searchUsers () (tardis.tardis_portal.auth.interfaces.UserProvider
       method), 123
  
```

```

SECRET_KEY, 45
send_admin_email() (in module tardis.apps.social_auth.auth.social_auth), 111
serial (tardis.apps.equipment.models.Equipment attribute), 76
serializer (tardis.tardis_portal.api.MyTardisModelResource attribute), 214
serializer (tardis.tardis_portal.api.UserResource.Meta attribute), 217
SerializerTest (class tardis.tardis_portal.tests.api.test_serializer), 183
service (in module tardis.analytics.tracker), 73
session_ended () (tardis.apps.sftp.sftp.MyTSFTPServerInterface method), 107
session_started () (tardis.apps.sftp.sftp.MyTSFTPServerInterface method), 107
set_debug () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_dn_suffix () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_param () (tardis.tardis_portal.ParameterSetManager.Parameters method), 204
set_param_list () (tardis.tardis_portal.ParameterSetManager.Parameters method), 204
set_params_from_dict () (tardis.tardis_portal.ParameterSetManager.Parameters method), 204
set_port () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_root_cn () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_root_password () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_slapd_debug_level () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_tmpdir () (tardis.tardis_portal.tests.slapd.Slapd method), 186
set_token() (in module tardis.apps.push_to.oauth_tokens), 97
set_value () (tardis.tardis_portal.models.parameters.Parameters method), 163
setUp () (tardis.tardis_portal.tests.test_authservice.MockRequest method), 188
setUp () (tardis.apps.equipment.tests.EquipmentTestCase method), 77
setUp () (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase method), 81
setUp () (tardis.apps.oaipmh.tests.provider.test_experimentprovider.ExperimentProviderTests method), 81
setUp () (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase method), 82
setUp () (tardis.appsopenid_migration.tests.test_forms.OpenIDMigrationForm method), 85
setUp () (tardis.appsopenid_migration.tests.test_migration.OpenIDMigration method), 85
setUp () (tardis.appsopenid_migration.tests.test_models.ModelTestCase method), 85
setUp () (tardis.appsopenid_migration.tests.test_views.OpenIDMigrationView method), 86
setUp () (tardis.apps.push_to.tests.test_models.ModelsTestCase method), 91
setUp () (tardis.apps.related_info.tests.test_oaipmh.RifCSTestCase method), 99
setUp () (tardis.apps.related_info.tests.tests.CreateTestCase method), 99
setUp () (tardis.apps.related_info.tests.tests.DeleteTestCase method), 99
setUp () (tardis.apps.related_info.tests.tests.GetTestCase method), 100
setUp () (tardis.apps.related_info.tests.tests.ListTestCase method), 100
setUp () (tardis.apps.related_info.tests.tests.TabTestCase method), 100
setUp () (tardis.apps.related_info.tests.tests.UpdateTestCase method), 100
setUp () (tardis.apps.sftp.sftp.MyTSFTPRequestHandler method), 106
setUp () (tardis.tardis_portal.tests.api.MyTardisResourceTestCase method), 183
setUp () (tardis.tardis_portal.tests.api.test_datafile_resource.DataFileResourceTestCase method), 181
setUp () (tardis.tardis_portal.tests.api.test_dataset_resource.DatasetResourceTestCase method), 181
setUp () (tardis.tardis_portal.tests.api.test_experiment_resource.ExperimentResourceTestCase method), 182
setUp () (tardis.tardis_portal.tests.filters.test_jeolsem.JEOLSEMFilterTestCase method), 184
setUp () (tardis.tardis_portal.tests.filters.test_middleware.FilterInitTestCase method), 184
setUp () (tardis.tardis_portal.tests.filters.test_middleware.RunFiltersTestCase method), 184
setUp () (tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase method), 187
setUp () (tardis.tardis_portal.tests.test_authorisation.ObjectACLTTestCase method), 187
setUp () (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase method), 187
setUp () (tardis.tardis_portal.tests.test_collectstatic.CollectstaticTestCase method), 188
setUp () (tardis.tardis_portal.tests.test_download.DownloadTestCase method), 188

```

setUp () (tardis.tardis\_portal.tests.test\_download\_apikey.ApiKeyDotardisidTestCases.default\_settings), 104  
     method), 189  
 SFTPACLAuthorization (class) in  
 setUp () (tardis.tardis\_portal.tests.test\_dumpschemas.DumpSchemaTestCase), 103  
     method), 189  
 SFTPConfig (class in tardis.apps.sftp.apps), 103  
 setUp () (tardis.tardis\_portal.tests.test\_facility\_overview.FacilityOverviewTestCase), 102  
     method), 189  
 SFTPPublicKey (class in tardis.apps.sftp.models), 104  
     method), 190  
 SFTPPublicKey.DoesNotExist, 104  
 setUp () (tardis.tardis\_portal.tests.test\_forms.RightsFormTestCase), 102  
     method), 190  
 SFTPPublicKey.MultipleObjectsReturned, 105  
 setUp () (tardis.tardis\_portal.tests.test\_iif.ExtraTestCase), 103  
     method), 190  
 SFTPPublicKeyAppResource (class) in  
 setUp () (tardis.tardis\_portal.tests.test\_iif.Level0TestCase), 103  
     method), 190  
 SFTPPublicKeyAppResource.Meta (class) in  
     method), 190  
 SFTPPublicKeyAppResource.sha512sum (tardis.tardis\_portal.models.datafile.DataFile)  
 setUp () (tardis.tardis\_portal.tests.test\_ldap.LDAPTest), 139  
     method), 191  
 share () (in module  
 setUp () (tardis.tardis\_portal.tests.test\_models.ModelTestCase), 198  
     method), 191  
 setUp () (tardis.tardis\_portal.tests.test\_parametersets.EditParameterSetTestCase), 201  
     method), 192  
 setUp () (tardis.tardis\_portal.tests.test\_parametersets.ParametersetManagerTestCase), 231  
     method), 192  
 setUp () (tardis.tardis\_portal.tests.test\_publishservice.PublishServiceTestCase), 98  
     method), 193  
 setUp () (tardis.tardis\_portal.tests.test\_storage.ModelTestCase), 108  
     method), 193  
 tardis.tardis\_portal.views.download\_request () (tardis.apps.sftp.MyTSFTPTCPServer)  
 setUp () (tardis.tardis\_portal.tests.test\_tar\_download.TarDownloadTestCase), 108  
     method), 194  
 sign\_certificate () (in module  
 setUp () (tardis.tardis\_portal.tests.test\_tasks.BackgroundTaskTestCase), 97  
     method), 194  
 single\_search\_processor () (in module  
 setUp () (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase), 217  
     method), 194  
 setUp () (tardis.tardis\_portal.tests.test\_views.ContextualViewTestCase), 118  
     method), 195  
 setUp () (tardis.tardis\_portal.tests.test\_views.ExperimentListTestCase), 201  
     method), 195  
 tardis.tardis\_portal.views.pages), 201  
 setUp () (tardis.tardis\_portal.tests.test\_views.ExperimentTestCase), 199  
     method), 195  
 setUp () (tardis.tardis\_portal.tests.test\_views.listTestCase), 115  
     method), 196  
 tardis.default\_settings.site\_customisations), 115  
 setUp () (tardis.tardis\_portal.tests.test\_views.UploadTestCase), 115  
     method), 195  
 size (tardis.tardis\_portal.models.datafile.DataFile at-  
 setUp () (tardis.tardis\_portal.tests.test\_views.UserListTestCase), 139  
     method), 196  
 size () (in module tardis.tardis\_portal.templatetags.formfieldfilters), 139  
 setUp () (tardis.tardis\_portal.tests.test\_views.ViewTemplateContextTestCase), 185  
     method), 196  
 Slapd (class in tardis.tardis\_portal.tests.slapd), 185  
 setUp () (tardis.tardis\_portal.tests.tests.SearchTestCase), 112  
     method), 196  
 SocialAuthConfig (class) in  
 sftp\_access () (in module tardis.apps.sftp.views), 235  
     111  
 sftp\_keys () (in module tardis.apps.sftp.views), 234  
     111  
 SFTPPUBLICNAME\_ATTRIBUTE (in module SPONSORED\_TEXT (in module  
     111

```

    tardis.default_settings.site_customisations),
    115
start() (tardis.tardis_portal.tests.slacd.Slapd
    method), 186
start_server() (in module tardis.apps.sftp.sftp),
    110
start_time(tardis.tardis_portal.models.experiment.Experiment
    attribute), 147
started() (tardis.tardis_portal.tests.slacd.Slapd
    method), 186
stat() (tardis.apps.sftp.sftp.MyTSFTPHandle
    method), 106
stat() (tardis.apps.sftp.sftp.MyTSFTPServerInterface
    method), 107
STATIC_ROOT (tardis.default_settings attribute), 48
STATIC_URL (tardis.default_settings attribute), 48
StaticField (class in tardis.tardis_portal.forms), 228
stats() (in module tardis.tardis_portal.views.pages),
    202
status (tardis.tardis_portal.models.datafile.DataFile
    attribute), 139
status (tardis.tardis_portal.models.storage.StorageBox
    attribute), 173
status_code (tardis.tardis_portal.views.utils.HttpResponseMethodNotAllowd
    attribute), 203
status_code (tardis.tardis_portal.views.utils.HttpResponseSeeAlso
    attribute), 203
stop() (tardis.tardis_portal.tests.slacd.Slapd method),
    186
storage_box (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 140
storage_box (tardis.tardis_portal.models.parameters.DatafileParameterSet
    attribute), 155
storage_box (tardis.tardis_portal.models.parameters.DatasetParameterSet
    attribute), 157
storage_box (tardis.tardis_portal.models.parameters.ExperimentParameterSet
    attribute), 159
storage_box (tardis.tardis_portal.models.parameters.InstrumentParameterSet
    attribute), 162
storage_box (tardis.tardis_portal.models.parameters.ParameterSet
    attribute), 167
storage_box (tardis.tardis_portal.models.storage.StorageBoxAttribute
    attribute), 173
storage_box (tardis.tardis_portal.models.storage.StorageBoxOption
    attribute), 174
storage_box_id (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 141
storage_box_id (tardis.tardis_portal.models.storage.StorageBoxAttribute
    attribute), 174
storage_box_id (tardis.tardis_portal.models.storage.StorageBoxOption
    attribute), 174
storage_type (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 141
storage_type (tardis.tardis_portal.models.storage.StorageBoxType
    attribute), 173
StorageBox (class in
    tardis.tardis_portal.models.storage), 169
StorageBox.DoesNotExist, 170
StorageBox.MultipleObjectsReturned, 170
StorageBoxAdmin (class in
    Experiment tardis.tardis_portal.admin), 207
StorageBoxAttribute (class in
    tardis.tardis_portal.models.storage), 173
StorageBoxAttribute.DoesNotExist, 173
StorageBoxAttribute.MultipleObjectsReturned,
    173
StorageBoxAttributeInline (class in
    tardis.tardis_portal.admin), 207
StorageBoxAttributeInlineForm (class in
    tardis.tardis_portal.admin), 207
StorageBoxAttributeInlineForm.Meta (class
    in tardis.tardis_portal.admin), 207
StorageBoxAttributeResource (class in
    tardis.tardis_portal.api), 216
StorageBoxAttributeResource.Meta (class in
    tardis.tardis_portal.api), 216
StorageBoxForm (class in
    tardis.tardis_portal.admin), 208
StorageBoxForm.Meta (class in
    tardis.tardis_portal.admin), 208
StorageBoxOption (class in
    tardis.tardis_portal.models.storage), 174
StorageBoxOption.DoesNotExist, 174
StorageBoxOption.MultipleObjectsReturned,
    174
StorageBoxOptionInline (class in
    tardis.tardis_portal.admin), 208
StorageBoxOptionInlineForm (class in
    tardis.tardis_portal.admin), 208
StorageBoxOptionInlineForm.Meta (class in
    tardis.tardis_portal.admin), 209
StorageBoxOptionResource (class in
    tardis.tardis_portal.api), 216
StorageBoxOptionResource.Meta (class in
    tardis.tardis_portal.api), 216
StorageBoxResource (class in
    tardis.tardis_portal.api), 216
StorageBoxResource.Meta (class in
    tardis.tardis_portal.api), 216
StorageBoxObject.download_datafiles() (in module
    tardis.tardis_portal.download), 219
StorageBoxObject.download_datafiles()
    attribute), 164
StorageBoxObject.download_datafiles()
    attribute), 174
StorageBoxObject.value (tardis.tardis_portal.models.parameters.Parameter
    attribute), 163
StorageBoxType (tardis.tardis_portal.models.parameters.Schema
    attribute), 173

```

*attribute), 169*

*suite() (in module tardis.apps.equipment.tests), 77*

*suite() (in module tardis.tardis\_portal.tests.tests), 197*

*sum\_sizes() (tardis.tardis\_portal.models.datafile.DataFile class method), 139*

*supports\_anonymous\_user (tardis.tardis\_portal.auth.authorisation.ACIAwareBackend attribute), 120*

*supports\_object\_permissions (tardis.tardis\_portal.auth.authorisation.ACIAwareBackend attribute), 120*

*SYSTEM OWNED (tardis.tardis\_portal.forms.ChangeUserPermissionsForm attribute), 222*

*SYSTEM OWNED (tardis.tardis\_portal.models.access\_control.ObjectACL attribute), 132*

*system\_owned\_groups () (tardis.tardis\_portal.managers.ExperimentManager method), 231*

**T**

*TabTestCase (class tardis.apps.related\_info.tests.tests), 100*

*tag (tardis.tardis\_portal.widgets.Label attribute), 235*

*tag (tardis.tardis\_portal.widgets.Span attribute), 235*

*TAPE (tardis.tardis\_portal.models.storage.StorageBox attribute), 170*

*tardis (module), 238*

*tardis.analytics (module), 74*

*tardis.analytics.apps (module), 73*

*tardis.analytics.ga (module), 73*

*tardis.analytics.tracker (module), 73*

*tardis.app\_config (module), 237*

*tardis.apps (module), 112*

*tardis.apps.deep\_storage\_download\_mapper (module), 74*

*tardis.apps.deep\_storage\_download\_mapper (module), 74*

*tardis.apps.deep\_storage\_download\_mapper (module), 74*

*tardis.apps.dl\_mapper\_df\_dir\_only (module), 75*

*tardis.apps.dl\_mapper\_df\_dir\_only.mapper (module), 74*

*tardis.apps.dl\_mapper\_df\_dir\_only.urls (module), 75*

*tardis.apps.equipment (module), 77*

*tardis.apps.equipment.admin (module), 75*

*tardis.apps.equipment.forms (module), 75*

*tardis.apps.equipment.migrations (module), 75*

*tardis.apps.equipment.migrations.0001\_initial (module), 75*

*tardis.apps.equipment.models (module), 76*

*tardis.apps.equipment.south\_migrations (module), 75*

*tardis.apps.equipment.tests (module), 77*

*tardis.apps.equipment.urls (module), 77*

*tardis.apps.equipment.views (module), 77*

*tardis.apps.filepicker (module), 78*

*tardis.apps.filepicker.Backend (module), 77*

*tardis.apps.filepicker.filepicker\_settings (module), 77*

*tardis.apps.filepicker.urls (module), 77*

*tardis.apps.filepicker.Backend (module), 78*

*tardis.apps.filepicker.utils (module), 78*

*tardis.apps.filepicker.views (module), 78*

*tardis.apps.oaipmh.ExperimentMetaObjectModule (module), 84*

*tardis.apps.oaipmh.models (module), 83*

*tardis.apps.oaipmh.provider (module), 81*

*tardis.apps.oaipmh.provider.base (module), 78*

*tardis.apps.oaipmh.provider.experiment (module), 80*

*tardis.apps.oaipmh.server (module), 83*

*tardis.apps.oaipmh.tests (module), 82*

*tardis.apps.oaipmh.tests.provider (module), 82*

*tardis.apps.oaipmh.tests.provider.test\_base (module), 81*

*tardis.apps.oaipmh.tests.provider.test\_experiment (module), 81*

*tardis.apps.oaipmh.tests.test\_oai (module), 82*

*tardis.apps.oaipmh.urls (module), 84*

*tardis.apps.oaipmh.views (module), 84*

*tardis.apps.openid\_migration (module), 90*

*tardis.apps.openid\_migration.apps (module), 86*

*tardis.apps.openid\_migration.context\_processors (module), 86*

*tardis.apps.openid\_migration.default\_settings (module), 86*

*tardis.apps.openid\_migration.email\_text (module), 86*

*tardis.apps.openid\_migration.forms (module), 86*

*tardis.apps.openid\_migration.migration (module), 86*

*tardis.apps.openid\_migration.migrations (module), 85*

*tardis.apps.openid\_migration.migrations.0001\_initial (module), 85*

*tardis.apps.openid\_migration.models (module), 87*

*tardis.apps.openid\_migration.tasks (module), 89*

*tardis.apps.openid\_migration.tests (module), 86*

*tardis.apps.openid\_migration.tests.test\_forms*

(*module*), 85  
tardis.apps.openid\_migration.tests.test\_magda@apps.sftp.api (*module*), 103  
(*module*), 85 tardis.apps.sftp.apps (*module*), 103  
tardis.apps.openid\_migration.tests.test\_maddis.apps.sftp.default\_settings (*module*), 104  
(*module*), 85 tardis.apps.sftp.management (*module*), 102  
tardis.apps.openid\_migration.urls (*module*), 89 tardis.apps.sftp.management.commands (*module*), 102  
tardis.apps.openid\_migration.user\_menu\_mbaidi@apps.sftp.management.commands.sftpd (*module*), 101  
(*module*), 89 tardis.apps.sftp.migrations (*module*), 102  
tardis.apps.openid\_migration.utils (*module*), 90 tardis.apps.sftp.migrations.0001\_initial (*module*), 102  
tardis.apps.openid\_migration.views (*module*), 90 tardis.apps.sftp.models (*module*), 104  
tardis.apps.push\_to (*module*), 99 tardis.apps.sftp.sftp (*module*), 105  
tardis.apps.push\_to.apps (*module*), 91 tardis.apps.sftp.tests (*module*), 102  
tardis.apps.push\_to.exceptions (*module*), 91 tardis.apps.sftp.tests.test\_sftp (*module*), 102  
tardis.apps.push\_to.migrations (*module*), 91 tardis.apps.sftp.urls (*module*), 110  
91 tardis.apps.sftp.user\_menu\_modifiers  
tardis.apps.push\_to.migrations.0001\_initial (*module*), 110  
90 tardis.apps.sftp.views (*module*), 111  
tardis.apps.push\_to.migrations.0002\_auto200605180958social\_auth (*module*), 112  
90 tardis.apps.social\_auth.apps (*module*), 112  
tardis.apps.push\_to.models (*module*), 91 tardis.apps.social\_auth.auth (*module*), 112  
tardis.apps.push\_to.oauth\_tokens (*module*), 97 tardis.apps.social\_auth.auth.social\_auth (*module*), 111  
97 tardis.apps.social\_auth.default\_settings (*module*), 112  
tardis.apps.push\_to.ssh\_authz (*module*), 97 tardis.celery (*module*), 237  
tardis.apps.push\_to.tasks (*module*), 97 tardis.default\_settings (*module*), 116  
tardis.apps.push\_to.tests (*module*), 91 tardis.default\_settings.admins (*module*), 112  
tardis.apps.push\_to.tests.test\_models (*module*), 91 tardis.default\_settings.analytics (*module*), 112  
91 tardis.default\_settings.apps (*module*), 112  
tardis.apps.push\_to.urls (*module*), 98 tardis.default\_settings.auth (*module*), 113  
tardis.apps.push\_to.utils (*module*), 98 tardis.default\_settings.caches (*module*), 113  
tardis.apps.push\_to.views (*module*), 98 tardis.default\_settings.celery\_settings (*module*), 113  
tardis.apps.related\_info (*module*), 101 tardis.default\_settings.custom\_views (*module*), 113  
tardis.apps.related\_info.forms (*module*), 101 tardis.default\_settings.database (*module*), 114  
101 tardis.default\_settings.debug (*module*), 114  
tardis.apps.related\_info.models (*module*), 101 tardis.default\_settings.downloads (*module*), 114  
101 tardis.default\_settings.email (*module*), 114  
tardis.apps.related\_info.settings (*module*), 101 tardis.default\_settings.filters (*module*), 115  
101 tardis.apps.related\_info.tests (*module*), 100

tardis.default\_settings.frontend (*module*), 115  
tardis.default\_settings.i18n (*module*), 115  
tardis.default\_settings.localisation (*module*), 115  
tardis.default\_settings.logging (*module*), 115  
tardis.default\_settings.middlewares (*module*), 115  
tardis.default\_settings.publication (*module*), 115  
tardis.default\_settings.search (*module*), 115  
tardis.default\_settings.sharing (*module*), 115  
tardis.default\_settings.site\_customisation (*module*), 115  
tardis.default\_settings.static\_files (*module*), 115  
tardis.default\_settings.storage (*module*), 115  
tardis.default\_settings.templates (*module*), 116  
tardis.default\_settings.uploads (*module*), 116  
tardis.default\_settings.urls (*module*), 116  
tardis.search (*module*), 118  
tardis.search.datafile\_index (*module*), 116  
tardis.search.forms (*module*), 116  
tardis.search.search\_indexes (*module*), 117  
tardis.search.urls (*module*), 118  
tardis.search.utils (*module*), 118  
tardis.search.views (*module*), 118  
tardis.search\_sites (*module*), 238  
tardis.tardis\_portal (*module*), 236, 238  
tardis.tardis\_portal.admin (*module*), 204  
tardis.tardis\_portal.api (*module*), 209  
tardis.tardis\_portal.auth (*module*), 125  
tardis.tardis\_portal.auth.authentication (*module*), 119  
tardis.tardis\_portal.auth.authorisation (*module*), 119  
tardis.tardis\_portal.auth.authservice (*module*), 120  
tardis.tardis\_portal.auth.decorators (*module*), 121  
tardis.tardis\_portal.auth.fix\_circular (*module*), 122  
tardis.tardis\_portal.auth.interfaces (*module*), 123  
tardis.tardis\_portal.auth.localdb\_auth (*module*), 124  
tardis.tardis\_portal.auth.token\_auth (*module*), 124  
tardis.tardis\_portal.auth.utils (*module*), 125  
tardis.tardis\_portal.constants (*module*), 217  
tardis.tardis\_portal.context\_processors (*module*), 217  
tardis.tardis\_portal.creativecommonshandler (*module*), 218  
tardis.tardis\_portal.deprecations (*module*), 218  
tardis.tardis\_portal.download (*module*), 219  
tardis.tardis\_portal.email (*module*), 219  
tardis.tardis\_portal.errors (*module*), 220  
tardis.tardis\_portal.fields (*module*), 220  
tardis.tardis\_portal.filters (*module*), 126  
tardis.tardis\_portal.filters.jeolsen (*module*), 125  
tardis.tardis\_portal.forms (*module*), 220  
tardis.tardis\_portal.hacks (*module*), 229  
tardis.tardis\_portal.iiif (*module*), 229  
tardis.tardis\_portal.logging\_middleware (*module*), 229  
tardis.tardis\_portal.management (*module*), 128  
tardis.tardis\_portal.management.commands (*module*), 128  
tardis.tardis\_portal.management.commands.createuser (*module*), 126  
tardis.tardis\_portal.management.commands.dumpschema (*module*), 126  
tardis.tardis\_portal.management.commands.loadschema (*module*), 127  
tardis.tardis\_portal.management.commands.rmxperiment (*module*), 127  
tardis.tardis\_portal.management.commands.runfilters (*module*), 127  
tardis.tardis\_portal.managers (*module*), 230  
tardis.tardis\_portal.migrations (*module*), 131  
tardis.tardis\_portal.migrations.0001\_initial (*module*), 128  
tardis.tardis\_portal.migrations.0001\_squashed\_0011 (*module*), 128  
tardis.tardis\_portal.migrations.0002\_auto\_20150528\_1250 (*module*), 128  
tardis.tardis\_portal.migrations.0003\_auto\_20150907\_1250 (*module*), 128  
tardis.tardis\_portal.migrations.0004\_storageboxopt (*module*), 129  
tardis.tardis\_portal.migrations.0005\_datafile\_add\_s3 (*module*), 129  
tardis.tardis\_portal.migrations.0006\_datafile\_remove\_s3 (*module*), 129

(*module*), 129  
tardis.tardis\_portal.migrations.0007\_remove\_parity\_value\_index  
(*module*), 129  
tardis.tardis\_portal.migrations.0008\_string\_value\_index  
(*module*), 129  
tardis.tardis\_portal.migrations.0009\_auto\_201605051434  
tardis.tardis\_portal.migrations.0010\_auto\_201605051434  
tardis.tardis\_portal.migrations.0011\_auto\_201605051434  
tardis.tardis\_portal.migrations.0012\_user\_and\_authentication  
(*module*), 130  
tardis.tardis\_portal.migrations.0013\_auto\_201810021356  
tardis.tardis\_portal.migrations.0014\_auto\_201810021801  
tardis.tardis\_portal.migrations.0015\_dataset\_cr  
(*module*), 131  
tardis.tardis\_portal.migrations.0016\_add\_timestamp  
(*module*), 131  
tardis.tardis\_portal.models (*module*), 176, 236, 238  
tardis.tardis\_portal.models.access\_control  
(*module*), 131  
tardis.tardis\_portal.models.datafile  
(*module*), 136  
tardis.tardis\_portal.models.dataset  
(*module*), 141  
tardis.tardis\_portal.models.experiment  
(*module*), 144  
tardis.tardis\_portal.models.facility  
(*module*), 149  
tardis.tardis\_portal.models.hooks (*module*), 150  
tardis.tardis\_portal.models.instrument  
(*module*), 150  
tardis.tardis\_portal.models.jti (*module*), 151  
tardis.tardis\_portal.models.license  
(*module*), 152  
tardis.tardis\_portal.models.parameters  
(*module*), 153  
tardis.tardis\_portal.models.storage  
(*module*), 169  
tardis.tardis\_portal.models.token (*module*), 175  
tardis.tardis\_portal.ParameterSetManager  
(*module*), 203  
tardis.tardis\_portal.publish (*module*), 177  
tardis.tardis\_portal.publish.provider  
(*module*), 176  
tardis.tardis\_portal.publish.provider.rifcsprovider  
(*module*), 176  
tardis.tardis\_portal.publish.publishservice  
tardis.tardis\_portal.rfc3339 (*module*), 232  
tardis.tardis\_portal.search\_query (*module*), 233  
tardis.tardis\_portal.shortcuts (*module*), 233  
tardis.tardis\_portal.signals (*module*), 234  
tardis.tardis\_portal.storage (*module*), 177  
tardis.tardis\_portal.templates.bleach\_tag  
(*module*), 178  
tardis.tardis\_portal.templates.capture  
(*module*), 178  
tardis.tardis\_portal.templates.dataset\_tags  
(*module*), 178  
tardis.tardis\_portal.templates.dynurl  
(*module*), 178  
tardis.tardis\_portal.templates.experiment\_tags  
(*module*), 179  
tardis.tardis\_portal.templates.experimentstats  
(*module*), 179  
tardis.tardis\_portal.templates.facility\_tags  
(*module*), 179  
tardis.tardis\_portal.templates.feed  
(*module*), 179  
tardis.tardis\_portal.templates.formfieldfilters  
(*module*), 179  
tardis.tardis\_portal.templates.lookupfilters  
(*module*), 179  
tardis.tardis\_portal.templates.pagination  
(*module*), 180  
tardis.tardis\_portal.templates.xmldate  
(*module*), 180  
tardis.tardis\_portal.tests (*module*), 197  
tardis.tardis\_portal.tests.api (*module*), 183  
tardis.tardis\_portal.tests.api.test\_auth  
(*module*), 180  
tardis.tardis\_portal.tests.api.test\_datafile\_metadata  
(*module*), 180  
tardis.tardis\_portal.tests.api.test\_datafile\_resource  
(*module*), 181  
tardis.tardis\_portal.tests.api.test\_dataset\_metadata

(*module*), 181  
tardis.tardis\_portal.tests.api.test\_datastore tardis\_portal.tests.test\_forms  
(*module*), 181  
tardis.tardis\_portal.tests.api.test\_experiments metadata\_portal.tests.test\_iif  
(*module*), 181  
tardis.tardis\_portal.tests.api.test\_experiments tardis\_portal.tests.test\_ldap  
(*module*), 182  
tardis.tardis\_portal.tests.api.test\_facility tardis\_portal.tests.test\_loadschemas  
(*module*), 182  
tardis.tardis\_portal.tests.api.test\_group tardis\_portal.tests.test\_models  
(*module*), 182  
tardis.tardis\_portal.tests.api.test\_instrument tardis\_portal.tests.test\_parametersets  
(*module*), 182  
tardis.tardis\_portal.tests.api.test\_location tardis\_portal.tests.test\_publishservice  
(*module*), 183  
tardis.tardis\_portal.tests.api.test\_replies tardis\_portal.tests.test\_rmexperiment  
(*module*), 183  
tardis.tardis\_portal.tests.api.test\_schema tardis\_portal.tests.test\_storage  
(*module*), 183  
tardis.tardis\_portal.tests.api.test\_serial tardis\_portal.tests.test\_tar\_download  
(*module*), 183  
tardis.tardis\_portal.tests.auth (*module*), tardis.tardis\_portal.tests.test\_tasks  
184  
tardis.tardis\_portal.tests.filters (*mod-  
ule*), 185  
tardis.tardis\_portal.tests.filters.test\_javascript tardis\_portal.tests.test\_views  
(*module*), 184  
tardis.tardis\_portal.tests.filters.test\_mainview tardis\_portal.tests.tests  
(*module*), 184  
tardis.tardis\_portal.tests.ldap\_ldap tardis.tardis\_portal.util (*module*), 234  
(*module*), 185  
tardis.tardis\_portal.tests.mock\_vbl\_auth 236, 238  
(*module*), 185  
tardis.tardis\_portal.views.ajax\_actions  
tardis.tardis\_portal.tests.mock\_vbl\_download (*module*), 197  
(*module*), 185  
tardis.tardis\_portal.views.ajax\_json  
tardis.tardis\_portal.tests.slapd (*mod-  
ule*), 185  
tardis.tardis\_portal.views.ajax\_pages  
tardis.tardis\_portal.tests.test\_authentication (*module*), 197  
(*module*), 187  
tardis.tardis\_portal.views.authentication  
tardis.tardis\_portal.tests.test\_authorisation (*module*), 197  
(*module*), 187  
tardis.tardis\_portal.views.authorisation  
tardis.tardis\_portal.tests.test\_authservice (*module*), 198  
(*module*), 187  
tardis.tardis\_portal.views.facilities  
tardis.tardis\_portal.tests.test\_collectstatic (*module*), 198  
(*module*), 188  
tardis.tardis\_portal.views.images (*mod-  
ule*), 199  
tardis.tardis\_portal.tests.test\_createuser 199  
(*module*), 188  
tardis.tardis\_portal.views.machine (*mod-  
ule*), 199  
tardis.tardis\_portal.tests.test\_download 199  
(*module*), 188  
tardis.tardis\_portal.views.pages (*mod-  
ule*), 199  
tardis.tardis\_portal.tests.test\_download\_apikey 199  
(*module*), 189  
tardis.tardis\_portal.views.parameters  
tardis.tardis\_portal.tests.test\_dumpschemas (*module*), 202  
(*module*), 189  
tardis.tardis\_portal.views.upload (*mod-  
ule*), 203  
tardis.tardis\_portal.tests.test\_facility\_overview 203

```

tardis.tardis_portal.views.utils (module), 203
tardis.tardis_portal.widgets (module), 235
tardis.tardis_portal.xmlwriter (module), 235
tardis.test_on_mysql_settings (module), 238
tardis.test_on_postgresql_settings (module), 238
tardis.test_settings (module), 238
tardis.views (module), 238
TarDownloadTestCase (class) in
    tardis.tardis_portal.tests.test_tar_download), 194
tarinfo_for_df () (tardis.tardis_portal.download.UncachedTarStream (tardis.tardis_portal.views.pages.DatasetView
    method), 219
tearDown () (tardis.apps.oaipmh.tests.provider:test_base.BaseProviderTest (tardis.tardis_portal.views.pages.ExperimentView
    method), 81
tearDown () (tardis.apps.oaipmh.tests.provider:test_experimentapi.AbstractExperiment (tardis.tardis_portal.views.pages.IndexView
    method), 81
tearDown () (tardis.apps.oaipmh.tests.provider:test_experimentapi.DEMERGEDExperiment (tardis.tardis_portal.views.pages.IndexView
    method), 82
tearDown () (tardis.apps.oaipmh.tests.provider:test_oai.EndpointTestCase (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTe
    method), 82
tearDown () (tardis.tardis_portal.tests.filters.test_middleware.RunFilterMiddlewareTestCase
        test_add_dataset_params ())
tearDown () (tardis.tardis_portal.tests.test_authorisation.ObjectACL (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTe
    method), 187
tearDown () (tardis.tardis_portal.tests.test_authservice.AuthenticationServiceTestCase (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTe
    method), 187
tearDown () (tardis.tardis_portal.tests.test_collectstatic.CollectstaticTest (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTe
    method), 188
tearDown () (tardis.tardis_portal.tests.test_download.DownloadTestCase (tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticationTe
    method), 188
tearDown () (tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownloadTestCase
        (tardis.tardis_portal.tests.test_ldap.LDAPTest
            test_apikey_authentication ())
tearDown () (tardis.tardis_portal.tests.test_dumpschemas.DumpSchemasTestCase
        test_authors () (tardis.tardis_portal.tests.test_models.ModelTestCase
            method), 189
tearDown () (tardis.tardis_portal.tests.test_ldap.LDAPTest
        test_bad_credentials ())
tearDown () (tardis.tardis_portal.tests.test_parametersets.EditParameterSetsTestCase (tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticationTe
    method), 190
tearDown () (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
        (tardis.tardis_portal.tests.test_collectstatic.CollectstaticTest
            method), 192
tearDown () (tardis.tardis_portal.tests.test_storage.ModelTestCase (tardis.tardis_portal.tests.test_models.ModelTestCase
    method), 188
tearDown () (tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase (tardis.tardis_portal.tests.test_tokens.TokenTestCase
    method), 193
tearDown () (tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase (tardis.tardis_portal.tests.test_tokens.TokenTestCase
    method), 194
tearDown () (tardis.tardis_portal.tests.test_tokens.TokenTestCase (tardis.tardis_portal.tests.test_models.ModelTestCase
    method), 194
tearDown () (tardis.tardis_portal.tests.test_views.ContextualViewTestCase (tardis.tardis_portal.tests.test_models.ModelTestCase
    method), 195
tearDown () (tardis.tardis_portal.tests.test_views.ExperimentListsTestCase (tardis.apps.push_to.tests.test_models.ModelsTestCase
    method), 195
tearDown () (tardis.tardis_portal.tests.test_views.listTestCase (tardis.tardis_portal.tests.test_views.UploadTestCase
    method), 196
tearDown () (tardis.tardis_portal.tests.test_views.UserListTestCase (tardis.tardis_portal.tests.test_views.ViewTemplateContextsTestCase
    method), 196
tearDown () (tardis.tardis_portal.tests.tests.SearchTestCase (tardis.tardis_portal.tests.tests.SearchTestCase
    method), 196
temp_url (tardis.tardis_portal.api.DataFileResource
    attribute), 210
template_name (tardis.search.views.SingleSearchView
    attribute), 118

```

```

test_cybderduck_connection_window()                               method), 91
    (tardis.apps.sftp.tests.test_sftp.SFTPTest
        method), 102
test_datafile() (tardis.tardis_portal.tests.test_models.ModelTestCase), 181
    method), 191
test_dataset() (tardis.tardis_portal.tests.test_models.ModelTest(tardis.tardis_portal.tests.api.test_dataset_resource.DatasetResource
    method), 191
test_debug_serializer()                                         test_get_dataset_with_instrument()
    (tardis.tardis_portal.tests.api.test_serializer.SerializerTest
        method), 183
test_default_expiry()                                          test_get_experiment()
    (tardis.tardis_portal.tests.test_tokens.TokenTestCase
        method), 194
test_deleting_dfo_without_uri()                                test_get_facility_by_id()
    (tardis.tardis_portal.tests.test_models.ModelTestCase
        method), 192
test_djangoauth()                                              test_get_facility_by_manager_group_id()
    (tardis.tardis_portal.tests.test_authentication.AuthenticationTest
        method), 187
test_do_migration()                                            test_get_facility_by_name()
    (tardis.apps.openid_migration.tests.test_migration.OpenIDMigrationTestCase)
        method), 85
test_download_apikey()                                         test_get_group_by_id()
    (tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownloadTest
        method), 189
test_download_file()                                           test_get_group_by_name()
    (tardis.tardis_portal.tests.api.test_datafile_resource.DataFileDownloadTest)
        method), 181
test_edit_datafile_params()                                    test_get_instrument_by_id()
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTest
        method), 192
test_edit_dataset_params()                                    test_get_instrument_by_name()
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTest)
        method), 192
test_edit_experiment_params()                                 test_get_receiving_box()
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTest)
        method), 192
test_ensures_suitable_license()                             test_get_session_expiration()
    (tardis.tardis_portal.tests.test_forms.RightsFormTestCase
        method), 190
test_existing_parameterset()                                test_get_session_expired_token()
    (tardis.tardis_portal.tests.test_parametersets.ParameterSetTestCase)
        method), 192
test_experiment()                                             test_get_session_expiration_near_expiration()
    (tardis.tardis_portal.tests.test_models.ModelTestCase
        method), 192
test_facility_overview_datafile_list()                      test_getgroupbyid()
    (tardis.tardis_portal.tests.test_facility_overview.FacilityOverviewTestCase)
        method), 189
test_facility_overview_experiments()                        test_getgroups()
    (tardis.tardis_portal.tests.test_facility_overview.FacilityOverviewTestCase)
        method), 189
test_get_allowed_signing_services()                         (tardis.tardis_portal.tests.test_ldap.LDAPTest
    (tardis.apps.push_to.tests.test_models.ModelsTestCase
        method), 191
        method), 191

```

```

test_getuserbyid()                               test_pretty_serializer()
                                                (tardis.tardis_portal.tests.api.test_serializer.SerializerTest
                                                 method), 183
test_init() (tardis.apps.openid_migration.tests.test_forms.OpenIDMigrationFormTestCase
             method), 85
test_instrument()                               test_retrieve_access_list_tokens()
                                                (tardis.tardis_portal.tests.test_tokens.TokenTestCase
                                                 method), 182
test_is_expired()                               test_root() (tardis.tardis_portal.tests.tests.UserInterfaceTestCase
                                                 method), 194
test_keys_from_private_key_only()               test_save_with_random_token()
                                                (tardis.apps.push_to.tests.test_models.ModelsTestCase
                                                 method), 194
test_link_parameter_type()                     test_save_with_random_token_failures()
                                                (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
                                                 method), 194
test_link_parameter_type_extra()               test_save_with_random_token_gives_up()
                                                (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
                                                 method), 195
test_login() (tardis.tardis_portal.tests.tests.UserInterfaceTestCase
              method), 197
test_migrate_accounts()                       test_search() (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                 method), 191
                                                test_search_urls()
test_mydata_view()                            (tardis.tardis_portal.tests.tests.UserInterfaceTestCase
                                                 method), 197
                                                test_searchgroups()
test_needs_confirmation()                    (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                 method), 191
                                                test_sftp() (tardis.apps.sftp.tests.test_sftp.SFTPTest
                                                 method), 102
test_new_parameterset()                      (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
                                                 method), 192
                                                docs_dataset()
                                                (tardis.apps.sftp.tests.test_sftp.SFTPTest
                                                 method), 102
test_OpenidUserMigration_creation()          (tardis.apps.openid_migration.tests.test_models.ModelTestCase
                                                 method), 85
                                                dynamic_docs_experiment()
                                                (tardis.apps.sftp.tests.test_sftp.SFTPTest
                                                 method), 102
test_parameter() (tardis.tardis_portal.tests.test_models.ModelTestCase
                  method), 102
                                                test_sftp_key_connect()
test_pkey_to_credential()                   (tardis.apps.sftp.tests.test_sftp.SFTPTest
                                                 method), 102
                                                test_shared_fs_many_files()
test_post_dataset()                          (tardis.tardis_portal.tests.api.test_datafile_resource.DataFileResourceTest
                                                 method), 181
                                                test_shared_fs_single_file()
test_post_experiment()                      (tardis.tardis_portal.tests.api.test_experiment_resource.ExperimentResourceTest
                                                 method), 182
                                                test_shared_view()
test_post_instrument()                     (tardis.tardis_portal.tests.test_views.ExperimentListsTest
                                                 method), 192
                                                forceTest
                                                test_storageboxoption()
test_post_single_file()                    (tardis.tardis_portal.tests.test_storage.ModelTestCase
                                                 method), 181
                                                ModelTestCase
                                                test_tar_experiment_download()

```

```

(tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase.requiredFormats()
method), 194
test_token_delete() (tardis.tardis_portal.tests.test_tokens.TokenTestCase.testCantEditLockedExperiment()
method), 195
test_tz_aware_date_handling() (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase.assess()
method), 192
test_tz_naive_date_handling() (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase.tardis_portal.tests.test_publishservice.PublishServiceTest.createAndEdit()
method), 193
test_unauthorized_instrument_access_attempt() (tardis.tardis_portal.tests.api.test_instrument_resource.InstrumentResourceTest.createAndEdit()
method), 195
test_unresolvable_link_parameter() testCreateNewAccount()
(tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase.authentication.AuthenticationTestCase.create()
method), 187
test_urls() (tardis.tardis_portal.tests.UserInterfaceTestCase.setDatasetFile()
method), 197
test_urls_with_some_content() (tardis.tardis_portal.tests.UserInterfaceTestCase.setDatasetJson()
method), 197
TEST_UTILS_DIR (tardis.tardis_portal.tests.slapd.Slapd
attribute), 185
test_wrong_size_verification() (tardis.tardis_portal.tests.test_tasks.BackgroundTaskTestCase.method), 196
method), 194
testAccessWithoutReadPerms() (tardis.apps.related_info.tests.TabTestCase
method), 100
testAccessWithReadPerms() (tardis.apps.related_info.tests.TabTestCase
method), 100
testAll() (tardis.tardis_portal.tests.filters.test_middleware.RunFilter
method), 184
testAuthenticate() (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase
method), 187
testCanCreate() (tardis.apps.related_info.tests.CreateTestCase
method), 184
method), 99
testCanDelete() (tardis.apps.related_info.tests.DeleteTestCase
method), 99
testCanGetInfoAsJSON() (tardis.tardis_portal.tests.test_iif.Level0TestCase
method), 190
testCanGetInfoAsXML() (tardis.tardis_portal.tests.test_iif.Level0TestCase
method), 190
testCanGetJpegFormat() (tardis.tardis_portal.tests.test_iif.Level1TestCase
method), 190
testCanGetOriginalImage() (tardis.tardis_portal.tests.test_iif.Level0TestCase
method), 190

```

```

testFileUpload() (tardis.tardis_portal.tests.test_views.UploadTestCase)
    method), 196
    (tardis.apps.related_info.tests.tests.GetTestCase
testFiltering() (tardis.tardis_portal.tests.filters.test_middleware)
    method), 184
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
testGetGroupList()
    (tardis.tardis_portal.tests.test_views.listTestCase)
    method), 196
    (tardis.apps.related_info.tests.tests.ListTestCase)
testGetGroupsForEntity()
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 187
    (tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTestCase)
testGetRecord() (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase)
    (tardis.apps.oaipmh.tests.provider.test_oai.EndpointTestCase)
    method), 81
    (tardis.tardis_portal.tests.test_iif.ExtraTestCases)
testGetRecord() (tardis.apps.oaipmh.tests.provider.test_experiment.ExperimentProviderTestCase)
    method), 82
    (tardis.tardis_portal.tests.test_iif.ExtraTestCases)
testGetRecord() (tardis.apps.oaipmh.tests.provider.test_experiment.ExperimentProviderTestCase)
    method), 82
    testImageHasEtags()
testGetRecord() (tardis.apps.oaipmh.tests.test_oai.EndpointTest)
    (tardis.tardis_portal.tests.test_iif.ExtraTestCases)
    method), 82
    (tardis.tardis_portal.tests.test_iif.ExtraTestCases)
testGetRecordHandlesInvalidIdentifiers() testInfoHasEtags()
    (tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTestCase)
    method), 81
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
test GetUserList()
    (tardis.tardis_portal.tests.test_views.listTestCase)
    method), 196
    testInitialisation()
test GetUserList()
    (tardis.tardis_portal.tests.test_views.UserListTestCase)
    method), 196
    (tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase)
test GroupProvider()
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 187
    testInitialisationNoProvider()
test GroupSearch()
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 187
    testInteractive()
test HandleRegions()
    (tardis.tardis_portal.tests.test_iif.Level1TestCase)
    method), 190
    testJEOLComplex()
test HandleRotation()
    (tardis.tardis_portal.tests.test_iif.Level1TestCase)
    method), 190
    testJEOLSsimple()
test HandlesEmptySet()
    (tardis.apps.related_info.tests.tests.ListTestCase)
    method), 100
    testList()
test HandlesFound()
    (tardis.apps.related_info.tests.tests.GetTestCase)
    method), 100
    testListIdentifiers()
test HandleSizing()
    (tardis.tardis_portal.tests.test_iif.Level1TestCase)
    method), 190
    testListIdentifiers()
test HandleSizing()
    (tardis.tardis_portal.tests.test_iif.Level2TestCase)
    method), 191
    testListIdentifiers()
test HandlesMultipleEntries()
    (tardis.apps.related_info.tests.tests.ListTestCase)
    method), 100
    testListIdentifiersDoesNotHandleSets()

```

```

testListMetadataFormats ()                               (tardis.tardis_portal.tests.test_authorisation.ObjectACLTestCase)
    (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase), 187
        method, 81
testListMetadataFormats ()                               testReadAccess () (tardis.tardis_portal.tests.test_authorisation.ObjectACLTestCase)
    (tardis.apps.oaipmh.tests.provider.test_experimentAbstractExperimentAndDividedTc), 187
        method, 82
testListMetadataFormats ()                               testRightsRequireValidOwner ()
    (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase), 195
        method, 82
testListRecords ()                                    testSearchEquipmentForm ()
    (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase), 77
        method, 81
testListRecords ()                                    testSearchEquipmentResult ()
    (tardis.apps.oaipmh.tests.provider.test_experiment.DcExperimentProviderTestCase), 77
        method, 82
testListRecords ()                                    testSearchExperimentAuthentication ()
    (tardis.apps.oaipmh.tests.provider.test_experiment.RifCsExperimentProviderTestCase), 196
        method, 82
testListRecords ()                                    testSearchExperimentForm ()
    (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase), 196
        method, 82
testListSets () (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase) results ()
    (tardis.tardis_portal.tests.tests.SearchTestCase), 196
        method, 81
testListSets () (tardis.apps.oaipmh.tests.provider.test_experimentAbstractExperimentProviderTC)
    (tardis.tardis_portal.tests.tests.SearchTestCase), 196
        method, 82
testLoadSchemas ()                                 testSFTPWithoutHostKey ()
    (tardis.tardis_portal.tests.test_loadschemas.LoadschemasTestCase), 102
        method, 191
testLocalFile () (tardis.tardis_portal.tests.test_tasks.BackgroundTaskTestCase)
    (tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase), 187
        method, 194
testManageAccount ()                               testUploadComplete ()
    (tardis.tardis_portal.tests.test_views.ManageAccountTestCase), 196
        method, 195
testManageAuthMethods ()                            testView () (tardis.tardis_portal.tests.test_download.DownloadTestCase)
    (tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase), 189
        method, 187
testManageRifCsCheckContent ()                     testWriteAccess ()
    (tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase), 187
        method, 193
testManageRifCsCreateAndRemove ()                  text (tardis.search.datafile_index.DataFileManager attribute), 116
    (tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase), 117
        method, 193
testMustHaveWrite ()                             text (tardis.search.search_indexes.ExperimentIndex attribute), 118
    (tardis.apps.related_info.tests.tests.CreateTestCase), 118
        method, 99
testMustHaveWrite ()                             timeout (tardis.apps.sftp.sftp.MyTFTPRequestHandler attribute), 106
    (tardis.apps.related_info.tests.tests.DeleteTestCase), 106
        method, 100
testMustHaveWrite ()                             to_json () (tardis.tardis_portal.api.PrettyJSONSerializer method), 215
    (tardis.apps.related_info.tests.tests.UpdateTestCase), 215
        method, 100
testNoInput () (tardis.tardis_portal.tests.test_createuser.CreateUserTestCase)
    (tardis.tardis_portal.templates.tags.feed), 179
        method, 188
testOwnedExperiments ()                           todatetime () (in module
                                                Token (class in tardis.tardis_portal.models.token), 175
                                                token (tardis.tardis_portal.models.token.Token attribute), 175

```

*tribute), 175*  
*Token.DoesNotExist, 175*  
*Token.MultipleObjectsReturned, 175*  
*token\_delete() (in module tardis.tardis\_portal.views.authorisation), 198*  
*token\_set (tardis.tardis\_portal.models.experiment.Experiment attribute), 147*  
*TokenAuthMiddleware (class tardis.tardis\_portal.auth.token\_auth), 124*  
*TokenGroupProvider (class tardis.tardis\_portal.auth.token\_auth), 124*  
*TokenTestCase (class tardis.tardis\_portal.tests.test\_tokens), 194*  
*toxmldatetime() (in module tardis.tardis\_portal.templatetags.xmldate), 180*  
*track\_download() (in module tardis.analytics.ga), 73*  
*track\_login() (in module tardis.analytics.ga), 73*  
*track\_logout() (in module tardis.analytics.ga), 73*  
*tuples (tardis.tardis\_portal.tests.filters.test\_middleware.FilterDAD\_METHOD attribute), 184*  
*tuples (tardis.tardis\_portal.tests.filters.test\_middleware.FilterDadTestCase attribute), 184*  
*type (tardis.apps.equipment.models.Equipment attribute), 77*  
*type (tardis.tardis\_portal.models.parameters.Schema attribute), 169*  
*TYPE\_CHOICES (tardis.tardis\_portal.models.storage.StorageBox attribute), 174*  
*type\_order (tardis.tardis\_portal.models.storage.StorageBox attribute), 173*  
*TYPE\_UNKNOWN (tardis.tardis\_portal.models.storage.StorageBox attribute), 170*  
*TYPES (tardis.tardis\_portal.models.storage.StorageBox attribute), 170*

**U**

*UncachedTarStream (class tardis.tardis\_portal.download), 219*  
*units (tardis.tardis\_portal.models.parameters.ParameterName attribute), 166*  
*unpickled\_value (tardis.tardis\_portal.models.storage.StorageBox attribute), 174*  
*UnsupportedSearchQueryTypeError, 220*  
*update\_all\_files() (tardis.apps.sftp.sftp.DynamicTree method), 106*  
*update\_dataset\_files() (tardis.apps.sftp.sftp.DynamicTree method), 106*  
*update\_datasets() (tardis.apps.sftp.sftp.DynamicTree method), 106*

*update\_detail() (tardis.tardis\_portal.api.ACIAuthorization method), 209*  
*update\_experiments() (tardis.apps.sftp.sftp.DynamicTree method), 106*  
*update\_list() (tardis.tardis\_portal.api.ACIAuthorization method), 209*  
*update\_mimetype() (tardis.tardis\_portal.models.datafile.DataFile method), 139*  
*update\_nothing() (tardis.apps.sftp.sftp.DynamicTree method), 106*  
*update\_time (tardis.tardis\_portal.models.experiment.Experiment attribute), 148*  
*UpdateTestCase (class tardis.apps.related\_info.tests.tests), 100*  
*upload\_auth() (in module tardis.tardis\_portal.auth.decorators), 122*  
*upload\_complete() (in module tardis.tardis\_portal.views.upload), 203*  
*upload\_file (tardis.tardis\_portal.models.uploads.Upload), 116*  
*UploadTestCase (class tardis.tardis\_portal.tests.test\_views), 195*  
*uri (tardis.tardis\_portal.models.datafile.DataFileObject attribute), 141*  
*url (tardis.apps.equipment.models.Equipment attribute), 77*  
*url (tardis.tardis\_portal.models.experiment.Experiment attribute), 148*  
*url (tardis.tardis\_portal.models.experiment.ExperimentAuthor attribute), 149*  
*url (tardis.tardis\_portal.models.license.License attribute), 153*  
*URL (tardis.tardis\_portal.models.parameters.ParameterName attribute), 164*  
*url\_safe\_query() (tardis.search.utils.SearchQueryString method), 118*  
*urls (tardis.tardis\_portal.tests.test\_authorisation.ObjectACLTTestCase attribute), 187*  
*urls (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase attribute), 195*  
*StorageBoxOpener() (in module tardis.tardis\_portal.views.pages), 202*  
*user (tardis.apps.push\_to.models.Credential attribute), 92*  
*user (tardis.apps.sftp.models.SFTPPublicKey attribute), 105*  
*user (tardis.tardis\_portal.models.access\_control.GroupAdmin attribute), 132*  
*user (tardis.tardis\_portal.models.access\_control.UserProfile attribute), 135*  
*user (tardis.tardis\_portal.models.token.Token attribute), 106*

**t**ribute), 175  
**user\_acls ()** (*tardis.tardis\_portal.managers.ExperimentManager attribute*), 135  
**method**), 231  
**user\_details\_processor ()** (*in module tardis.tardis\_portal.context\_processors*), 217  
**user\_guide ()** (*in module tardis.tardis\_portal.views.pages*), 202  
**user\_id** (*tardis.apps.push\_to.models.Credential attribute*), 92  
**user\_id** (*tardis.apps.sftp.models.SFTPPublicKey attribute*), 105  
**user\_id** (*tardis.tardis\_portal.models.access\_control.GroupAdmin attribute*), 132  
**user\_id** (*tardis.tardis\_portal.models.access\_control.User attribute*), 136  
**user\_id** (*tardis.tardis\_portal.models.token.Token attribute*), 176  
**USER\_MENU\_MODIFIERS** (*in module tardis.default\_settings.apps*), 112  
**user\_menu\_processor ()** (*in module tardis.tardis\_portal.context\_processors*), 217  
**user\_migration** (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 87  
**user\_migration\_id** (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 88  
**user\_migration\_obj ()** (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 88  
**user\_owned\_groups ()** (*tardis.tardis\_portal.managers.ExperimentManager method*), 231  
**UserAuthentication** (*class in tardis.tardis\_portal.models.access\_control*), 134  
**UserAuthentication.DoesNotExist**, 134  
**UserAuthentication.MultipleObjectsReturned**, 134  
**userauthentication\_set** (*tardis.tardis\_portal.models.access\_control.UserProfile attribute*), 136  
**UserAuthenticationAdmin** (*class in tardis.tardis\_portal.admin*), 209  
**UserInterfaceTestCase** (*class in tardis.tardis\_portal.tests.tests*), 197  
**UserListTestCase** (*class in tardis.tardis\_portal.tests.test\_views*), 196  
**username** (*tardis.tardis\_portal.models.access\_control.UserAuthentication attribute*), 135  
**UserProfile** (*class in tardis.tardis\_portal.models.access\_control*), 135  
**userProfile** (*tardis.tardis\_portal.models.access\_control.UserAuthentic userProfile (tardis.tardis\_portal.models.access\_control.UserAuthentic attribute)*), 135  
**UserProfile.DoesNotExist**, 135  
**UserProfile.MultipleObjectsReturned**, 135  
**userProfile\_id** (*tardis.tardis\_portal.models.access\_control.UserAuthentic attribute*), 135  
**UserProvider** (*class in tardis.tardis\_portal.auth.interfaces*), 123  
**UserResource** (*class in tardis.tardis\_portal.api*), 216  
**UserResource.Meta** (*class in tardis.tardis\_portal.api*), 216  
**users ()** (*tardis.tardis\_portal.managers.ExperimentManager method*), 231

**V**

**validate\_remote\_path ()** (*in module tardis.apps.push\_to.views*), 99  
**validation** (*tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta attribute*), 103  
**value** (*tardis.tardis\_portal.models.storage.StorageBoxAttribute attribute*), 174  
**value** (*tardis.tardis\_portal.models.storage.StorageBoxOption attribute*), 174  
**value\_type** (*tardis.tardis\_portal.models.storage.StorageBoxOption attribute*), 174  
**value\_type (tardis.tardis\_portal.widgets.CommaSeparatedInput method)**, 235  
**verbose\_name** (*tardis.analytics.apps.AnalyticsConfig attribute*), 73  
**verbose\_name** (*tardis.apps.openid\_migration.apps.OpenidMigrationConfig attribute*), 86  
**verbose\_name** (*tardis.apps.push\_to.apps.PushToConfig attribute*), 91  
**verbose\_name** (*tardis.apps.sftp.apps.SFTPCConfig attribute*), 103  
**verbose\_name** (*tardis.apps.social\_auth.apps.SocialAuthConfig attribute*), 112  
**verified** (*tardis.tardis\_portal.models.datafile.DataFile attribute*), 139  
**verified** (*tardis.tardis\_portal.models.datafile.DataFileObject attribute*), 141  
**verify ()** (*tardis.tardis\_portal.models.datafile.DataFile method*), 139  
**verify ()** (*tardis.tardis\_portal.models.datafile.DataFileObject method*), 141  
**verify\_file ()** (*tardis.tardis\_portal.api.DataFileResource method*), 210  
**verify\_remote\_access ()**  
**method**), 92  
**version** (*tardis.tardis\_portal.models.datafile.DataFile attribute*), 139

```
view_datafile()           (in module tardis.tardis_portal.download), 219
view_functions()          (in module tardis.tardis_portal.shortcuts.RestfulExperimentProvider),
                         attribute), 233
view_id()                (in module tardis.apps.equipment.views), 77
view_key()               (in module tardis.apps.equipment.views), 77
ViewTemplateContextsTest (class in tardis.tardis_portal.tests.test_views), 196
W
wait()                  (tardis.tardis_portal.tests.slapd.Slapd method), 186
which()                 (in module tardis.tardis_portal.tests.slapd), 186
widget     (tardis.tardis_portal.forms.StaticField attribute), 229
widgets    (tardis.apps.push_to.models.CredentialForm.Meta attribute), 93
widgets    (tardis.tardis_portal.admin.DatafileAdminForm.Meta attribute), 205
widgets    (tardis.tardis_portal.admin.DataFileObjectInlineForm.Meta attribute), 204
widgets    (tardis.tardis_portal.admin.StorageBoxAttributeInlineForm.Meta attribute), 208
widgets    (tardis.tardis_portal.admin.StorageBoxForm.Meta attribute), 208
widgets    (tardis.tardis_portal.admin.StorageBoxOptionInlineForm.Meta attribute), 209
widgets    (tardis.tardis_portal.forms.ChangeUserPermissionsForm.Meta attribute), 223
widgets    (tardis.tardis_portal.forms.RightsForm.Meta attribute), 228
write()                 (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter method), 80
write_permissions_required() (in module tardis.tardis_portal.auth.decorators), 122
write_template_to_dir()  (tardis.tardis_portal.xmlwriter.XMLWriter static method), 235
write_template_to_file() (tardis.tardis_portal.xmlwriter.XMLWriter static method), 235
write_xml_to_file()      (tardis.tardis_portal.xmlwriter.XMLWriter static method), 236
writeExperimentMetadata() (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider static method), 81
writeMetadata()          (tardis.apps.oaipmh.provider.base.BaseProvider method), 80, 242
writeMetadata()          (tardis.apps.oaipmh.server.ProxyingMetadataRegistry method), 83
X
XMLWriter (class in tardis.tardis_portal.xmlwriter), 235
```