
NekoBot Documentation

Release latest

Jan 13, 2020

Contents

1	Posting Commands	3
2	API commands	5

(*) = same-user (user who ran the command)

(#) = needs hex code (Eg #db7991 or just db7991)

(%) = user input (text)

(\$) = user input (attachment)

(@) = user mention

#=*profile create*

#=*profile addtext* (%)

#=*profile view* (*)

#=*profile background* (#)

#=*profile color* (#)

CHAPTER 1

Posting Commands

```
#=post create <ARGS>
```

Arguments: *-noavatar* | will not show avatar next to name

-text(%) | text of post

-title(%) | title of post

Note: the - and () are required.

AT THE MOMENT IT WILL NOT BE PUBLIC! I need to set up a webserver to communicate to my website & computer without sending data through AWS directly.

CHAPTER 2

API commands

Basic API commands

```
•#=neko | random neko image from the NBAPI module.  
•#=anime | random anime image from the NBAPI module.  
•#=pat | random pat image from the NBAPI module.
```

Uploading to API

```
#=neko upload ($) | only .png, .gif will use first frame visible, and will downscale the quality  
of the GIF.  
#=anime upload ($) | only .png, .gif will use first frame visible, and will downscale the quality  
of the GIF.  
#=pat upload ($) | auto detects .gif and .png apart
```