

---

# **OpenKnesset Documentation**

***Release 2.0-devel***

**Hasadna**

**Apr 16, 2018**



---

## Contents

---

<b>1 API Version 2</b>	<b>3</b>
1.1 Swagger generated API documentation and interaction . . . . .	3
1.2 Interacting With The API . . . . .	3
<b>2 API Version 1 - Removed - Use ApiV2</b>	<b>23</b>
<b>3 Embedding widgets</b>	<b>25</b>
3.1 Member . . . . .	25
<b>4 Friendly Applications</b>	<b>27</b>
<b>5 Indices and tables</b>	<b>29</b>



Open Knesset is an Open Source project for an online, open parliament. OK started with a scraping script that crawls the ancient *official site* and parses its data. Next, a Django based web site was developed and released in 2010.

The project has grown from a base of parliamentary data - votes, bill proposals and protocols - to include user content - tags, comments, annotations and agendas - and smart displays to simplify consumption.

Contents:



# CHAPTER 1

---

## API Version 2

---

### 1.1 Swagger generated API documentation and interaction

Access the `swagger` based API docs using <https://oknesset.org/api/v2/doc/>. It enables browsing the API and call it passing parameters.

See the following screen shots for some examples:

The screenshot shows the Swagger UI interface with a green header bar. The header includes the 'swagger' logo, a gear icon, a refresh icon, the URL '/api/v2/doc/resources/' in a search-like field, a 'special-key' input field, and a 'Explore' button. Below the header is a table listing various API endpoints with their details:

Endpoint	Show/Hide	List Operations	Expand Operations	Raw
/agenda	Show/Hide	List Operations	Expand Operations	Raw
/agenda-todo	Show/Hide	List Operations	Expand Operations	Raw
/bill	Show/Hide	List Operations	Expand Operations	Raw
/candidatelist	Show/Hide	List Operations	Expand Operations	Raw
/committee	Show/Hide	List Operations	Expand Operations	Raw
/committeemeeting	Show/Hide	List Operations	Expand Operations	Raw
/event	Show/Hide	List Operations	Expand Operations	Raw
/law	Show/Hide	List Operations	Expand Operations	Raw
/link	Show/Hide	List Operations	Expand Operations	Raw

Fig. 1.1: Swagger based api listing

### 1.2 Interacting With The API

---

/event	Show/Hide   List Operations   Expand Operations   Raw
/law	Show/Hide   List Operations   Expand Operations   Raw
/link	Show/Hide   List Operations   Expand Operations   Raw
/member	Show/Hide   List Operations   Expand Operations   Raw
GET /api/v2/member/	Retrieve a list of נציגים
GET /api/v2/member/{id}/	Retrieve a single נציג by ID
/member-agendas	Show/Hide   List Operations   Expand Operations   Raw
/member-bills	Show/Hide   List Operations   Expand Operations   Raw
/party	Show/Hide   List Operations   Expand Operations   Raw
/posts	Show/Hide   List Operations   Expand Operations   Raw
/protocolpart	Show/Hide   List Operations   Expand Operations   Raw
/tag	Show/Hide   List Operations   Expand Operations   Raw

Fig. 1.2: Member API expanded

**Response Content Type**  
application/json

**Parameters**

Parameter	Value	Description	Data Type
<b>id</b>	114	ID of resource	int

**Try it out!** [Hide Response](#)

**Request URL**  
[/api/v2/member/114?api\\_key=special-key](/api/v2/member/114?api_key=special-key)

**Response Body**

```
{
  "residence_economy": 4,
  "links": [
    {
      "url": "https://www.facebook.com/ReuvenRivlin",
      "title": "דף הפייסבוק של רענן ריבלין"
    }
  ]
}
```

Fig. 1.3: Get member API call

---

**Tip:** Version 2 of the API is served using [django-tastypie](#). This section is mostly a verbatim copy of their [interacting page](#).

---

We'll assume that you have `cURL` installed on your system (generally available on most modern Mac & Linux machines), but any tool that allows you to control headers & bodies on requests will do.

Let's fire up a shell & start exploring the API!

### 1.2.1 Front Matter

Tastypie tries to treat all clients & all serialization types as equally as possible. It also tries to be a good 'Net citizen & respects the HTTP method used as well as the `Accepts` headers sent. Between these two, you control all interactions with Tastypie through relatively few endpoints.

**Warning:** Should you try these URLs in your browser, be warned you **WILL** need to append `?format=json` (or `xml` or `yaml`) to the URL. Your browser requests `application/xml` before `application/json`, so you'll always get back XML if you don't specify it.

That's also why it's recommended that you explore via curl, because you avoid your browser's opinionated requests & get something closer to what any programmatic clients will get.

### 1.2.2 Fetching Data

Since reading data out of an API is a very common activity (and the easiest type of request to make), we'll start there. Tastypie tries to expose various parts of the API & interlink things within the API (HATEOAS).

#### Api-Wide

We'll start at the highest level:

```
curl http://oknesset.org/api/v2/
```

You'll get back something like:

```
{
    "agenda": {
        "list_endpoint": "/api/v2/agenda/",
        "schema": "/api/v2/agenda/schema/"
    },
    "agenda-todo": {
        "list_endpoint": "/api/v2/agenda-todo/",
        "schema": "/api/v2/agenda-todo/schema/"
    },
    "bill": {
        "list_endpoint": "/api/v2/bill/",
        "schema": "/api/v2/bill/schema/"
    },
    "law": {
        "list_endpoint": "/api/v2/law/",
        "schema": "/api/v2/law/schema/"
    },
}
```

```
        "link": {
            "list_endpoint": "/api/v2/link/",
            "schema": "/api/v2/link/schema/"
        },
        "member": {
            "list_endpoint": "/api/v2/member/",
            "schema": "/api/v2/member/schema/"
        },
        "member-agendas": {
            "list_endpoint": "/api/v2/member-agendas/",
            "schema": "/api/v2/member-agendas/schema/"
        },
        "member-bills": {
            "list_endpoint": "/api/v2/member-bills/",
            "schema": "/api/v2/member-bills/schema/"
        },
        "party": {
            "list_endpoint": "/api/v2/party/",
            "schema": "/api/v2/party/schema/"
        },
        "video": {
            "list_endpoint": "/api/v2/video/",
            "schema": "/api/v2/video/schema/"
        }
    }
}
```

This lists out all the different resources provided by the API. Each one is listed by the resource name and provides the `list_endpoint` & the `schema` for the resource.

Note that these links try to direct you to other parts of the API, to make exploration/discovery easier. We'll use these URLs in the next several sections.

## Inspecting The Resource's Schema

Since the api-wide view gave us a `schema` URL, let's inspect that next. We'll use the `member` resource. Again, a simple GET request by curl:

```
curl http://oknesset.org/api/v2/member/schema/
```

This time, we get back a lot more data (snipped for clarity):

```
{
    "allowed_detail_http_methods": [
        "get"
    ],
    "allowed_list_http_methods": [
        "get"
    ],
    "default_format": "application/json",
    "default_limit": 1000,
    "fields": {
        "agendas_uri": {
            "blank": false,
            "default": "No default provided.",
            "help_text": "Unicode string data. Ex: \"Hello World\""
        }
    }
}
```

```
        "nullable": false,
        "readonly": false,
        "type": "string",
        "unique": false
    },
    "average_monthly_committee_presence": {
        "blank": false,
        "default": "No default provided.",
        "help_text": "Floating point numeric data. Ex: 26.73",
        "nullable": true,
        "readonly": false,
        "type": "float",
        "unique": false
    },
    "average_weekly_presence_hours": {
        "blank": false,
        "default": "No default provided.",
        "help_text": "Floating point numeric data. Ex: 26.73",
        "nullable": true,
        "readonly": false,
        "type": "float",
        "unique": false
    },
    "bills_stats_approved": {
        "blank": false,
        "default": 0,
        "help_text": "Integer data. Ex: 2673",
        "nullable": false,
        "readonly": false,
        "type": "integer",
        "unique": false
    },
    "bills_stats_first": {
        "blank": false,
        "default": 0,
        "help_text": "Integer data. Ex: 2673",
        "nullable": false,
        "readonly": false,
        "type": "integer",
        "unique": false
    },
    "is_current": {
        "blank": true,
        "default": true,
        "help_text": "Boolean data. Ex: True",
        "nullable": false,
        "readonly": false,
        "type": "boolean",
        "unique": false
    },
    "name": {
        "blank": false,
        "default": "No default provided.",
        "help_text": "Unicode string data. Ex: \"Hello World\"",
        "nullable": false,
        "readonly": false,
        "type": "string",
        "unique": false
    }
}
```

```
        },
        "number_of_children": {
            "blank": false,
            "default": "No default provided.",
            "help_text": "Integer data. Ex: 2673",
            "nullable": true,
            "readonly": false,
            "type": "integer",
            "unique": false
        },
        "party_name": {
            "blank": false,
            "default": "No default provided.",
            "help_text": "Unicode string data. Ex: \"Hello World\"",
            "nullable": false,
            "readonly": false,
            "type": "string",
            "unique": false
        },
        "party_url": {
            "blank": false,
            "default": "No default provided.",
            "help_text": "Unicode string data. Ex: \"Hello World\"",
            "nullable": false,
            "readonly": false,
            "type": "string",
            "unique": false
        },
        "year_of_aliyah": {
            "blank": false,
            "default": "No default provided.",
            "help_text": "Integer data. Ex: 2673",
            "nullable": true,
            "readonly": false,
            "type": "integer",
            "unique": false
        }
    },
    "filtering": {
        "is_current": 1,
        "name": 1
    },
    "ordering": [
        "name",
        "is_current",
        "bills_stats_proposed",
        "bills_stats_pre",
        "bills_stats_first",
        "bills_stats_approved"
    ]
}
```

This lists out the `default_format` this resource responds with, the fields on the resource & the filtering options available. This information can be used to prepare the other aspects of the code for the data it can obtain & ways to filter the resources.

## Getting A Collection Of Resources

Let's get down to fetching live data. From the api-wide view, we'll hit the `list_endpoint` for member:

```
curl http://oknesset.org/api/v2/member/
```

We get back data that looks like (lot of objects snipped for clarity):

```
{
    "meta": {
        "limit": 1000,
        "next": null,
        "offset": 0,
        "previous": null,
        "total_count": 128
    },
    "objects": [
        {
            "agendas_uri": "/api/v2/member-agendas/214/",
            "average_monthly_committee_presence": 0.16,
            "average_weekly_presence_hours": 6.1,
            "bills_stats_approved": 0,
            "bills_stats_first": 0,
            "bills_stats_pre": 0,
            "bills_stats_proposed": 3,
            "bills_uri": "/api/v2/bill/?proposer=214",
            "current_role_descriptions": " ", " ",
            "date_of_birth": "1958-06-05",
            "date_of_death": null,
            "email": "aliberman@knesset.gov.il",
            "end_date": null,
            "family_status": " ",
            "fax": "02-6408921",
            "gender": " ",
            "id": 214,
            "img_url": "http://www.knesset.gov.il/mk/images/members/liberman_avigdor-
             ↪.jpg",
            "is_current": true,
            "name": " ",
            "number_of_children": 3,
            "party_name": " ",
            "party_url": "/party/5/%D7%99%D7%A9%D7%A8%D7%90%D7%9C-%D7%91%D7%99%D7%AA
             ↪%D7%A0%D7%95/",
            "phone": "02-6408388",
            "place_of_birth": " ", " ",
            "place_of_residence": " ",
            "place_of_residence_lat": "31.64533",
            "place_of_residence_lon": "35.244065",
            "residence_centrality": 5,
            "residence_economy": 4,
            "resource_uri": "/api/v2/member/214/",
            "start_date": "2009-02-24",
            "year_of_aliyah": 1978
        },
        {
            "agendas_uri": "/api/v2/member-agendas/771/",
            "average_monthly_committee_presence": 0.24,
        }
    ]
}
```

```
        "average_weekly_presence_hours": 16,
        "bills_stats_approved": 1,
        "bills_stats_first": 1,
        "bills_stats_pre": 3,
        "bills_stats_proposed": 17,
        "bills_uri": "/api/v2/bill/?proposer=771",
        "current_role_descriptions": null,
        "date_of_birth": "1952-12-14",
        "date_of_death": null,
        "email": "adichter@knesset.gov.il",
        "end_date": null,
        "family_status": "",
        "fax": "02-6496404",
        "gender": "",
        "id": 771,
        "img_url": "http://www.knesset.gov.il/mk/images/members/dicter_abraham-s.
        ↪jpg",
        "is_current": true,
        "name": " () ",
        "number_of_children": 3,
        "party_name": "",
        "party_url": "/party/6/%D7%A7%D7%93%D7%99%D7%9E%D7%94/",
        "phone": "02-6408515",
        "place_of_birth": ", ",
        "place_of_residence": "",
        "place_of_residence_lat": "31.6666667",
        "place_of_residence_lon": "34.5666667",
        "residence_centrality": 6,
        "residence_economy": 5,
        "resource_uri": "/api/v2/member/771/",
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    },
    {
        "agendas_uri": "/api/v2/member-agendas/797/",
        "average_monthly_committee_presence": 2.08,
        "average_weekly_presence_hours": 9.2,
        "bills_stats_approved": 0,
        "bills_stats_first": 0,
        "bills_stats_pre": 0,
        "bills_stats_proposed": 13,
        "bills_uri": "/api/v2/bill/?proposer=797",
        "current_role_descriptions": null,
        "date_of_birth": "1948-01-15",
        "date_of_death": null,
        "email": "abraverman@knesset.gov.il",
        "end_date": null,
        "family_status": "",
        "fax": "",
        "gender": "",
        "id": 797,
        "img_url": "http://www.knesset.gov.il/mk/images/members/braverman_avishay-
        ↪s.jpg",
        "is_current": true,
        "name": " ",
        "number_of_children": 2,
        "party_name": "",
        "party_url": "/party/3/%D7%94%D7%A2%D7%91%D7%95%D7%93%D7%94/",
```

```

    "phone": "02-675-3333",
    "place_of_birth": "",
    "place_of_residence": " ",
    "place_of_residence_lat": "32.0554",
    "place_of_residence_lon": "34.7595",
    "residence_centrality": 10,
    "residence_economy": 8,
    "resource_uri": "/api/v2/member/797/",
    "start_date": "2009-02-24",
    "year_of_aliyah": null
  },
  {
    "agendas_uri": "/api/v2/member-agendas/800/",
    "average_monthly_committee_presence": 1.08,
    "average_weekly_presence_hours": 16.2,
    "bills_stats_approved": 0,
    "bills_stats_first": 1,
    "bills_stats_pre": 2,
    "bills_stats_proposed": 21,
    "bills_uri": "/api/v2/bill/?proposer=800",
    "current_role_descriptions": null,
    "date_of_birth": "1959-02-02",
    "date_of_death": null,
    "email": "isarsur@knesset.gov.il",
    "end_date": null,
    "family_status": " ",
    "fax": "02-6408910",
    "gender": " ",
    "id": 800,
    "img_url": "http://www.knesset.gov.il/mk/images/members/sarsur_ibrahim-s.
    ↪jpg",
    "is_current": true,
    "name": " ",
    "number_of_children": 1,
    "party_name": "\u2014",
    "party_url": "/party/10/%D7%A8%D7%A2%22%D7%9E-%D7%AA%D7%A2%22%D7%9C/",
    "phone": "02-6408415",
    "place_of_birth": " ",
    "place_of_residence": " ",
    "place_of_residence_lat": "32.1151",
    "place_of_residence_lon": "34.9751",
    "residence_centrality": 7,
    "residence_economy": 3,
    "resource_uri": "/api/v2/member/800/",
    "start_date": "2009-02-24",
    "year_of_aliyah": null
  }
]
}

```

Some things to note:

- By default, you get a paginated set of objects (1000 per page in the above example).
- In the `meta`, you get a `previous` & `next`. If available, these are URIs to the previous & next pages.
- You get a list of resources/objects under the `objects` key.
- Each resources/object has a `resource_uri` field that points to the detail view for that object.

- The foreign key to agenda is represented as a URI by agenda\_uri.

If you want to skip paginating, simply run:

```
curl http://oknesset.org/api/v2/member/?limit=0
```

Be warned this will return all objects, so it may be a CPU/IO-heavy operation on large datasets.

Let's try filtering on the resource. Since we know we can filter on the is\_current (from filters in the schema), we'll fetch all members which aren't current (note total\_count in meta):

```
curl http://oknesset.org/api/v2/member/?is_current=False
```

We get back what we asked for:

```
{
    "meta": {
        "limit": 1000,
        "next": null,
        "offset": 0,
        "previous": null,
        "total_count": 8
    },
    "objects": [
        {
            "agendas_uri": "/api/v2/member-agendas/100/",
            "average_monthly_committee_presence": 15.84,
            "average_weekly_presence_hours": 11,
            "bills_stats_approved": 3,
            "bills_stats_first": 4,
            "bills_stats_pre": 13,
            "bills_stats_proposed": 120,
            "bills_uri": "/api/v2/bill/?proposer=100",
            "current_role_descriptions": null,
            "date_of_birth": "1961-07-11",
            "date_of_death": null,
            "email": "pinespaz@knesset.gov.il",
            "end_date": "2010-01-10",
            "family_status": "",
            "fax": "02-6496172",
            "gender": "",
            "id": 100,
            "img_url": "http://www.knesset.gov.il/mk/images/members/pinespaz_ofir-s.
            ↪jpg",
            "is_current": false,
            "name": " -",
            "number_of_children": 2,
            "party_name": "",
            "party_url": "/party/3/%D7%94%D7%A2%D7%91%D7%95%D7%93%D7%94/",
            "phone": "02-6408809",
            "place_of_birth": " , ",
            "place_of_residence": "",
            "place_of_residence_lat": null,
            "place_of_residence_lon": null,
            "residence_centrality": 8,
            "residence_economy": 8,
            "resource_uri": "/api/v2/member/100/",
            "start_date": "2009-02-24",
        }
    ]
}
```

```

        "year_of_aliyah": null
    },
    {
        "agendas_uri": "/api/v2/member-agendas/730/",
        "average_monthly_committee_presence": 2.93,
        "average_weekly_presence_hours": 10.1,
        "bills_stats_approved": 0,
        "bills_stats_first": 0,
        "bills_stats_pre": 3,
        "bills_stats_proposed": 18,
        "bills_uri": "/api/v2/bill/?proposer=730",
        "current_role_descriptions": null,
        "date_of_birth": "1952-09-08",
        "date_of_death": null,
        "email": "eaflalo@knesset.gov.il",
        "end_date": "2012-01-25",
        "family_status": "",
        "fax": "02-6496164",
        "gender": "",
        "id": 730,
        "img_url": "http://www.knesset.gov.il/mk/images/members/aflalo_elis.jpg",
        "is_current": false,
        "name": " ",
        "number_of_children": 3,
        "party_name": "",
        "party_url": "/party/6/%D7%A7%D7%93%D7%99%D7%9E%D7%94/",
        "phone": "02-6408468",
        "place_of_birth": " ",
        "place_of_residence": "",
        "place_of_residence_lat": "32.6077778",
        "place_of_residence_lon": "35.2897222",
        "residence_centrality": 5,
        "residence_economy": 5,
        "resource_uri": "/api/v2/member/730/",
        "start_date": "2009-02-24",
        "year_of_aliyah": 1962
    },
    {
        "agendas_uri": "/api/v2/member-agendas/16/",
        "average_monthly_committee_presence": 0.32,
        "average_weekly_presence_hours": 6.1,
        "bills_stats_approved": 0,
        "bills_stats_first": 0,
        "bills_stats_pre": 1,
        "bills_stats_proposed": 13,
        "bills_uri": "/api/v2/bill/?proposer=16",
        "current_role_descriptions": null,
        "date_of_birth": "1943-04-30",
        "date_of_death": "2011-03-18",
        "email": "zeevb@knesset.gov.il",
        "end_date": "2011-03-18",
        "family_status": "",
        "fax": "02-6496062",
        "gender": "",
        "id": 16,
        "img_url": "http://www.knesset.gov.il/mk/images/members/boim_zev-s.jpg",
        "is_current": false,
        "name": " "
    }
}

```

```
"number_of_children": 3,
"party_name": "",
"party_url": "/party/6/%D7%A7%D7%93%D7%99%D7%9E%D7%94/",
"phone": "02-6408411",
"place_of_birth": " ",
"place_of_residence": "",
"place_of_residence_lat": "32.1682",
"place_of_residence_lon": "34.8125",
"residence_centrality": 8,
"residence_economy": 8,
"resource_uri": "/api/v2/member/16/",
"start_date": "2009-02-24",
"year_of_aliyah": null
},
{
"agendas_uri": "/api/v2/member-agendas/5/",
"average_monthly_committee_presence": 20.55,
"average_weekly_presence_hours": 18.9,
"bills_stats_approved": 3,
"bills_stats_first": 3,
"bills_stats_pre": 14,
"bills_stats_proposed": 111,
"bills_uri": "/api/v2/bill/?proposer=5",
"current_role_descriptions": null,
"date_of_birth": "1940-03-26",
"date_of_death": null,
"email": "horon@knesset.gov.il",
"end_date": "2011-03-25",
"family_status": "",
"fax": "02-6408904",
"gender": "",
"id": 5,
"img_url": "http://www.knesset.gov.il/mk/images/members/oron_chaim-s.jpg",
"is_current": false,
"name": " ",
"number_of_children": 4,
"party_name": "",
"party_url": "/party/11/%D7%9E%D7%A8%D7%A6/",
"phone": "02-6408348",
"place_of_birth": " ",
"place_of_residence": "",
"place_of_residence_lat": "31.379361",
"place_of_residence_lon": "34.871292",
"residence_centrality": 5,
"residence_economy": 7,
"resource_uri": "/api/v2/member/5/",
"start_date": "2009-02-24",
"year_of_aliyah": null
},
{
"agendas_uri": "/api/v2/member-agendas/115/",
"average_monthly_committee_presence": 0.94,
"average_weekly_presence_hours": null,
"bills_stats_approved": 0,
"bills_stats_first": 0,
"bills_stats_pre": 0,
"bills_stats_proposed": 0,
"bills_uri": "/api/v2/bill/?proposer=115",
```

```
        "current_role_descriptions": null,
        "date_of_birth": "1950-04-10",
        "date_of_death": null,
        "email": "",
        "end_date": "2009-07-02",
        "family_status": "",
        "fax": "",
        "gender": "",
        "id": 115,
        "img_url": "http://www.knesset.gov.il/mk/images/members/ramon_haim-s.jpg",
        "is_current": false,
        "name": " ",
        "number_of_children": null,
        "party_name": "",
        "party_url": "/party/6/%D7%A7%D7%93%D7%99%D7%9E%D7%94/",
        "phone": "",
        "place_of_birth": ", ",
        "place_of_residence": "",
        "place_of_residence_lat": null,
        "place_of_residence_lon": null,
        "residence_centrality": null,
        "residence_economy": null,
        "resource_uri": "/api/v2/member/115/",
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    },
    {
        "agendas_uri": "/api/v2/member-agendas/697/",
        "average_monthly_committee_presence": 1.02,
        "average_weekly_presence_hours": 9.9,
        "bills_stats_approved": 0,
        "bills_stats_first": 0,
        "bills_stats_pre": 2,
        "bills_stats_proposed": 12,
        "bills_uri": "/api/v2/bill/?proposer=697",
        "current_role_descriptions": null,
        "date_of_birth": "1954-02-26",
        "date_of_death": null,
        "email": "ytamir@knesset.gov.il",
        "end_date": "2010-04-13",
        "family_status": "",
        "fax": "02-6753976",
        "gender": "",
        "id": 697,
        "img_url": "http://www.knesset.gov.il/mk/images/members/tamir_yuli-s.jpg",
        "is_current": false,
        "name": " ",
        "number_of_children": 2,
        "party_name": "",
        "party_url": "/party/3/%D7%94%D7%A2%D7%91%D7%95%D7%93%D7%94/",
        "phone": "02-6753437",
        "place_of_birth": " ?",
        "place_of_residence": " ?",
        "place_of_residence_lat": null,
        "place_of_residence_lon": null,
        "residence_centrality": 10,
        "residence_economy": 8,
        "resource_uri": "/api/v2/member/697/",
```

```
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    },
    {
        "agendas_uri": "/api/v2/member-agendas/103/",
        "average_monthly_committee_presence": 0.21,
        "average_weekly_presence_hours": 5.2,
        "bills_stats_approved": 0,
        "bills_stats_first": 0,
        "bills_stats_pre": 0,
        "bills_stats_proposed": 1,
        "bills_uri": "/api/v2/bill/?proposer=103",
        "current_role_descriptions": null,
        "date_of_birth": "1955-06-11",
        "date_of_death": null,
        "email": "mporush@knesset.gov.il",
        "end_date": "2011-02-06",
        "family_status": "",
        "fax": "02-6408914",
        "gender": "",
        "id": 103,
        "img_url": "http://www.knesset.gov.il/mk/images/members/porush_meir-s.jpg
→",
        "is_current": false,
        "name": " ",
        "number_of_children": 12,
        "party_name": " ",
        "party_url": "/party/4/%D7%99%D7%94%D7%93%D7%95%D7%AA-%D7%94%D7%AA%D7%95
→%D7%A8%D7%94/",
        "phone": "02-6408428",
        "place_of_birth": " ", " ",
        "place_of_residence": " ",
        "place_of_residence_lat": "31.7857",
        "place_of_residence_lon": "35.2007",
        "residence_centrality": 9,
        "residence_economy": 4,
        "resource_uri": "/api/v2/member/103/",
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    },
    {
        "agendas_uri": "/api/v2/member-agendas/45/",
        "average_monthly_committee_presence": 0.53,
        "average_weekly_presence_hours": 14.2,
        "bills_stats_approved": 3,
        "bills_stats_first": 4,
        "bills_stats_pre": 4,
        "bills_stats_proposed": 13,
        "bills_uri": "/api/v2/bill/?proposer=45",
        "current_role_descriptions": null,
        "date_of_birth": "1957-02-26",
        "date_of_death": null,
        "email": "zhanegbi@knesset.gov.il",
        "end_date": "2010-11-09",
        "family_status": "",
        "fax": "02-6753100",
        "gender": "",
        "id": 45,
```

```

        "img_url": "http://www.knesset.gov.il/mk/images/members/hanegbi_tzahi-s.
→jpg",
        "is_current": false,
        "name": " ",
        "number_of_children": 4,
        "party_name": "",
        "party_url": "/party/6/%D7%A7%D7%93%D7%99%D7%9E%D7%94/",
        "phone": "02-6408532",
        "place_of_birth": " ",
        "place_of_residence": " ",
        "place_of_residence_lat": "31.7994444",
        "place_of_residence_lon": "35.1488889",
        "residence_centrality": 7,
        "residence_economy": 8,
        "resource_uri": "/api/v2/member/45/",
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    }
]

}

```

Where there were 128 members before, now there are only eight.

## Getting A Detail Resource

Since each resource/object in the list view had a `resource_uri`, let's explore what's there:

```
curl http://oknesset.org/api/v2/member/123/
```

We get back a similar set of data that we received from the list view:

```
{
    "agendas_uri": "/api/v2/member-agendas/123/",
    "average_monthly_committee_presence": 0.51,
    "average_weekly_presence_hours": 7.6,
    "bills_stats_approved": 0,
    "bills_stats_first": 0,
    "bills_stats_pre": 0,
    "bills_stats_proposed": 0,
    "bills_uri": "/api/v2/bill/?proposer=123",
    "current_role_descriptions": " ", " ",
    "date_of_birth": "1956-12-07",
    "date_of_death": null,
    "email": "ssimhon@knesset.gov.il",
    "end_date": null,
    "family_status": " ",
    "fax": "02-6496187",
    "gender": " ",
    "id": 123,
    "img_url": "http://www.knesset.gov.il/mk/images/members/simhon_shalom-s.jpg",
    "is_current": true,
    "name": " ",
    "number_of_children": 2,
    "party_name": "",
    "party_url": "/party/13/%D7%94%D7%A2%D7%A6%D7%9E%D7%90%D7%95%D7%AA/",
}
```

```
        "phone": "02-6408385",
        "place_of_birth": "",
        "place_of_residence": " ",
        "place_of_residence_lat": "33.0738889",
        "place_of_residence_lon": "35.295",
        "residence_centrality": 3,
        "residence_economy": 5,
        "resource_uri": "/api/v2/member/123/",
        "start_date": "2009-02-24",
        "year_of_aliyah": null
    }
```

Where this proves useful (for example) is present in the data we got back. We know the URI of the agenda associated with this member. Let's run:

```
curl http://oknesset.org/api/v2/member-agendas/123/
```

Without ever seeing any aspect of the member's agenda & just following the URI given, we get back:

```
{
    "agendas": [
        {
            "absolute_url": "/agenda/52/",
            "id": 52,
            "max": 49.08,
            "min": -22.52,
            "name": " ",
            "owner": " ",
            "party_max": 2.15,
            "party_min": -11.72,
            "rank": 79,
            "score": -4.42
        },
        {
            "absolute_url": "/agenda/9/",
            "id": 9,
            "max": 83.33,
            "min": -33.33,
            "name": " ",
            "owner": " ",
            "party_max": 0,
            "party_min": -33.33,
            "rank": 94,
            "score": -16.67
        },
        {
            "absolute_url": "/agenda/7/",
            "id": 7,
            "max": 80.95,
            "min": -71.43,
            "name": " ",
            "owner": " ",
            "party_max": -11.9,
            "party_min": -52.38,
            "rank": 69,
            "score": -21.43
        }
    ]
}
```

```
},
{
    "absolute_url": "/agenda/1/",
    "id": 1,
    "max": 40.77,
    "min": -21.54,
    "name": " ",
    "owner": " ",
    "party_max": 11.54,
    "party_min": -0.77,
    "rank": 58,
    "score": 3.85
},
{
    "absolute_url": "/agenda/6/",
    "id": 6,
    "max": 32.69,
    "min": -37.82,
    "name": " ",
    "owner": " ",
    "party_max": -2.56,
    "party_min": -12.82,
    "rank": 77,
    "score": -12.18
},
{
    "absolute_url": "/agenda/24/",
    "id": 24,
    "max": 69.23,
    "min": -65.38,
    "name": " ",
    "owner": " ",
    "party_max": -15.38,
    "party_min": -34.62,
    "rank": 108,
    "score": -34.62
},
{
    "absolute_url": "/agenda/20/",
    "id": 20,
    "max": 53.33,
    "min": -21.67,
    "name": " ",
    "owner": " ",
    "party_max": 21.67,
    "party_min": 3.33,
    "rank": 80,
    "score": 5
},
{
    "absolute_url": "/agenda/45/",
    "id": 45,
    "max": 72.66,
    "min": -38.31,
    "name": " ",
    "owner": " ",
    "party_max": 26.42,
    "party_min": 4.23,
```

```
        "rank": 49,
        "score": 26.42
    },
    {
        "absolute_url": "/agenda/43/",
        "id": 43,
        "max": 64.5,
        "min": -35.5,
        "name": " ",
        "owner": " ",
        "party_max": 23.67,
        "party_min": 3.55,
        "rank": 45,
        "score": 15.38
    },
    {
        "absolute_url": "/agenda/26/",
        "id": 26,
        "max": 79.02,
        "min": -65.03,
        "name": " ",
        "owner": " ",
        "party_max": 0,
        "party_min": -41.96,
        "rank": 105,
        "score": -41.96
    },
    {
        "absolute_url": "/agenda/36/",
        "id": 36,
        "max": 52.72,
        "min": -23.72,
        "name": " ",
        "owner": " ",
        "party_max": 7.08,
        "party_min": -8.9,
        "rank": 78,
        "score": -0.33
    },
    {
        "absolute_url": "/agenda/41/",
        "id": 41,
        "max": 77.7,
        "min": -85.01,
        "name": " ",
        "owner": " ",
        "party_max": -0.72,
        "party_min": -27.34,
        "rank": 67,
        "score": -18.71
    },
    {
        "absolute_url": "/agenda/39/",
        "id": 39,
        "max": 47.72,
        "min": -12.21,
        "name": " ",
        "owner": " "
    }
]
```

```
        "party_max": 12.54,
        "party_min": -6.51,
        "rank": 70,
        "score": 4.89
    },
    {
        "absolute_url": "/agenda/40/",
        "id": 40,
        "max": 51.79,
        "min": -13.85,
        "name": " ",
        "owner": " ",
        "party_max": 38.46,
        "party_min": -10.26,
        "rank": 96,
        "score": -3.08
    },
    {
        "absolute_url": "/agenda/48/",
        "id": 48,
        "max": 60.49,
        "min": -24.69,
        "name": " ",
        "owner": " ",
        "party_max": 60.49,
        "party_min": 24.69,
        "rank": 34,
        "score": 24.69
    },
    {
        "absolute_url": "/agenda/53/",
        "id": 53,
        "max": 13.26,
        "min": -30.73,
        "name": " ",
        "owner": " ,   ",
        "party_max": 6.6,
        "party_min": 2.4,
        "rank": 28,
        "score": 2.4
    },
    {
        "absolute_url": "/agenda/47/",
        "id": 47,
        "max": 83.33,
        "min": -16.67,
        "name": " / ",
        "owner": " ",
        "party_max": 16.67,
        "party_min": -16.67,
        "rank": 36,
        "score": 16.67
    },
    {
        "absolute_url": "/agenda/49/",
        "id": 49,
        "max": 87.15,
        "min": -20.08,
```

```
        "name": " -",
        "owner": " ",
        "party_max": 8.03,
        "party_min": -8.03,
        "rank": 87,
        "score": -3.21
    },
    {
        "absolute_url": "/agenda/55/",
        "id": 55,
        "max": 35.71,
        "min": -81.63,
        "name": " ",
        "owner": " \" \\\"",
        "party_max": 6.12,
        "party_min": -9.18,
        "rank": 38,
        "score": 0
    }
],
"resource_uri": "/api/v2/member-agendas/123/"

}
```

You can do a similar fetch using the following Javascript/jQuery (though be wary of same-domain policy):

```
$ajax({
    url: 'http://okneseet.org/api/v2/member-agendas/123/',
    type: 'GET',
    accepts: 'application/json',
    dataType: 'json'
})
```

---

**Note:** TODO: PUT, POST, DELETE, PATCH and bulk operations are removed as they're disabled for now.

Should re-add and adjust to okneseet.org as they are enabled.

---

# CHAPTER 2

---

API Version 1 - **Removed** - Use ApiV2

---

**Warning:** Version 1 of the API is removed after a very long period of deprecation. Please use [\*API Version 2\*](#)



# CHAPTER 3

---

## Embedding widgets

---

### 3.1 Member

If you have a site or a blog that mentions MKs name you need to add only one line to your template to get a popup with the latest oknesset data for all the MKs mentioned on a page. Just before the </body> tag at the bottom of the template add the line:

```
.. code-block:: html
```

```
<script type="text/javascript" src="//oknesset.org/static/js/tooltip.js"></script> <script> generateMkFrameSet('article'); </script>
```

replace *article* with a text element id. To see a demo of a page using the member widget visit <https://oknesset.org/static/html/demo-article.html>.

To embed a single Knesset member's card, use:

```
<iframe width="400" height="186" scrolling="no" style="border:0" src="https://oknesset.org/member/[member_id]/embed/"></iframe>
```

Replace *member\_id* with the id of the member from the url, e.g:

You can get the embedding code for the member's page. For example visit <https://oknesset.org/member/885/>, and click the “” button.



# CHAPTER 4

---

## Friendly Applications

---

- [Open-Knesset-Mobile](#) - a sencha touch based application supporting both android and iOS
- [kolorabim](#) - a facebook app to collect the popular vote on bills



# CHAPTER 5

---

## Indices and tables

---

- genindex
- modindex
- search