
papis Documentation

Release 0.7.5

Alejandro Gallo

Dec 01, 2018

Contents

1 Configuration file	1
1.1 Default settings	1
2 Indices and tables	3
Python Module Index	5

CHAPTER 1

Configuration file

1.1 Default settings

1.1.1 Rofi gui

key-quit (*config-rofi-gui-key-quit*)

- **Default:** Alt+q

key-query (*config-rofi-gui-key-query*)

- **Default:** Alt+y

key-refresh (*config-rofi-gui-key-refresh*)

- **Default:** Alt+r

key-edit (*config-rofi-gui-key-edit*)

- **Default:** Alt+e

key-delete (*config-rofi-gui-key-delete*)

- **Default:** Alt+d

key-help (*config-rofi-gui-key-help*)

- **Default:** Alt+h

key-open-stay (*config-rofi-gui-key-open-stay*)

- **Default:** Alt+o

key-normal-window (*config-rofi-gui-key-normal-window*)

- **Default:** Alt+w

key-browse (*config-rofi-gui-key-browse*)

- **Default:** Alt+u

key-open (*config-rofi-gui-key-open*)

- **Default:** Enter

eh (*config-rofi-gui-eh*)

- **Default:** 3

sep (*config-rofi-gui-sep*)

- **Default:** |

width (*config-rofi-gui-width*)

- **Default:** 80

lines (*config-rofi-gui-lines*)

- **Default:** 10

fullscreen (*config-rofi-gui-fullscreen*)

- **Default:** False

normal_window (*config-rofi-gui-normal_window*)

- **Default:** False

fixed_lines (*config-rofi-gui-fixed_lines*)

- **Default:** 20

markup_rows (*config-rofi-gui-markup_rows*)

- **Default:** True

multi_select (*config-rofi-gui-multi_select*)

- **Default:** True

case_sensitive (*config-rofi-gui-case_sensitive*)

- **Default:** False

header-format (*config-rofi-gui-header-format*)

- **Default:**

```
<b>{doc[title]}</b>
{doc[empty]}  <i>{doc[author]}</i>
{doc[empty]}  <span foreground="red">({doc[year]}:->4)</span><span_
 ↵foreground="green">{doc[tags]}</span>
```

CHAPTER 2

Indices and tables

- genindex
- modindex
- search

Python Module Index

p

[papis_rofi.config](#), 1

Index

P

papis_rofi.config (*module*), 1