
picky Documentation

Release 0.9.2

Simplistix Ltd

February 10, 2017

1	Changes	3
2	License	5
3	Indices and tables	7

Picky is a tool for making sure that the packages you have installed with [pip](#) or [conda](#) match those you have specified. It has been split into two packages:

- [picky-pip](#) for virtualenvs and other environments where pip is used to manage packages.
- [picky-conda](#) for conda environments.

The change log and license for the old package:

Changes

1.1 0.9.2 (1 July 2015)

- check to see if `pip` takes `--disable-pip-version-check` before using it.

1.2 0.9.1 (23 June 2015)

- correct the dependency specification of `argparse` so it only occurs on Python 2.6

1.3 0.9 (22 June 2015)

- Python 3 support
- Fixed handling of package ‘extras’ in pip output and specifications.
- Fixed handling of arbitrary equality clauses in pip output and specifications.

1.4 0.8 (22 June 2015)

- Initial Release

License

Copyright (c) 2015 Simplistix Ltd

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Indices and tables

- `genindex`
- `modindex`
- `search`