
py_trees Documentation

Release 1.1.0

Daniel Stonier

Apr 27, 2019

1	Background	1
2	Behaviours	3
3	Composites	9
4	Decorators	15
5	Blackboards	19
6	Idioms	21
7	Trees	25
8	Visualisation	29
9	Surviving the Crazy Hospital	33
10	Terminology	35
11	FAQ	37
12	Demos	39
13	Programs	79
14	Module API	81
15	Release Notes	119
16	Indices and tables	125
	Python Module Index	127

CHAPTER 1

Background

1.1 Introduction

Note: Behaviour trees are a decision making engine often used in the gaming industry.

Others include hierarchical finite state machines, task networks, and scripting engines, all of which have various pros and cons. Behaviour trees sit somewhere in the middle of these allowing you a good blend of purposeful planning towards goals with enough reactivity to shift in the presence of important events. They are also wonderfully simple to compose.

There's much information already covering behaviour trees. Rather than regurgitating it here, dig through some of these first. A good starter is [AI GameDev - Behaviour Trees](#) (free signup and login) which puts behaviour trees in context alongside other techniques. A simpler read is Patrick Goebel's [Behaviour Trees For Robotics](#). Other readings are listed at the bottom of this page.

Some standout features of behaviour trees that makes them very attractive:

- **Ticking** - the ability to *tick* allows for work between executions without multi-threading
- **Priority Handling** - switching mechanisms that allow higher priority interruptions is very natural
- **Simplicity** - very few core components, making it easy for designers to work with it
- **Dynamic** - change the graph on the fly, between ticks or from parent behaviours themselves

1.2 Motivation

The driving use case for this package was to implement a higher level decision making layer in robotics, i.e. scenarios with some overlap into the control layer. Behaviour trees turned out to be a much more apt fit to handle the many concurrent processes in a robot after attempts with finite state machines became entangled in wiring complexity as the problem grew in scope.

Note: There are very few open behaviour tree implementations.

Most of these have either not progressed significantly (e.g. [Owyl](#)), or are accessible only in some niche, e.g. [Behaviour Designer](#), which is a frontend to the trees in the unity framework. Does this mean people do not use them? It is more probable that most behaviour tree implementations happen within the closed doors of gaming/robot companies.

[Youtube - Second Generation of Behaviour Trees](#) is an enlightening video about behaviour trees and the developments of the last ten years from an industry expert. It also walks you through a simple c++ implementation. His advice? If you can't find one that fits, roll your own. It is relatively simple and this way you can flexibly cater for your own needs.

1.3 Design

The requirements for the previously discussed robotics use case match that of the more general:

Note: Rapid development of medium scale decision engines that don't need to be real time reactive.

Developers should expect to be able to get up to speed and write their own trees with enough power and flexibility to adapt the library to their needs. Robotics is a good fit. The decision making layer typically does not grow too large (~ hundreds of behaviours) and does not need to handle the reactive decision making that is usually directly incorporated into the controller subsystems. On the other hand, it is not scoped to enable an NPC gaming engine with hundreds of characters and thousands of behaviours for each character.

This implementation uses all the whizbang tricks (generators, decorators) that python has to offer. Some design constraints that have been assumed to enable a practical, easy to use framework:

- No interaction or sharing of data between tree instances
- No parallelisation of tree execution
- Only one behaviour initialising or executing at a time

Hint: A c++ version is feasible and may come forth if there's a need..

1.4 Readings

- [AI GameDev - Behaviour Trees](#) - from a gaming expert, good big picture view
- [Youtube - Second Generation of Behaviour Trees](#) - from a gaming expert, in depth c++ walkthrough (on github).
- [Behaviour trees for robotics](#) - by pirobot, a clear intro on its usefulness for robots.
- [A Curious Course on Coroutines and Concurrency](#) - generators and coroutines in python.
- [Behaviour Trees in Robotics and AI](#) - a rather verbose, but chock full with examples and comparisons with other approaches.

CHAPTER 2

Behaviours

A *Behaviour* is the smallest element in a behaviour tree, i.e. it is the *leaf*. Behaviours are usually representative of either a check (am I hungry?), or an action (buy some chocolate cookies).

2.1 Skeleton

Behaviours in py_trees are created by subclassing the *Behaviour* class. A skeleton example:

```
1 # doc/examples/skeleton_behaviour.py
2
3 import py_trees
4 import random
5
6
7 class Foo(py_trees.behaviour.Behaviour):
8     def __init__(self, name):
9         """
10             Minimal one-time initialisation. A good rule of thumb is
11             to only include the initialisation relevant for being able
12             to insert this behaviour in a tree for offline rendering to
13             dot graphs.
14
15             Other one-time initialisation requirements should be met via
16             the setup() method.
17             """
18         super(Foo, self).__init__(name)
19
20     def setup(self):
21         """
22             When is this called?
23             This function should be either manually called by your program
24             to setup this behaviour alone, or more commonly, via
25             :meth:`~py_trees.behaviour.Behaviour.setup_with_descendants`
```

(continues on next page)

(continued from previous page)

```
26     or :meth:`~py_trees.trees.BehaviourTree.setup`, both of which
27     will iterate over this behaviour, it's children (it's children's
28     children ...) calling :meth:`~py_trees.behaviour.Behaviour.setup`
29     on each in turn.
30
31     If you have vital initialisation necessary to the success
32     execution of your behaviour, put a guard in your
33     :meth:`~py_trees.behaviour.Behaviour.initialise` method
34     to protect against entry without having been setup.
35
36     What to do here?
37     Delayed one-time initialisation that would otherwise interfere
38     with offline rendering of this behaviour in a tree to dot graph
39     or validation of the behaviour's configuration.
40
41     Good examples include:
42
43     - Hardware or driver initialisation
44     - Middleware initialisation (e.g. ROS pubs/subs/services)
45     - A parallel checking for a valid policy configuration after
46       children have been added or removed
47     """
48     self.logger.debug("  %s [Foo::setup()]" % self.name)
49
50     def initialise(self):
51         """
52             When is this called?
53             The first time your behaviour is ticked and anytime the
54             status is not RUNNING thereafter.
55
56             What to do here?
57             Any initialisation you need before putting your behaviour
58             to work.
59         """
60         self.logger.debug("  %s [Foo::initialise()]" % self.name)
61
62     def update(self):
63         """
64             When is this called?
65             Every time your behaviour is ticked.
66
67             What to do here?
68             - Triggering, checking, monitoring. Anything...but do not block!
69             - Set a feedback message
70             - return a py_trees.common.Status.[RUNNING, SUCCESS, FAILURE]
71         """
72         self.logger.debug("  %s [Foo::update()]" % self.name)
73         ready_to_make_a_decision = random.choice([True, False])
74         decision = random.choice([True, False])
75         if not ready_to_make_a_decision:
76             return py_trees.common.Status.RUNNING
77         elif decision:
78             self.feedback_message = "We are not bar!"
79             return py_trees.common.Status.SUCCESS
80         else:
81             self.feedback_message = "Uh oh"
82             return py_trees.common.Status.FAILURE
```

(continues on next page)

(continued from previous page)

```

83
84     def terminate(self, new_status):
85         """
86             When is this called?
87                 Whenever your behaviour switches to a non-running state.
88                     - SUCCESS // FAILURE : your behaviour's work cycle has finished
89                     - INVALID : a higher priority branch has interrupted, or shutting down
90
91             self.logger.debug("  %s [Foo::terminate().terminate()] [%s->%s]" % (self.name,
92             ↪self.status, new_status))

```

2.2 Lifecycle

Getting a feel for how this works in action can be seen by running the [py-trees-demo-behaviour-lifecycle](#) program (click the link for more detail and access to the sources):

Important points to focus on:

- The `initialise()` method kicks in only when the behaviour is not already running
- The parent `tick()` method is responsible for determining when to call `initialise()`, `stop()` and `terminate()` methods.
- The parent `tick()` method always calls `update()`
- The `update()` method is responsible for deciding the behaviour *Status*.

2.3 Initialisation

With no less than three methods used for initialisation, it can be difficult to identify where your initialisation code needs to lurk.

Note: `__init__` should instantiate the behaviour sufficiently for offline dot graph generation

Later we'll see how we can render trees of behaviours in dot graphs. For now, it is sufficient to understand that you need to keep this minimal enough so that you can generate dot graphs for your trees from something like a CI server (e.g. Jenkins). This is a very useful thing to be able to do.

- No hardware connections that may not be there, e.g. usb lidars
- No middleware connections to other software that may not be there, e.g. ROS pubs/subs/services
- No need to fire up other needlessly heavy resources, e.g. heavy threads in the background

Note: `setup` handles all other one-time initialisations of resources that are required for execution

Essentially, all the things that the constructor doesn't handle - hardware connections, middleware and other heavy resources.

Note: `initialise` configures and resets the behaviour ready for (repeated) execution

Initialisation here is about getting things ready for immediate execution of a task. Some examples:

- Initialising/resetting/clearing variables
- Starting timers
- Just-in-time discovery and establishment of middleware connections
- Sending a goal to start a controller running elsewhere on the system
- ...

2.4 Status

The most important part of a behaviour is the determination of the behaviour's status in the `update()` method. The status gets used to affect which direction of travel is subsequently pursued through the remainder of a behaviour tree. We haven't gotten to trees yet, but it is this which drives the decision making in a behaviour tree.

```
class py_trees.common.Status
    An enumerator representing the status of a behaviour

FAILURE = 'FAILURE'
    Behaviour check has failed, or execution of its action finished with a failed result.

INVALID = 'INVALID'
    Behaviour is uninitalised and inactive, i.e. this is the status before first entry, and after a higher priority
    switch has occurred.

RUNNING = 'RUNNING'
    Behaviour is in the middle of executing some action, result still pending.

SUCCESS = 'SUCCESS'
    Behaviour check has passed, or execution of its action has finished with a successful result.
```

The `update()` method must return one of `RUNNING`, `SUCCESS` or `FAILURE`. A status of `INVALID` is the initial default and ordinarily automatically set by other mechanisms (e.g. when a higher priority behaviour cancels the currently selected one).

2.5 Feedback Message

```
1     """
2     Reset a counter variable.
3     """
4     self.logger.debug("%s.initialise()" % (self.__class__.__name__))
```

A behaviour has a naturally built in feedback message that can be cleared in the `initialise()` or `terminate()` methods and updated in the `update()` method.

Tip: Alter a feedback message when **significant events** occur.

The feedback message is designed to assist in notifying humans when a significant event happens or for deciding when to log the state of a tree. If you notify or log every tick, then you end up with a lot of noise sorting through an

abundance of data in which nothing much is happening to find the one point where something significant occurred that led to surprising or catastrophic behaviour.

Setting the feedback message is usually important when something significant happens in the RUNNING state or to provide information associated with the result (e.g. failure reason).

Example - a behaviour responsible for planning motions of a character is in the RUNNING state for a long period of time. Avoid updating it with a feedback message at every tick with updated plan details. Instead, update the message whenever a significant change occurs - e.g. when the previous plan is re-planned or pre-empted.

2.6 Loggers

These are used throughout the demo programs. They are not intended to be for anything heavier than debugging simple examples. This kind of logging tends to get rather heavy and requires a lot of filtering to find the points of change that you are interested in (see comments about the feedback messages above).

2.7 Complex Example

The [*py-trees-demo-action-behaviour*](#) program demonstrates a more complicated behaviour that illustrates a few concepts discussed above, but not present in the very simple lifecycle *Counter* behaviour.


- Mocks an external process and connects to it in the `setup` method
- Kickstarts new goals with the external process in the `initialise` method
- Monitors the ongoing goal status in the `update` method
- Determines RUNNING/SUCCESS pending feedback from the external process

Note: A behaviour's `update()` method never blocks, at most it just monitors the progress and holds up any decision making required by a tree that is ticking the behaviour by setting its status to RUNNING. At the risk of being confusing, this is what is generally referred to as a *blocking* behaviour.

CHAPTER 3

Composites

Composites are the **factories** and **decision makers** of a behaviour tree. They are responsible for shaping the branches.



Tip: You should never need to subclass or create new composites.

Most patterns can be achieved with a combination of the above. Adding to this set exponentially increases the complexity and subsequently making it more difficult to design, introspect, visualise and debug the trees. Always try to find the combination you need to achieve your result before contemplating adding to this set. Actually, scratch that... just don't contemplate it!

Composite behaviours typically manage children and apply some logic to the way they execute and return a result, but generally don't do anything themselves. Perform the checks or actions you need to do in the non-composite behaviours.


- *Sequence*: execute children sequentially
- *Selector*: select a path through the tree, interruptible by higher priorities
- *Chooser*: like a selector, but commits to a path once started until it finishes
- *Parallel*: manage children concurrently

The subsections below introduce each composite briefly. For a full listing of each composite's methods, visit the [py_trees.composites](#) module api documentation.

Tip: First time through, make sure to follow the link through to relevant demo programs.

3.1 Sequence

```
class py_trees.composites.Sequence(name='Sequence', children=None)  
    Sequences are the factory lines of Behaviour Trees
```



A sequence will progressively tick over each of its children so long as each child returns *SUCCESS*. If any child returns *FAILURE* or *RUNNING* the sequence will halt and the parent will adopt the result of this child. If it reaches the last child, it returns with that result regardless.

Note: The sequence halts once it sees a child is *RUNNING* and then returns the result. *It does not get stuck in the running behaviour.*

See also:


The [py-trees-demo-sequence](#) program demos a simple sequence in action.

Parameters

- **name** (`str`) – the composite behaviour name
- **children** (`[Behaviour]`) – list of children to add

3.2 Selector

```
class py_trees.composites.Selector(name='Selector', children=None)  
    Selectors are the Decision Makers
```



A selector executes each of its child behaviours in turn until one of them succeeds (at which point it itself returns `RUNNING` or `SUCCESS`, or it runs out of children at which point it itself returns `FAILURE`). We usually refer to selecting children as a means of *choosing between priorities*. Each child and its subtree represent a decreasingly lower priority path.

Note: Switching from a low -> high priority branch causes a `stop(INVALID)` signal to be sent to the previously executing low priority branch. This signal will percolate down that child's own subtree. Behaviours should make sure that they catch this and `destruct` appropriately.

Make sure you do your appropriate cleanup in the `terminate()` methods! e.g. cancelling a running goal, or restoring a context.

See also:


The `py-trees-demo-selector` program demos higher priority switching under a selector.

Parameters

- `name (str)` – the composite behaviour name
- `children ([Behaviour])` – list of children to add

3.3 Chooser

```
class py_trees.composites.Chooser(name='Chooser', children=None)
Choosers are Selectors with Commitment
```



A variant of the selector class. Once a child is selected, it cannot be interrupted by higher priority siblings. As soon as the chosen child itself has finished it frees the chooser for an alternative selection. i.e. priorities only come into effect if the chooser wasn't running in the previous tick.

Note: This is the only composite in py_trees that is not a core composite in most behaviour tree implementations. Nonetheless, this is useful in fields like robotics, where you have to ensure that your manipulator doesn't drop its payload mid-motion as soon as a higher interrupt arrives. Use this composite sparingly and only if you can't find another way to easily create an elegant tree composition for your task.


Parameters

- **name** (`str`) – the composite behaviour name
- **children** (`[Behaviour]`) – list of children to add

3.4 Parallel

```
class py_trees.composites.Parallel(name: str = <Name.AUTO_GENERATED:  
    'AUTO_GENERATED'>,  
    policy:  
        py_trees.common.ParallelPolicy.Base  
            =  
                <py_trees.common.ParallelPolicy.SuccessOnAll  
                    object>,  
            children: List[py_trees.behaviour.Behaviour] =  
                None)
```

Parallels enable a kind of concurrency



Ticks every child every time the parallel is run (a poor man's form of parallelism).

- Parallels will return *FAILURE* if any child returns *FAILURE*
- Parallels with policy *SuccessOnAll* only returns *SUCCESS* if **all** children return *SUCCESS*
- Parallels with policy *SuccessOnOne* return *SUCCESS* if **at least one** child returns *SUCCESS* and others are *RUNNING*
- Parallels with policy *SuccessOnSelected* only returns *SUCCESS* if a **specified subset** of children return *SUCCESS*

Parallels with policy *SuccessOnSelected* will validate themselves just-in-time in the `setup()` and `tick()` methods to check if the policy's selected set of children is a subset of the children of this parallel. Doing this just-in-time is due to the fact that the parallel's children may change after construction and even dynamically between ticks.

See also:

- [Context Switching Demo](#)


CHAPTER 4

Decorators

Decorators are behaviours that manage a single child and provide common modifications to their underlying child behaviour (e.g. inverting the result). That is, they provide a means for behaviours to wear different ‘hats’ and this combinatorially expands the capabilities of your behaviour library.



An example:



```
1 #!/usr/bin/env python
2
3 import py_trees.decorators
4 import py_trees.display
5
6 if __name__ == '__main__':
7
8     root = py_trees.composites.Sequence(name="Life")
9     timeout = py_trees.decorators.Timeout(
10         name="Timeout",
11         child=py_trees.behaviours.Success(name="Have a Beer!"))
12     )
13     failure_is_success = py_trees.decorators.Inverter(
14         name="Inverter",
15         child=py_trees.behaviours.Success(name="Busy?"))
16     )
17     root.add_children([failure_is_success, timeout])
18     py_trees.display.render_dot_tree(root)
```

Decorators (Hats)

Decorators with very specific functionality:

- `py_trees.decorators.Condition`
- `py_trees.decorators.Inverter`
- `py_trees.decorators.OneShot`
- `py_trees.decorators.Timeout`

And the X is Y family:

- `py_trees.decorators.FailureIsRunning`
- `py_trees.decorators.FailureIsSuccess`

- `py_trees.decorators.RunningIsFailure`
- `py_trees.decorators.RunningIsSuccess`
- `py_trees.decorators.SuccessIsFailure`
- `py_trees.decorators.SuccessIsRunning`

Decorators for Blocking Behaviours

It is worth making a note of the effect of decorators on behaviours that return `RUNNING` for some time before finally returning `SUCCESS` or `FAILURE` (blocking behaviours) since the results are often at first, surprising.


A decorator, such as `py_trees.decorators.RunningIsSuccess()` on a blocking behaviour will immediately terminate the underlying child and re-initialise on it's next tick. This is necessary to ensure the underlying child isn't left in a dangling state (i.e. `RUNNING`), but is often not what is being sought.

The typical use case being attempted is to convert the blocking behaviour into a non-blocking behaviour. If the underlying child has no state being modified in either the `initialise()` or `terminate()` methods (e.g. machinery is entirely launched at init or setup time), then conversion to a non-blocking representative of the original succeeds. Otherwise, another approach is needed. Usually this entails writing a non-blocking counterpart, or combination of behaviours to affect the non-blocking characteristics.

CHAPTER 5

Blackboards

Blackboards are not a necessary component, but are a fairly standard feature in most behaviour tree implementations. See, for example, the [design notes](#) for blackboards in Unreal Engine.



Implementations however, tend to vary quite a bit depending on the needs of the framework using them. Some of the usual considerations include scope and sharing of blackboards across multiple tree instances.

For this package, we've decided to keep blackboards extremely simple to fit with the same 'rapid development for small scale systems' principles that this library is designed for.

- No sharing between tree instances
- No locking for reading/writing
- Global scope, i.e. any behaviour can access any variable
- No external communications (e.g. to a database)

```
class py_trees.blackboard.Blackboard
    Borg style key-value store for sharing amongst behaviours.
```

Examples

You can instantiate the blackboard from anywhere in your program. Even disconnected calls will get access to the same data store. For example:

```
def check_foo():
    blackboard = Blackboard()
    assert (blackboard.foo, "bar")

if __name__ == '__main__':
    blackboard = Blackboard()
    blackboard.foo = "bar"
    check_foo()
```

If the key value you are interested in is only known at runtime, then you can set/get from the blackboard without the convenient variable style access:

```
blackboard = Blackboard()
result = blackboard.set("foo", "bar")
foo = blackboard.get("foo")
```

The blackboard can also be converted and printed (with highlighting) as a string. This is useful for logging and debugging.

```
print(Blackboard())
```

Warning: Be careful of key collisions. This implementation leaves this management up to the user.

See also:

The [py-trees-demo-blackboard](#) program demos use of the blackboard along with a couple of the blackboard behaviours.

CHAPTER 6

Idioms

A library of subtree creators that build complex patterns of behaviours representing common behaviour tree idioms.

Common decision making patterns can often be realised using a specific combination of fundamental behaviours and the blackboard. Even if this somewhat verbosely populates the tree, this is preferable to creating new composites types or overriding existing composites since this will increase tree logic complexity and/or bury details under the hood (both of which add an exponential cost to introspection/visualisation).

In this package these patterns will be referred to as **PyTree Idioms** and in this module you will find convenience functions that assist in creating them.


The subsections below introduce each composite briefly. For a full listing of each composite's methods, visit the [`py_trees.idioms`](#) module api documentation.

Tip: First time through, make sure to follow the link through to relevant demo programs.

6.1 Oneshot

```
idioms.oneshot(variable_name='oneshot', behaviour=<py_trees.meta.Dummy object>, policy=<OneShotPolicy.ON_SUCCESSFUL_COMPLETION: [<Status.SUCCESS: 'SUCCESS'>]>)
```

Ensure that a particular pattern is executed through to completion just once. Thereafter it will just rebound with success.



Note: Completion on *FAILURE* or on *SUCCESS* only (permits retries if it fails) is determined by the policy.

Parameters

- **name** (`str`) – the name to use for the oneshot root (selector)
- **variable_name** (`str`) – name for the flag used on the blackboard (ensure it is unique)
- **behaviour** (`Behaviour`) – single behaviour or composited subtree to oneshot
- **policy** (`OneShotPolicy`) – policy determining when the oneshot should activate

Returns the root of the oneshot subtree

Return type `Behaviour`


See also:

`py_trees.decorators.OneShot`

6.2 Pickup Where You left Off

```
idioms.pick_up_where_you_left_off(tasks=[<py_trees.meta.Dummy object>,<py_trees.meta.Dummy object>])
```

Rudely interrupted while enjoying a sandwich, a caveman (just because they wore loincloths does not mean they were not civilised), picks up his club and fends off the sabre-tooth tiger invading his sanctum as if he were swatting away a gnat. Task accomplished, he returns to the joys of munching through the layers of his sandwich.



Note: There are alternative ways to accomplish this idiom with their pros and cons.

- The tasks in the sequence could be replaced by a factory behaviour that dynamically checks the state of play and spins up the tasks required each time the task sequence is first entered and invalidates/deletes them when it is either finished or invalidated. That has the advantage of not requiring much of the blackboard machinery here, but disadvantage in not making visible the task sequence itself at all times (i.e. burying details under the hood).
- A new composite which retains the index between initialisations can also achieve the same pattern with fewer blackboard shenanigans, but suffers from an increased logical complexity cost for your trees (each new composite increases decision making complexity ($O(n!)$)).

Parameters

- **name** (`str`) – the name to use for the task sequence behaviour
- **tasks** (`[Behaviour]`) – lists of tasks to be sequentially performed

Returns root of the generated subtree

Return type `Behaviour`

CHAPTER 7

Trees

7.1 The Behaviour Tree

```
class py_trees.trees.BehaviourTree(root: py_trees.behaviour.Behaviour)
```

Grow, water, prune your behaviour tree with this, the default reference implementation. It features a few enhancements to provide richer logging, introspection and dynamic management of the tree itself:

- Pre and post tick handlers to execute code automatically before and after a tick
- Visitor access to the parts of the tree that were traversed in a tick
- Subtree pruning and insertion operations
- Continuous tick-tock support

See also:

The [py-trees-demo-tree-stewardship](#) program demonstrates the above features.

Parameters `root` (`Behaviour`) – root node of the tree

Variables

- `count` (`int`) – number of times the tree has been ticked.
- `root` (`Behaviour`) – root node of the tree
- `visitors` (`[visitors]`) – entities that visit traversed parts of the tree when it ticks
- `pre_tick_handlers` (`[func]`) – functions that run before the entire tree is ticked
- `post_tick_handlers` (`[func]`) – functions that run after the entire tree is ticked

Raises `TypeError` – if root variable is not an instance of `Behaviour`

7.2 Skeleton

The most basic feature of the behaviour tree is it's automatic tick-tock. You can `tick_tock()` for a specific number of iterations, or indefinitely and use the `interrupt()` method to stop it.

```
1 #!/usr/bin/env python
2
3 import py_trees
4
5 if __name__ == '__main__':
6
7     root = py_trees.composites.Selector("Selector")
8     high = py_trees.behaviours.Success(name="High Priority")
9     med = py_trees.behaviours.Success(name="Med Priority")
10    low = py_trees.behaviours.Success(name="Low Priority")
11    root.add_children([high, med, low])
12
13    behaviour_tree = py_trees.trees.BehaviourTree(root)
14    behaviour_tree.setup(timeout=15)
15    try:
16        behaviour_tree.tick_tock(
17            sleep_ms=500,
18            number_of_iterations=py_trees.trees.CONINUOUS_TICK_TOCK,
19            pre_tick_handler=None,
20            post_tick_handler=None
21        )
22    except KeyboardInterrupt:
23        behaviour_tree.interrupt()
```

or create your own loop and tick at your own leisure with the `tick()` method.

7.3 Pre/Post Tick Handlers

Pre and post tick handlers can be used to perform some activity on or with the tree immediately before and after ticking. This is mostly useful with the continuous `tick_tock()` mechanism.

This is useful for a variety of purposes:

- logging
- doing introspection on the tree to make reports
- extracting data from the blackboard
- triggering on external conditions to modify the tree (e.g. new plan arrived)

This can be done of course, without locking since the tree won't be ticking while these handlers run. This does however, mean that your handlers should be light. They will be consuming time outside the regular tick period.

The `py-trees-demo-tree-stewardship` program demonstrates a very simple pre-tick handler that just prints a line to stdout notifying the user of the current run. The relevant code:

Listing 1: pre-tick-handler-function

```
1
2
3 def pre_tick_handler(behaviour_tree):
```

(continues on next page)

(continued from previous page)

```

4      """
5      This prints a banner and will run immediately before every tick of the tree.
6
7      Args:
8          behaviour_tree (:class:`~py_trees.trees.BehaviourTree`): the tree custodian
9
10     """
11     print("\n----- Run %s -----\\n" % behaviour_tree.count)

```

Listing 2: pre-tick-handler-adding

```

1     print(description(tree))
2

```

7.4 Visitors

Visitors are entities that can be passed to a tree implementation (e.g. `BehaviourTree`) and used to either visit each and every behaviour in the tree, or visit behaviours as the tree is traversed in an executing tick. At each behaviour, the visitor runs its own method on the behaviour to do as it wishes - logging, introspecting, etc.

Warning: Visitors should not modify the behaviours they visit.

The `py-trees-demo-tree-stewardship` program demonstrates the two reference visitor implementations:

- `DebugVisitor` prints debug logging messages to stdout and
- `SnapshotVisitor` collects runtime data to be used by visualisations

Adding visitors to a tree:

```

behaviour_tree = py_trees.trees.BehaviourTree(root)
behaviour_tree.visitors.append(py_trees.visitors.DebugVisitor())
snapshot_visitor = py_trees.visitors.SnapshotVisitor()
behaviour_tree.visitors.append(snapshot_visitor)

```

These visitors are automatically run inside the tree's `tick` method. The former immediately logs to screen, the latter collects information which is then used to display an ascii tree:

```

behaviour_tree.tick()
ascii_tree = py_trees.display.ascii_tree(
    behaviour_tree.root,
    snapshot_information=snapshot_visitor)
)
print(ascii_tree)

```


CHAPTER 8

Visualisation

Behaviour trees are significantly easier to design, monitor and debug with visualisations. Py Trees does provide minimal assistance to render trees to various simple output formats. Currently this includes dot graphs, strings or stdout.

Warning: There is both disrespect for ascii and lack of recognition for unicode in this file as the intention to make ascii art a first class citizen in py_trees became tainted by the desire to make use of the very fine looking unicode symbols underneath. If such behaviour offends, please wear your peril-sensitive sunglasses when parsing or using this module.

8.1 Ascii Trees

You can get an ascii art representation of the tree on stdout with `ascii_tree()`:

```
py_trees.display.ascii_tree(root, show_status=False, visited={}, previously_visited={}, indent=0)
```

Graffiti your console with with ascii trees.

Parameters

- **root** (*Behaviour*) – the root of the tree, or subtree you want to show
- **indent** (*int*) – the number of characters to indent the tree
- **show_status** (*bool*) – always show status and feedback message (i.e. for every element, not just those visited)
- **visited** (*dict*) – dictionary of (uuid.UUID) and status (*Status*) pairs for behaviours visited on the current tick
- **previously_visited** (*dict*) – dictionary of behaviour id/status pairs from the previous tree tick

Returns an ascii tree (i.e. in string form)

Return type `str`

Examples

Use the `SnapshotVisitor` and `BehaviourTree` to generate snapshot information at each tick and feed that to a post tick handler that will print the traversed ascii tree complete with status and feedback messages.

```
Sequence [*]
--> Action 1 [*] -- running
--> Action 2 [-]
--> Action 3 [-]
```

```
def post_tick_handler(snapshot_visitor, behaviour_tree):
    print(
        py_trees.display.ascii_tree(
            behaviour_tree.root,
            visited=snapshot_visitor.visited,
            previously_visited=snapshot_visitor.visited
        )
    )

root = py_trees.composites.Sequence("Sequence")
for action in ["Action 1", "Action 2", "Action 3"]:
    b = py_trees.behaviours.Count(
        name=action,
        fail_until=0,
        running_until=1,
        success_until=10)
    root.add_child(b)
behaviour_tree = py_trees.trees.BehaviourTree(root)
snapshot_visitor = py_trees.visitors.SnapshotVisitor()
behaviour_tree.add_post_tick_handler(
    functools.partial(post_tick_handler,
                      snapshot_visitor))
behaviour_tree.visitors.append(snapshot_visitor)
```

8.2 Ascii Trees (Runtime)

When a tree is ticking, it is important to be able to catch the status and feedback message from each behaviour that has been traversed. You can do this by using the `SnapshotVisitor` in conjunction with the `ascii_tree()` function:

```
py_trees.display.ascii_tree(root, show_status=False, visited={}, previously_visited={}, indent=0)
```

Graffiti your console with with ascii trees.

Parameters

- `root` (`Behaviour`) – the root of the tree, or subtree you want to show
- `indent` (`int`) – the number of characters to indent the tree
- `show_status` (`bool`) – always show status and feedback message (i.e. for every element, not just those visited)
- `visited` (`dict`) – dictionary of (uuid.UUID) and status (`Status`) pairs for behaviours visited on the current tick

- **previously_visited**(*dict*) – dictionary of behaviour id/status pairs from the previous tree tick

Returns an ascii tree (i.e. in string form)

Return type `str`

Examples

Use the `SnapshotVisitor` and `BehaviourTree` to generate snapshot information at each tick and feed that to a post tick handler that will print the traversed ascii tree complete with status and feedback messages.

```
Sequence [*]
--> Action 1 [*] -- running
--> Action 2 [-]
--> Action 3 [-]
```

```
def post_tick_handler(snapshot_visitor, behaviour_tree):
    print(
        py_trees.display.ascii_tree(
            behaviour_tree.root,
            visited=snapshot_visitor.visited,
            previously_visited=snapshot_visitor.visited
        )
    )

root = py_trees.composites.Sequence("Sequence")
for action in ["Action 1", "Action 2", "Action 3"]:
    b = py_trees.behaviours.Count(
        name=action,
        fail_until=0,
        running_until=1,
        success_until=10)
    root.add_child(b)
behaviour_tree = py_trees.trees.BehaviourTree(root)
snapshot_visitor = py_trees.visitors.SnapshotVisitor()
behaviour_tree.add_post_tick_handler(
    functools.partial(post_tick_handler,
                      snapshot_visitor))
behaviour_tree.visitors.append(snapshot_visitor)
```

8.3 Render to File (Dot/SVG/PNG)

API

You can render trees into dot/png/svg files simply by calling the `render_dot_tree()` function.

Should you wish to capture the dot graph result directly (as a dot graph object), use the `generate_pydot_graph()` method.

Command Line Utility

You can also render any exposed method in your python packages that creates a tree and returns the root of the tree from the command line using the `py-trees-render` program.

Blackboxes and Visibility Levels

There is also an experimental feature that allows you to flag behaviours as blackboxes with multiple levels of granularity. This is purely for the purposes of showing different levels of detail in rendered dot graphs. A fully rendered dot graph with hundreds of behaviours is not of much use when wanting to visualise the big picture.

The [*py-trees-demo-dot-graphs*](#) program serves as a self-contained example of this feature.

CHAPTER 9

Surviving the Crazy Hospital

Your behaviour trees are misbehaving or your subtree designs seem overly obtuse? This page can help you stay focused on what is important... staying out of the padded room.



Note: Many of these guidelines we've evolved from trial and error and are almost entirely driven by a need to avoid a burgeoning complexity (aka *flying spaghetti monster*). Feel free to experiment and provide us with your insights here as well!

9.1 Behaviours

- Keep the constructor minimal so you can instantiate the behaviour for offline rendering
- Put hardware or other runtime specific initialisation in `setup()`
- Update `feedback_message` for *significant events* only so you don't end up with too much noise
- The `update()` method must be light and non-blocking so a tree can keep ticking over

- Keep the scope of a single behaviour tight and focused, deploy larger concepts as subtrees

9.2 Composites

- Avoid creating new composites, this increases the decision complexity by an order of magnitude
- Don't subclass merely to auto-populate it, build a `create_<xyz>_subtree()` library instead

9.3 Trees

- Make sure your pre/post tick handlers and visitors are all very light.
- A good tick-tock rate for higher level decision making is around 500ms.

CHAPTER 10

Terminology

blocking A behaviour is sometimes referred to as a ‘blocking’ behaviour. Technically, the execution of a behaviour should be non-blocking (i.e. the tick part), however when it’s progress from ‘RUNNING’ to ‘FAILURE/SUCCESS’ takes more than one tick, we say that the behaviour itself is blocking. In short, *blocking == RUNNING*.

fsm

flying spaghetti monster Whilst a serious religious entity in his own right (see [pastafarianism](#)), it’s also very easy to imagine your code become a spiritual flying spaghetti monster if left unchecked:

```
._ \` :_ F S M : ' \_,  
/ ( `---' \ ` -.  
, -` _ ) ( _ ,
```

tick

ticks

ticking A key feature of behaviours and their trees is in the way they *tick*. A tick is merely an execution slice, similar to calling a function once, or executing a loop in a control program once.

When a **behaviour** ticks, it is executing a small, non-blocking chunk of code that checks a variable or triggers/monitors/returns the result of an external action.

When a **behaviour tree** ticks, it traverses the behaviours (starting at the root of the tree), ticking each behaviour, catching its result and then using that result to make decisions on the direction the tree traversal will take. This is the decision part of the tree. Once the traversal ends back at the root, the tick is over.

Once a tick is done..you can stop for breath! In this space you can pause to avoid eating the cpu, send some statistics out to a monitoring program, manipulate the underlying blackboard (data), ... At no point does the traversal of the tree get mired in execution - it’s just in and out and then stop for a coffee. This is absolutely awesome - without this it would be a concurrent mess of locks and threads.

Always keep in mind that your behaviours’ executions must be light. There is no parallelising here and your tick time needs to remain small. The tree should be solely about decision making, not doing any actual blocking

work. Any blocking work should be happening somewhere else with a behaviour simply in charge of starting/monitoring and catching the result of that work.

Add an image of a ticking tree here.

CHAPTER 11

FAQ

Tip: For hints and guidelines, you might also like to browse *Surviving the Crazy Hospital*.

Will there be a c++ implementation?

Certainly feasible and if there's a need. If such a things should come to pass though, the c++ implementation should compliment this one. That is, it should focus on decision making for systems with low latency and reactive requirements. It would use triggers to tick the tree instead of tick-tock and a few other tricks that have evolved in the gaming industry over the last few years. Having a c++ implementation for use in the control layer of a robotics system would be a driving use case.

CHAPTER 12

Demos

12.1 py-trees-demo-action-behaviour

Demonstrates the characteristics of a typical ‘action’ behaviour.

- Mocks an external process and connects to it in the setup() method
- Kickstarts new goals with the external process in the initialise() method
- Monitors the ongoing goal status in the update() method
- Determines RUNNING/SUCCESS pending feedback from the external process

```
usage: py-trees-demo-action-behaviour [-h]
```

```
class py_trees.demos.action.Action(name='Action')
Bases: py_trees.behaviour.Behaviour
```

Connects to a subprocess to initiate a goal, and monitors the progress of that goal at each tick until the goal is completed, at which time the behaviour itself returns with success or failure (depending on success or failure of the goal itself).

This is typical of a behaviour that is connected to an external process responsible for driving hardware, conducting a plan, or a long running processing pipeline (e.g. planning/vision).

Key point - this behaviour itself should not be doing any work!

```
__init__(name='Action')
```

Default construction.

```
initialise()
```

Reset a counter variable.

```
setup()
```

No delayed initialisation required for this example.

terminate (*new_status*)

Nothing to clean up in this example.

update ()

Increment the counter and decide upon a new status result for the behaviour.

`py_trees.demos.action.main()`

Entry point for the demo script.

`py_trees.demos.action.planning` (*pipe_connection*)

Emulates an external process which might accept long running planning jobs.

Listing 1: py_trees/demos/action.py

```

1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9 """
10 .. argparse::
11     :module: py_trees.demos.action
12     :func: command_line_argument_parser
13     :prog: py-trees-demo-action-behaviour
14
15 .. image::: images/action.gif
16 """
17
18 #####
19 # Imports
20 #####
21
22 import argparse
23 import atexit
24 import multiprocessing
25 import py_trees.common
26 import time
27
28 import py_trees.console as console
29
30 #####
31 # Classes
32 #####
33
34
35 def description():
36     content = "Demonstrates the characteristics of a typical 'action' behaviour.\n"
37     content += "\n"
38     content += "* Mocks an external process and connects to it in the setup() method\n"
39     content += "  * Kickstarts new goals with the external process in the initialise()\n"
40     content += "    method\n"
41     content += "  * Monitors the ongoing goal status in the update() method\n"
42     content += "  * Determines RUNNING/SUCCESS pending feedback from the external\n"
43     content += "    process\n"

```

(continues on next page)

(continued from previous page)

```

43
44     if py_trees.console.has_colours:
45         banner_line = console.green + "*" * 79 + "\n" + console.reset
46         s = "\n"
47         s += banner_line
48         s += console.bold_white + "Action Behaviour".center(79) + "\n" + console.reset
49         s += banner_line
50         s += "\n"
51         s += content
52         s += "\n"
53         s += banner_line
54     else:
55         s = content
56     return s
57
58
59 def epilog():
60     if py_trees.console.has_colours:
61         return console.cyan + "And his noodly appendage reached forth to tickle the\u2192
62     blessed...\n" + console.reset
63     else:
64         return None
65
66 def command_line_argument_parser():
67     return argparse.ArgumentParser(description=description(),
68                                 epilog=epilog(),
69                                 formatter_class=argparse.
70     ↪RawDescriptionHelpFormatter,
71     )
72
73 def planning(pipe_connection):
74     """
75     Emulates an external process which might accept long running planning jobs.
76     """
77     idle = True
78     percentage_complete = 0
79     try:
80         while(True):
81             if pipe_connection.poll():
82                 pipe_connection.recv()
83                 percentage_complete = 0
84                 idle = False
85             if not idle:
86                 percentage_complete += 10
87                 pipe_connection.send([percentage_complete])
88                 if percentage_complete == 100:
89                     idle = True
90                     time.sleep(0.5)
91     except KeyboardInterrupt:
92         pass
93
94
95 class Action(py_trees.behaviour.Behaviour):
96     """
97     Connects to a subprocess to initiate a goal, and monitors the progress

```

(continues on next page)

(continued from previous page)

```

98     of that goal at each tick until the goal is completed, at which time
99     the behaviour itself returns with success or failure (depending on
100    success or failure of the goal itself).
101
102    This is typical of a behaviour that is connected to an external process
103    responsible for driving hardware, conducting a plan, or a long running
104    processing pipeline (e.g. planning/vision).
105
106    Key point - this behaviour itself should not be doing any work!
107    """
108    def __init__(self, name="Action"):
109        """
110            Default construction.
111        """
112        super(Action, self).__init__(name)
113        self.logger.debug("%s.__init__()" % (self.__class__.__name__))
114
115    def setup(self):
116        """
117            No delayed initialisation required for this example.
118        """
119        self.logger.debug("%s.setup()->connections to an external process" % (self.__
120        <class__.name__))
121        self.parent_connection, self.child_connection = multiprocessing.Pipe()
122        self.planning = multiprocessing.Process(target=planning, args=(self.child_
123        <connection,))
124        atexit.register(self.planning.terminate)
125        self.planning.start()
126
127    def initialise(self):
128        """
129            Reset a counter variable.
130        """
131        self.logger.debug("%s.initialise()->sending new goal" % (self.__class__.__
132        <name__))
133        self.parent_connection.send(['new goal'])
134        self.percentage_completion = 0
135
136    def update(self):
137        """
138            Increment the counter and decide upon a new status result for the behaviour.
139        """
140        new_status = py_trees.common.Status.RUNNING
141        if self.parent_connection.poll():
142            self.percentage_completion = self.parent_connection.recv().pop()
143            if self.percentage_completion == 100:
144                new_status = py_trees.common.Status.SUCCESS
145            if new_status == py_trees.common.Status.SUCCESS:
146                self.feedback_message = "Processing finished"
147                self.logger.debug("%s.update() [%s->%s] [%s]" % (self.__class__.__name__, self.
148                <status, new_status, self.feedback_message))
149            else:
150                self.feedback_message = "{0}%".format(self.percentage_completion)
151                self.logger.debug("%s.update() [%s] [%s]" % (self.__class__.__name__, self.
152                <status, self.feedback_message))
153        return new_status

```

(continues on next page)

(continued from previous page)

```

150     def terminate(self, new_status):
151         """
152             Nothing to clean up in this example.
153         """
154         self.logger.debug("%s.terminate() [%s->%s]" % (self.__class__.__name__, self.
155             →status, new_status))
156
157 #####
158 # Main
159 #####
160
161 def main():
162     """
163         Entry point for the demo script.
164     """
165     command_line_argument_parser().parse_args()
166
167     print(description())
168
169     py_trees.logging.level = py_trees.logging.Level.DEBUG
170
171     action = Action()
172     action.setup()
173     try:
174         for unused_i in range(0, 12):
175             action.tick_once()
176             time.sleep(0.5)
177             print("\n")
178     except KeyboardInterrupt:
179         pass

```

12.2 py-trees-demo-behaviour-lifecycle

Demonstrates a typical day in the life of a behaviour.

This behaviour will count from 1 to 3 and then reset and repeat. As it does so, it logs and displays the methods as they are called - construction, setup, initialisation, ticking and termination.

```
usage: py-trees-demo-behaviour-lifecycle [-h]
```

```
class py_trees.demos.lifecycle.Counter(name='Counter')
Bases: py_trees.behaviour.Behaviour
```

Simple counting behaviour that facilitates the demonstration of a behaviour in the demo behaviours lifecycle program.

- Increments a counter from zero at each tick
- Finishes with success if the counter reaches three
- Resets the counter in the initialise() method.

```
__init__(name='Counter')
```

Default construction.

```

initialise()
    Reset a counter variable.

setup()
    No delayed initialisation required for this example.

terminate(new_status)
    Nothing to clean up in this example.

update()
    Increment the counter and decide upon a new status result for the behaviour.

py_trees.demos.lifecycle.main()
    Entry point for the demo script.

```

Listing 2: py_trees/demos/lifecycle.py

```

1  #!/usr/bin/env python
2
3  # License: BSD
4  #     https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5
6  ##### Documentation #####
7
8  ##### Documentation #####
9
10 """
11 .. argparse::
12     :module: py_trees.demos.lifecycle
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-behaviour-lifecycle
15
16 .. image:: images/lifecycle.gif
17 """
18
19 ##### Imports #####
20 # Imports
21 ##### Imports #####
22
23 import argparse
24 import py_trees
25 import time
26
27 import py_trees.console as console
28
29 ##### Classes #####
30 # Classes
31 ##### Classes #####
32
33
34 def description():
35     content = "Demonstrates a typical day in the life of a behaviour.\n\n"
36     content += "This behaviour will count from 1 to 3 and then reset and repeat. As "
37     content += "it does\n"
38     content += "so, it logs and displays the methods as they are called - "
39     content += "construction, setup,\n"
40     content += "initialisation, ticking and termination.\n"
41     if py_trees.console.has_colours:
42         banner_line = console.green + "*" * 79 + "\n" + console.reset

```

(continues on next page)

(continued from previous page)

```

41     s = "\n"
42     s += banner_line
43     s += console.bold_white + "Behaviour Lifecycle".center(79) + "\n" + console.
44     ↪reset
45     s += banner_line
46     s += "\n"
47     s += content
48     s += "\n"
49     s += banner_line
50   else:
51     s = content
52   return s
53
54 def epilog():
55   if py_trees.console.has_colours:
56     return console.cyan + "And his noodly appendage reached forth to tickle the\u
57     ↪blessed...\n" + console.reset
58   else:
59     return None
60
61 def command_line_argument_parser():
62   return argparse.ArgumentParser(description=description(),
63                               epilog=epilog(),
64                               formatter_class=argparse.
65     ↪RawDescriptionHelpFormatter,
66                               )
67
68 class Counter(py_trees.behaviour.Behaviour):
69   """
70     Simple counting behaviour that facilitates the demonstration of a behaviour in
71     the demo behaviours lifecycle program.
72
73     * Increments a counter from zero at each tick
74     * Finishes with success if the counter reaches three
75     * Resets the counter in the initialise() method.
76   """
77   def __init__(self, name="Counter"):
78     """
79       Default construction.
80     """
81     super(Counter, self).__init__(name)
82     self.logger.debug("%s.__init__()" % (self.__class__.__name__))
83
84   def setup(self):
85     """
86       No delayed initialisation required for this example.
87     """
88     self.logger.debug("%s.setup()" % (self.__class__.__name__))
89
90   def initialise(self):
91     """
92       Reset a counter variable.
93     """
94     self.logger.debug("%s.initialise()" % (self.__class__.__name__))

```

(continues on next page)

(continued from previous page)

```
95     self.counter = 0
96
97     def update(self):
98         """
99             Increment the counter and decide upon a new status result for the behaviour.
100        """
101        self.counter += 1
102        new_status = py_trees.common.Status.SUCCESS if self.counter == 3 else py_
103        ↪trees.common.Status.RUNNING
104        if new_status == py_trees.common.Status.SUCCESS:
105            self.feedback_message = "counting...{0} - phew, thats enough for today".
106            ↪format(self.counter)
107        else:
108            self.feedback_message = "still counting"
109        self.logger.debug("%s.update() [%s->%s] [%s]" % (self.__class__.__name__, self.
110        ↪status, new_status, self.feedback_message))
111        return new_status
112
113
114    def terminate(self, new_status):
115        """
116            Nothing to clean up in this example.
117        """
118        self.logger.debug("%s.terminate() [%s->%s]" % (self.__class__.__name__, self.
119        ↪status, new_status))
120
121
122    #####
123    # Main
124    #####
125
126    def main():
127        """
128            Entry point for the demo script.
129        """
130        command_line_argument_parser().parse_args()
131
132        print(description())
133
134        py_trees.logging.level = py_trees.logging.Level.DEBUG
135
136        counter = Counter()
137        counter.setup()
138        try:
139            for unused_i in range(0, 7):
140                counter.tick_once()
141                time.sleep(0.5)
142                print("\n")
143        except KeyboardInterrupt:
144            print("")
145            pass
```

12.3 py-trees-demo-blackboard

Demonstrates usage of the blackboard and related behaviours.


A sequence is populated with a default set blackboard variable behaviour, a custom write to blackboard behaviour that writes a more complicated structure, and finally a default check blackboard variable behaviour that looks for the first variable.

```
usage: py-trees-demo-blackboard [-h] [-r]
```

12.3.1 Named Arguments

-r, --render render dot tree to file

Default: False



```
class py_trees.demos.blackboard.BlackboardWriter(name='Writer')
Bases: py_trees.behaviour.Behaviour
```

Custom writer that submits a more complicated variable to the blackboard.

```
__init__(name='Writer')
Initialize self. See help(type(self)) for accurate signature.
```

```
update()
Write a dictionary to the blackboard and return SUCCESS.
```

```
py_trees.demos.blackboard.main()
Entry point for the demo script.
```

Listing 3: py_trees/demos/blackboard.py

```

1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9 #
10 """
```

(continues on next page)

(continued from previous page)

```
11 .. argparse::
12     :module: py_trees.demos.blackboard
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-blackboard
15
16 .. graphviz:: dot/demo-blackboard.dot
17
18 .. image:: images/blackboard.gif
19 """
20
21 #####
22 # Imports
23 #####
24
25 import argparse
26 import py_trees
27 import sys
28
29 import py_trees.console as console
30
31 #####
32 # Classes
33 #####
34
35
36 def description():
37     content = "Demonstrates usage of the blackboard and related behaviours.\n"
38     content += "\n"
39     content += "A sequence is populated with a default set blackboard variable\n"
40     content += "behaviour, a custom write to blackboard behaviour that writes\n"
41     content += "a more complicated structure, and finally a default check\n"
42     content += "blackboard variable behaviour that looks for the first variable.\n"
43
44     if py_trees.console.has_colours:
45         banner_line = console.green + "*" * 79 + "\n" + console.reset
46         s = "\n"
47         s += banner_line
48         s += console.bold_white + "Blackboard".center(79) + "\n" + console.reset
49         s += banner_line
50         s += "\n"
51         s += content
52         s += "\n"
53         s += banner_line
54     else:
55         s = content
56     return s
57
58
59 def epilog():
60     if py_trees.console.has_colours:
61         return console.cyan + "And his noodly appendage reached forth to tickle the\u202e\u202e\u202e...\n" + console.reset
62     else:
63         return None
64
65
66 def command_line_argument_parser():
```

(continues on next page)

(continued from previous page)

```

67     parser = argparse.ArgumentParser(description=description(),
68                                     epilog=epilog(),
69                                     formatter_class=argparse.
70                                     RawDescriptionHelpFormatter,
71                                     )
72     parser.add_argument('-r', '--render', action='store_true', help='render dot tree_
73     ↪ to file')
74     return parser
75
76
77
78
79 class BlackboardWriter(py_trees.behaviour.Behaviour):
80     """
81     Custom writer that submits a more complicated variable to the blackboard.
82     """
83
84     def __init__(self, name="Writer"):
85         super(BlackboardWriter, self).__init__(name)
86         self.logger.debug("%s.__init__()" % (self.__class__.__name__))
87         self.blackboard = py_trees.blackboard.Blackboard()
88
89     def update(self):
90         """
91         Write a dictionary to the blackboard and return :data:`~py_trees.common.
92         ↪ Status.SUCCESS`.
93         """
94         self.logger.debug("%s.update()" % (self.__class__.__name__))
95         self.blackboard.spaghetti = {"type": "Gnocchi", "quantity": 2}
96         return py_trees.common.Status.SUCCESS
97
98
99     def create_root():
100        root = py_trees.composites.Sequence("Sequence")
101        set_blackboard_variable = py_trees.blackboard.SetBlackboardVariable(name="Set Foo
102        ↪", variable_name="foo", variable_value="bar")
103        write_blackboard_variable = BlackboardWriter(name="Writer")
104        check_blackboard_variable = py_trees.blackboard.CheckBlackboardVariable(name=
105        ↪ "Check Foo", variable_name="foo", expected_value="bar")
106        root.add_children([set_blackboard_variable, write_blackboard_variable, check_
107        ↪ blackboard_variable])
108        return root
109
110 #####
111 # Main
112 #####
113
114 def main():
115     """
116     Entry point for the demo script.
117     """
118     args = command_line_argument_parser().parse_args()
119     print(description())
120     py_trees.logging.level = py_trees.logging.Level.DEBUG
121
122     root = create_root()
123
124 #####
125 # Rendering
126

```

(continues on next page)

(continued from previous page)

```
118 #####  
119 if args.render:  
120     py_trees.display.render_dot_tree(root)  
121     sys.exit()  
122  
123 #####  
124 # Execute  
125 #####  
126 root.setup_with_descendants()  
127 print("\n----- Tick 0 -----\\n")  
128 root.tick_once()  
129 print("\\n")  
130 print(py_trees.display.ascii_tree(root, show_status=True))  
131 print("\\n")  
132 print(py_trees.blackboard.Blackboard())
```

12.4 py-trees-demo-context-switching


Demonstrates context switching with parallels and sequences.

A context switching behaviour is run in parallel with a work sequence. Switching the context occurs in the initialise() and terminate() methods of the context switching behaviour. Note that whether the sequence results in failure or success, the context switch behaviour will always call the terminate() method to restore the context. It will also call terminate() to restore the context in the event of a higher priority parent cancelling this parallel subtree.

```
usage: py-trees-demo-context-switching [-h] [-r]
```

12.4.1 Named Arguments

-r, --render	render dot tree to file
	Default: False



```
class py_trees.demos.context_switching.ContextSwitch(name='ContextSwitch')
Bases: py_trees.behaviour.Behaviour
```

An example of a context switching class that sets (in `initialise()`) and restores a context (in `terminate()`). Use in parallel with a sequence/subtree that does the work while in this context.

Attention: Simply setting a pair of behaviours (set and reset context) on either end of a sequence will not suffice for context switching. In the case that one of the work behaviours in the sequence fails, the final reset context switch will never trigger.

```
__init__(name='ContextSwitch')
    Initialize self. See help(type(self)) for accurate signature.

initialise()
    Backup and set a new context.

terminate(new_status)
    Restore the context with the previously backed up context.

update()
    Just returns RUNNING while it waits for other activities to finish.
```

```
py_trees.demos.context_switching.main()
Entry point for the demo script.
```

Listing 4: `py_trees/demos/context_switching.py`

```
1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
```

(continues on next page)

(continued from previous page)

```
5  #
6 ##### Documentation #####
7 # Documentation
8 #####
9 """
10 .. argparse::
11   :module: py_trees.demos.context_switching
12   :func: command_line_argument_parser
13   :prog: py-trees-demo-context-switching
14
15 .. graphviz:: dot/demo-context_switching.dot
16
17 .. image:: images/context_switching.gif
18 """
19
20 #####
21 # Imports
22 #####
23 #####
24
25 import argparse
26 import py_trees
27 import sys
28 import time
29
30 import py_trees.console as console
31
32 #####
33 # Classes
34 #####
35
36
37 def description():
38     content = "Demonstrates context switching with parallels and sequences.\n"
39     content += "\n"
40     content += "A context switching behaviour is run in parallel with a work sequence.\n"
41     content += "Switching the context occurs in the initialise() and terminate()\n"
42     content += "methods\n"
43     content += "of the context switching behaviour. Note that whether the sequence\n"
44     content += "results\n"
45     content += "in failure or success, the context switch behaviour will always call\n"
46     content += "the\n"
47     content += "terminate() method to restore the context. It will also call\n"
48     content += "terminate()\n"
49     content += "to restore the context in the event of a higher priority parent\n"
50     content += "cancelling\n"
51     content += "this parallel subtree.\n"
52     if py_trees.console.has_colours:
53         banner_line = console.green + "*" * 79 + "\n" + console.reset
54         s = "\n"
55         s += banner_line
56         s += console.bold_white + "Context Switching".center(79) + "\n" + console.
57         reset
58         s += banner_line
59         s += "\n"
60         s += content
```

(continues on next page)

(continued from previous page)

```

55     s += "\n"
56     s += banner_line
57 else:
58     s = content
59 return s
60
61
62 def epilog():
63     if py_trees.console.has_colours:
64         return console.cyan + "And his noodly appendage reached forth to tickle the\u
65 ↵blessed...\n" + console.reset
66     else:
67         return None
68
69
70 def command_line_argument_parser():
71     parser = argparse.ArgumentParser(description=description(),
72                                     epilog=epilog(),
73                                     formatter_class=argparse.
74 ↵RawDescriptionHelpFormatter,
75                                     )
76     parser.add_argument('-r', '--render', action='store_true', help='render dot tree\u
77 ↵to file')
78     return parser
79
80
81 class ContextSwitch(py_trees.behaviour.Behaviour):
82     """
83     An example of a context switching class that sets (in ``initialise()``)
84     and restores a context (in ``terminate()``). Use in parallel with a
85     sequence/subtree that does the work while in this context.
86
87     .. attention:: Simply setting a pair of behaviours (set and reset context) on
88     either end of a sequence will not suffice for context switching. In the case
89     that one of the work behaviours in the sequence fails, the final reset context
90     switch will never trigger.
91
92     """
93
94     def __init__(self, name="ContextSwitch"):
95         super(ContextSwitch, self).__init__(name)
96         self.feedback_message = "no context"
97
98     def initialise(self):
99         """
100         Backup and set a new context.
101         """
102         self.logger.debug("%s.initialise() [switch context]" % (self.__class__.__name__
103 ↵))
104         # Some actions that:
105         # 1. retrieve the current context from somewhere
106         # 2. cache the context internally
107         # 3. apply a new context
108         self.feedback_message = "new context"
109
110     def update(self):
111         """
112         Just returns RUNNING while it waits for other activities to finish.

```

(continues on next page)

(continued from previous page)

```

108     """
109     self.logger.debug("%s.update() [RUNNING] [%s]" % (self.__class__.__name__, self.
110     ↪feedback_message))
111     return py_trees.common.Status.RUNNING
112
113     def terminate(self, new_status):
114         """
115             Restore the context with the previously backed up context.
116         """
117         self.logger.debug("%s.terminate() [%s->%s] [restore context]" % (self.__class__.
118         ↪__name__, self.status, new_status))
119         # Some actions that:
120         #   1. restore the cached context
121         self.feedback_message = "restored context"
122
123     def create_root():
124         root = py_trees.composites.Parallel(name="Parallel", policy=py_trees.common.
125         ↪ParallelPolicy.SuccessOnOne())
126         context_switch = ContextSwitch(name="Context")
127         sequence = py_trees.composites.Sequence(name="Sequence")
128         for job in ["Action 1", "Action 2"]:
129             success_after_two = py_trees.behaviours.Count(name=job,
130                 fail_until=0,
131                 running_until=2,
132                 success_until=10)
133             sequence.add_child(success_after_two)
134             root.add_child(context_switch)
135             root.add_child(sequence)
136             return root
137
138 #####
139 # Main
140 #####
141
142     def main():
143         """
144             Entry point for the demo script.
145         """
146         args = command_line_argument_parser().parse_args()
147         print(description())
148         py_trees.logging.level = py_trees.logging.Level.DEBUG
149
150         root = create_root()
151
152 #####
153 # Rendering
154 #####
155         if args.render:
156             py_trees.display.render_dot_tree(root)
157             sys.exit()
158
159 #####
160 # Execute
161 #####
162         root.setup_with_descendants()

```

(continues on next page)

(continued from previous page)

```

162     for i in range(1, 6):
163         try:
164             print("\n----- Tick {} -----".format(i))
165             root.tick_once()
166             print("\n")
167             print("{}".format(py_trees.display.ascii_tree(root, show_status=True)))
168             time.sleep(1.0)
169         except KeyboardInterrupt:
170             break
171     print("\n")

```


12.5 py-trees-demo-dot-graphs

Renders a dot graph for a simple tree, with blackboxes.

```
usage: py-trees-demo-dot-graphs [-h]
                                 [-l {all,fine_detail,detail,component,big_picture}]
```

12.5.1 Named Arguments

-l, --level Possible choices: all, fine_detail, detail, component, big_picture
 visibility level
 Default: “fine_detail”



```
py_trees.demos.dot_graphs.main()
Entry point for the demo script.
```

Listing 5: py_trees/demos/dot_graphs.py

```

1 #!/usr/bin/env python
2 #

```

(continues on next page)

(continued from previous page)

```
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9
10 """
11 .. argparse::
12     :module: py_trees.demos.dot_graphs
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-dot-graphs
15
16 .. graphviz:: dot/demo-dot-graphs.dot
17
18 """
19
20 #####
21 # Imports
22 #####
23
24 import argparse
25 import subprocess
26 import py_trees
27
28 import py_trees.console as console
29
30 #####
31 # Classes
32 #####
33
34
35 def description():
36     name = "py-trees-demo-dot-graphs"
37     content = "Renders a dot graph for a simple tree, with blackboxes.\n"
38     if py_trees.console.has_colours:
39         banner_line = console.green + "*" * 79 + "\n" + console.reset
40         s = "\n"
41         s += banner_line
42         s += console.bold_white + "Dot Graphs".center(79) + "\n" + console.reset
43         s += banner_line
44         s += "\n"
45         s += content
46         s += "\n"
47         s += console.white
48         s += console.bold + "    Generate Full Dot Graph" + console.reset + "\n"
49         s += "\n"
50         s += console.cyan + "    {0}.format(name) + console.reset + "\n"
51         s += "\n"
52         s += console.bold + "    With Varying Visibility Levels" + console.reset + "\n"
53         s += "\n"
54         s += console.cyan + "    {0}.format(name) + console.yellow + " --"
55         s += console.reset + "\n"
56         s += console.cyan + "    {0}.format(name) + console.yellow + " --"
57         s += console.reset + "\n"
58         s += console.cyan + "    {0}.format(name) + console.yellow + " --"
59         s += console.reset + "\n"
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
589 (continues on next page)
```

(continued from previous page)

```

57     s += console.cyan + "      {0}".format(name) + console.yellow + " --"
58     ↪level=big_picture" + console.reset + "\n"
59     s += "\n"
60     s += banner_line
61   else:
62     s = content
63   return s
64
65 def epilog():
66   if py_trees.console.has_colours:
67     return console.cyan + "And his noodly appendage reached forth to tickle the"
68     ↪blessed...\n" + console.reset
69   else:
70     return None
71
72 def command_line_argument_parser():
73   parser = argparse.ArgumentParser(description=description(),
74                                 epilog=epilog(),
75                                 formatter_class=argparse.
76     ↪RawDescriptionHelpFormatter,
77                                 )
78   parser.add_argument('-l', '--level', action='store',
79                         default='fine_detail',
80                         choices=['all', 'fine_detail', 'detail', 'component', 'big_
81     ↪picture'],
82                         help='visibility level')
83   return parser
84
85 def create_tree(level):
86   root = py_trees.composites.Selector("Demo Dot Graphs %s" % level)
87   first_blackbox = py_trees.composites.Sequence("BlackBox 1")
88   first_blackbox.add_child(py_trees.behaviours.Running("Worker"))
89   first_blackbox.add_child(py_trees.behaviours.Running("Worker"))
90   first_blackbox.add_child(py_trees.behaviours.Running("Worker"))
91   first_blackbox.blackbox_level = py_trees.common.BlackBoxLevel.BIG_PICTURE
92   second_blackbox = py_trees.composites.Sequence("Blackbox 2")
93   second_blackbox.add_child(py_trees.behaviours.Running("Worker"))
94   second_blackbox.add_child(py_trees.behaviours.Running("Worker"))
95   second_blackbox.add_child(py_trees.behaviours.Running("Worker"))
96   second_blackbox.blackbox_level = py_trees.common.BlackBoxLevel.COMPONENT
97   third_blackbox = py_trees.composites.Sequence("Blackbox 3")
98   third_blackbox.add_child(py_trees.behaviours.Running("Worker"))
99   third_blackbox.add_child(py_trees.behaviours.Running("Worker"))
100  third_blackbox.add_child(py_trees.behaviours.Running("Worker"))
101  third_blackbox.blackbox_level = py_trees.common.BlackBoxLevel.DETAIL
102  root.add_child(first_blackbox)
103  root.add_child(second_blackbox)
104  first_blackbox.add_child(third_blackbox)
105
106
107 ######
108 # Main
109 #####

```

(continues on next page)

(continued from previous page)

```

110
111 def main():
112     """
113     Entry point for the demo script.
114     """
115     args = command_line_argument_parser().parse_args()
116     args.enum_level = py_trees.common.string_to_visibility_level(args.level)
117     print(description())
118     py_trees.logging.level = py_trees.logging.Level.DEBUG
119
120     root = create_tree(args.level)
121     py_trees.display.render_dot_tree(root, args.enum_level)
122
123     if py_trees.utilities.which("xdot"):
124         try:
125             subprocess.call(["xdot", "demo_dot_graphs_%s.dot" % args.level])
126         except KeyboardInterrupt:
127             pass
128     else:
129         print("")
130         console.logerror("No xdot viewer found, skipping display [hint: sudo apt_"
131                         "install xdot]")
132         print("")
```

12.6 py-trees-demo-logging

A demonstration of tree stewardship.

A slightly less trivial tree that uses a simple stdout pre-tick handler and both the debug and snapshot visitors for logging and displaying the state of the tree.


EVENTS

- 3 : sequence switches from running to success
- 4 : selector's first child flicks to success once only
- 8 : the fallback idler kicks in as everything else fails
- 14 : the first child kicks in again, aborting a running sequence behind it

```
usage: py-trees-demo-tree-stewardship [-h] [-r | -i]
```

12.6.1 Named Arguments

-r, --render	render dot tree to file Default: False
-i, --interactive	pause and wait for keypress at each tick Default: False



`py_trees.demos.logging.display_ascii_tree(snapshot_visitor, behaviour_tree)`

Prints an ascii tree with the current snapshot status.

`py_trees.demos.logging.logger(winds_of_change_visitor, behaviour_tree)`

A post-tick handler that logs the tree (relevant parts thereof) to a yaml file.

`py_trees.demos.logging.main()`

Entry point for the demo script.

Listing 6: py_trees/demos/logging.py

```

1  #!/usr/bin/env python
2  #
3  # License: BSD
4  #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5  #
6  ######
7  # Documentation
8  #####
9
10 """
11 .. argparse::
12     :module: py_trees.demos.stewardship
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-tree-stewardship
15
16 .. graphviz::
17     dot/stewardship.dot
18
19 .. image::
20     images/tree_stewardship.gif
21 """
22 #####
  
```

(continues on next page)

(continued from previous page)

```
22 # Imports
23 ######
24
25 import argparse
26 import functools
27 import json
28 import py_trees
29 import sys
30 import time
31
32 import py_trees.console as console
33
34 #####
35 # Classes
36 #####
37
38
39 def description(root):
40     content = "A demonstration of logging with trees.\n\n"
41     content += "This demo utilises a WindsOfChange visitor to trigger\n"
42     content += "a post-tick handler to dump a serialisation of the\n"
43     content += "tree to a json log file.\n"
44     content += "\n"
45     content += "This coupling of visitor and post-tick handler can be\n"
46     content += "used for any kind of event handling - the visitor is the\n"
47     content += "trigger and the post-tick handler the action. Aside from\n"
48     content += "logging, the most common use case is to serialise the tree\n"
49     content += "for messaging to a graphical, runtime monitor.\n"
50     content += "\n"
51     if py_trees.console.has_colours:
52         banner_line = console.green + "*" * 79 + "\n" + console.reset
53         s = "\n"
54         s += banner_line
55         s += console.bold_white + "Logging".center(79) + "\n" + console.reset
56         s += banner_line
57         s += "\n"
58         s += content
59         s += "\n"
60         s += banner_line
61     else:
62         s = content
63     return s
64
65
66 def epilog():
67     if py_trees.console.has_colours:
68         return console.cyan + "And his noodly appendage reached forth to tickle the\u202a
69     ↪blessed...\n" + console.reset
70     else:
71         return None
72
73 def command_line_argument_parser():
74     parser = argparse.ArgumentParser(description=create_tree(),
75                                     epilog=epilog(),
76                                     formatter_class=argparse.
77                                     ↪RawDescriptionHelpFormatter,
```

(continues on next page)

(continued from previous page)

```

77
78     group = parser.add_mutually_exclusive_group()
79     group.add_argument('-r', '--render', action='store_true', help='render dot tree'
80     ↪to file')
81     group.add_argument('-i', '--interactive', action='store_true', help='pause and'
82     ↪wait for keypress at each tick')
83     return parser
84
85
86 def logger(winds_of_change_visitor, behaviour_tree):
87     """
88     A post-tick handler that logs the tree (relevant parts thereof) to a yaml file.
89     """
90
91     if winds_of_change_visitor.changed:
92         print(console.cyan + "Logging.....yes\n" + console.reset)
93         tree_serialisation = {
94             'tick': behaviour_tree.count,
95             'nodes': []
96         }
97         for node in behaviour_tree.root.iterate():
98             node_type_str = "Behaviour"
99             for behaviour_type in [py_trees.composites.Sequence,
100                                     py_trees.composites.Selector,
101                                     py_trees.composites.Parallel,
102                                     py_trees.decorators.Decorator]:
103                 if isinstance(node, behaviour_type):
104                     node_type_str = behaviour_type.__name__
105                 node_snapshot = {
106                     'name': node.name,
107                     'id': str(node.id),
108                     'parent_id': str(node.parent.id) if node.parent else "none",
109                     'child_ids': [str(child.id) for child in node.children],
110                     'tip_id': str(node.tip().id) if node.tip() else 'none',
111                     'class_name': str(node.__module__) + '.' + str(type(node).__name__),
112                     'type': node_type_str,
113                     'status': node.status.value,
114                     'message': node.feedback_message,
115                     'is_active': True if node.id in winds_of_change_visitor.ticked_nodes_
116     ↪else False
117                 }
118                 tree_serialisation['nodes'].append(node_snapshot)
119             if behaviour_tree.count == 0:
120                 with open('dump.json', 'w+') as outfile:
121                     json.dump(tree_serialisation, outfile, indent=4)
122             else:
123                 with open('dump.json', 'a') as outfile:
124                     json.dump(tree_serialisation, outfile, indent=4)
125             else:
126                 print(console.yellow + "Logging.....no\n" + console.reset)
127
128 def display_ascii_tree(snapshot_visitor, behaviour_tree):
129     """
130     Prints an ascii tree with the current snapshot status.
131     """
132     print("\n" + py_trees.display.ascii_tree(
133         behaviour_tree.root,

```

(continues on next page)

(continued from previous page)

```
131     visited=snapshot_visitor.visited,
132     previously_visited=snapshot_visitor.previously_visited)
133 )
134
135
136 def create_tree():
137     every_n_success = py_trees.behaviours.SuccessEveryN("EveryN", 5)
138     sequence = py_trees.composites.Sequence(name="Sequence")
139     guard = py_trees.behaviours.Success("Guard")
140     periodic_success = py_trees.behaviours.Periodic("Periodic", 3)
141     finisher = py_trees.behaviours.Success("Finisher")
142     sequence.add_child(guard)
143     sequence.add_child(periodic_success)
144     sequence.add_child(finisher)
145     sequence.blackbox_level = py_trees.common.BlackBoxLevel.COMPONENT
146     idle = py_trees.behaviours.Success("Idle")
147     root = py_trees.composites.Selector(name="Logging")
148     root.add_child(every_n_success)
149     root.add_child(sequence)
150     root.add_child(idle)
151     return root
152
153
154 ######
155 # Main
156 #####
157
158 def main():
159     """
160     Entry point for the demo script.
161     """
162     args = command_line_argument_parser().parse_args()
163     py_trees.logging.level = py_trees.logging.Level.DEBUG
164     tree = create_tree()
165     print(description(tree))
166
167     #####
168     # Rendering
169     #####
170     if args.render:
171         py_trees.display.render_dot_tree(tree)
172         sys.exit()
173
174     #####
175     # Tree Stewardship
176     #####
177     behaviour_tree = py_trees.trees.BehaviourTree(tree)
178
179     debug_visitor = py_trees.visitors.DebugVisitor()
180     snapshot_visitor = py_trees.visitors.SnapshotVisitor()
181     winds_of_change_visitor = py_trees.visitors.WindsOfChangeVisitor()
182
183     behaviour_tree.visitors.append(debug_visitor)
184     behaviour_tree.visitors.append(snapshot_visitor)
185     behaviour_tree.visitors.append(winds_of_change_visitor)
186
187     behaviour_tree.add_post_tick_handler(functools.partial(display_ascii_tree,
188     ↴snapshot_visitor))
```

(continues on next page)

(continued from previous page)

```

188     behaviour_tree.add_post_tick_handler(funcools.partial(logger, winds_of_change_
189     ↪visitor))
190
191     behaviour_tree.setup(timeout=15)
192
193     ######
194     # Tick Tock
195     #####
196     if args.interactive:
197         py_trees.console.read_single_keypress()
198     while True:
199         try:
200             behaviour_tree.tick()
201             if args.interactive:
202                 py_trees.console.read_single_keypress()
203             else:
204                 time.sleep(0.5)
205         except KeyboardInterrupt:
206             break
207     print("\n")

```

12.7 py-trees-demo-selector


Higher priority switching and interruption in the children of a selector.

In this example the higher priority child is setup to fail initially, falling back to the continually running second child. On the third tick, the first child succeeds and cancels the hitherto running child.

```
usage: py-trees-demo-selector [-h] [-r]
```

12.7.1 Named Arguments

-r, --render	render dot tree to file
	Default: False



`py_trees.demos.selector.main()`
Entry point for the demo script.

Listing 7: `py_trees/demos/selector.py`

```
1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9 #
10 """
11 .. argparse::
12     :module: py_trees.demos.selector
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-selector
15
16 .. graphviz:: dot/demo-selector.dot
17
18 .. image:: images/selector.gif
19
20 """
21 #####
22 # Imports
23 #####
24
25 import argparse
26 import py_trees
27 import sys
28 import time
29
30 import py_trees.console as console
31
32 #####
33 # Classes
34 #####
35
36
37 def description():
38     content = "Higher priority switching and interruption in the children of a"
39     content += "selector.\n"
40     content += "\n"
41     content += "In this example the higher priority child is setup to fail initially,"
42     content += "\n"
43     content += "falling back to the continually running second child. On the third\n"
44     content += "tick, the first child succeeds and cancels the hitherto running child."
45     content += "\n"
46     if py_trees.console.has_colours:
47         banner_line = console.green + "*" * 79 + "\n" + console.reset
48         s = "\n"
49         s += banner_line
50         s += console.bold_white + "Selectors".center(79) + "\n" + console.reset
51         s += banner_line
```

(continues on next page)

(continued from previous page)

```

49         s += "\n"
50         s += content
51         s += "\n"
52         s += banner_line
53     else:
54         s = content
55     return s
56
57
58 def epilog():
59     if py_trees.console.has_colours:
60         return console.cyan + "And his noodly appendage reached forth to tickle the\u2192blessed...\n" + console.reset
61     else:
62         return None
63
64
65 def command_line_argument_parser():
66     parser = argparse.ArgumentParser(description=description(),
67                                     epilog=epilog(),
68                                     formatter_class=argparse.
69                                     RawDescriptionHelpFormatter,
70                                     )
71     parser.add_argument('-r', '--render', action='store_true', help='render dot tree\u2192to file')
72     return parser
73
74
75 def create_root():
76     root = py_trees.composites.Selector("Selector")
77     success_after_two = py_trees.behaviours.Count(name="After Two",
78                                                    fail_until=2,
79                                                    running_until=2,
80                                                    success_until=10)
81     always_running = py_trees.behaviours.Running(name="Running")
82     root.add_children([success_after_two, always_running])
83     return root
84
85 #####
86 # Main
87 #####
88
89 def main():
90     """
91     Entry point for the demo script.
92     """
93     args = command_line_argument_parser().parse_args()
94     print(description())
95     py_trees.logging.level = py_trees.logging.Level.DEBUG
96
97     root = create_root()
98
99     #####
100    # Rendering
101    #####
102    if args.render:

```

(continues on next page)

(continued from previous page)

```
103     py_trees.display.render_dot_tree(root)
104     sys.exit()
105
106 ##########
107 # Execute
108 #########
109 root.setup_with_descendants()
110 for i in range(1, 4):
111     try:
112         print("\n----- Tick {0} -----".format(i))
113         root.tick_once()
114         print("\n")
115         print(py_trees.display.ascii_tree(root=root, show_status=True))
116         time.sleep(1.0)
117     except KeyboardInterrupt:
118         break
119     print("\n")
```

12.8 py-trees-demo-sequence


Demonstrates sequences in action.

A sequence is populated with 2-tick jobs that are allowed to run through to completion.

```
usage: py-trees-demo-sequence [-h] [-r]
```

12.8.1 Named Arguments

-r, --render render dot tree to file
Default: False



```
py_trees.demos.sequence.main()
Entry point for the demo script.
```

Listing 8: py_trees/demos/sequence.py

```

1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9
10 """
11 .. argparse::
12     :module: py_trees.demos.sequence
13     :func: command_line_argument_parser
14     :prog: py-trees-demo-sequence
15
16 .. graphviz:: dot/demo-sequence.dot
17
18 .. image:: images/sequence.gif
19 """
20
21 #####
22 # Imports
23 #####
24
25 import argparse
26 import py_trees
27 import sys
28 import time
29
30 import py_trees.console as console
31
32 #####
33 # Classes
34 #####
35
36
37 def description():
38     content = "Demonstrates sequences in action.\n\n"
39     content += "A sequence is populated with 2-tick jobs that are allowed to run_\n"
40     content += "through to\n"
41     content += "completion.\n"
42
43     if py_trees.console.has_colours:
44         banner_line = console.green + "*" * 79 + "\n" + console.reset
45         s = "\n"
46         s += banner_line
47         s += console.bold_white + "Sequences".center(79) + "\n" + console.reset
48         s += banner_line
49         s += "\n"
50         s += content
51         s += "\n"
52         s += banner_line
53     else:
54         s = content
55
56     return s

```

(continues on next page)

(continued from previous page)

```
55
56
57 def epilog():
58     if py_trees.console.has_colours:
59         return console.cyan + "And his noodly appendage reached forth to tickle the\u
60         ↵blessed...\n" + console.reset
61     else:
62         return None
63
64 def command_line_argument_parser():
65     parser = argparse.ArgumentParser(description=description(),
66                                     epilog=epilog(),
67                                     formatter_class=argparse.
68                                     ↵RawDescriptionHelpFormatter,
69                                     )
70     parser.add_argument('-r', '--render', action='store_true', help='render dot tree
71         ↵to file')
72     return parser
73
74 def create_root():
75     root = py_trees.composites.Sequence("Sequence")
76     for action in ["Action 1", "Action 2", "Action 3"]:
77         success_after_two = py_trees.behaviours.Count(name=action,
78                                                       fail_until=0,
79                                                       running_until=1,
80                                                       success_until=10)
81     root.add_child(success_after_two)
82     return root
83
84 #####
85 # Main
86 #####
87
88 def main():
89     """
90     Entry point for the demo script.
91     """
92     args = command_line_argument_parser().parse_args()
93     print(description())
94     py_trees.logging.level = py_trees.logging.Level.DEBUG
95
96     root = create_root()
97
98 #####
99 # Rendering
100 #####
101 if args.render:
102     py_trees.display.render_dot_tree(root)
103     sys.exit()
104
105 #####
106 # Execute
107 #####
108 root.setup_with_descendants()
```

(continues on next page)

(continued from previous page)

```

109     for i in range(1, 6):
110         try:
111             print("\n----- Tick {0} -----".format(i))
112             root.tick_once()
113             print("\n")
114             print(py_trees.display.ascii_tree(root=root, show_status=True))
115             time.sleep(1.0)
116         except KeyboardInterrupt:
117             break
118     print("\n")

```

12.9 py-trees-demo-tree-stewardship

A demonstration of tree stewardship.

A slightly less trivial tree that uses a simple stdout pre-tick handler and both the debug and snapshot visitors for logging and displaying the state of the tree.


EVENTS

- 3 : sequence switches from running to success
- 4 : selector's first child flicks to success once only
- 8 : the fallback idler kicks in as everything else fails
- 14 : the first child kicks in again, aborting a running sequence behind it

```
usage: py-trees-demo-tree-stewardship [-h] [-r | -i]
```

12.9.1 Named Arguments

-r, --render	render dot tree to file Default: False
-i, --interactive	pause and wait for keypress at each tick Default: False



`py_trees.demos.stewardship.main()`

Entry point for the demo script.

`py_trees.demos.stewardship.post_tick_handler(snapshot_visitor, behaviour_tree)`

Prints an ascii tree with the current snapshot status.

`py_trees.demos.stewardship.pre_tick_handler(behaviour_tree)`

This prints a banner and will run immediately before every tick of the tree.

Parameters `behaviour_tree` (*BehaviourTree*) – the tree custodian

Listing 9: py_trees/demos/stewardship.py

```
1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9 """
10 .. argparse::
11     :module: py_trees.demos.stewardship
12     :func: command_line_argument_parser
13     :prog: py-trees-demo-tree-stewardship
14
15 .. graphviz:: dot/stewardship.dot
16
17 .. image:: images/tree_stewardship.gif
18 """
19
```

(continues on next page)

(continued from previous page)

```

21 #####
22 # Imports
23 #####
24
25 import argparse
26 import functools
27 import py_trees
28 import sys
29 import time
30
31 import py_trees.console as console
32
33 #####
34 # Classes
35 #####
36
37
38 def description(root):
39     content = "A demonstration of tree stewardship.\n\n"
40     content += "A slightly less trivial tree that uses a simple stdout pre-tick_\n"
41     content += "handler\n"
42     content += "and both the debug and snapshot visitors for logging and displaying\n"
43     content += "the state of the tree.\n"
44     content += "\n"
45     content += "EVENTS\n"
46     content += "\n"
47     content += " - 3 : sequence switches from running to success\n"
48     content += " - 4 : selector's first child flicks to success once only\n"
49     content += " - 8 : the fallback idler kicks in as everything else fails\n"
50     content += " - 14 : the first child kicks in again, aborting a running sequence_\n"
51     content += "behind it\n"
52     content += "\n"
53     if py_trees.console.has_colours:
54         banner_line = console.green + "*" * 79 + "\n" + console.reset
55         s = "\n"
56         s += banner_line
57         s += console.bold_white + "Trees".center(79) + "\n" + console.reset
58         s += banner_line
59         s += "\n"
60         s += content
61         s += "\n"
62     else:
63         s = content
64     return s
65
66 def epilog():
67     if py_trees.console.has_colours:
68         return console.cyan + "And his noodly appendage reached forth to tickle the_\n"
69         blessed...\n" + console.reset
70     else:
71         return None
72
73 def command_line_argument_parser():
74     parser = argparse.ArgumentParser(description=description(create_tree()),


```

(continues on next page)

(continued from previous page)

```
75                     epilog=epilog(),
76                     formatter_class=argparse.
77             ↵RawDescriptionHelpFormatter,
78             )
79         group = parser.add_mutually_exclusive_group()
80         group.add_argument('-r', '--render', action='store_true', help='render dot tree_
81             ↵to file')
82         group.add_argument('-i', '--interactive', action='store_true', help='pause and_
83             ↵wait for keypress at each tick')
84     return parser
85
86
87
88 def pre_tick_handler(behaviour_tree):
89     """
90         This prints a banner and will run immediately before every tick of the tree.
91
92     Args:
93         behaviour_tree (:class:`~py_trees.trees.BehaviourTree`): the tree custodian
94
95     """
96
97     Prints an ascii tree with the current snapshot status.
98
99     print("\n----- Run %s -----\\n" % behaviour_tree.count)
100
101
102 def post_tick_handler(snapshot_visitor, behaviour_tree):
103     """
104
105     Prints an ascii tree with the current snapshot status.
106
107     print("\n" + py_trees.display.ascii_tree(
108         root=behaviour_tree.root,
109         visited=snapshot_visitor.visited,
110         previously_visited=snapshot_visitor.visited)
111     )
112
113
114 def create_tree():
115     every_n_success = py_trees.behaviours.SuccessEveryN("EveryN", 5)
116     sequence = py_trees.composites.Sequence(name="Sequence")
117     guard = py_trees.behaviours.Success("Guard")
118     periodic_success = py_trees.behaviours.Periodic("Periodic", 3)
119     finisher = py_trees.behaviours.Success("Finisher")
120     sequence.add_child(guard)
121     sequence.add_child(periodic_success)
122     sequence.add_child(finisher)
123     sequence.blackbox_level = py_trees.common.BlackBoxLevel.COMPONENT
124     idle = py_trees.behaviours.Success("Idle")
125     root = py_trees.composites.Selector(name="Demo Tree")
126     root.add_child(every_n_success)
127     root.add_child(sequence)
128     root.add_child(idle)
129
130     return root
131
132
133 #####
134 # Main
135 #####
136
137 def main():
138     #####
139
140     (continues on next page)
```

(continued from previous page)

```

129 """
130     Entry point for the demo script.
131 """
132 args = command_line_argument_parser().parse_args()
133 py_trees.logging.level = py_trees.logging.Level.DEBUG
134 tree = create_tree()
135 print(description(tree))

136 #####
137 # Rendering
138 #####
139 if args.render:
140     py_trees.display.render_dot_tree(tree)
141     sys.exit()

142 #####
143 # Tree Stewardship
144 #####
145 behaviour_tree = py_trees.trees.BehaviourTree(tree)
146 behaviour_tree.add_pre_tick_handler(pre_tick_handler)
147 behaviour_tree.visitors.append(py_trees.visitors.DebugVisitor())
148 snapshot_visitor = py_trees.visitors.SnapshotVisitor()
149 behaviour_tree.add_post_tick_handler(functools.partial(post_tick_handler, ↴
150                                         snapshot_visitor))
151 behaviour_tree.visitors.append(snapshot_visitor)
152 behaviour_tree.setup(timeout=15)

153 #####
154 # Tick Tock
155 #####
156 if args.interactive:
157     py_trees.console.read_single_keypress()
158 while True:
159     try:
160         behaviour_tree.tick()
161         if args.interactive:
162             py_trees.console.read_single_keypress()
163         else:
164             time.sleep(0.5)
165     except KeyboardInterrupt:
166         break
167 print("\n")

```

12.10 py-trees-demo-pick-up-where-you-left-off

A demonstration of the ‘pick up where you left off’ idiom.

A common behaviour tree pattern that allows you to resume work after being interrupted by a high priority interrupt.

EVENTS


- 2 : task one done, task two running
- 3 : high priority interrupt
- 7 : task two restarts

- 9 : task two done

```
usage: py-trees-demo-pick-up-where-you-left-off [-h] [-r | -i]
```

12.10.1 Named Arguments

-r, --render	render dot tree to file Default: False
-i, --interactive	pause and wait for keypress at each tick Default: False



`py_trees.demos.pick_up_where_you_left_off.main()`

Entry point for the demo script.

`py_trees.demos.pick_up_where_you_left_off.post_tick_handler(snapshot_visitor, behaviour_tree)`

Prints an ascii tree with the current snapshot status.

`py_trees.demos.pick_up_where_you_left_off.pre_tick_handler(behaviour_tree)`

This prints a banner and will run immediately before every tick of the tree.

Parameters `behaviour_tree` (*BehaviourTree*) – the tree custodian

Listing 10: py_trees/demos/pick_up_where_you_left_off.py

```

1 #!/usr/bin/env python
2 #
3 # License: BSD
4 #   https://raw.githubusercontent.com/splintered-reality/py_trees/devel/LICENSE
5 #
6 ######
7 # Documentation
8 #####
9 #
10 """
11 .. argparse::
12   :module: py_trees.demos.pick_up_where_you_left_off
13   :func: command_line_argument_parser
14   :prog: py-trees-demo-pick-up-where-you-left-off
15
16 .. graphviz:: dot/pick_up_where_you_left_off.dot
17
18 .. image:: images/pick_up_where_you_left_off.gif
19 """
20
21 #####
22 # Imports
23 #####
24
25 import argparse
26 import functools
27 import py_trees
28 import sys
29 import time
30
31 import py_trees.console as console
32
33 #####
34 # Classes
35 #####
36
37
38 def description(root):
39     content = "A demonstration of the 'pick up where you left off' idiom.\n\n"
40     content += "A common behaviour tree pattern that allows you to resume\n"
41     content += "work after being interrupted by a high priority interrupt.\n"
42     content += "\n"
43     content += "EVENTS\n"
44     content += "\n"
45     content += " - 2 : task one done, task two running\n"
46     content += " - 3 : high priority interrupt\n"
47     content += " - 7 : task two restarts\n"
48     content += " - 9 : task two done\n"
49     content += "\n"
50     if py_trees.console.has_colours:
51         banner_line = console.green + "*" * 79 + "\n" + console.reset
52         s = "\n"
53         s += banner_line
54         s += console.bold_white + "Trees".center(79) + "\n" + console.reset
55         s += banner_line

```

(continues on next page)

(continued from previous page)

```
56         s += "\n"
57         s += content
58         s += "\n"
59         s += banner_line
60     else:
61         s = content
62     return s
63
64
65 def epilog():
66     if py_trees.console.has_colours:
67         return console.cyan + "And his noodly appendage reached forth to tickle the\u2192blessed...\n" + console.reset
68     else:
69         return None
70
71
72 def command_line_argument_parser():
73     parser = argparse.ArgumentParser(description=create_root(),
74                                     epilog=epilog(),
75                                     formatter_class=argparse.
76                                     RawDescriptionHelpFormatter,
77                                     )
78     group = parser.add_mutually_exclusive_group()
79     group.add_argument('-r', '--render', action='store_true', help='render dot tree\u2192to file')
80     group.add_argument('-i', '--interactive', action='store_true', help='pause and\u2192wait for keypress at each tick')
81     return parser
82
83
84 def pre_tick_handler(behaviour_tree):
85     """
86     This prints a banner and will run immediately before every tick of the tree.
87
88     Args:
89         behaviour_tree (:class:`~py_trees.trees.BehaviourTree`): the tree custodian
90
91     """
92     print("\n----- Run %s ----- \n" % behaviour_tree.count)
93
94
95 def post_tick_handler(snapshot_visitor, behaviour_tree):
96     """
97     Prints an ascii tree with the current snapshot status.
98     """
99     print(
100         "\n" + py_trees.display.ascii_tree(
101             root=behaviour_tree.root,
102             visited=snapshot_visitor.visited,
103             previously_visited=snapshot_visitor.previously_visited
104         )
105     )
106
107
108 def create_root():
109     task_one = py_trees.behaviours.Count(
```

(continues on next page)

(continued from previous page)

```

109     name="Task 1",
110     fail_until=0,
111     running_until=2,
112     success_until=10
113 )
114 task_two = py_trees.behaviours.Count(
115     name="Task 2",
116     fail_until=0,
117     running_until=2,
118     success_until=10
119 )
120 high_priority_interrupt = py_trees.decorators.RunningIsFailure(
121     child=py_trees.behaviours.Periodic(
122         name="High Priority",
123         n=3
124     )
125 )
126 piwylo = py_trees.idioms.pick_up_where_you_left_off(
127     name="Pick Up\nWhere You\nLeft Off",
128     tasks=[task_one, task_two]
129 )
130 root = py_trees.composites.Selector(name="Root")
131 root.add_children([high_priority_interrupt, piwylo])
132
133     return root
134
135 ######
136 # Main
137 ######
138
139
140 def main():
141     """
142     Entry point for the demo script.
143     """
144     args = command_line_argument_parser().parse_args()
145     py_trees.logging.level = py_trees.logging.Level.DEBUG
146     root = create_root()
147     print(description(root))
148
149 #####
150 # Rendering
151 #####
152 if args.render:
153     py_trees.display.render_dot_tree(root)
154     sys.exit()
155
156 #####
157 # Tree Stewardship
158 #####
159 behaviour_tree = py_trees.trees.BehaviourTree(root)
160 behaviour_tree.add_pre_tick_handler(pre_tick_handler)
161 behaviour_tree.visitors.append(py_trees.visitors.DebugVisitor())
162 snapshot_visitor = py_trees.visitors.SnapshotVisitor()
163 behaviour_tree.add_post_tick_handler(functools.partial(post_tick_handler,_
164     ↪snapshot_visitor))
165 behaviour_tree.visitors.append(snapshot_visitor)

```

(continues on next page)

(continued from previous page)

```
165 behaviour_tree.setup(timeout=15)
166
167 ######
168 # Tick Tock
169 #####
170 if args.interactive:
171     py_trees.console.read_single_keypress()
172 for unused_i in range(1, 11):
173     try:
174         behaviour_tree.tick()
175         if args.interactive:
176             py_trees.console.read_single_keypress()
177         else:
178             time.sleep(0.5)
179     except KeyboardInterrupt:
180         break
181 print("\n")
```

CHAPTER 13

Programs

13.1 py-trees-render

Point this program at a method which creates a root to render to dot/svg/png.

Examples

```
$ py-trees-render py_trees.demos.stewardship.create_tree
$ py-trees-render --name=foo py_trees.demos.stewardship.create_tree
$ py-trees-render --kwargs='{"level":"all"}' py_trees.demos.dot_graphs.create_tree
```

```
usage: py-trees-render [-h]
                      [-l {all,fine_detail,detail,component,big_picture}]
                      [-n NAME] [-k KWARGS] [-v]
                      method
```

13.1.1 Positional Arguments

method	space separated list of blackboard variables to watch
---------------	---

13.1.2 Named Arguments

-l, --level	Possible choices: all, fine_detail, detail, component, big_picture
--------------------	--

visibility level

Default: “fine_detail”

-n, --name	name to use for the created files (defaults to the root behaviour name)
-------------------	---

-k, --kwargs	dictionary of keyword arguments to the method
---------------------	---

Default: {}

-v, --verbose embellish each node in the dot graph with extra information
Default: False

CHAPTER 14

Module API

14.1 py_trees

This is the top-level namespace of the py_trees package.

14.2 py_trees.behaviour

The core behaviour template. All behaviours, standalone and composite, inherit from this class.

```
class py_trees.behaviour.Behaviour(name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>)  
Bases: object
```

Defines the basic properties and methods required of a node in a behaviour tree. When implementing your own behaviour, subclass this class.

Parameters `name` (`str`, optional) – the behaviour name, defaults to auto-generating from the class name

Raises `TypeError` – if the provided name is not a string

Variables

- `id` (`uuid.UUID`) – automatically generated unique identifier for the behaviour
- `name` (`str`) – the behaviour name
- `status` (`Status`) – the behaviour status (`INVALID`, `RUNNING`, `FAILURE`, `SUCCESS`)
- `parent` (`Behaviour`) – a `Composite` instance if nested in a tree, otherwise `None`
- `children` (`[Behaviour]`) – empty for regular behaviours, populated for composites
- `logger` (`logging.Logger`) – a simple logging mechanism
- `feedback_message` (`str`) – a simple message used to notify of significant happenings

- **blackbox_level** (`BlackBoxLevel`) – a helper variable for dot graphs and runtime gui's to collapse/explode entire subtrees dependent upon the blackbox level.

See also:

- *Skeleton Behaviour Template*
- *The Lifecycle Demo*
- *The Action Behaviour Demo*

has_parent_with_instance_type (`instance_type`)

Moves up through this behaviour's parents looking for a behaviour with the same instance type as that specified.

Parameters `instance_type` (`str`) – instance type of the parent to match

Returns whether a parent was found or not

Return type `bool`

has_parent_with_name (`name`)

Searches through this behaviour's parents, and their parents, looking for a behaviour with the same name as that specified.

Parameters `name` (`str`) – name of the parent to match, can be a regular expression

Returns whether a parent was found or not

Return type `bool`

initialise()

Note: User Customisable Callback

Subclasses may override this method to perform any necessary initialising/clearing/resetting of variables when preparing to enter this behaviour if it was not previously `RUNNING`. i.e. Expect this to trigger more than once!

iterate (`direct_descendants=False`)

Generator that provides iteration over this behaviour and all its children. To traverse the entire tree:

```
for node in my_behaviour.iterate():
    print("Name: {}".format(node.name))
```

Parameters `direct_descendants` (`bool`) – only yield children one step away from this behaviour.

Yields `Behaviour` – one of it's children

setup (`**kwargs`)

Note: User Customisable Callback

Subclasses may override this method for any one-off delayed construction & validation that is necessary prior to ticking the tree. Such construction is best done here rather than in `__init__` so that trees can

be instantiated on the fly for easy rendering to dot graphs without imposing runtime requirements (e.g. establishing a middleware connection to a sensor or a driver to a serial port).

Equally as important, executing methods which validate the configuration of behaviours will increase confidence that your tree will successfully tick without logical software errors before actually ticking. This is useful both before a tree's first tick and immediately after any modifications to a tree has been made between ticks.

Tip: Faults are notified to the user of the behaviour via exceptions. Choice of exception to use is left to the user.

Warning: The `kwargs` argument is for distributing objects at runtime to behaviours before ticking. For example, a simulator instance with which behaviours can interact with the simulator's python api, a ros2 node for setting up communications. Use sparingly, as this is not proof against keyword conflicts amongst disparate libraries of behaviours.

Parameters `**kwargs` (`dict`) – distribute arguments to this behaviour and in turn, all of it's children

Raises `Exception` – if this behaviour has a fault in construction or configuration

setup_with_descendants()

Iterates over this child, it's children (it's children's children, ...) calling the user defined `setup()` on each in turn.

stop (`new_status=<Status.INVALID: 'INVALID'>`)

Parameters `new_status` (`Status`) – the behaviour is transitioning to this new status

This calls the user defined `terminate()` method and also resets the generator. It will finally set the new status once the user's `terminate()` function has been called.

Warning: Override this method only in exceptional circumstances, prefer overriding `terminate()` instead.

terminate (`new_status`)

Note: User Customisable Callback

Subclasses may override this method to clean up. It will be triggered when a behaviour either finishes execution (switching from `RUNNING` to `FAILURE` || `SUCCESS`) or it got interrupted by a higher priority branch (switching to `INVALID`). Remember that the `initialise()` method will handle resetting of variables before re-entry, so this method is about disabling resources until this behaviour's next tick. This could be a indeterminably long time. e.g.

- cancel an external action that got started
- shut down any temporary communication handles

Parameters `new_status` (`Status`) – the behaviour is transitioning to this new status

Warning: Do not set `self.status = new_status` here, that is automatically handled by the `stop()` method. Use the argument purely for introspection purposes (e.g. comparing the current state in `self.status` with the state it will transition to in `new_status`).

`tick()`

This function is a generator that can be used by an iterator on an entire behaviour tree. It handles the logic for deciding when to call the user's `initialise()` and `terminate()` methods as well as making the actual call to the user's `update()` method that determines the behaviour's new status once the tick has finished. Once done, it will then yield itself (generator mechanism) so that it can be used as part of an iterator for the entire tree.

```
for node in my_behaviour.tick():
    print("Do something")
```

Note: This is a generator function, you must use this with `yield`. If you need a direct call, prefer `tick_once()` instead.

Yields `Behaviour` – a reference to itself

Warning: Override this method only in exceptional circumstances, prefer overriding `update()` instead.

`tick_once()`

A direct means of calling `tick` on this object without using the generator mechanism.

`tip()`

Get the `tip` of this behaviour's subtree (if it has one) after it's last tick. This corresponds to the deepest node that was running before the subtree traversal reversed direction and headed back to this node.

Returns child behaviour, itself or `None` if its status is `INVALID`

Return type `Behaviour` or `None`

`update()`

Note: User Customisable Callback

Returns the behaviour's new status `Status`

Return type `Status`

Subclasses may override this method to perform any logic required to arrive at a decision on the behaviour's new status. It is the primary worker function called on by the `tick()` mechanism.

Tip: This method should be almost instantaneous and non-blocking

verbose_info_string()

Override to provide a one line informative string about the behaviour. This gets used in, e.g. dot graph rendering of the tree.

Tip: Use this sparingly. A good use case is for when the behaviour type and class name isn't sufficient to inform the user about it's mechanisms for controlling the flow of a tree tick (e.g. parallels with policies).

visit(visitor)

This is functionality that enables external introspection into the behaviour. It gets used by the tree manager classes to collect information as ticking traverses a tree.

Parameters `visitor` (`object`) – the visiting class, must have a `run(Behaviour)` method.

14.3 py_trees.behaviours

A library of fundamental behaviours for use.

```
class py_trees.behaviours.Count(name='Count', fail_until=3, running_until=5, success_until=6, reset=True)
Bases: py_trees.behaviour.Behaviour
```

A counting behaviour that updates its status at each tick depending on the value of the counter. The status will move through the states in order - `FAILURE`, `RUNNING`, `SUCCESS`.

This behaviour is useful for simple testing and demo scenarios.

Parameters

- `name` (`str`) – name of the behaviour
- `fail_until` (`int`) – set status to `FAILURE` until the counter reaches this value
- `running_until` (`int`) – set status to `RUNNING` until the counter reaches this value
- `success_until` (`int`) – set status to `SUCCESS` until the counter reaches this value
- `reset` (`bool`) – whenever invalidated (usually by a sequence reinitialising, or higher priority interrupting)

Variables `count` (`int`) – a simple counter which increments every tick

`terminate(new_status)`

Note: User Customisable Callback

Subclasses may override this method to clean up. It will be triggered when a behaviour either finishes execution (switching from `RUNNING` to `FAILURE` || `SUCCESS`) or it got interrupted by a higher priority branch (switching to `INVALID`). Remember that the `initialise()` method will handle resetting of variables before re-entry, so this method is about disabling resources until this behaviour's next tick. This could be a indeterminably long time. e.g.

- cancel an external action that got started
- shut down any temporary communication handles

Parameters `new_status` (`Status`) – the behaviour is transitioning to this new status

Warning: Do not set `self.status = new_status` here, that is automatically handled by the `stop()` method. Use the argument purely for introspection purposes (e.g. comparing the current state in `self.status` with the state it will transition to in `new_status`).

`update()`

Note: User Customisable Callback

Returns the behaviour's new status `Status`

Return type `Status`

Subclasses may override this method to perform any logic required to arrive at a decision on the behaviour's new status. It is the primary worker function called on by the `tick()` mechanism.

Tip: This method should be almost instantaneous and non-blocking

```
class py_trees.behaviours.Dummy(name='Dummy')  
Bases: py_trees.behaviour.Behaviour
```

```
class py_trees.behaviours.Failure(name='Failure')  
Bases: py_trees.behaviour.Behaviour
```

```
class py_trees.behaviours.Periodic(name, n)  
Bases: py_trees.behaviour.Behaviour
```

Simply periodically rotates it's status over the `RUNNING`, `SUCCESS`, `FAILURE` states. That is, `RUNNING` for N ticks, `SUCCESS` for N ticks, `FAILURE` for N ticks...

Parameters

- `name (str)` – name of the behaviour
- `n (int)` – period value (in ticks)

Note: It does not reset the count when initialising.

`update()`

Note: User Customisable Callback

Returns the behaviour's new status `Status`

Return type `Status`

Subclasses may override this method to perform any logic required to arrive at a decision on the behaviour's new status. It is the primary worker function called on by the `tick()` mechanism.

Tip: This method should be almost instantaneous and non-blocking

```
class py_trees.behaviours.Running(name='Running')
Bases: py_trees.behaviour.Behaviour
```

```
class py_trees.behaviours.Success(name='Success')
Bases: py_trees.behaviour.Behaviour
```

```
class py_trees.behaviours.SuccessEveryN(name, n)
Bases: py_trees.behaviour.Behaviour
```

This behaviour updates it's status with *SUCCESS* once every N ticks, *FAILURE* otherwise.

Parameters

- **name** (`str`) – name of the behaviour
- **n** (`int`) – trigger success on every n'th tick

Tip: Use with decorators to change the status value as desired, e.g. `py_trees.decorators.FailureIsRunning()`

update()

Note: User Customisable Callback

Returns the behaviour's new status `Status`


Return type `Status`

Subclasses may override this method to perform any logic required to arrive at a decision on the behaviour's new status. It is the primary worker function called on by the `tick()` mechanism.

Tip: This method should be almost instantaneous and non-blocking

14.4 py_trees.blackboard

Blackboards are not a necessary component, but are a fairly standard feature in most behaviour tree implementations. See, for example, the [design notes](#) for blackboards in Unreal Engine.



Implementations however, tend to vary quite a bit depending on the needs of the framework using them. Some of the usual considerations include scope and sharing of blackboards across multiple tree instances.

For this package, we've decided to keep blackboards extremely simple to fit with the same ‘rapid development for small scale systems’ principles that this library is designed for.

- No sharing between tree instances
- No locking for reading/writing
- Global scope, i.e. any behaviour can access any variable
- No external communications (e.g. to a database)

```
class py_trees.blackboard.Blackboard
    Bases: object
```

Borg style key-value store for sharing amongst behaviours.

Examples

You can instantiate the blackboard from anywhere in your program. Even disconnected calls will get access to the same data store. For example:

```
def check_foo():
    blackboard = Blackboard()
    assert(blackboard.foo, "bar")

if __name__ == '__main__':
    blackboard = Blackboard()
    blackboard.foo = "bar"
    check_foo()
```

If the key value you are interested in is only known at runtime, then you can set/get from the blackboard without the convenient variable style access:

```
blackboard = Blackboard()
result = blackboard.set("foo", "bar")
foo = blackboard.get("foo")
```

The blackboard can also be converted and printed (with highlighting) as a string. This is useful for logging and debugging.

```
print(Blackboard())
```

Warning: Be careful of key collisions. This implementation leaves this management up to the user.

See also:

The [py-trees-demo-blackboard](#) program demos use of the blackboard along with a couple of the blackboard behaviours.

`static clear()`

Erase the blackboard contents. Typically this is used only when you have repeated runs of different tree instances, as often happens in testing.

`get(name)`

For when you only have strings to identify and access the blackboard variables, this provides a convenient accessor.

Parameters `name (str)` – name of the variable to set

`set(name, value, overwrite=True)`

For when you only have strings to identify and access the blackboard variables, this provides a convenient setter.

Parameters

- `name (str)` – name of the variable to set
- `value (any)` – any variable type
- `overwrite (bool)` – whether to abort if the value is already present

Returns always True unless overwrite was set to False and a variable already exists

Return type `bool`

`unset(name)`

For when you need to unset a blackboard variable, this provides a convenient helper method. This is particularly useful for unit testing behaviours.

Parameters `name (str)` – name of the variable to unset

```
class py_trees.blackboard.CheckBlackboardVariable(name, variable_name='dummy',
                                                 expected_value=None,
                                                 comparison_operator=<built-
                                                 in function eq>, clear-
                                                 ing_policy=<ClearingPolicy.ON_INITIALISE:
                                                 I>, de-
                                                 bug_feedback_message=False)
```

Bases: [py_trees.behaviour.Behaviour](#)

Check the blackboard to see if it has a specific variable and optionally whether that variable has an expected value. It is a binary behaviour, always updating its status with either `SUCCESS` or `FAILURE` at each tick.

`initialise()`

Clears the internally stored message ready for a new run if `old_data_is_valid` wasn't set.

`terminate(new_status)`

Always discard the matching result if it was invalidated by a parent or higher priority interrupt.

`update()`

Check for existence, or the appropriate match on the expected value.

Returns `FAILURE` if not matched, `SUCCESS` otherwise.

Return type `Status`

```
class py_trees.blackboard.ClearBlackboardVariable(name='Clear Blackboard Variable',
                                                 variable_name='dummy')
```

Bases: `py_trees.meta.Success`

Clear the specified value from the blackboard.

Parameters

- `name` (`str`) – name of the behaviour
- `variable_name` (`str`) – name of the variable to clear

`initialise()`

Delete the variable from the blackboard.

```
class py_trees.blackboard.SetBlackboardVariable(name='Set Blackboard Variable',
                                                variable_name='dummy',
                                                variable_value=None)
```

Bases: `py_trees.meta.Success`

Set the specified variable on the blackboard. Usually we set variables from inside other behaviours, but can be convenient to set them from a behaviour of their own sometimes so you don't get blackboard logic mixed up with more atomic behaviours.

Parameters

- `name` (`str`) – name of the behaviour
- `variable_name` (`str`) – name of the variable to set
- `variable_value` (`any`) – value of the variable to set

Todo: overwrite option, leading to possible failure/success logic.

`initialise()`

Note: User Customisable Callback

Subclasses may override this method to perform any necessary initialising/clearing/resetting of variables when preparing to enter this behaviour if it was not previously `RUNNING`. i.e. Expect this to trigger more than once!

```
class py_trees.blackboard.WaitForBlackboardVariable(name, variable_name='dummy',
                                                    expected_value=None,
                                                    comparison_operator=<built-in function eq>, clear-
                                                    ing_policy=<ClearingPolicy.ON_INITIALISE:>)
```

Bases: `py_trees.behaviour.Behaviour`

Check the blackboard to see if it has a specific variable and optionally whether that variable has a specific value. Unlike `CheckBlackboardVariable` this class will be in a `RUNNING` state until the variable appears and (optionally) is matched.

Parameters

- **name** (`str`) – name of the behaviour
- **variable_name** (`str`) – name of the variable to check
- **expected_value** (`any`) – expected value to find (if `None`, check for existence only)
- **comparison_operator** (`func`) – one from the python `operator` module
- **clearing_policy** (`any`) – when to clear the match result, see *ClearingPolicy*

Tip: There are times when you want to get the expected match once and then save that result thereafter. For example, to flag once a system has reached a subgoal. Use the `NEVER` flag to do this.

See also:

CheckBlackboardVariable

initialise()

Clears the internally stored message ready for a new run if `old_data_is_valid` wasn't set.

terminate(new_status)

Always discard the matching result if it was invalidated by a parent or higher priority interrupt.

update()

Check for existence, or the appropriate match on the expected value.

Returns `FAILURE` if not matched, `SUCCESS` otherwise.

Return type `Status`

14.5 py_trees.common

Common definitions, methods and variables used by the py_trees library.

class `py_trees.common.BlackBoxLevel`

Bases: `enum.IntEnum`

Whether a behaviour is a blackbox entity that may be considered collapsible (i.e. everything in its subtree will not be visualised) by visualisation tools.

Blackbox levels are increasingly persistent in visualisations.

Visualisations by default, should always collapse blackboxes that represent *DETAIL*.

BIG_PICTURE = 3

A blackbox that represents a big picture part of the entire tree view.

COMPONENT = 2

A blackbox that encapsulates a subgroup of functionalities as a single group.

DETAIL = 1

A blackbox that encapsulates detailed activity.

NOT_A_BLACKBOX = 4

Not a blackbox, do not ever collapse.

class `py_trees.common.ClearingPolicy`

Bases: `enum.IntEnum`

Policy rules for behaviours to dictate when data should be cleared/reset.

```
NEVER = 3
Never clear the data

ON_INITIALISE = 1
Clear when entering the initialise() method.

ON_SUCCESS = 2
Clear when returning SUCCESS.

class py_trees.common.Duration
Bases: enum.Enum

Naming conventions.

INFINITE = inf
INFINITE oft used for perpetually blocking operations.

UNTIL_THE_BATTLE_OF_ALFREDO = inf
UNTIL_THE_BATTLE_OF_ALFREDO is an alias for INFINITE.

class py_trees.common.Name
Bases: enum.Enum

Naming conventions.

AUTO_GENERATED = 'AUTO_GENERATED'
AUTO_GENERATED leaves it to the behaviour to generate a useful, informative name.

class py_trees.common.ParallelPolicy
Configurable policies for Parallel behaviours.

class SuccessOnAll(synchronise=True)
Return SUCCESS only when each and every child returns SUCCESS.

class SuccessOnOne
Return SUCCESS so long as at least one child has SUCCESS and the remainder are RUNNING

class SuccessOnSelected(children, synchronise=True)
Retrun SUCCESS so long as each child in a specified list returns SUCCESS.

class py_trees.common.Status
Bases: enum.Enum

An enumerator representing the status of a behaviour

FAILURE = 'FAILURE'
Behaviour check has failed, or execution of its action finished with a failed result.

INVALID = 'INVALID'
Behaviour is uninitialised and inactive, i.e. this is the status before first entry, and after a higher priority
switch has occurred.

RUNNING = 'RUNNING'
Behaviour is in the middle of executing some action, result still pending.

SUCCESS = 'SUCCESS'
Behaviour check has passed, or execution of its action has finished with a successful result.

class py_trees.common.VisibilityLevel
Bases: enum.IntEnum

Closely associated with the BlackBoxLevel for a behaviour. This sets the visibility level to be used for
visualisations.

Visibility levels correspond to reducing levels of visibility in a visualisation.
```

ALL = 0

Do not collapse any behaviour.


BIG_PICTURE = 3Collapse any blackbox that isn't marked with *BIG_PICTURE*.**COMPONENT = 2**Collapse blackboxes marked with *COMPONENT* or lower.**DETAIL = 1**Collapse blackboxes marked with *DETAIL* or lower.`common.string_to_visibility_level()`

Will convert a string to a visibility level. Note that it will quietly return ALL if the string is not matched to any visibility level string identifier.

Parameters `level (str)` – visibility level as a string**Returns** visibility level enum**Return type** `VisibilityLevel`

14.6 py_trees.composites

Composites are the **factories** and **decision makers** of a behaviour tree. They are responsible for shaping the branches.



Tip: You should never need to subclass or create new composites.

Most patterns can be achieved with a combination of the above. Adding to this set exponentially increases the complexity and subsequently making it more difficult to design, introspect, visualise and debug the trees. Always try to find the combination you need to achieve your result before contemplating adding to this set. Actually, scratch that... just don't contemplate it!


Composite behaviours typically manage children and apply some logic to the way they execute and return a result, but generally don't do anything themselves. Perform the checks or actions you need to do in the non-composite behaviours.

- *Sequence*: execute children sequentially
- *Selector*: select a path through the tree, interruptible by higher priorities
- *Chooser*: like a selector, but commits to a path once started until it finishes
- *Parallel*: manage children concurrently

```
class py_trees.composites.Chooser(name='Chooser', children=None)
```

Bases: *py_trees.composites.Selector*

Choosers are Selectors with Commitment



A variant of the selector class. Once a child is selected, it cannot be interrupted by higher priority siblings. As soon as the chosen child itself has finished it frees the chooser for an alternative selection. i.e. priorities only come into effect if the chooser wasn't running in the previous tick.

Note: This is the only composite in py_trees that is not a core composite in most behaviour tree implementations. Nonetheless, this is useful in fields like robotics, where you have to ensure that your manipulator doesn't drop its payload mid-motion as soon as a higher interrupt arrives. Use this composite sparingly and only if you can't find another way to easily create an elegant tree composition for your task.

Parameters

- **name** (*str*) – the composite behaviour name
- **children** (*[Behaviour]*) – list of children to add

__init__ (*name='Chooser'*, *children=None*)

Initialize self. See `help(type(self))` for accurate signature.

tick()

Run the tick behaviour for this chooser. Note that the status of the tick is (for now) always determined by its children, not by the user customised update function.

Yields *Behaviour* – a reference to itself or one of its children

```
class py_trees.composites.Composite(name: str = <Name.AUTO_GENERATED:
                                         'AUTO_GENERATED'>, children:
```

List[py_trees.behaviour.Behaviour] = None)

Bases: *py_trees.behaviour.Behaviour*

The parent class to all composite behaviours, i.e. those that have children.

Parameters

- **name** (*str*) – the composite behaviour name
- **children** (*[Behaviour]*) – list of children to add

__init__(name: str = <Name.AUTO_GENERATED: 'AUTO_GENERATED'>, children: List[py_trees.behaviour.Behaviour] = None)
Initialize self. See help(type(self)) for accurate signature.

add_child(child)

Adds a child.

Parameters `child` (*Behaviour*) – child to add

Raises `TypeError` – if the provided child is not an instance of *Behaviour*

Returns unique id of the child

Return type `uuid.UUID`

add_children(children)

Append a list of children to the current list.

Parameters `children` ([*Behaviour*]) – list of children to add

insert_child(child, index)

Insert child at the specified index. This simply directly calls the python list's `insert` method using the child and index arguments.

Parameters

- `child` (*Behaviour*) – child to insert
- `index` (`int`) – index to insert it at

Returns unique id of the child

Return type `uuid.UUID`

prepend_child(child)

Prepend the child before all other children.

Parameters `child` (*Behaviour*) – child to insert

Returns unique id of the child

Return type `uuid.UUID`

remove_all_children()

Remove all children. Makes sure to stop each child if necessary.

remove_child(child)

Remove the child behaviour from this composite.

Parameters `child` (*Behaviour*) – child to delete

Returns index of the child that was removed

Return type `int`

Todo: Error handling for when child is not in this list

remove_child_by_id(child_id)

Remove the child with the specified id.

Parameters `child_id` (`uuid.UUID`) – unique id of the child

Raises `IndexError` – if the child was not found

replace_child(child, replacement)

Replace the child behaviour with another.

Parameters

- **child** (*Behaviour*) – child to delete
- **replacement** (*Behaviour*) – child to insert

stop (*new_status=<Status.INVALID: 'INVALID'>*)

There is generally two use cases that must be supported here.

1) Whenever the composite has gone to a recognised state (i.e. *FAILURE* or *SUCCESS*), or 2) when a higher level parent calls on it to truly stop (*INVALID*).

In only the latter case will children need to be forcibly stopped as well. In the first case, they will have stopped themselves appropriately already.

Parameters **new_status** (*Status*) – behaviour will transition to this new status

tip()


Recursive function to extract the last running node of the tree.

Returns `class::~py_trees.behaviour.Behaviour`: the tip function of the current child of this composite or None

```
class py_trees.composites.Parallel(name: str = <Name.AUTO_GENERATED: 'AUTO_GENERATED'>, policy: py_trees.common.ParallelPolicy.Base = <py_trees.common.ParallelPolicy.SuccessOnAll object>, children: List[py_trees.behaviour.Behaviour] = None)
```

Bases: `py_trees.composites.Composite`

Parallels enable a kind of concurrency



Ticks every child every time the parallel is run (a poor man's form of parallelism).

- Parallels will return *FAILURE* if any child returns *FAILURE*
- Parallels with policy *SuccessOnAll* only returns *SUCCESS* if **all** children return *SUCCESS*
- Parallels with policy *SuccessOnOne* return *SUCCESS* if **at least one** child returns *SUCCESS* and others are *RUNNING*

- Parallels with policy `SuccessOnSelected` only returns `SUCCESS` if a **specified subset** of children return `SUCCESS`

Parallels with policy `SuccessOnSelected` will validate themselves just-in-time in the `setup()` and `tick()` methods to check if the policy's selected set of children is a subset of the children of this parallel. Doing this just-in-time is due to the fact that the parallel's children may change after construction and even dynamically between ticks.

See also:

- [Context Switching Demo](#)

```
__init__(name: str = <Name.AUTO_GENERATED: 'AUTO_GENERATED'>, policy: py_trees.common.ParallelPolicy.Base = <py_trees.common.ParallelPolicy.SuccessOnAll object>, children: List[py_trees.behaviour.Behaviour] = None)
```

Parameters

- **name** (`str`) – the composite behaviour name
- **policy** (`ParallelPolicy`) – policy to use for deciding success or otherwise
- **children** (`[Behaviour]`) – list of children to add

current_child

In some cases it's clear what the current child is, in others, there is an ambiguity as multiple could exist. If the latter is true, it will return the child relevant farthest down the list.

Returns the child that is currently running, or None

Return type `Behaviour`

setup(**kwargs)

Detect before ticking whether the policy configuration is invalid.

Parameters `**kwargs (dict)` – distribute arguments to this behaviour and in turn, all of its children

Raises

- `RuntimeError` – if the parallel's policy configuration is invalid
- `Exception` – be ready to catch if any of the children raise an exception

tick()

Tick over the children.

Yields `Behaviour` – a reference to itself or one of its children

Raises `RuntimeError` – if the policy configuration was invalid

validate_policy_configuration()

Policy configuration can be invalid if:

- Policy is SuccessOnSelected and no behaviours have been specified
- Policy is SuccessOnSelected and behaviours that are not children exist

Raises `RuntimeError` – if policy configuration was invalid

verbose_info_string() → str


Provide additional information about the underlying policy.

Returns name of the policy along with its configuration

Return type `str`

```
class py_trees.composites.Selector(name='Selector', children=None)
Bases: py_trees.composites.Composite
```

Selectors are the Decision Makers



A selector executes each of its child behaviours in turn until one of them succeeds (at which point it itself returns `RUNNING` or `SUCCESS`, or it runs out of children at which point it itself returns `FAILURE`). We usually refer to selecting children as a means of *choosing between priorities*. Each child and its subtree represent a decreasingly lower priority path.

Note: Switching from a low -> high priority branch causes a `stop(INVALID)` signal to be sent to the previously executing low priority branch. This signal will percolate down that child's own subtree. Behaviours should make sure that they catch this and `destruct` appropriately.

Make sure you do your appropriate cleanup in the `terminate()` methods! e.g. cancelling a running goal, or restoring a context.

See also:

The `py-trees-demo-selector` program demos higher priority switching under a selector.

Parameters

- `name` (`str`) – the composite behaviour name
- `children` ([`Behaviour`]) – list of children to add

`__init__(name='Selector', children=None)`

Initialize self. See `help(type(self))` for accurate signature.

`__repr__()`

Simple string representation of the object.

Returns string representation

Return type `str`

`stop(new_status=<Status.INVALID: 'INVALID'>)`

Stopping a selector requires setting the current child to none. Note that it is important to implement this

here instead of terminate, so users are free to subclass this easily with their own terminate and not have to remember that they need to call this function manually.

Parameters `new_status` (`Status`) – the composite is transitioning to this new status

`tick()`


Run the tick behaviour for this selector. Note that the status of the tick is always determined by its children, not by the user customised update function.

Yields `Behaviour` – a reference to itself or one of its children

class `py_trees.composites.Sequence` (`name='Sequence'`, `children=None`)

Bases: `py_trees.composites.Composite`

Sequences are the factory lines of Behaviour Trees



A sequence will progressively tick over each of its children so long as each child returns `SUCCESS`. If any child returns `FAILURE` or `RUNNING` the sequence will halt and the parent will adopt the result of this child. If it reaches the last child, it returns with that result regardless.

Note: The sequence halts once it sees a child is `RUNNING` and then returns the result. *It does not get stuck in the running behaviour.*

See also:

The `py-trees-demo-sequence` program demos a simple sequence in action.

Parameters

- `name` (`str`) – the composite behaviour name
- `children` (`[Behaviour]`) – list of children to add

`__init__` (`name='Sequence'`, `children=None`)

Initialize self. See `help(type(self))` for accurate signature.

`current_child`

Have to check if there's anything actually running first.

Returns the child that is currently running, or None

Return type `Behaviour`

stop(*new_status=<Status.INVALID: 'INVALID'>*)

Stopping a sequence requires taking care of the current index. Note that is important to implement this here instead of terminate, so users are free to subclass this easily with their own terminate and not have to remember that they need to call this function manually.

Parameters **new_status** (*Status*) – the composite is transitioning to this new status

tick()

Tick over the children.

Yields *Behaviour* – a reference to itself or one of its children

14.7 py_trees.console

Simple colour definitions and syntax highlighting for the console.

Colour Definitions

The current list of colour definitions include:

- Regular: black, red, green, yellow, blue, magenta, cyan, white,
- Bold: bold, bold_black, bold_red, bold_green, bold_yellow, bold_blue, bold_magenta, bold_cyan, bold_white

These colour definitions can be used in the following way:

```
import py_trees.console as console
print(console.cyan + "    Name" + console.reset + ": " + console.yellow + "Dude" +_
      console.reset)
```

py_trees.console.colours = ['', '', '', '', '', '', '', '', '', '', '', '', '', '', '', '', ''

List of all available colours.

py_trees.console.console_has_colours()

Detects if the console (stdout) has colourising capability.

py_trees.console.define_symbol_or_fallback(*original: str, fallback: str, encoding: str = 'UTF-8'*)

Return the correct encoding according to the specified encoding. Used to make sure we get an appropriate symbol, even if the shell is merely ascii as is often the case on, e.g. Jenkins CI.

Parameters

- **original** (*str*) – the unicode string (usually just a character)
- **fallback** (*str*) – the fallback ascii string
- **encoding** (*str*, optional) – the encoding to check against.

Returns either original or fallback depending on whether exceptions were thrown.

Return type *str*

py_trees.console.has_colours = **False**

Whether the loading program has access to colours or not.

py_trees.console.has_unicode(*encoding: str = 'UTF-8'*) → bool

Define whether the specified encoding has unicode symbols. Usually used to check if the stdout is capable or otherwise (e.g. Jenkins CI can often be configured with unicode disabled).

Parameters **encoding** (*str*, optional) – the encoding to check against.

Returns true if capable, false otherwise

Return type `bool`

`py_trees.console.logdebug(message)`

Prefixes [DEBUG] and colours the message green.

Parameters `message (str)` – message to log.

`py_trees.console.logerror(message)`

Prefixes [ERROR] and colours the message red.

Parameters `message (str)` – message to log.

`py_trees.console.logfatal(message)`

Prefixes [FATAL] and colours the message bold red.

Parameters `message (str)` – message to log.

`py_trees.console.loginfo(message)`

Prefixes [INFO] to the message.

Parameters `message (str)` – message to log.

`py_trees.console.logwarn(message)`

Prefixes [WARN] and colours the message yellow.

Parameters `message (str)` – message to log.

`py_trees.console.read_single_keypress()`

Waits for a single keypress on stdin.

This is a silly function to call if you need to do it a lot because it has to store stdin's current setup, setup stdin for reading single keystrokes then read the single keystroke then revert stdin back after reading the keystroke.

Returns the character of the key that was pressed

Return type `int`


Raises `KeyboardInterrupt` – if CTRL-C was pressed (keycode 0x03)

14.8 py_trees.decorators

Decorators are behaviours that manage a single child and provide common modifications to their underlying child behaviour (e.g. inverting the result). That is, they provide a means for behaviours to wear different ‘hats’ and this combinatorially expands the capabilities of your behaviour library.



An example:



```
1 #!/usr/bin/env python
2
3 import py_trees.decorators
4 import py_trees.display
5
6 if __name__ == '__main__':
7
8     root = py_trees.composites.Sequence(name="Life")
9     timeout = py_trees.decorators.Timeout(
10         name="Timeout",
11         child=py_trees.behaviours.Success(name="Have a Beer!"))
12     )
13     failure_is_success = py_trees.decorators.Inverter(
14         name="Inverter",
15         child=py_trees.behaviours.Success(name="Busy?"))
16     )
17     root.add_children([failure_is_success, timeout])
18     py_trees.display.render_dot_tree(root)
```

Decorators (Hats)

Decorators with very specific functionality:

- `py_trees.decorators.Condition`
- `py_trees.decorators.Inverter`
- `py_trees.decorators.OneShot`
- `py_trees.decorators.Timeout`

And the X is Y family:

- `py_trees.decorators.FailureIsRunning`
- `py_trees.decorators.FailureIsSuccess`

- `py_trees.decorators.RunningIsFailure`
- `py_trees.decorators.RunningIsSuccess`
- `py_trees.decorators.SuccessIsFailure`
- `py_trees.decorators.SuccessIsRunning`

Decorators for Blocking Behaviours

It is worth making a note of the effect of decorators on behaviours that return `RUNNING` for some time before finally returning `SUCCESS` or `FAILURE` (blocking behaviours) since the results are often at first, surprising.

A decorator, such as `py_trees.decorators.RunningIsSuccess()` on a blocking behaviour will immediately terminate the underlying child and re-initialise on it's next tick. This is necessary to ensure the underlying child isn't left in a dangling state (i.e. `RUNNING`), but is often not what is being sought.

The typical use case being attempted is to convert the blocking behaviour into a non-blocking behaviour. If the underlying child has no state being modified in either the `initialise()` or `terminate()` methods (e.g. machinery is entirely launched at init or setup time), then conversion to a non-blocking representative of the original succeeds. Otherwise, another approach is needed. Usually this entails writing a non-blocking counterpart, or combination of behaviours to affect the non-blocking characteristics.

```
class py_trees.decorators.Condition(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>, status=<Status.SUCCESS: 'SUCCESS'>)
Bases: py_trees.decorators.Decorator
```

Encapsulates a behaviour and wait for it's status to flip to the desired state. This behaviour will tick with `RUNNING` while waiting and `SUCCESS` when the flip occurs.

```
__init__(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>, status=<Status.SUCCESS: 'SUCCESS'>)
Initialise with child and optional name, status variables.
```

Parameters

- `child` (`Behaviour`) – the child to be decorated
- `name` (`str`) – the decorator name (can be None)
- `status` (`Status`) – the desired status to watch for

```
update()
SUCCESS if the decorated child has returned the specified status, otherwise RUNNING. This decorator will never return FAILURE
```

Returns the behaviour's new status `Status`

Return type `Status`

```
class py_trees.decorators.Decorator(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>)
Bases: py_trees.behaviour.Behaviour
```

A decorator is responsible for handling the lifecycle of a single child beneath

```
__init__(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>)
Common initialisation steps for a decorator - type checks and name construction (if None is given).
```

Parameters

- `name` (`str`) – the decorator name
- `child` (`Behaviour`) – the child to be decorated

Raises `TypeError` – if the child is not an instance of `Behaviour`

stop (*new_status*)

As with other composites, it checks if the child is running and stops it if that is the case.

Parameters **new_status** (*Status*) – the behaviour is transitioning to this new status

tick()

A decorator's tick is exactly the same as a normal proceedings for a Behaviour's tick except that it also ticks the decorated child node.

Yields *Behaviour* – a reference to itself or one of its children

tip()

Get the *tip* of this behaviour's subtree (if it has one) after it's last tick. This corresponds to the deepest node that was running before the subtree traversal reversed direction and headed back to this node.

Returns child behaviour, itself or *None* if its status is *INVALID*

Return type *Behaviour* or *None*

class py_trees.decorators.**FailureIsRunning** (*child*, *name*=<*Name.AUTO_GENERATED*: '*AUTO_GENERATED*'>)

Bases: *py_trees.decorators.Decorator*

Dont stop running.

update()

Return the decorated child's status unless it is *FAILURE* in which case, return *RUNNING*.

Returns the behaviour's new status *Status*

Return type *Status*

class py_trees.decorators.**FailureIsSuccess** (*child*, *name*=<*Name.AUTO_GENERATED*: '*AUTO_GENERATED*'>)

Bases: *py_trees.decorators.Decorator*

Be positive, always succeed.

update()

Return the decorated child's status unless it is *FAILURE* in which case, return *SUCCESS*.

Returns the behaviour's new status *Status*

Return type *Status*

class py_trees.decorators.**Inverter** (*child*, *name*=<*Name.AUTO_GENERATED*: '*AUTO_GENERATED*'>)

Bases: *py_trees.decorators.Decorator*

A decorator that inverts the result of a class's update function.

__init__ (*child*, *name*=<*Name.AUTO_GENERATED*: '*AUTO_GENERATED*'>)

Init with the decorated child.

Parameters

- **child** (*Behaviour*) – behaviour to time
- **name** (*str*) – the decorator name

update()

Flip *FAILURE* and *SUCCESS*

Returns the behaviour's new status *Status*

Return type *Status*

```
class py_trees.decorators.OneShot (child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>, pol-  
icy=<OneShotPolicy.ON_SUCCESSFUL_COMPLETION: [<Status.SUCCESS: 'SUCCESS'>]>)
```

Bases: *py_trees.decorators.Decorator*

A decorator that implements the oneshot pattern.

This decorator ensures that the underlying child is ticked through to completion just once and while doing so, will return with the same status as it's child. Thereafter it will return with the final status of the underlying child.

Completion status is determined by the policy given on construction.

- With policy ON_SUCCESSFUL_COMPLETION, the oneshot will activate only when the underlying child returns *SUCCESS* (i.e. it permits retries).
- With policy ON_COMPLETION, the oneshot will activate when the child returns *SUCCESS* || *FAILURE*.

See also:

py_trees.idioms.oneshot()

```
__init__(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>, pol-  
icy=<OneShotPolicy.ON_SUCCESSFUL_COMPLETION: [<Status.SUCCESS: 'SU-  
CESS'>]>)
```

Init with the decorated child.

Parameters

- **name** (*str*) – the decorator name
- **child** (*Behaviour*) – behaviour to time
- **policy** (*OneShotPolicy*) – policy determining when the oneshot should activate

terminate (*new_status*)

If returning *SUCCESS* for the first time, flag it so future ticks will block entry to the child.

tick()

Select between decorator (single child) and behaviour (no children) style ticks depending on whether or not the underlying child has been ticked successfully to completion previously.

update()

Bounce if the child has already successfully completed.

```
class py_trees.decorators.RunningIsFailure (child, name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>)
```

Bases: *py_trees.decorators.Decorator*

Got to be snappy! We want results... yesterday!

update()

Return the decorated child's status unless it is *RUNNING* in which case, return *FAILURE*.

Returns the behaviour's new status *Status*

Return type *Status*

```
class py_trees.decorators.RunningIsSuccess (child, name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>)
```

Bases: *py_trees.decorators.Decorator*

Don't hang around...

update()

Return the decorated child's status unless it is *RUNNING* in which case, return *SUCCESS*.

Returns the behaviour's new status *Status*

Return type *Status*

```
class py_trees.decorators.SuccessIsFailure(child, name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>)
```

Bases: *py_trees.decorators.Decorator*

Be depressed, always fail.

update()

Return the decorated child's status unless it is *SUCCESS* in which case, return *FAILURE*.

Returns the behaviour's new status *Status*

Return type *Status*

```
class py_trees.decorators.SuccessIsRunning(child, name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>)
```

Bases: *py_trees.decorators.Decorator*

It never ends...

update()

Return the decorated child's status unless it is *SUCCESS* in which case, return *RUNNING*.

Returns the behaviour's new status *Status*

Return type *Status*

```
class py_trees.decorators.Timeout(child, name=<Name.AUTO_GENERATED:  
'AUTO_GENERATED'>, duration=5.0)
```

Bases: *py_trees.decorators.Decorator*

A decorator that applies a timeout pattern to an existing behaviour. If the timeout is reached, the encapsulated behaviour's *stop()* method is called with status *FAILURE* otherwise it will simply directly tick and return with the same status as that of its encapsulated behaviour.

__init__(child, name=<Name.AUTO_GENERATED: 'AUTO_GENERATED'>, duration=5.0)

Init with the decorated child and a timeout duration.

Parameters

- **child** (*Behaviour*) – behaviour to time
- **name** (*str*) – the decorator name
- **duration** (*float*) – timeout length in seconds

initialise()

Reset the feedback message and finish time on behaviour entry.

update()

Terminate the child and return *FAILURE* if the timeout is exceeded.

14.9 py_trees.display

Behaviour trees are significantly easier to design, monitor and debug with visualisations. Py Trees does provide minimal assistance to render trees to various simple output formats. Currently this includes dot graphs, strings or stdout.

Warning: There is both disrespect for ascii and lack of recognition for unicode in this file as the intention to make ascii art a first class citizen in py_trees became tainted by the desire to make use of the very fine looking unicode symbols underneath. If such behaviour offends, please wear your peril-sensitive sunglasses when parsing or using this module.

```
py_trees.display.ascii_tree(root, show_status=False, visited={}, previously_visited={}, indent=0)
Graffiti your console with with ascii trees.
```

Parameters

- **root** (*Behaviour*) – the root of the tree, or subtree you want to show
- **indent** (*int*) – the number of characters to indent the tree
- **show_status** (*bool*) – always show status and feedback message (i.e. for every element, not just those visited)
- **visited** (*dict*) – dictionary of (uuid.UUID) and status (*Status*) pairs for behaviours visited on the current tick
- **previously_visited** (*dict*) – dictionary of behaviour id/status pairs from the previous tree tick

Returns an ascii tree (i.e. in string form)

Return type *str*

Examples

Use the *SnapshotVisitor* and *BehaviourTree* to generate snapshot information at each tick and feed that to a post tick handler that will print the traversed ascii tree complete with status and feedback messages.

```
Sequence [*]
--> Action 1 [*] -- running
--> Action 2 [-]
--> Action 3 [-]
```

```
def post_tick_handler(snapshot_visitor, behaviour_tree):
    print(
        py_trees.display.ascii_tree(
            behaviour_tree.root,
            visited=snapshot_visitor.visited,
            previously_visited=snapshot_visitor.visited
        )
    )

    root = py_trees.composites.Sequence("Sequence")
    for action in ["Action 1", "Action 2", "Action 3"]:
        b = py_trees.behaviours.Count(
            name=action,
            fail_until=0,
            running_until=1,
            success_until=10)
        root.add_child(b)
    behaviour_tree = py_trees.trees.BehaviourTree(root)
    snapshot_visitor = py_trees.visitors.SnapshotVisitor()
```

(continues on next page)

(continued from previous page)

```
behaviour_tree.add_post_tick_handler(  
    functools.partial(post_tick_handler,  
                      snapshot_visitor))  
behaviour_tree.visitors.append(snapshot_visitor)
```

```
py_trees.display.dot_graph(root: py_trees.behaviour.Behaviour, visibility_level:  
                           py_trees.common.VisibilityLevel = <VisibilityLevel.DETAIL: 1>,  
                           collapse_decorators: bool = False, with_qualified_names: bool =  
                           False)
```

Generate the pydot graph - this is usually the first step in rendering the tree to file. See also `render_dot_tree()`.

Parameters

- **root** (`Behaviour`) – the root of a tree, or subtree
- ((`visibility_level`) – class ‘~`py_trees.common.VisibilityLevel`’): collapse subtrees at or under this level
- **collapse_decorators** (`bool`, optional) – only show the decorator (not the child), defaults to False
- **with_qualified_names** – (`bool`, optional): print the class information for each behaviour in each node, defaults to False

Returns graph

Return type `pydot.Dot`

Examples

```
# convert the pydot graph to a string object  
print("{}".format(py_trees.display.dot_graph(root).to_string()))
```

```
py_trees.display.render_dot_tree(root: py_trees.behaviour.Behaviour, visibility_level:  
                                 py_trees.common.VisibilityLevel = <VisibilityLevel.DETAIL: 1>, collapse_decorators: bool =  
                                 False, name: str = None, target_directory: str =  
                                 '/home/docs/checkouts/readthedocs.org/user_builds/py-  
                                 trees/checkouts/release-1.1.x/doc', with_qualified_names: bool = False)
```


Render the dot tree to .dot, .svg, .png. files in the current working directory. These will be named with the root behaviour name.

Parameters

- **root** (`Behaviour`) – the root of a tree, or subtree
- ((`visibility_level`) – class ‘~`py_trees.common.VisibilityLevel`’): collapse subtrees at or under this level
- **collapse_decorators** (`bool`) – only show the decorator (not the child)
- **name** (`str`) – name to use for the created files (defaults to the root behaviour name)
- **target_directory** (`str`) – default is to use the current working directory, set this to redirect elsewhere
- **with_qualified_names** (`bool`) – print the class names of each behaviour in the dot node

Example

Render a simple tree to dot/svg/png file:



```

root = py_trees.composites.Sequence("Sequence")
for job in ["Action 1", "Action 2", "Action 3"]:
    success_after_two = py_trees.behaviours.Count(name=job,
                                                   fail_until=0,
                                                   running_until=1,
                                                   success_until=10)
    root.add_child(success_after_two)
py_trees.display.render_dot_tree(root)
  
```

Tip: A good practice is to provide a command line argument for optional rendering of a program so users can quickly visualise what tree the program will execute.


14.10 py_trees.idioms

A library of subtree creators that build complex patterns of behaviours representing common behaviour tree idioms.

```

py_trees.idioms.oneshot(name='OneShot'           Idiom',           variable_name='oneshot',
                        behaviour=<py_trees.meta.Dummy          object>,           pol-
                        icy=<OneShotPolicy.ON_SUCCESSFUL_COMPLETION:           /<Sta-
                        tus.SUCCESS: 'SUCCESS'>/>)
  
```

Ensure that a particular pattern is executed through to completion just once. Thereafter it will just rebound with success.



Note: Completion on `FAILURE` or on `SUCCESS` only (permits retries if it fails) is determined by the policy.

Parameters

- `name` (`str`) – the name to use for the oneshot root (selector)
- `variable_name` (`str`) – name for the flag used on the blackboard (ensure it is unique)
- `behaviour` (`Behaviour`) – single behaviour or composited subtree to oneshot
- `policy` (`OneShotPolicy`) – policy determining when the oneshot should activate

Returns the root of the oneshot subtree


Return type `Behaviour`

See also:

`py_trees.decorators.OneShot`

```
py_trees.idioms.pick_up_where_you_left_off(name='Pickup Where You Left Off Idiom',
                                             tasks=[<py_trees.meta.Dummy object>,
                                                    <py_trees.meta.Dummy object>])
```

Rudely interrupted while enjoying a sandwich, a caveman (just because they wore loincloths does not mean they were not civilised), picks up his club and fends off the sabre-tooth tiger invading his sanctum as if he were swatting away a gnat. Task accomplished, he returns to the joys of munching through the layers of his sandwich.



Note: There are alternative ways to accomplish this idiom with their pros and cons.

- The tasks in the sequence could be replaced by a factory behaviour that dynamically checks the state of play and spins up the tasks required each time the task sequence is first entered and invalidates/deletes them when it is either finished or invalidated. That has the advantage of not requiring much of the blackboard machinery here, but disadvantage in not making visible the task sequence itself at all times (i.e. burying details under the hood).
- A new composite which retains the index between initialisations can also achieve the same pattern with fewer blackboard shenanigans, but suffers from an increased logical complexity cost for your trees (each new composite increases decision making complexity ($O(n!)$)).

Parameters

- **name** (`str`) – the name to use for the task sequence behaviour
- **tasks** (`[Behaviour]`) – lists of tasks to be sequentially performed

Returns root of the generated subtree

Return type `Behaviour`

14.11 py_trees.meta

Meta methods to create behaviours without needing to create the behaviours themselves.

`py_trees.meta.create_behaviour_from_function(func)`

Create a behaviour from the specified function, dropping it in for the Behaviour `update()` method. This function must include the `self` argument and return a `Status` value. It also automatically provides a drop-in for the `terminate()` method that clears the feedback message. Other methods are left untouched.

Parameters `func` (function) – a drop-in for the `update()` method

14.12 py_trees.timers

Time related behaviours.

`class py_trees.timers.Timer(name='Timer', duration=5.0)`

Bases: `py_trees.behaviour.Behaviour`

Simple timer class that is `RUNNING` until the timer runs out, at which point it is `SUCCESS`. This can be used in a wide variety of situations - pause, duration, timeout depending on how it is wired into the tree (e.g. pause in a sequence, duration/timeout in a parallel).

The timer gets reset either upon entry (`initialise()`) if it hasn't already been set and gets cleared when it either runs out, or the behaviour is interrupted by a higher priority or parent cancelling it.

Parameters

- `name` (`str`) – name of the behaviour
- `duration` (`int`) – length of time to run (in seconds)

Raises `TypeError` – if the provided duration is not a real number

Note: This succeeds the first time the behaviour is ticked **after** the expected finishing time.

Tip: Use the `RunningIsFailure()` decorator if you need `FAILURE` until the timer finishes.

`__init__(name='Timer', duration=5.0)`

Initialize self. See help(type(self)) for accurate signature.

`initialise()`

Store the expected finishing time.

`terminate(new_status)`

Clear the expected finishing time.

`update()`

Check current time against the expected finishing time. If it is in excess, flip to `SUCCESS`.

14.13 py_trees.trees

`class py_trees.trees.BehaviourTree(root: py_trees.behaviour.Behaviour)`

Bases: `object`

Grow, water, prune your behaviour tree with this, the default reference implementation. It features a few enhancements to provide richer logging, introspection and dynamic management of the tree itself:

- Pre and post tick handlers to execute code automatically before and after a tick

- Visitor access to the parts of the tree that were traversed in a tick
- Subtree pruning and insertion operations
- Continuous tick-tock support

See also:

The `py-trees-demo-tree-stewardship` program demonstrates the above features.

Parameters `root` (*Behaviour*) – root node of the tree

Variables

- `count` (`int`) – number of times the tree has been ticked.
- `root` (*Behaviour*) – root node of the tree
- `visitors` (`[visitors]`) – entities that visit traversed parts of the tree when it ticks
- `pre_tick_handlers` (`[func]`) – functions that run before the entire tree is ticked
- `post_tick_handlers` (`[func]`) – functions that run after the entire tree is ticked

Raises `TypeError` – if root variable is not an instance of *Behaviour*

add_post_tick_handler (`handler`)

Add a function to execute after the tree has ticked. The function must have a single argument of type *BehaviourTree*.

Some ideas that are often used:

- logging
- modifications on the tree itself (e.g. closing down a plan)
- sending data to visualisation tools
- introspect the state of the tree to make and send reports

Parameters `handler` (`func`) – function

add_pre_tick_handler (`handler`)

Add a function to execute before the tree is ticked. The function must have a single argument of type *BehaviourTree*.

Some ideas that are often used:

- logging (to file or stdout)
- modifications on the tree itself (e.g. starting a new plan)

Parameters `handler` (`func`) – function

add_visitor (`visitor`)

Trees can run multiple visitors on each behaviour as they tick through a tree.

Parameters `visitor` (*VisitorBase*) – sub-classed instance of a visitor

See also:

`DebugVisitor`, `SnapshotVisitor`, `WindsOfChangeVisitor`

destroy()

Destroy the tree by stopping the root node.

insert_subtree (*child, unique_id, index*)

Insert a subtree as a child of the specified parent. If the parent is found, this directly calls the parent's *insert_child()* method using the child and index arguments.

Parameters

- **child** (*Behaviour*) – subtree to insert
- **unique_id** (*uuid.UUID*) – unique id of the parent
- **index** (*int*) – insert the child at this index, pushing all children after it back one.

Returns success or failure (parent not found) of the operation

Return type `bool`

Raises `TypeError` – if the parent is not a *Composite*

Todo: Could use better, more informative error handling here. Especially if the insertion has its own error handling (e.g. index out of range). Could also use a different api that relies on the id of the sibling node it should be inserted before/after.

interrupt()

Interrupt tick-tock if it is tick-tocking. Note that this will permit a currently executing tick to finish before interrupting the tick-tock.

prune_subtree (*unique_id*)

Prune a subtree given the unique id of the root of the subtree.

Parameters **unique_id** (*uuid.UUID*) – unique id of the subtree root

Returns success or failure of the operation

Return type `bool`

Raises `RuntimeError` – if unique id is the behaviour tree's root node id

replace_subtree (*unique_id, subtree*)

Replace the subtree with the specified id for the new subtree. This is a common pattern where we'd like to swap out a whole sub-behaviour for another one.

Parameters

- **unique_id** (*uuid.UUID*) – unique id of the parent
- **subtree** (*Behaviour*) – root behaviour of the subtree

Raises `AssertionError`: if unique id is the behaviour tree's root node id

Returns success or failure of the operation

Return type `bool`

setup (*timeout: float = <Duration.INFINITE: inf>, visitor: py_trees.visitors.VisitorBase = None, **kwargs*)

Crawls across the tree calling *setup()* on each behaviour.

Visitors can optionally be provided to provide a node-by-node analysis on the result of each node's *setup()* before the next node's *setup()* is called. This is useful on trees with relatively long setup times to progressively report out on the current status of the operation.

Parameters

- **timeout** (`float`) – time (s) to wait (use common.Duration.INFINITE to block indefinitely)
- **visitor** (`VisitorBase`) – runnable entities on each node after it's setup
- ****kwargs** (`dict`) – distribute arguments to this behaviour and in turn, all of its children

Raises

- `Exception` – be ready to catch if any of the behaviours raise an exception
- `RuntimeError` – in case setup() times out

tick (`pre_tick_handler=None, post_tick_handler=None`)

Tick the tree just once and run any handlers before and after the tick. This optionally accepts some one-shot handlers (c.f. those added by `add_pre_tick_handler()` and `add_post_tick_handler()` which will be automatically run every time).

The handler functions must have a single argument of type `BehaviourTree`.

Parameters

- **pre_tick_handler** (`func`) – function to execute before ticking
- **post_tick_handler** (`func`) – function to execute after ticking

tick_tock (`period_ms, number_of_iterations=-1, pre_tick_handler=None, post_tick_handler=None`)

Tick continuously with period as specified. Depending on the implementation, the period may be more or less accurate and may drift in some cases (the default implementation here merely assumes zero time in tick and sleeps for this duration of time and consequently, will drift).

This optionally accepts some handlers that will be used for the duration of this tick tock (c.f. those added by `add_pre_tick_handler()` and `add_post_tick_handler()` which will be automatically run every time).

The handler functions must have a single argument of type `BehaviourTree`.

Parameters

- **period_ms** (`float`) – sleep this much between ticks (milliseconds)
- **number_of_iterations** (`int`) – number of iterations to tick-tock
- **pre_tick_handler** (`func`) – function to execute before ticking
- **post_tick_handler** (`func`) – function to execute after ticking

tip()

Get the *tip* of the tree. This corresponds to the deepest node that was running before the subtree traversal reversed direction and headed back to this node.

Returns child behaviour, itself or `None` if its status is `INVALID`

Return type `Behaviour` or `None`

See also:

`tip()`

`py_trees.trees.setup_tree_ascii_art_debug(tree: py_trees.trees.BehaviourTree)`

Convenience method for configuring a tree to paint an ascii art snapshot on your console at the end of every tick.

Parameters `tree` (`BehaviourTree`) – the behaviour tree that has just been ticked

14.14 py_trees.utilities

Assorted utility functions.

class `py_trees.utilities.Process(*args, **kwargs)`
Bases: `multiprocessing.context.Process`

run()

Method to be run in sub-process; can be overridden in sub-class

`py_trees.utilities.get_fully_qualified_name(instance: object) → str`
Get at the fully qualified name of an object, e.g. an instance of a `Sequence` becomes `'py_trees.composites.Sequence'`.

Parameters `instance (object)` – an instance of any class

Returns the fully qualified name

Return type `str`

`py_trees.utilities.get_valid_filename(s: str) → str`

Return the given string converted to a string that can be used for a clean filename (without extension). Remove leading and trailing spaces; convert other spaces and newlines to underscores; and remove anything that is not an alphanumeric, dash, underscore, or dot.

```
>>> utilities.get_valid_filename("john's portrait in 2004.jpg")
'johns_portrait_in_2004.jpg'
```

Parameters `program (str)` – string to convert to a valid filename

Returns a representation of the specified string as a valid filename

Return type `str`

`py_trees.utilities.static_variables(**kwargs)`

This is a decorator that can be used with python methods to attach initialised static variables to the method.

```
@static_variables(counter=0)
def foo():
    foo.counter += 1
    print("Counter: {}".format(foo.counter))
```

`py_trees.utilities.which(program)`

Wrapper around the command line ‘which’ program.

Parameters `program (str)` – name of the program to find.

Returns path to the program or None if it doesn't exist.

Return type `str`

14.15 py_trees.visitors

Visitors are entities that can be passed to a tree implementation (e.g. `BehaviourTree`) and used to either visit each and every behaviour in the tree, or visit behaviours as the tree is traversed in an executing tick. At each behaviour, the visitor runs its own method on the behaviour to do as it wishes - logging, introspecting, etc.

Warning: Visitors should not modify the behaviours they visit.

class py_trees.visitors.DebugVisitor
Bases: [py_trees.visitors.VisitorBase](#)

Picks up and logs feedback messages and the behaviour's status. Logging is done with the behaviour's logger.

run (*behaviour*)

This method gets run as each behaviour is ticked. Override it to perform some activity - e.g. introspect the behaviour to store/process logging data for visualisations.

Parameters *behaviour* (*Behaviour*) – behaviour that is ticking

class py_trees.visitors.SnapshotVisitor (*full=False*)
Bases: [py_trees.visitors.VisitorBase](#)

Visits the tree in tick-tock, recording the id/status of the visited set of nodes. Additionally caches the last tick's visited collection for comparison.

Parameters *full* (*bool*) – flag to indicate whether it should be used to visit only traversed nodes or the entire tree

Variables

- **visited** (*dict*) – dictionary of behaviour id (uuid.UUID) and status (*Status*) pairs
- **previously_visited** (*dict*) – dictionary of behaviour id's saved from the previous tree tick

See also:

This visitor is used with the [BehaviourTree](#) class to collect information and `generate_ascii_tree()` to display information.

initialise()

Cache the last collection of visited nodes and reset the dictionary.

run (*behaviour*)

This method gets run as each behaviour is ticked. Catch the id and status and store it.

Parameters *behaviour* (*Behaviour*) – behaviour that is ticking

class py_trees.visitors.VisitorBase (*full=False*)
Bases: [object](#)

Parent template for visitor types.

Visitors are primarily designed to work with [BehaviourTree](#) but they can be used in the same way for other tree custodian implementations.

Parameters *full* (*bool*) – flag to indicate whether it should be used to visit only traversed nodes or the entire tree

Variables *full* (*bool*) – flag to indicate whether it should be used to visit only traversed nodes or the entire tree

initialise()

Override this method if any resetting of variables needs to be performed between ticks (i.e. visitations).

run (*behaviour*)

This method gets run as each behaviour is ticked. Override it to perform some activity - e.g. introspect the behaviour to store/process logging data for visualisations.

Parameters *behaviour* (*Behaviour*) – behaviour that is ticking

```
class py_trees.visitors.WindsOfChangeVisitor
Bases: py_trees.visitors.VisitorBase
```

Visits the ticked part of a tree, checking off the status against the set of status results recorded in the previous tick. If there has been a change, it flags it. This is useful for determining when to trigger, e.g. logging.

Variables

- **changed** (*Bool*) – flagged if there is a difference in the visited path or *Status* of any behaviour on the path
- **ticked_nodes** (*dict*) – dictionary of behaviour id (uuid.UUID) and status (*Status*) pairs from the current tick
- **previously_ticked+nodes** (*dict*) – dictionary of behaviour id (uuid.UUID) and status (*Status*) pairs from the previous tick
- **running_nodes** (*[uuid.UUID]*) – list of id's for behaviours which were traversed in the current tick
- **previously_running_nodes** (*[uuid.UUID]*) – list of id's for behaviours which were traversed in the last tick

See also:

The *py-trees-demo-logging* program demonstrates use of this visitor to trigger logging of a tree serialisation.

initialise()

Switch running to previously running and then reset all other variables. This should get called before a tree ticks.

run(*behaviour*)

This method gets run as each behaviour is ticked. Catch the id and status and store it. Additionally add it to the running list if it is *RUNNING*.

Parameters **behaviour** (*Behaviour*) – behaviour that is ticking

CHAPTER 15

Release Notes

15.1 1.1.0 (2019-03-19)

Breaking API

- [display] print_ascii_tree -> ascii_tree, #178.
- [display] generate_pydot_graph -> dot_graph, #178.
- [trees] tick_tock(sleep_ms, ..) -> tick_tock(period_ms, ...), #182.

New Features

- [trees] add missing *add_visitor* method
- [trees] flexible setup() for children via kwargs
- [trees] convenience method for ascii tree debugging
- [display] highlight the tip in ascii tree snapshots

Bugfixes

- [trees] threaded timers for setup (avoids multiprocessing problems)
- [behaviour|composites] bugfix tip behaviour, add tests
- [display] correct first indent when non-zero in ascii_tree
- [display] apply same formatting to root as children in ascii_tree

15.2 1.0.7 (2019-xx-yy)

- [display] optional arguments for generate_pydot_graph

15.3 1.0.6 (2019-03-06)

- [decorators] fix missing root feedback message in ascii graphs

15.4 1.0.5 (2019-02-28)

- [decorators] fix timeout bug that doesn't respect a child's last tick

15.5 1.0.4 (2019-02-26)

- [display] drop spline curves, it's buggy with graphviz 2.38

15.6 1.0.3 (2019-02-13)

- [visitors] winds of change visitor and logging demo

15.7 1.0.2 (2019-02-13)

- [console] fallbacks for unicode chars when (UTF-8) encoding cannot support them

15.8 1.0.1 (2018-02-12)

- [trees] don't use multiprocessing on setup if not using timeouts

15.9 1.0.0 (2019-01-18)

Breaking API

- [behaviour] `setup()` no longer returns a boolean, catch exceptions instead, [#143](#).
- [behaviour] `setup()` no longer takes timeouts, responsibility moved to `BehaviourTree`, [#148](#).
- [decorators] new-style decorators found in `py_trees.decorators`
- [decorators] new-style decorators stop their running child on completion (SUCCESS||FAILURE)
- [decorators] old-style decorators in `py_trees.meta` deprecated

New Features

- [blackboard] added a method for clearing the entire blackboard (useful for tests)
- [composites] raise `TypeError` when children's `setup` methods don't return a bool (common mistake)
- [composites] new parallel policies, `SuccessOnAll`, `SuccessOnSelected`
- [decorators] oneshot policies for activating on completion or *successful* completion only
- [meta] behaviours from functions can now automatically generate names

15.10 0.8.x (2018-10-18)

Breaking API

- Lower level namespace types no longer exist ([PR117](#)), e.g. `py_trees.Status` -> `py_trees.common.Status`
- Python2 support dropped

New Features

- [idioms] ‘Pick Up Where You Left Off’
- [idioms] ‘OneShot’

15.11 0.8.0 (2018-10-18)

- [infra] shortcuts to types in `__init__.py` removed ([PR117](#))
- [bugfix] python3 rosdeps
- [idioms] `pick_up_where_you_left_off` added

15.12 0.7.5 (2018-10-10)

- [idioms] `oneshot` added
- [bugfix] properly set/reset parents when replacing/removing children in composites

15.13 0.7.0 (2018-09-27)

- [announce] python3 only support from this point forward
- [announce] now compatible for ros2 projects

15.14 0.6.5 (2018-09-19)

- [bugfix] pick up missing feedback messages in inverters
- [bugfix] eliminate costly/spammy blackboard variable check feedback message

15.15 0.6.4 (2018-09-19)

- [bugfix] replace awkward newlines with spaces in ascii trees

15.16 0.6.3 (2018-09-04)

- [bugfix] don’t send the parellel’s status to running children, invalidate them instead

15.17 0.6.2 (2018-08-31)

- [bugfix] oneshot now reacts to priority interrupts correctly

15.18 0.6.1 (2018-08-20)

- [bugfix] oneshot no longer permanently modifies the original class

15.19 0.6.0 (2018-05-15)

- [infra] python 2/3 compatibility

15.20 0.5.10 (2017-06-17)

- [meta] add children monkeypatching for composite imposters
- [blackboard] check for nested variables in WaitForBlackboard

15.21 0.5.9 (2017-03-25)

- [docs] bugfix image links and rewrite the motivation

15.22 0.5.8 (2017-03-19)

- [infra] setup.py tests_require, not test_require

15.23 0.5.7 (2017-03-01)

- [infra] update maintainer email

15.24 0.5.5 (2017-03-01)

- [docs] many minor doc updates
- [meta] bugfix so that imposter now ticks over composite children
- [trees] method for getting the tip of the tree
- [programs] py-trees-render program added

15.25 0.5.4 (2017-02-22)

- [infra] handle pypi/catkin conflicts with install_requires

15.26 0.5.2 (2017-02-22)

- [docs] disable colour when building
- [docs] sidebar headings
- [docs] dont require project installation

15.27 0.5.1 (2017-02-21)

- [infra] pypi package enabled

15.28 0.5.0 (2017-02-21)

- [ros] components moved to py_trees_ros
- [timeout] bugfix to ensure timeout decorator initialises properly
- [docs] rolled over with napolean style
- [docs] sphinx documentation updated
- [impostor] make sure tip() drills down into composites
- [demos] re-organised into modules

15.29 0.4.0 (2017-01-13)

- [trees] add pre/post handlers after setup, just in case setup fails
- [introspection] do parent lookups so you can crawl back up a tree
- [blackboard] permit init of subscriber2blackboard behaviours
- [blackboard] watchers
- [timers] better feedback messages
- [impostor] ensure stop() directly calls the composited behaviour

15.30 0.3.0 (2016-08-25)

- failure_is_running decorator (meta).

15.31 0.2.0 (2016-06-01)

- do terminate properly amongst relevant classes
- blackboxes
- chooser variant of selectors
- bugfix the decorators
- blackboard updates on change only
- improved dot graph creation
- many bugfixes to composites
- subscriber behaviours
- timer behaviours

15.32 0.1.2 (2015-11-16)

- one shot sequences
- abort() renamed more appropriately to stop()

15.33 0.1.1 (2015-10-10)

- lots of bugfixing stabilising py_trees for the spain field test
- complement decorator for behaviours
- dot tree views
- ascii tree and tick views
- use generators and visitors to more efficiently walk/introspect trees
- a first implementation of behaviour trees in python

CHAPTER 16

Indices and tables

- genindex
- modindex
- search

Python Module Index

p

py_trees, 81
py_trees.behaviour, 81
py_trees.behaviours, 85
py_trees.blackboard, 87
py_trees.common, 91
py_trees.composites, 93
py_trees.console, 100
py_trees.decorators, 101
py_trees.demos.action, 39
py_trees.demos.blackboard, 46
py_trees.demos.context_switching, 50
py_trees.demos.dot_graphs, 55
py_trees.demos.lifecycle, 43
py_trees.demos.logging, 58
py_trees.demos.pick_up_where_you_left_off,
 73
py_trees.demos.selector, 63
py_trees.demos.sequence, 66
py_trees.demos.stewardship, 69
py_trees.display, 106
py_trees.idioms, 109
py_trees.meta, 111
py_trees.programs.render, 79
py_trees.timers, 112
py_trees.trees, 112
py_trees.utilities, 116
py_trees.visitors, 116

Symbols

- `__init__()` (*py_trees.composites.Chooser method*), 94
 - `__init__()` (*py_trees.composites.Composite method*), 94
 - `__init__()` (*py_trees.composites.Parallel method*), 97
 - `__init__()` (*py_trees.composites.Selector method*), 98
 - `__init__()` (*py_trees.composites.Sequence method*), 99
 - `__init__()` (*py_trees.decorators.Condition method*), 103
 - `__init__()` (*py_trees.decorators.Decorator method*), 103
 - `__init__()` (*py_trees.decorators.Inverter method*), 104
 - `__init__()` (*py_trees.decorators.OneShot method*), 105
 - `__init__()` (*py_trees.decorators.Timeout method*), 106
 - `__init__()` (*py_trees.demos.action.Action method*), 39
 - `__init__()` (*py_trees.demos.blackboard.BlackboardWriter method*), 47
 - `__init__()` (*py_trees.demos.context_switching.ContextSwitchBlackboardVariable class* in *py_trees.blackboard*), 89
 - `__init__()` (*py_trees.demos.lifecycle.Counter method*), 43
 - `__init__()` (*py_trees.timers.Timer method*), 112
 - `__repr__()` (*py_trees.composites.Selector method*), 98
-
- A**
 - Action (*class in py_trees.demos.action*), 39
 - `add_child()` (*py_trees.composites.Composite method*), 95
 - `add_children()` (*py_trees.composites.Composite method*), 95
 - `add_post_tick_handler()` (*py_trees.trees.BehaviourTree method*), 113
 - `add_pre_tick_handler()` (*py_trees.trees.BehaviourTree method*), 113
 - `add_visitor()` (*py_trees.trees.BehaviourTree method*), 113
 - ALL (*py_trees.common.VisibilityLevel attribute*), 92
 - ascii_tree () (*in module py_trees.display*), 107
 - AUTO_GENERATED (*py_trees.common.Name attribute*), 92
-
- B**
 - Behaviour (*class in py_trees.behaviour*), 81
 - BehaviourTree (*class in py_trees.trees*), 112
 - BIG_PICTURE (*py_trees.common.BlackBoxLevel attribute*), 91
 - BIG_PICTURE (*py_trees.common.VisibilityLevel attribute*), 93
 - Blackboard (*class in py_trees.blackboard*), 88
 - BlackboardWriter (*class* in *py_trees.demos.blackboard*), 47
 - BlackBoxLevel (*class in py_trees.common*), 91
 - blocking, 35
-
- C**
 - Chooser (*class in py_trees.composites*), 93
 - `clear()` (*py_trees.blackboard.Blackboard static method*), 89
 - ClearBlackboardVariable (*class* in *py_trees.blackboard*), 90
 - ClearingPolicy (*class in py_trees.common*), 91
 - colours (*in module py_trees.console*), 100
 - COMPONENT (*py_trees.common.BlackBoxLevel attribute*), 91
 - COMPONENT (*py_trees.common.VisibilityLevel attribute*), 93
 - Composite (*class in py_trees.composites*), 94
 - Condition (*class in py_trees.decorators*), 103

```

C
console_has_colours() (in module py_trees.console), 100
ContextSwitch (class in py_trees.demos.context_switching), 51
Count (class in py_trees.behaviours), 85
Counter (class in py_trees.demos.lifecycle), 43
create_behaviour_from_function() (in module py_trees.meta), 111
current_child (py_trees.composites.Parallel attribute), 97
current_child (py_trees.composites.Sequence attribute), 99

D
DebugVisitor (class in py_trees.visitors), 117
Decorator (class in py_trees.decorators), 103
define_symbol_or_fallback() (in module py_trees.console), 100
destroy() (py_trees.trees.BehaviourTree method), 113
DETAIL (py_trees.common.BlackBoxLevel attribute), 91
DETAIL (py_trees.common.VisibilityLevel attribute), 93
display_ascii_tree() (in module py_trees.demos.logging), 59
dot_graph() (in module py_trees.display), 108
Dummy (class in py_trees.behaviours), 86
Duration (class in py_trees.common), 92

F
Failure (class in py_trees.behaviours), 86
FAILURE (py_trees.common.Status attribute), 92
FailureIsRunning (class in py_trees.decorators), 104
FailureIsSuccess (class in py_trees.decorators), 104
flying spaghetti monster, 35
fsm, 35

G
get() (py_trees.blackboard.Blackboard method), 89
get_fully_qualified_name() (in module py_trees.utilities), 116
get_valid_filename() (in module py_trees.utilities), 116

H
has_colours (in module py_trees.console), 100
has_parent_with_instance_type()
    (py_trees.behaviour.Behaviour method), 82
has_parent_with_name()
    (py_trees.behaviour.Behaviour method), 82

I
has_unicode() (in module py_trees.console), 100
INFINITE (py_trees.common.Duration attribute), 92
initialise() (py_trees.behaviour.Behaviour method), 82
initialise() (py_trees.blackboard.CheckBlackboardVariable method), 89
initialise() (py_trees.blackboard.ClearBlackboardVariable method), 90
initialise() (py_trees.blackboard.SetBlackboardVariable method), 90
initialise() (py_trees.blackboard.WaitForBlackboardVariable method), 91
initialise() (py_trees.decorators.Timeout method), 106
initialise() (py_trees.demos.action.Action method), 39
initialise() (py_trees.demos.context_switching.ContextSwitch method), 51
initialise() (py_trees.demos.lifecycle.Counter method), 43
initialise() (py_trees.timers.Timer method), 112
initialise() (py_trees.visitors.SnapshotVisitor method), 117
initialise() (py_trees.visitors.VisitorBase method), 117
initialise() (py_trees.visitors.WindsOfChangeVisitor method), 118
insert_child() (py_trees.composites.Composite method), 95
insert_subtree() (py_trees.trees.BehaviourTree method), 113
interrupt() (py_trees.trees.BehaviourTree method), 114
INVALID (py_trees.common.Status attribute), 92
Inverter (class in py_trees.decorators), 104
iterate() (py_trees.behaviour.Behaviour method), 82

L
logdebug() (in module py_trees.console), 101
logerror() (in module py_trees.console), 101
logfatal() (in module py_trees.console), 101
logger() (in module py_trees.demos.logging), 59
loginfo() (in module py_trees.console), 101
logwarn() (in module py_trees.console), 101

M
main() (in module py_trees.demos.action), 40
main() (in module py_trees.demos.blackboard), 47
main() (in module py_trees.demos.context_switching), 51
main() (in module py_trees.demos.dot_graphs), 55
main() (in module py_trees.demos.lifecycle), 44

```

main() (*in module py_trees.demos.logging*), 59
 main() (*in module py_trees.demos.pick_up_where_you_left_off*), 74
 main() (*in module py_trees.demos.selector*), 64
 main() (*in module py_trees.demos.sequence*), 66
 main() (*in module py_trees.demos.stewardship*), 70

N

Name (*class in py_trees.common*), 92
 NEVER (*py_trees.common.ClearingPolicy attribute*), 91
 NOT_A_BLACKBOX (*py_trees.common.BlackBoxLevel attribute*), 91

O

ON_INITIALISE (*py_trees.common.ClearingPolicy attribute*), 92
 ON_SUCCESS (*py_trees.common.ClearingPolicy attribute*), 92
 OneShot (*class in py_trees.decorators*), 104
 oneshot() (*in module py_trees.idioms*), 109

P

Parallel (*class in py_trees.composites*), 96
 ParallelPolicy (*class in py_trees.common*), 92
 ParallelPolicy.SuccessOnAll (*class in py_trees.common*), 92
 ParallelPolicy.SuccessOnOne (*class in py_trees.common*), 92
 ParallelPolicy.SuccessOnSelected (*class in py_trees.common*), 92
 Periodic (*class in py_trees.behaviours*), 86
 pick_up_where_you_left_off() (*in module py_trees.idioms*), 110
 planning() (*in module py_trees.demos.action*), 40
 post_tick_handler() (*in module py_trees.demos.pick_up_where_you_left_off*), 74
 post_tick_handler() (*in module py_trees.demos.stewardship*), 70
 pre_tick_handler() (*in module py_trees.demos.pick_up_where_you_left_off*), 74
 pre_tick_handler() (*in module py_trees.demos.stewardship*), 70
 prepend_child() (*py_trees.composites.Composite method*), 95
 Process (*class in py_trees.utilities*), 116
 prune_subtree() (*py_trees.trees.BehaviourTree method*), 114
 py_trees (*module*), 81
 py_trees.beaviour (*module*), 81
 py_trees.behaviours (*module*), 85
 py_trees.blackboard (*module*), 87
 py_trees.common (*module*), 91

py_trees.composites (*module*), 93
 py_trees.console (*module*), 100
 py_trees.decorators (*module*), 101
 py_trees.demos.action (*module*), 39
 py_trees.demos.blackboard (*module*), 46
 py_trees.demos.context_switching (*module*), 50
 py_trees.demos.dot_graphs (*module*), 55
 py_trees.demos.lifecycle (*module*), 43
 py_trees.demos.logging (*module*), 58
 py_trees.demos.pick_up_where_you_left_off (*module*), 73
 py_trees.demos.selector (*module*), 63
 py_trees.demos.sequence (*module*), 66
 py_trees.demos.stewardship (*module*), 69
 py_trees.display (*module*), 106
 py_trees.idioms (*module*), 109
 py_trees.meta (*module*), 111
 py_trees.programs.render (*module*), 79
 py_trees.timers (*module*), 112
 py_trees.trees (*module*), 112
 py_trees.utilities (*module*), 116
 py_trees.visitors (*module*), 116

R

read_single_keypress() (*in module py_trees.console*), 101
 remove_all_children() (*py_trees.composites.Composite method*), 95
 remove_child() (*py_trees.composites.Composite method*), 95
 remove_child_by_id() (*py_trees.composites.Composite method*), 95
 render_dot_tree() (*in module py_trees.display*), 108
 replace_child() (*py_trees.composites.Composite method*), 95
 replace_subtree() (*py_trees.trees.BehaviourTree method*), 114
 run() (*py_trees.utilities.Process method*), 116
 run() (*py_trees.visitors.DebugVisitor method*), 117
 run() (*py_trees.visitors.SnapshotVisitor method*), 117
 run() (*py_trees.visitors.VisitorBase method*), 117
 run() (*py_trees.visitors.WindsOfChangeVisitor method*), 118
 Running (*class in py_trees.behaviours*), 87
 RUNNING (*py_trees.common.Status attribute*), 92
 RunningIsFailure (*class in py_trees.decorators*), 105
 RunningIsSuccess (*class in py_trees.decorators*), 105

S

Selector (*class in py_trees.composites*), 98
Sequence (*class in py_trees.composites*), 99
set () (*py_trees.blackboard.Blackboard method*), 89
SetBlackboardVariable (*class in py_trees.blackboard*), 90
setup () (*py_trees.behaviour.Behaviour method*), 82
setup () (*py_trees.composites.Parallel method*), 97
setup () (*py_trees.demos.action.Action method*), 39
setup () (*py_trees.demos.lifecycle.Counter method*), 44
setup () (*py_trees.trees.BehaviourTree method*), 114
setup_tree_ascii_art_debug () (*in module py_trees.trees*), 115
setup_with_descendants () (*py_trees.behaviour.Behaviour method*), 83
SnapshotVisitor (*class in py_trees.visitors*), 117
static_variables () (*in module py_trees.utilities*), 116
Status (*class in py_trees.common*), 92
stop () (*py_trees.behaviour.Behaviour method*), 83
stop () (*py_trees.composites.Composite method*), 96
stop () (*py_trees.composites.Selector method*), 98
stop () (*py_trees.composites.Sequence method*), 99
stop () (*py_trees.decorators.Decorator method*), 103
string_to_visibility_level () (*py_trees.common method*), 93
Success (*class in py_trees.behaviours*), 87
SUCCESS (*py_trees.common.Status attribute*), 92
SuccessEveryN (*class in py_trees.behaviours*), 87
SuccessIsFailure (*class in py_trees.decorators*), 106
SuccessIsRunning (*class in py_trees.decorators*), 106

T

terminate () (*py_trees.behaviour.Behaviour method*), 83
terminate () (*py_trees.behaviours.Count method*), 85
terminate () (*py_trees.blackboard.CheckBlackboardVariable method*), 89
terminate () (*py_trees.blackboard.WaitForBlackboardVariable method*), 91
terminate () (*py_trees.decorators.OneShot method*), 105
terminate () (*py_trees.demos.action.Action method*), 39
terminate () (*py_trees.demos.context_switching.ContextSwitch method*), 51
terminate () (*py_trees.demos.lifecycle.Counter method*), 44
terminate () (*py_trees.timers.Timer method*), 112
tick, 35
tick () (*py_trees.behaviour.Behaviour method*), 84
tick () (*py_trees.composites.Chooser method*), 94
tick () (*py_trees.composites.Parallel method*), 97
tick () (*py_trees.composites.Selector method*), 99
tick () (*py_trees.composites.Sequence method*), 100
tick () (*py_trees.decorators.Decorator method*), 104
tick () (*py_trees.decorators.OneShot method*), 105
tick () (*py_trees.trees.BehaviourTree method*), 115
tick_once () (*py_trees.behaviour.Behaviour method*), 84
tick_tock () (*py_trees.trees.BehaviourTree method*), 115
ticking, 35
ticks, 35
Timeout (*class in py_trees.decorators*), 106
Timer (*class in py_trees.timers*), 112
tip () (*py_trees.behaviour.Behaviour method*), 84
tip () (*py_trees.composites.Composite method*), 96
tip () (*py_trees.decorators.Decorator method*), 104
tip () (*py_trees.trees.BehaviourTree method*), 115

U

unset () (*py_trees.blackboard.Blackboard method*), 89
UNTIL_THE_BATTLE_OF_ALFREDO
 (*py_trees.common.Duration attribute*), 92
update () (*py_trees.behaviour.Behaviour method*), 84
update () (*py_trees.behaviours.Count method*), 86
update () (*py_trees.behaviours.Periodic method*), 86
update () (*py_trees.behaviours.SuccessEveryN method*), 87
update () (*py_trees.blackboard.CheckBlackboardVariable method*), 89
update () (*py_trees.blackboard.WaitForBlackboardVariable method*), 91
update () (*py_trees.decorators.Condition method*), 103
update () (*py_trees.decorators.FailureIsRunning method*), 104
update () (*py_trees.decorators.FailureIsSuccess method*), 104
update () (*py_trees.decorators.Inverter method*), 104
update () (*py_trees.decorators.OneShot method*), 105
update () (*py_trees.decorators.RunningIsFailure method*), 105
update () (*py_trees.decorators.RunningIsSuccess method*), 105
update () (*py_trees.decorators.SuccessIsFailure method*), 106
update () (*py_trees.decorators.SuccessIsRunning method*), 106
update () (*py_trees.decorators.Timeout method*), 106
update () (*py_trees.demos.action.Action method*), 40
update () (*py_trees.demos.blackboard.BlackboardWriter method*), 47
update () (*py_trees.demos.context_switching.ContextSwitch method*), 51

update() (*py_trees.demos.lifecycle.Counter method*),
44
update() (*py_trees.timers.Timer method*), 112

V

validate_policy_configuration()
 (*py_trees.composites.Parallel method*), 97
verbose_info_string()
 (*py_trees.behaviour.Behaviour method*),
 84
verbose_info_string()
 (*py_trees.composites.Parallel method*), 97
VisibilityLevel (*class in py_trees.common*), 92
visit() (*py_trees.behaviour.Behaviour method*), 85
VisitorBase (*class in py_trees.visitors*), 117

W

WaitForBlackboardVariable (*class in py_trees.blackboard*), 90
which() (*in module py_trees.utilities*), 116
WindsOfChangeVisitor (*class in py_trees.visitors*),
118