
pyFirmata Documentation

Release 0.1

Tino de Bruijn

February 08, 2015

Contents

1	pyFirmata	3
2	Indices and tables	5
	Python Module Index	7

Contents:

pyFirmata

```
class pyfirmata.pyfirmata.Board(port, layout, baudrate=57600, name=None)
    Base class for any board

    add_cmd_handler(cmd, func)
        Adds a command handler for a command.

    exit()
        Call this to exit cleanly.

    get_firmata_version()
        Returns a version tuple (major, mino) for the firmata firmware on the board.

    get_pin(pin_def)
        Returns the activated pin given by the pin definition. May raise an InvalidPinDefError or a PinAlreadyTakenError.
        Parameters pin_def – Pin definition as described in TODO, but without the arduino name. So for example a:1:i.

    iterate()
        Reads and handles data from the microcontroller over the serial port. This method should be called in a main loop, or in an Iterator instance to keep this boards pin values up to date

    pass_time(t)
        Non-blocking time-out for t seconds.

    send_sysex(sysex_cmd, data=[])
        Sends a SysEx msg.

        Parameters
            • sysex_cmd – A sysex command byte
            • data – A list of 7-bit bytes of arbitrary data (bytes may be already converted to chr's)

    servo_config(pin, min_pulse=544, max_pulse=2400, angle=0)
        Configure a pin as servo with min_pulse, max_pulse and first angle. min_pulse and max_pulse default to the arduino defaults.

    setup_layout(board_layout)
        Setup the Pin instances based on the given board-layout. Maybe it will be possible to do this automatically in the future, by polling the board for its type.

class pyfirmata.pyfirmata.Pin(board, pin_number, type=2, port=None)
    A Pin representation
```

disable_reporting()

Disable the reporting of an input pin

enable_reporting()

Set an input pin to report values

mode

Mode of operation for the pin. Can be one of the pin modes: INPUT, OUTPUT, ANALOG, PWM or SERVO (or UNAVAILABLE)

read()

Returns the output value of the pin. This value is updated by the boards `Board.iterate()` method.
Value is always in the range 0.0 - 1.0

write(*value*)

Output a voltage from the pin

Parameters `value` – Uses value as a boolean if the pin is in output mode, or expects a float from 0 to 1 if the pin is in PWM mode. If the pin is in SERVO the value should be in degrees.

class pyfirmata.pyfirmata.Port (*board, port_number, num_pins=8*)

An 8-bit port on the board

disable_reporting()

Disable the reporting of the port

enable_reporting()

Enable reporting of values for the whole port

write()

Set the output pins of the port to the correct state

Indices and tables

- *genindex*
- *modindex*
- *search*

p

[pyfirmata.pyfirmata](#), 3

A

add_cmd_handler() (pyfirmata.pyfirmata.Board method), [3](#)

B

Board (class in pyfirmata.pyfirmata), [3](#)

D

disable_reporting() (pyfirmata.pyfirmata.Pin method), [3](#)
disable_reporting() (pyfirmata.pyfirmata.Port method), [4](#)

E

enable_reporting() (pyfirmata.pyfirmata.Pin method), [4](#)
enable_reporting() (pyfirmata.pyfirmata.Port method), [4](#)
exit() (pyfirmata.pyfirmata.Board method), [3](#)

G

get_firmata_version() (pyfirmata.pyfirmata.Board method), [3](#)
get_pin() (pyfirmata.pyfirmata.Board method), [3](#)

I

iterate() (pyfirmata.pyfirmata.Board method), [3](#)

M

mode (pyfirmata.pyfirmata.Pin attribute), [4](#)

P

pass_time() (pyfirmata.pyfirmata.Board method), [3](#)
Pin (class in pyfirmata.pyfirmata), [3](#)
Port (class in pyfirmata.pyfirmata), [4](#)
pyfirmata.pyfirmata (module), [3](#)

R

read() (pyfirmata.pyfirmata.Pin method), [4](#)

S

send_sysex() (pyfirmata.pyfirmata.Board method), [3](#)
servo_config() (pyfirmata.pyfirmata.Board method), [3](#)