
pyrubberband Documentation

Release 0.1.0

Brian McFee

October 19, 2015

1	Example usage	3
2	API Reference	5
2.1	Functions	5
3	Contribute	7
	Python Module Index	9

A python wrapper for [rubberband](#).

For now, this just provides lightweight wrappers for pitch-shifting and time-stretching.

All processing is done via the command-line through files on disk. In the future, this could be improved by directly wrapping the C library instead.

Example usage

```
>>> import librosa
>>> import pyrubberband as pyrb
>>> y, sr = librosa.load(librosa.util.example_audio_file())
>>> # Play back at double speed
>>> y_stretch = pyrb.time_stretch(y, sr, 2.0)
>>> # Play back two semi-tones higher
>>> y_shift = pyrb.pitch_shift(y, sr, 2)
```

API Reference

2.1 Functions

Command-line wrapper for rubberband

<code>time_stretch(y, sr, rate[, rbargs])</code>	Apply a time stretch of <i>rate</i> to an audio time series.
<code>pitch_shift(y, sr, n_steps[, rbargs])</code>	Apply a pitch shift to an audio time series.

2.1.1 pyrubberband.pyrb.time_stretch

`pyrubberband.pyrb.time_stretch(y, sr, rate, rbargs=None)`

Apply a time stretch of *rate* to an audio time series.

This uses the *tempo* form for rubberband, so the higher the rate, the faster the playback.

Parameters `y` : np.ndarray [shape=(n,) or (2, n)]

Audio time series, either mono or stereo

`sr` : int > 0

Sampling rate of `y`

`rate` : float > 0

Desired playback rate.

rbargs

Additional keyword parameters for rubberband

See *rubberband -h* for details.

Returns `y_stretch` : np.ndarray

Time-stretched audio

Raises `ValueError`

if *rate* <= 0

2.1.2 pyrubberband.pyrb.pitch_shift

`pyrubberband.pyrb.pitch_shift(y, sr, n_steps, rbargs=None)`

Apply a pitch shift to an audio time series.

Parameters `y` : `np.ndarray` [shape=(n,) or (2, n)]

Audio time series, either mono or stereo

`sr` : `int` > 0

Sampling rate of `y`

`n_steps` : `float`

Shift by `n_steps` semitones.

rbargs

Additional keyword parameters for rubberband

See *rubberband -h* for details.

Returns `y_shift` : `np.ndarray`

Pitch-shifted audio

Contribute

- [Issue Tracker](#)
- [Source Code](#)

p

`pyrubberband`, [5](#)

`pyrubberband.pyrb`, [5](#)

P

`pitch_shift()` (in module `pyrubberband.pyrb`), [6](#)

`pyrubberband` (module), [5](#)

`pyrubberband.pyrb` (module), [5](#)

T

`time_stretch()` (in module `pyrubberband.pyrb`), [5](#)