
Rhizopathy

Release 0.1.0

Apr 15, 2017

Contents

1 Overview	1
1.1 Installation	1
1.2 Documentation	1
1.3 Development	1
2 Installation	3
3 Usage	5
4 Reference	7
4.1 rhizopathy	7
5 Contributing	9
5.1 Bug reports	9
5.2 Documentation improvements	9
5.3 Feature requests and feedback	9
5.4 Development	10
6 Authors	13
7 Changelog	15
7.1 0.1.0 (2017-02-03)	15
8 Indices and tables	17
Python Module Index	19

CHAPTER 1

Overview

docs	
tests	
package	

Processing tools for Winrhizotron data.

- Free software: BSD license

Installation

```
pip install rhizopathy
```

Documentation

<https://rhizopathy.readthedocs.io/>

Development

To run the all tests run:

tox

Note, to combine the coverage data from all the tox environments run:

Windows	<pre>set PYTEST_ADDOPTS=--cov-append tox</pre>
Other	<pre>PYTEST_ADDOPTS=--cov-append tox</pre>

CHAPTER 2

Installation

At the command line:

```
pip install rhizopathy
```


CHAPTER 3

Usage

To use Rhizopathy in a project:

```
import rhizopathy
```


CHAPTER 4

Reference

rhizopathy

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

Bug reports

When [reporting a bug](#) please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

Documentation improvements

Rhizopathy could always use more documentation, whether as part of the official Rhizopathy docs, in docstrings, or even on the web in blog posts, articles, and such.

Feature requests and feedback

The best way to send feedback is to file an issue at <https://github.com/williamgibb/rhizopathy/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

Development

To set up *rhizopathy* for local development:

1. Fork *rhizopathy* (look for the “Fork” button).
2. Clone your fork locally:

```
git clone git@github.com:your_name_here/rhizopathy.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you’re done making changes, run all the checks, doc builder and spell checker with `tox` one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .  
git commit -m "Your detailed description of your changes."  
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

Pull Request Guidelines

If you need some code review or feedback while you’re developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`)¹.
2. Update documentation when there’s new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

Tips

To run a subset of tests:

```
tox -e envname -- py.test -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

¹ If you don’t have all the necessary python versions available locally you can rely on Travis - it will [run the tests](#) for each change you add in the pull request.

It will be slower though ...

Setting up local test environment with pyenv & tox

Install the following python versions with pyenv: 1. 2.7.13 2. 3.3.6 3. 3.4.6 4. 3.5.3

Set those as local versions in a shell session: `pyenv local 2.7.11 3.3.6 3.4.6 3.5.3` Then install detox in all of them: `pip install detox`

You should then be able to run the tests via tox.

CHAPTER 6

Authors

- William Gibb - <https://github.com/williamgibb/rhizopathy>

CHAPTER 7

Changelog

0.1.0 (2017-02-03)

- First release on PyPI.

CHAPTER 8

Indices and tables

- `genindex`
- `modindex`
- `search`

r

rhizopathy, 7

R

rhizopathy (module), 7