
SchoolSoftAPI Documentation

0.0.3.dev1

FOSS Ninja

2017 10 05

Contents

1		1
1.1	1
1.2	Python	1
2	API	3
3	Indices and tables	5
	Python	7

CHAPTER 1

1.1

tesseract captcha

```
sudo apt install tesseract-ocr -y
```

1.2 Python

Python 3.5+ Python 3.5+ venv Debian Stretch

```
sudo apt install python3-venv -y
```

venv

```
mkdir -p ~/venv  
python3 -m venv ~/venv/schoolsoftapi  
source ~/venv/schoolsoftapi/bin/activate  
pip install schoolsoftapi
```


CHAPTER 2

API

```
from schoolsoftapi import SchoolSoftAPI
# 1061 106 1
api = SchoolSoftAPI('', '', '1061')
# captcha 5
api.login(wait=5)
#
api.dump_students()
#
api.dump_teachers()
#
api.add_teacher('', '', 1, datetime.now())
#
api.reset_teacher_password('', '')
#
api.delete_teacher('', '', 1, datetime.now())
```

```
class schoolsoftapi.SchoolSoftAPI(username, password, semester,
                                     baseurl='https://eschool.tp.edu.tw')
    WEBUI
        add_teacher(identity, name, gender, birthday)
        delete_teacher(identity, name, gender, birthday)
        dump_students(output_format='raw')
            xls
        dump_teachers(output_format='raw')
            xls csv
        login(retry=True, wait=30)
        reset_teacher_password(identity, name)
```


CHAPTER 3

Indices and tables

- genindex
- modindex
- search

Python

S

schoolsoftapi, 3

S

schoolsoftapi ()[, 3](#)