
teambition-api Documentation

0.1.9

messense

2015 06 15

Contents

1		1
1.1	1
1.2	Teambition API	1
2		3
2.1	OAuth2	3
2.2	4
2.3	5
2.4	9
2.5	12
2.6	17
2.7	19
2.8	20
2.9	20
2.10	25
2.11	26
2.12	27
2.13	30
2.14	31
2.15	34
2.16	37
2.17	38
2.18	39
2.19	Webhooks	40
2.20	40
2.21	40
2.22	41
3	Indices and tables	43
Python		45

1.1

pip :

```
pip install teambition
```

wechatpy :

```
pip install -U teambition
```

GitHub :

```
pip install https://github.com/messense/teambition-api/archive/master.zip
```

1.2 Teambition API

Teambition :

```
from teambition import Teambition

tb = Teambition('key', 'secret')
authorize_url = tb.oauth.get_authorize_url('http://localhost')
me = tb.users.me()
# API
# tb.projects.xxx()
# tb.tasks.xxx()
```

TeambitionException:

```
from teambition import Teambition, TeambitionException

tb = Teambition('key', 'secret', access_token='123456')
try:
    tb.projects.get()
except TeambitionException as e:
    #
    print(e.code)
    #
    print(e.message)
    #
```

```
e.client  
#  
e.request  
#  
e.response
```

```
class teambiton.client.Tambition (client_id, client_secret, access_token=None)  
    Teambiton API  
  
    access_token  
        access_token  
            access_token  
  
    activities = <Activities>  
  
    bookkeepings = <BookKeepings>  
  
    collections = <Collections>  
  
    entries = <Entries>  
  
    entrycategories = <EntryCategories>  
        doc:entrycategories  
  
    events = <Events>  
  
    messages = <Messages>  
  
    oauth = <OAuth>  
        OAuth2  
  
    objectlinks = <ObjectLinks>  
  
    organizations = <Organizations>  
  
    posts = <Posts>  
  
    projects = <Projects>  
  
    stages = <Stages>  
  
    stagetemplates = <StageTemplates>  
  
    subtasks = <Subtasks>  
  
    tags = <Tags>  
  
    tasklists = <Tasklists>  
  
    tasks = <Tasks>  
  
    teams = <Teams>  
  
    users = <Users>  
  
    webhooks = <Webhooks>  
        Webhooks  
  
    works = <Works>
```

2.1 OAuth2

```
class teambition.api.oauth.OAuth (client=None)

check (access_token=None)
    access_token
    http://docs.teambition.com/wiki/oauth2#oauth2-check
        access_token – access_token
        JSON

fetch_access_token (code, grant_type=u'code')
    code access_token
    http://docs.teambition.com/wiki/oauth2#oauth2-access_token

        • code – code
        • grant_type – code
    access_token

get_access_token (code, grant_type=u'code')
    code access_token
    http://docs.teambition.com/wiki/oauth2#oauth2-access_token

        • code – code
        • grant_type – code
    access_token

get_authorize_url (redirect_uri, state=u'', lang=u'zh')
    http://docs.teambition.com/wiki/oauth2#oauth2-authorize

        • redirect_uri –
        • state –
```

- **lang** – zh, en zh

2.2

class `teambition.api.users.Users (client=None)`

add_email (email)

<http://docs.teambition.com/wiki/me#me-update-emails>

email –

JSON

delete_email (email_id)

<http://docs.teambition.com/wiki/me#me-delete-email>

email_id – ID emails

JSON

get_involved_tasks (page=1, count=30)

<http://docs.teambition.com/wiki/me#me-involves>

- **page** –

- **count** – 30

JSON

get_my_tasks (page=1, count=30)

<http://docs.teambition.com/wiki/me#me-tasks>

- **page** –

- **count** – 30

JSON

get_today_count ()

<http://docs.teambition.com/wiki/me#me-today>

me ()

<http://docs.teambition.com/wiki/me#me-get>

JSON

send_verification_email (email_id)

<http://docs.teambition.com/wiki/me#me-send-verify-email>

email_id – ID emails

JSON

update (name=None, avatar_url=None, title=None, birthday=None, location=None, phone=None,

website=None)

<http://docs.teambition.com/wiki/me#me-update-info>

- **name** –
- **avatar_url** –
- **title** –
- **birthday** –
- **location** –
- **phone** –
- **website** –

JSON

update_preferences (*id, notification*)
<http://docs.teambition.com/wiki/me#me-update-notification>

- **id** – ID
- **notification** – dict

JSON

2.3

class teambition.api.organizations.**Organizations** (*client=None*)

add_members (*id, email*)
<http://docs.teambition.com/wiki/orgs#orgs-add-member>

- **id** – ID
- **email** –

JSON

create (*name, description=None, logo=None, location=None, website=None*)
<http://docs.teambition.com/wiki/orgs#orgs-create>

- **name** –
- **description** –
- **logo** – logo
- **location** –
- **website** –

JSON

create_members (*id, email*)
<http://docs.teambition.com/wiki/orgs#orgs-add-member>

- **id** – ID

- **email** –

JSON

create_webhook (*id, callback_url, active=True, events=None*)
webhook

- **id** – ID

- **callback_url** – TeambitionHEAD, POST

- **active** – True

- **events** –

JSON

delete (*id*)

<http://docs.teambition.com/wiki/orgs#orgs-delete>

id – ID

JSON

delete_webhook (*id, hook_id*)

webhook

- **id** – ID

- **hook_id** – webhook ID

JSON

get (*id=None*)

<http://docs.teambition.com/wiki/orgs#orgs-get>

id – ID

id

get_member_events (*id, member_id, start_date=None*)

<http://docs.teambition.com/wiki/orgs#orgs-get-member-events>

- **id** – ID

- **member_id** – ID

- **start_date** –

JSON

get_member_tasks (*id, member_id, start_date=None, is_done=None, all=False, page=1, count=30*)
<http://docs.teambition.com/wiki/orgs#orgs-get-member-tasks>

- **id** – ID

- **member_id** – ID

- **start_date** –

- **is_done** – False
- **all** –
- **page** –
- **count** – 30

JSON

get_members (*id, user_id=None*)

<http://docs.teambition.com/wiki/orgs#orgs-get-member>

- **id** – ID
- **user_id** – ID

JSON

get_projects (*id, project_id=None, is_archived=False*)

<http://docs.teambition.com/wiki/orgs#orgs-projects>

- **id** – ID
- **project_id** – ID
- **is_archived** – False

JSON

get_recommend_members (*id*)

<http://docs.teambition.com/wiki/orgs#orgs-recommend-members>

id – ID

JSON

get_statistic (*id, base=u'member', start_date=None, end_date=None*)

<http://docs.teambition.com/wiki/orgs#orgs-statistic>

- **id** – ID
- **base** – member, team, project member
- **start_date** –
- **end_date** –

JSON

get_supported_webhooks ()

webhook

JSON

get_webhook_value_format (*event*)

webhook

event –

JSON

get_webhooks (*id*)

Webhook

id – ID

 JSON

quit (*id*)

<http://docs.teambition.com/wiki/orgs#orgs-quit>

id – ID

 JSON

remove_member (*id, user_id*)

<http://docs.teambition.com/wiki/orgs#orgs-remove-member>

 • **id** – ID

 • **user_id** – ID

 JSON

resend_invitation (*id, user_id*)

<http://docs.teambition.com/wiki/orgs#orgs-resend-invitation>

 • **id** – ID

 • **user_id** – ID

 JSON

update (*id, name=None, description=None, logo=None, location=None, website=None*)

<http://docs.teambition.com/wiki/orgs#orgs-update>

 • **id** – ID

 • **name** –

 • **description** –

 • **logo** – logo

 • **location** –

 • **website** –

 JSON

update_dividers (*id, dividers*)

<http://docs.teambition.com/wiki/orgs#orgs-dividers>

 • **id** – ID

 • **dividers** –

 JSON

update_member_role (*id, user_id, role_type*)

<http://docs.teambition.com/wiki/orgs#orgs-update-member>

- **id** – ID
- **user_id** – ID
- **role_type** – , member, admin, owner

update_projects (*id, project_ids*)

http://docs.teambition.com/wiki/orgs#orgs-update_projectids

- **id** – ID
- **project_ids** – id

JSON

update_webhook (*id, hook_id, callback_url=None, active=True, events=None, add_events=None, remove_events=None*)

webhook

- **id** – ID
- **hook_id** – webhook ID
- **callback_url** – TeambitionHEAD, POST
- **active** – True
- **events** –
- **add_events** –
- **remove_events** –

JSON

2.4

class `teambition.api.teams.Teams` (*client=None*)

add_members (*id, email*)

<http://docs.teambition.com/wiki/teams#teams-add-member>

- **id** – ID
- **email** –

JSON

bind_project (*id, project_id*)

<http://docs.teambition.com/wiki/teams#teams-bind-project>

- **id** – ID
- **project_id** – ID

JSON

create (*name, organization_id=None*)
<http://docs.teambition.com/wiki/teams#teams-create>

- **name** –
- **organization_id** – ID

JSON

create_members (*id, email*)
<http://docs.teambition.com/wiki/teams#teams-add-member>

- **id** – ID
- **email** –

JSON

delete (*id*)
<http://docs.teambition.com/wiki/teams#teams-delete>

id – ID

JSON

get (*id=None, organization_id=None, project_id=None*)
<http://docs.teambition.com/wiki/teams#teams-get>

- **id** – ID
- **organization_id** – ID
- **project_id** – ID

JSON

get_events (*id, start_date=None*)
<http://docs.teambition.com/wiki/teams#teams-get-team-week-events>

- **id** – ID
- **start_date** –

JSON

get_member_events (*id, member_id, start_date=None*)
<http://docs.teambition.com/wiki/teams#teams-get-team-member-events>

- **id** – ID
- **member_id** – ID
- **start_date** –

JSON

get_members (*id, user_id=None*)
<http://docs.teambition.com/wiki/teams#teams-get-member>

- **id** – ID
- **user_id** – ID

JSON

get_member_tasks (*id, member_id, start_date=None*)
<http://docs.teambition.com/wiki/teams#teams-get-team-member-tasks>

- **id** – ID
- **member_id** – ID
- **start_date** –

JSON

get_tasks (*id, start_date=None*)
<http://docs.teambition.com/wiki/teams#teams-get-team-week-tasks>

- **id** – ID
- **start_date** –

JSON

quit (*id*)
<http://docs.teambition.com/wiki/teams#teams-quit>

id – ID

JSON

remove_member (*id, user_id*)
<http://docs.teambition.com/wiki/teams#teams-remove-member>

- **id** – ID
- **user_id** – ID

JSON

unbind_project (*id, project_id*)
<http://docs.teambition.com/wiki/teams#teams-unbind-project>

- **id** – ID
- **project_id** – ID

JSON

update (*id, name*)
<http://docs.teambition.com/wiki/teams#teams-update>

- **id** – ID
- **name** –

2.5

class `teambition.api.projects.Projects` (*client=None*)

add_members (*id, email*)

<http://docs.teambition.com/wiki/projects#projects-add-member>

- **id** – ID
- **email** –

JSON

copy (*id, name, organization_id=None, is_public=False*)

<http://docs.teambition.com/wiki/projects#projects-copy>

- **id** –
- **name** –
- **organization_id** – ID
- **is_public** – False

JSON

create (*name, description=None, logo=None, category=None, divider_index=None, organization_id=None*)

<http://docs.teambition.com/wiki/projects#projects-create>

- **name** –
- **description** –
- **logo** – logo
- **category** –
- **divider_index** – dividers index
- **organization_id** – ID

create_members (*id, email*)

<http://docs.teambition.com/wiki/projects#projects-add-member>

- **id** – ID
- **email** –

JSON

create_webhook (*id*, *callback_url*, *active=True*, *events=None*)
webhook

- **id** – ID
- **callback_url** – TeambitionHEAD, POST
- **active** – True
- **events** –

JSON

delete (*id*)
<http://docs.teambition.com/wiki/projects#projects-delete>

id –

JSON

delete_webhook (*id*, *hook_id*)
webhook

- **id** – ID
- **hook_id** – webhook ID

JSON

get (*id=None*, *team_id=None*, *is_archived=False*)
<http://docs.teambition.com/wiki/projects#projects-get>

- **id** –
- **team_id** – ID
- **is_archived** – False

JSON

get_activities (*id*, *start_date=None*, *end_date=None*, *limit=30*)
<http://docs.teambition.com/wiki/projects-home-activities>

- **id** – ID
- **start_date** –
- **end_date** – 23 59 59
- **limit** – 30

JSON

get_events (*id=None*, *start_date=None*, *end_date=None*)
<http://docs.teambition.com/wiki/projects-get-events>

- **id** – ID
- **start_date** –

- **end_date** –

JSON

get_members (*id, user_id=None*)

<http://docs.teambition.com/wiki/projects#projects-get-members>

- **id** – ID

- **user_id** – ID

JSON

get_posts (*id*)

id – ID

JSON

get_recommend_members (*id*)

<http://docs.teambition.com/wiki/projects#projects-recommend-members>

id – ID

JSON

get_reviews (*id, start_date=None, end_date=None*)

<http://docs.teambition.com/wiki/projects#projects-reviews>

- **id** – ID

- **start_date** –

- **end_date** – 23 59 59

JSON

get_statistic (*id, today=True*)

<http://docs.teambition.com/wiki/projects#projects-statistic>

- **id** – ID

- **today** –

JSON

get_supported_webhooks ()

webhook

JSON

get_tags (*id*)

id – ID

JSON

get_tasklists (*id*)

<http://docs.teambition.com/wiki/tasklists#tasklists-get>

id – ID

JSON

get_tasks (*id=None, executor_id=None, fields=None, subtask_fields=None, with_tasklist=False, with_subtasks=False, with_tags=False, with_executor=False, is_done=False, all=False, page=1, limit=30, **kwargs*)
<http://docs.teambition.com/wiki/projects#projects-get-tasks>

- **id** – ID
- **executor_id** – ID
- **field** – : _id,_projectId,isDone,content
- **subtask_fields** – : _id,_taskId,_executorId,content,order
- **with_tasklist** – False
- **with_subtasks** – False
- **with_tags** – False
- **with_executor** – False
- **is_done** – False
- **all** – False
- **page** – 1
- **limit** – 30 1000

JSON

get_webhook_value_format (*event*)

webhook

event –

JSON

get_webhooks (*id*)

Webhook

id – ID

JSON

quit (*id*)

<http://docs.teambition.com/wiki/projects#projects-quit>

id – ID

JSON

remove_member (*id, user_id*)

<http://docs.teambition.com/wiki/projects#projects-remove-member>

- **id** – ID
- **user_id** – ID

JSON

resend_invitation (*id, user_id*)

<http://docs.teambition.com/wiki/projects#projects-resend-invitation>

- **id** – ID

- **user_id** – ID

JSON

reset_invitation (*id*)

<http://docs.teambition.com/wiki/projects#projects-reset-invitelink>

id – ID

JSON

star (*id*)

<http://docs.teambition.com/wiki/projects#projects-star>

id –

transfer (*id, organization_id=None*)

<http://docs.teambition.com/wiki/projects#projects-transfer>

- **id** – ID

- **organization_id** – ID

unstar (*id*)

<http://docs.teambition.com/wiki/projects#projects-star>

id –

update (*id, name=None, description=None, logo=None, category=None, is_archived=None, is_public=None*)

<http://docs.teambition.com/wiki/projects#projects-update>

- **id** –

- **name** –

- **description** –

- **logo** – logo

- **category** –

- **is_archived** –

- **is_public** –

JSON

update_member_role (*id, user_id, role_type*)

<http://docs.teambition.com/wiki/projects#projects-update-member>

- **id** – ID

- **user_id** – ID

- **role_type** –, member, admin, owner

JSON

update_navigation (*id, navigation*)

<http://docs.teambition.com/wiki/projects#projects-update-apps>

```

    • id – ID
    • navigation –
JSON

update_tasklists (id, tasklist_ids)
http://docs.teambition.com/wiki/projects#projects-update-tasklistIds

    • id – ID
    • tasklist_ids – ID
JSON

update_webhook (id, hook_id, callback_url=None, active=True, events=None, add_events=None, remove_events=None)
webhook

    • id – ID
    • hook_id – webhook ID
    • callback_url – TeambitionHEAD, POST
    • active – True
    • events –
    • add_events –
    • remove_events –
JSON

```

2.6

```

class teambition.api.tasklists.Tasklists (client=None)

archive (id)
http://docs.teambition.com/wiki/tasklists#tasklists-archive

    id – ID
JSON

create (project_id, title, description=None)
http://docs.teambition.com/wiki/tasklists#tasklists-create

    • project_id – ID
    • title –
    • description –
JSON

```

delete (*id*)
<http://docs.teambition.com/wiki/tasklists#tasklists-delete>

id – ID

JSON

get (*id=None, project_id=None*)
<http://docs.teambition.com/wiki/tasklists#tasklists-get>

- **id** – ID
- **project_id** – ID

JSON

get_stages (*id*)
<http://docs.teambition.com/wiki/stages#stages-get>

tasklist_id – ID

JSON

get_tasks (*id, executor_id=None, is_done=False, dump_type=u'json', all=False, page=1, limit=30, **kwargs*)
<http://docs.teambition.com/wiki/tasklists#tasklists-get-tasks>

- **id** – ID
- **executor_id** – ID
- **is_done** – False
- **dump_type** – json excel
- **all** –
- **page** – 1
- **limit** – 30 1000

JSON

unarchive (*id*)
<http://docs.teambition.com/wiki/tasklists#tasklists-unarchive>

id – ID

JSON

update (*id, title=None, description=None, is_archived=None*)
<http://docs.teambition.com/wiki/tasklists#tasklists-update>

- **id** – ID
- **title** –
- **description** –
- **is_archived** –

JSON

update_stage_ids (*id, stage_ids*)
<http://docs.teambition.com/wiki/tasklists#tasklists-update-stageids>

- **id** – ID
- **stage_ids** – ID

JSON

2.7

class `teambition.api.stages.Stages` (*client=None*)

create (*name, tasklist_id, prev_id*)
<http://docs.teambition.com/wiki/stages#stages-create>

- **name** –
- **tasklist_id** – ID
- **prev_id** – ID

JSON

delete (*id*)
<http://docs.teambition.com/wiki/stages#stages-delete>

id – ID

JSON

get (*tasklist_id*)
<http://docs.teambition.com/wiki/stages#stages-get>

tasklist_id – ID

JSON

get_tasks (*id, executor_id=None, is_done=False, all=False, page=1, limit=30, **kwargs*)
<http://docs.teambition.com/wiki/stages#stages-get-tasks>

- **id** – ID
- **executor_id** – ID
- **is_done** – False
- **all** –
- **page** – 1
- **limit** – 30 1000

JSON

update (*id, name=None, is_locked=None*)
<http://docs.teambition.com/wiki/stages#stages-update>

- **id** – ID
- **name** –
- **is_locked** –

2.8

```
class teambition.api.stagetemplates.StageTemplates (client=None)

create (title, stages)
    http://docs.teambition.com/wiki/stages-template#stages-template-create

        • title –
        • stages –
    JSON

delete (id)
    http://docs.teambition.com/wiki/stages-template#stages-template-delete

        id –
    JSON

get ()
    http://docs.teambition.com/wiki/stages-template#stages-template-get

        JSON

update (id, title=None, stages=None)
    http://docs.teambition.com/wiki/stages-template#stages-template-update

        • id –
        • title –
        • stages –
    JSON
```

2.9

```
class teambition.api.tasks.Tasks (client=None)

add_tag (id, tag_id)
    • id – ID
    • tag_id – ID
    JSON
```

archive (id)<http://docs.teambition.com/wiki/tasks#tasks-archive>**id** – ID

JSON

create (content, tasklist_id=None, stage_id=None, executor_id=None, involve_members=None,**due_date=None, priority=None, recurrence=None, tag_ids=None)**<http://docs.teambition.com/wiki/tasks#tasks-create>

- **content** –
- **tasklist_id** – ID
- **stage_id** – ID
- **executor_id** – ID
- **involve_members** – ID
- **due_date** –
- **priority** – 012
- **recurrence** –
- **tag_ids** – ID

JSON

create_objectlink (id, linked_id, linked_type)

- **id** – ID
- **linked_id** – ID
- **linked_type** –

JSON

delete (id)<http://docs.teambition.com/wiki/tasks#tasks-delete>**id** – ID

JSON

fork (id, stage_id, do_link=False, do_linked=False)<http://docs.teambition.com/wiki/tasks#tasks-fork>

- **id** – ID ID
- **stage_id** – ID
- **do_link** – False
- **do_linked** – False

JSON

get (id, detail_type=None)<http://docs.teambition.com/wiki/tasks#tasks-get-by-id>

- **id** – ID
- **detail_type** – complete,

JSON

get_activities (*id*)
 id – ID

JSON

get_objectlinks (*id*)
 objectlink

- **id** – ID

JSON

get_subtasks (*id*)
 id – ID

JSON

get_tags (*id*)
 id – ID

JSON

like (*id*)
<http://docs.teambition.com/wiki/tasks#tasks-like>

- **id** – ID

JSON

link_event (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_post (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_task (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_work (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

move (*id, stage_id*)
<http://docs.teambition.com/wiki/tasks#tasks-move>

- **id** – ID
- **stage_id** – ID

JSON

remove_tag (*id, tag_id*)

- **id** – ID
- **tag_id** – ID

JSON

unarchive (*id*)
<http://docs.teambition.com/wiki/tasks#tasks-unarchive>

id – ID

JSON

update (*id, content=None, tasklist_id=None, stage_id=None, executor_id=None, involve_members=None, due_date=None, priority=None, recurrence=None, is_done=None, note=None*)
<http://docs.teambition.com/wiki/tasks#tasks-update>

- **content** –
- **tasklist_id** – ID
- **stage_id** – ID
- **executor_id** – ID
- **involve_members** – ID
- **due_date** –
- **priority** – 012
- **recurrence** –
- **is_done** –
- **note** –

update_content (*id, content*)

http://docs.teambition.com/wiki/tasks#tasks-update_content

- **id** – ID
- **content** –

JSON

update_duedate (*id, duedate*)
http://docs.teambition.com/wiki/tasks#tasks-update_duedate

- **id** – ID
- **duedate** – ISOString None

JSON

update_executor (*id, executor_id*)

http://docs.teambition.com/wiki/tasks#tasks-update_executor

- **id** – ID
- **executor_id** – ID

JSON

update_note (*id, note*)

http://docs.teambition.com/wiki/tasks#tasks-update_note

- **id** – ID
- **note** –

JSON

update_status (*id, is_done*)

http://docs.teambition.com/wiki/tasks#tasks-update_status

- **id** – ID
- **is_done** –

JSON

update_subtasks (*id, subtask_ids*)

<http://docs.teambition.com/wiki/tasks#tasks-update-subtaskids>

- **id** – ID
- **subtask_ids** – ID

JSON

update_tags (*id, tag_ids*)

<http://docs.teambition.com/wiki/tasks#tasks-update-tags>

- **id** – ID
- **tag_ids** – ID

JSON

2.10

```
class teambition.api.subtasks.Subtasks (client=None)
```

```
create (content, task_id, executor_id=None)
```

<http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-create>

- **content** –
- **task_id** – ID
- **executor_id** – ID

JSON

```
delete (id)
```

<http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-delete>

id – ID

JSON

```
get (id=None, task_id=None)
```

ID ID

<http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-get>

- **id** – ID
- **task_id** – ID

JSON

```
transform (id, do_link=False, do_linked=False)
```

<http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-transform>

- **id** – ID
- **do_link** – False
- **do_linked** – False

JSON

```
update (id, content=None, is_done=None, executor_id=None)
```

<http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-update>

- **id** – ID
- **content** –
- **is_done** –
- **executor_id** – ID

JSON

```
update_content (id, content)
```

http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-update_content

- **id** – ID

- **content** –

JSON

update_duedate (*id, duedate*)

http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-update_duedate

- **id** – ID

- **duedate** – ISOString None

JSON

update_executor (*id, executor_id*)

http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-update_executor

- **id** – ID

- **executor_id** – ID

JSON

update_status (*id, is_done*)

http://docs.teambition.com/wiki/tasks-subtasks#tasks-subtasks-update_status

- **id** – ID

- **is_done** –

JSON

2.11

class teambition.api.messages.**Messages** (*client=None*)

archive_all ()

<http://docs.teambition.com/wiki/messages#messages-delete>

JSON

delete (*id*)

<http://docs.teambition.com/wiki/messages#messages-delete>

id – ID

JSON

get ()

<http://docs.teambition.com/wiki/messages#messages-get>

JSON

mark_all_read ()

<http://docs.teambition.com/wiki/messages#messages-update-markallread>

JSON

```
update (id, is_archived=None, is_read=None)
/
```

<http://docs.teambition.com/wiki/messages#messages-update>

- **id** – ID
- **is_archived** –
- **is_read** –

JSON

2.12

```
class teambition.api.posts.Posts (client=None)
```

```
add_tag (id, tag_id)
```

- **id** – ID
- **tag_id** – ID

JSON

```
archive (id)
```

<http://docs.teambition.com/wiki/posts#posts-archive>

id – ID

JSON

```
create (project_id, title, content, post_mode=None, visible=u'members', involve_members=None,
tag_ids=None, attachments=None)
```

<http://docs.teambition.com/wiki/posts#posts-create>

- **project_id** – ID
- **title** –
- **content** –
- **post_mode** –
- **visible** – members involves
- **involve_members** – ID
- **tag_ids** – ID
- **attachments** – ID

JSON

```
create_objectlink (id, linked_id, linked_type)
```

- **id** – ID

- **linked_id** – ID
- **linked_type** –
JSON

delete (*id*)
<http://docs.teambition.com/wiki/posts#posts-delete>

id – ID
 JSON

get (*id=None, project_id=None*)
<http://docs.teambition.com/wiki/posts#posts-get>

- **id** – ID
- **project_id** – ID

 JSON

get_activities (*id*)
 id – ID
 JSON

get_objectlinks (*id*)
 objectlink
 id – ID
 JSON

get_tags (*id*)
 id – ID
 JSON

like (*id*)
<http://docs.teambition.com/wiki/posts#posts-like>

id – ID
 JSON

link_event (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

 JSON

link_post (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

 JSON

link_task (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_work (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

remove_tag (*id, tag_id*)

- **id** – ID
- **tag_id** – ID

JSON

unarchive (*id*)

<http://docs.teambition.com/wiki/posts#posts-unarchive>

id – ID

JSON

update (*id, title=None, content=None, post_mode=None, attachments=None, pin=None*)

<http://docs.teambition.com/wiki/posts#posts-update>

- **id** – ID
- **title** –
- **content** –
- **post_mode** –
- **attachments** – ID
- **pin** – True/False

JSON

update_members (*id, members*)

<http://docs.teambition.com/wiki/posts#posts-update-involvemembers>

- **id** – ID
- **members** – ID

JSON

update_tags (*id, tag_ids*)

<http://docs.teambition.com/wiki/posts#posts-update-tags>

- **id** – ID
- **tags** – ID

JSON

2.13

class `teambition.api.collections.Collections` (*client=None*)

archive (*id*)

<http://docs.teambition.com/wiki/collections#collections-archive>

id – ID

JSON

create (*title, project_id, parent_id=None, description=None, color=None*)

<http://docs.teambition.com/wiki/collections#collections-create>

- **title** –
- **project_id** – ID
- **parent_id** – ID ID
- **description** –
- **color** –

JSON

delete (*id*)

<http://docs.teambition.com/wiki/collections#collections-delete>

id – ID

JSON

get (*id=None, parent_id=None*)

<http://docs.teambition.com/wiki/collections#collections-get>

- **id** – ID
- **parent_id** – ID

JSON

move (*id, parent_id*)

<http://docs.teambition.com/wiki/collections#collections-move>

- **id** – ID

- **parent_id** – ID

JSON

unarchive (*id*)

<http://docs.teambition.com/wiki/collections#collections-unarchive>

id – ID

JSON

update (*id*, *title=None*, *parent_id=None*, *description=None*, *color=None*)
<http://docs.teambition.com/wiki/collections#collections-update>

- **id** – ID
- **title** –
- **parent_id** – ID
- **description** –
- **color** –

JSON

2.14

class `teambition.api.works.Works` (*client=None*)

add_tag (*id*, *tag_id*)

- **id** – ID
- **tag_id** – ID

JSON

create (*parent_id*, *file_name*, *file_size*, *file_type*, *file_category*, *file_key*, *image_width=None*, *image_height=None*, *involve_members=None*)
<http://docs.teambition.com/wiki/works#works-create>

- **parent_id** – ID
- **file_name** –
- **file_size** –
- **file_type** –
- **file_category** –
- **file_key** – striker
- **image_width** –
- **image_height** –
- **involve_members** –

JSON

create_objectlink (*id*, *linked_id*, *linked_type*)

- **id** – ID
- **linked_id** – ID
- **linked_type** –

JSON

create_version (*id*, *file_name*, *file_size*, *file_type*, *file_category*, *file_key*, *image_width=None*, *image_height=None*, *involve_members=None*)
<http://docs.teambition.com/wiki/works-versions#works-versions-post>

- **id** – ID
- **file_name** –
- **file_size** –
- **file_type** –
- **file_category** –
- **file_key** – striker
- **image_width** –
- **image_height** –
- **involve_members** –

JSON

delete (*id*)
<http://docs.teambition.com/wiki/works#works-delete>

id – ID

JSON

delete_version (*id*, *version_id*)
<http://docs.teambition.com/wiki/works-versions#works-versions-delete>

- **id** – ID
- **version_id** – ID

JSON

get (*id=None*, *parent_id=None*, *page=None*, *count=None*, *all=None*)
<http://docs.teambition.com/wiki/works#works-get>

- **id** – ID
- **parent_id** – ID
- **page** – 1
- **count** – 30
- **all** –

JSON

get_activities (*id*)
 id – ID

JSON

get_objectlinks (*id*)
 objectlink

```
id - ID
JSON

get_tags (id)
    id - ID
    JSON

get_version (id, version_id)
    http://docs.teambition.com/wiki/works-versions#works-versions-get

    • id - ID
    • version_id - ID

get_versions (id)
    http://docs.teambition.com/wiki/works-versions#works-versions-list

    id - ID

like (id)
    http://docs.teambition.com/wiki/works#works-like

    id - ID
    JSON

link_event (id, linked_id)

    • id - ID
    • linked_id - ID
    JSON

link_post (id, linked_id)

    • id - ID
    • linked_id - ID
    JSON

link_task (id, linked_id)

    • id - ID
    • linked_id - ID
    JSON

link_work (id, linked_id)

    • id - ID
    • linked_id - ID
    JSON
```

move (*id, parent_id*)
<http://docs.teambition.com/wiki/works#works-move>

- **id** – ID
- **parent_id** – ID

JSON

remove_tag (*id, tag_id*)

- **id** – ID
- **name** – ID

JSON

update (*id, file_name, description=None*)
<http://docs.teambition.com/wiki/works#works-update>

- **id** – ID
- **file_name** –
- **description** –

JSON

update_members (*id, members*)
<http://docs.teambition.com/wiki/works#works-update-involvemembers>

- **id** – ID
- **members** – ID

JSON

update_version (*id, version_id, file_name=None, description=None*)
<http://docs.teambition.com/wiki/works-versions#works-versions-update>

- **id** – ID
- **version_id** – ID
- **file_name** –
- **description** –

JSON

2.15

class `teambition.api.events.Events` (*client=None*)

add_tag (*id, tag_id*)

- **id** – ID
- **tag_id** – ID

JSON

archive (*id*)
<http://docs.teambition.com/wiki/events#events-archive>

id – ID

JSON

create (*project_id*, *title*, *start_date*, *end_date*, *location*=None, *status*=None, *reminders*=None, *content*=None, *recurrence*=None, *source_id*=None, *mode*=None, *visible*=u'members', *tag_ids*=None)
<http://docs.teambition.com/wiki/events#events-create>

- **project_id** – ID
- **title** –
- **start_date** –
- **end_date** –
- **location** –
- **status** –
- **reminders** –
- **content** –
- **recurrence** –
- **source_id** –
- **mode** – single, after
- **visible** – members involves
- **tag_ids** – ID

JSON

create_objectlink (*id*, *linked_id*, *linked_type*)

- **id** – ID
- **linked_id** – ID
- **linked_type** –

JSON

delete (*id*)
<http://docs.teambition.com/wiki/events#events-delete>

id – ID

JSON

get (*id*=None, *project_id*=None)
<http://docs.teambition.com/wiki/events#events-get>

- **id** – ID
- **project_id** – ID

JSON

get_activities (*id*)
 id – ID

JSON

get_objectlinks (*id*)
 objectlink

- **id** – ID

JSON

get_tags (*id*)
 id – ID

JSON

like (*id*)
<http://docs.teambition.com/wiki/events#events-like>

- **id** – ID

JSON

link_event (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_post (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_task (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

link_work (*id, linked_id*)

- **id** – ID
- **linked_id** – ID

JSON

remove_tag (*id, tag_id*)

- **id** – ID
- **tag_id** – ID

JSON

unarchive (*id*)
<http://docs.teambition.com/wiki/events#events-unarchive>

id – ID

JSON

update (*id*, *title=None*, *start_date=None*, *end_date=None*, *location=None*, *status=None*, *reminders=None*, *content=None*)
<http://docs.teambition.com/wiki/events#events-update>

- **id** – ID
- **title** –
- **start_date** –
- **end_date** –
- **location** –
- **status** –
- **reminders** –
- **content** –

update_tags (*id*, *tag_ids*)
<http://docs.teambition.com/wiki/events#events-update-tags>

- **id** – ID
- **tag_ids** – ID

JSON

2.16

class teambition.api.tags.**Tags** (*client=None*)

archive (*id*)
<http://docs.teambition.com/wiki/tags#tags-archive>

id – ID

JSON

create (*name*, *project_id*)
<http://docs.teambition.com/wiki/tags#tags-create>

- **name** –
- **project_id** – ID

JSON

delete (*id*)
<http://docs.teambition.com/wiki/tags#tags-delete>

• **id** – ID

JSON

get (*id*)
<http://docs.teambition.com/wiki/tags#tags-get>

• **id** – ID

JSON

get_events (*id*)
 • **id** – ID

JSON

get_posts (*id*)
 • **id** – ID

JSON

get_tasks (*id*)
 • **id** – ID

JSON

get_works (*id*)
 • **id** – ID

JSON

unarchive (*id*)
<http://docs.teambition.com/wiki/tags#tags-unarchive>

• **id** – ID

JSON

update (*id, name, color=None*)
<http://docs.teambition.com/wiki/tags#tags-update>

• **id** – ID

• **name** –

• **color** –

JSON

2.17

class `teambition.api.objectlinks.ObjectLinks` (*client=None*)

create (*parent_id, parent_type, linked_id, linked_type*)
<http://docs.teambition.com/wiki/objectlinks#objectlinks-create>

- **parent_id** – ID
- **parent_type** –
- **linked_id** – ID
- **linked_type** –

JSON

delete (*id*)
<http://docs.teambition.com/wiki/objectlinks#objectlinks-delete>

id – ID

JSON

get (*parent_id*, *parent_type*)
objectlink
<http://docs.teambition.com/wiki/objectlinks#objectlinks-get>

- **parent_id** – ID
- **parent_type** –

JSON

2.18

```
class teambition.api.activities.Activities (client=None)

create (content, object_id, object_type, attachments=None, mentions=None)
http://docs.teambition.com/wiki/activities#activities-comment

    • content –
    • object_id – ID
    • object_type – : post/task/event/entry/work
    • attachments – ID
    • mentions – {"user id": "@username"}
```

JSON

delete (*id*)
<http://docs.teambition.com/wiki/activities#activities-delete>

id – ID

JSON

get (*object_id*)
 object_id – ID

JSON

update (*id*, *content*)
http://docs.teambition.com/wiki/activities#activities-update_comment

- **id** – ID
 - **content** –
- JSON

2.19 Webhooks

```
class teambition.api.webhooks.Webhooks (client=None)
```

```
    verify_signature(sign, timestamp, nonce)
        webhook
```

- **sign** –
- **timestamp** –
- **nonce** – nonce

True False

2.20

```
class teambition.api.bookkeepings.BookKeepings (client=None)
```

```
    get (id=None, project_id=None)
        http://docs.teambition.com/wiki/bookkeeping#bookkeeping-get
```

- **id** – ID
- **project_id** – ID

JSON

```
    update (id, approver_ids=None, display_fields=None)
```

- **id** – ID
- **approver_ids** – ID
- **display_fields** –

JSON

2.21

```
class teambition.api.entrycategories.EntryCategories (client=None)
```

create (*project_id*, *title*, *type*)
<http://docs.teambition.com/wiki/bookkeeping-entrycategory#bookkeeping-entrycategory-create>

- **project_id** – ID
- **title** –
- **type** – 1 -1

JSON

delete (*id*)
<http://docs.teambition.com/wiki/bookkeeping-entrycategory#bookkeeping-entrycategory-delete>

id – ID

JSON

get (*id=None*, *project_id=None*)
<http://docs.teambition.com/wiki/bookkeeping-entrycategory#bookkeeping-entrycategory-get>

- **id** – ID
- **project_id** – ID

JSON

update (*id*, *title*)
<http://docs.teambition.com/wiki/bookkeeping-entrycategory#bookkeeping-entrycategory-update>

- **id** – ID
- **title** –

JSON

2.22

class `teambition.api.entries.Entries` (*client=None*)

approval (*id*)
<http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-approval>

id – ID

JSON

create (*project_id*, *category_id*, *content*, *amount*, *type*, *note=None*, *visible=None*, *tag_ids=None*, *involve_members=None*)
<http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-create>

- **project_id** – ID
- **category_id** – ID
- **content** –

- **amount** –
- **type** – 1 -1
- **note** –
- **visible** –
- **tag_ids** – ID
- **involve_members** – ID

JSON

delete (*id*)

<http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-delete>

id – ID

JSON

get (*id=None, project_id=None, category_id=None*)

<http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-get>

- **id** – ID
- **project_id** – ID
- **category_id** – ID

JSON

unapproval (*id*)

http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-cancel_the_approval

id – ID

JSON

update (*id, content, amount, note=None*)

<http://docs.teambition.com/wiki/bookkeeping-entry#bookkeeping-entry-update>

- **id** – ID
- **content** –
- **amount** –
- **note** –

JSON

Indices and tables

- genindex
- modindex
- search

t

teambition.api.activities, 39
teambition.api.bookkeepings, 40
teambition.api.collections, 30
teambition.api.entries, 41
teambition.api.entrycategories, 40
teambition.api.events, 34
teambition.api.messages, 26
teambition.api.oauth, 3
teambition.api.objectlinks, 38
teambition.api.organizations, 5
teambition.api.posts, 27
teambition.api.projects, 12
teambition.api.stages, 19
teambition.api.stagetemplates, 20
teambition.api.subtasks, 25
teambition.api.tags, 37
teambition.api.tasklists, 17
teambition.api.tasks, 20
teambition.api.teams, 9
teambition.api.users, 4
teambition.api.webhooks, 40
teambition.api.works, 31
teambition.client, 2

A

access_token (teambition.client.Teambition), 2
activities (teambition.client.Teambition), 2
add_email() (teambition.api.users.Users), 4
add_members()
 (teambition.api.organizations.Organizations), 5
add_members() (teambition.api.projects.Projects), 12
add_members() (teambition.api.teams.Teams), 9
add_tag() (teambition.api.events.Events), 34
add_tag() (teambition.api.posts.Posts), 27
add_tag() (teambition.api.tasks.Tasks), 20
add_tag() (teambition.api.works.Works), 31
approval() (teambition.api.entries.Entries), 41
archive() (teambition.api.collections.Collections), 30
archive() (teambition.api.events.Events), 35
archive() (teambition.api.posts.Posts), 27
archive() (teambition.api.tags.Tags), 37
archive() (teambition.api.tasklists.Tasklists), 17
archive() (teambition.api.tasks.Tasks), 20
archive_all() (teambition.api.messages.Messages), 26

B

bind_project() (teambition.api.teams.Teams), 9
bookkeepings (teambition.client.Teambition), 2

C

check() (teambition.api.oauth.OAuth), 3
collections (teambition.client.Teambition), 2
copy() (teambition.api.projects.Projects), 12
create() (teambition.api.activities.Activities), 39
create() (teambition.api.collections.Collections), 30
create() (teambition.api.entries.Entries), 41
create() (teambition.api.entrycategories.EntryCategories), 40
create() (teambition.api.events.Events), 35
create() (teambition.api.objectlinks.ObjectLinks), 38
create() (teambition.api.organizations.Organizations), 5
create() (teambition.api.posts.Posts), 27
create() (teambition.api.projects.Projects), 12
create() (teambition.api.stages.Stages), 19

create() (teambition.api.stagetemplates.StageTemplates),
 20
create() (teambition.api.subtasks.Subtasks), 25
create() (teambition.api.tags.Tags), 37
create() (teambition.api.tasklists.Tasklists), 17
create() (teambition.api.tasks.Tasks), 21
create() (teambition.api.teams.Teams), 10
create() (teambition.api.works.Works), 31
create_members()
 (teambition.api.organizations.Organizations), 5
create_members() (teambition.api.projects.Projects), 12
create_members() (teambition.api.teams.Teams), 10
create_objectlink() (teambition.api.events.Events), 35
create_objectlink() (teambition.api.posts.Posts), 27
create_objectlink() (teambition.api.tasks.Tasks), 21
create_objectlink() (teambition.api.works.Works), 31
create_version() (teambition.api.works.Works), 32
create_webhook()
 (teambition.api.organizations.Organizations), 6
create_webhook() (teambition.api.projects.Projects), 12

D

delete() (teambition.api.activities.Activities), 39
delete() (teambition.api.collections.Collections), 30
delete() (teambition.api.entries.Entries), 42
delete() (teambition.api.entrycategories.EntryCategories), 41
delete() (teambition.api.events.Events), 35
delete() (teambition.api.messages.Messages), 26
delete() (teambition.api.objectlinks.ObjectLinks), 39
delete() (teambition.api.organizations.Organizations), 6
delete() (teambition.api.posts.Posts), 28
delete() (teambition.api.projects.Projects), 13
delete() (teambition.api.stages.Stages), 19
delete() (teambition.api.stagetemplates.StageTemplates),
 20
delete() (teambition.api.subtasks.Subtasks), 25
delete() (teambition.api.tags.Tags), 38
delete() (teambition.api.tasklists.Tasklists), 17
delete() (teambition.api.tasks.Tasks), 21
delete() (teambition.api.teams.Teams), 10

delete() (teambition.api.works.Works), 32
delete_email() (teambition.api.users.Users), 4
delete_version() (teambition.api.works.Works), 32
delete_webhook() (teambition.api.organizations.Organizations), 6
delete_webhook() (teambition.api.projects.Projects), 13

E

entries (teambition.client.Teambition), 2
entrycategories (teambition.client.Teambition), 2
events (teambition.client.Teambition), 2

F

fetch_access_token() (teambition.api.oauth.OAuth), 3
fork() (teambition.api.tasks.Tasks), 21

G

get() (teambition.api.activities.Activities), 39
get() (teambition.api.bookkeepings.BookKeepings), 40
get() (teambition.api.collections.Collections), 30
get() (teambition.api.entries.Entries), 42
get() (teambition.api.entrycategories.EntryCategories), 41
get() (teambition.api.events.Events), 35
get() (teambition.api.messages.Messages), 26
get() (teambition.api.objectlinks.ObjectLinks), 39
get() (teambition.api.organizations.Organizations), 6
get() (teambition.api.posts.Posts), 28
get() (teambition.api.projects.Projects), 13
get() (teambition.api.stages.Stages), 19
get() (teambition.api.stagetemplates.StageTemplates), 20
get() (teambition.api.subtasks.Subtasks), 25
get() (teambition.api.tags.Tags), 38
get() (teambition.api.tasklists.Tasklists), 18
get() (teambition.api.tasks.Tasks), 21
get() (teambition.api.teams.Teams), 10
get() (teambition.api.works.Works), 32
get_access_token() (teambition.api.oauth.OAuth), 3
get_activities() (teambition.api.events.Events), 36
get_activities() (teambition.api.posts.Posts), 28
get_activities() (teambition.api.projects.Projects), 13
get_activities() (teambition.api.tasks.Tasks), 22
get_activities() (teambition.api.works.Works), 32
get_authorize_url() (teambition.api.oauth.OAuth), 3
get_events() (teambition.api.projects.Projects), 13
get_events() (teambition.api.tags.Tags), 38
get_events() (teambition.api.teams.Teams), 10
get_involved_tasks() (teambition.api.users.Users), 4
get_member_events() (teambition.api.organizations.Organizations), 6
get_member_events() (teambition.api.teams.Teams), 10
get_member_tasks() (teambition.api.organizations.Organizations), 6

get_members() (teambition.api.organizations.Organizations), 7
get_members() (teambition.api.projects.Projects), 14
get_members() (teambition.api.teams.Teams), 10
get_memeber_tasks() (teambition.api.teams.Teams), 11
get_my_tasks() (teambition.api.users.Users), 4
get_objectlinks() (teambition.api.events.Events), 36
get_objectlinks() (teambition.api.posts.Posts), 28
get_objectlinks() (teambition.api.tasks.Tasks), 22
get_objectlinks() (teambition.api.works.Works), 32
get_posts() (teambition.api.projects.Projects), 14
get_posts() (teambition.api.tags.Tags), 38
get_projects() (teambition.api.organizations.Organizations), 7
get_recommend_members() (teambition.api.organizations.Organizations), 7
get_recommend_members() (teambition.api.projects.Projects), 14
get_reviews() (teambition.api.projects.Projects), 14
get_stages() (teambition.api.tasklists.Tasklists), 18
get_statistic() (teambition.api.organizations.Organizations), 7
get_statistic() (teambition.api.projects.Projects), 14
get_subtasks() (teambition.api.tasks.Tasks), 22
get_supported_webhooks() (teambition.api.organizations.Organizations), 7
get_supported_webhooks() (teambition.api.projects.Projects), 14
get_tags() (teambition.api.events.Events), 36
get_tags() (teambition.api.posts.Posts), 28
get_tags() (teambition.api.projects.Projects), 14
get_tags() (teambition.api.tasks.Tasks), 22
get_tags() (teambition.api.works.Works), 33
get_tasklists() (teambition.api.projects.Projects), 14
get_tasks() (teambition.api.projects.Projects), 14
get_tasks() (teambition.api.stages.Stages), 19
get_tasks() (teambition.api.tags.Tags), 38
get_tasks() (teambition.api.tasklists.Tasklists), 18
get_tasks() (teambition.api.teams.Teams), 11
get_today_count() (teambition.api.users.Users), 4
get_version() (teambition.api.works.Works), 33
get_versions() (teambition.api.works.Works), 33
get_webhook_value_format() (teambition.api.organizations.Organizations), 7
get_webhook_value_format() (teambition.api.projects.Projects), 15
get_webhooks() (teambition.api.organizations.Organizations), 7
get_webhooks() (teambition.api.projects.Projects), 15
get_works() (teambition.api.tags.Tags), 38

L

like() (teambition.api.events.Events), 36
like() (teambition.api.posts.Posts), 28

like() (teambition.api.tasks.Tasks), 22
 like() (teambition.api.works.Works), 33
 link_event() (teambition.api.events.Events), 36
 link_event() (teambition.api.posts.Posts), 28
 link_event() (teambition.api.tasks.Tasks), 22
 link_event() (teambition.api.works.Works), 33
 link_post() (teambition.api.events.Events), 36
 link_post() (teambition.api.posts.Posts), 28
 link_post() (teambition.api.tasks.Tasks), 22
 link_post() (teambition.api.works.Works), 33
 link_task() (teambition.api.events.Events), 36
 link_task() (teambition.api.posts.Posts), 28
 link_task() (teambition.api.tasks.Tasks), 22
 link_task() (teambition.api.works.Works), 33
 link_work() (teambition.api.events.Events), 36
 link_work() (teambition.api.posts.Posts), 29
 link_work() (teambition.api.tasks.Tasks), 22
 link_work() (teambition.api.works.Works), 33

M

mark_all_read() (teambition.api.messages.Messages), 26
 me() (teambition.api.users.Users), 4
 messages (teambition.client.Teambition), 2
 move() (teambition.api.collections.Collections), 30
 move() (teambition.api.tasks.Tasks), 23
 move() (teambition.api.works.Works), 33

O

oauth (teambition.client.Teambition), 2
 objectlinks (teambition.client.Teambition), 2
 organizations (teambition.client.Teambition), 2

P

posts (teambition.client.Teambition), 2
 projects (teambition.client.Teambition), 2

Q

quit() (teambition.api.organizations.Organizations), 8
 quit() (teambition.api.projects.Projects), 15
 quit() (teambition.api.teams.Teams), 11

R

remove_member() (teambition.api.organizations.Organizations), 8
 remove_member() (teambition.api.projects.Projects), 15
 remove_member() (teambition.api.teams.Teams), 11
 remove_tag() (teambition.api.events.Events), 36
 remove_tag() (teambition.api.posts.Posts), 29
 remove_tag() (teambition.api.tasks.Tasks), 23
 remove_tag() (teambition.api.works.Works), 34
 resend_invitation() (teambition.api.organizations.Organizations), 8
 resend_invitation() (teambition.api.projects.Projects), 15

reset_invitation() (teambition.api.projects.Projects), 16

S

send_verification_email() (teambition.api.users.Users), 4
 stages (teambition.client.Teambition), 2
 stagetemplates (teambition.client.Teambition), 2
 star() (teambition.api.projects.Projects), 16
 subtasks (teambition.client.Teambition), 2

T

tags (teambition.client.Teambition), 2
 tasklists (teambition.client.Teambition), 2
 tasks (teambition.client.Teambition), 2
 teambition.api.activities (), 39
 teambition.api.bookkeepings (), 40
 teambition.api.collections (), 30
 teambition.api.entries (), 41
 teambition.api.entrycategories (), 40
 teambition.api.events (), 34
 teambition.api.messages (), 26
 teambition.api.oauth (), 3
 teambition.api.objectlinks (), 38
 teambition.api.organizations (), 5
 teambition.api.posts (), 27
 teambition.api.projects (), 12
 teambition.api.stages (), 19
 teambition.api.stagetemplates (), 20
 teambition.api.subtasks (), 25
 teambition.api.tags (), 37
 teambition.api.tasklists (), 17
 teambition.api.tasks (), 20
 teambition.api.teams (), 9
 teambition.api.users (), 4
 teambition.api.webhooks (), 40
 teambition.api.works (), 31
 teambition.client (), 2
 teams (teambition.client.Teambition), 2
 transfer() (teambition.api.projects.Projects), 16
 transform() (teambition.api.subtasks.Subtasks), 25

U

unapproval() (teambition.api.entries.Entries), 42
 unarchive() (teambition.api.collections.Collections), 30
 unarchive() (teambition.api.events.Events), 37
 unarchive() (teambition.api.posts.Posts), 29
 unarchive() (teambition.api.tags.Tags), 38
 unarchive() (teambition.api.tasklists.Tasklists), 18
 unarchive() (teambition.api.tasks.Tasks), 23
 unbind_project() (teambition.api.teams.Teams), 11
 unstar() (teambition.api.projects.Projects), 16
 update() (teambition.api.activities.Activities), 39
 update() (teambition.api.bookkeepings.BookKeepings), 40
 update() (teambition.api.collections.Collections), 30

update() (teambition.api.entries.Entries), 42
update() (teambition.api.entrycategories.EntryCategories), 41
update() (teambition.api.events.Events), 37
update() (teambition.api.messages.Messages), 27
update() (teambition.api.organizations.Organizations), 8
update() (teambition.api.posts.Posts), 29
update() (teambition.api.projects.Projects), 16
update() (teambition.api.stages.Stages), 19
update() (teambition.api.stagetemplates.StageTemplates), 20
update() (teambition.api.subtasks.Subtasks), 25
update() (teambition.api.tags.Tags), 38
update() (teambition.api.tasklists.Tasklists), 18
update() (teambition.api.tasks.Tasks), 23
update() (teambition.api.teams.Teams), 11
update() (teambition.api.users.Users), 4
update() (teambition.api.works.Works), 34
update_content() (teambition.api.subtasks.Subtasks), 25
update_content() (teambition.api.tasks.Tasks), 23
update_dividers() (teambition.api.organizations.Organizations), 8
update_duedate() (teambition.api.subtasks.Subtasks), 26
update_duedate() (teambition.api.tasks.Tasks), 23
update_executor() (teambition.api.subtasks.Subtasks), 26
update_executor() (teambition.api.tasks.Tasks), 24
update_member_role() (teambition.api.organizations.Organizations), 8
update_member_role() (teambition.api.projects.Projects), 16
update_members() (teambition.api.posts.Posts), 29
update_members() (teambition.api.works.Works), 34
update_navigation() (teambition.api.projects.Projects), 16
update_note() (teambition.api.tasks.Tasks), 24
update_preferences() (teambition.api.users.Users), 5
update_projects() (teambition.api.organizations.Organizations), 9
update_stage_ids() (teambition.api.tasklists.Tasklists), 18
update_status() (teambition.api.subtasks.Subtasks), 26
update_status() (teambition.api.tasks.Tasks), 24
update_subtasks() (teambition.api.tasks.Tasks), 24
update_tags() (teambition.api.events.Events), 37
update_tags() (teambition.api.posts.Posts), 29
update_tags() (teambition.api.tasks.Tasks), 24
update_tasklists() (teambition.api.projects.Projects), 17
update_version() (teambition.api.works.Works), 34
update_webhook() (teambition.api.organizations.Organizations), 9
update_webhook() (teambition.api.projects.Projects), 17
users (teambition.client.Teambition), 2

V

verify_signature() (teambition.api.webhooks.Webhooks), 40

W

webhooks (teambition.client.Teambition), 2
works (teambition.client.Teambition), 2