# **Gloss Project Documentation**

Release 1.0

**David Bain** 

### Contents

		Show me the Docs						
	1.1	Documentation						
	1.2	Download						
2	Gloss in a Nutshell							
_		Process						
	3.1	1. Layout and Content Assignment						
	3.2	2. Publish						



Gloss is a new web design process, primarily aimed at creating happy design teams.

We're working to ensure that Gloss allows you to stay focused on visual and interaction design. To this end we will introduce features that help this goal and remove features antagonistic to this goal.

If you're interested in building complex (and not so complex) content driven sites in less time, Gloss may be a good fit. If you have an opinionated team that think they've figured it all out and everything is working for you already, then there's nothing to see here, just move on.

Contents 1

2 Contents

## **Show me the Docs**

If you want to dive straight into the documentation follow the link below:



## 1.1 Documentation

Gloss is a new web design process, primarily aimed at creating happy design teams. If you're interested in building content driven sites in less time, Gloss may be a good fit. If you have an opinionated team that think they've figured it all out then there's nothing to see here, just move on.

Contents:



#### 1.1.1 Installation

Placeholder for the installation instructions

Installation goes here



#### 1.1.2 Tutorial

Place holder for the tutorial



## 1.1.3 Examples

This section will how examples, all examples will be based on a before a single site The format is code snippets with before and after screenshots



#### 1.1.4 Reference

Start here for an explanation of the available Gloss (gl-) classes.

#### **Gloss classes**

#### **Core Classes**

Adding these classes to your html elements will allow Gloss to dynamically transform your HTML

Class	Description	
<a> gl-logo</a>	Preserves the home logo link (only works if placed on a <a> tag)</a>	
<nav> gl-menu</nav>	Marks the menu for dynamic replacement with the content site's menu (must be placed on	
	a <nav> tag)</nav>	
gl-menu-link	Adds style to individual menu items, very important if you want to control styles in your	
	menu items.	
gl-breadcrumbs	Adds breadcrumbs to an element	
gl-user-menu	Adds a user menu dropdown to an element	
gl-edit-bar	Adds an edit bar	
gl-content	Assigns the site content	
gl-content-body	Assigns ONLY the body of the content	
gl-content-byline	Assigns ONLY the content byline	
gl-content-	Assigns ONLY the content description	
description		
gl-content-title	Assigns ONLY the content title	
gl-footer	Assigns the footer	
gl-below-content	Places additional content below the content (experimental)	

#### **Drop Classes**

Use drop classes to remove unwanted elements

Class	Description	
gl-drop	drop elements marked with this class	
gl-front-drop	drop elements marked with this class if they are on the front-page	
gl-inner-drop	drop elements marked with this class if they are on an inner page.	
gl-not-authenticated-	drop elements marked with this class if the visitor is not authenticated.	
drop		
gl-not-manager-drop	drop elements marked with this class if the visitor is not a manager/administrator in	
	the context.	

#### **Column and Side Bar Layout Classes**

Control dynamic site layout using the layout classes. It is for achieving layouts like:

Class	Description	
gl-one-column-layout	assign a content area that will (only be visible when there are no	
	columns.)	
gl-two-column-layout gl-right-column	right column based layout, achieved by combining these two	
	classes in a two column grid	
gl-two-column-layout gl-left-column	left column based layout, achieved by combining these two	
	classes in a two column grid	
gl-three-column-layout	a layout containing a left and right column	
gl-first-column (gl-two-column-layout	Used in multi column (two or three) layouts to assign which	
gl-three-column)	column is the first column	
gl-second-column (gl-two-column-layout	Used in multi column (two or three) layouts to assign which	
gl-three-column)	column is the second column	

#### **Button and List Classes**

These classes make it possible to style system buttons

Class	Description	
gl-button	a global that all buttons get (they also get a bootstrap 3 .btn)	
gl-hot-	a hot button, style it how you like and it will get that style wherever hot buttons show up in your	
button	site. (also includes a bootstrap 3 .btn-danger)	
gl-cool-	a cool button, style it how you like and it will get that style wherever cool buttons show up in your	
button	site. (also includes a bootstrap 3 .btn-primary)	
gl-cooler-	a cooler button (also includes a bootstrap 3 .btn-info)	
button		
gl-default-	a default style applied to all other buttons (also includes a bootstrap 3 .btn-default)	
button		
gl-ul	Used for styling unordered lists	
gl-ol	Used for styling ordered lists	
gl-ul-li	Used for styling unordered list items	
gl-ol-li	Used for styling ordered list items	

• search



## 1.2 Download

The latest release is 0.5.6. Download the latest version from here: https://github.com/GlossProject/gloss.theme/releases/download/0.5.6/gloss.theme-0.5.6.zip (currently only Plone compatible)

To see other releases visit: https://github.com/GlossProject/gloss.theme/releases


1.2. Download 5

# Gloss in a Nutshell

Gloss relies on a technique called "Content Assignment", this makes it possible for a designer to assign headers, footers, menus and other components to elements of a template, simply by assigning special classes to elements of their template.


## The Process

The general day to day workflow roughly looks like this:




# 3.1 1. Layout and Content Assignment

Start with an html layout, we'll assume that you spent time on each pixel and css rule to handcraft the most beautiful, preferably responsive, layout. Or you use a tool that produces well structured html code (preferably responsive).



To your code you add the special Gloss class (we call them gl classes).



# 3.2 2. Publish

Then you publish or upload your changes.

As much as possible, Gloss does the rest for you.

3.2. 2. Publish 11