
VeeamLogParser Documentation

Release latest

Sep 03, 2018

1	Invoke-VeeamLogParser	3
1.1	SYNOPSIS	3
1.2	SYNTAX	3
1.3	DESCRIPTION	3
1.4	EXAMPLES	3
1.5	PARAMETERS	4
1.6	INPUTS	5
1.7	OUTPUTS	5
1.8	NOTES	5
1.9	RELATED LINKS	5

The Veeam Log Parser extracts Error and Warning Messages from the Veeam File Logs of various Veeam products and services.

This is the basic documentation of the 'VeeamLogParser PowerShell Module.

GitHub: <https://github.com/mycloudrevolution/VeeamLogParser/>

WebSite: <https://mycloudrevolution.com/>

- *Feature Documentation*
-

external help file: Invoke-VeeamLogParser-help.xml Module Name: VeeamLogParser online version:
<https://mycloudrevolution.com/> schema: 2.0.0

Invoke-VeeamLogParser

1.1 SYNOPSIS

1.2 SYNTAX

```
Invoke-VeeamLogParser [[-VeeamBasePath] <String>] [[-Context] <Int32>] [[-Limit]
↪<Int32>] [-LogType] <String>
[<CommonParameters>]
```

1.3 DESCRIPTION

The Veeam Log Parser Function extracts Error and Warning Messages from the Veeam File Logs of various products and services.

1.4 EXAMPLES

1.4.1 EXAMPLE 1

```
Invoke-VeeamLogParser -LogType Endpoint -Limit 2
```

1.4.2 EXAMPLE 2

```
Invoke-VeeamLogParser -LogType Endpoint -Limit 2 -Context 2
```

1.5 PARAMETERS

1.5.1 -VeeamBasePath

The Base Path of the Veeam Log Files

Default: "C:\ProgramData\Veeam"

```
Type: String
Parameter Sets: (All)
Aliases:

Required: False
Position: 1
Default value: C:\ProgramData\Veeam\
Accept pipeline input: False
Accept wildcard characters: False
```

1.5.2 -Context

Show messages in Context

```
Type: Int32
Parameter Sets: (All)
Aliases:

Required: False
Position: 2
Default value: 0
Accept pipeline input: False
Accept wildcard characters: False
```

1.5.3 -Limit

Show limited number of messages

```
Type: Int32
Parameter Sets: (All)
Aliases:

Required: False
Position: 3
Default value: 0
Accept pipeline input: False
Accept wildcard characters: False
```

1.5.4 -LogType

The products or services Log you want to show

Valid Pattern: "All","Endpoint","Mount","Backup","EnterpriseServer","Broker","Catalog","RestAPI","BackupManager",
"CatalogReplication","DatabaseMaintenance","WebApp","PowerShell"

```
Type: String
Parameter Sets: (All)
Aliases:

Required: True
Position: 4
Default value: None
Accept pipeline input: False
Accept wildcard characters: False
```

1.5.5 CommonParameters

This cmdlet supports the common parameters: -Debug, -ErrorAction, -ErrorVariable, -InformationAction, -InformationVariable, -OutVariable, -OutBuffer, -PipelineVariable, -Verbose, -WarningAction, and -WarningVariable. For more information, see about_CommonParameters (<http://go.microsoft.com/fwlink/?LinkID=113216>).

1.6 INPUTS

1.7 OUTPUTS

1.8 NOTES

File Name : Invoke-VeeamLogParser.psm1 Author : Markus Kraus Version : 1.0 State : Ready

1.9 RELATED LINKS

<https://mycloudrevolution.com/>