
BeaverManager Documentation

Release 0.4

James Seden Smith

April 11, 2016

1 beaver_manager package	3
1.1 Submodules	3
1.2 beaver_manager.decorators module	3
1.3 beaver_manager.email module	3
1.4 beaver_manager.forms module	3
1.5 beaver_manager.models module	4
1.6 beaver_manager.views module	8
1.7 beaver_manager.logic module	11
2 config module	13
3 API Requests	15
4 Indices and tables	21
HTTP Routing Table	23
Python Module Index	25

Contents:

beaver_manager package

Beaver Management app using flask

`beaver_manager.app`

Flask – Flask application instance

`beaver_manager.db`

SQLAlchemy – SQLAlchemy database instance

1.1 Submodules

1.2 beaver_manager.decorators module

`beaver_manager.decorators.async(f)`

Decorator that will make any function asynchronous

1.3 beaver_manager.email module

Module to control email

`beaver_manager.email.send_email(subject, recipients, text_body, html_body)`

Sends email to recipient using the flasks email module

Parameters

- `subject (str)` – Plain text
- `recipients (str)` – Recipient email. Can be list of strings
- `text_body (str)` – Body of message without HTML formatting
- `html_body (str)` – Body of message with HTML formatting

1.4 beaver_manager.forms module

```
class beaver_manager.forms.MultiCheckboxField(label=None, validators=None, coerce=<class 'str'>, choices=None, **kwargs)
```

Bases: wtforms.fields.core.SelectMultipleField

A multiple-select, except displays a list of checkboxes.

Iterating the field will produce subfields, allowing custom rendering of the enclosed checkbox fields.

1.5 beaver_manager.models module

This module contains SQLAlchemy model definitions to create SQL tables

```
class beaver_manager.models.Attendance(**kwargs)
    Bases: flask_sqlalchemy.Model
```

A model for a meeting. Linked to a *Criterion* to allow automatic completion of badges. If beaver was present for the meeting then the criterion is completed.

id

int – Unique Primary Key.

date

DateTime – Date of meeting

criterion_id

int – Foreign key for *Criterion*

criterion

Criterion – Provides a link to the *Criterion* that Attendance is associated with

description

str – Brief description of evening

organiser

str – Name of organiser for that meeting

```
class beaver_manager.models.Badge(**kwargs)
```

Bases: flask_sqlalchemy.Model

Model for a Badge

id

int – Unique Primary Key.

name

str – Name of the badge

img_url

str – URL for the badge image

beavers_badges

list[*BeaverBadge*] – A list of beavers_badges associated with the lodge

```
class beaver_manager.models.BadgeCriterion(criterion_id, badge_id, completed)
```

Bases: flask_sqlalchemy.Model

Model for a BadgeCriterion. Acts as an intermediary between *BeaverBadge* and *Criterion*

Parameters

- **criterion_id**(*int*) – Foreign key for *Criterion*
- **badge_id**(*int*) – Foreign key for *BeaverBadge*
- **completed**(*bool*) – Represents whether the criterion has been completed or not

id
int – Unique Primary Key.

criterion
Criterior – Provides a link to the [Criterion](#) that criterion is associated with

badge
BeaverBadge – Provides a link to the [BeaverBadge](#) that criterion is associated with

description
str – Description of criterion

class beaver_manager.models.**Beaver** (**kwargs)
Bases: flask_sqlalchemy.Model
Model for a beaver

id
int – Unique Primary Key.

first_name
str – The beaver's first name

surname
str – The beaver's surname

dob
DateTime – The beaver's date of birth

lodge_id
int – Foreign key for [Lodge](#) table

lodge
Lodge – Provides direct access to the [Lodge](#) that is linked to the beaver

contacts
list[[EmergencyContact](#)] – A list of [EmergencyContact](#) objects associated with the beaver

badges
list[[BeaverBadge](#)] – A list of [BeaverBadge](#) associated with the beaver

beaver_attendances
list[[BeaverAttendance](#)] – A list of [BeaverAttendance](#) objects associated with the beaver

class beaver_manager.models.**BeaverAttendance** (attendance_id, beaver_id, present)
Bases: flask_sqlalchemy.Model
Model for a BeaverAttendance. Acts as an intermediary between [Beaver](#) and [Attendance](#)

Parameters

- **attendance_id** (*int*) – Foreign key for [Attendance](#)
- **beaver_id** (*int*) – Foreign key for [Beaver](#)
- **present** (*bool*) – Represents whether the beaver was present or not

id
int – Unique Primary Key.

attendance
Attendance – Provides a link to the [Attendance](#) that BeaverAttendance is associated with

beaver
Beaver – Provides a link to the [Beaver](#) that BeaverAttendance is associated with

```
class beaver_manager.models.BeaverBadge (beaver_id, badge_id, completed)
Bases: flask_sqlalchemy.Model

Model for a BeaverBadge. Acts as an intermediary between Beaver and Badge

Parameters

- beaver_id (int) – Foreign key for Beaver
- badge_id (int) – Foreign key for Badge
- completed (bool) – Represents whether the badge has been completed or not

id
int – Unique Primary Key.

beaver
Beaver – Provides a link to the Beaver that badge is associated with

class beaver_manager.models.BeaverTrip (beaver_id, trip_id, permission, paid)
Bases: flask_sqlalchemy.Model

Model for a BeaverTrip. Acts as intermediary between Beaver and Trip

Parameters

- beaver_id (int) – Foreign key for Beaver
- trip_id (int) – Foreign key for Trip
- permission (bool) – Represents whether the criterion has been completed or not
- paid (bool) – Represents whether the criterion has been completed or not

id
int – Unique Primary Key.

beaver
Beaver – Provides a link to the Beaver that BeaverTrip is associated with

trip
Trip – Provides a link to the Trip that BeaverTrip is associated with

class beaver_manager.models.Criterion (**kwargs)
Bases: flask_sqlalchemy.Model

Model for a Criterion.

id
int – Unique Primary Key.

badge_id
int – Foreign key for Badge

badge
Badge – Provides a link to the Badge that criterion is associated with

description
str – Description of criterion

class beaver_manager.models.EmergencyContact (**kwargs)
Bases: flask_sqlalchemy.Model

Model for an Emergency contact

id
int – Unique Primary Key.
```

beaver_id
int – Foreign Key for the `Beaver` table

beaver
Beaver – Provides direct access to the `Beaver` that is
linked to the contact

first_name
str – The contact's first name

surname
str – The contact's surname

email
str – The contact's email

phone_number
str – The contact's phone number

address_line1
str – The contact's first address line

address_line2
str – The contact's first second address line

town
str – The town in which the Contact lives

county
str – The county in which the Contact lives

postcode
str – The contact's postcode

class `beaver_manager.models.Lodge` (***kwargs*)
Bases: `flask_sqlalchemy.Model`
Model for a Lodge (group of beavers)

id
int – Unique Primary Key.

name
str – Name of the lodge

beavers
list[Beaver] – A list of beavers associated with the lodge

class `beaver_manager.models.Trip` (***kwargs*)
Bases: `flask_sqlalchemy.Model`
A model for a Trip.

id
int – Unique Primary Key.

location
str – Place Name

cost
numeric – Cost of trip [Max Value of 99999.99]

date
DateTime – Date of trip

overnight

bool – Whether trip is overnight

number_of_nights

int – Number of nights the trip is

1.6 beaver_manager.views module

This module contains the views for the app.

Using flasks `route()` function to route the request it then executes the nesecerry code return a rendered template at the end.

```
class beaver_manager.views.AttendanceModelView(model, session, name=None, category=None, endpoint=None, url=None, static_folder=None, menu_class_name=None, menu_icon_type=None, menu_icon_value=None)
```

Bases: `flask_admin.contrib.sqla.view.ModelView`

Custom view for Flask-Admin. Adds BeaverAttendance as an inline view

action_view()

Mass-model action view.

ajax_update()

Edits a single column of a record in list view.

create_view()

Create model view

delete_view()

Delete model view. Only POST method is allowed.

details_view()

Details model view

edit_view()

Edit model view

export_csv()

Export a CSV of records.

index_view()

List view

```
class beaver_manager.views.BadgeModelView(model, session, name=None, category=None, endpoint=None, url=None, static_folder=None, menu_class_name=None, menu_icon_type=None, menu_icon_value=None)
```

Bases: `flask_admin.contrib.sqla.view.ModelView`

Custom view for Flask-Admin. Adds criterion as inline model and modifies update behaviour

action_view()

Mass-model action view.

ajax_update()

Edits a single column of a record in list view.

```
create_view()
Create model view

delete_view()
Delete model view. Only POST method is allowed.

details_view()
Details model view

edit_view()
Edit model view

export_csv()
Export a CSV of records.

index_view()
List view

on_model_change(form, model, is_created)
When a Badge record is created or modified ensures that it has a BeaverBadge record for all Beavers and
that the BeaverBadge has the correct criteria

class beaver_manager.views.BeaverBadgeModelView(model, session, name=None, category=None,
                                                endpoint=None, url=None, static_folder=None,
                                                menu_class_name=None, menu_icon_type=None,
                                                menu_icon_value=None)
Bases: flask_admin.contrib.sqla.view.ModelView

Only used for debugging. Custom view for Flask-Admin. Adds BadgeCriterion as an inline view

action_view()
Mass-model action view.

ajax_update()
Edits a single column of a record in list view.

create_view()
Create model view

delete_view()
Delete model view. Only POST method is allowed.

details_view()
Details model view

edit_view()
Edit model view

export_csv()
Export a CSV of records.

index_view()
List view

class beaver_manager.views.BeaverModelView(model, session, name=None, category=None,
                                             endpoint=None, url=None,
                                             static_folder=None, menu_class_name=None,
                                             menu_icon_type=None,
                                             menu_icon_value=None)
Bases: flask_admin.contrib.sqla.view.ModelView
```

Custom view for Flask-Admin. Adds emergency contacts as inline model and modifies update behaviour

action_view()
Mass-model action view.

ajax_update()
Edits a single column of a record in list view.

create_view()
Create model view

delete_view()
Delete model view. Only POST method is allowed.

details_view()
Details model view

edit_view()
Edit model view

export_csv()
Export a CSV of records.

index_view()
List view

on_model_change(form, model, is_created)

When a Beaver record is created or modified ensures that it has a BeaverBadge record for all Badges and that the BeaverBadge has the correct criteria. Also ensures BeverAttendances, and BeaverTrips have been created.

on_model_delete(model)
When a beaver is deleted delete all :class:`BeaverBadge`'s, :class:`BeaverTrip`'s, :class:`BeaverAttendance`'s and :class:`EmergencyContact`'s associated with it.

```
class beaver_manager.views.TripModelView(model, session, name=None, category=None,
                                         endpoint=None, url=None, static_folder=None,
                                         menu_class_name=None, menu_icon_type=None,
                                         menu_icon_value=None)
Bases: flask_admin.contrib.sqla.view.ModelView
```

Custom view for Flask-Admin modifying update behaviour

action_view()
Mass-model action view.

ajax_update()
Edits a single column of a record in list view.

create_view()
Create model view

delete_view()
Delete model view. Only POST method is allowed.

details_view()
Details model view

edit_view()
Edit model view

export_csv()
Export a CSV of records.

index_view()

List view

on_model_change (form, model, is_created)

When a Trip record is created or modified ensures that it has a BeaverTrip record for all Beavers.

on_model_delete (model)

When a Trip is deleted, delete all :class:`BeaverTrip`'s associated with it.

beaver_manager.views.beaver (beaver_id)

Displays Information about the given beaver

Parameters **beaver_id** (*int*) – The ID number of the beaver record

beaver_manager.views.beaver_to_pdf (beaver)

Takes a beaver and returns there information as a pdf

Parameters **beaver** (*Beaver*) – The beaver that needs exporting

beaver_manager.views.beavers ()

Queries the database for all beavers then displays a list of them

beaver_manager.views.index (success=None, error=None)

Displays the homepage

Parameters

- **success** (*str*) – Message to be displayed in toastr success pop up
- **error** (*str*) – Message to be displayed in toastr error pop up

beaver_manager.views.register (attendance_id)

Displays a form to record beavers atendance.

Parameters **attendance_id** (*int*) – The ID number of the attendance record

beaver_manager.views.registers ()

Displays a list displaying dates for which registers can be taken

beaver_manager.views.trip (trip_id)

Displays information about the trip and allows user to select whether or a beaver has paid for the trip and has permission for the trip

Parameters **trip_id** (*int*) – The ID number of the trip record

beaver_manager.views.trips ()

Displays a list of all trips linking to an individual view showing more data

1.7 beaver_manager.logic module

This module contains any logic that does not belong in any other module

beaver_manager.logic.email_contacts_trip (beaver)

Checks that a beaver has paid and given permission to go on a trip

beaver_manager.logic.to_percent (value, total)

Works out the percentage of a value from a total.

Parameters

- **value** (*int*) – The value to be converted
- **total** (*int*) – The total to be used in conversion

Returns Number between 0.0 and 100.0

Return type (int)

`beaver_manager.logic.update_beaver_badge(beaver_badge)`

Checks to see if all the criteria are completed for `beaver_badge` and if so sets `beaver_badge.completed` to True

Parameters

- **beaver_badge** (`BeaverBadge`) – The beaver badge which need
- **checking** –

`beaver_manager.logic.update_criterion(attendance)`

Check whether a beaver was present for a given attendance and if so sets the corresponding `criterion.completed` to True

Parameters **attendance** (`Attendance`) – The attendance for which criterion need updating

config module

Contains the configuration options for the flask app.

`config.basedir`

str – Base directory of the flask app

`config.SQLALCHEMY_DATABASE_URI`

str – Location of SQLAlchemy database

`config.SQLALCHEMY_MIGRATE_REPO`

str – Directory containg databae migrations and history

`config.WTF_CSRF_ENABLED`

bool – Whether CSRF is enable for forms, protecting data

`config.SECRET_KEY`

str – A secret key

API Requests

GET /admin/beaverattendance/export/csv/
Export a CSV of records.

POST /admin/beaverattendance/ajax/update/
Edits a single column of a record in list view.

GET /admin/badgecriterion/export/csv/
Export a CSV of records.

POST /admin/badgecriterion/ajax/update/
Edits a single column of a record in list view.

GET /admin/beaverbadge/export/csv/
Export a CSV of records.

POST /admin/beaverbadge/ajax/update/
Edits a single column of a record in list view.

GET /admin/attendance/export/csv/
Export a CSV of records.

GET /admin/beavertrip/export/csv/
Export a CSV of records.

POST /admin/attendance/ajax/update/
Edits a single column of a record in list view.

POST /admin/beavertrip/ajax/update/
Edits a single column of a record in list view.

GET /admin/criterion/export/csv/
Export a CSV of records.

POST /admin/criterion/ajax/update/
Edits a single column of a record in list view.

GET /admin/beaver/export/csv/
Export a CSV of records.

POST /admin/beaver/ajax/update/
Edits a single column of a record in list view.

GET /admin/badge/export/csv/
Export a CSV of records.

GET /admin/lodge/export/csv/
Export a CSV of records.

```
POST /admin/badge/ajax/update/
    Edits a single column of a record in list view.

POST /admin/lodge/ajax/update/
    Edits a single column of a record in list view.

GET /admin/trip/export/csv/
    Export a CSV of records.

POST /admin/trip/ajax/update/
    Edits a single column of a record in list view.

GET /admin/beaverattendance/details/
    Details model view

POST /admin/beaverattendance/action/
    Mass-model action view.

POST /admin/beaverattendance/delete/
    Delete model view. Only POST method is allowed.

POST /admin/beaverattendance/edit/
    Edit model view

GET /admin/beaverattendance/edit/
    Edit model view

POST /admin/beaverattendance/new/
    Create model view

GET /admin/beaverattendance/new/
    Create model view

GET /admin/badgecriterion/details/
    Details model view

POST /admin/badgecriterion/action/
    Mass-model action view.

POST /admin/badgecriterion/delete/
    Delete model view. Only POST method is allowed.

POST /admin/badgecriterion/edit/
    Edit model view

GET /admin/badgecriterion/edit/
    Edit model view

POST /admin/badgecriterion/new/
    Create model view

GET /admin/badgecriterion/new/
    Create model view

GET /admin/beaverbadge/details/
    Details model view

POST /admin/beaverbadge/action/
    Mass-model action view.

POST /admin/beaverbadge/delete/
    Delete model view. Only POST method is allowed.
```

```
POST /admin/beaverbadge/edit/
Edit model view

GET /admin/beaverbadge/edit/
Edit model view

POST /admin/beaverbadge/new/
Create model view

GET /admin/beaverbadge/new/
Create model view

GET /admin/attendance/details/
Details model view

GET /admin/beavertrip/details/
Details model view

POST /admin/attendance/action/
Mass-model action view.

POST /admin/attendance/delete/
Delete model view. Only POST method is allowed.

POST /admin/beavertrip/action/
Mass-model action view.

POST /admin/beavertrip/delete/
Delete model view. Only POST method is allowed.

POST /admin/attendance/edit/
Edit model view

GET /admin/attendance/edit/
Edit model view

POST /admin/beavertrip/edit/
Edit model view

GET /admin/beavertrip/edit/
Edit model view

POST /admin/attendance/new/
Create model view

GET /admin/attendance/new/
Create model view

POST /admin/beavertrip/new/
Create model view

GET /admin/beavertrip/new/
Create model view

GET /admin/criterion/details/
Details model view

POST /admin/criterion/action/
Mass-model action view.

POST /admin/criterion/delete/
Delete model view. Only POST method is allowed.
```

```
POST /admin/criterion/edit/
    Edit model view

GET /admin/criterion/edit/
    Edit model view

POST /admin/criterion/new/
    Create model view

GET /admin/criterion/new/
    Create model view

GET /admin/beaver/details/
    Details model view

POST /admin/beaver/action/
    Mass-model action view.

POST /admin/beaver/delete/
    Delete model view. Only POST method is allowed.

POST /admin/beaver/edit/
    Edit model view

GET /admin/beaver/edit/
    Edit model view

POST /admin/beaver/new/
    Create model view

GET /admin/beaver/new/
    Create model view

GET /admin/badge/details/
    Details model view

GET /admin/lodge/details/
    Details model view

POST /admin/badge/action/
    Mass-model action view.

POST /admin/badge/delete/
    Delete model view. Only POST method is allowed.

POST /admin/lodge/action/
    Mass-model action view.

POST /admin/lodge/delete/
    Delete model view. Only POST method is allowed.

POST /admin/badge/edit/
    Edit model view

GET /admin/badge/edit/
    Edit model view

POST /admin/lodge/edit/
    Edit model view

GET /admin/lodge/edit/
    Edit model view
```

```
POST /admin/badge/new/
Create model view

GET /admin/badge/new/
Create model view

POST /admin/lodge/new/
Create model view

GET /admin/lodge/new/
Create model view

GET /admin/trip/details/
Details model view

POST /admin/trip/action/
Mass-model action view.

POST /admin/trip/delete/
Delete model view. Only POST method is allowed.

POST /admin/trip/edit/
Edit model view

GET /admin/trip/edit/
Edit model view

POST /admin/trip/new/
Create model view

GET /admin/trip/new/
Create model view

GET /admin/beaverattendance/
List view

GET /admin/badgecriterion/
List view

GET /admin/beaverbadge/
List view

GET /admin/attendance/
List view

GET /admin/beavertrip/
List view

GET /admin/criterion/
List view

GET /admin/beaver/
List view

GET /admin/badge/
List view

GET /admin/lodge/
List view

GET /admin/trip/
List view
```

GET /registers

Displays a list displaying dates for which registers can be taken

GET /beavers

Queries the database for all beavers then displays a list of them

POST /index**POST /**

Displays the homepage

Args: success (str): Message to be displayed in toastr success pop up error (str): Message to be displayed in toastr error pop up

GET /index**GET /**

Displays the homepage

Args: success (str): Message to be displayed in toastr success pop up error (str): Message to be displayed in toastr error pop up

GET /trips/

Displays a list of all trips linking to an individual view showing more data

GET /admin/static/ (path: filename)

Function used internally to send static files from the static folder to the browser.

New in version 0.5.

POST /registers/ (attendance_id)

Displays a form to record beavers attendance.

Args: attendance_id (int): The ID number of the attendance record

GET /registers/ (attendance_id)

Displays a form to record beavers attendance.

Args: attendance_id (int): The ID number of the attendance record

GET /beavers/ (beaver_id)

Displays Information about the given beaver

Args: beaver_id (int): The ID number of the beaver record

POST /trips/ (trip_id)

Displays information about the trip and allows user to select whether or a beaver has paid for the trip and has permission for the trip

Args: trip_id (int): The ID number of the trip record

GET /trips/ (trip_id)

Displays information about the trip and allows user to select whether or a beaver has paid for the trip and has permission for the trip

Args: trip_id (int): The ID number of the trip record

Indices and tables

- genindex
- modindex
- search


```
/  
GET /, 20  
POST /, 20  
/admin  
GET /admin/attendance/, 19  
GET /admin/attendance/details/, 17  
GET /admin/attendance/edit/, 17  
GET /admin/attendance/export/csv/, 15  
GET /admin/attendance/new/, 17  
GET /admin/badge/, 19  
GET /admin/badge/details/, 18  
GET /admin/badge/edit/, 18  
GET /admin/badge/export/csv/, 15  
GET /admin/badge/new/, 19  
GET /admin/badgecriterion/, 19  
GET /admin/badgecriterion/details/, 16  
GET /admin/badgecriterion/edit/, 16  
GET /admin/badgecriterion/export/csv/, 15  
GET /admin/badgecriterion/new/, 16  
GET /admin/beaver/, 19  
GET /admin/beaver/details/, 18  
GET /admin/beaver/edit/, 18  
GET /admin/beaver/export/csv/, 15  
GET /admin/beaver/new/, 18  
GET /admin/beaverattendance/, 19  
GET /admin/beaverattendance/details/, 16  
GET /admin/beaverattendance/edit/, 16  
GET /admin/beaverattendance/export/csv/, 15  
GET /admin/beaverattendance/new/, 16  
GET /admin/beaverbadge/, 19  
GET /admin/beaverbadge/details/, 16  
GET /admin/beaverbadge/edit/, 17  
GET /admin/beaverbadge/export/csv/, 15  
GET /admin/beaverbadge/new/, 17  
GET /admin/beavertrip/, 19  
GET /admin/beavertrip/details/, 17  
GET /admin/beavertrip/edit/, 17  
GET /admin/beavertrip/export/csv/, 15  
GET /admin/beavertrip/new/, 17  
GET /admin/criterion/, 19  
GET /admin/criterion/details/, 17  
GET /admin/criterion/edit/, 18  
GET /admin/criterion/export/csv/, 15  
GET /admin/criterion/new/, 18  
GET /admin/lodge/, 19  
GET /admin/lodge/details/, 18  
GET /admin/lodge/edit/, 18  
GET /admin/lodge/export/csv/, 15  
GET /admin/lodge/new/, 19  
GET /admin/static/(path:filename), 20  
GET /admin/trip/, 19  
GET /admin/trip/details/, 19  
GET /admin/trip/edit/, 19  
GET /admin/trip/export/csv/, 16  
GET /admin/trip/new/, 19  
POST /admin/attendance/action/, 17  
POST /admin/attendance/ajax/update/, 15  
POST /admin/attendance/delete/, 17  
POST /admin/attendance/edit/, 17  
POST /admin/attendance/new/, 17  
POST /admin/badge/action/, 18  
POST /admin/badge/ajax/update/, 15  
POST /admin/badge/delete/, 18  
POST /admin/badge/edit/, 18  
POST /admin/badge/new/, 18  
POST /admin/badgecriterion/action/, 16  
POST /admin/badgecriterion/ajax/update/, 15  
POST /admin/badgecriterion/delete/, 16  
POST /admin/badgecriterion/edit/, 16  
POST /admin/badgecriterion/new/, 16  
POST /admin/beaver/action/, 18  
POST /admin/beaver/ajax/update/, 15  
POST /admin/beaver/delete/, 18  
POST /admin/beaver/edit/, 18  
POST /admin/beaver/new/, 18
```

```
POST /admin/beaverattendance/action/,  
    16  
POST /admin/beaverattendance/ajax/update/,  
    15  
POST /admin/beaverattendance/delete/,  
    16  
POST /admin/beaverattendance/edit/, 16  
POST /admin/beaverattendance/new/, 16  
POST /admin/beaverbadge/action/, 16  
POST /admin/beaverbadge/ajax/update/,  
    15  
POST /admin/beaverbadge/delete/, 16  
POST /admin/beaverbadge/edit/, 16  
POST /admin/beaverbadge/new/, 17  
POST /admin/beavertrip/action/, 17  
POST /admin/beavertrip/ajax/update/, 15  
POST /admin/beavertrip/delete/, 17  
POST /admin/beavertrip/edit/, 17  
POST /admin/beavertrip/new/, 17  
POST /admin/criterion/action/, 17  
POST /admin/criterion/ajax/update/, 15  
POST /admin/criterion/delete/, 17  
POST /admin/criterion/edit/, 17  
POST /admin/criterion/new/, 18  
POST /admin/lodge/action/, 18  
POST /admin/lodge/ajax/update/, 16  
POST /admin/lodge/delete/, 18  
POST /admin/lodge/edit/, 18  
POST /admin/lodge/new/, 19  
POST /admin/trip/action/, 19  
POST /admin/trip/ajax/update/, 16  
POST /admin/trip/delete/, 19  
POST /admin/trip/edit/, 19  
POST /admin/trip/new/, 19
```

/beavers

```
GET /beavers, 20  
GET /beavers/ (beaver_id), 20
```

/index

```
GET /index, 20  
POST /index, 20
```

/registers

```
GET /registers, 19  
GET /registers/ (attendance_id), 20  
POST /registers/ (attendance_id), 20
```

/trips

```
GET /trips/, 20  
GET /trips/ (trip_id), 20  
POST /trips/ (trip_id), 20
```

b

`beaver_manager`, 3
`beaver_manager.decorators`, 3
`beaver_manager.email`, 3
`beaver_manager.forms`, 3
`beaver_manager.logic`, 11
`beaver_manager.models`, 4
`beaver_manager.views`, 8

c

`config`, 13

A

action_view() (beaver_manager.views.AttendanceModelView method), 8
action_view() (beaver_manager.views.BadgeModelView method), 8
action_view() (beaver_manager.views.BeaverBadgeModelView method), 9
action_view() (beaver_manager.views.BeaverModelView method), 10
action_view() (beaver_manager.views.TripModelView method), 10
address_line1 (beaver_manager.models.EmergencyContact attribute), 7
address_line2 (beaver_manager.models.EmergencyContact attribute), 7
ajax_update() (beaver_manager.views.AttendanceModelView method), 8
ajax_update() (beaver_manager.views.BadgeModelView method), 8
ajax_update() (beaver_manager.views.BeaverBadgeModelView method), 9
ajax_update() (beaver_manager.views.BeaverModelView method), 10
ajax_update() (beaver_manager.views.TripModelView method), 10
app (in module beaver_manager), 3
async() (in module beaver_manager.decorators), 3
attendance (beaver_manager.models.BeaverAttendance attribute), 5
Attendance (class in beaver_manager.models), 4
AttendanceModelView (class in beaver_manager.views), 8

B

badge (beaver_manager.models.BadgeCriterion attribute), 5
badge (beaver_manager.models.Criterion attribute), 6
Badge (class in beaver_manager.models), 4
badge_id (beaver_manager.models.Criterion attribute), 6
BadgeCriterion (class in beaver_manager.models), 4

BadgeModelView (class in beaver_manager.views), 8
badges (beaver_manager.models.Beaver attribute), 5
basedir (in module config), 13
beaver (beaver_manager.models.BeaverAttendance attribute), 5
beaver (beaver_manager.models.BeaverBadge attribute), 6
beaver (beaver_manager.models.BeaverTrip attribute), 6
beaver (beaver_manager.models.EmergencyContact attribute), 7
Beaver (class in beaver_manager.models), 5
beaver() (in module beaver_manager.views), 11
beaver_attendances (beaver_manager.models.Beaver attribute), 5
beaver_id (beaver_manager.models.EmergencyContact attribute), 6
beaver_manager (module), 3
beaver_manager.decorators (module), 3
beaver_manager.email (module), 3
beaver_manager.forms (module), 3
beaver_manager.logic (module), 11
beaver_manager.models (module), 4
beaver_manager.views (module), 8
beaver_to_pdf() (in module beaver_manager.views), 11
BeaverAttendance (class in beaver_manager.models), 5
BeaverBadge (class in beaver_manager.models), 5
BeaverBadgeModelView (class in beaver_manager.views), 9
BeaverModelView (class in beaver_manager.views), 9
beavers (beaver_manager.models.Lodge attribute), 7
beavers() (in module beaver_manager.views), 11
beavers_badges (beaver_manager.models.Badge attribute), 4
BeaverTrip (class in beaver_manager.models), 6

C

config (module), 13
contacts (beaver_manager.models.Beaver attribute), 5
cost (beaver_manager.models.Trip attribute), 7
county (beaver_manager.models.EmergencyContact attribute), 7

create_view() (beaver_manager.views.AttendanceModelView method), 8
create_view() (beaver_manager.views.BadgeModelView method), 8
create_view() (beaver_manager.views.BeaverBadgeModelView method), 9
create_view() (beaver_manager.views.BeaverModelView method), 10
create_view() (beaver_manager.views.TripModelView method), 10
criterion (beaver_manager.models.Attendance attribute), 4
criterion (beaver_manager.models.BadgeCriterion attribute), 5
Criterion (class in beaver_manager.models), 6
criterion_id (beaver_manager.models.Attendance attribute), 4

D

date (beaver_manager.models.Attendance attribute), 4
date (beaver_manager.models.Trip attribute), 7
db (in module beaver_manager), 3
delete_view() (beaver_manager.views.AttendanceModelView method), 8
delete_view() (beaver_manager.views.BadgeModelView method), 9
delete_view() (beaver_manager.views.BeaverBadgeModelView method), 9
delete_view() (beaver_manager.views.BeaverModelView method), 10
delete_view() (beaver_manager.views.TripModelView method), 10
description (beaver_manager.models.Attendance attribute), 4
description (beaver_manager.models.BadgeCriterion attribute), 5
description (beaver_manager.models.Criterion attribute), 6
details_view() (beaver_manager.views.AttendanceModelView method), 8
details_view() (beaver_manager.views.BadgeModelView method), 9
details_view() (beaver_manager.views.BeaverBadgeModelView method), 9
details_view() (beaver_manager.views.BeaverModelView method), 10
details_view() (beaver_manager.views.TripModelView method), 10
dob (beaver_manager.models.Beaver attribute), 5

E

edit_view() (beaver_manager.views.AttendanceModelView method), 8
edit_view() (beaver_manager.views.BadgeModelView method), 9
edit_view() (beaver_manager.views.BeaverBadgeModelView method), 9
edit_view() (beaver_manager.views.BeaverModelView method), 10
email (beaver_manager.models.EmergencyContact attribute), 7
email_contacts_trip() (in module beaver_manager.logic), 11

F

EmergencyContact (class in beaver_manager.models), 6
export_csv() (beaver_manager.views.AttendanceModelView method), 8
export_csv() (beaver_manager.views.BadgeModelView method), 9
export_csv() (beaver_manager.views.BeaverBadgeModelView method), 9
export_csv() (beaver_manager.views.BeaverModelView method), 10
export_csv() (beaver_manager.views.TripModelView method), 10

I

first_name (beaver_manager.models.Beaver attribute), 5
first_name (beaver_manager.models.EmergencyContact attribute), 7

L

id (beaver_manager.models.Attendance attribute), 4
id (beaver_manager.models.Badge attribute), 4
id (beaver_manager.models.BadgeCriterion attribute), 4
id (beaver_manager.models.Beaver attribute), 5
id (beaver_manager.models.BeaverAttendance attribute), 5
id (beaver_manager.models.BeaverBadge attribute), 6
id (beaver_manager.models.BeaverTrip attribute), 6
id (beaver_manager.models.Criterion attribute), 6
id (beaver_manager.models.EmergencyContact attribute), 6
id (beaver_manager.models.Lodge attribute), 7
id (beaver_manager.models.Trip attribute), 7
img_url (beaver_manager.models.Badge attribute), 4
index() (in module beaver_manager.views), 11
index_view() (beaver_manager.views.AttendanceModelView method), 8
index_view() (beaver_manager.views.BadgeModelView method), 9
index_view() (beaver_manager.views.BeaverBadgeModelView method), 9
index_view() (beaver_manager.views.BeaverModelView method), 10

index_view() (beaver_manager.views.TripModelView method), 10

L

location (beaver_manager.models.Trip attribute), 7
lodge (beaver_manager.models.Beaver attribute), 5
Lodge (class in beaver_manager.models), 7
lodge_id (beaver_manager.models.Beaver attribute), 5

M

MultiCheckboxField (class in beaver_manager.forms), 3

N

name (beaver_manager.models.Badge attribute), 4
name (beaver_manager.models.Lodge attribute), 7
number_of_nights (beaver_manager.models.Trip attribute), 8

O

on_model_change() (beaver_manager.views.BadgeModelView method), 9
on_model_change() (beaver_manager.views.BeaverModelView method), 10
on_model_change() (beaver_manager.views.TripModelView method), 11
on_model_delete() (beaver_manager.views.BeaverModelView method), 10
on_model_delete() (beaver_manager.views.TripModelView method), 11
organiser (beaver_manager.models.Attendance attribute), 4
overnight (beaver_manager.models.Trip attribute), 7

P

phone_number (beaver_manager.models.EmergencyContact attribute), 7
postcode (beaver_manager.models.EmergencyContact attribute), 7

R

register() (in module beaver_manager.views), 11
registers() (in module beaver_manager.views), 11

S

SECRET_KEY (in module config), 13
send_email() (in module beaver_manager.email), 3
SQLALCHEMY_DATABASE_URI (in module config), 13
SQLALCHEMY_MIGRATE_REPO (in module config), 13
surname (beaver_manager.models.Beaver attribute), 5
surname (beaver_manager.models.EmergencyContact attribute), 7

T

to_percent() (in module beaver_manager.logic), 11
town (beaver_manager.models.EmergencyContact attribute), 7
trip (beaver_manager.models.BeaverTrip attribute), 6
Trip (class in beaver_manager.models), 7
trip() (in module beaver_manager.views), 11
TripModelView (class in beaver_manager.views), 10
trips() (in module beaver_manager.views), 11

U

update_beaver_badge() (in module beaver_manager.logic), 12
update_criterion() (in module beaver_manager.logic), 12
W

WTF_CSRF_ENABLED (in module config), 13