

---

# **Behat**

***Release 3.0.12***

May 16, 2016



<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Behaviour Driven Development . . . . .	1
1.2	Why use Behat? . . . . .	1
1.3	Features . . . . .	1
1.4	Example . . . . .	1
1.5	Support / Questions . . . . .	1
1.6	License . . . . .	1
<b>2</b>	<b>Quick Start</b>	<b>3</b>
2.1	Example . . . . .	3
2.2	Installation . . . . .	3
2.3	Development . . . . .	3
<b>3</b>	<b>User Guide</b>	<b>5</b>
3.1	About Gherkin Language . . . . .	6
3.2	Features and Scenarios . . . . .	6
3.3	Initializing a new Behat Project . . . . .	6
3.4	Creating Features . . . . .	6
3.5	Writing Scenarios . . . . .	6
3.6	Feature contexts . . . . .	6
3.7	Command Line Tool . . . . .	6
3.8	Configuration . . . . .	6
3.9	Extending Behat . . . . .	6
<b>4</b>	<b>Cookbooks</b>	<b>7</b>
4.1	Configuring Behat for Testing Selenium . . . . .	7
4.2	Integrating Symfony2 with Behat . . . . .	7
4.3	Developing Web Applications with Behat and Mink . . . . .	7
4.4	Migrating from Behat 2.x to Behat 3.x . . . . .	7
4.5	Using Spin Functions for Slow Tests . . . . .	7
4.6	Using the Symfony2 Profiler with Behat and Symfony2 Extension . . . . .	7
4.7	Intercepting the Redirection with Behat and Mink . . . . .	7
4.8	Gathering Contexts when using Multiple Contexts . . . . .	7
4.9	Multilingual Support in your Features . . . . .	7
<b>5</b>	<b>Useful Resources</b>	<b>9</b>
5.1	Integrating Behat with PHPStorm . . . . .	9
5.2	Behat vs Cucumber . . . . .	9

5.3	Gherkin API . . . . .	9
5.4	Behat API . . . . .	9
5.5	Behat Cheat Sheet . . . . .	9

---

**Introduction**

---

**1.1 Behaviour Driven Development**

**1.2 Why use Behat?**

**1.3 Features**

**1.4 Example**

**1.5 Support / Questions**

**1.6 License**



## 2.1 Example

## 2.2 Installation

### 2.2.1 Method #1 - Composer (the recommended one)

### 2.2.2 Method #2 - PHAR (an easy one)

## 2.3 Development

### 2.3.1 Executing Behat

### 2.3.2 Defining Steps

### 2.3.3 Automating Steps

### 2.3.4 Implementing the Feature

### 2.3.5 What's next?







## 3.1 About Gherkin Language

### 3.1.1 Gherkin Syntax

### 3.1.2 Gherkin in Many Languages

## 3.2 Features and Scenarios

### 3.2.1 Features

### 3.2.2 Scenarios

## 3.3 Initializing a new Behat Project

### 3.3.1 Suite Initialisation

## 3.4 Creating Features

## 3.5 Writing Scenarios

### 3.5.1 Steps

Givens

Whens

Thens

And & But

### 3.5.2 Backgrounds

### 3.5.3 Scenario Outlines

### 3.5.4 Tables

### 3.5.5 Multiline Arguments

**4.1 Configuring Behat for Testing Selenium**

**4.2 Integrating Symfony2 with Behat**

**4.3 Developing Web Applications with Behat and Mink**

**4.4 Migrating from Behat 2.x to Behat 3.x**

**4.5 Using Spin Functions for Slow Tests**

**4.6 Using the Symfony2 Profiler with Behat and Symfony2 Extension**

**4.7 Intercepting the Redirection with Behat and Mink**

**4.8 Gathering Contexts when using Multiple Contexts**

**4.9 Multilingual Support in your Features**



---

**Useful Resources**

---

**5.1 Integrating Behat with PHPStorm**

**5.2 Behat vs Cucumber**

**5.3 Gherkin API**

**5.4 Behat API**

**5.5 Behat Cheat Sheet**