
carto-python Documentation

Release 1.3.0

CARTO

Aug 10, 2018

Contents

1	Quickstart	3
2	General Concepts	5
3	Installation	9
4	Authentication	11
5	SQL API	13
6	Import API	17
7	Maps API	21
8	Non-public APIs	23
9	Examples	25
10	carto-python API docs	35
	Python Module Index	59

This section contains documentation on how to use the different *carto-python* APIs.

carto-python is a full, backwards incompatible rewrite of the deprecated *cartodb-python* SDK. Since the initial rewrite, *carto-python* has been loaded with a lot of new features, not present in old *cartodb-python*.

carto-python is a Python library to consume the CARTO APIs. You can integrate *carto-python* into your Python projects to:

- Import data from files, URLs or external databases to your user account or organization
- Execute SQL queries and get the results
- Run batch SQL jobs
- Create and instantiate named and anonymous maps
- Create, update, get, delete and list datasets, users, maps. . .
- etc.

You may find specially useful the [Examples](#) section for actual use cases of the CARTO Python library.

Please, refer to the [carto package API documentation](#) or the source code for further details about modules, methods and parameters.

Note: Code snippets provided in this developer guide are not intended to be executed since they may not contain API keys or USERNAME values needed to actually execute them. Take them as a guide on how to work with the modules and classes

CHAPTER 1

Quickstart

In order to use the CARTO Python client first you have to follow the [Installation](#) guide and then write a Python script that makes use of it.

As an example, next code snippet makes a SQL query to a dataset

```
from carto.auth import APIKeyAuthClient
from carto.exceptions import CartoException
from carto.sql import SQLClient

USERNAME="type here your username"
USR_BASE_URL = "https://{user}.carto.com/".format(user=USERNAME)
auth_client = APIKeyAuthClient(api_key="myapikey", base_url=USR_BASE_URL)

sql = SQLClient(auth_client)

try:
    data = sql.send('select * from mytable')
except CartoException as e:
    print("some error ocurred", e)

print data['rows']
```


The CARTO Python module implements these public CARTO APIs:

- [SQL API](#).
- [Import API](#).
- [Maps API](#).

As well as other non-public APIs. Non-public APIs may change in the future and will throw a `warnings.warn` message when used.

Please be aware if you plan to run them on a production environment.

Refer to the [carto package API documentation](#) for a list of non-public APIs implemented.

2.1 pyrestcli

The CARTO Python client relies on a Python REST client called [pyrestcli](#)

pyrestcli allows you to define data models, with a syntax that is derived from Django's model framework, that you can use directly against REST APIs

2.2 Resources and Managers

The CARTO Python client is built upon two main concepts: *Resource* and *Manager*

A *Resource* represent your model, according to the schema of the data available on the server for a given API. A *Manager* is a utility class to create *Resource* instances.

Each API implemented by the CARTO Python client provides a *Manager* and a *Resource*.

With a *Manager* instance you can:

- Get a resource given its id

```
resource = manager.get(resource_id)
```

- Create a new resource

```
resource = manager.create({id: "resource_id", prop_a: "test"})
```

- Retrieve all the resources

```
resources = manager.all()
```

- Get a filtered list of resources (search_args: To be translated into ?arg1=value1&arg2=value2...)

```
resources = manager.filter(**search_args)
```

With a *Resource* instance you can:

- Save the resource instance (equivalent to update the resource)

```
resource.save()
```

- Delete the resource instance

```
resource.delete()
```

- Refresh the resource instance

```
resource.refresh()
```

The CARTO Python client's Managers and Resources extend both classes, so please refer to the [carto package API documentation](#) for additional methods available.

2.3 Types of resources

The CARTO Python client provides three different types of Resources with different features:

- *AsyncResource*: Used for API requests that are asynchronous, as the Batch SQL API.

AsyncResources work in this way. First you create the asynchronous job in the server:

```
async_resource.run(**import_args)
```

Second, you start a loop refreshing the *async_resource* and checking the state of the job created in the server (depending on the API requested, the 'state' value may change):

```
while async_resource.state in ("enqueued", "pending", "uploading",  
                              "unpacking", "importing", "guessing"):  
    async_resource.refresh()
```

Finally, you check the state to know the status of the job in the server:

```
status = async_resource.state  
# do what it takes depending on the status
```

- *WarnAsyncResource*: This type of *Resource* is an *AsyncResource* of a non-public API, so it will throw *warnings* whenever you try to use it.

- *WarnResource*: This type of *Resource* is a regular *Resource* of a non-public API, so it will throw *warnings* whenever you try to use it.

The use of *WarnAsyncResource* and *WarnResource* is totally discouraged for production environments, since non-public APIs may change without prior advice.

2.4 Fields

A *Field* class represent an attribute of a *Resource* class.

The *Field* class is meant to be subclassed every time a new specific data type wants to be defined.

Fields are a very handy way to parse a JSON coming from the REST API and store real Python objects on the *Resource*

The list of available fields is:

- *Field*: This default *Field* simply stores the value in the instance as it comes, suitable for basic types such as integers, chars, etc.
- *BooleanField*: Convenient class to make explicit that an attribute will store booleans
- *IntegerField*: Convenient class to make explicit that an attribute will store integers
- *FloatField*: Convenient class to make explicit that an attribute will store floats
- *CharField*: Convenient class to make explicit that an attribute will store chars
- *DateTimeField*: *Field* to store *datetimes* in resources
- *DictField*: Convenient class to make explicit that an attribute will store a dictionary
- *ResourceField*: *Field* to store resources inside other resources

The CARTO Python client provides additional instances of *ResourceField*:

- *VisualizationField*
- *TableField*
- *UserField*
- *EntityField*
- *PermissionField*

2.5 Exceptions

All the Exceptions of the CARTO Python client are wrapped into the *CartoException* class.

Please refer to the [CARTO API docs](#) for more information about concrete error codes and exceptions.

CHAPTER 3

Installation

You can install the CARTO Python client by using [Pip](#).

```
pip install carto
```

If you want to use the development version, you can install directly from Github:

```
pip install -e git+git://github.com/CartoDB/carto-python.git#egg=carto
```


CHAPTER 4

Authentication

Before making API calls, we need to define how those calls are going to be authenticated. Currently, we support two different authentication methods: unauthenticated and API key based.

Therefore, we first need to create an *authentication client* that will be used when instantiating the Python classes that deal with API requests.

For unauthenticated requests, we need to create a *NoAuthClient* object:

```
from carto.auth import NoAuthClient

USERNAME="type here your username"
USR_BASE_URL = "https://{user}.carto.com/".format(user=USERNAME)
auth_client = NoAuthClient(base_url=USR_BASE_URL)
```

For API key authenticated requests, we need to create an *APIKeyAuthClient* instance:

```
from carto.auth import APIKeyAuthClient

USERNAME="type here your username"
USR_BASE_URL = "https://{user}.carto.com/".format(user=USERNAME)
auth_client = APIKeyAuthClient(api_key="myapikey", base_url=USR_BASE_URL)
```

API key is mandatory for all API requests except for sending SQL queries to public datasets.

The *base_url* parameter must include the *user* and or the *organization* with a format similar to these ones:

```
BASE_URL = "https://{organization}.carto.com/user/{user}/". \
    format(organization=ORGANIZATION,
           user=USERNAME)
USR_BASE_URL = "https://{user}.carto.com/".format(user=USERNAME)
```

For a detailed description of the rest of parameters both constructors accept, please take a look at the [carto.auth module](#) documentation.

Finally, you can use a *NonVerifiedAPIKeyAuthClient* instance if you are running CARTO on your premises and don't have a valid SSL certificate:

```
from carto.auth import NonVerifiedAPIKeyAuthClient

USERNAME="type here your username"
YOUR_ON_PREM_DOMAIN="myonprem.com"
USR_BASE_URL = "https://{domain}/user/{user}".format(domain=YOUR_ON_PREM_DOMAIN,
↪user=USERNAME)
auth_client = NonVerifiedAPIKeyAuthClient(api_key="myapikey", base_url=USR_BASE_URL)
```

Making requests to the *SQL API* is pretty straightforward:

```
from carto.sql import SQLClient
from carto.exceptions import CartoException

sql = SQLClient(auth_client)

try:
    data = sql.send('select * from mytable')
except CartoException as e:
    print("some error occurred", e)

print data['rows']
```

5.1 POST and GET

The CARTO SQL API is setup to handle both GET and POST requests.

By default all requests are sent via *POST*, anyway you still can send requests via *GET*:

```
from carto.sql import SQLClient
from carto.exceptions import CartoException

sql = SQLClient(auth_client)

try:
    data = sql.send('select * from mytable', do_post=False)
except CartoException as e:
    print("some error occurred", e)

print data['rows']
```

5.2 Response formats

The SQL API accepts many output formats that can be useful to export data, such as:

- CSV
- SHP
- SVG
- KML
- SpatiaLite
- GeoJSON

By default, requests are sent in *JSON* format, but you can specify a different format like this:

```
from carto.sql import SQLClient

sql = SQLClient(auth_client)

try:
    result = sql.send('select * from mytable', format='csv')
    # here you have a CSV, proceed to do what it takes with it
except CartoException as e:
    print("some error occurred", e)
```

Please refer to the *carto package API documentation* to find out about the rest of the parameters accepted by the constructor and the *send* method.

5.3 Batch SQL requests

For long lasting SQL queries you can use the *batch SQL API*.

```
from carto.sql import BatchSQLClient

LIST_OF_SQL_QUERIES = []

batchSQLClient = BatchSQLClient(auth_client)
createJob = batchSQLClient.create(LIST_OF_SQL_QUERIES)

print(createJob['job_id'])
```

The *BatchSQLClient* is asynchronous, but it offers methods to check the status of a job, update it or cancel it:

```
# check the status of a job after it has been created and you have the job_id
readJob = batchSQLClient.read(job_id)

# update the query of a batch job
updateJob = batchSQLClient.update(job_id, NEW_QUERY)

# cancel a job given its job_id
cancelJob = batchSQLClient.cancel(job_id)
```

5.4 COPY queries

COPY queries allow you to use the [PostgreSQL COPY command](#) for efficient streaming of data to and from CARTO.

Here is a basic example of its usage:

```
from carto.sql import SQLClient
from carto.sql import CopySQLClient

sql_client = SQLClient(auth_client)
copy_client = CopySQLClient(auth_client)

# Create a destination table for the copy with the right schema
sql_client.send("""
    CREATE TABLE IF NOT EXISTS copy_example (
        the_geom geometry(Geometry,4326),
        name text,
        age integer
    )
""")
sql_client.send("SELECT CDB_CartodbfyTable(current_schema, 'copy_example')")

# COPY FROM a csv file in the filesystem
from_query = 'COPY copy_example (the_geom, name, age) FROM stdin WITH (FORMAT csv, \
↪HEADER true)'
result = copy_client.copyfrom_file_path(from_query, 'copy_from.csv')

# COPY TO a file in the filesystem
to_query = 'COPY copy_example TO stdout WITH (FORMAT csv, HEADER true)'
copy_client.copyto_file_path(to_query, 'export.csv')
```

Here's an equivalent, more pythonic example of the COPY FROM, using a file object:

```
with open('copy_from.csv', 'rb') as f:
    copy_client.copyfrom_file_object(from_query, f)
```

And here is a demonstration of how to generate and stream data directly (no need for a file at all):

```
def rows():
    # note the \n to delimit rows
    yield bytearray(u'the_geom,name,age\n', 'utf-8')
    for i in range(1,80):
        row = u'SRID=4326;POINT({lon} {lat}},{name},{age}\n'.format(
            lon = i,
            lat = i,
            name = 'fulano',
            age = 100 - i
        )
        yield bytearray(row, 'utf-8')
copy_client.copyfrom(from_query, rows())
```

For more examples on how to use the SQL API, please refer to the **examples** folder or the *carto package API documentation*.

CHAPTER 6

Import API

You can import local or remote datasets into CARTO via the *Import API* like this:

```
from carto.datasets import DatasetManager

# write here the path to a local file or remote URL
LOCAL_FILE_OR_URL = ""

dataset_manager = DatasetManager(auth_client)
dataset = dataset_manager.create(LOCAL_FILE_OR_URL)
```

The Import API is asynchronous, but the *DatasetManager* waits a maximum of 150 seconds for the dataset to be uploaded, so once it finishes the dataset has been created in CARTO.

6.1 Import a sync dataset

You can do it in the same way as a regular dataset, just include a `sync_time` parameter with a value ≥ 900 seconds

```
from carto.datasets import DatasetManager

# how often to sync the dataset (in seconds)
SYNC_TIME = 900
# write here the URL for the dataset to sync
URL_TO_DATASET = ""

dataset_manager = DatasetManager(auth_client)
dataset = dataset_manager.create(URL_TO_DATASET, SYNC_TIME)
```

Alternatively, if you need to do further work with the sync dataset, you can use the *SyncTableJobManager*

```
from carto.sync_tables import SyncTableJobManager
import time
```

(continues on next page)

(continued from previous page)

```
# how often to sync the dataset (in seconds)
SYNC_TIME = 900
# write here the URL for the dataset to sync
URL_TO_DATASET = ""

syncTableManager = SyncTableJobManager(auth_client)
syncTable = syncTableManager.create(URL_TO_DATASET, SYNC_TIME)

# return the id of the sync
sync_id = syncTable.get_id()

while(syncTable.state != 'success'):
    time.sleep(5)
    syncTable.refresh()
    if (syncTable.state == 'failure'):
        print('The error code is: ' + str(syncTable.error_code))
        print('The error message is: ' + str(syncTable.error_message))
        break

# force sync
syncTable.refresh()
syncTable.force_sync()
```

6.2 Get a list of all the current import jobs

```
from carto.file_import import FileImportJobManager

file_import_manager = FileImportJobManager(auth_client)
file_imports = file_import_manager.all()
```

6.3 Get all the datasets

```
from carto.datasets import DatasetManager

dataset_manager = DatasetManager(auth_client)
datasets = dataset_manager.all()
```

6.4 Get a specific dataset

```
from carto.datasets import DatasetManager

# write here the ID of the dataset to retrieve
DATASET_ID = ""

dataset_manager = DatasetManager(auth_client)
dataset = dataset_manager.get(DATASET_ID)
```

6.5 Delete a dataset

```
from carto.datasets import DatasetManager

# write here the ID of the dataset to retrieve
DATASET_ID = ""

dataset_manager = DatasetManager(auth_client)
dataset = dataset_manager.get(DATASET_ID)
dataset.delete()
```

Please refer to the *carto package API documentation* and the **examples** folder to find out about the rest of the parameters accepted by constructors and methods.

6.6 External database connectors

The CARTO Python client implements the *database connectors* feature of the Import API

The database connectors allow importing data from an external database into a CARTO table by using the *connector* parameter.

There are several types of database connectors that you can connect to your CARTO account.

Please refer to the *database connectors* documentation for supported external databases.

As an example, this code snippets imports data from a Hive table into CARTO:

```
from carto.datasets import DatasetManager

dataset_manager = DatasetManager(auth_client)

connection = {
    "connector": {
        "provider": "hive",
        "connection": {
            "server": "YOUR_SERVER_IP",
            "database": "default",
            "username": "YOUR_USER_NAME",
            "password": "YOUR_PASSWORD"
        },
        "schema": "default",
        "table": "YOUR_HIVE_TABLE"
    }
}

table = dataset_manager.create(None, None, connection=connection)
```

You still can configure a sync external database connector, by providing the *interval* parameter:

```
table = dataset_manager.create(None, 900, connection=connection)
```

6.7 DatasetManager vs FileImportJobManager and SyncTableJobManager

The *DatasetManager* is conceptually different from both *FileImportJobManager* and *SyncTableJobManager*. These later ones are *JobManagers*, that means that they create and return a job using the CARTO Import API. It's responsibility of the developer to check the *state* of the job to know whether the dataset import job is completed, or has failed, errored, etc.

As an example, this code snippet uses the *FileImportJobManager* to create an import job:

```
# write here the URL for the dataset or the path to a local file (local to the server.
↪..)
LOCAL_FILE_OR_URL = "https://academy.cartodb.com/d/tornadoes.zip"

file_import_manager = FileImportJobManager(auth_client)
file_import = file_import_manager.create(LOCAL_FILE_OR_URL)

# return the id of the import
file_id = file_import.get_id()

file_import.run()
while(file_import.state != "complete" and file_import.state != "created"
      and file_import.state != "success"):
    time.sleep(5)
    file_import.refresh()
    if (file_import.state == 'failure'):
        print('The error code is: ' + str(file_import))
        break
```

Note that with the *FileImportJobManager* we are creating an import job and we check the *state* of the job.

On the other hand the *DatasetManager* is an utility class that works at the level of *Dataset*. It creates and returns a *Dataset* instance. Internally, it uses a *FileImportJobManager* or a *SyncTableJobManager* depending on the parameters received and is able to automatically *check* the *state* of the job it creates to properly return a *Dataset* instance once the job finishes successfully or a *CartoException* in any other case.

As an example, this code snippet uses the *DatasetManager* to create a dataset:

```
# write here the path to a local file (local to the server...) or remote URL
LOCAL_FILE_OR_URL = "https://academy.cartodb.com/d/tornadoes.zip"

# to use the DatasetManager you need an enterprise account
auth_client = APIKeyAuthClient(BASE_URL, API_KEY)

dataset_manager = DatasetManager(auth_client)
dataset = dataset_manager.create(LOCAL_FILE_OR_URL)

# the create method will wait up to 10 minutes until the dataset is uploaded.
```

In this case, you don't have to check the *state* of the import job, since it's done automatically by the *DatasetManager*. On the other hand, you get a *Dataset* instance as a result, instead of a *FileImportJob* instance.

CHAPTER 7

Maps API

The *Maps API* allows to create and instantiate named and anonymous maps:

```
from carto.maps import NamedMapManager, NamedMap
import json

# write the path to a local file with a JSON named map template
JSON_TEMPLATE = ""

named_map_manager = NamedMapManager(auth_client)
named_map = NamedMap(named_map_manager.client)

with open(JSON_TEMPLATE) as named_map_json:
    template = json.load(named_map_json)

# Create named map
named = named_map_manager.create(template=template)
```

```
from carto.maps import AnonymousMap
import json

# write the path to a local file with a JSON named map template
JSON_TEMPLATE = ""

anonymous = AnonymousMap(auth_client)
with open(JSON_TEMPLATE) as anonymous_map_json:
    template = json.load(anonymous_map_json)

# Create anonymous map
anonymous.instantiate(template)
```

7.1 Instantiate a named map

```
from carto.maps import NamedMapManager, NamedMap
import json

# write the path to a local file with a JSON named map template
JSON_TEMPLATE = ""

# write here the ID of the named map
NAMED_MAP_ID = ""

# write here the token you set to the named map when created
NAMED_MAP_TOKEN = ""

named_map_manager = NamedMapManager(auth_client)
named_map = named_map_manager.get(NAMED_MAP_ID)

with open(JSON_TEMPLATE) as template_json:
    template = json.load(template_json)

named_map.instantiate(template, NAMED_MAP_TOKEN)
```

7.2 Work with named maps

```
from carto.maps import NamedMapManager, NamedMap

# write here the ID of the named map
NAMED_MAP_ID = ""

# get the named map created
named_map = named_map_manager.get(NAMED_MAP_ID)

# update named map
named_map.view = None
named_map.save()

# delete named map
named_map.delete()

# list all named maps
named_maps = named_map_manager.all()
```

For more examples on how to use the *Maps API*, please refer to the **examples** folder or the *carto package API documentation*.

CHAPTER 8

Non-public APIs

Non-public APIs may change in the future and will throw a *warnings.warn* message when used.

Please be aware if you plan to run them on a production environment.

Refer to the *carto package API documentation* for a list of non-public APIs

Examples

This developer guide is not intended to be an extensive list of usage examples and use cases. For that, inside the *examples* folder of the [carto-python](#) Github repository there are sample code snippets of the *carto-python* client.

To run examples, you should need to install additional dependencies:

```
pip install -r examples/requirements.txt
```

carto-python examples need to setup environment variables.

- **CARTO_ORG:** The name of your organization
- **CARTO_API_URL:** The *base_url* including your user and/or organization
- **CARTO_API_KEY:** Your user API key

Please refer to the examples source code for additional info about parameters of each one

9.1 List of examples

Find below a list of provided examples of the *carto-python* library.

Take into account that the examples are not intended to provide a comprehensive list of the capabilities of *carto-python* but only some of its use cases.

9.1.1 *change_dataset_privacy.py*

Description: Changes the privacy of a user's dataset to 'LINK', 'PUBLIC' or 'PRIVATE'

Usage example:

```
python change_dataset_privacy.py tornados LINK
```

Output:

```
12:17:01 PM - INFO - Done!
```

9.1.2 *check_query.py*

Description: Analyzes an SQL query to check if it can be optimized

Usage example:

```
python check_query.py "select version() "
```

Output:

```
12:25:18 PM - INFO - {u'QUERY PLAN': u'Result (cost=0.00..0.00 rows=1 width=0)'}  
↳ {actual time=0.002..0.002 rows=1 loops=1}'  
12:25:18 PM - INFO - {u'QUERY PLAN': u'Planning time: 0.006 ms'}  
12:25:18 PM - INFO - {u'QUERY PLAN': u'Execution time: 0.008 ms'}  
12:25:18 PM - INFO - time: 0.002
```

9.1.3 *create_anonymous_map.py*

Description: Creates an anonymous map

Usage example:

```
python create_anonymous_map.py "files/anonymous_map.json"
```

Output:

```
Anonymous map created with layergroupid:  
↳ 50b159d8a635c94fd100bdc7d8fb08:1493192847307
```

9.1.4 *create_named_map.py*

Description: Creates an anonymous map

Usage example:

```
python create_named_map.py "files/named_map.json"
```

Output:

```
Named map created with ID: python_sdk_test_map
```

9.1.5 *export_create_tables.py*

Description: Runs a SQL query to export the *CREATE TABLE* scripts of the user's datasets

Usage example:

```
python export_create_datasets.py
```

Output:

```
...
Found dataset: test_12
Found dataset: tornados_24

Script exported
```

9.1.6 *export_dataset.py*

Description: Exports a *dataset* in a given *format*

Usage example:

```
python export_dataset.py --dataset=tornados --format=csv
```

Output:

```
File saved: tornados.csv
```

9.1.7 *export_map.py*

Description: Exports a map visualization as a .carto file

Usage example:

```
python export_map.py "Untitled map"
```

Output:

```
URL of .carto file is: http://s3.amazonaws.com/com.cartodb.imports.production/ ... .
↳carto
```

9.1.8 *import_and_merge.py*

Description: Import a folder with CSV files (same structure) and merge them into one dataset. Files must be named as file1.csv, file2.csv, file3.csv, etc.

Usage example:

```
python import_and_merge.py "files/*.csv"
```

Output:

```
12:37:42 PM - INFO - Table imported: barris_barcelona_1_part_1
12:37:53 PM - INFO - Table imported: barris_barcelona_1_part_2
12:38:05 PM - INFO - Table imported: barris_barcelona_1_part_3
12:38:16 PM - INFO - Table imported: barris_barcelona_1_part_4
12:38:27 PM - INFO - Table imported: barris_barcelona_1_part_5
12:38:38 PM - INFO - Table imported: barris_barcelona_1_part_6
12:38:49 PM - INFO - Table imported: barris_barcelona_1_part_7
12:39:22 PM - INFO - Tables merged

URL of dataset is:      https://YOUR_ORG.carto.com/u/YOUR_USER/dataset/barris_
↳barcelona_1_part_1_merged
```

9.1.9 *import_from_database.py*

Description: External database connector

Usage example:

```
python import_from_database.py --connection='{
  "connector": {
    "provider": "hive",
    "connection": {
      "server": "YOUR_SERVER_IP",
      "database": "default",
      "username": "cloudera",
      "password": "cloudera"
    },
    "schema": "default",
    "table": "YOUR_TABLE"
  }
}'
```

Output:

```
Table imported: YOUR_TABLE
```

9.1.10 *import_standard_table.py*

Description: Creates a CARTO dataset from a URL

Usage example:

```
python import_standard_table.py files/barris_barcelona_1_part_1.csv
```

Output:

```
12:46:00 PM - INFO - Name of table: barris_barcelona_1_part_1
URL of dataset:      https://YOUR_ORG.carto.com/u/YOUR_USER/dataset/barris_barcelona_
↳1_part_1
```

9.1.11 *import_sync_table_as_dataset.py*

Description: Creates a CARTO sync dataset from a URL

Usage example:

```
python import_sync_table_as_dataset.py "https://academy.cartodb.com/d/tornadoes.zip"
↳900
```

Output:

```
12:48:08 PM - INFO - Name of table: tornados
URL of dataset is:      https://YOUR_ORG.carto.com/u/YOUR_USER/dataset/tornados
```

9.1.12 *import_sync_table.py*

Description: Creates a CARTO sync dataset from a URL

Usage example:

```
python import_sync_table.py "https://academy.cartodb.com/d/tornadoes.zip" 900
```

9.1.13 *instantiate_named_map.py*

Description: Instantiates a named map

Usage example:

```
python instantiate_named_map.py "python_sdk_test_map" "files/instantiate_map.json"
↪ "example_token"
```

Output:

```
Done!
```

9.1.14 *kill_query.py*

Description: Kills a running query

Usage example:

```
python kill_query.py 999
```

Output:

```
Query killed
```

9.1.15 *list_tables.py*

Description: Returns graph of tables ordered by size and indicating if they are cartodbified or not

Usage example:

```
python list_tables.py
```

Output:

```
...
analysis_a08f3b6124_a49b778b1e146f4bc7e5e670f5edcb027513ddc5 NO:      | 0.01 MB;
analysis_971639c870_c0421831d5966bcff0731772b21d6835294c4b0a NO:      | 0.01 MB;
analysis_9e88a1147e_5da714d5786b61509da4ebcd1409aae05ea8704d NO:      | 0.01 MB;
testing_moving NO:      | 0.0 MB;
analysis_7530d60ffc_868bfea631fa1dc8c212ad2a8a950e050607aa6c NO:      | 0.0 MB;

There are: 338 datasets in this account
```

9.1.16 *map_info.py*

Description: Return the names of all maps or display information from a specific map

Usage example:

```
python map_info.py
```

Output:

```
12:58:28 PM - INFO - data_2_1_y_address_locations map 1
12:58:28 PM - INFO - Untitled Map 2
12:58:28 PM - INFO - Untitled map
12:58:28 PM - INFO - Untitled Map
12:58:28 PM - INFO - cartodb_germany 1
12:58:28 PM - INFO - cb_2013_us_county_500k 1
```

Usage example:

```
python map_info.py --map="Untitled map"
```

Output:

```
{ 'active_layer_id': u'5a89b00d-0a86-4a8d-a359-912458ad05c9',
  'created_at': u'2016-07-11T08:50:15+00:00',
  'description': None,
  'display_name': None,
  'id': u'7cb87e6a-4744-11e6-9b1b-0e3ff518bd15',
  'liked': False,
  'likes': 0,
  'locked': False,
  'map_id': u'7820995a-98b8-4465-9c3d-607fd5f6fa67',
  'name': u'Untitled map',
  'related_tables': [<carto.tables.Table object at 0x10aece5d0>],
  'table': <carto.tables.Table object at 0x10acb6c90>,
  'title': None,
  'updated_at': u'2016-07-11T08:50:19+00:00',
  'url': u'https://YOUR_ORG.carto.com/u/YOUR_USER/viz/7cb87e6a-4744-11e6-9b1b-0e3ff518bd15/map'
}
```

9.1.17 *running_queries.py*

Description: Returns the running queries of the account

Usage example:

```
python running_queries.py
```

Output:

```
01:00:49 PM - INFO - {u'query': u'select pid, query from pg_stat_activity WHERE_
↳username = current_user', u'pid': 2810}
```

9.1.18 *sql_batch_api_jobs.py*

Description: Works with a Batch SQL API job

Usage example:

```
python sql_batch_api_jobs.py create --query="select CDB_CreateOverviews('my_table
↳ '::regclass) "
```

Output:

```
01:03:07 PM - INFO - status: pending
01:03:07 PM - INFO - job_id: 3a73d74d-cc7a-4faf-9c37-1bec05f4835e
01:03:07 PM - INFO - created_at: 2017-06-06T11:03:07.746Z
01:03:07 PM - INFO - updated_at: 2017-06-06T11:03:07.746Z
01:03:07 PM - INFO - user: YOUR_USER
01:03:07 PM - INFO - query: select CDB_CreateOverviews('my_table'::regclass)
```

Usage example:

```
python sql_batch_api_jobs.py read --job_id=3a73d74d-cc7a-4faf-9c37-1bec05f4835e
```

Output:

```
01:04:03 PM - INFO - status: done
01:04:03 PM - INFO - job_id: 3a73d74d-cc7a-4faf-9c37-1bec05f4835e
01:04:03 PM - INFO - created_at: 2017-06-06T11:03:07.746Z
01:04:03 PM - INFO - updated_at: 2017-06-06T11:03:08.328Z
01:04:03 PM - INFO - user: YOUR_USER
01:04:03 PM - INFO - query: select CDB_CreateOverviews('my_table'::regclass)
```

Usage example:

```
python sql_batch_api_jobs.py cancel --job_id=3a73d74d-cc7a-4faf-9c37-1bec05f4835e
```

Output:

```
01:04:03 PM - INFO - status: cancelled
01:04:03 PM - INFO - job_id: 3a73d74d-cc7a-4faf-9c37-1bec05f4835e
01:04:03 PM - INFO - created_at: 2017-06-06T11:03:07.746Z
01:04:03 PM - INFO - updated_at: 2017-06-06T11:03:08.328Z
01:04:03 PM - INFO - user: YOUR_USER
01:04:03 PM - INFO - query: select CDB_CreateOverviews('my_table'::regclass)
```

9.1.19 *table_info.py*

Description: Return columns and its types, indexes, functions and triggers of a specific table

Usage example:

```
python table_info.py tornados
```

Output:

```
General information
+-----+-----+-----+-----+-----+
↳-----+
```

(continues on next page)

(continued from previous page)

Table name	Number of rows	Size of the table (MB)	Privacy of the table	Geometry type
tornados	14222	2.03	PUBLIC	[u'ST_Point']

The columns **and** their data types are:

Column name	Data type
cartodb_id	bigint
the_geom	USER-DEFINED
the_geom_webmercator	USER-DEFINED
latitude	double precision
longitude	double precision
damage	numeric
_feature_count	integer

Indexes of the tables:

Index name	Index definition
_auto_idx_tornados_damage	CREATE INDEX _auto_idx_tornados_damage ON tornados USING btree (damage)
tornados_the_geom_webmercator_idx	CREATE INDEX tornados_the_geom_webmercator_idx ON tornados USING gist (the_geom_webmercator)
tornados_the_geom_idx	CREATE INDEX tornados_the_geom_idx ON tornados USING gist (the_geom)
tornados_pkey	CREATE UNIQUE INDEX tornados_pkey ON tornados USING btree (cartodb_id)

Functions of the account:

Function name

Triggers of the account:

Trigger Name
test_quota
test_quota_per_row
track_updates

(continues on next page)

(continued from previous page)

```
| update_the_geom_webmercator_trigger |
+-----+
```

9.1.20 *user_info.py*

Description: Returns information from a specific user

Usage example:

```
export CARTO_USER=YOUR_USER
python user_info.py
```

Output:

The attributes of the user are:

```
+-----+
| Attribute | Value |
+-----+
| username | YOUR_USER |
| avatar_url | //cartodb-libs.global.ssl.fastly.net/cartodbui/assets/
| unversioned/images/avatars/avatar_pacman_green.png |
| quota_in_bytes | 20198485636 |
| public_visualization_count | 0 |
| base_url | https://YOUR_ORG.carto.com/u/YOUR_USER |
| table_count | 217 |
| all_visualization_count | 80 |
| client | <carto.auth.APIKeyAuthClient object at 0x102eac710> |
| soft_geocoding_limit | True |
| db_size_in_bytes | 13867610112 |
| email | XXX@yyy.zzz |
+-----+
```

The quotas of the user are:

Service	Provider	Soft limit	Used quota	Monthly quota
isolines	37	heremaps	False	100000
hires_geocoder	20238	heremaps	False	100000
routing	0	mapzen	False	200000

(continues on next page)

(continued from previous page)

	observatory		482896		data observatory		False		1000000	
+	-----	+	-----	+	-----	+	-----	+	-----	+

10.1 carto package API documentation

10.1.1 carto.auth module

Module for authenticated access to CARTO's APIs

class `carto.auth.APIKeyAuthClient` (*base_url, api_key, organization=None, session=None*)
Bases: `carto.auth._UsernameGetter`, `carto.auth._BaseUrlChecker`, `carto.auth._ClientIdentifier`, `pyrestcli.auth.BaseAuthClient`

This class provides you with authenticated access to CARTO's APIs using your API key.

You can find your API key by clicking on the API key section of the user dropdown menu

prepare_send (*http_method, **requests_args*)

send (*relative_path, http_method, **requests_args*)

Makes an API-key-authorized request

Parameters

- **relative_path** (*str*) – URL path relative to self.base_url
- **http_method** (*str*) – HTTP method
- **requests_args** (*kwargs*) – kwargs to be sent to requests

Returns A request response object

Raise `CartoException`

class `carto.auth.AuthAPIClient` (*base_url, api_key, organization=None, session=None*)
Bases: `carto.auth._UsernameGetter`, `carto.auth._BaseUrlChecker`, `pyrestcli.auth.BasicAuthClient`

This class provides you with authenticated access to CARTO's APIs using your API key at Basic authentication header, as provided by Auth API.

Auth API is still under development. You might want to take a look at `APIKeyAuthClient` for missing features or an stable API.

You can find your API key by clicking on the API key section of the user dropdown menu

`is_valid_api_key()`

Checks validity. Right now, an API key is considered valid if it can list user API keys and the result contains that API key. This might change in the future.

Returns True if the API key is considered valid for current user.

class `carto.auth.NonVerifiedAPIKeyAuthClient` (*base_url, api_key, organization=None, session=None*)

Bases: `carto.auth.APIKeyAuthClient`

This class provides you with authenticated access to CARTO's APIs using your API key but avoids verifying SSL certificates. This is useful for onpremises instances of CARTO

You can find your API key by clicking on the API key section of the user dropdown menu

`send(relative_path, http_method, **requests_args)`

Makes an API-key-authorized request not verifying SSL certs

Parameters

- **`relative_path`** (*str*) – URL path relative to `self.base_url`
- **`http_method`** (*str*) – HTTP method
- **`requests_args`** (*kwargs*) – kwargs to be sent to requests

Returns A request response object

Raise `CartoException`

10.1.2 carto.datasets module

Module for working with CARTO datasets

class `carto.datasets.Dataset` (*auth_client, **kwargs*)

Bases: `carto.resources.WarnResource`

Represents a dataset in CARTO. Typically, that means there is a table in the PostgreSQL server associated to this object.

Warning: Non-public API. It may change with no previous notice

class `Meta`

`collection_endpoint = 'api/v1/viz/'`

`id_field = 'id'`

`json_data = True`

`name_field = 'name'`

`parse_json = True`

`active_child = None`

active_layer_id

Convenient class to make explicit that an attribute will store chars

attributions

Convenient class to make explicit that an attribute will store chars

auth_tokens

Convenient class to make explicit that an attribute will store chars

children = None**connector = None****created_at**

Field to store datetimes in resources

description

Convenient class to make explicit that an attribute will store chars

display_name

Convenient class to make explicit that an attribute will store chars

external_source = None

fields = ['liked', 'likes', 'active_layer_id', 'table', 'display_name', 'privacy', 'parent_id', 'parent_id']

Convenient class to make explicit that an attribute will store chars

kind

Convenient class to make explicit that an attribute will store chars

license

Convenient class to make explicit that an attribute will store chars

liked

Convenient class to make explicit that an attribute will store booleans

likes

Convenient class to make explicit that an attribute will store integers

locked

Convenient class to make explicit that an attribute will store booleans

map_id

Convenient class to make explicit that an attribute will store chars

name

Convenient class to make explicit that an attribute will store chars

next_id = None**parent_id**

Convenient class to make explicit that an attribute will store chars

permission

carto.permissions.Permission

prev_id = None**privacy**

Convenient class to make explicit that an attribute will store chars

source = None

stats

Field to store datetimes in resources

synchronization = None**table**

carto.tables.Table

tags

Convenient class to make explicit that an attribute will store chars

title

Convenient class to make explicit that an attribute will store chars

transition_options = None**type**

Convenient class to make explicit that an attribute will store chars

updated_at

Field to store datetimes in resources

url

Convenient class to make explicit that an attribute will store chars

user

carto.users.User

uses_builder_features

Convenient class to make explicit that an attribute will store booleans

class `carto.datasets.DatasetManager` (*auth_client*)

Bases: *carto.resources.Manager*

Manager for the Dataset class.

Warning: Non-public API. It may change with no previous notice

create (*archive, interval=None, **import_args*)

Creating a table means uploading a file or setting up a sync table

Parameters

- **archive** (*str*) – URL to the file (both remote URLs or local paths are supported) or StringIO object
- **interval** (*int*) – Interval in seconds. If not None, CARTO will try to set up a sync table against the (remote) URL
- **import_args** (*kwargs*) – Arguments to be sent to the import job when run

Returns New dataset object

Return type *Dataset*

Raise CartoException

is_sync_table (*archive, interval, **import_args*)

Checks if this is a request for a sync dataset.

The condition for creating a sync dataset is to provide a URL or a connection to an external database and an interval in seconds

Parameters

- **archive** – URL to the file (both remote URLs or local paths are supported) or StringIO object
- **interval** (*int*) – Interval in seconds.
- **import_args** (*kwargs*) – Connection parameters for an external database

Returns True if it is a sync dataset

json_collection_attribute = 'visualizations'

paginator_class

alias of `carto.paginators.CartoPaginator`

resource_class

alias of `Dataset`

send (*url*, *http_method*, ***client_args*)

Sends an API request, taking into account that datasets are part of the visualization endpoint.

Parameters

- **url** (*str*) – Endpoint URL
- **http_method** (*str*) – The method used to make the request to the API
- **client_args** (*kwargs*) – Arguments to be sent to the auth client

Returns A request response object

Raise `CartoException`

10.1.3 carto.exceptions module

Module for carto-python exceptions definitions

exception `carto.exceptions.CartoException`

Bases: `exceptions.Exception`

Any Exception produced by carto-python should be wrapped around this class

10.1.4 carto.export module

Module for exporting visualizations

class `carto.export.ExportJob` (*client*, *visualization_id*)

Bases: `carto.resources.WarnAsyncResource`

Equivalent to a .carto export in CARTO.

Allows a CARTO export to be created using a visualization in the user's CARTO account

Warning: Non-public API. It may change with no previous notice

class `Meta`

collection_endpoint = 'api/v3/visualization_exports/'

id_field = 'id'

```
    json_data = True
    name_field = 'id'
    parse_json = True

created_at
    Field to store datetimes in resources

fields = ['user_id', 'url', 'created_at', 'updated_at', 'state', 'visualization_id', 'id']

id
    Convenient class to make explicit that an attribute will store chars

run (**export_params)
    Make the actual request to the Import API (exporting is part of the Import API).

    Parameters export_params (kwargs) – Any additional parameters to be sent to the Import
    API

    Returns
```

Note: The export is asynchronous, so you should take care of the progression, by calling the `carto.resources.AsyncResource.refresh()` method and check the export job `state` attribute. See `carto.visualizations.Visualization.export()` method implementation for more details

```
state
    Convenient class to make explicit that an attribute will store chars

updated_at
    Field to store datetimes in resources

url
    Convenient class to make explicit that an attribute will store chars

user_id
    Convenient class to make explicit that an attribute will store chars

visualization_id
    Convenient class to make explicit that an attribute will store chars
```

10.1.5 carto.fields module

Module for defining response objects

```
class carto.fields.EntityField(many=False)
    Bases: pyrestcli.fields.ResourceField

    carto.permissions.Entity

    value_class = 'carto.permissions.Entity'

class carto.fields.PermissionField(many=False)
    Bases: pyrestcli.fields.ResourceField

    carto.permissions.Permission

    value_class = 'carto.permissions.Permission'

class carto.fields.TableField(many=False)
    Bases: pyrestcli.fields.ResourceField
```

```

    carto.tables.Table

    value_class = 'carto.tables.Table'

class carto.fields.UserField(many=False)
    Bases: pyrestcli.fields.ResourceField

    carto.users.User

    value_class = 'carto.users.User'

class carto.fields.VisualizationField(many=False)
    Bases: pyrestcli.fields.ResourceField

    carto.visualizations.Visualization

    value_class = 'carto.visualizations.Visualization'

```

10.1.6 carto.file_import module

Module for importing remote and local files into CARTO

```

class carto.file_import.FileImportJob(archive, auth_client)
    Bases: carto.resources.AsyncResource

```

This class provides support for one-time uploading and importing of remote and local files into CARTO

```
class Meta
```

```

    collection_endpoint = 'api/v1/imports/'
    id_field = 'item_queue_id'
    json_data = True
    name_field = 'id'
    parse_json = True

content_guessing
    Convenient class to make explicit that an attribute will store booleans

create_visualization
    Convenient class to make explicit that an attribute will store booleans

data_type
    Convenient class to make explicit that an attribute will store chars

display_name
    Convenient class to make explicit that an attribute will store chars

error_code
    Convenient class to make explicit that an attribute will store integers

fields = ['quoted_fields_guessing', 'data_type', 'queue_id', 'user_defined_limits', 'i

get_error_text = None

id
    Convenient class to make explicit that an attribute will store chars

is_raster
    Convenient class to make explicit that an attribute will store booleans

```

item_queue_id

Convenient class to make explicit that an attribute will store chars

queue_id

Convenient class to make explicit that an attribute will store chars

quoted_fields_guessing

Convenient class to make explicit that an attribute will store booleans

run (***import_params*)

Actually creates the import job on the CARTO server

Parameters **import_params** (*kwargs*) – To be send to the Import API, see CARTO’s docs on Import API for an updated list of accepted params

Returns

Note: The import job is asynchronous, so you should take care of the progression, by calling the `carto.resources.AsyncResource.refresh()` method and check the import job `state` attribute. See `carto.datasets.DatasetManager.create()` for a unified method to import files into CARTO

state

Convenient class to make explicit that an attribute will store chars

success

Convenient class to make explicit that an attribute will store booleans

synchronization_id

Convenient class to make explicit that an attribute will store chars

table_id

Convenient class to make explicit that an attribute will store chars

table_name

Convenient class to make explicit that an attribute will store chars

tables_created_count

Convenient class to make explicit that an attribute will store integers

type_guessing

Convenient class to make explicit that an attribute will store booleans

user_defined_limits

Convenient class to make explicit that an attribute will store chars

user_id

Convenient class to make explicit that an attribute will store chars

visualization_id

Convenient class to make explicit that an attribute will store chars

warnings = None

class `carto.file_import.FileImportJobManager` (*auth_client*)

Bases: `carto.resources.Manager`

create (*archive*, ***kwargs*)

Creates a file import on the server

Parameters

- **archive** (*str*) – archive can be a pointer to a remote location, a path to a local file or a StringIO object
- **kwargs** (*kwargs*) – Attributes (field names and values) of the new resource

Returns The `carto.file_import.FileImportJob`

filter()

Get a filtered list of file imports

Returns A list of file imports, with only the id set (you need to refresh them if you want all the attributes to be filled in)

Return type list of `carto.file_import.FileImportJob`

Raise CartoException

json_collection_attribute = 'imports'

paginator_class

alias of `carto.paginators.CartoPaginator`

resource_class

alias of `FileImportJob`

10.1.7 carto.maps module

Module for working with named and anonymous maps

class `carto.maps.AnonymousMap` (*auth_client*)

Bases: `carto.maps.BaseMap`

Equivalent to creating an anonymous map in CARTO.

class `Meta`

collection_endpoint = 'api/v1/map/'

id_field = 'id'

json_data = True

name_field = 'id'

parse_json = True

fields = []

instantiate (*params*)

Allows you to fetch the map tiles of a created map

Parameters **params** (*dict*) – The json with the styling info for the named map

Returns

Raise CartoException

update_from_dict (*attribute_dict*)

Update the fields of the resource out of a data dictionary taken out of an API response :param attribute_dict: Dictionary to be mapped into object attributes :return:

class `carto.maps.BaseMap` (*auth_client*)

Bases: `pyrestcli.resources.Resource`

Base class for NamedMap and AnonymousMap

```
fields = []
```

```
get_tile_url(x, y, z, layer_id=None, feature_id=None, filter=None, extension='png')
```

Prepares a URL to get data (raster or vector) from a NamedMap or AnonymousMap

Parameters

- **x** (*int*) – The x tile
- **y** (*int*) – The y tile
- **z** (*int*) – The zoom level
- **layer_id** (*str*) – Can be a number (referring to the # layer of your map), all layers of your map, or a list of layers. To show just the basemap layer, enter the value 0 To show the first layer, enter the value 1 To show all layers, enter the value 'all' To show a list of layers, enter the comma separated layer value as '0,1,2'
- **feature_id** (*str*) – The id of the feature
- **filter** (*str*) – The filter to be applied to the layer
- **extension** (*str*) – The format of the data to be retrieved: png, mvt, ...

Returns A URL to download data

Return type str

Raise CartoException

```
class carto.maps.NamedMap(auth_client)
```

Bases: [carto.maps.BaseMap](#)

Equivalent to creating a named map in CARTO.

```
class Meta
```

```
collection_endpoint = 'api/v1/map/named/'
```

```
id_field = 'template_id'
```

```
json_data = True
```

```
name_field = 'name'
```

```
parse_json = True
```

```
fields = []
```

```
instantiate(params, auth=None)
```

Allows you to fetch the map tiles of a created map

Parameters

- **params** (*dict*) – The json with the styling info for the named map
- **auth** ([carto.auth.APIKeyAuthClient](#)) – The auth client

Returns

Raise CartoException

```
update_from_dict(attribute_dict)
```

Method overridden from the base class

```
class carto.maps.NamedMapManager (auth_client)
    Bases: pyrestcli.resources.Manager

    Manager for the NamedMap class

    create (**kwargs)
        Creates a named map

        Parameters kwargs (kwargs) – Attributes for creating the named map. Specifically an attribute template must contain the JSON object defining the named map

        Returns New named map object

        Return type NamedMap

        Raise CartoException

    json_collection_attribute = 'template_ids'

    resource_class
        alias of NamedMap
```

10.1.8 carto.paginators module

Used internally to retrieve results paginated

```
class carto.paginators.CartoPaginator (json_collection_attribute, base_url, params=None)
    Bases: pyrestcli.paginators.Paginator

    Used internally to retrieve results paginated

    get_urls (initial_url)

    process_response (response)
```

10.1.9 carto.permissions module

Entity classes for defining permissions

```
class carto.permissions.Entity (auth_client, **kwargs)
    Bases: pyrestcli.resources.Resource

    Represents an entity in CARTO. This is an internal data type, with no specific API endpoints

    fields = ['type', 'id']

    id
        Convenient class to make explicit that an attribute will store chars

    type
        Convenient class to make explicit that an attribute will store chars

class carto.permissions.Permission (auth_client, **kwargs)
    Bases: pyrestcli.resources.Resource

    Represents a permission in CARTO. This is an internal data type, with no specific API endpoints

    acl = None

    created_at
        Field to store datetimes in resources
```

```
entity
    carto.permissions.Entity

fields = ['created_at', 'updated_at', 'entity', 'id', 'owner']

id
    Convenient class to make explicit that an attribute will store chars

owner
    carto.users.User

updated_at
    Field to store datetimes in resources
```

10.1.10 carto.resources module

Extensions for pyrestcli Resource and Manager classes

```
class carto.resources.AsyncResource(auth_client, **kwargs)
    Bases: pyrestcli.resources.Resource

    fields = []

    refresh()
        Updates the information of the async job against the CARTO server. After calling the refresh() method
        you should check the state attribute of your resource

        Returns

    run(**client_params)
        Actually creates the async job on the CARTO server

        Parameters client_params (kwargs) – To be send to the CARTO API. See CARTO's
            documentation depending on the subclass you are using

        Returns

        Raise CartoException

class carto.resources.Manager(auth_client)
    Bases: pyrestcli.resources.Manager

    Manager class for resources

class carto.resources.WarnAsyncResource(auth_client, **kwargs)
    Bases: carto.resources.AsyncResource

    AsyncResource class for resources that represent non-public CARTO APIs. You'll be warned not to used the in
    production environments

    fields = []

class carto.resources.WarnResource(auth_client, **kwargs)
    Bases: pyrestcli.resources.Resource

    Resource class for resources that represent non-public CARTO APIs. You'll be warned not to used the in
    production environments

    fields = []
```

10.1.11 carto.sql module

Module for the SQL API

class `carto.sql.BatchSQLClient` (*client*, *api_version='v2'*)

Bases: `object`

Allows you to send requests to CARTO's Batch SQL API

cancel (*job_id*)

Cancels a job

Parameters `job_id` (*str*) – The id of the job to be cancelled

Returns A status code depending on whether the cancel request was successful

Return type `str`

Raises `CartoException` –

create (*sql_query*)

Creates a new batch SQL query.

Batch SQL jobs are asynchronous, once created you should call `carto.sql.BatchSQLClient.read()` method given the *job_id* to retrieve the state of the batch query

Parameters `sql_query` (*str or list of str*) – The SQL query to be used

Returns Response data, either as json or as a regular `response.content` object

Return type `object`

Raise `CartoException`

read (*job_id*)

Reads the information for a specific Batch API request

Parameters `job_id` (*str*) – The id of the job to be read from

Returns Response data, either as json or as a regular `response.content` object

Return type `object`

Raise `CartoException`

send (*url*, *http_method*, *json_body=None*, *http_header=None*)

Executes Batch SQL query in a CARTO server

Parameters

- `url` (*str*) – Endpoint url
- `http_method` (*str*) – The method used to make the request to the API
- `json_body` (*dict*) – The information that needs to be sent, by default is set to `None`
- `http_header` (*str*) – The header used to make write requests to the API, by default is `none`

Returns Response data, either as json or as a regular `response.content` object

Return type `object`

Raise `CartoException`

update (*job_id*, *sql_query*)

Updates the sql query of a specific job

Parameters

- **job_id** (*str*) – The id of the job to be updated
- **sql_query** (*str*) – The new SQL query for the job

Returns Response data, either as json or as a regular response.content object

Return type object

Raise CartoException

update_from_dict (*data_dict*)

Parameters **data_dict** (*dict*) – Dictionary to be mapped into object attributes

Returns

class `carto.sql.CopySQLClient` (*client*, *api_version='v2'*)

Bases: `object`

Allows to use the PostgreSQL COPY command for efficient streaming of data to and from CARTO.

copyfrom (*query*, *iterable_data*, *compress=True*, *compression_level=1*)

Gets data from an iterable object into a table

Parameters

- **query** (*str*) – The “COPY table_name [(column_name[, ...])] FROM STDIN [WITH(option[,...])]” query to execute
- **iterable_data** (*object*) – An object that can be iterated to retrieve the data

Returns Response data as json

Return type str

Raises *CartoException* –

copyfrom_file_object (*query*, *file_object*, *compress=True*, *compression_level=1*)

Gets data from a readable file object into a table

Parameters

- **query** (*str*) – The “COPY table_name [(column_name[, ...])] FROM STDIN [WITH(option[,...])]” query to execute
- **file_object** (*file*) – A file-like object. Normally the return value of `open('file.ext', 'rb')`

Returns Response data as json

Return type str

Raises *CartoException* –

copyfrom_file_path (*query*, *path*, *compress=True*, *compression_level=1*)

Gets data from a readable file into a table

Parameters

- **query** (*str*) – The “COPY table_name [(column_name[, ...])] FROM STDIN [WITH(option[,...])]” query to execute
- **path** (*str*) – A path to a file

Returns Response data as json

Return type str

Raises *CartoException* –

copyto (*query*)

Gets data from a table into a Response object that can be iterated

Parameters *query* (*str*) – The “COPY { table_name [(column_name[, ...])] | (query) } TO STDOUT [WITH(option[,...])]” query to execute

Returns response object

Return type Response

Raises *CartoException* –

copyto_file_object (*query*, *file_object*)

Gets data from a table into a writable file object

Parameters

- **query** (*str*) – The “COPY { table_name [(column_name[, ...])] | (query) } TO STDOUT [WITH(option[,...])]” query to execute
- **file_object** (*file*) – A file-like object. Normally the return value of open(‘file.ext’, ‘wb’)

Raises *CartoException* –

copyto_file_path (*query*, *path*, *append=False*)

Gets data from a table into a writable file

Parameters

- **query** (*str*) – The “COPY { table_name [(column_name[, ...])] | (query) } TO STDOUT [WITH(option[,...])]” query to execute
- **path** (*str*) – A path to a writable file
- **append** (*bool*) – Whether to append or not if the file already exists Default value is False

Raises *CartoException* –

class `carto.sql.SQLClient` (*auth_client*, *api_version='v2'*)

Bases: object

Allows you to send requests to CARTO’s SQL API

send (*sql*, *parse_json=True*, *do_post=True*, *format=None*, ***request_args*)

Executes SQL query in a CARTO server

Parameters

- **sql** (*str*) – The SQL
- **parse_json** (*boolean*) – Set it to False if you want raw response
- **do_post** (*boolean*) – Set it to True to force post request
- **format** (*str*) – Any of the data export formats allowed by CARTO’s SQL API
- **request_args** (*dictionary*) – Additional parameters to send with the request

Returns response data, either as json or as a regular response.content object

Return type object

Raise CartoException

10.1.12 carto.sync_tables module

Module for the IMPORT API with sync tables

class `carto.sync_tables.SyncTableJob(url, interval, auth_client)`
Bases: `carto.resources.AsyncResource`

This class provides support for creating Sync Tables into CARTO

class `Meta`

`collection_endpoint = 'api/v1/synchronizations/'`

`id_field = 'id'`

`json_data = True`

`name_field = 'id'`

`parse_json = True`

checksum

Convenient class to make explicit that an attribute will store chars

content_guessing

Convenient class to make explicit that an attribute will store booleans

created_at

Field to store datetimes in resources

enqueued

Convenient class to make explicit that an attribute will store booleans

error_code

Convenient class to make explicit that an attribute will store integers

error_message

Convenient class to make explicit that an attribute will store chars

etag

Convenient class to make explicit that an attribute will store chars

fields = ['interval', 'service_name', 'updated_at', 'run_at', 'type_guessing', 'service_name']

force_sync()

Forces to sync the SyncTableJob

Returns

Raise `CartoException`

from_external_source

Convenient class to make explicit that an attribute will store booleans

get_force_sync_endpoint()

Get the relative path to the specific API resource

Returns Relative path to the resource

Raise `CartoException`

id

Convenient class to make explicit that an attribute will store chars

interval

Convenient class to make explicit that an attribute will store integers

log_id

Convenient class to make explicit that an attribute will store chars

modified_at

Field to store datetimes in resources

name

Convenient class to make explicit that an attribute will store chars

quoted_fields_guessing

Convenient class to make explicit that an attribute will store booleans

ran_at

Field to store datetimes in resources

retried_times

Convenient class to make explicit that an attribute will store integers

run (***import_params*)

Actually creates the job import on the CARTO server

Parameters **import_params** (*kwargs*) – To be send to the Import API, see CARTO's docs on Import API for an updated list of accepted params

Returns

Note: The sync table job is asynchronous, so you should take care of the progression, by calling the `carto.resources.AsyncResource.refresh()` method and check the import job `state` attribute. See `carto.datasets.DatasetManager.create()` for a unified method to import files into CARTO

run_at

Field to store datetimes in resources

service_item_id

Convenient class to make explicit that an attribute will store chars

service_name

Convenient class to make explicit that an attribute will store chars

state

Convenient class to make explicit that an attribute will store chars

success

Convenient class to make explicit that an attribute will store booleans

synchronization_id

Convenient class to make explicit that an attribute will store chars

type_guessing

Convenient class to make explicit that an attribute will store booleans

updated_at

Field to store datetimes in resources

url

Convenient class to make explicit that an attribute will store chars

user_id

Convenient class to make explicit that an attribute will store chars

visualization_id

Convenient class to make explicit that an attribute will store chars

class `carto.sync_tables.SyncTableJobManager` (*auth_client*)

Bases: `carto.resources.Manager`

Manager for the SyncTableJob class

create (*url, interval, **kwargs*)

Create a sync table on the server

Parameters

- **url** (*str*) – URL can be a pointer to a remote location or a path to a local file
- **interval** (*int*) – Sync interval in seconds
- **kwargs** (*kwargs*) – Attributes (field names and values) of the new resource

Returns SyncTableJob

json_collection_attribute = 'synchronizations'

paginator_class

alias of `carto.paginators.CartoPaginator`

resource_class

alias of `SyncTableJob`

10.1.13 carto.tables module

Module for working with tables

class `carto.tables.Table` (*auth_client, **kwargs*)

Bases: `carto.resources.WarnResource`

Represents a table in CARTO. This is an internal data type. Both Table and TableManager are not meant to be used outside the SDK

If you are looking to work with datasets / tables from outside the SDK, please look into the datasets.py file.

Warning: Non-public API. It may change with no previous notice

class `Meta`

collection_endpoint = 'api/v1/tables/'

id_field = 'id'

json_data = True

name_field = 'name'

parse_json = True

dependent_visualizations = None

description

Convenient class to make explicit that an attribute will store chars

```

fields = ['rows_counted', 'map_id', 'description', 'permission', 'geometry_types', 'up
geometry_types
    Convenient class to make explicit that an attribute will store chars
id
    Convenient class to make explicit that an attribute will store chars
map_id
    Convenient class to make explicit that an attribute will store chars
name
    Convenient class to make explicit that an attribute will store chars
non_dependent_visualizations = None
permission
    carto.permissions.Permission
privacy
    Convenient class to make explicit that an attribute will store chars
row_count
    Convenient class to make explicit that an attribute will store integers
rows_counted
    Convenient class to make explicit that an attribute will store integers
schema = None
size
    Convenient class to make explicit that an attribute will store integers
synchronization = None
table_size
    Convenient class to make explicit that an attribute will store integers
table_visualization
    carto.visualizations.Visualization
updated_at
    Field to store datetimes in resources
class carto.tables.TableManager(auth_client)
    Bases: carto.resources.Manager
    Manager for the Table class.

```

Warning: Non-public API. It may change with no previous notice

```

paginator_class
    alias of carto.paginators.CartoPaginator
resource_class
    alias of Table

```

10.1.14 carto.users module

Module for working with users

```
class carto.users.User(auth_client)
```

Bases: *carto.resources.WarnResource*

Represents an enterprise CARTO user, i.e. a user that belongs to an organization

Currently, CARTO's user API only supports enterprise users.

Warning: Non-public API. It may change with no previous notice

```
class Meta
```

```
    collection_endpoint = None
```

```
    id_field = 'username'
```

```
    json_data = True
```

```
    name_field = 'username'
```

```
    parse_json = True
```

```
all_visualization_count
```

Convenient class to make explicit that an attribute will store integers

```
avatar_url
```

Convenient class to make explicit that an attribute will store chars

```
base_url
```

Convenient class to make explicit that an attribute will store chars

```
db_size_in_bytes
```

Convenient class to make explicit that an attribute will store integers

```
email
```

Convenient class to make explicit that an attribute will store chars

```
fields = ['username', 'avatar_url', 'table_count', 'public_visualization_count', 'soft
```

```
get_collection_endpoint()
```

```
get_resource_endpoint()
```

```
password
```

Convenient class to make explicit that an attribute will store chars

```
public_visualization_count
```

Convenient class to make explicit that an attribute will store integers

```
quota_in_bytes
```

Convenient class to make explicit that an attribute will store integers

```
soft_geocoding_limit
```

Convenient class to make explicit that an attribute will store integers

```
table_count
```

Convenient class to make explicit that an attribute will store integers

```
username
```

Convenient class to make explicit that an attribute will store chars

```
class carto.users.UserManager(auth_client)
```

Bases: *carto.resources.Manager*

Manager for the User class.

Warning: Non-public API. It may change with no previous notice

filter (***search_args*)

Should get all the current users from CARTO, but this is currently not supported by the API

get_collection_endpoint ()

get_resource_endpoint (*resource_id*)

paginator_class

alias of *carto.paginators.CartoPaginator*

resource_class

alias of *User*

10.1.15 carto.visualizations module

Module for working with map visualizations

class *carto.visualizations.Visualization* (*auth_client, **kwargs*)

Bases: *carto.resources.WarnResource*

Represents a map visualization in CARTO.

Warning: Non-public API. It may change with no previous notice

class *Meta*

collection_endpoint = 'api/v1/viz/'

id_field = 'id'

json_data = True

name_field = 'name'

parse_json = True

active_child = None

active_layer_id

Convenient class to make explicit that an attribute will store chars

attributions = None

children = None

created_at

Field to store datetimes in resources

description

Convenient class to make explicit that an attribute will store chars

display_name

Convenient class to make explicit that an attribute will store chars

export ()

Make the actual request to the Import API (exporting is part of the Import API) to export a map visualization as a .carto file

Returns A URL pointing to the .carto file

Return type str

Raise CartoException

Warning: Non-public API. It may change with no previous notice

Note: The export is asynchronous, but this method waits for the export to complete. See *MAX_NUMBER_OF_RETRIES* and *INTERVAL_BETWEEN_RETRIES_S*

external_source = None

fields = ['liked', 'likes', 'active_layer_id', 'table', 'id', 'display_name', 'map_id']
id

Convenient class to make explicit that an attribute will store chars

kind = None

license = None

liked

Convenient class to make explicit that an attribute will store booleans

likes

Convenient class to make explicit that an attribute will store integers

locked

Convenient class to make explicit that an attribute will store booleans

map_id

Convenient class to make explicit that an attribute will store chars

name

Convenient class to make explicit that an attribute will store chars

next_id = None

parent_id = None

permission = None

prev_id = None

privacy = None

related_tables

carto.tables.Table

source = None

stats = None

synchronization = None

table

carto.tables.Table

tags = None

title

Convenient class to make explicit that an attribute will store chars

transition_options = None

type = None

updated_at

Field to store datetimes in resources

url

Convenient class to make explicit that an attribute will store chars

uses_builder_features = None

class `carto.visualizations.VisualizationManager` (*auth_client*)

Bases: `carto.resources.Manager`

Manager for the Visualization class.

Warning: Non-public API. It may change with no previous notice

create (***kwargs*)

Creating visualizations is better done by using the Maps API (named maps) or directly from your front end app if dealing with public datasets

json_collection_attribute = 'visualizations'

paginator_class

alias of `carto.paginators.CartoPaginator`

resource_class

alias of `Visualization`

send (*url, http_method, **client_args*)

Sends API request, taking into account that visualizations are only a subset of the resources available at the visualization endpoint

Parameters

- **url** (*str*) – Endpoint URL
- **http_method** (*str*) – The method used to make the request to the API
- **client_args** (*kwargs*) – Arguments to be sent to the auth client

Returns

Raise `CartoException`

C

`carto.auth` (*Unix, Windows*), 35
`carto.datasets` (*Unix, Windows*), 36
`carto.exceptions` (*Unix, Windows*), 39
`carto.export` (*Unix, Windows*), 39
`carto.field_import` (*Unix, Windows*), 41
`carto.fields` (*Unix, Windows*), 40
`carto.file_import`, 41
`carto.maps` (*Unix, Windows*), 43
`carto.paginators` (*Unix, Windows*), 45
`carto.permissions` (*Unix, Windows*), 45
`carto.resources` (*Unix, Windows*), 46
`carto.sql` (*Unix, Windows*), 47
`carto.sync_tables` (*Unix, Windows*), 50
`carto.tables` (*Unix, Windows*), 52
`carto.users` (*Unix, Windows*), 53
`carto.visualizations` (*Unix, Windows*), 55

A

[acl](#) ([carto.permissions.Permission](#) attribute), 45
[active_child](#) ([carto.datasets.Dataset](#) attribute), 36
[active_child](#) ([carto.visualizations.Visualization](#) attribute), 55
[active_layer_id](#) ([carto.datasets.Dataset](#) attribute), 36
[active_layer_id](#) ([carto.visualizations.Visualization](#) attribute), 55
[all_visualization_count](#) ([carto.users.User](#) attribute), 54
[AnonymousMap](#) (class in [carto.maps](#)), 43
[AnonymousMap.Meta](#) (class in [carto.maps](#)), 43
[APIKeyAuthClient](#) (class in [carto.auth](#)), 35
[AsyncResource](#) (class in [carto.resources](#)), 46
[attributions](#) ([carto.datasets.Dataset](#) attribute), 37
[attributions](#) ([carto.visualizations.Visualization](#) attribute), 55
[auth_tokens](#) ([carto.datasets.Dataset](#) attribute), 37
[AuthAPIClient](#) (class in [carto.auth](#)), 35
[avatar_url](#) ([carto.users.User](#) attribute), 54

B

[base_url](#) ([carto.users.User](#) attribute), 54
[BaseMap](#) (class in [carto.maps](#)), 43
[BatchSQLClient](#) (class in [carto.sql](#)), 47

C

[cancel\(\)](#) ([carto.sql.BatchSQLClient](#) method), 47
[carto.auth](#) (module), 35
[carto.datasets](#) (module), 36
[carto.exceptions](#) (module), 39
[carto.export](#) (module), 39
[carto.field_import](#) (module), 41
[carto.fields](#) (module), 40
[carto.file_import](#) (module), 41
[carto.maps](#) (module), 43
[carto.paginators](#) (module), 45
[carto.permissions](#) (module), 45
[carto.resources](#) (module), 46
[carto.sql](#) (module), 47

[carto.sync_tables](#) (module), 50
[carto.tables](#) (module), 52
[carto.users](#) (module), 53
[carto.visualizations](#) (module), 55
[CartoException](#), 39
[CartoPaginator](#) (class in [carto.paginators](#)), 45
[checksum](#) ([carto.sync_tables.SyncTableJob](#) attribute), 50
[children](#) ([carto.datasets.Dataset](#) attribute), 37
[children](#) ([carto.visualizations.Visualization](#) attribute), 55
[collection_endpoint](#) ([carto.datasets.Dataset.Meta](#) attribute), 36
[collection_endpoint](#) ([carto.export.ExportJob.Meta](#) attribute), 39
[collection_endpoint](#) ([carto.file_import.FileImportJob.Meta](#) attribute), 41
[collection_endpoint](#) ([carto.maps.AnonymousMap.Meta](#) attribute), 43
[collection_endpoint](#) ([carto.maps.NamedMap.Meta](#) attribute), 44
[collection_endpoint](#) ([carto.sync_tables.SyncTableJob.Meta](#) attribute), 50
[collection_endpoint](#) ([carto.tables.Table.Meta](#) attribute), 52
[collection_endpoint](#) ([carto.users.User.Meta](#) attribute), 54
[collection_endpoint](#) ([carto.visualizations.Visualization.Meta](#) attribute), 55
[connector](#) ([carto.datasets.Dataset](#) attribute), 37
[content_guessing](#) ([carto.file_import.FileImportJob](#) attribute), 41
[content_guessing](#) ([carto.sync_tables.SyncTableJob](#) attribute), 50
[copyfrom\(\)](#) ([carto.sql.CopySQLClient](#) method), 48
[copyfrom_file_object\(\)](#) ([carto.sql.CopySQLClient](#) method), 48
[copyfrom_file_path\(\)](#) ([carto.sql.CopySQLClient](#) method), 48
[CopySQLClient](#) (class in [carto.sql](#)), 48
[copyto\(\)](#) ([carto.sql.CopySQLClient](#) method), 49
[copyto_file_object\(\)](#) ([carto.sql.CopySQLClient](#) method), 49

`copyto_file_path()` (`carto.sql.CopySQLClient` method), 49

`create()` (`carto.datasets.DatasetManager` method), 38

`create()` (`carto.file_import.FileImportJobManager` method), 42

`create()` (`carto.maps.NamedMapManager` method), 45

`create()` (`carto.sql.BatchSQLClient` method), 47

`create()` (`carto.sync_tables.SyncTableJobManager` method), 52

`create()` (`carto.visualizations.VisualizationManager` method), 57

`create_visualization` (`carto.file_import.FileImportJob` attribute), 41

`created_at` (`carto.datasets.Dataset` attribute), 37

`created_at` (`carto.export.ExportJob` attribute), 40

`created_at` (`carto.permissions.Permission` attribute), 45

`created_at` (`carto.sync_tables.SyncTableJob` attribute), 50

`created_at` (`carto.visualizations.Visualization` attribute), 55

D

`data_type` (`carto.file_import.FileImportJob` attribute), 41

`Dataset` (class in `carto.datasets`), 36

`Dataset.Meta` (class in `carto.datasets`), 36

`DatasetManager` (class in `carto.datasets`), 38

`db_size_in_bytes` (`carto.users.User` attribute), 54

`dependent_visualizations` (`carto.tables.Table` attribute), 52

`description` (`carto.datasets.Dataset` attribute), 37

`description` (`carto.tables.Table` attribute), 52

`description` (`carto.visualizations.Visualization` attribute), 55

`display_name` (`carto.datasets.Dataset` attribute), 37

`display_name` (`carto.file_import.FileImportJob` attribute), 41

`display_name` (`carto.visualizations.Visualization` attribute), 55

E

`email` (`carto.users.User` attribute), 54

`enqueued` (`carto.sync_tables.SyncTableJob` attribute), 50

`entity` (`carto.permissions.Permission` attribute), 45

`Entity` (class in `carto.permissions`), 45

`EntityField` (class in `carto.fields`), 40

`error_code` (`carto.file_import.FileImportJob` attribute), 41

`error_code` (`carto.sync_tables.SyncTableJob` attribute), 50

`error_message` (`carto.sync_tables.SyncTableJob` attribute), 50

`etag` (`carto.sync_tables.SyncTableJob` attribute), 50

`export()` (`carto.visualizations.Visualization` method), 55

`ExportJob` (class in `carto.export`), 39

`ExportJob.Meta` (class in `carto.export`), 39

`external_source` (`carto.datasets.Dataset` attribute), 37

`external_source` (`carto.visualizations.Visualization` attribute), 56

F

`fields` (`carto.datasets.Dataset` attribute), 37

`fields` (`carto.export.ExportJob` attribute), 40

`fields` (`carto.file_import.FileImportJob` attribute), 41

`fields` (`carto.maps.AnonymousMap` attribute), 43

`fields` (`carto.maps.BaseMap` attribute), 43

`fields` (`carto.maps.NamedMap` attribute), 44

`fields` (`carto.permissions.Entity` attribute), 45

`fields` (`carto.permissions.Permission` attribute), 46

`fields` (`carto.resources.AsyncResource` attribute), 46

`fields` (`carto.resources.WarnAsyncResource` attribute), 46

`fields` (`carto.resources.WarnResource` attribute), 46

`fields` (`carto.sync_tables.SyncTableJob` attribute), 50

`fields` (`carto.tables.Table` attribute), 53

`fields` (`carto.users.User` attribute), 54

`fields` (`carto.visualizations.Visualization` attribute), 56

`FileImportJob` (class in `carto.file_import`), 41

`FileImportJob.Meta` (class in `carto.file_import`), 41

`FileImportJobManager` (class in `carto.file_import`), 42

`filter()` (`carto.file_import.FileImportJobManager` method), 43

`filter()` (`carto.users.UserManager` method), 55

`force_sync()` (`carto.sync_tables.SyncTableJob` method), 50

`from_external_source` (`carto.sync_tables.SyncTableJob` attribute), 50

G

`geometry_types` (`carto.tables.Table` attribute), 53

`get_collection_endpoint()` (`carto.users.User` method), 54

`get_collection_endpoint()` (`carto.users.UserManager` method), 55

`get_error_text` (`carto.file_import.FileImportJob` attribute), 41

`get_force_sync_endpoint()` (`carto.sync_tables.SyncTableJob` method), 50

`get_resource_endpoint()` (`carto.users.User` method), 54

`get_resource_endpoint()` (`carto.users.UserManager` method), 55

`get_tile_url()` (`carto.maps.BaseMap` method), 44

`get_urls()` (`carto.paginators.CartoPaginator` method), 45

I

`id` (`carto.datasets.Dataset` attribute), 37

`id` (`carto.export.ExportJob` attribute), 40

`id` (`carto.file_import.FileImportJob` attribute), 41

`id` (`carto.permissions.Entity` attribute), 45

`id` (`carto.permissions.Permission` attribute), 46

`id` (`carto.sync_tables.SyncTableJob` attribute), 50

`id` (`carto.tables.Table` attribute), 53

`id` (`carto.visualizations.Visualization` attribute), 56

`id_field` (`carto.datasets.Dataset.Meta` attribute), 36

[id_field \(carto.export.ExportJob.Meta attribute\), 39](#)
[id_field \(carto.file_import.FileImportJob.Meta attribute\), 41](#)
[id_field \(carto.maps.AnonymousMap.Meta attribute\), 43](#)
[id_field \(carto.maps.NamedMap.Meta attribute\), 44](#)
[id_field \(carto.sync_tables.SyncTableJob.Meta attribute\), 50](#)
[id_field \(carto.tables.Table.Meta attribute\), 52](#)
[id_field \(carto.users.User.Meta attribute\), 54](#)
[id_field \(carto.visualizations.Visualization.Meta attribute\), 55](#)
[initiate\(\) \(carto.maps.AnonymousMap method\), 43](#)
[initiate\(\) \(carto.maps.NamedMap method\), 44](#)
[interval \(carto.sync_tables.SyncTableJob attribute\), 50](#)
[is_raster \(carto.file_import.FileImportJob attribute\), 41](#)
[is_sync_table\(\) \(carto.datasets.DatasetManager method\), 38](#)
[is_valid_api_key\(\) \(carto.auth.AuthAPIClient method\), 36](#)
[item_queue_id \(carto.file_import.FileImportJob attribute\), 41](#)

J

[json_collection_attribute \(carto.datasets.DatasetManager attribute\), 39](#)
[json_collection_attribute \(carto.file_import.FileImportJobManager attribute\), 43](#)
[json_collection_attribute \(carto.maps.NamedMapManager attribute\), 45](#)
[json_collection_attribute \(carto.sync_tables.SyncTableJobManager attribute\), 52](#)
[json_collection_attribute \(carto.visualizations.VisualizationManager attribute\), 57](#)
[json_data \(carto.datasets.Dataset.Meta attribute\), 36](#)
[json_data \(carto.export.ExportJob.Meta attribute\), 39](#)
[json_data \(carto.file_import.FileImportJob.Meta attribute\), 41](#)
[json_data \(carto.maps.AnonymousMap.Meta attribute\), 43](#)
[json_data \(carto.maps.NamedMap.Meta attribute\), 44](#)
[json_data \(carto.sync_tables.SyncTableJob.Meta attribute\), 50](#)
[json_data \(carto.tables.Table.Meta attribute\), 52](#)
[json_data \(carto.users.User.Meta attribute\), 54](#)
[json_data \(carto.visualizations.Visualization.Meta attribute\), 55](#)

K

[kind \(carto.datasets.Dataset attribute\), 37](#)
[kind \(carto.visualizations.Visualization attribute\), 56](#)

L

[license \(carto.datasets.Dataset attribute\), 37](#)
[license \(carto.visualizations.Visualization attribute\), 56](#)

[liked \(carto.datasets.Dataset attribute\), 37](#)
[liked \(carto.visualizations.Visualization attribute\), 56](#)
[likes \(carto.datasets.Dataset attribute\), 37](#)
[likes \(carto.visualizations.Visualization attribute\), 56](#)
[locked \(carto.datasets.Dataset attribute\), 37](#)
[locked \(carto.visualizations.Visualization attribute\), 56](#)
[log_id \(carto.sync_tables.SyncTableJob attribute\), 51](#)

M

[Manager \(class in carto.resources\), 46](#)
[map_id \(carto.datasets.Dataset attribute\), 37](#)
[map_id \(carto.tables.Table attribute\), 53](#)
[map_id \(carto.visualizations.Visualization attribute\), 56](#)
[modified_at \(carto.sync_tables.SyncTableJob attribute\), 51](#)

N

[name \(carto.datasets.Dataset attribute\), 37](#)
[name \(carto.sync_tables.SyncTableJob attribute\), 51](#)
[name \(carto.tables.Table attribute\), 53](#)
[name \(carto.visualizations.Visualization attribute\), 56](#)
[name_field \(carto.datasets.Dataset.Meta attribute\), 36](#)
[name_field \(carto.export.ExportJob.Meta attribute\), 40](#)
[name_field \(carto.file_import.FileImportJob.Meta attribute\), 41](#)
[name_field \(carto.maps.AnonymousMap.Meta attribute\), 43](#)
[name_field \(carto.maps.NamedMap.Meta attribute\), 44](#)
[name_field \(carto.sync_tables.SyncTableJob.Meta attribute\), 50](#)
[name_field \(carto.tables.Table.Meta attribute\), 52](#)
[name_field \(carto.users.User.Meta attribute\), 54](#)
[name_field \(carto.visualizations.Visualization.Meta attribute\), 55](#)
[NamedMap \(class in carto.maps\), 44](#)
[NamedMap.Meta \(class in carto.maps\), 44](#)
[NamedMapManager \(class in carto.maps\), 44](#)
[next_id \(carto.datasets.Dataset attribute\), 37](#)
[next_id \(carto.visualizations.Visualization attribute\), 56](#)
[non_dependent_visualizations \(carto.tables.Table attribute\), 53](#)
[NonVerifiedAPIKeyAuthClient \(class in carto.auth\), 36](#)

O

[owner \(carto.permissions.Permission attribute\), 46](#)

P

[paginator_class \(carto.datasets.DatasetManager attribute\), 39](#)
[paginator_class \(carto.file_import.FileImportJobManager attribute\), 43](#)
[paginator_class \(carto.sync_tables.SyncTableJobManager attribute\), 52](#)

- [paginator_class \(carto.tables.TableManager attribute\), 53](#)
- [paginator_class \(carto.users.UserManager attribute\), 55](#)
- [paginator_class \(carto.visualizations.VisualizationManager attribute\), 57](#)
- [parent_id \(carto.datasets.Dataset attribute\), 37](#)
- [parent_id \(carto.visualizations.Visualization attribute\), 56](#)
- [parse_json \(carto.datasets.Dataset.Meta attribute\), 36](#)
- [parse_json \(carto.export.ExportJob.Meta attribute\), 40](#)
- [parse_json \(carto.file_import.FileImportJob.Meta attribute\), 41](#)
- [parse_json \(carto.maps.AnonymousMap.Meta attribute\), 43](#)
- [parse_json \(carto.maps.NamedMap.Meta attribute\), 44](#)
- [parse_json \(carto.sync_tables.SyncTableJob.Meta attribute\), 50](#)
- [parse_json \(carto.tables.Table.Meta attribute\), 52](#)
- [parse_json \(carto.users.User.Meta attribute\), 54](#)
- [parse_json \(carto.visualizations.Visualization.Meta attribute\), 55](#)
- [password \(carto.users.User attribute\), 54](#)
- [permission \(carto.datasets.Dataset attribute\), 37](#)
- [permission \(carto.tables.Table attribute\), 53](#)
- [permission \(carto.visualizations.Visualization attribute\), 56](#)
- [Permission \(class in carto.permissions\), 45](#)
- [PermissionField \(class in carto.fields\), 40](#)
- [prepare_send\(\) \(carto.auth.APIKeyAuthClient method\), 35](#)
- [prev_id \(carto.datasets.Dataset attribute\), 37](#)
- [prev_id \(carto.visualizations.Visualization attribute\), 56](#)
- [privacy \(carto.datasets.Dataset attribute\), 37](#)
- [privacy \(carto.tables.Table attribute\), 53](#)
- [privacy \(carto.visualizations.Visualization attribute\), 56](#)
- [process_response\(\) \(carto.paginators.CartoPaginator method\), 45](#)
- [public_visualization_count \(carto.users.User attribute\), 54](#)
- ## Q

- [queue_id \(carto.file_import.FileImportJob attribute\), 42](#)
- [quota_in_bytes \(carto.users.User attribute\), 54](#)
- [quoted_fields_guessing \(carto.file_import.FileImportJob attribute\), 42](#)
- [quoted_fields_guessing \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- ## R

- [ran_at \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [read\(\) \(carto.sql.BatchSQLClient method\), 47](#)
- [refresh\(\) \(carto.resources.AsyncResource method\), 46](#)
- [related_tables \(carto.visualizations.Visualization attribute\), 56](#)
- [resource_class \(carto.datasets.DatasetManager attribute\), 39](#)
- [resource_class \(carto.file_import.FileImportJobManager attribute\), 43](#)
- [resource_class \(carto.maps.NamedMapManager attribute\), 45](#)
- [resource_class \(carto.sync_tables.SyncTableJobManager attribute\), 52](#)
- [resource_class \(carto.tables.TableManager attribute\), 53](#)
- [resource_class \(carto.users.UserManager attribute\), 55](#)
- [resource_class \(carto.visualizations.VisualizationManager attribute\), 57](#)
- [retried_times \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [row_count \(carto.tables.Table attribute\), 53](#)
- [rows_counted \(carto.tables.Table attribute\), 53](#)
- [run\(\) \(carto.export.ExportJob method\), 40](#)
- [run\(\) \(carto.file_import.FileImportJob method\), 42](#)
- [run\(\) \(carto.resources.AsyncResource method\), 46](#)
- [run\(\) \(carto.sync_tables.SyncTableJob method\), 51](#)
- [run_at \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- ## S

- [schema \(carto.tables.Table attribute\), 53](#)
- [send\(\) \(carto.auth.APIKeyAuthClient method\), 35](#)
- [send\(\) \(carto.auth.NonVerifiedAPIKeyAuthClient method\), 36](#)
- [send\(\) \(carto.datasets.DatasetManager method\), 39](#)
- [send\(\) \(carto.sql.BatchSQLClient method\), 47](#)
- [send\(\) \(carto.sql.SQLClient method\), 49](#)
- [send\(\) \(carto.visualizations.VisualizationManager method\), 57](#)
- [service_item_id \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [service_name \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [size \(carto.tables.Table attribute\), 53](#)
- [soft_geocoding_limit \(carto.users.User attribute\), 54](#)
- [source \(carto.datasets.Dataset attribute\), 37](#)
- [source \(carto.visualizations.Visualization attribute\), 56](#)
- [SQLClient \(class in carto.sql\), 49](#)
- [state \(carto.export.ExportJob attribute\), 40](#)
- [state \(carto.file_import.FileImportJob attribute\), 42](#)
- [state \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [stats \(carto.datasets.Dataset attribute\), 37](#)
- [stats \(carto.visualizations.Visualization attribute\), 56](#)
- [success \(carto.file_import.FileImportJob attribute\), 42](#)
- [success \(carto.sync_tables.SyncTableJob attribute\), 51](#)
- [synchronization \(carto.datasets.Dataset attribute\), 38](#)
- [synchronization \(carto.tables.Table attribute\), 53](#)
- [synchronization \(carto.visualizations.Visualization attribute\), 56](#)
- [synchronization_id \(carto.file_import.FileImportJob attribute\), 42](#)
- [synchronization_id \(carto.sync_tables.SyncTableJob attribute\), 51](#)

SyncTableJob (class in `carto.sync_tables`), 50
 SyncTableJob.Meta (class in `carto.sync_tables`), 50
 SyncTableJobManager (class in `carto.sync_tables`), 52

T

table (`carto.datasets.Dataset` attribute), 38
 table (`carto.visualizations.Visualization` attribute), 56
 Table (class in `carto.tables`), 52
 Table.Meta (class in `carto.tables`), 52
 table_count (`carto.users.User` attribute), 54
 table_id (`carto.file_import.FileImportJob` attribute), 42
 table_name (`carto.file_import.FileImportJob` attribute), 42
 table_size (`carto.tables.Table` attribute), 53
 table_visualization (`carto.tables.Table` attribute), 53
 TableField (class in `carto.fields`), 40
 TableManager (class in `carto.tables`), 53
 tables_created_count (`carto.file_import.FileImportJob` attribute), 42
 tags (`carto.datasets.Dataset` attribute), 38
 tags (`carto.visualizations.Visualization` attribute), 56
 title (`carto.datasets.Dataset` attribute), 38
 title (`carto.visualizations.Visualization` attribute), 57
 transition_options (`carto.datasets.Dataset` attribute), 38
 transition_options (`carto.visualizations.Visualization` attribute), 57
 type (`carto.datasets.Dataset` attribute), 38
 type (`carto.permissions.Entity` attribute), 45
 type (`carto.visualizations.Visualization` attribute), 57
 type_guessing (`carto.file_import.FileImportJob` attribute), 42
 type_guessing (`carto.sync_tables.SyncTableJob` attribute), 51

U

update() (`carto.sql.BatchSQLClient` method), 47
 update_from_dict() (`carto.maps.AnonymousMap` method), 43
 update_from_dict() (`carto.maps.NamedMap` method), 44
 update_from_dict() (`carto.sql.BatchSQLClient` method), 48
 updated_at (`carto.datasets.Dataset` attribute), 38
 updated_at (`carto.export.ExportJob` attribute), 40
 updated_at (`carto.permissions.Permission` attribute), 46
 updated_at (`carto.sync_tables.SyncTableJob` attribute), 51
 updated_at (`carto.tables.Table` attribute), 53
 updated_at (`carto.visualizations.Visualization` attribute), 57
 url (`carto.datasets.Dataset` attribute), 38
 url (`carto.export.ExportJob` attribute), 40
 url (`carto.sync_tables.SyncTableJob` attribute), 51
 url (`carto.visualizations.Visualization` attribute), 57
 user (`carto.datasets.Dataset` attribute), 38
 User (class in `carto.users`), 53

User.Meta (class in `carto.users`), 54
 user_defined_limits (`carto.file_import.FileImportJob` attribute), 42
 user_id (`carto.export.ExportJob` attribute), 40
 user_id (`carto.file_import.FileImportJob` attribute), 42
 user_id (`carto.sync_tables.SyncTableJob` attribute), 51
 UserField (class in `carto.fields`), 41
 UserManager (class in `carto.users`), 54
 username (`carto.users.User` attribute), 54
 uses_builder_features (`carto.datasets.Dataset` attribute), 38
 uses_builder_features (`carto.visualizations.Visualization` attribute), 57

V

value_class (`carto.fields.EntityField` attribute), 40
 value_class (`carto.fields.PermissionField` attribute), 40
 value_class (`carto.fields.TableField` attribute), 41
 value_class (`carto.fields.UserField` attribute), 41
 value_class (`carto.fields.VisualizationField` attribute), 41
 Visualization (class in `carto.visualizations`), 55
 Visualization.Meta (class in `carto.visualizations`), 55
 visualization_id (`carto.export.ExportJob` attribute), 40
 visualization_id (`carto.file_import.FileImportJob` attribute), 42
 visualization_id (`carto.sync_tables.SyncTableJob` attribute), 52
 VisualizationField (class in `carto.fields`), 41
 VisualizationManager (class in `carto.visualizations`), 57

W

WarnAsyncResource (class in `carto.resources`), 46
 warnings (`carto.file_import.FileImportJob` attribute), 42
 WarnResource (class in `carto.resources`), 46