
Corrfunc Documentation

Release 2.5.1

Manodeep Sinha <manodeep@gmail.com>

Jul 28, 2023

Contents

1	Overview of Corrfunc	3
2	Reference	33
3	License and Credits	75
	Python Module Index	77
	Index	79



corrfunc

Corrfunc is a set of high-performance routines to measure clustering statistics. The main features of Corrfunc are:

- **Fast** All theory pair-counting is at least an order of magnitude faster than all existing public codes. Particularly suited for MCMC.
- **OpenMP Parallel** All pair-counting codes can be done in parallel (with strong scaling efficiency $>\sim 95\%$ up to 10 cores)
- **Python Extensions** Python extensions allow you to do the compute-heavy bits using C while retaining all of the user-friendliness of python.
- **Modular** The code is written in a modular fashion and is easily extensible to compute arbitrary clustering statistics.
- **Future-proof** As I get access to newer instruction-sets, the codes will get updated to use the latest and greatest CPU features.

The source code is publicly available at <https://github.com/manodeep/Corrfunc>.

Overview of Corrfunc

1.1 Package Installation

To install Corrfunc, you can either use pip or clone the repo from GitHub and build the source code. Either way, be sure to read the *Dependencies* section prior to installation.

1.1.1 Using pip

The simplest way to install the latest release of the code is with pip. Before installation, be sure you have installed the package dependencies described in the *Dependencies* section

```
python -m pip install Corrfunc
```

This will install the latest official release of the code. If you want the latest master branch, you will need to build the code from source following the instructions in the next section.

1.1.2 Building from source

If you don't install the latest release using pip, you can instead clone the source code and call the setup file. Before installation, be sure you have installed the package dependencies described in the *Dependencies* section. The first step is to clone the Corrfunc repository

```
git clone https://github.com/manodeep/Corrfunc.git
cd Corrfunc
make install
python -m pip install . (--user)
```

1.1.3 Dependencies

The command-line version of Corrfunc needs the following packages to be installed:

- **make**: 3.80 or later
- **C compiler**: gcc ≥ 4.6 , clang, icc. Multi-threading will be disabled if the compiler does not support OpenMP.
- **gsl**: any recent version

If you plan to use the C extensions, then the following are required:

- **Python**: 2.7 or later
- **Numpy**: 1.7 or later

Any of the above can be installed with either pip or conda.

1.1.4 Verifying your installation

After installing Corrfunc, you should run the integrated test suite to make sure that the package was installed correctly. If you installed from source, then run the following sequence from the repository root directory:

```
make tests # run the C tests
python -m pip install pytest
python -m pytest # run the Python tests
```

If you installed using pip/conda, then use the following to run the tests from your shell:

```
python -m pytest --pyargs Corrfunc
```

Once you have installed the package, see [Getting started with Corrfunc](#) for instructions on how to get up and running.

1.2 Getting started with Corrfunc

Corrfunc is a set of high-performance routines to measure clustering statistics. The codes are divided conceptually into two different segments:

- **theory** - calculates clustering statistics on **simulation** volumes. Input positions are expected to be Cartesian X/Y/Z. Periodic boundary conditions are supported. Relevant C codes are in directory `theory/`
- **mocks** - calculates clustering statistics on **observation** volumes. Input positions are assumed to be in observer frame, Right Ascension, Declination and SpeedofLight*Redshift (where required; $\omega(\theta)$ only needs RA and DEC). Relevant C codes are in directory `mocks/`

This getting-started guide assumes you have already followed the [Package Installation](#) section of the documentation to get the package and its dependencies set up on your machine.

If you want to compute correlation functions and have installed the python extensions, then see [Typical Tasks for Computing Correlation Functions](#) for typical tasks. Otherwise, read on for the various interfaces available within Corrfunc.

1.2.1 Computing Clustering Statistics with Corrfunc

Corrfunc supports three separate mechanisms to compute the clustering statistics:

- **Via python** (if you have python and numpy installed)

Pros: Fully flexible API to modulate code behaviour at runtime. For instance, calculations can be performed in double-precision simply by passing arrays of doubles (rather than floats).

Cons: Has fixed python overhead. For low particle numbers, can be as much as 20% slower compared to the command-line executables.

See *Using the python extensions in Corrfunc* for details on how to use the python interface.

- **Via static libraries directly in C codes**

Pros: Fully flexible API to modulate code behaviour at runtime. All features supported by the python extensions are also supported here.

Cons: Requires coding in C. See example C codes invoking the `theory` and `mocks` in the directories: `theory/examples/run_correlations.c` and `mocks/examples/run_correlations_mocks.c`.

See *Using the static library interface in Corrfunc* for details on how to use the static library interface.

- **Command-line executables**

Pros: Fastest possible implementations of all clustering statistics

Cons: API is fixed. Any changes require full re-compilation.

See *Using the command-line interface in Corrfunc* for details on how to use the command-line executables.

1.2.2 Available Corrfunc interfaces

Using the python extensions in Corrfunc

This guide assumes that you already followed the *Package Installation* section of the documentation to get the package and its dependencies set up on your machine. Rest of document also assumes that you have installed the C extensions for python.

Importing Corrfunc

After installing Corrfunc you can open up a python terminal and import the base package by:

```
>>> import Corrfunc
```

All of the functionality is divided into `theory` routines and `mocks` routines. These routines can be independently imported by using:

```
>>> from Corrfunc.theory import *
>>> from Corrfunc.mocks import *
```

You can access the full API documentation by simply typing:

```
help(DD)           # theory pair-counter in 3-D separation (r)
help(DDrppi_mocks) # mocks pair-counter in 2-D (rp, pi)
```

First steps with Corrfunc

Overview of Corrfunc inputs

Broadly speaking, Corrfunc requires these following inputs:

- (At least) 3 arrays specifying the positions for the particles

- For `Corrfunc.theory` routines, these positions are Cartesian XYZ in co-moving Mpc/h units.
- For `Corrfunc.mocks` routines, these positions are Right Ascension, Declination, and Speed of Light * Redshift or Co-moving distance. The angles are expected in degrees, while the distance is expected in co-moving Mpc/h.

See *Reading Catalogs for Corrfunc* for details on how to read in arrays from a file.

- A boolean flag specifying in an auto-correlation or cross-correlation is being performed. In case of cross-correlations, another set of 3 arrays **must** be passed as input. This second set of arrays typically represents randoms for `Corrfunc.mocks`.
- A file containing the bins for the clustering statistic (where relevant). Look at `theory/tests/bins` for an example of the contents of the file for spatial bins. See `mocks/tests/angular_bins` for an example containing angular bins for mocks routines. Passing a filename is the most general way of specifying bins in `Corrfunc`. However, you can also pass in a 1-D array for the bins.

See *Specifying the separation bins in Corrfunc* for details on how to specify the bins as a file as well as an array

See *Typical Tasks for Computing Correlation Functions* for a broad overview of the typical tasks associated with computing correlation functions. Read on for the various pair-counters available within the python interfaces of `Corrfunc`.

Calculating spatial clustering statistics in simulation boxes

`Corrfunc` can compute a range of spatial correlation functions and the counts-in-cells. For all of these calculations a few inputs are required. The following code section sets up the default inputs that are used later on in the clustering functions:

```
>>> import numpy as np
>>> from Corrfunc.io import read_catalog

# Read the default galaxies supplied with
# Corrfunc. ~ 1 million galaxies on a 420 Mpc/h cube
>>> X, Y, Z = read_catalog()

# Specify boxsize for the XYZ arrays
>>> boxsize = 420.0

# Number of threads to use
>>> nthreads = 2

# Create the bins array
>>> rmin = 0.1
>>> rmax = 20.0
>>> nbins = 20
>>> rbins = np.logspace(np.log10(rmin), np.log10(rmax), nbins + 1)

# Specify the distance to integrate along line of sight
>>> pimax = 40.0

# Specify the max. of the cosine of the angle to the LOS for
# DD(s, mu)
>>> mu_max = 1.0

# Specify the number of linear bins in `mu`
>>> nmubins = 20
```

(continues on next page)

(continued from previous page)

```
# Specify that an autocorrelation is wanted
>>> autocorr = 1
```

Calculating 2-D projected auto-correlation (Corrfunc.theory.wp)

Corrfunc can directly compute the projected auto-correlation function, $w_p(r_p)$. This calculation sets periodic boundary conditions. Randoms are calculated analytically based on the supplied boxsize. The projected separation, r_p is calculated in the X-Y plane while the line-of-sight separation, π is calculated in the Z plane. Only pairs with π separation less than π_{max} are counted.

```
from Corrfunc.theory.wp import wp
results_wp = wp(boxsize, pimax, nthreads, rbins, X, Y, Z)
```

Calculating 3-D autocorrelation (Corrfunc.theory.xi)

Corrfunc can also compute the 3-D auto-correlation function, $\xi(r)$. Like $w_p(r_p)$, this calculation also enforces periodic boundary conditions and an auto-correlation. Randoms are calculated analytically on the supplied boxsize.

```
from Corrfunc.theory.xi import xi
results_xi = xi(boxsize, nthreads, rbins, X, Y, Z)
```

Calculating 3-D pair-counts (Corrfunc.theory.DD)

Corrfunc can return the pair counts in 3-D real-space for a set of arrays. The calculation can be either auto or cross-correlation, *and* with or without periodic boundaries. The pairs are always double-counted. Additionally, if the smallest bin is 0.0 for an autocorrelation, then the self-pairs *will* be counted.

```
from Corrfunc.theory.DD import DD
results_DD = DD(autocorr, nthreads, rbins, X, Y, Z, boxsize=boxsize)
```

Calculating 2-D pair-counts (Corrfunc.theory.DDrppi)

Corrfunc can return the pair counts in 2-D real-space for a set of arrays. The calculation can be either auto or cross-correlation, *and* with or without periodic boundaries. The projected separation, r_p is calculated in the X-Y plane while the line-of-sight separation, π is calculated in the Z plane.

The pairs are always double-counted. Additionally, if the smallest bin is 0.0 for an autocorrelation, then the self-pairs *will* be counted.

```
from Corrfunc.theory.DDrppi import DDrppi
results_DDrppi = DDrppi(autocorr, nthreads, pimax, rbins, X, Y, Z, boxsize=boxsize)
```

Calculating 2-D pair-counts (Corrfunc.theory.DDsmu)

Corrfunc can return the pair counts in 2-D real-space for a set of arrays. The calculation can be either auto or cross-correlation, *and* with or without periodic boundaries. The spatial separation, s is calculated in 3-D while μ is the

cosine of angle to the line-of-sight and is calculated assuming that the Z-axis is the line-of-sight.

$$\mathbf{s} = \mathbf{v}_1 - \mathbf{v}_2,$$
$$\mu = \frac{(z_1 - z_2)}{\|\mathbf{s}\|}$$

where, $\mathbf{v}_1 := (x_1, y_1, z_1)$ and $\mathbf{v}_2 := (x_2, y_2, z_2)$ are the vectors for the two points under consideration, and, $\|\mathbf{s}\| = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2 + (z_1 - z_2)^2}$

The pairs are always double-counted. Additionally, if the smallest bin is 0.0 for an autocorrelation, then the self-pairs *will* be counted.

```
from Corrfunc.theory.DDsmu import DDsmu
results_DDsmu = DDsmu(autocorr, nthreads, rbins, mu_max, nmu_bins, X, Y, Z,
↳boxsize=boxsize)
```

Calculating the Counts-in-Cells (`Corrfunc.theory.vpf`)

Corrfunc can calculate the counts-in-cells statistics. The simplest example for counts-in-cells is the Void Probability Function – the probability that a sphere of a certain size contains zero galaxies.

```
from Corrfunc.theory.vpf import vpf

# Maximum radius of the sphere in Mpc/h
rmax = 10.0

# Number of bins to cover up to rmax
nbins = 10

# Number of random spheres to place
nspheres = 10000

# Max number of galaxies in sphere (must be >=1)
numpN = 6

# Random number seed (used for choosing sphere centres)
seed = 42

results_vpf = vpf(rmax, nbins, nspheres, numpN, seed, X, Y, Z, boxsize=boxsize)
```

Calculating clustering statistics in mock catalogs

In order to calculate clustering statistics in mock catalogs, the galaxy positions are assumed to be specified as on-sky (Right Ascension, Declination, and speed of light * redshift). The following code section sets up the default arrays and parameters for the actual clustering calculations:

```
import numpy as np
import Corrfunc
from os.path import dirname, abspath, join as pjoin
from Corrfunc.io import read_catalog

# Mock catalog (SDSS-North) supplied with Corrfunc
mock_catalog = pjoin(dirname(abspath(Corrfunc.__file__)), "../mocks/tests/data/",
↳"Mr19_mock_northonly.rdcz.ff")
```

(continues on next page)

(continued from previous page)

```

RA, DEC, CZ = read_catalog(mock_catalog)

# Randoms catalog (SDSS-North) supplied with Corrfunc
randoms_catalog = pjoin(dirname(abspath(Corrfunc.__file__)), "../mocks/tests/data/",
↳ "Mr19_randoms_northonly.rdcz.ff")
RAND_RA, RAND_DEC, RAND_CZ = read_catalog(randoms_catalog)

# Number of threads to use
nthreads = 2

# Specify cosmology (1->LasDamas, 2->Planck)
cosmology = 1

# Create the bins array
rmin = 0.1
rmax = 20.0
nbins = 20
rbins = np.logspace(np.log10(rmin), np.log10(rmax), nbins + 1)

# Specify the distance to integrate along line of sight
pimax = 40.0

# Specify the max. of the cosine of the angle to the LOS
# for DD(s, mu)
mu_max = 1.0

# Specify the number of linear bins in `mu`
nmu_bins = 20

# Specify that an autocorrelation is wanted
autocorr = 1

```

Calculating 2-D pair counts (Corrfunc.mocks.DDrppimocks)

Corrfunc can calculate pair counts for mock catalogs. The input positions are expected to be Right Ascension, Declination and CZ (speed of light times redshift, in Mpc/h). Cosmology has to be specified since CZ needs to be converted into co-moving distance. If you want to calculate in arbitrary cosmology, then convert CZ into co-moving distance, and then pass the converted array while setting the option `is_comoving_dist=True`. The projected and line of sight separations are calculated using the following equations from [Zehavi et al. 2002](#)

$$\begin{aligned}
 \mathbf{s} &= \mathbf{v}_1 - \mathbf{v}_2, \\
 \mathbf{l} &= \frac{1}{2} (\mathbf{v}_1 + \mathbf{v}_2), \\
 \pi &= (\mathbf{s} \cdot \mathbf{l}) / \|\mathbf{l}\|, \\
 r_p^2 &= \mathbf{s} \cdot \mathbf{s} - \pi^2
 \end{aligned}$$

where, $\mathbf{v}_1 := (x_1, y_1, z_1)$ and $\mathbf{v}_2 := (x_2, y_2, z_2)$ are the vectors for the two points under consideration, and, $\|\mathbf{s}\| = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2 + (z_1 - z_2)^2}$.

Here is the python code to call `Corrfunc.mocks.DDrppimocks`:

```

from Corrfunc.mocks.DDrppimocks import DDrppimocks
results_DDrppimocks = DDrppimocks(autocorr, cosmology, nthreads, pimax, rbins, RA,
↳ DEC, CZ)

```

Calculating 2-D pair counts (`Corrfunc.mocks.DDsmu_mock`s)

Corrfunc can calculate pair counts for mock catalogs. The input positions are expected to be Right Ascension, Declination and CZ (speed of light times redshift, in Mpc/h). Cosmology has to be specified since CZ needs to be converted into co-moving distance. If you want to calculate in arbitrary cosmology, then convert CZ into co-moving distance, and then pass the converted array while setting the option `is_comoving_dist=True`. The projected and line of sight separations are calculated using the following equations from [Zehavi et al. 2002](#)

$$\begin{aligned} \mathbf{s} &= \mathbf{v}_1 - \mathbf{v}_2, \\ \mathbf{l} &= \frac{1}{2} (\mathbf{v}_1 + \mathbf{v}_2), \\ \mu &= (\mathbf{s} \cdot \mathbf{l}) / (\|\mathbf{l}\| \|\mathbf{s}\|) \end{aligned}$$

where, $\mathbf{v}_1 := (x_1, y_1, z_1)$ and $\mathbf{v}_2 := (x_2, y_2, z_2)$ are the vectors for the two points under consideration, and, $\|\mathbf{s}\| = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2 + (z_1 - z_2)^2}$

Here is the python code to call `Corrfunc.mocks.DDsmu_mock`s:

```
from Corrfunc.mocks.DDsmu_mock import DDsmu_mock
results_DDsmu_mock = DDsmu_mock(autocorr, cosmology, nthreads, mu_max, nmu_bins,
    rbins, RA, DEC, CZ)
```

Calculating angular pair-counts (`Corrfunc.mocks.DDtheta_mock`s)

Corrfunc can compute angular pair counts for mock catalogs. The input positions are expected to be Right Ascension and Declination. Since all calculations are in angular space, cosmology is not required.

```
from Corrfunc.mocks.DDtheta_mock import DDtheta_mock
results_DDtheta_mock = DDtheta_mock(autocorr, nthreads, rbins, RA, DEC)
```

Calculating the Counts-in-Cells (`Corrfunc.mocks.vpf_mock`s)

Corrfunc can calculate the counts-in-cells statistics. The simplest example for counts-in-cells is the Void Probability Function – the probability that a sphere of a certain size contains zero galaxies.

```
from Corrfunc.mocks.vpf_mock import vpf_mock

# Maximum radius of the sphere in Mpc/h
rmax = 10.0

# Number of bins to cover up to rmax
nbins = 10

# Number of random spheres to place
nspheres = 10000

# Max number of galaxies in sphere (must be >=1)
numpN = 6

# Minimum number of random points needed in a ``rmax`` sphere
# such that it is considered to be entirely within the mock
# footprint. Does not matter in this case, since we already
# have the centers for the fully enclosed spheres
```

(continues on next page)

(continued from previous page)

```

threshold_ngb = 1

# File with sphere centers (centers such that spheres with size
# rmax=10 Mpc/h are completely inside the survey)
centers_file = pjoin(dirname(abspath(Corrfunc.__file__)), "../mocks/tests/data/",
↳ "Mr19_centers_xyz_forVPF_rmax_10Mpc.txt")

results_vpf_mock = vpf_mock(rmax, nbins, nspheres, numpN, threshold_ngb, centers_
↳ file, cosmology, RA, DEC, CZ, RAND_RA, RAND_DEC, RAND_CZ)

```

See the complete reference here [Corrfunc](#).

Using the static library interface in Corrfunc

This guide assumes that you already followed the [Package Installation](#) section of the documentation to get the package and its dependencies set up on your machine. This guide also assumes some familiarity with C coding.

This concepts in this guide are implemented in the files `theory/examples/run_correlations.c` and `mocks/examples/run_correlations_mock.c` for simulations and mock catalogs respectively.

The basic principle of using the static libraries has the following steps:

- Include the appropriate header to get the correct function signature (at compile time)
- In your code, include call with clustering function with appropriate parameters
- Compile your code with `-I </path/to/Corrfunc/include>` flags. If you have installed Corrfunc via pip, then use `os.path.join(os.path.dirname(Corrfunc.__file__), '../include/')` as the include header.
- Link your code with the appropriate static library. Look in the `examples/Makefile` for the linker flags.
- Run your code

Worked out example C code for clustering statistics in simulation boxes

Common setup code for the simulation C routines

In this code section, we will setup the arrays and the overall common inputs required by the C static libraries.

```

#include "io.h"

const char file[] = {"theory/tests/data/gals_Mr19.ff"};
const char fileformat[] = {"f"};
const char binfile[] = {"theory/tests/bins"};
const double boxsize=420.0;
const double pimax=40.0;
int autocorr=1;
const int nthreads=2;

double *x1=NULL, *y1=NULL, *z1=NULL, *x2=NULL, *y2=NULL, *z2=NULL;

const int64_t ND1 = read_positions(file,fileformat,sizeof(*x1),3, &x1, &y1, &z1);
x2 = x1;
y2 = y1;
z2 = z1;

```

(continues on next page)

(continued from previous page)

```

const int64_t ND2 = ND1;

struct config_options options = get_config_options();
options.verbose = 1;
options.need_avg_sep = 1;
options.periodic = 1;
options.float_type = sizeof(*x1);

```

Calculating 2-D projected auto-correlation (theory/wp/libcountpairs_wp.a)

Corrfunc can directly compute the projected auto-correlation function, $w_p(r_p)$. This calculation sets periodic boundary conditions. Randoms are calculated analytically based on the supplied boxsize. The projected separation, r_p is calculated in the X-Y plane while the line-of-sight separation, π is calculated in the Z plane. Only pairs with π separation less than π_{max} are counted.

```

#include "countpairs_wp.h"

results_countpairs_wp results;
int status = countpairs_wp(ND1,x1,y1,z1,
                           boxsize,
                           nthreads,
                           binfile,
                           pimax,
                           &results,
                           &options, NULL);

if(status != EXIT_SUCCESS) {
    fprintf(stderr, "Runtime error occurred while using wp static library\n");
    return status;
}

double rlow=results.rupp[0];
for(int i=1;i<results.nbin;++i) {
    fprintf(stdout, "%e\t%e\t%e\t%e\t%12"PRIu64" \n",
            results.wp[i], results.rpavg[i], rlow, results.rupp[i], results.
↪npairs[i]);
    rlow=results.rupp[i];
}

```

This is the generic pattern for using all of the correlation function. Look in theory/examples/run_correlations.c for details on how to use all of the available static libraries.

Worked out example C code for clustering statistics in mock catalogs

Corrfunc can calculate pair counts for mock catalogs. The input positions are expected to be Right Ascension, Declination and CZ (speed of light times redshift, in Mpc/h). Cosmology has to be specified since CZ needs to be converted into co-moving distance. If you want to calculate in arbitrary cosmology, then you have two options:

- convert CZ into co-moving distance, and then pass the converted array while setting config_option.is_comoving_dist=1.
- Add another cosmology in utils/cosmology_params.c in the function init_cosmology. Then, recompile the Corrfunc.mocks and pass cosmology=integer_for_newcosmology into the relevant functions.

Common setup code for the mocks C routines

In this code section, we will setup the arrays and the overall common inputs required by the C static libraries.

```
#include "io.h"    //for read_positions function

const char file[] = {"mocks/tests/data/Mr19_mock_northonly.rdcz.dat"};
const char fileformat[] = {"a"};    // ascii format
const char binfile[] = {"mocks/tests/bins"};
const double pimax=40.0;
int autocorr=1;
const int nthreads=2;
const int cosmology=1;  // 1->LasDamas cosmology, 2->Planck

// This computes in double-precision. Change to float for computing in float
double *ra1=NULL, *dec1=NULL, *cz1=NULL, *ra2=NULL, *dec2=NULL, *cz2=NULL;

//Read-in the data
const int64_t ND1 = read_positions(file,fileformat,sizeof(*ra1),3, &ra1, &dec1, &cz1);

ra2 = ra1;
dec2 = dec1;
cz2 = cz1;
const int64_t ND2 = ND1;

struct config_options options = get_config_options();
options.verbose=1;
options.periodic=0;
options.need_avg_sep=1;
options.float_type = sizeof(*ra1);
```

Calculating 2-D pair counts (mocks/DDrpqi_mock/libcountpairs_rp_pi_mock.a)

Here is a code snippet demonstrating how to calculate $DD(r_p, \pi)$ for mock catalogs. The projected separation, r_p and line of sight separation, π are calculated using the following equations from Zehavi et al 2002:

$$\begin{aligned} \mathbf{s} &= \mathbf{v}_1 - \mathbf{v}_2, \\ l &= \frac{1}{2} (\mathbf{v}_1 + \mathbf{v}_2), \\ \pi &= (\mathbf{s} \cdot \mathbf{l}) / \|\mathbf{l}\|, \\ r_p^2 &= \mathbf{s} \cdot \mathbf{s} - \pi^2 \end{aligned}$$

where, \mathbf{v}_1 and \mathbf{v}_2 are the vectors for the two points under consideration. Here is the C code for calling DDrpqi_mock:

```
#include "countpairs_rp_pi_mock.h"

results_countpairs_mock results;
int status = countpairs_mock(ND1,ra1,dec1,cz1,
                             ND2,ra2,dec2,cz2,
                             nthreads,
                             autocorr,
                             binfile,
                             pimax,
                             cosmology,
```

(continues on next page)

(continued from previous page)

```

                                &results,
                                &options, NULL);

const double dpi = pimax/(double)results.npibin ;
const int npibin = results.npibin;
for(int i=1;i<results.nbin;i++) {
    const double logrp = LOG10(results.rupp[i]);
    for(int j=0;j<npibin;j++) {
        int index = i*(npibin+1) + j;
        fprintf(stdout,"%10"PRIu64" %20.8lf %20.8lf %20.8lf \n",results.
↪npairs[index],results.rpavg[index],logrp, (j+1)*dpi);
    }
}

```

This is the generic pattern for using all of the correlation function. Look in `mocks/examples/run_correlations_mock.c` for details on how to use all of the available static libraries.

Using the command-line interface in Corrfunc

This guide assumes that you already followed the [Package Installation](#) section of the documentation to get the package and its dependencies set up on your machine.

Calculating spatial clustering statistics in simulation boxes

Corrfunc can compute a range of spatial correlation functions and the counts-in-cells. The easiest way to get help on the command-line is by calling the executables without any input parameters. Here is the list of executables associated with each type of clustering statistic:

Clustering Statistic	Full path to executable
$DD(r)$	<code>theory/DD/DD</code>
$DD(r_p, \pi)$	<code>theory/DDrppi/DDrppi</code>
$w_p(r_p)$	<code>theory/wp/wp</code>
$\xi(r)$	<code>theory/xi/xi</code>
$pN(n)$	<code>theory/vpf/vpf</code>

Calculating clustering statistics in mock catalogs

The list of clustering statistics supported on mock catalogs and the associated command-line executables are:

Clustering Statistic	Full path to executable
$DD(r_p, \pi)$	<code>mocks/DDrppi_mock/DDrppi_mock</code>
$DD(\theta)$	<code>mocks/DDtheta_mock/DDtheta_mock</code>
$pN(n)$	<code>mocks/vpf_mock/vpf_mock</code>

Cheat-sheet for all available interfaces in Corrfunc

This guide assumes that you already followed the [Package Installation](#) section of the documentation to get the package and its dependencies set up on your machine. There are three available interfaces in Corrfunc

- *Using the python extensions in Corrfunc*

- *Using the static library interface in Corrfunc.* The static libraries have the form `libcount<statistic>.a`; the corresponding header file is named `count<statistic>.h`.
- *Using the command-line interface in Corrfunc*

Calculating spatial clustering statistics in simulation boxes

Corrfunc can compute a range of spatial correlation functions and the counts-in-cells. The easiest way to get help on the command-line is by calling the executables without any input parameters. Here is the list of executables associated with each type of clustering statistic:

Clustering Statistic	Python Interface	Static library	Command-line (executable name)
$\xi(r)$	<code>Corrfunc.theory.DD</code>	<code>theory/DD/libcountpairs.a</code>	<code>theory/DD/DD</code>
$\xi(r_p, \pi)$	<code>Corrfunc.theory.DDrppi</code>	<code>theory/DDrppi/libcountpairs_rp_pi.a</code>	<code>theory/DDrppi/DDrppi</code>
$\xi(s, \mu)$	<code>Corrfunc.theory.DDsmu</code>	<code>theory/DDsmu/libcountpairs_s_mu.a</code>	<code>theory/DDsmu/DDsmu</code>
$w_p(r_p)$	<code>Corrfunc.theory.wp</code>	<code>theory/wp/libcountpairs_wp.a</code>	<code>theory/wp/wp</code>
$\xi(r)$	<code>Corrfunc.theory.xi</code>	<code>theory/xi/libcountpairs_xi.a</code>	<code>theory/xi/xi</code>
$pN(n)$	<code>Corrfunc.theory.vpf</code>	<code>theory/vpf/libcountspheres.a</code>	<code>theory/vpf/vpf</code>

Calculating clustering statistics in mock catalogs

The list of clustering statistics supported on mock catalogs and the associated command-line executables are:

Clustering Statistic	Python Interface	Static library	Command-line (executable name)
$\xi(r_p, \pi)$	<code>Corrfunc.mocks.DDrppi_mock</code>	<code>mocks/DDrppi_mock/libcountpairs_rp_pi_mock.a</code>	<code>mocks/DDrppi_mock/DDrppi_mock</code>
$\xi(s, \mu)$	<code>Corrfunc.mocks.DDsmu_mock</code>	<code>mocks/DDsmu_mock/libcountpairs_s_mu_mock.a</code>	<code>mocks/DDsmu_mock/DDsmu_mock</code>
$\omega(\theta)$	<code>Corrfunc.mocks.DDtheta_mock</code>	<code>mocks/DDtheta_mock/libcountpairs_theta_mock.a</code>	<code>mocks/DDtheta_mock/DDtheta_mock</code>
$pN(n)$	<code>Corrfunc.mocks.vpf_mock</code>	<code>mocks/vpf_mock/libcountspheres_mock</code>	<code>mocks/vpf_mock/vpf_mock</code>

If you are not sure which correlation function to use, then please also see *Which correlation function to use?*.

1.3 Typical Tasks for Computing Correlation Functions

Here we present docstrings of the most commonly used functions and classes grouped together by functionality. Many docstrings contain example code to demonstrate basic usage. For documentation of functions not listed here, see *Corrfunc*.

1.3.1 Reading input data

Reading Catalogs for Corrfunc

All of the `Corrfunc` routines require some sort of position arrays, `X/Y/Z`, as input. These arrays are expected to be 1-D arrays of type `np.array`. If you already have the required `numpy` arrays, then you can just pass them straight to `Corrfunc`. If you need to read the arrays in from disk, then read on. For the command-line interface, the input files can only be in ASCII or fast-food format (for description of fast-food binaries, see *Fast-food binary format*).

Fast-food binary format

The fast-food format is a fortran binary format – all fields are surrounded with 4 bytes padding. These value of these padding bytes is the number of bytes of data contained in between the padding bytes. For example, to write out 20 bytes of data in a fast-food file format would require a total of $4+20+4=28$ bytes. The first and last 4 bytes of the file will contain the value 20 – showing that 20 bytes of real data are contained in between the two paddings.

The fast-food file consists of a header:

```
int idat[5];
float fdat[9];
float znow;
```

For the purposes of these correlation function codes, the only useful quantity is `idat[1]` which contains `N` – the number of particles in the file. The rest can simply filled with 0.

After this header, the actual `X/Y/Z` values are stored. The first 4 bytes after the header contains $4*N$ for float precision or $8*N$ for double precision where $N=idat[1]$, is the number of particles in the file. After all of the `X` values there will be another 4 bytes containing $4*N$ or $8*N$.

Note: Even when the `X/Y/Z` arrays are written out in double-precision, the padding is still 4 bytes. The blocks for `Y/Z` similarly follow after the `X` block.

Reading from ASCII files

This is the most straight forward way – you need an ASCII file with columns `X/Y/Z` (white-space separated).

Using `numpy.genfromtxt`

```
import numpy as np
fname = "myfile_containing_xyz_columns.dat"

# For double precision calculations
dtype = np.float64  ## change to np.float32 for single precision

X, Y, Z = np.genfromtxt(fname, dtype=dtype, unpack=True)
```

Note: `Corrfunc.read_catalog` uses this exact code-snippet to read in ASCII files in python.

Reading from fast-food files

If you are using the command-line interface, then the code will **have** to read the arrays from files. While `Corrfunc` natively supports both ASCII and fast-food formats (for description of fast-food binaries, see *Fast-food binary format*), the following python utility is intended to read both these types of files.

Using utility: `Corrfunc.io.read_catalog`

`Corrfunc.io.read_catalog` can directly read ASCII files or fast-food binary files.

```
from Corrfunc.io import read_catalog

# Read the standard theory catalog (on a box)
# supplied with Corrfunc
X, Y, Z = read_catalog()

# Read some other format -> have to specify
# filename
fname = "myfile_containing_xyz_columns.dat"
X, Y, Z = read_catalog(fname)
```

1.3.2 Creating a file with bins for the clustering statistics

Specifying the separation bins in `Corrfunc`

All of the python extensions for *Corrfunc* accept either a filename or an array for specifying the r_p or θ .

Manually creating a file with arbitrary bins

This manual method lets you specify generic bins as long as the upper-edge of one bin is the same as the lower-edge of the next (i.e., continuous bins). The bins themselves can have arbitrary widths, and the smallest bin can start from 0.0.

- Open a text editor with a new file
- Add two columns per bin you want, the first column should be low-edge of the bin while the second column should be the high-edge of the bin. Like so:

```
0.10      0.15
```

- Now add as many such lines as the number of bins you want. Here is a valid example:

```
0.10      0.15
0.15      0.50
0.50      5.00
```

This example specifies 3 bins, with the individual bin limits specified on each line. Notice that the width of each bin can be independently specified (but the bins **do** have to be continuous)

Note: Make sure that the bins are in increasing order – smallest bin first, then the next smallest bin and so on up to the largest bin.

Specifying bins as an array

You can specify the bins using `numpy.linspace` or `numpy.logspace`.

```
import numpy as np
rmin = 0.1
rmax = 10.0
nbins = 20
rbins = np.linspace(rmin, rmax, nbins + 1)
log_rbins = np.logspace(np.log10(rmin), np.log10(rmax), nbins + 1)
```

1.3.3 Choosing the correlation function

Which correlation function to use?

Corrfunc has a variety of correlation functions to cover a broad range of Science applications. The basic distinction occurs if the input particles are directly from a simulation or from an observational survey (or equivalently, a simulation that has been processed to look like a survey). For simulation data, referred throughout as *theory*, the assumption is that the particle positions are Cartesian, co-moving XYZ. For survey data, referred throughout as *mocks*, the assumption is that particle positions are *Right Ascension* (0 – 360 deg), *Declination* (-90 – 90 deg) and *CZ* (speed of light multiplied by the redshift). Depending on the exact type of data, **and** the desired correlation function you want, the following table should help you figure out which code you should use.

Input Data	Periodic	Particle domain	Desired correlation function	Returns	Python code
X, Y, Z	True	Cube (box)	$wp(r_p)$	2-D Projected Correlation	<code>Corrfunc.theory.wp</code>
			$\xi(r)$	3-D Real-space Correlation	<code>Corrfunc.theory.xi</code>
X, Y, Z	True or False	Arbitrary	$\xi(r)$	Pair-counts in 3-D real-space	<code>Corrfunc.theory.DD</code>
			$\xi(r_p, \pi)$	Pair-counts in 2-D	<code>Corrfunc.theory.DDrppi</code>
			$\xi(s, \mu)$	Pair-counts in 2-D	<code>Corrfunc.theory.DDsmu</code>
ra, dec, cz	False	Arbitrary	$\xi(r_p, \pi)$	Pair-counts in 2-D	<code>Corrfunc.mocks.DDrppi_mock</code>
			$\xi(s, \mu)$	Pair-counts in 2-D	<code>Corrfunc.mocks.DDsmu_mock</code>
ra, dec	False	Arbitrary	$\omega(\theta)$	Pair-counts in angular space	<code>Corrfunc.mocks.DDtheta_mock</code>

In all cases where only pair-counts are returned (e.g., all of the *mocks* routines), you will need to compute at least an additional *RR* term. Please see `Corrfunc.utils.convert_3d_counts_to_cf` to convert 3-D pair-counts (or angular pair counts) into a correlation function. For 2-D pair-counts, please use `Corrfunc.utils.convert_rp_pi_counts_to_wp` to convert into a projected correlation function. If you want to compute the $\xi(r_p, \pi)$ from the 2-D pair-counts, then simply call `Corrfunc.utils.convert_3d_counts_to_cf` with the arrays.

Also, see [Using the command-line interface in Corrfunc](#) for a detailed list of the clustering statistics and the various available API interfaces.

1.3.4 Calculating Correlation Functions on Simulations

Converting 3D pair counts into a correlation function

3D pair counts can be converted into a correlation function by using the helper function `Corrfunc.utils.convert_3d_counts_to_cf`. First, we have to compute the relevant pair counts using the python wrapper `Corrfunc.theory.DD`

```
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> from Corrfunc.theory.DD import DD
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_3d_counts_to_cf

>>> # Read the supplied galaxies on a periodic box
>>> X, Y, Z = read_catalog()
>>> N = len(X)
>>> boxsize = 420.0
>>> nthreads = 2

# Generate randoms on the box
>>> rand_N = 3*N
>>> rand_X = np.random.uniform(0, boxsize, rand_N)
>>> rand_Y = np.random.uniform(0, boxsize, rand_N)
>>> rand_Z = np.random.uniform(0, boxsize, rand_N)

# Setup the bins
>>> nbins = 10
>>> bins = np.linspace(0.1, 10.0, nbins + 1) # note that +1 to nbins

# Auto pair counts in DD
>>> autocorr=1
>>> DD_counts = DD(autocorr, nthreads, bins, X, Y, Z,
...                periodic=False, verbose=True)

# Cross pair counts in DR
>>> autocorr=0
>>> DR_counts = DD(autocorr, nthreads, bins, X, Y, Z,
...                X2=rand_X, Y2=rand_Y, Z2=rand_Z,
...                periodic=False, verbose=True)

# Auto pairs counts in RR
>>> autocorr=1
>>> RR_counts = DD(autocorr, nthreads, bins, rand_X, rand_Y, rand_Z,
...                periodic=False, verbose=True)

# All the pair counts are done, get the correlation function
>>> cf = convert_3d_counts_to_cf(N, N, rand_N, rand_N,
...                             DD_counts, DR_counts,
...                             DR_counts, RR_counts)
```

See the complete reference here [Corrfunc](#).

Converting (r_p, π) pairs into a projected correlation function

Pair counts in (r_p, π) can be converted into a projected correlation function by using the helper function `Corrfunc.utils.convert_rp_pi_counts_to_wp`.

```

>>> import numpy as np
>>> from Corrfunc.theory import DDrppl
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_rp_pi_counts_to_wp

# Read the supplied galaxies on a periodic box
>>> X, Y, Z = read_catalog()
>>> N = len(X)
>>> boxsize = 420.0

# Generate randoms on the box
>>> rand_N = 3*N
>>> rand_X = np.random.uniform(0, boxsize, rand_N)
>>> rand_Y = np.random.uniform(0, boxsize, rand_N)
>>> rand_Z = np.random.uniform(0, boxsize, rand_N)
>>> nthreads = 2
>>> pimax = 40.0

# Setup the bins
>>> nrpbins = 10
>>> bins = np.linspace(0.1, 10.0, nrpbins + 1)

# Auto pair counts in DD
>>> autocorr=1
>>> DD_counts = DDrppl(autocorr, nthreads, pimax, bins, X, Y, Z,
...                     periodic=False, verbose=True)

# Cross pair counts in DR
>>> autocorr=0
>>> DR_counts = DDrppl(autocorr, nthreads, pimax, bins, X, Y, Z,
...                     X2=rand_X, Y2=rand_Y, Z2=rand_Z,
...                     periodic=False, verbose=True)

# Auto pairs counts in RR
>>> autocorr=1
>>> RR_counts = DDrppl(autocorr, nthreads, pimax, bins, rand_X, rand_Y, rand_Z,
...                     periodic=False, verbose=True)

# All the pair counts are done, get the correlation function
>>> wp = convert_rp_pi_counts_to_wp(N, N, rand_N, rand_N,
...                                 DD_counts, DR_counts,
...                                 DR_counts, RR_counts, nrpbins, pimax)

```

See the complete reference here [Corrfunc](#).

Directly Computing $\xi(r)$ and $wp(rp)$

For a periodic cosmological box, the 3-d auto correlation, $\xi(r)$, and the projected auto correlation function, $wp(rp)$, can be directly computed using the Natural Estimator. The relevant python wrappers are present in [Corrfunc.theory.xi](#) and [Corrfunc.theory.wp](#). See [Notes on the Random-Random Term in Autocorrelations](#) for details on how the Natural Estimator is computed.

```

>>> import numpy as np
>>> from Corrfunc.theory.wp import wp
>>> from Corrfunc.theory.xi import xi
>>> from Corrfunc.io import read_catalog

```

(continues on next page)

(continued from previous page)

```

>>> X, Y, Z = read_catalog()
>>> boxsize = 420.0
>>> nthreads = 2
>>> pimax = 40.0
>>> nbins = 10
>>> bins = np.linspace(0.1, 10.0, nbins + 1) # Note the + 1 to nbins
>>> wp_counts = wp(boxsize, pimax, nthreads, bins, X, Y, Z)
>>> xi_counts = xi(boxsize, nthreads, bins, X, Y, Z)

```

See the complete reference here [Corrfunc](#).

Detailed API for Clustering Statistics on Simulations

All of these can be imported from [Corrfunc.theory](#). See the complete reference here [Corrfunc](#).

Clustering in 3-D

- Pair counts for (auto or cross) correlations for $\xi(r)$ – [Corrfunc.theory.DD](#)
- Auto-correlation on periodic, cosmological boxes, $\xi(r)$, – [Corrfunc.theory.xi](#)

Clustering in 2-D

- Pair counts (auto or cross) correlations for $\xi(rp, \pi)$ – [Corrfunc.theory.DDrppi](#)
- Pair counts (auto or cross) correlations for $\xi(s, \mu)$ – [Corrfunc.theory.DDsmu](#)
- Projected auto-correlation function, $wp(rp)$ – [Corrfunc.theory.wp](#)

Counts-in-cells

- Void Probability functions and counts-in-cells stats $pN(r)$ – [Corrfunc.theory.vpf](#)

Notes on the Random-Random Term in Autocorrelations

The following discussion is adapted from [this notebook](#) by Lehman Garrison.

When computing a two-point correlation function estimator like

$$\xi(r) = -1,$$

the term can be computed analytically if the domain is a periodic box. Often, this is done as

$$\begin{aligned} i &= NV_i \bar{\rho} \\ &= N V_i \frac{N}{L^3} \end{aligned} \tag{1.1}$$

where i is the expected number of random-random pairs in bin i , N is the total number of points, V_i is the volume (or area if 2D) of bin i , L is the box size, and $\bar{\rho}$ is the average density in the box.

However, using $\bar{\rho} = \frac{N}{L^3}$ is only correct for continuous fields, not sets of particles. When sitting on a particle, only $N - 1$ particles are available to be in a bin at some non-zero distance. The remaining particle is the particle you're sitting on, which is always at distance 0. Thus, the correct expression is

$$i = NV_i \frac{N - 1}{L^3}.$$

See [this notebook](#) for an empirical demonstration of this effect; specifically, that computing the density with $N - 1$ is correct, and that using N introduces bias of order $\frac{1}{N}$ into the estimator. This is a tiny correction for large N problems, but important for small N .

Any `Corrfunc` function that returns a clustering statistic (not just raw pair counts) implements this correction. Currently, this includes `Corrfunc.theory.xi` and `Corrfunc.theory.wp`.

Cross-correlations of two different particle sets don't suffer from this problem; the particle you're sitting on is never part of the set of particles under consideration for pair-making.

`Corrfunc` also allows bins of zero separation, in which “self-pairs” are included in the pair counting. i must reflect this by simply adding N to any such bin.

RR in Weighted Clustering Statistics

We can extend the above discussion to weighted correlation functions in which each particle is assigned a weight, and the pair weight is taken as the product of the particle weights (see [Computing Weighted Correlation Functions](#)).

Let w_j be the weight of particle j , and W be the sum of the weights. We will define the “unclustered” particle distribution to be the case of N particles uniformly distributed, where each is assigned the mean weight \bar{w} . We thus have

$$\begin{aligned} i &= \sum_{j=1}^N \bar{w}(W - \bar{w}) \frac{V_i}{L^3} \\ &= (W^2 - \bar{w}W) \frac{V_i}{L^3} \\ &= W^2 \left(1 - \frac{1}{N}\right) \frac{V_i}{L^3} \end{aligned} \tag{1.3}$$

When the particles all have $w_j = 1$, then $W = N$ and we recover the unweighted result from above.

There are other ways to define the unclustered distribution. If we were to redistribute the particles uniformly but preserve their individual weights, we would find

$$\begin{aligned} i &= \sum_{j=1}^N w_j(W - w_j) \frac{V_i}{L^3} \\ &= \left(W^2 - \sum_{j=1}^N w_j^2\right) \frac{V_i}{L^3} \end{aligned} \tag{1.6}$$

This is not what we use in `Corrfunc`, but this should help illuminate some of the considerations that go into defining the “unclustered” case when writing a custom weight function (see [Implementing Custom Weight Functions](#)).

1.3.5 Calculating Correlation Functions on Mock Catalogs

Calculating the projected correlation function, $wp(rp)$

2-D Pair counts can be converted into a $wp(rp)$ by using the helper function `Corrfunc.utils.convert_rp_pi_counts_to_wp`. First, we have to compute the relevant pair counts using the python wrapper `Corrfunc.mocks.DDrppi_mocks`

```

>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.mocks.DDrppi_mock import DDrppi_mock
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_rp_pi_counts_to_wp

>>> galaxy_catalog=pjoin(dirname(abspath(Corrfunc.__file__)),
...                        "../mocks/tests/data", "Mr19_mock_northonly.rdcz.ff")

# Read the supplied galaxies on a periodic box
>>> RA, DEC, CZ = read_catalog(galaxy_catalog)
>>> N = len(RA)

# Read the supplied randoms catalog
>>> random_catalog=pjoin(dirname(abspath(Corrfunc.__file__)),
...                        "../mocks/tests/data", "Mr19_randoms_northonly.rdcz.ff")
>>> rand_RA, rand_DEC, rand_CZ = read_catalog(random_catalog)
>>> rand_N = len(rand_RA)

# Setup the bins
>>> nbins = 10
>>> bins = np.linspace(0.1, 20.0, nbins + 1)
>>> pimax = 40.0

>>> cosmology = 1
>>> nthreads = 2

# Auto pair counts in DD
>>> autocorr=1
>>> DD_counts = DDrppi_mock(autocorr, cosmology, nthreads, pimax, bins,
...                          RA, DEC, CZ)

# Cross pair counts in DR
>>> autocorr=0
>>> DR_counts = DDrppi_mock(autocorr, cosmology, nthreads, pimax, bins,
...                          RA, DEC, CZ,
...                          RA2=rand_RA, DEC2=rand_DEC, CZ2=rand_CZ)

# Auto pairs counts in RR
>>> autocorr=1
>>> RR_counts = DDrppi_mock(autocorr, cosmology, nthreads, pimax, bins,
...                          rand_RA, rand_DEC, rand_CZ)

# All the pair counts are done, get the angular correlation function
>>> wp = convert_rp_pi_counts_to_wp(N, N, rand_N, rand_N,
...                                 DD_counts, DR_counts,
...                                 DR_counts, RR_counts, nbins, pimax)

```

See the complete reference here [Corrfunc](#).

Calculating the angular correlation function, $\omega(\theta)$

Angular pair counts can be converted into a $\omega(\theta)$ by using the helper function [Corrfunc.utils.convert_3d_counts_to_cf](#). First, we have to compute the relevant pair counts using the python wrapper

*Corrfunc.mocks.DDtheta_mock*s

```
>>> from os.path import dirname, abspath, join as pjoin
>>> import numpy as np
>>> import Corrfunc
>>> from Corrfunc.mocks.DDtheta_mock import DDtheta_mock
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_3d_counts_to_cf

>>> galaxy_catalog=pjoin(dirname(abspath(Corrfunc.__file__)),
...                        "../mocks/tests/data",
...                        "Mr19_mock_northonly.rdcz.ff")

# Read the supplied galaxies on a periodic box
>>> RA, DEC, _ = read_catalog(galaxy_catalog)

# Read the supplied randoms catalog
>>> random_catalog=pjoin(dirname(abspath(Corrfunc.__file__)),
...                       "../mocks/tests/data", "Mr19_randoms_northonly.rdcz.ff")
>>> rand_RA, rand_DEC, _ = read_catalog(random_catalog)
>>> rand_N = len(rand_RA)

# Setup the bins
>>> nbins = 10
>>> bins = np.linspace(0.1, 10.0, nbins + 1) # note the +1 to nbins

# Number of threads to use
>>> nthreads = 2

# Auto pair counts in DD
>>> autocorr=1
>>> DD_counts = DDtheta_mock(autocorr, nthreads, bins,
...                          RA, DEC)

# Cross pair counts in DR
>>> autocorr=0
>>> DR_counts = DDtheta_mock(autocorr, nthreads, bins,
...                          RA, DEC,
...                          RA2=rand_RA, DEC2=rand_DEC)

# Auto pairs counts in RR
>>> autocorr=1
>>> RR_counts = DDtheta_mock(autocorr, nthreads, bins,
...                          rand_RA, rand_DEC)

# All the pair counts are done, get the angular correlation function
>>> wtheta = convert_3d_counts_to_cf(N, N, rand_N, rand_N,
...                                  DD_counts, DR_counts,
...                                  DR_counts, RR_counts)
```

See the complete reference here [Corrfunc](#).

Detailed API for Clustering Statistics on Mock Catalogs

All of these can be imported from *Corrfunc.mocks*. See the complete reference here [Corrfunc](#).

Clustering in 2-D

- Pair counts (auto or cross) correlations for $\xi(rp, \pi) - \text{Corrfunc.mocks.DDrppi_mocks}$
- Pair counts (auto or cross) correlations for $\xi(s, \mu) - \text{Corrfunc.mocks.DDsmu_mocks}$

Angular clustering

- Pair counts (auto or cross) correlations for $\omega(\theta) - \text{Corrfunc.mocks.DDtheta_mocks}$

Counts-in-cells

- Void Probability functions and counts-in-cells stats $pN(r) - \text{Corrfunc.mocks.vpf_mocks}$

1.3.6 Weighted Correlation Functions

Computing Weighted Correlation Functions

Every clustering statistic in `Corrfunc` accepts an array of weights that can be used to compute weighted correlation functions. The API reference for each clustering statistic (`Corrfunc.theory.xi`, `Corrfunc.mocks.DDrppi_mock`s, etc.) contains examples of how to do this. The interface is standard across functions: the inputs are a `weights` array and a `weight_type` string that specifies how to use the “point weights” to compute a “pair weight”. Currently, the only supported `weight_type` is `pair_product`, in which the pair weight is the product of the point weights (but see [Implementing Custom Weight Functions](#) for how to write your own function).

Warning: The computation of the weighted result is susceptible to loss of floating point precision, especially in single precision. If you are using single precision, make sure you test double precision as well (by casting all pos and weight input arrays to type `np.float64`, for example) and check that the difference with the single-precision result is acceptable.

If `weight_type` and `weights` (or `weights1` and `weights2` for cross-correlations) are given, the mean pair weight in a separation bin will be given in the `weightavg` field of the output. This field is 0.0 if weights are disabled.

Pair counts (i.e. the `npairs` field in the `results` array) are never affected by weights. For theory functions like `Corrfunc.theory.xi` and `Corrfunc.theory.wp` that actually return a clustering statistic, the statistic is weighted. For `pair_product`, the distribution used to compute the expected bin weight from an unclustered particle set (the `RR` term) is taken to be a spatially uniform particle set where every particle has the mean weight. See [RR in Weighted Clustering Statistics](#) for more discussion.

Running with weights incurs a modest performance hit (around 20%, similar to enabling `ravg`). Weights are supported for all instruction sets (SSE, AVX, and fallback).

Consider the following simple example adapted from the `Corrfunc.theory.xi` docstring, in which we assign a weight of 0.5 to every particle and get the expected average pair weight of 0.25 (last column of the output). Note that `xi` (fourth column) is also weighted, but the case of uniform weights is equivalent to the unweighted case.

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.xi import xi
```

(continues on next page)

(continued from previous page)

```

>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                   "../theory/tests/", "bins")
>>> N = 100000
>>> boxsize = 420.0
>>> nthreads = 4
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> weights = np.full_like(X, 0.5)
>>> results = xi(boxsize, nthreads, binfile, X, Y, Z, weights=weights, weight_type=
↳ 'pair_product', output_ravg=True)
>>> for r in results: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.6f} {4:10d} {5:10.6f}
↳ "
...                               .format(r['rmin'], r['rmax'],
...                               r['ravg'], r['xi'], r['npairs'], r['weightavg']))
...
...
0.167536  0.238755  0.226592 -0.205733         4  0.250000
0.238755  0.340251  0.289277 -0.176729        12  0.250000
0.340251  0.484892  0.426819 -0.051829        40  0.250000
0.484892  0.691021  0.596187 -0.131853       106  0.250000
0.691021  0.984777  0.850100 -0.049207       336  0.250000
0.984777  1.403410  1.225112  0.028543      1052  0.250000
1.403410  2.000000  1.737153  0.011403      2994  0.250000
2.000000  2.850200  2.474588  0.005405      8614  0.250000
2.850200  4.061840  3.532018 -0.014098     24448  0.250000
4.061840  5.788530  5.022241 -0.010784     70996  0.250000
5.788530  8.249250  7.160648 -0.001588    207392  0.250000
8.249250 11.756000 10.207213 -0.000323    601002  0.250000
11.756000 16.753600 14.541171  0.000007   1740084  0.250000
16.753600 23.875500 20.728773 -0.001595   5028058  0.250000

```

Implementing Custom Weight Functions

Corrfunc supports custom weight functions. On this page we describe the recommended procedure for writing your own. When in doubt, follow the example of `pair_product`.

First, see [Computing Weighted Correlation Functions](#) for basic usage of Corrfunc’s weight features.

The steps are:

1. Add a type to the `weight_method_t` enum in `utils/defs.h` (something like `MY_WEIGHT_SCHEME=1`).
2. Determine how many weights per particle your scheme needs, and add a case to the switch-case block in `get_num_weights_by_method()` in `utils/defs.h`. Corrfunc supports up to `MAX_NUM_WEIGHTS=10` weights per particle; most schemes will simply need 1. To provide multiple weights per particle via the Python interface, simply pass a `weights` array of shape `(N_WEIGHTS_PER_PARTICLE, N_PARTICLES)`.
3. Add an `if` statement that maps a string name (like “`my_weight_scheme`”) to the `weight_method_t` (which you created above) in `get_weight_method_by_name()` in `utils/defs.h`.
4. Write a function in `utils/weight_functions.h.src` that returns the weight for a particle pair, given the weights for the two particles. The weights for each particle are packed in a `const pair_struct_DOUBLE`

struct, which also contains the pair separation. You must write one function for every instruction set you wish to support. This can be quite easy for simple weight schemes; the four functions for `pair_product` are:

```
/*
 * The pair weight is the product of the particle weights
 */
static inline DOUBLE pair_product_DOUBLE(const pair_struct_DOUBLE *pair){
    return pair->weights0[0].d*pair->weights1[0].d;
}

#ifdef __AVX512F__
static inline AVX512_FLOATS avx512_pair_product_DOUBLE(const pair_struct_DOUBLE *pair)
→{
    return AVX512_MULTIPLY_FLOATS(pair->weights0[0].a512, pair->weights1[0].a512);
}
#endif

#ifdef __AVX__
static inline AVX_FLOATS avx_pair_product_DOUBLE(const pair_struct_DOUBLE *pair){
    return AVX_MULTIPLY_FLOATS(pair->weights0[0].a, pair->weights1[0].a);
}
#endif

#ifdef __SSE4_2__
static inline SSE_FLOATS sse_pair_product_DOUBLE(const pair_struct_DOUBLE *pair){
    return SSE_MULTIPLY_FLOATS(pair->weights0[0].s, pair->weights1[0].s);
}
#endif
```

See `utils/avx512_calls.h`, `utils/avx_calls.h` and `utils/sse_calls.h` for the lists of available vector instructions.

- For each function you wrote in the last step, add a case to the switch-case block in the appropriate dispatch function in `utils/weight_functions.h.src`. If you wrote a weighting function for all four instruction sets, then you'll need to add the corresponding function to `get_weight_func_by_method_DOUBLE()`, `get_avx512_weight_func_by_method_DOUBLE`, `get_avx_weight_func_by_method_DOUBLE()`, and `get_sse_weight_func_by_method_DOUBLE()`.
- Done! Your weight scheme should now be accessible through the Python and C interfaces via the name ("my_weight_scheme") that you specified above. The output will be accessible in the `weightavg` field of the results array.

Pair counts (i.e. the `npairs` field in the results array) are never affected by weights. For theory functions like `Corrfunc.theory.xi` and `Corrfunc.theory.wp` that actually return a clustering statistic, the statistic is weighted. For `pair_product`, the random distribution used to compute the expected bin weight from an unclustered particle set (the RR term) is taken to be a spatially uniform particle set where every particle has the mean weight. See *RR in Weighted Clustering Statistics* for more discussion. This behavior (automatically returning weighted clustering statistics) is only implemented for `pair_product`, since that is the only weighting method for which we know the desired equivalent random distribution. Custom weighting methods can implement similar behavior by modifying `countpairs_xi_DOUBLE()` in `theory/xi/countpairs_xi_impl.c.src` and `countpairs_wp_DOUBLE()` in `theory/wp/countpairs_wp_impl.c.src`.

1.4 Developer documentation

The developer documentation contains guidelines for how to stay up-to-date on Corrfunc development, submit bug reports and contribute to the Corrfunc code base.

1.4.1 License and Citation Information

Citing Corrfunc

If you use Corrfunc for research, please cite using the MNRAS code paper with the following bibtex entry:

```
@ARTICLE{2020MNRAS.491.3022S,
  author = {{Sinha}, Manodeep and {Garrison}, Lehman H.},
  title = "{CORRFUNC - a suite of blazing fast correlation functions on the CPU}",
  journal = {\mnras},
  keywords = {methods: numerical, galaxies: general, galaxies: haloes, dark matter, large-scale structure of Universe, cosmology: theory},
  year = "2020",
  month = "Jan",
  volume = {491},
  number = {2},
  pages = {3022-3041},
  doi = {10.1093/mnras/stz3157},
  adsurl =
    {https://ui.adsabs.harvard.edu/abs/2020MNRAS.491.3022S},
  adsnote = {Provided by the SAO/NASA Astrophysics Data System}
}
```

The MNRAS paper (also on [arXiv:1911.03545](https://arxiv.org/abs/1911.03545)) targets Corrfunc v2.0.0. If you are using Corrfunc v2.3.0 or later, **and** you benefit from the enhanced vectorised kernels, then please additionally cite this paper:

```
@InProceedings{10.1007/978-981-13-7729-7_1,
  author="Sinha, Manodeep and Garrison, Lehman",
  editor="Majumdar, Amit and Arora, Ritu",
  title="CORRFUNC: Blazing Fast Correlation Functions with AVX512F SIMD Intrinsics",
  booktitle="Software Challenges to Exascale Computing",
  year="2019",
  publisher="Springer Singapore",
  address="Singapore",
  pages="3--20",
  isbn="978-981-13-7729-7",
  url={https://doi.org/10.1007/978-981-13-7729-7_1}
}
```

Corrfunc License

Corrfunc comes with a MIT LICENSE - see the LICENSE file.

Copyright (C) 2014 Manodeep Sinha (manodeep@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PAR-

TICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.4.2 Package contributors

Corrfunc project coordinator

- Manodeep Sinha

Lead developers

- Manodeep Sinha

Core package contributors

- Manodeep Sinha (@manodeep)
- Lehman Garrison (@lgarrison)
- Nick Hand (@nickhand)

Other credits

- Corrfunc contains code from [Agner Fog](#), [GeometricTools](#), and the package [SGLIB](#). The LICENSE for these external files remains with the original author of the package.
- The entirety of the docs for Corrfunc is derived from [halotools](#). I know, first-hand, how much of an effort it was for the developers of *halotools* to generate all of this documentation. Having such a template made creating the docs for Corrfunc a lot easier process.
- The API generation script for Corrfunc was lifted directly out of the repo [bccp/nbodykit/](#).

1.4.3 Submitting a Bug Report

If you find or just suspect buggy behavior in Corrfunc, please raise an issue on GitHub. Navigate to the [Corrfunc Issues page](#), create a new issue with a description of the problem and the full Traceback (if applicable), and attach a *bug* label to the issue.

1.4.4 Staying Up to Date

If you would like to receive notifications of new code releases, sign up for the google group

<https://groups.google.com/forum/#!forum/Corrfunc>

Feel free to ask questions about the code on the group. However, note that all exchanges on the groups are subject to [Astropy Community Code of Conduct](#), which is basically, “Be nice!”. If you are unsure about some technical aspect of the code, then feel free to email the author ([Manodeep Sinha](#)).

1.4.5 Contributing to Corrfunc

Corrfunc is written in a very modular fashion with minimal interaction between the various calculations. The algorithm presented in Corrfunc is applicable to a broad-range of astrophysical problems, viz., any situation that requires looking at *all* objects around a target and performing some analysis with this group of objects.

Here are the basic steps to get your statistic into the Corrfunc package:

- Fork the repo and add your statistic
- Add exhaustive tests. The output of your statistic should **exactly** agree with a brute-force implementation (under double-precision). Look at `test_periodic.c` and `test_nonperiodic.c` under `theory/tests/` for tests on simulation volumes. For mock catalogs, look at `mocks/tests/testsmocks.c`.
- Add a python extension for the new statistic. This extension should reside in file `theory/python_bindings/_countpairs.c` or `mocks/python_bindings/_countpairsmocks.c` for statistics relevant for simulations and mocks respectively. It is preferred to have the extension documented but not necessary.
- Add a call to this new *extension* in the `python_bindings/call_correlation_functions*.py` script.

Note: Different from corresponding script in `Corrfunc/` directory.

- Add a python wrapper for the previous python extension. This wrapper should exist in `Corrfunc/theory/` or `Corrfunc/mocks/`. Wrapper **must** have inline API docs.
- Add the new wrapper to `__all__` in `__init__.py` within the relevant directory.
- Add an example call to this *wrapper* in `Corrfunc/call_correlation_functions.py` or `Corrfunc/call_correlation_functionsmocks.py` for simulations and mocks respectively.

Note: Different from corresponding script in `python_bindings` directory.

- Add the new wrapper to the API docs within `ROOT_DIR/docs/source/theory_functions.rst` or `ROOT_DIR/docs/source/mocks_functions.rst`.
- Add to the contributors list under `ROOT_DIR/docs/source/development/contributors.rst`.
- Submit pull request

Note: Please feel free to email the [author](#) or the [Corrfunc Google Groups](#) if you need help at any stage.

Corrfunc Design

All of the algorithms in Corrfunc have the following components:

- Reading in data. Relevant routines are in the `io/` directory with a mapping within `io.c` to handle the file format
- Creating the 3-D lattice structure. Relevant routines are in the `utils/gridlink_impl.c.src` and `utils/gridlinkmocks.c.src`. This lattice grids up the particle distribution on cell-sizes of `rmax` (the maximum search radius).

Note: The current lattice code duplicates the particle memory. If you need a lattice that does not duplicate the particle memory, then please email the [author](#). Relevant code existed in Corrfunc but has been removed in the current incarnation.

- Setting up the OpenMP sections such that threads have local copies of histogram arrays. If OpenMP is not enabled, then this section should not produce any compilable code.
- Looping over all cells in the 3-D lattice and then looping over all neighbouring cells for each cell.
- For a pair of cells, hand over the two sets of arrays into a specialized kernel (`count*kernel.c.src`) for computing pairs.
- Aggregate the results, if OpenMP was enabled.

Directory and file layout

- Codes that compute statistics on simulation volumes (Cartesian XYZ as input) go into a separate directory within `theory`
- Codes that compute statistics on mock catalogs (RA, DEC [CZ]) go into a separate directory within `mocks`
- Public API in a `count*.h` file. Corresponding C file simply dispatches to appropriate floating point implementation.
- Floating point implementation in file `count*_impl.c.src`. This file is processed via `sed` to generate both single and double precision implementations.
- A kernel named `count*kernels.c.src` containing implementations for counting pairs on two sets of arrays. This kernel file is also preprocessed to produce both the single and double precision kernels.
- Tests go within `tests` directory under `theory` or `mocks`, as appropriate. For simulation routines, tests with and without periodic boundaries go into `test_periodic.c` and `test_nonperiodic.c`
- C code to generate the python extensions goes under `python_bindings` directory into the file `_countpairs*.c`
- Each python extension has a python wrapper within `Corrfunc` directory

Coding Guidelines

C guidelines

Code contents

- **Always** check for error conditions when calling a function
- If an error condition occurs when making an kernel/external library call, first call `perror` and then return the error status. If calling a wrapper from within Corrfunc, assume that `perror` has already been called and simply return the status. Clean up memory before returning status.
- Declare variables in the smallest possible scope.
- Add `const` qualifiers liberally
- There **must** not be any compiler warnings (with `gcc6.0`) under the given set of Warnings already enabled within `common.mk`. If the warning can not be avoided because of logic issues, then suppress the warning but

note why that suppression is required. Warnings are treated as errors on the continuous integration platform (TRAVIS)

- Valgrind should not report any fixable memory or file leaks (memory leaks in OpenMP library, e.g., `libgomp`, are fine)

Style

The coding style is loosely based on [Linux Kernel Guideline](#). These are recommended but not strictly enforced. However, note that if you do contribute code to Corrfunc, the style may get converted.

- Braces - Opening braces start at the same line, except for functions - Closing braces on new line - Even single line conditionals must have opening and closing braces
- Comments - Explanatory comments on top of code segment enclosed with `/**/` - Inline comments must be single-line on the right
- Indentation is `tab:=4 spaces`
- Avoid `typedef` for `structs` and `unions`

Python guidelines

- Follow the [astropy python code guide](#)
- Docs are in `numpydocs` format. Follow any of the wrapper routines in Corrfunc (which are, in turn, taken from [halotools](#))

2.1 Comprehensive API reference

2.1.1 Corrfunc package

Corrfunc is a set of high-performance routines for computing clustering statistics on a distribution of points.

`Corrfunc.read_text_file` (*filename*, *encoding=u'utf-8'*)

Reads a file under python3 with encoding (default UTF-8). Also works under python2, without encoding. Uses the EAFP (<https://docs.python.org/2/glossary.html#term-eafp>) principle.

`Corrfunc.which` (*program*, *mode=1*, *path=None*)

Mimics the Unix utility which. For python3.3+, `shutil.which` provides all of the required functionality. An implementation is provided in case `shutil.which` does not exist.

Parameters

- **program** – (required) string Name of program (can be fully-qualified path as well)
- **mode** – (optional) integer flag bits Permissions to check for in the executable Default: `os.F_OK` (file exists) | `os.X_OK` (executable file)
- **path** – (optional) string A custom path list to check against. Implementation taken from `shutil.py`.

Returns A fully qualified path to program as resolved by path or user environment. Returns None when program can not be resolved.

`Corrfunc.write_text_file` (*filename*, *contents*, *encoding=u'utf-8'*)

Writes a file under python3 with encoding (default UTF-8). Also works under python2, without encoding. Uses the EAFP (<https://docs.python.org/2/glossary.html#term-eafp>) principle.

Subpackages

Corrfunc.mocks package

Wrapper for all clustering statistic calculations on galaxies in a mock catalog.

```
Corrfunc.mocks.DDrppi_mock(autocorr, cosmology, nthreads, pimax, binfile, RA1,  
                           DEC1, CZ1, weights1=None, RA2=None, DEC2=None,  
                           CZ2=None, weights2=None, is_comoving_dist=False, ver-  
                           bose=False, output_rpavg=False, fast_divide_and_NR_steps=0,  
                           xbin_refine_factor=2, ybin_refine_factor=2, zbin_refine_factor=1,  
                           max_cells_per_dim=100, copy_particles=True, en-  
                           able_min_sep_opt=True, c_api_timer=False, isa=u'fastest',  
                           weight_type=None)
```

Calculate the pair-counts corresponding to the 2-D correlation function, $\xi(r_p, \pi)$. Pairs which are separated by less than the *rp* bins (specified in *binfile*) in the X-Y plane, and less than *pimax* in the Z-dimension are counted. The input positions are expected to be on-sky co-ordinates. This module is suitable for calculating correlation functions for mock catalogs.

If *weights* are provided, the resulting pair counts are weighted. The weighting scheme depends on *weight_type*.

Returns a numpy structured array containing the pair counts for the specified bins.

Note: that this module only returns pair counts and not the actual correlation function $\xi(r_p, \pi)$ or $wp(r_p)$. See the utilities [Corrfunc.utils.convert_3d_counts_to_cf](#) and [Corrfunc.utils.convert_rp_pi_counts_to_wp](#) for computing $\xi(r_p, \pi)$ and $wp(r_p)$ respectively from the pair counts.

Parameters

- **autocorr** (*boolean*, *required*) – Boolean flag for auto/cross-correlation. If autocorr is set to 1, then the second set of particle positions are not required.
- **cosmology** (*integer*, *required*) – Integer choice for setting cosmology. Valid values are 1->LasDamas cosmology and 2->Planck cosmology. If you need arbitrary cosmology, easiest way is to convert the CZ values into co-moving distance, based on your preferred cosmology. Set *is_comoving_dist=True*, to indicate that the co-moving distance conversion has already been done.

Choices:

1. LasDamas cosmology. $\Omega_m = 0.25$, $\Omega_\Lambda = 0.75$
2. Planck cosmology. $\Omega_m = 0.302$, $\Omega_\Lambda = 0.698$

To setup a new cosmology, add an entry to the function, `init_cosmology` in `ROOT/utils/cosmology_params.c` and re-install the entire package.

- **nthreads** (*integer*) – The number of OpenMP threads to use. Has no effect if OpenMP was not enabled during library compilation.
- **pimax** (*double*) – A double-precision value for the maximum separation along the Z-dimension.

Distances along the π direction are binned with unit depth. For instance, if *pimax*=40, then 40 bins will be created along the *pi* direction. Only pairs with $0 \leq dz < pimax$ are counted (no equality).

- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the *rp* bins for `DDrppi_mock`s. The file should contain white-space separated

values of (rpmin, rpmax) for each rp wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of rp values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **RA1** (*array-like, real (float/double)*) – The array of Right Ascensions for the first set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Calculations are done in the precision of the supplied arrays.

- **DEC1** (*array-like, real (float/double)*) – Array of Declinations for the first set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0].

Must be of same precision type as RA1.

- **CZ1** (*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the first set of points. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the `speed of light`.

If `is_comoving_dist` is set, then CZ1 is interpreted as the co-moving distance, rather than `cz`.

- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (n_weights, n_positions) or (n_positions,). `weight_type` specifies how these weights are used; results are returned in the `weightavg` field. If only one of `weights1` and `weights2` is specified, the other will be set to uniform weights.
- **RA2** (*array-like, real (float/double)*) – The array of Right Ascensions for the second set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Must be of same precision type as RA1/DEC1/CZ1.

- **DEC2** (*array-like, real (float/double)*) – Array of Declinations for the second set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0].

Must be of same precision type as RA1/DEC1/CZ1.

- **CZ2** (*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the second set of points. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the `speed of light`.

If `is_comoving_dist` is set, then CZ2 is interpreted as the co-moving distance, rather than `cz`.

Must be of same precision type as RA1/DEC1/CZ1.

- **weights2** (*array-like, real (float/double), optional*) – Same as `weights1`, but for the second set of positions
- **is_comoving_dist** (*boolean (default false)*) – Boolean flag to indicate that `cz` values have already been converted into co-moving distances. This flag allows arbitrary cosmologies to be used in Corrfunc.
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages

- **output_rpavg** (*boolean (default false)*) – Boolean flag to output the average *rp* for each bin. Code will run slower if you set this flag.

If you are calculating in single-precision, *rpavg* will suffer from numerical loss of precision and can not be trusted. If you need accurate *rpavg* values, then pass in double precision arrays for the particle positions.

- **fast_divide_and_NR_steps** (*integer (default 0)*) – Replaces the division in AVX implementation with an approximate reciprocal, followed by *fast_divide_and_NR_steps* of Newton-Raphson. Can improve runtime by ~15-20% on older computers. Value of 0 uses the standard division operation.
- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if *rpmax* is too small relative to the boxsize (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place.

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string, case-insensitive (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Possible options are: [fastest, avx512f, avx, sse42, fallback]

Setting *isa* to *fastest* will pick the fastest available instruction set on the current computer. However, if you set *isa* to, say, *avx* and *avx* is not available on the computer, then the code will revert to using *fallback* (even though *sse42* might be available).

Unless you are benchmarking the different instruction sets, you should always leave *isa* to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an *enum* for the instruction set defined in *utils/defs.h*.

- **weight_type** (*string, optional (default None)*) – The type of weighting to apply. One of ["pair_product", None].

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing [*rpmin*, *rpmax*, *rpavg*, *pimax*, *npairs*, *weightavg*] for each radial bin specified in the *binfile*. If *output_ravg* is not set, then *rpavg* will be set to 0.0 for all bins; similarly for *weightavg*. *npairs* contains the number of pairs in that bin and can be used to compute the actual $\xi(r_p, \pi)$ or $wp(rp)$ by combining with (DR, RR) counts.
- **api_time** (*float, optional*) – Only returned if *c_api_timer* is set. *api_time* measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.mocks.DDrppi_mock import DDrppi_mock
>>> import math
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../mocks/tests/", "bins")
>>> N = 100000
>>> boxsize = 420.0
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
>>> Y = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
>>> Z = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
>>> weights = np.ones_like(X)
>>> CZ = np.sqrt(X*X + Y*Y + Z*Z)
>>> inv_cz = 1.0/CZ
>>> X *= inv_cz
>>> Y *= inv_cz
>>> Z *= inv_cz
>>> DEC = 90.0 - np.arccos(Z)*180.0/math.pi
>>> RA = (np.arctan2(Y, X)*180.0/math.pi) + 180.0
>>> autocorr = 1
>>> cosmology = 1
>>> nthreads = 2
>>> pimax = 40.0
>>> results = DDrppi_mock(autocorr, cosmology, nthreads,
...                       pimax, binfile, RA, DEC, CZ,
...                       weights1=weights, weight_type='pair_product',
...                       output_rpavg=True, is_comoving_dist=True)
>>> for r in results[519:]: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.1f}"
...                               " {4:10d} {5:10.6f}".format(r['rmin'], r['rmax']
...                               ↪'],
...                               r['rpavg'], r['pimax'], r['npairs'], r[
...                               ↪'weightavg']))
...                               # doctest: +NORMALIZE_WHITESPACE
11.359969 16.852277 14.285169 40.0 104850 1.000000
16.852277 25.000000 21.181246 1.0 274144 1.000000
16.852277 25.000000 21.190844 2.0 272876 1.000000
16.852277 25.000000 21.183321 3.0 272294 1.000000
16.852277 25.000000 21.188486 4.0 272506 1.000000
16.852277 25.000000 21.170832 5.0 272100 1.000000
16.852277 25.000000 21.165379 6.0 271788 1.000000
16.852277 25.000000 21.175246 7.0 270040 1.000000
16.852277 25.000000 21.187417 8.0 269492 1.000000
16.852277 25.000000 21.172066 9.0 269682 1.000000
16.852277 25.000000 21.182460 10.0 268266 1.000000
16.852277 25.000000 21.170594 11.0 268744 1.000000
16.852277 25.000000 21.178608 12.0 266820 1.000000
16.852277 25.000000 21.187184 13.0 266510 1.000000
16.852277 25.000000 21.184937 14.0 265484 1.000000
16.852277 25.000000 21.180184 15.0 265258 1.000000
16.852277 25.000000 21.191504 16.0 262952 1.000000
16.852277 25.000000 21.187746 17.0 262602 1.000000
```

(continues on next page)

(continued from previous page)

16.852277	25.000000	21.189778	18.0	260206	1.000000
16.852277	25.000000	21.188882	19.0	259410	1.000000
16.852277	25.000000	21.185684	20.0	256806	1.000000
16.852277	25.000000	21.194036	21.0	255574	1.000000
16.852277	25.000000	21.184115	22.0	255406	1.000000
16.852277	25.000000	21.178255	23.0	252394	1.000000
16.852277	25.000000	21.184644	24.0	252220	1.000000
16.852277	25.000000	21.187020	25.0	251668	1.000000
16.852277	25.000000	21.183827	26.0	249648	1.000000
16.852277	25.000000	21.183121	27.0	247160	1.000000
16.852277	25.000000	21.180872	28.0	246238	1.000000
16.852277	25.000000	21.185251	29.0	246030	1.000000
16.852277	25.000000	21.183488	30.0	242124	1.000000
16.852277	25.000000	21.194538	31.0	242426	1.000000
16.852277	25.000000	21.190702	32.0	239778	1.000000
16.852277	25.000000	21.188985	33.0	239046	1.000000
16.852277	25.000000	21.187092	34.0	237640	1.000000
16.852277	25.000000	21.185515	35.0	236256	1.000000
16.852277	25.000000	21.190278	36.0	233536	1.000000
16.852277	25.000000	21.183240	37.0	233274	1.000000
16.852277	25.000000	21.183796	38.0	231628	1.000000
16.852277	25.000000	21.200668	39.0	230378	1.000000
16.852277	25.000000	21.181153	40.0	229006	1.000000

`Corrfunc.mocks.DDtheta_mock`s(*autocorr*, *nthreads*, *binfile*, *RA1*, *DEC1*, *weights1=None*, *RA2=None*, *DEC2=None*, *weights2=None*, *link_in_dec=True*, *link_in_ra=True*, *verbose=False*, *output_thetaavg=False*, *fast_acos=False*, *ra_refine_factor=2*, *dec_refine_factor=2*, *max_cells_per_dim=100*, *copy_particles=True*, *enable_min_sep_opt=True*, *c_api_timer=False*, *isa='u'fastest'*, *weight_type=None*)

Function to compute the angular correlation function for points on the sky (i.e., mock catalogs or observed galaxies).

Returns a numpy structured array containing the pair counts for the specified angular bins.

If *weights* are provided, the resulting pair counts are weighted. The weighting scheme depends on *weight_type*.

Note: This module only returns pair counts and not the actual correlation function $\omega(\theta)$. See [Corrfunc.utils.convert_3d_counts_to_cf](#) for computing $\omega(\theta)$ from the pair counts returned.

Parameters

- **autocorr** (*boolean*, *required*) – Boolean flag for auto/cross-correlation. If autocorr is set to 1, then the second set of particle positions are not required.
- **nthreads** (*integer*) – Number of threads to use.
- **binfile** (*string or an list/array of floats. Units: degrees.*) – For string input: filename specifying the theta bins for DDtheta_mock. The file should contain white-space separated values of (thetamin, thetamax) for each theta wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of theta values that provides the bin-edges. For example,

`np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying **14** (logarithmic) bins between 0.1 and 10.0 degrees. This array does not need to be sorted.

- **RA1** (*array-like, real (float/double)*) – The array of Right Ascensions for the first set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Calculations are done in the precision of the supplied arrays.

- **DEC1** (*array-like, real (float/double)*) – Array of Declinations for the first set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0]. Must be of same precision type as RA1.
- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (n_weights, n_positions) or (n_positions,). *weight_type* specifies how these weights are used; results are returned in the *weightavg* field. If only one of weights1 and weights2 is specified, the other will be set to uniform weights.
- **RA2** (*array-like, real (float/double)*) – The array of Right Ascensions for the second set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0]. Must be of same precision type as RA1/DEC1.
- **DEC2** (*array-like, real (float/double)*) – Array of Declinations for the second set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0]. Must be of same precision type as RA1/DEC1.
- **weights2** (*array-like, real (float/double), optional*) – Same as weights1, but for the second set of positions
- **link_in_dec** (*boolean (default True)*) – Boolean flag to create lattice in Declination. Code runs faster with this option. However, if the angular separations are too small, then linking in declination might produce incorrect results. When running for the first time, check your results by comparing with the output of the code for `link_in_dec=False` and `link_in_ra=False`.
- **link_in_ra** (*boolean (default True)*) – Boolean flag to create lattice in Right Ascension. Setting this option implies `link_in_dec=True`. Similar considerations as `link_in_dec` described above.

If you disable both `link_in_dec` and `link_in_ra`, then the code reduces to a brute-force pair counter. No lattices are created at all. For very small angular separations, the brute-force method might be the most numerically stable method.

- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_thetaavg** (*boolean (default false)*) – Boolean flag to output the average `\theta` for each bin. Code will run slower if you set this flag.

If you are calculating in single-precision, `thetaavg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `thetaavg` values, then pass in double precision arrays for RA/DEC.

Code will run significantly slower if you enable this option. Use the keyword `fast_acos` if you can tolerate some loss of precision.

- **fast_acos** (*boolean (default false)*) – Flag to use numerical approximation for the `arccos` - gives better performance at the expense of some precision. Relevant only if `output_thetaavg==True`.

Developers: Two versions already coded up in `utils/fast_acos.h`, so you can choose the version you want. There are also notes on how to implement faster (and less accurate) functions, particularly relevant if you know your `theta` range is limited. If you implement a new version, then you will have to reinstall the entire Corrfunc package.

Note: Tests will fail if you run the tests with “`fast_acos=True`”.

- **(radec)_refine_factor** (*integer, default is (2,2); typically within [1-5]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.

Only two refine factors are to be specified and these correspond to `ra` and `dec` (rather, than the usual three of `(xyz)bin_refine_factor` for all other correlation functions).

- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^2$. Only increase if `thetamax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to `False`, the particles will be re-ordered in-place.

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string, case-insensitive (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available).

Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an `enum` for the instruction set defined in `utils/defs.h`.

- **weight_type** (*string, optional (default None)*) – The type of weighting to apply. One of `["pair_product", None]`.

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing `[thetamin, thetamax, thetaavg, npairs, weightavg]` for each angular bin specified in the `binfile`. If `output_thetaavg` is not set then `thetaavg` will be set to 0.0 for all bins; similarly for `weightavg`. `npairs` contains the number of pairs in that bin.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> import time
>>> from math import pi
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.mocks.DDtheta_mock import DDtheta_mock
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../mocks/tests/", "angular_bins")
>>> N = 100000
>>> nthreads = 4
>>> seed = 42
>>> np.random.seed(seed)
>>> RA = np.random.uniform(0.0, 2.0*pi, N)*180.0/pi
>>> cos_theta = np.random.uniform(-1.0, 1.0, N)
>>> DEC = 90.0 - np.arccos(cos_theta)*180.0/pi
>>> weights = np.ones_like(RA)
>>> autocorr = 1
>>> for isa in ['AVX', 'SSE42', 'FALLBACK']:
...     for link_in_dec in [False, True]:
...         for link_in_ra in [False, True]:
...             results = DDtheta_mock(autocorr, nthreads, binfile,
...                                     RA, DEC, output_thetaavg=True,
...                                     weights1=weights, weight_type='pair_product',
...                                     link_in_dec=link_in_dec, link_in_ra=link_in_ra,
...                                     isa=isa, verbose=True)
>>> for r in results:
...     print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10d} {4:10.6f}".
...           format(r['thetamin'], r['thetamax'],
...                 r['thetaavg'], r['npairs'], r['weightavg']))
...     # doctest: +NORMALIZE_WHITESPACE
0.010000  0.014125  0.012272      62  1.000000
0.014125  0.019953  0.016978     172  1.000000
0.019953  0.028184  0.024380     298  1.000000
0.028184  0.039811  0.034321     598  1.000000
0.039811  0.056234  0.048535    1164  1.000000
0.056234  0.079433  0.068385    2438  1.000000
0.079433  0.112202  0.096631    4658  1.000000
0.112202  0.158489  0.136834    9414  1.000000
0.158489  0.223872  0.192967   19098  1.000000
0.223872  0.316228  0.272673   37848  1.000000
0.316228  0.446684  0.385344   75520  1.000000
0.446684  0.630957  0.543973  150938  1.000000
0.630957  0.891251  0.768406  301854  1.000000
0.891251  1.258925  1.085273  599896  1.000000
1.258925  1.778279  1.533461 1200238  1.000000
1.778279  2.511886  2.166009 2396338  1.000000
2.511886  3.548134  3.059159 4775162  1.000000
3.548134  5.011872  4.321445 9532582  1.000000
5.011872  7.079458  6.104214 19001930 1.000000
7.079458 10.000000  8.622400 37842502 1.000000
```

`Corrfunc.mocks.vpf_mock`s(*rmax*, *nbins*, *nspheres*, *numpN*, *threshold_ngb*, *centers_file*, *cosmology*, *RA*, *DEC*, *CZ*, *RAND_RA*, *RAND_DEC*, *RAND_CZ*, *verbose=False*, *is_comoving_dist=False*, *xbin_refine_factor=1*, *ybin_refine_factor=1*, *zbin_refine_factor=1*, *max_cells_per_dim=100*, *copy_particles=True*, *c_api_timer=False*, *isa=u'fastest'*)

Function to compute the counts-in-cells on points on the sky. Suitable for mock catalogs and observed galaxies.

Returns a numpy structured array containing the probability of a sphere of radius up to *rmax* containing 0--*numpN*-1 galaxies.

Parameters

- **rmax** (*double*) – Maximum radius of the sphere to place on the particles
- **nbins** (*integer*) – Number of bins in the counts-in-cells. Radius of first shell is *rmax*/*nbins*
- **nspheres** (*integer* (≥ 0)) – Number of random spheres to place within the particle distribution. For a small number of spheres, the error is larger in the measured pN's.
- **numpN** (*integer* (≥ 1)) – Governs how many unique pN's are to returned. If *numpN* is set to 1, then only the vpf (p0) is returned. For *numpN*=2, p0 and p1 are returned.

More explicitly, the columns in the results look like the following:

numpN	Columns in output
1	p0
2	p0 p1
3	p0 p1 p2
4	p0 p1 p2 p3

and so on...

Note: p0 is the vpf

- **threshold_ngb** (*integer*) – Minimum number of random points needed in a *rmax* sphere such that it is considered to be entirely within the mock footprint. The command-line version, `mocks/vpf/vpf_mock`s.c, assumes that the minimum number of randoms can be at most a 1-sigma deviation from the expected random number density.
- **centers_file** (*string*, *filename*) – A file containing random sphere centers. If the file does not exist, then a list of random centers will be written out. In that case, the randoms arrays, *RAND_RA*, *RAND_DEC* and *RAND_CZ* are used to check that the sphere is entirely within the footprint. If the file does exist but either *rmax* is too small or there are not enough centers then the file will be overwritten.

Note: If the centers file has to be written, the code will take significantly longer to finish. However, subsequent runs can re-use that centers file and will be faster.

- **cosmology** (*integer*, *required*) – Integer choice for setting cosmology. Valid values are 1->LasDamas cosmology and 2->Planck cosmology. If you need arbitrary cosmology, easiest way is to convert the *CZ* values into co-moving distance, based on your preferred cosmology. Set *is_comoving_dist=True*, to indicate that the co-moving distance conversion has already been done.

Choices:

1. LasDamas cosmology. $\Omega_m = 0.25$, $\Omega_\Lambda = 0.75$
2. Planck cosmology. $\Omega_m = 0.302$, $\Omega_\Lambda = 0.698$

To setup a new cosmology, add an entry to the function, `init_cosmology` in `ROOT/`
`utils/cosmology_params.c` and re-install the entire package.

- **RA**(*array-like, real (float/double)*) – The array of Right Ascensions for the first set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Calculations are done in the precision of the supplied arrays.

- **DEC**(*array-like, real (float/double)*) – Array of Declinations for the first set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0].

Must be of same precision type as RA.

- **CZ**(*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the first set of points. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the `speed of light`.

If `is_comoving_dist` is set, then CZ is interpreted as the co-moving distance, rather than (Speed Of Light * Redshift).

- **RAND_RA**(*array-like, real (float/double)*) – The array of Right Ascensions for the randoms. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Must be of same precision type as RA/DEC/CZ.

- **RAND_DEC**(*array-like, real (float/double)*) – Array of Declinations for the randoms. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0].

Must be of same precision type as RA/DEC/CZ.

- **RAND_CZ**(*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the randoms. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the `speed of light`.

If `is_comoving_dist` is set, then CZ2 is interpreted as the co-moving distance, rather than (Speed Of Light * Redshift).

Note: `RAND_RA`, `RAND_DEC` and `RAND_CZ` are only used when the

`centers_file` needs to be written out. In that case, the `RAND_RA`, `RAND_DEC`, and `RAND_CZ` are used as random centers.

- **verbose**(*boolean (default false)*) – Boolean flag to control output of informational messages
- **is_comoving_dist**(*boolean (default false)*) – Boolean flag to indicate that `cz` values have already been converted into co-moving distances. This flag allows arbitrary cosmologies to be used in `Corrfunc`.
- **(xyz)bin_refine_factor** (*integer, default is (1, 1, 1); typically in [1-2]*) – Controls the refinement on the cell sizes. Higher numbers might have a negative impact on runtime.

Note: Since the counts in spheres calculation is symmetric in all 3 dimensions, the defaults are different from the clustering routines.

- **max_cells_per_dim** (*integer, default is 100, typical values in [50–300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rmax` is too small relative to the boxsize (and increasing helps the runtime).

- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string, case-insensitive (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available).

Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing `[rmax, pN[numpN]]` with `nbins` elements. Each row contains the maximum radius of the sphere and the `numpN` elements in the `pN` array. Each element of this array contains the probability that a sphere of radius `rmax` contains *exactly* `N` galaxies. For example, `pN[0]` (`p0`, the void probability function) is the probability that a sphere of radius `rmax` contains 0 galaxies.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import math
>>> from os.path import dirname, abspath, join as pjoin
>>> import numpy as np
>>> import Corrfunc
>>> from Corrfunc.mocks.vpf_mock import vpf_mock
>>> rmax = 10.0
>>> nbins = 10
>>> numbins_to_print = nbins
>>> nspheres = 10000
>>> numpN = 6
>>> threshold_ngb = 1 # does not matter since we have the centers
>>> cosmology = 1 # LasDamas cosmology
>>> centers_file = pjoin(dirname(abspath(Corrfunc.__file__)),
...                      "../mocks/tests/data/",
...                      "Mr19_centers_xyz_forVPF_rmax_10Mpc.txt")
>>> N = 1000000
>>> boxsize = 420.0
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
```

(continues on next page)

(continued from previous page)

```

>>> Y = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
>>> Z = np.random.uniform(-0.5*boxsize, 0.5*boxsize, N)
>>> CZ = np.sqrt(X*X + Y*Y + Z*Z)
>>> inv_cz = 1.0/CZ
>>> X *= inv_cz
>>> Y *= inv_cz
>>> Z *= inv_cz
>>> DEC = 90.0 - np.arccos(Z)*180.0/math.pi
>>> RA = (np.arctan2(Y, X)*180.0/math.pi) + 180.0
>>> results = vpf_mocks(rmax, nbins, nspheres, numpN, threshold_ngb,
...                     centers_file, cosmology,
...                     RA, DEC, CZ,
...                     RA, DEC, CZ,
...                     is_comoving_dist=True)
>>> for r in results:
...     print("{0:10.1f} ".format(r[0]), end="")
...     # doctest: +NORMALIZE_WHITESPACE
...     for pn in r[1]:
...         print("{0:10.3f} ".format(pn), end="")
...         # doctest: +NORMALIZE_WHITESPACE
...     print("") # doctest: +NORMALIZE_WHITESPACE
1.0      0.999      0.001      0.000      0.000      0.000      0.000
2.0      0.992      0.007      0.001      0.000      0.000      0.000
3.0      0.982      0.009      0.005      0.002      0.001      0.000
4.0      0.975      0.006      0.006      0.005      0.003      0.003
5.0      0.971      0.004      0.003      0.003      0.004      0.003
6.0      0.967      0.003      0.003      0.001      0.003      0.002
7.0      0.962      0.004      0.002      0.003      0.002      0.001
8.0      0.958      0.004      0.002      0.003      0.001      0.002
9.0      0.953      0.003      0.003      0.002      0.003      0.001
10.0     0.950      0.003      0.002      0.002      0.001      0.002

```

`Corrfunc.mocks.DDsmu_mocks` (*autocorr*, *cosmology*, *nthreads*, *mu_max*, *nmu_bins*, *binfile*, *RA1*, *DEC1*, *CZ1*, *weights1=None*, *RA2=None*, *DEC2=None*, *CZ2=None*, *weights2=None*, *is_comoving_dist=False*, *verbose=False*, *output_savg=False*, *fast_divide_and_NR_steps=0*, *xbin_refine_factor=2*, *ybin_refine_factor=2*, *zbin_refine_factor=1*, *max_cells_per_dim=100*, *copy_particles=True*, *enable_min_sep_opt=True*, *c_api_timer=False*, *isa=u'fastest'*, *weight_type=None*)

Calculate the 2-D pair-counts corresponding to the correlation function, $\xi(s, \mu)$. The pairs are counted in bins of radial separation and cosine of angle to the line-of-sight (LOS). The input positions are expected to be on-sky co-ordinates. This module is suitable for calculating correlation functions for mock catalogs.

If *weights* are provided, the resulting pair counts are weighted. The weighting scheme depends on *weight_type*.

Returns a numpy structured array containing the pair counts for the specified bins.

Note: This module only returns pair counts and not the actual correlation function $\xi(s, \mu)$. See the utilities `Corrfunc.utils.convert_3d_counts_to_cf` for computing $\xi(s, \mu)$ from the pair counts.

New in version 2.1.0.

Parameters

- **autocorr** (*boolean*, *required*) – Boolean flag for auto/cross-correlation. If auto-

corr is set to 1, then the second set of particle positions are not required.

- **cosmology** (*integer, required*) – Integer choice for setting cosmology. Valid values are 1->LasDamas cosmology and 2->Planck cosmology. If you need arbitrary cosmology, easiest way is to convert the CZ values into co-moving distance, based on your preferred cosmology. Set `is_comoving_dist=True`, to indicate that the co-moving distance conversion has already been done.

Choices:

1. LasDamas cosmology. $\Omega_m = 0.25$, $\Omega_\Lambda = 0.75$
2. Planck cosmology. $\Omega_m = 0.302$, $\Omega_\Lambda = 0.698$

To setup a new cosmology, add an entry to the function, `init_cosmology` in `ROOT/`
`utils/cosmology_params.c` and re-install the entire package.

- **nthreads** (*integer*) – The number of OpenMP threads to use. Has no effect if OpenMP was not enabled during library compilation.
- **mu_max** (*double. Must be in range [0.0, 1.0]*) – A double-precision value for the maximum cosine of the angular separation from the line of sight (LOS). Here, μ is defined as the angle between s and l . If v_1 and v_2 represent the vectors to each point constituting the pair, then $s := v_1 - v_2$ and $l := 1/2(v_1 + v_2)$.

Note: Only pairs with $0 \leq \cos(\theta_{LOS}) < \mu_{max}$ are counted (no equality).

- **nmubins** (*int*) – The number of linear μ bins, with the bins ranging from from (0, μ_{max})
- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the s bins for `DDsmu_mocks`. The file should contain white-space separated values of (smin, smax) specifying each s bin wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of s values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **RA1** (*array-like, real (float/double)*) – The array of Right Ascensions for the first set of points. RA's are expected to be in $[0.0, 360.0]$, but the code will try to fix cases where the RA's are in $[-180, 180.0]$. For peace of mind, always supply RA's in $[0.0, 360.0]$.

Calculations are done in the precision of the supplied arrays.

- **DEC1** (*array-like, real (float/double)*) – Array of Declinations for the first set of points. DEC's are expected to be in the $[-90.0, 90.0]$, but the code will try to fix cases where the DEC's are in $[0.0, 180.0]$. Again, for peace of mind, always supply DEC's in $[-90.0, 90.0]$.

Must be of same precision type as RA1.

- **CZ1** (*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the first set of points. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the speed of light.

If `is_comoving_dist` is set, then CZ1 is interpreted as the co-moving distance, rather than `cz`.

- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (n_weights, n_positions) or (n_positions,). `weight_type` specifies how these weights are used; results are returned in the `weightavg` field. If only one of `weights1` or `weights2` is specified, the other will be set to uniform weights.

- **RA2** (*array-like, real (float/double)*) – The array of Right Ascensions for the second set of points. RA's are expected to be in [0.0, 360.0], but the code will try to fix cases where the RA's are in [-180, 180.0]. For peace of mind, always supply RA's in [0.0, 360.0].

Must be of same precision type as RA1/DEC1/CZ1.

- **DEC2** (*array-like, real (float/double)*) – Array of Declinations for the second set of points. DEC's are expected to be in the [-90.0, 90.0], but the code will try to fix cases where the DEC's are in [0.0, 180.0]. Again, for peace of mind, always supply DEC's in [-90.0, 90.0].

Must be of same precision type as RA1/DEC1/CZ1.

- **CZ2** (*array-like, real (float/double)*) – Array of (Speed Of Light * Redshift) values for the second set of points. Code will try to detect cases where `redshifts` have been passed and multiply the entire array with the `speed of light`.

If `is_comoving_dist` is set, then CZ2 is interpreted as the co-moving distance, rather than `cz`.

Must be of same precision type as RA1/DEC1/CZ1.

- **weights2** (*array-like, real (float/double), optional*) – Same as `weights1`, but for the second set of positions
- **is_comoving_dist** (*boolean (default false)*) – Boolean flag to indicate that `cz` values have already been converted into co-moving distances. This flag allows arbitrary cosmologies to be used in Corrfunc.
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_savg** (*boolean (default false)*) – Boolean flag to output the average `s` for each bin. Code will run slower if you set this flag. Also, note, if you are calculating in single-precision, `savg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `savg` values, then pass in double precision arrays for the particle positions.
- **fast_divide_and_NR_steps** (*integer (default 0)*) – Replaces the division in AVX implementation with an approximate reciprocal, followed by `fast_divide_and_NR_steps` of Newton-Raphson. Can improve runtime by ~15-20% on older computers. Value of 0 uses the standard division operation.
- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rpmax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string, case-insensitive (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: [fastest, avx512f, avx, sse42, fallback]

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available).

Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

- **weight_type** (*string, optional (default None)*) – The type of weighting to apply. One of ["pair_product", None].

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing [smin, smax, savg, mumax, npairs, weightavg]. There are a total of `nmu_bins` in `mu` for each separation bin specified in the `binfile`, with `mumax` being the upper limit of the `mu` bin. If `output_savg` is not set, then `savg` will be set to 0.0 for all bins; similarly for `weightavg`. `npairs` contains the number of pairs in that bin and can be used to compute the actual $\xi(s, \mu)$ by combining with (DR, RR) counts.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Corrfunc.theory package

Wrapper for all clustering statistic calculations on galaxies in a simulation volume.

```
Corrfunc.theory.DD(autocorr, nthreads, binfile, X1, Y1, Z1, weights1=None, periodic=True,
    boxsize=None, X2=None, Y2=None, Z2=None, weights2=None, ver-
    bose=False, output_ravg=False, xbin_refine_factor=2, ybin_refine_factor=2,
    zbin_refine_factor=1, max_cells_per_dim=100, copy_particles=True, en-
    able_min_sep_opt=True, c_api_timer=False, isa=u'fastest', weight_type=None)
```

Calculate the 3-D pair-counts corresponding to the real-space correlation function, $\xi(r)$.

If `weights` are provided, the mean pair weight is stored in the "weightavg" field of the results array. The raw pair counts in the "npairs" field are not weighted. The weighting scheme depends on `weight_type`.

Note: This module only returns pair counts and not the actual correlation function $\xi(r)$. See [Corrfunc.utils.convert_3d_counts_to_cf](#) for computing $\xi(r)$ from the pair counts returned.

Parameters

- **autocorr** (*boolean, required*) – Boolean flag for auto/cross-correlation. If `autocorr` is set to 1, then the second set of particle positions are not required.
- **nthreads** (*integer*) – The number of OpenMP threads to use. Has no effect if OpenMP was not enabled during library compilation.
- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the `r` bins for DD. The file should contain white-space separated values of (rmin, rmax) for each `r` wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of `r` values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **x1/y1/z1** (*array_like, real (float/double)*) – The array of X/Y/Z positions for the first set of points. Calculations are done in the precision of the supplied arrays.
- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (n_weights, n_positions) or (n_positions,). `weight_type` specifies how these weights are used; results are returned in the `weightavg` field. If only one of `weights1` and `weights2` is specified, the other will be set to uniform weights.
- **periodic** (*boolean*) – Boolean flag to indicate periodic boundary conditions.
- **boxsize** (*double or 3-tuple of double, required if periodic=True*) – The (X,Y,Z) side lengths of the spatial domain. Present to facilitate exact calculations for periodic wrapping. A scalar `boxsize` will be broadcast to a 3-tuple. If the `boxsize` in a dimension is 0., then then that dimension's wrap is done based on the extent of the particle distribution. If the `boxsize` in a dimension is -1., then periodicity is disabled for that dimension.

Changed in version 2.4.0: Required if `periodic=True`.

Changed in version 2.5.0: Accepts a 3-tuple of side lengths.

- **x2/y2/z2** (*array-like, real (float/double)*) – Array of XYZ positions for the second set of points. *Must* be the same precision as the X1/Y1/Z1 arrays. Only required when `autocorr==0`.
- **weights2** (*array-like, real (float/double), optional*) – Same as `weights1`, but for the second set of positions
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_ravg** (*boolean (default false)*) – Boolean flag to output the average `r` for each bin. Code will run slower if you set this flag.

Note: If you are calculating in single-precision, `ravg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `ravg` values, then pass in double precision arrays for the particle positions.

- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rmax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.

- **isa** (string (default fastest)) – Controls the runtime dispatch for the instruction set to use. Options are: [fastest, avx512f, avx, sse42, fallback]

Setting isa to fastest will pick the fastest available instruction set on the current computer. However, if you set isa to, say, avx and avx is not available on the computer, then the code will revert to using fallback (even though sse42 might be available). Unless you are benchmarking the different instruction sets, you should always leave isa to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

- **weight_type** (string, optional. Default: None.) – The type of weighting to apply. One of ["pair_product", None].

Returns

- **results** (Numpy structured array) – A numpy structured array containing [rmin, rmax, ravg, npairs, weightavg] for each radial bin specified in the binfile. If output_ravg is not set, then ravg will be set to 0.0 for all bins; similarly for weightavg. npairs contains the number of pairs in that bin and can be used to compute the actual $\xi(r)$ by combining with (DR, RR) counts.
- **api_time** (float, optional) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.DD import DD
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../theory/tests/", "bins")
>>> N = 10000
>>> boxsize = 420.0
>>> nthreads = 4
>>> autocorr = 1
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> weights = np.ones_like(X)
>>> results = DD(autocorr, nthreads, binfile, X, Y, Z, weights1=weights,
...             weight_type='pair_product', output_ravg=True,
...             boxsize=boxsize, periodic=True)
>>> for r in results: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10d} {4:10.6f}".
...                         format(r['rmin'], r['rmax'], r['ravg'],
...                                r['npairs'], r['weightavg'])) # doctest: +NORMALIZE_
↪ WHITESPACE
0.167536 0.238755 0.000000 0 0.000000
0.238755 0.340251 0.000000 0 0.000000
0.340251 0.484892 0.000000 0 0.000000
0.484892 0.691021 0.000000 0 0.000000
0.691021 0.984777 0.945372 2 1.000000
0.984777 1.403410 1.340525 10 1.000000
1.403410 2.000000 1.732968 36 1.000000
```

(continues on next page)

(continued from previous page)

2.000000	2.850200	2.549059	52	1.000000
2.850200	4.061840	3.559061	210	1.000000
4.061840	5.788530	4.996275	670	1.000000
5.788530	8.249250	7.124926	2156	1.000000
8.249250	11.756000	10.201393	5990	1.000000
11.756000	16.753600	14.517498	17736	1.000000
16.753600	23.875500	20.716714	50230	1.000000

`Corrfunc.theory.DDrppi` (*autocorr*, *nthreads*, *pimax*, *binfile*, *X1*, *Y1*, *Z1*, *weights1*=None, *periodic*=True, *boxsize*=None, *X2*=None, *Y2*=None, *Z2*=None, *weights2*=None, *verbose*=False, *output_rpavg*=False, *xbin_refine_factor*=2, *ybin_refine_factor*=2, *zbin_refine_factor*=1, *max_cells_per_dim*=100, *copy_particles*=True, *enable_min_sep_opt*=True, *c_api_timer*=False, *isa*=u'fastest', *weight_type*=None)

Calculate the 3-D pair-counts corresponding to the real-space correlation function, $\xi(r_p, \pi)$ or $\wp(r_p)$. Pairs which are separated by less than the *rp* bins (specified in *binfile*) in the X-Y plane, and less than *pimax* in the Z-dimension are counted.

If *weights* are provided, the mean pair weight is stored in the "weightavg" field of the results array. The raw pair counts in the "npairs" field are not weighted. The weighting scheme depends on *weight_type*.

Note: that this module only returns pair counts and not the actual correlation function $\xi(r_p, \pi)$ or $\wp(r_p)$. See the utilities `Corrfunc.utils.convert_3d_counts_to_cf` and `Corrfunc.utils.convert_rp_pi_counts_to_wp` for computing $\xi(r_p, \pi)$ and $\wp(r_p)$ respectively from the pair counts.

Parameters

- **autocorr** (*boolean*, *required*) – Boolean flag for auto/cross-correlation. If autocorr is set to 1, then the second set of particle positions are not required.
- **nthreads** (*integer*) – The number of OpenMP threads to use. Has no effect if OpenMP was not enabled during library compilation.
- **pimax** (*double*) – A double-precision value for the maximum separation along the Z-dimension.

Distances along the π direction are binned with unit depth. For instance, if *pimax*=40, then 40 bins will be created along the π direction.

Note: Only pairs with $0 \leq dz < pimax$ are counted (no equality).

- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the *rp* bins for DDrppi. The file should contain white-space separated values of (*rpmin*, *rpmax*) for each *rp* wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of *rp* values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **X1/Y1/Z1** (*array-like, real (float/double)*) – The array of X/Y/Z positions for the first set of points. Calculations are done in the precision of the supplied arrays.
- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (*n_weights*, *n_positions*) or (*n_positions*,). *weight_type* specifies how these weights are used; results are returned in the *weightavg* field. If only one of *weights1* and *weights2* is specified, the other will be set to uniform weights.

- **periodic** (*boolean*) – Boolean flag to indicate periodic boundary conditions.
- **boxsize** (*double or 3-tuple of double, required if periodic=True*) – The (X,Y,Z) side lengths of the spatial domain. Present to facilitate exact calculations for periodic wrapping. A scalar `boxsize` will be broadcast to a 3-tuple. If the `boxsize` in a dimension is 0., then then that dimension's wrap is done based on the extent of the particle distribution. If the `boxsize` in a dimension is -1., then periodicity is disabled for that dimension.

Changed in version 2.4.0: Required if `periodic=True`.

Changed in version 2.5.0: Accepts a 3-tuple of side lengths.

- **x2/y2/z2** (*array-like, real (float/double)*) – Array of XYZ positions for the second set of points. *Must* be the same precision as the X1/Y1/Z1 arrays. Only required when `autocorr==0`.
- **weights2** (*array-like, real (float/double), optional*) – Same as `weights1`, but for the second set of positions
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_rpavg** (*boolean (default false)*) – Boolean flag to output the average `rp` for each bin. Code will run slower if you set this flag.

Note: If you are calculating in single-precision, `rpavg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `rpavg` values, then pass in double precision arrays for the particle positions.

- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rpmax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to `False`, the particles will be re-ordered in-place

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available). Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an `enum` for the instruction set defined in `utils/defs.h`.

- **weight_type** (*string, optional. Default: None.*) – The type of weighting to apply. One of ["pair_product", None].

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing [rmin, rmax, rpavg, pimax, npairs, weightavg] for each radial bin specified in the binfile. If output_rpavg is not set, then rpavg will be set to 0.0 for all bins; similarly for weightavg. npairs contains the number of pairs in that bin and can be used to compute $\xi(r_p, \pi)$ by combining with (DR, RR) counts.
- **api_time** (*float, optional*) – Only returned if c_api_timer is set. api_time measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.DDrppi import DDrppi
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../theory/tests/", "bins")
>>> N = 10000
>>> boxsize = 420.0
>>> nthreads = 4
>>> autocorr = 1
>>> pimax = 40.0
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> weights = np.ones_like(X)
>>> results = DDrppi(autocorr, nthreads, pimax, binfile,
...                 X, Y, Z, weights1=weights, weight_type='pair_product',
...                 output_rpavg=True, boxsize=boxsize, periodic=True)
>>> for r in results[519:]: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.1f}"
...                               " {4:10d} {5:10.6f}".format(r['rmin'], r['rmax']
...                               ↪'),
...                               r['rpavg'], r['pimax'], r['npairs'], r[
...                               ↪'weightavg'])
...
...                               # doctest: +NORMALIZE_WHITESPACE
11.756000 16.753600 14.388268 40.0 1142 1.000000
16.753600 23.875500 20.451822 1.0 2602 1.000000
16.753600 23.875500 20.603847 2.0 2366 1.000000
16.753600 23.875500 20.526435 3.0 2426 1.000000
16.753600 23.875500 20.478537 4.0 2460 1.000000
16.753600 23.875500 20.462300 5.0 2528 1.000000
16.753600 23.875500 20.535332 6.0 2524 1.000000
16.753600 23.875500 20.445645 7.0 2420 1.000000
16.753600 23.875500 20.476452 8.0 2358 1.000000
16.753600 23.875500 20.422480 9.0 2508 1.000000
16.753600 23.875500 20.466759 10.0 2474 1.000000
16.753600 23.875500 20.486209 11.0 2402 1.000000
16.753600 23.875500 20.371804 12.0 2418 1.000000
16.753600 23.875500 20.655139 13.0 2382 1.000000
```

(continues on next page)

(continued from previous page)

16.753600	23.875500	20.563170	14.0	2420	1.000000
16.753600	23.875500	20.530697	15.0	2452	1.000000
16.753600	23.875500	20.578696	16.0	2378	1.000000
16.753600	23.875500	20.475367	17.0	2342	1.000000
16.753600	23.875500	20.537281	18.0	2498	1.000000
16.753600	23.875500	20.528432	19.0	2506	1.000000
16.753600	23.875500	20.509429	20.0	2498	1.000000
16.753600	23.875500	20.512102	21.0	2546	1.000000
16.753600	23.875500	20.476031	22.0	2436	1.000000
16.753600	23.875500	20.437518	23.0	2350	1.000000
16.753600	23.875500	20.558304	24.0	2466	1.000000
16.753600	23.875500	20.532998	25.0	2476	1.000000
16.753600	23.875500	20.570077	26.0	2352	1.000000
16.753600	23.875500	20.532271	27.0	2370	1.000000
16.753600	23.875500	20.512475	28.0	2516	1.000000
16.753600	23.875500	20.484714	29.0	2456	1.000000
16.753600	23.875500	20.603416	30.0	2386	1.000000
16.753600	23.875500	20.505218	31.0	2480	1.000000
16.753600	23.875500	20.484996	32.0	2532	1.000000
16.753600	23.875500	20.515608	33.0	2548	1.000000
16.753600	23.875500	20.489220	34.0	2530	1.000000
16.753600	23.875500	20.494801	35.0	2384	1.000000
16.753600	23.875500	20.481582	36.0	2360	1.000000
16.753600	23.875500	20.369323	37.0	2544	1.000000
16.753600	23.875500	20.450425	38.0	2460	1.000000
16.753600	23.875500	20.587416	39.0	2396	1.000000
16.753600	23.875500	20.504153	40.0	2492	1.000000

`Corrfunc.theory.wp` (*boxsize*, *pimax*, *nthreads*, *binfile*, *X*, *Y*, *Z*, *weights=None*, *weight_type=None*, *verbose=False*, *output_rpavg=False*, *xbin_refine_factor=2*, *ybin_refine_factor=2*, *zbin_refine_factor=1*, *max_cells_per_dim=100*, *copy_particles=True*, *enable_min_sep_opt=True*, *c_api_timer=False*, *c_cell_timer=False*, *isa=u'fastest'*)

Function to compute the projected correlation function in a periodic cosmological box. Pairs which are separated by less than the *rp* bins (specified in *binfile*) in the X-Y plane, and less than *pimax* in the Z-dimension are counted.

If *weights* are provided, the resulting correlation function is weighted. The weighting scheme depends on *weight_type*.

Note: Pairs are double-counted. And if *rpm* is set to 0.0, then all the self-pairs (*i*'th particle with itself) are added to the first bin => minimum number of pairs in the first bin is the total number of particles.

Parameters

- **boxsize** (*double*) – A double-precision value for the boxsize of the simulation in same units as the particle positions and the *rp* bins.
- **pimax** (*double*) – A double-precision value for the maximum separation along the Z-dimension.

Note: Only pairs with $0 \leq dz < pimax$ are counted (no equality).

- **nthreads** (*integer*) – Number of threads to use.
- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the *rp* bins for *wp*. The file should contain white-space separated values of

(`rpmin`, `rpmax`) for each `rp` wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of `rp` values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **x/y/z** (*arraytype, real (float/double)*) – Particle positions in the 3 axes. Must be within `[0, boxsize]` and specified in the same units as `rp_bins` and `boxsize`. All 3 arrays must be of the same floating-point type.

Calculations will be done in the same precision as these arrays, i.e., calculations will be in floating point if XYZ are single precision arrays (C float type); or in double-precision if XYZ are double precision arrays (C double type).

- **weights** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (`n_weights`, `n_positions`) or (`n_positions`,). `weight_type` specifies how these weights are used; results are returned in the `weightavg` field.
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_rpavg** (*boolean (default false)*) – Boolean flag to output the average `rp` for each bin. Code will run slower if you set this flag.

Note: If you are calculating in single-precision, `rpavg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `rpavg` values, then pass in double precision arrays for the particle positions.

- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rpmax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **c_cell_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent **per cell-pair** within the C libraries. A very detailed timer that stores information about the number of particles in each cell, the thread id that processed that cell-pair and the amount of time in nano-seconds taken to process that cell pair. This timer can be used to study the instruction set efficiency, and load-balancing of the code.
- **isa** (*string (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available). Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an `enum` for the instruction set defined in `utils/defs.h`.

- **weight_type** (*string, optional. Default: None.*) – The type of weighting to apply. One of [`"pair_product"`, `None`].

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing [`rpmin`, `rpmax`, `rpavg`, `wp`, `npairs`, `weightavg`] for each radial specified in the `binfile`. If `output_rpavg` is not set then `rpavg` will be set to 0.0 for all bins; similarly for `weightavg`. `wp` contains the projected correlation function while `npairs` contains the number of unique pairs in that bin. If using weights, `wp` will be weighted while `npairs` will not be.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.
- **cell_time** (*list, optional*) – Only returned if `c_cell_timer` is set. Contains detailed stats about each cell-pair visited during pair-counting, viz., number of particles in each of the cells in the pair, 1-D cell-indices for each cell in the pair, time (in nano-seconds) to process the pair and the thread-id for the thread that processed that cell-pair.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.wp import wp
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../theory/tests/", "bins")
>>> N = 10000
>>> boxsize = 420.0
>>> pimax = 40.0
>>> nthreads = 4
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> results = wp(boxsize, pimax, nthreads, binfile, X, Y, Z, weights=np.ones_
↳ like(X), weight_type='pair_product')
>>> for r in results:
...     print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.6f} {4:10d} {5:10.6f}".
...           format(r['rmin'], r['rmax'],
...                 r['rpavg'], r['wp'], r['npairs'], r['weightavg']))
...     # doctest: +NORMALIZE_WHITESPACE
0.167536 0.238755 0.000000 66.717143      18  1.000000
0.238755 0.340251 0.000000 -15.786045     16  1.000000
0.340251 0.484892 0.000000  2.998470     42  1.000000
0.484892 0.691021 0.000000 -15.779885     66  1.000000
0.691021 0.984777 0.000000 -11.966728    142  1.000000
```

(continues on next page)

(continued from previous page)

0.984777	1.403410	0.000000	-9.699906	298	1.000000
1.403410	2.000000	0.000000	-11.698771	588	1.000000
2.000000	2.850200	0.000000	3.848375	1466	1.000000
2.850200	4.061840	0.000000	-0.921452	2808	1.000000
4.061840	5.788530	0.000000	0.454851	5802	1.000000
5.788530	8.249250	0.000000	1.428344	11926	1.000000
8.249250	11.756000	0.000000	-1.067885	23478	1.000000
11.756000	16.753600	0.000000	-0.553319	47994	1.000000
16.753600	23.875500	0.000000	-0.086433	98042	1.000000

`Corrfunc.theory.xi` (*boxsize*, *nthreads*, *binfile*, *X*, *Y*, *Z*, *weights=None*, *weight_type=None*, *verbose=False*, *output_ravg=False*, *xbin_refine_factor=2*, *ybin_refine_factor=2*, *zbin_refine_factor=1*, *max_cells_per_dim=100*, *copy_particles=True*, *enable_min_sep_opt=True*, *c_api_timer=False*, *isa=u'fastest'*)

Function to compute the correlation function in a periodic cosmological box. Pairs which are separated by less than the *r* bins (specified in *binfile*) in 3-D real space.

If *weights* are provided, the resulting correlation function is weighted. The weighting scheme depends on *weight_type*.

Note: Pairs are double-counted. And if *rmin* is set to 0.0, then all the self-pairs (i'th particle with itself) are added to the first bin => minimum number of pairs in the first bin is the total number of particles.

Parameters

- **boxsize** (*double*) – A double-precision value for the boxsize of the simulation in same units as the particle positions and the *r* bins.
- **nthreads** (*integer*) – Number of threads to use.
- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the *r* bins for *xi*. The file should contain white-space separated values of (*rmin*, *rmax*) for each *r* wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of *r* values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **X/Y/Z** (*arraytype, real (float/double)*) – Particle positions in the 3 axes. Must be within [0, *boxsize*] and specified in the same units as *rp_bins* and *boxsize*. All 3 arrays must be of the same floating-point type.

Calculations will be done in the same precision as these arrays, i.e., calculations will be in floating point if XYZ are single precision arrays (C float type); or in double-precision if XYZ are double precision arrays (C double type).

- **weights** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (*n_weights*, *n_positions*) or (*n_positions*,). *weight_type* specifies how these weights are used; results are returned in the *weightavg* field.
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_ravg** (*boolean (default false)*) – Boolean flag to output the average *r* for each bin. Code will run slower if you set this flag.

Note: If you are calculating in single-precision, `rpavg` will suffer from numerical loss of precision and can not be trusted. If you need accurate `rpavg` values, then pass in double precision arrays for the particle positions.

- **(xyz)bin_refine_factor** (*integer, default is (2,2,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rmax` is too small relative to the boxsize (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place.

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available). Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

- **weight_type** (*string, optional, Default: None.*) – The type of weighting to apply. One of `["pair_product", None]`.

Returns

- **results** (*Numpy structured array*) – A numpy structured array containing `[rmin, rmax, ravg, xi, npairs, weightavg]` for each radial specified in the `binfile`. If `output_ravg` is not set then `ravg` will be set to 0.0 for all bins; similarly for `weightavg`. `xi` contains the correlation function while `npairs` contains the number of pairs in that bin. If using weights, `xi` will be weighted while `npairs` will not be.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.xi import xi
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
```

(continues on next page)

(continued from previous page)

```

...                               "../theory/tests/", "bins")
>>> N = 100000
>>> boxsize = 420.0
>>> nthreads = 4
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> weights = np.ones_like(X)
>>> results = xi(boxsize, nthreads, binfile, X, Y, Z, weights=weights, weight_
↳type='pair_product', output_ravg=True)
>>> for r in results: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.6f} {4:10d}
↳{5:10.6f}")
...                               .format(r['rmin'], r['rmax'],
...                               r['ravg'], r['xi'], r['npairs'], r['weightavg']))
...                               # doctest: +NORMALIZE_WHITESPACE
0.167536  0.238755  0.226592  -0.205733      4  1.000000
0.238755  0.340251  0.289277  -0.176729     12  1.000000
0.340251  0.484892  0.426819  -0.051829     40  1.000000
0.484892  0.691021  0.596187  -0.131853    106  1.000000
0.691021  0.984777  0.850100  -0.049207    336  1.000000
0.984777  1.403410  1.225112  0.028543   1052  1.000000
1.403410  2.000000  1.737153  0.011403   2994  1.000000
2.000000  2.850200  2.474588  0.005405   8614  1.000000
2.850200  4.061840  3.532018  -0.014098  24448  1.000000
4.061840  5.788530  5.022241  -0.010784  70996  1.000000
5.788530  8.249250  7.160648  -0.001588  207392  1.000000
8.249250 11.756000 10.207213  -0.000323  601002  1.000000
11.756000 16.753600 14.541171  0.000007 1740084  1.000000
16.753600 23.875500 20.728773 -0.001595 5028058  1.000000

```

`Corrfunc.theory.vpf(rmax, nbins, nspheres, numpN, seed, X, Y, Z, verbose=False, periodic=True, boxsize=None, xbin_refine_factor=1, ybin_refine_factor=1, zbin_refine_factor=1, max_cells_per_dim=100, copy_particles=True, c_api_timer=False, isa='fastest')`

Function to compute the counts-in-cells on 3-D real-space points.

Returns a numpy structured array containing the probability of a sphere of radius up to `rmax` containing `[0, numpN-1]` galaxies.

Parameters

- **rmax** (*double*) – Maximum radius of the sphere to place on the particles
- **nbins** (*integer*) – Number of bins in the counts-in-cells. Radius of first shell is `rmax/nbins`
- **nspheres** (*integer* (≥ 0)) – Number of random spheres to place within the particle distribution. For a small number of spheres, the error is larger in the measured `pN`'s.
- **numpN** (*integer* (≥ 1)) – Governs how many unique `pN`'s are to be returned. If `numpN` is set to 1, then only the `vpf(p0)` is returned. For `numpN=2`, `p0` and `p1` are returned.

More explicitly, the columns in the results look like the following:

numpN	Columns in output
1	p0
2	p0 p1
3	p0 p1 p2
4	p0 p1 p2 p3

and so on...

Note: p0 is the vpf

- **seed** (*unsigned integer*) – Random number seed for the underlying GSL random number generator. Used to draw centers of the spheres.
- **X/Y/Z** (*arraytype, real (float/double)*) – Particle positions in the 3 axes. Must be within [0, boxsize] and specified in the same units as `rp_bins` and `boxsize`. All 3 arrays must be of the same floating-point type.

Calculations will be done in the same precision as these arrays, i.e., calculations will be in floating point if XYZ are single precision arrays (C float type); or in double-precision if XYZ are double precision arrays (C double type).

- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **periodic** (*boolean*) – Boolean flag to indicate periodic boundary conditions.
- **boxsize** (*double or 3-tuple of double, required if periodic=True*) – The (X,Y,Z) side lengths of the spatial domain. Present to facilitate exact calculations for periodic wrapping. A scalar `boxsize` will be broadcast to a 3-tuple. If the `boxsize` in a dimension is 0., then then that dimension's wrap is done based on the extent of the particle distribution. If the `boxsize` in a dimension is -1., then periodicity is disabled for that dimension.

Changed in version 2.4.0: Required if `periodic=True`.

Changed in version 2.5.0: Accepts a 3-tuple of side lengths.

- **(xyz)bin_refine_factor** (*integer, default is (1,1,1); typically within [1-3]*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.

Note: Since the counts in spheres calculation is symmetric in all 3 dimensions, the defaults are different from the clustering routines.

- **max_cells_per_dim** (*integer, default is 100, typical values in [50-300]*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rmax` is too small relative to the `boxsize` (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: [fastest, avx512f, avx, sse42, fallback]

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then

the code will revert to using `fallback` (even though `sse42` might be available). Unless you are benchmarking the different instruction sets, you should always leave `isa` to the default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

Returns

results – A numpy structured array containing `[rmax, pN[numpN]]` with `nbins` elements. Each row contains the maximum radius of the sphere and the `numpN` elements in the `pN` array. Each element of this array contains the probability that a sphere of radius `rmax` contains *exactly* `N` galaxies. For example, `pN[0]` (`p0`, the void probability function) is the probability that a sphere of radius `rmax` contains zero galaxies.

if `c_api_timer` is set, then the return value is a tuple containing (results, `api_time`). `api_time` measures only the time spent within the C library and ignores all python overhead.

Return type Numpy structured array

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from Corrfunc.theory.vpf import vpf
>>> rmax = 10.0
>>> nbins = 10
>>> nspheres = 10000
>>> numpN = 5
>>> seed = -1
>>> N = 100000
>>> boxsize = 420.0
>>> seed = 42
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> results = vpf(rmax, nbins, nspheres, numpN, seed, X, Y, Z,
...             boxsize=boxsize, periodic=True)
>>> for r in results:
...     print("{0:10.1f} ".format(r[0]), end="")
...     # doctest: +NORMALIZE_WHITESPACE
...     for pn in r[1]:
...         print("{0:10.3f} ".format(pn), end="")
...         # doctest: +NORMALIZE_WHITESPACE
...     print("") # doctest: +NORMALIZE_WHITESPACE
1.0      0.995      0.005      0.000      0.000      0.000
2.0      0.955      0.044      0.001      0.000      0.000
3.0      0.858      0.129      0.012      0.001      0.000
4.0      0.696      0.252      0.047      0.005      0.001
5.0      0.493      0.347      0.127      0.028      0.005
6.0      0.295      0.363      0.219      0.091      0.026
7.0      0.141      0.285      0.265      0.178      0.085
8.0      0.056      0.159      0.227      0.229      0.161
9.0      0.019      0.066      0.135      0.191      0.193
10.0     0.003      0.019      0.054      0.105      0.150
```

```
Corrfunc.theory.DDsmu(autocorr, nthreads, binfile, mu_max, nmu_bins, X1, Y1, Z1,  
                     weights1=None, periodic=True, boxsize=None, X2=None, Y2=None,  
                     Z2=None, weights2=None, verbose=False, output_savg=False,  
                     fast_divide_and_NR_steps=0, xbin_refine_factor=2, ybin_refine_factor=2,  
                     zbin_refine_factor=1, max_cells_per_dim=100, copy_particles=True,  
                     enable_min_sep_opt=True, c_api_timer=False, isa=u'fastest',  
                     weight_type=None)
```

Calculate the 2-D pair-counts corresponding to the redshift-space correlation function, $\xi(s, \mu)$. Pairs which are separated by less than the s bins (specified in `binfile`) in 3-D, and less than $s * \mu_{\max}$ in the Z-dimension are counted.

If `weights` are provided, the mean pair weight is stored in the "weightavg" field of the results array. The raw pair counts in the "npairs" field are not weighted. The weighting scheme depends on `weight_type`.

Note: This module only returns pair counts and not the actual correlation function $\xi(s, \mu)$. See the utilities `Corrfunc.utils.convert_3d_counts_to_cf` for computing $\xi(s, \mu)$ from the pair counts.

New in version 2.1.0.

Parameters

- **autocorr** (*boolean, required*) – Boolean flag for auto/cross-correlation. If autocorr is set to 1, then the second set of particle positions are not required.
- **nthreads** (*integer*) – The number of OpenMP threads to use. Has no effect if OpenMP was not enabled during library compilation.
- **binfile** (*string or an list/array of floats*) – For string input: filename specifying the s bins for DDsmu_mocks. The file should contain white-space separated values of (smin, smax) specifying each s bin wanted. The bins need to be contiguous and sorted in increasing order (smallest bins come first).

For array-like input: A sequence of s values that provides the bin-edges. For example, `np.logspace(np.log10(0.1), np.log10(10.0), 15)` is a valid input specifying 14 (logarithmic) bins between 0.1 and 10.0. This array does not need to be sorted.

- **mu_max** (*double. Must be in range (0.0, 1.0]*) – A double-precision value for the maximum cosine of the angular separation from the line of sight (LOS). Here, LOS is taken to be along the Z direction.

Note: Only pairs with $0 \leq \cos(\theta_{LOS}) < \mu_{\max}$ are counted (no equality).

- **nmu_bins** (*int*) – The number of linear μ bins, with the bins ranging from from (0, μ_{\max})
- **X1/Y1/Z1** (*array-like, real (float/double)*) – The array of X/Y/Z positions for the first set of points. Calculations are done in the precision of the supplied arrays.
- **weights1** (*array_like, real (float/double), optional*) – A scalar, or an array of weights of shape (n_weights, n_positions) or (n_positions,). `weight_type` specifies how these weights are used; results are returned in the `weightavg` field. If only one of `weights1` and `weights2` is specified, the other will be set to uniform weights.
- **periodic** (*boolean*) – Boolean flag to indicate periodic boundary conditions.
- **boxsize** (*double, required if periodic=True*) – The (X,Y,Z) side lengths of the spatial domain. Present to facilitate exact calculations for periodic wrapping. A scalar `boxsize` will be broadcast to a 3-tuple. If the `boxsize` in a dimension is 0., then then that dimension's

wrap is done based on the extent of the particle distribution. If the boxsize in a dimension is -1., then periodicity is disabled for that dimension.

Changed in version 2.4.0: Required if `periodic=True`.

Changed in version 2.5.0: Accepts a 3-tuple of side lengths.

- **boxsize** – The side-length of the cube in the cosmological simulation. Present to facilitate exact calculations for periodic wrapping. If boxsize is 0., then the wrapping is done based on the maximum difference within each dimension of the X/Y/Z arrays.

Changed in version 2.4.0: Required if `periodic=True`.

- **x2/y2/z2** (*array-like, real (float/double)*) – Array of XYZ positions for the second set of points. *Must* be the same precision as the X1/Y1/Z1 arrays. Only required when `autocorr==0`.
- **weights2** (*array-like, real (float/double), optional*) – Same as `weights1`, but for the second set of positions
- **verbose** (*boolean (default false)*) – Boolean flag to control output of informational messages
- **output_savg** (*boolean (default false)*) – Boolean flag to output the average `s` for each bin. Code will run slower if you set this flag. Also, note, if you are calculating in single-precision, `s` will suffer from numerical loss of precision and can not be trusted. If you need accurate `s` values, then pass in double precision arrays for the particle positions.
- **fast_divide_and_NR_steps** (*integer (default 0)*) – Replaces the division in AVX implementation with an approximate reciprocal, followed by `fast_divide_and_NR_steps` of Newton-Raphson. Can improve runtime by ~15-20% on older computers. Value of 0 uses the standard division operation.
- **(xyz)bin_refine_factor** (*integer (default (2,2,1) typical values in [1-3])*) – Controls the refinement on the cell sizes. Can have up to a 20% impact on runtime.
- **max_cells_per_dim** (*integer (default 100, typical values in [50-300])*) – Controls the maximum number of cells per dimension. Total number of cells can be up to $(\text{max_cells_per_dim})^3$. Only increase if `rmax` is too small relative to the boxsize (and increasing helps the runtime).
- **copy_particles** (*boolean (default True)*) – Boolean flag to make a copy of the particle positions. If set to False, the particles will be re-ordered in-place

New in version 2.3.0.

- **enable_min_sep_opt** (*boolean (default true)*) – Boolean flag to allow optimizations based on min. separation between pairs of cells. Here to allow for comparison studies.

New in version 2.3.0.

- **c_api_timer** (*boolean (default false)*) – Boolean flag to measure actual time spent in the C libraries. Here to allow for benchmarking and scaling studies.
- **isa** (*string (default fastest)*) – Controls the runtime dispatch for the instruction set to use. Options are: `[fastest, avx512f, avx, sse42, fallback]`

Setting `isa` to `fastest` will pick the fastest available instruction set on the current computer. However, if you set `isa` to, say, `avx` and `avx` is not available on the computer, then the code will revert to using `fallback` (even though `sse42` might be available). Unless you are benchmarking the different instruction sets, you should always leave `isa` to the

default value. And if you *are* benchmarking, then the string supplied here gets translated into an enum for the instruction set defined in `utils/defs.h`.

- **weight_type** (*str, optional*) – The type of pair weighting to apply. Options: “pair_product”, None; Default: None.

Returns

- **results** (*A python list*) – A python list containing `nmu_bins` of `[smin, smax, savg, mu_max, npairs, weightavg]` for each spatial bin specified in the `binfile`. There will be a total of `nmu_bins` ranging from `[0, mu_max)` *per* spatial bin. If `output_savg` is not set, then `savg` will be set to 0.0 for all bins; similarly for `weight_avg`. `npairs` contains the number of pairs in that bin.
- **api_time** (*float, optional*) – Only returned if `c_api_timer` is set. `api_time` measures only the time spent within the C library and ignores all python overhead.

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.theory.DDsmu import DDsmu
>>> binfile = pjoin(dirname(abspath(Corrfunc.__file__)),
...                 "../theory/tests/", "bins")
>>> N = 10000
>>> boxsize = 420.0
>>> nthreads = 4
>>> autocorr = 1
>>> mu_max = 1.0
>>> seed = 42
>>> nmu_bins = 10
>>> np.random.seed(seed)
>>> X = np.random.uniform(0, boxsize, N)
>>> Y = np.random.uniform(0, boxsize, N)
>>> Z = np.random.uniform(0, boxsize, N)
>>> weights = np.ones_like(X)
>>> results = DDsmu(autocorr, nthreads, binfile, mu_max, nmu_bins,
...                 X, Y, Z, weights1=weights, weight_type='pair_product',
...                 output_savg=True, boxsize=boxsize, periodic=True)
>>> for r in results[100:]: print("{0:10.6f} {1:10.6f} {2:10.6f} {3:10.1f}"
...                               " {4:10d} {5:10.6f}".format(r['smin'], r['smax
↪'],
...
...                               r['savg'], r['mu_max'], r['npairs'], r[
↪'weightavg']))
...
...                               # doctest: +NORMALIZE_WHITESPACE
5.788530    8.249250    7.149762        0.1         230    1.000000
5.788530    8.249250    7.158884        0.2         236    1.000000
5.788530    8.249250    7.153403        0.3         210    1.000000
5.788530    8.249250    7.091504        0.4         254    1.000000
5.788530    8.249250    7.216417        0.5         182    1.000000
5.788530    8.249250    7.120980        0.6         222    1.000000
5.788530    8.249250    7.086361        0.7         238    1.000000
5.788530    8.249250    7.199075        0.8         170    1.000000
5.788530    8.249250    7.128768        0.9         208    1.000000
5.788530    8.249250    6.973382        1.0         206    1.000000
```

(continues on next page)

(continued from previous page)

8.249250	11.756000	10.147488	0.1	590	1.000000
8.249250	11.756000	10.216417	0.2	634	1.000000
8.249250	11.756000	10.195979	0.3	532	1.000000
8.249250	11.756000	10.248775	0.4	544	1.000000
8.249250	11.756000	10.091439	0.5	530	1.000000
8.249250	11.756000	10.282170	0.6	642	1.000000
8.249250	11.756000	10.245368	0.7	666	1.000000
8.249250	11.756000	10.139694	0.8	680	1.000000
8.249250	11.756000	10.190839	0.9	566	1.000000
8.249250	11.756000	10.241730	1.0	606	1.000000
11.756000	16.753600	14.553911	0.1	1736	1.000000
11.756000	16.753600	14.576144	0.2	1800	1.000000
11.756000	16.753600	14.595632	0.3	1798	1.000000
11.756000	16.753600	14.477071	0.4	1820	1.000000
11.756000	16.753600	14.479887	0.5	1740	1.000000
11.756000	16.753600	14.492835	0.6	1748	1.000000
11.756000	16.753600	14.546800	0.7	1720	1.000000
11.756000	16.753600	14.467235	0.8	1750	1.000000
11.756000	16.753600	14.541123	0.9	1798	1.000000
11.756000	16.753600	14.445188	1.0	1826	1.000000
16.753600	23.875500	20.722545	0.1	5088	1.000000
16.753600	23.875500	20.730212	0.2	5000	1.000000
16.753600	23.875500	20.717056	0.3	5166	1.000000
16.753600	23.875500	20.727119	0.4	5014	1.000000
16.753600	23.875500	20.654365	0.5	5094	1.000000
16.753600	23.875500	20.695877	0.6	5082	1.000000
16.753600	23.875500	20.729774	0.7	4900	1.000000
16.753600	23.875500	20.718821	0.8	4874	1.000000
16.753600	23.875500	20.750061	0.9	4946	1.000000
16.753600	23.875500	20.723266	1.0	5066	1.000000

Corrfunc.io module

Routines to read galaxy catalogs from disk.

`Corrfunc.io.read_fastfood_catalog(filename, return_dtype=None, need_weights=None)`

Read a galaxy catalog from a fast-food binary file.

Parameters

- **filename** (*string*) – Filename containing the galaxy positions
- **return_dtype** (numpy dtype for returned arrays. Default `numpy.float`) – Specifies the datatype for the returned arrays. Must be in `{np.float64, np.float32}`
- **need_weights** (*boolean, default None.*) – Returns weight array in addition to the X/Y/Z arrays.

Returns **X, Y, Z** – Returns the triplet of X/Y/Z positions as separate numpy arrays.

Return type numpy arrays

Example

```
>>> import numpy as np
>>> from os.path import dirname, abspath, join as pjoin
```

(continues on next page)

(continued from previous page)

```

>>> import Corrfunc
>>> from Corrfunc.io import read_fastfood_catalog
>>> filename = pjoin(dirname(abspath(Corrfunc.__file__)),
...                     "../theory/tests/data/",
...                     "gals_Mr19.ff")
>>> X, Y, Z = read_fastfood_catalog(filename)
>>> N = 20
>>> for x,y,z in zip(X[0:N], Y[0:N], Z[0:]):
...     print("{0:10.5f} {1:10.5f} {2:10.5f}".format(x, y, z))
...     # doctest: +NORMALIZE_WHITESPACE
419.94550    1.96340    0.01610
419.88272    1.79736    0.11960
0.32880    10.63620    4.16550
0.15314    10.68723    4.06529
0.46400     8.91150    6.97090
6.30690     9.77090    8.61080
5.87160     9.65870    9.29810
8.06210     0.42350    4.89410
11.92830     4.38660    4.54410
11.95543     4.32622    4.51485
11.65676     4.34665    4.53181
11.75739     4.26262    4.31666
11.81329     4.27530    4.49183
11.80406     4.54737    4.26824
12.61570     4.14470    3.70140
13.23640     4.34750    5.26450
13.19833     4.33196    5.29435
13.21249     4.35695    5.37418
13.06805     4.24275    5.35126
13.19693     4.37618    5.28772

```

`Corrfunc.io.read_ascii_catalog` (*filename*, *return_dtype=None*)

Read a galaxy catalog from an ascii file.

Parameters

- **filename** (*string*) – Filename containing the galaxy positions
- **return_dtype** (numpy dtype for returned arrays. Default `numpy.float`) – Specifies the datatype for the returned arrays. Must be in `{np.float64, np.float32}`

Returns **X, Y, Z** – Returns the triplet of X/Y/Z positions as separate numpy arrays.

Return type numpy arrays

Example

```

>>> from __future__ import print_function
>>> from os.path import dirname, abspath, join as pjoin
>>> import Corrfunc
>>> from Corrfunc.io import read_ascii_catalog
>>> filename = pjoin(dirname(abspath(Corrfunc.__file__)),
...                     "../mocks/tests/data/", "Mr19_mock_northonly.rdcz.dat")
>>> ra, dec, cz = read_ascii_catalog(filename)
>>> N = 20
>>> for r,d,c in zip(ra[0:N], dec[0:N], cz[0:]):
...     print("{0:10.5f} {1:10.5f} {2:10.5f}".format(r, d, c))

```

(continues on next page)

(continued from previous page)

```

... # doctest: +NORMALIZE_WHITESPACE
178.45087 67.01112 19905.28514
178.83495 67.72519 19824.02285
179.50132 67.67628 19831.21553
182.75497 67.13004 19659.79825
186.29853 68.64099 20030.64412
186.32346 68.65879 19763.38137
187.36173 68.15151 19942.66996
187.20613 68.56189 19996.36607
185.56358 67.97724 19729.32308
183.27930 67.11318 19609.71345
183.86498 67.82823 19500.44130
184.07771 67.43429 19440.53790
185.13370 67.15382 19390.60304
189.15907 68.28252 19858.85853
190.12209 68.55062 20044.29744
193.65245 68.36878 19445.62469
194.93514 68.34870 19158.93155
180.36897 67.50058 18671.40780
179.63278 67.51318 18657.59191
180.75742 67.95530 18586.88913

```

`Corrfunc.io.read_catalog` (*filebase=None*, *return_dtype=<Mock id='140574062357840'>*)

Reads a galaxy/randoms catalog and returns 3 XYZ arrays.

Parameters

- **filebase** (*string (optional)*) – The fully qualified path to the file. If omitted, reads the theory galaxy catalog under `../theory/tests/data/`
- **return_dtype** (*numpy dtype for returned arrays. Default `numpy.float`*) – Specifies the datatype for the returned arrays. Must be in `{np.float64, np.float32}`

Returns

- `x y z` - Unpacked numpy arrays compatible with the installed
- version of `Corrfunc`.

Note: If the filename is omitted, then first the fast-food file is searched for, and then the ascii file. End-users should always supply the full filename.

Corrfunc.utils module

A set of utility routines

`Corrfunc.utils.convert_3d_counts_to_cf` (*ND1, ND2, NR1, NR2, D1D2, D1R2, D2R1, R1R2, estimator=u'LS'*)

Converts raw pair counts to a correlation function.

Parameters

- **ND1** (*integer*) – Number of points in the first dataset
- **ND2** (*integer*) – Number of points in the second dataset
- **NR1** (*integer*) – Number of points in the randoms for first dataset

- **NR2** (*integer*) – Number of points in the randoms for second dataset
- **D1D2** (*array-like, integer*) – Pair-counts for the cross-correlation between D1 and D2
- **D1R2** (*array-like, integer*) – Pair-counts for the cross-correlation between D1 and R2
- **D2R1** (*array-like, integer*) – Pair-counts for the cross-correlation between D2 and R1
- **R1R2** (*array-like, integer*) – Pair-counts for the cross-correlation between R1 and R2
- **all of these pair-counts arrays, the corresponding numpy (For)**
–
- **returned by the theory/mocks modules can also be passed**
(*struct*) –
- **estimator** (*string, default='LS' (Landy-Szalay)*) – The kind of estimator to use for computing the correlation function. Currently, only supports Landy-Szalay

Returns **cf** – The correlation function, calculated using the chosen estimator, is returned. NAN is returned for the bins where the RR count is 0.

Return type A numpy array

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from Corrfunc.theory.DD import DD
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_3d_counts_to_cf
>>> X, Y, Z = read_catalog()
>>> N = len(X)
>>> boxsize = 420.0
>>> rand_N = 3*N
>>> seed = 42
>>> np.random.seed(seed)
>>> rand_X = np.random.uniform(0, boxsize, rand_N)
>>> rand_Y = np.random.uniform(0, boxsize, rand_N)
>>> rand_Z = np.random.uniform(0, boxsize, rand_N)
>>> nthreads = 2
>>> rmin = 0.1
>>> rmax = 15.0
>>> nbins = 10
>>> bins = np.linspace(rmin, rmax, nbins + 1)
>>> autocorr = 1
>>> DD_counts = DD(autocorr, nthreads, bins, X, Y, Z, boxsize=boxsize)
>>> autocorr = 0
>>> DR_counts = DD(autocorr, nthreads, bins,
...                 X, Y, Z,
...                 X2=rand_X, Y2=rand_Y, Z2=rand_Z, boxsize=boxsize)
>>> autocorr = 1
>>> RR_counts = DD(autocorr, nthreads, bins, rand_X, rand_Y, rand_Z,
...                 boxsize=boxsize)
>>> cf = convert_3d_counts_to_cf(N, N, rand_N, rand_N,
```

(continues on next page)

(continued from previous page)

```

...         DD_counts, DR_counts,
...         DR_counts, RR_counts)
>>> for xi in cf: print("{0:10.6f}".format(xi))
...         # doctest: +NORMALIZE_WHITESPACE
22.769060
 3.612701
 1.621368
 1.000967
 0.691637
 0.511813
 0.398869
 0.318813
 0.255639
 0.207754

```

`Corrfunc.utils.convert_rp_pi_counts_to_wp`(*ND1*, *ND2*, *NR1*, *NR2*, *D1D2*, *D1R2*, *D2R1*, *R1R2*, *nrbins*, *pimax*, *dpi=1.0*, *estimator=u'LS'*)

Converts raw pair counts to a correlation function.

Parameters

- **ND1** (*integer*) – Number of points in the first dataset
- **ND2** (*integer*) – Number of points in the second dataset
- **NR1** (*integer*) – Number of points in the randoms for first dataset
- **NR2** (*integer*) – Number of points in the randoms for second dataset
- **D1D2** (*array-like*, *integer*) – Pair-counts for the cross-correlation between D1 and D2
- **D1R2** (*array-like*, *integer*) – Pair-counts for the cross-correlation between D1 and R2
- **D2R1** (*array-like*, *integer*) – Pair-counts for the cross-correlation between D2 and R1
- **R1R2** (*array-like*, *integer*) – Pair-counts for the cross-correlation between R1 and R2
- **all of these pair-counts arrays, the corresponding numpy** (*For*) –
- **returned by the theory/mocks modules can also be passed** (*struct*) –
- **nrbins** (*integer*) – Number of bins in *rp*
- **pimax** (*float*) – Integration distance along the line of sight direction
- **dpi** (*float*, *default=1.0 Mpc/h*) – Binsize in the line of sight direction
- **estimator** (*string*, *default='LS'* (*Landy-Szalay*)) – The kind of estimator to use for computing the correlation function. Currently, only supports Landy-Szalay

Returns **wp** – The projected correlation function, calculated using the chosen estimator, is returned. If *any* of the *pi* bins (in an *rp* bin) contains 0 for the RR counts, then NAN is returned for that *rp* bin.

Return type A numpy array

Example

```
>>> from __future__ import print_function
>>> import numpy as np
>>> from Corrfunc.theory.DDrppi import DDrppi
>>> from Corrfunc.io import read_catalog
>>> from Corrfunc.utils import convert_rp_pi_counts_to_wp
>>> X, Y, Z = read_catalog()
>>> N = len(X)
>>> boxsize = 420.0
>>> rand_N = 3*N
>>> seed = 42
>>> np.random.seed(seed)
>>> rand_X = np.random.uniform(0, boxsize, rand_N)
>>> rand_Y = np.random.uniform(0, boxsize, rand_N)
>>> rand_Z = np.random.uniform(0, boxsize, rand_N)
>>> nthreads = 4
>>> pimax = 40.0
>>> nrpbins = 20
>>> rpmin = 0.1
>>> rpmax = 10.0
>>> bins = np.linspace(rpmin, rpmax, nrpbins + 1)
>>> autocorr = 1
>>> DD_counts = DDrppi(autocorr, nthreads, pimax, bins,
...                    X, Y, Z, boxsize=boxsize)
>>> autocorr = 0
>>> DR_counts = DDrppi(autocorr, nthreads, pimax, bins,
...                    X, Y, Z,
...                    X2=rand_X, Y2=rand_Y, Z2=rand_Z, boxsize=boxsize)
>>> autocorr = 1
>>> RR_counts = DDrppi(autocorr, nthreads, pimax, bins,
...                    rand_X, rand_Y, rand_Z, boxsize=boxsize)
>>> wp = convert_rp_pi_counts_to_wp(N, N, rand_N, rand_N,
...                                DD_counts, DR_counts,
...                                DR_counts, RR_counts,
...                                nrpbins, pimax)
>>> for w in wp: print("{0:10.6f}".format(w))
...           # doctest: +NORMALIZE_WHITESPACE
187.591897
 83.059026
 53.200243
 40.389026
 33.355778
 29.044893
 26.087995
 23.627759
 21.703655
 20.152961
 18.724304
 17.432795
 16.286740
 15.443105
 14.435802
 13.592479
 12.920796
 12.329687
 11.696258
 11.208016
```

`Corrfunc.utils.translate_isa_string_to_enum(isa)`

Helper function to convert an user-supplied string to the underlying enum in the C-API. The extensions only have specific implementations for AVX512F, AVX, SSE42 and FALLBACK. Any other value will raise a ValueError.

Parameters `isa` (*string*) – A string containing the desired instruction set. Valid values are ['AVX512F', 'AVX', 'SSE42', 'FALLBACK', 'FASTEST']

Returns `instruction_set` – An integer corresponding to the desired instruction set, as used in the underlying C API. The enum used here should be defined *exactly* the same way as the enum in `utils/defs.h`.

Return type integer

`Corrfunc.utils.return_file_with_rbins(rbins)`

Helper function to ensure that the `binfile` required by the Corrfunc extensions is a actually a string.

Checks if the input is a string and file; return if True. If not, and the input is an array, then a temporary file is created and the contents of `rbins` is written out.

Parameters `rbins` (*string or array-like*) – Expected to be a string or an array containing the bins

Returns `binfile` – If the input `rbins` was a valid filename, then returns the same string. If `rbins` was an array, then this function creates a temporary file with the contents of the `rbins` arrays. This temporary filename is returned

Return type string, filename

`Corrfunc.utils.fix_ra_dec(ra, dec)`

Wraps input RA and DEC values into range expected by the extensions.

Parameters

- **RA** (*array-like, units must be degrees*) – Right Ascension values (astronomical longitude)
- **DEC** (*array-like, units must be degrees*) – Declination values (astronomical latitude)

Returns `Tuple (RA, DEC)` – RA is wrapped into range [0.0, 360.0] Declination is wrapped into range [-90.0, 90.0]

Return type array-like

`Corrfunc.utils.fix_cz(cz)`

Multiplies the input array by speed of light, if the input values are too small.

Essentially, converts redshift into `cz`, if the user passed redshifts instead of `cz`.

Parameters `cz` (*array-like, reals*) – An array containing [Speed of Light *] redshift values.

Returns `cz` – Actual `cz` values, multiplying the input `cz` array by the Speed of Light, if redshift values were passed as input `cz`.

Return type array-like

`Corrfunc.utils.compute_nbins(max_diff, binsize, refine_factor=1, max_nbins=None)`

Helper utility to find the number of bins for that satisfies the constraints of (`binsize`, `refine_factor`, and `max_nbins`).

Parameters

- **max_diff** (*double*) – Max. difference (spatial or angular) to be spanned, (i.e., range of allowed domain values)

- **binsize** (*double*) – Min. allowed binsize (spatial or angular)
- **refine_factor** (*integer, default 1*) – How many times to refine the bins. The refinements occurs after nbins has already been determined (with refine_factor-1). Thus, the number of bins will be **exactly** higher by refine_factor compared to the base case of refine_factor=1
- **max_nbins** (*integer, default None*) – Max number of allowed cells

Returns **nbins** – Number of bins that satisfies the constraints of bin size \geq binsize, the refinement factor and nbins \leq max_nbins.

Return type integer, ≥ 1

Example

```
>>> from Corrfunc.utils import compute_nbins
>>> max_diff = 180
>>> binsize = 10
>>> compute_nbins(max_diff, binsize)
18
>>> refine_factor=2
>>> max_nbins = 20
>>> compute_nbins(max_diff, binsize, refine_factor=refine_factor,
...               max_nbins=max_nbins)
20
```

`Corrfunc.utils.gridlink_sphere` (*thetamax, ra_limits=None, dec_limits=None, link_in_ra=True, ra_refine_factor=1, dec_refine_factor=1, max_ra_cells=100, max_dec_cells=200, return_num_ra_cells=False, input_in_degrees=True*)

A method to optimally partition spherical regions such that pairs of points within a certain angular separation, thetamax, can be quickly computed.

Generates the binning scheme used in `Corrfunc.mocks.DDtheta_mock`s for a spherical region in Right Ascension (RA), Declination (DEC) and a maximum angular separation.

For a given thetamax, regions on the sphere are divided into bands in DEC bands, with the width in DEC equal to thetamax. If link_in_ra is set, then these DEC bands are further sub-divided into RA cells.

Parameters

- **thetamax** (*double*) – Max. angular separation of pairs. Expected to be in degrees unless input_in_degrees is set to False.
- **ra_limits** (*array of 2 doubles. Default [0.0, 2*pi]*) – Range of Right Ascension (longitude) for the spherical region
- **dec_limits** (*array of 2 doubles. Default [-pi/2, pi/2]*) – Range of Declination (latitude) values for the spherical region
- **link_in_ra** (*Boolean. Default True*) – Whether linking in RA is done (in addition to linking in DEC)
- **ra_refine_factor** (*integer, ≥ 1 . Default 1*) – Controls the sub-division of the RA cells. For a large number of particles, higher ra_refine_factor typically results in a faster runtime
- **dec_refine_factor** (*integer, ≥ 1 . Default 1*) – Controls the sub-division of the DEC cells. For a large number of particles, higher dec_refine_factor typically results in a faster runtime

- **max_ra_cells**(*integer*, *>= 1. Default 100*) – The max. number of RA cells per DEC band.
- **max_dec_cells**(*integer* *>= 1. Default 200*) – The max. number of total DEC bands
- **return_num_ra_cells**(*bool*, *default False*) – Flag to return the number of RA cells per DEC band
- **input_in_degrees**(*Boolean. Default True*) – Flag to show if the input quantities are in degrees. If set to False, all angle inputs will be taken to be in radians.

Returns

- **sphere_grid**(*A numpy compound array, shape (ncells, 2)*) – A numpy compound array with fields `dec_limit` and `ra_limit` of size 2 each. These arrays contain the beginning and end of DEC and RA regions for the cell.
- **num_ra_cells**(*numpy array, returned if return_num_ra_cells is set*) – A numpy array containing the number of RA cells per declination band

Note: If `link_in_ra=False`, then there is effectively one RA bin per DEC band. The ‘`ra_limit`’ field will show the range of allowed RA values.

See also:

`Corrfunc.mocks.DDtheta_mock`s

Example

```
>>> from Corrfunc.utils import gridlink_sphere
>>> import numpy as np
>>> try: # Backwards compatibility with old Numpy print formatting
...     np.set_printoptions(legacy='1.13')
... except TypeError:
...     pass
>>> thetamax=30
>>> grid = gridlink_sphere(thetamax)
>>> print(grid) # doctest: +NORMALIZE_WHITESPACE
[[[-1.57079633, -1.04719755], [ 0.          ,  3.14159265]]
 [[-1.57079633, -1.04719755], [ 3.14159265,  6.28318531]]
 [[-1.04719755, -0.52359878], [ 0.          ,  3.14159265]]
 [[-1.04719755, -0.52359878], [ 3.14159265,  6.28318531]]
 [[-0.52359878,  0.          ], [ 0.          ,  1.25663706]]
 [[-0.52359878,  0.          ], [ 1.25663706,  2.51327412]]
 [[-0.52359878,  0.          ], [ 2.51327412,  3.76991118]]
 [[-0.52359878,  0.          ], [ 3.76991118,  5.02654825]]
 [[-0.52359878,  0.          ], [ 5.02654825,  6.28318531]]
 [[ 0.          ,  0.52359878], [ 0.          ,  1.25663706]]
 [[ 0.          ,  0.52359878], [ 1.25663706,  2.51327412]]
 [[ 0.          ,  0.52359878], [ 2.51327412,  3.76991118]]
 [[ 0.          ,  0.52359878], [ 3.76991118,  5.02654825]]
 [[ 0.          ,  0.52359878], [ 5.02654825,  6.28318531]]
 [[ 0.52359878,  1.04719755], [ 0.          ,  3.14159265]]
 [[ 0.52359878,  1.04719755], [ 3.14159265,  6.28318531]]
 [[ 1.04719755,  1.57079633], [ 0.          ,  3.14159265]]
 [[ 1.04719755,  1.57079633], [ 3.14159265,  6.28318531]]]
```

(continues on next page)

(continued from previous page)

```

>>> grid = gridlink_sphere(60, dec_refine_factor=3, ra_refine_factor=2)
>>> print(grid) # doctest: +NORMALIZE_WHITESPACE
[([-1.57079633, -1.22173048], [ 0.          , 1.57079633])
 ([-1.57079633, -1.22173048], [ 1.57079633, 3.14159265])
 ([-1.57079633, -1.22173048], [ 3.14159265, 4.71238898])
 ([-1.57079633, -1.22173048], [ 4.71238898, 6.28318531])
 ([-1.22173048, -0.87266463], [ 0.          , 1.57079633])
 ([-1.22173048, -0.87266463], [ 1.57079633, 3.14159265])
 ([-1.22173048, -0.87266463], [ 3.14159265, 4.71238898])
 ([-1.22173048, -0.87266463], [ 4.71238898, 6.28318531])
 ([-0.87266463, -0.52359878], [ 0.          , 1.57079633])
 ([-0.87266463, -0.52359878], [ 1.57079633, 3.14159265])
 ([-0.87266463, -0.52359878], [ 3.14159265, 4.71238898])
 ([-0.87266463, -0.52359878], [ 4.71238898, 6.28318531])
 ([-0.52359878, -0.17453293], [ 0.          , 1.57079633])
 ([-0.52359878, -0.17453293], [ 1.57079633, 3.14159265])
 ([-0.52359878, -0.17453293], [ 3.14159265, 4.71238898])
 ([-0.52359878, -0.17453293], [ 4.71238898, 6.28318531])
 ([-0.17453293, 0.17453293], [ 0.          , 1.57079633])
 ([-0.17453293, 0.17453293], [ 1.57079633, 3.14159265])
 ([-0.17453293, 0.17453293], [ 3.14159265, 4.71238898])
 ([-0.17453293, 0.17453293], [ 4.71238898, 6.28318531])
 ([ 0.17453293, 0.52359878], [ 0.          , 1.57079633])
 ([ 0.17453293, 0.52359878], [ 1.57079633, 3.14159265])
 ([ 0.17453293, 0.52359878], [ 3.14159265, 4.71238898])
 ([ 0.17453293, 0.52359878], [ 4.71238898, 6.28318531])
 ([ 0.52359878, 0.87266463], [ 0.          , 1.57079633])
 ([ 0.52359878, 0.87266463], [ 1.57079633, 3.14159265])
 ([ 0.52359878, 0.87266463], [ 3.14159265, 4.71238898])
 ([ 0.52359878, 0.87266463], [ 4.71238898, 6.28318531])
 ([ 0.87266463, 1.22173048], [ 0.          , 1.57079633])
 ([ 0.87266463, 1.22173048], [ 1.57079633, 3.14159265])
 ([ 0.87266463, 1.22173048], [ 3.14159265, 4.71238898])
 ([ 0.87266463, 1.22173048], [ 4.71238898, 6.28318531])
 ([ 1.22173048, 1.57079633], [ 0.          , 1.57079633])
 ([ 1.22173048, 1.57079633], [ 1.57079633, 3.14159265])
 ([ 1.22173048, 1.57079633], [ 3.14159265, 4.71238898])
 ([ 1.22173048, 1.57079633], [ 4.71238898, 6.28318531])]

```

CHAPTER 3

License and Credits

C

`Corrfunc`, [33](#)
`Corrfunc.io`, [65](#)
`Corrfunc.mocks`, [34](#)
`Corrfunc.theory`, [48](#)
`Corrfunc.utils`, [67](#)

C

compute_nbins() (in module *Corrfunc.utils*), 71
 convert_3d_counts_to_cf() (in module *Corrfunc.utils*), 67
 convert_rp_pi_counts_to_wp() (in module *Corrfunc.utils*), 69
 Corrfunc (module), 33
 Corrfunc.io (module), 65
 Corrfunc.mocks (module), 34
 Corrfunc.theory (module), 48
 Corrfunc.utils (module), 67

D

DD() (in module *Corrfunc.theory*), 48
 DDrppl() (in module *Corrfunc.theory*), 51
 DDrppl_mock() (in module *Corrfunc.mocks*), 34
 DDsmu() (in module *Corrfunc.theory*), 61
 DDsmu_mock() (in module *Corrfunc.mocks*), 45
 DDtheta_mock() (in module *Corrfunc.mocks*), 38

F

fix_cz() (in module *Corrfunc.utils*), 71
 fix_ra_dec() (in module *Corrfunc.utils*), 71

G

gridlink_sphere() (in module *Corrfunc.utils*), 72

R

read_ascii_catalog() (in module *Corrfunc.io*), 66
 read_catalog() (in module *Corrfunc.io*), 67
 read_fastfood_catalog() (in module *Corrfunc.io*), 65
 read_text_file() (in module *Corrfunc*), 33
 return_file_with_rbins() (in module *Corrfunc.utils*), 71

T

translate_isa_string_to_enum() (in module *Corrfunc.utils*), 70

V

vpf() (in module *Corrfunc.theory*), 59
 vpf_mock() (in module *Corrfunc.mocks*), 41

W

which() (in module *Corrfunc*), 33
 wp() (in module *Corrfunc.theory*), 54
 write_text_file() (in module *Corrfunc*), 33

X

xi() (in module *Corrfunc.theory*), 57