
Markdown Widget for Deform Documentation

Release 0.2.8

Joscha Krutzki

June 22, 2016

1	Markdown Widget for Deform	3
1.1	Features	3
1.2	Credits	3
2	Installation	5
2.1	Stable release	5
2.2	From sources	5
3	Usage	7
4	Contributing	9
4.1	Types of Contributions	9
4.2	Get Started!	10
4.3	Pull Request Guidelines	10
5	Credits	11
5.1	Development Lead	11
5.2	Contributors	11
6	History	13
6.1	0.2.8 (2016-06-22)	13
6.2	0.2.7 (2016-06-07)	13
6.3	0.2.6 (2016-06-07)	13
6.4	0.2.5 (2016-06-05)	13
6.5	0.2.4 (2016-06-05)	13
6.6	0.2.3 (2016-06-05)	13
6.7	0.2.2 (2016-06-05)	13
6.8	0.2.1 (2016-06-05)	14
6.9	0.2.0 (2016-06-05)	14
7	Indices and tables	15

Contents:

Markdown Widget for Deform

Deform widget using [simpleMDE](#) to edit TextArea fields.

- Free software: ISC license
- Code: https://github.com/liqd/deform_markdown
- Documentation: https://deform_markdown.readthedocs.org.

1.1 Features

- TODO

1.2 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

Installation

2.1 Stable release

To install Markdown Widget for Deform, run this command in your terminal:

```
$ pip install deform_markdown
```

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for Markdown Widget for Deform can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/liqd/deform_markdown
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/liqd/deform_markdown/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```

Usage

To use Markdown Widget for Deform in a project:

```
import deform_markdown
```

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/liqd/deform_markdown/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

4.1.4 Write Documentation

Markdown Widget for Deform could always use more documentation, whether as part of the official Markdown Widget for Deform docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/liqd/deform_markdown/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *deform_markdown* for local development.

1. Fork the *deform_markdown* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/deform_markdown.git
```

3. Create into a virtualenv for local development:

```
$ mkvirtualenv deform_markdown $ cd deform_markdown/
```

4. Install your local copy in development mode:

```
$ bin/pip install -r requirements/dev.txt
```

5. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

6. Do test driven development and run test with pytest:

```
$ bin/pytest deform_markdown
```

7. When your are ready, check that your changes pass flake8 and check test test and build pass including testing other Python versions with tox:

```
$ flake8 deform_markdown
$ tox
```

8. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

9. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4 and 3.5. Check https://travis-ci.org/liqd/deform_markdown/pull_requests and make sure that the tests pass for all supported Python versions.

Credits

5.1 Development Lead

- Joscha Krutzki <joka@jokasis.de>

5.2 Contributors

None yet. Why not be the first?

History

6.1 0.2.8 (2016-06-22)

- Fix: wheel release is missing static files

6.2 0.2.7 (2016-06-07)

- gardening docs

6.3 0.2.6 (2016-06-07)

- Fix again: travis deployment not working

6.4 0.2.5 (2016-06-05)

- gardening travis config

6.5 0.2.4 (2016-06-05)

- gardening docs and travis config

6.6 0.2.3 (2016-06-05)

- Fix: travis deployment not working

6.7 0.2.2 (2016-06-05)

- Fix: sphinx does not build docs

6.8 0.2.1 (2016-06-05)

- Fix: wrong repro name in travis config

6.9 0.2.0 (2016-06-05)

- initial release

Indices and tables

- `genindex`
- `modindex`
- `search`