
django_template Documentation

[tosp]

Apr 20, 2018

Contents:

1	djangoTemplate package	1
1.1	Subpackages	1
1.2	Submodules	1
1.3	djangoTemplate.urls module	1
1.4	djangoTemplate.wsgi module	1
1.5	Module contents	1
2	djangoTemplate	3
2.1	base package	3
2.2	tosp_auth package	4
3	Indices and tables	7
	Python Module Index	9

1.1 Subpackages

1.2 Submodules

1.3 djangoTemplate.urls module

djangoTemplate URL Configuration

The *urlpatterns* list routes URLs to views. For more information please see: <https://docs.djangoproject.com/en/1.10/topics/http/urls/>

1.4 djangoTemplate.wsgi module

WSGI config for djangoTemplate project.

It exposes the WSGI callable as a module-level variable named `application`.

For more information on this file, see <https://docs.djangoproject.com/en/1.10/howto/deployment/wsgi/>

1.5 Module contents

2.1 base package

2.1.1 Subpackages

2.1.2 Submodules

2.1.3 base.admin module

2.1.4 base.apps module

```
class base.apps.BaseConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig

    name = 'base'
```

2.1.5 base.models module

2.1.6 base.test_views module

```
class base.test_views.TestBaseViews(methodName='runTest')
    Bases: django.contrib.staticfiles.testing.StaticLiveServerTestCase

    Integration test suite for testing the views in the app: base.

    Test the url for home and the basefiles like robots.txt and humans.txt

    browser
        Browser – Driver to navigate through websites and to run integration tests.

    setUp()
        Initialize the browser, before running the tests.
```

```
tearDown()  
    At the end of tests, close the browser  
  
test_home()  
    Test for url 'base:home'.  
  
    Visit the url of name 'home' and check it loads the content  
  
test_humans()  
    Test for url 'base:base_files(humans.txt)'.  
  
    Visit the url of humans.txt and check it loads the file  
  
test_robots()  
    Test for url 'base:base_files(robots.txt)'.  
  
    Visit the url of robots.txt and check it loads the file
```

2.1.7 base.urls module

2.1.8 base.views module

```
base.views.base_files(request, filename)  
base.views.home(request)
```

2.1.9 Module contents

2.2 tosp_auth package

2.2.1 Subpackages

2.2.2 Submodules

2.2.3 tosp_auth.admin module

2.2.4 tosp_auth.apps module

```
class tosp_auth.apps.TospAuthConfig(app_name, app_module)  
    Bases: django.apps.config.AppConfig  
  
    name = 'tosp_auth'
```

2.2.5 tosp_auth.models module

2.2.6 tosp_auth.tests module

2.2.7 tosp_auth.urls module

2.2.8 tosp_auth.views module

```
tosp_auth.views.logout(request)
```


2.2.9 Module contents

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`

b

- `base`, 4
- `base.admin`, 3
- `base.apps`, 3
- `base.models`, 3
- `base.test_views`, 3
- `base.urls`, 4
- `base.views`, 4

d

- `djangoTemplate`, 1
- `djangoTemplate.urls`, 1
- `djangoTemplate.wsgi`, 1

t

- `tosp_auth`, 5
- `tosp_auth.admin`, 4
- `tosp_auth.apps`, 4
- `tosp_auth.models`, 4
- `tosp_auth.tests`, 4
- `tosp_auth.urls`, 4
- `tosp_auth.views`, 4

B

base (module), 4
base.admin (module), 3
base.apps (module), 3
base.models (module), 3
base.test_views (module), 3
base.urls (module), 4
base.views (module), 4
base_files() (in module base.views), 4
BaseConfig (class in base.apps), 3
browser (base.test_views.TestBaseViews attribute), 3

D

djangoTemplate (module), 1
djangoTemplate.urls (module), 1
djangoTemplate.wsgi (module), 1

H

home() (in module base.views), 4

L

logout() (in module tosp_auth.views), 4

N

name (base.apps.BaseConfig attribute), 3
name (tosp_auth.apps.TospAuthConfig attribute), 4

S

setUp() (base.test_views.TestBaseViews method), 3

T

tearDown() (base.test_views.TestBaseViews method), 3
test_home() (base.test_views.TestBaseViews method), 4
test_humans() (base.test_views.TestBaseViews method),
4
test_robots() (base.test_views.TestBaseViews method), 4
TestBaseViews (class in base.test_views), 3
tosp_auth (module), 5
tosp_auth.admin (module), 4

tosp_auth.apps (module), 4
tosp_auth.models (module), 4
tosp_auth.tests (module), 4
tosp_auth.urls (module), 4
tosp_auth.views (module), 4
TospAuthConfig (class in tosp_auth.apps), 4