
Echarts Python Documentation

Release 0.1.3

Hsiaoming Yang <me@lepture.com>

Nov 01, 2017

Contents

1	Installation	3
2	Basic Usage	5
3	Contribution	7
4	Indices and tables	9
4.1	API Guide	9
	Python Module Index	11

An unofficial Echarts options generator with Python.

- Free software: MIT license
- Documentation: <http://echarts-python.readthedocs.io/en/stable/> (NOT Ready)
- Online demo: <https://yufeiminds.github.io/echarts-python/> (NOT Ready)

This repo still on developing (ALPHA), DON'T USE IT IN PRODUCTION.

CHAPTER 1

Installation

Installing **echarts-python** with pip

```
$ pip install echarts-python
```

Current version for [Echarts 3.1.6](#)

CHAPTER 2

Basic Usage

```
from echarts import Echart, Legend, Bar, Axis

chart = Echart('GDP', 'This is a fake chart')
chart.use(Bar('China', [2, 3, 4, 5]))
chart.use(Legend(['GDP']))
chart.use(Axis('category', 'bottom', data=['Nov', 'Dec', 'Jan', 'Feb']))
```

The *chart.json* property will be

```
{
  "title": {
    "text": "GDP",
    "subtext": "This is a fake chart"
  },
  "series": [
    {
      "type": "bar",
      "data": [
        2,
        3,
        4,
        5
      ],
      "name": "China"
    }
  ],
  "legend": {
    "y": "top",
    "x": "center",
    "data": [
      "GDP"
    ],
    "orient": "horizontal"
  },
  "xAxis": [
```

```
{
    "position": "bottom",
    "data": [
        "Nov",
        "Dec",
        "Jan",
        "Feb"
    ],
    "type": "category"
},
{
    "yAxis": {}
}
```

on Mac OSX, you also can execute

```
chart.plot()
```

and invoke a browser to display the chart.

CHAPTER 3

Contribution

This package authored by Hsiaoming Yang <me@lepture.com> in 2014.

If you have any question or want to improve this repository, welcome to create an [issue](#) or [pull requests](#) .

This repo is maintained by Yufei Li <yufeiminds@gmail.com> now, you can also send a email to me.

- [genindex](#)
- [modindex](#)
- [search](#)

4.1 API Guide

Here is the API reference for *echarts-python*.

4.1.1 echarts.option

Options for chart

class `echarts.option.Axis` (*type, position, name='', data=None, **kwargs*)
Axis data structure.

json
JSON format data.

class `echarts.option.Legend` (*data, orient='horizontal', position=None, **kwargs*)
Legend section for Echart.

json
JSON format data.

class `echarts.option.Series` (*type, name=None, data=None, **kwargs*)
Data series holding.

json
JSON format data.

class `echarts.option.Toolbox` (*orient='horizontal', position=None, **kwargs*)
A toolbox for visitor.

json
JSON format data.

class echarts.option.**Tooltip** (*trigger='axis', **kwargs*)
A tooltip when hovering.

json
JSON format data.

class echarts.option.**VisualMap** (*type, min, max, **kwargs*)
maps data to visual channels

json
JSON format data

4.1.2 echarts.datastructure

Datastructure for describing the chart types.

class echarts.datastructure.**Bar** (*name=None, data=None, **kwargs*)
Docs

class echarts.datastructure.**Boxplot** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Candlestick** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Chord** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**EffectScatter** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**EventRiver** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Force** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Funnel** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Gauge** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Graph** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Heatmap** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**K** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Line** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Lines** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Map** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Parallel** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Pie** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Radar** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Sankey** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Scatter** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Tree** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Treemap** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**Venn** (*name=None, data=None, **kwargs*)

class echarts.datastructure.**WordCloud** (*name=None, data=None, **kwargs*)

e

`echarts.datastructure`, [10](#)

`echarts.option`, [9](#)

A

Axis (class in echarts.option), 9

B

Bar (class in echarts.datastructure), 10

Boxplot (class in echarts.datastructure), 10

C

Candlestick (class in echarts.datastructure), 10

Chord (class in echarts.datastructure), 10

E

echarts.datastructure (module), 10

echarts.option (module), 9

EffectScatter (class in echarts.datastructure), 10

EventRiver (class in echarts.datastructure), 10

F

Force (class in echarts.datastructure), 10

Funnel (class in echarts.datastructure), 10

G

Gauge (class in echarts.datastructure), 10

Graph (class in echarts.datastructure), 10

H

Heatmap (class in echarts.datastructure), 10

J

json (echarts.option.Axis attribute), 9

json (echarts.option.Legend attribute), 9

json (echarts.option.Series attribute), 9

json (echarts.option.Toolbox attribute), 9

json (echarts.option.Tooltip attribute), 10

json (echarts.option.VisualMap attribute), 10

K

K (class in echarts.datastructure), 10

L

Legend (class in echarts.option), 9

Line (class in echarts.datastructure), 10

Lines (class in echarts.datastructure), 10

M

Map (class in echarts.datastructure), 10

P

Parallel (class in echarts.datastructure), 10

Pie (class in echarts.datastructure), 10

R

Radar (class in echarts.datastructure), 10

S

Sankey (class in echarts.datastructure), 10

Scatter (class in echarts.datastructure), 10

Series (class in echarts.option), 9

T

Toolbox (class in echarts.option), 9

Tooltip (class in echarts.option), 10

Tree (class in echarts.datastructure), 10

Treemap (class in echarts.datastructure), 10

V

Venn (class in echarts.datastructure), 10

VisualMap (class in echarts.option), 10

W

WordCloud (class in echarts.datastructure), 10