
ESMValTool User's and Developer's Guide

Release 0.1.0.dev50+gbbd307d.d20240416

ESMValTool Development Team

Apr 16, 2024

ESMVALTOOL

I	Getting started	1
1	Installation	3
2	Configuration files	7
3	Input data	21
4	Running	33
5	Output	37
II	Example notebooks	41
6	Composing recipes	45
7	Discovering data	55
8	Loading, processing, and visualizing data	59
III	The recipe format	63
9	Overview	65
10	Preprocessor	77
IV	Diagnostic script interfaces	117
11	Provenance	121
12	Information provided by ESMValCore to the diagnostic script	123
13	Information provided by the diagnostic script to ESMValCore	125
V	Development	127
14	Preprocessor function	131
15	Fixing data	137

16	Deriving a variable	145
VI	Contributions are very welcome	147
17	Getting started	151
18	Checklist for pull requests	153
19	Scientific relevance	155
20	Pull request title and label	157
21	Code quality	159
22	Documentation	161
23	Tests	163
24	Backward compatibility	165
25	Dependencies	167
26	List of authors	169
27	Pull request checks	171
28	Making a release	173
VII	ESMValCore API Reference	177
29	CMOR functions	181
30	Configuration	201
31	Dataset	207
32	Find and download files from ESGF	213
33	Exceptions	219
34	Iris helper functions	221
35	Find files on the local filesystem	225
36	Preprocessor functions	227
37	Regridding schemes	263
38	Type hints	267
39	Experimental API	269
VIII	Changelog	287
40	v2.10.0	289

41	v2.9.0	293
42	v2.8.1	297
43	v2.8.0	299
44	v2.7.1	305
45	v2.7.0	307
46	v2.6.0	311
47	v2.5.0	315
48	v2.4.0	319
49	v2.3.1	323
50	v2.3.0	325
51	v2.2.0	329
52	v2.1.0	333
53	v2.0.0	335
54	v2.0.0b9	339
 IX Indices and tables		341
Python Module Index		345
Index		347

Part I

Getting started

INSTALLATION

1.1 Conda installation

In order to install the Conda package, you will need to install [Conda](https://conda.io/miniconda.html) first. For a minimal conda installation (recommended) go to <https://conda.io/miniconda.html>. It is recommended that you always use the latest version of conda, as problems have been reported when trying to use older versions.

Once you have installed conda, you can install ESMValCore by running:

```
conda install -c conda-forge esmvalcore
```

It is also possible to create a new [Conda environment](#) and install ESMValCore into it with a single command:

```
conda create --name esmvalcore -c conda-forge esmvalcore 'python=3.10'
```

Don't forget to activate the newly created environment after the installation:

```
conda activate esmvalcore
```

Of course it is also possible to choose a different name than `esmvalcore` for the environment.

Note: Creating a new Conda environment is often much faster and more reliable than trying to update an existing Conda environment.

1.2 Pip installation

It is also possible to install ESMValCore from [PyPI](#). However, this requires first installing dependencies that are not available on PyPI in some other way. By far the easiest way to install these dependencies is to use [conda](#). For a minimal conda installation (recommended) go to <https://conda.io/miniconda.html>.

After installing Conda, download [the file with the list of dependencies](#):

```
wget https://raw.githubusercontent.com/ESMValGroup/ESMValCore/main/environment.yml
```

and install these dependencies into a new conda environment with the command

```
conda env create --name esmvalcore --file environment.yml
```

Finally, activate the newly created environment

```
conda activate esmvalcore
```

and install ESMValCore as well as any remaining dependencies with the command:

```
pip install esmvalcore
```

1.3 Docker installation

ESMValCore is also provided through [DockerHub](https://docs.docker.com) in the form of docker containers. See <https://docs.docker.com> for more information about docker containers and how to run them.

You can get the latest release with

```
docker pull esmvalgroup/esmvalcore:stable
```

If you want to use the current main branch, use

```
docker pull esmvalgroup/esmvalcore:latest
```

To run a container using those images, use:

```
docker run esmvalgroup/esmvalcore:stable --help
```

Note that the container does not see the data or environmental variables available in the host by default. You can make data available with `-v /path:/path/in/container` and environmental variables with `-e VARNAME`.

For example, the following command would run a recipe

```
docker run -e HOME -v "$HOME":"$HOME" -v /data:/data esmvalgroup/esmvalcore:stable -c ~/
↳ config-user.yml ~/recipes/recipe_example.yml
```

with the environmental variable `$HOME` available inside the container and the data in the directories `$HOME` and `/data`, so these can be used to find the configuration file, recipe, and data.

It might be useful to define a [bash alias](#) or script to abbreviate the above command, for example

```
alias esmvaltool="docker run -e HOME -v $HOME:$HOME -v /data:/data esmvalgroup/
↳ esmvalcore:stable"
```

would allow using the `esmvaltool` command without even noticing that the tool is running inside a Docker container.

1.4 Singularity installation

Docker is usually forbidden in clusters due to security reasons. However, there is a more secure alternative to run containers that is usually available on them: [Singularity](#).

Singularity can use docker containers directly from DockerHub with the following command

```
singularity run docker://esmvalgroup/esmvalcore:stable -c ~/config-user.yml ~/recipes/
↳ recipe_example.yml
```

Note that the container does not see the data available in the host by default. You can make host data available with `-B /path:/path/in/container`.

It might be useful to define a `bash alias` or script to abbreviate the above command, for example

```
alias esmvaltool="singularity run -B $HOME:$HOME -B /data:/data docker://esmvalgroup/  
↪esmvalcore:stable"
```

would allow using the `esmvaltool` command without even noticing that the tool is running inside a Singularity container.

Some clusters may not allow to connect to external services, in those cases you can first create a singularity image locally:

```
singularity build esmvalcore.sif docker://esmvalgroup/esmvalcore:stable
```

and then upload the image file `esmvalcore.sif` to the cluster. To run the container using the image file `esmvalcore.sif` use:

```
singularity run esmvalcore.sif -c ~/config-user.yml ~/recipes/recipe_example.yml
```

1.5 Installation from source

Note: If you would like to install the development version of ESMValCore alongside ESMValTool, please have a look at [these instructions](#).

To install from source for development, follow these instructions.

- [Download and install conda](#) (this should be done even if the system in use already has a preinstalled version of conda, as problems have been reported with using older versions of conda)
- To make the conda command available, add `source <prefix>/etc/profile.d/conda.sh` to your `.bashrc` file and restart your shell. If using (t)osh shell, add `source <prefix>/etc/profile.d/conda.csh` to your `.cshrc/.tcshrc` file instead.
- Update conda: `conda update -y conda`
- Clone the ESMValCore Git repository: `git clone https://github.com/ESMValGroup/ESMValCore.git`
- Go to the source code directory: `cd ESMValCore`
- Create the `esmvalcore` conda environment `conda env create --name esmvalcore --file environment.yml`
- Activate the `esmvalcore` environment: `conda activate esmvalcore`
- Install in development mode: `pip install -e '.[develop]'`. If you are installing behind a proxy that does not trust the usual pip-urls you can declare them with the option `--trusted-host`, e.g. `pip install --trusted-host=pypi.python.org --trusted-host=pypi.org --trusted-host=files.pythonhosted.org -e .[develop]`
- Test that your installation was successful by running `esmvaltool -h`.

1.6 Pre-installed versions on HPC clusters / other servers

If you would like to use pre-installed versions on HPC clusters (currently CEDA-JASMIN and DKRZ-Levante), and other servers (currently Met Office Linux estate), please have a look at [these instructions](#).

1.7 Installation from the conda lock file

A fast conda environment creation is possible using the provided conda lock files. This is a secure alternative to the installation from source, whenever the conda environment can not be created for some reason. A conda lock file is an explicit environment file that contains pointers to dependency packages as they are hosted on the Anaconda cloud; these have frozen version numbers, build hashes, and channel names, parameters established at the time of the conda lock file creation, so may be obsolete after a while, but they allow for a robust environment creation while they're still up-to-date. We regenerate these lock files every 10 days through automatic Pull Requests (or more frequently, since the automatic generator runs on merges on the main branch too), so to minimize the risk of dependencies becoming obsolete. Conda environment creation from a lock file is done just like with any other environment file:

```
conda create --name esmvaltool --file conda-linux-64.lock
```

The latest, most up-to-date file can always be downloaded directly from the source code repository, a direct download link can be found [here](#).

Note: *pip* and *conda* are NOT installed, so you will have to install them in the new environment: use conda-forge as channel): `conda install -c conda-forge pip` at the very minimum so we can install *esmvalcore* afterwards.

1.8 Creating a conda lock file

We provide a conda lock file for Linux-based operating systems, but if you prefer to build a conda lock file yourself, install the *conda-lock* package first:

```
conda install -c conda-forge conda-lock
```

then run

```
conda-lock lock --platform linux-64 -f environment.yml --mamba
```

(mamba activated for speed) to create a conda lock file for Linux platforms, or run

```
conda-lock lock --platform osx-64 -f environment.yml --mamba
```

to create a lock file for OSX platforms. Note however, that using conda lock files on OSX is still problematic!

CONFIGURATION FILES

2.1 Overview

There are several configuration files in ESMValCore:

- `config-user.yml`: sets a number of user-specific options like desired graphical output format, root paths to data, etc.;
- `config-developer.yml`: sets a number of standardized file-naming and paths to data formatting;

and one configuration file which is distributed with ESMValTool:

- `config-references.yml`: stores information on diagnostic and recipe authors and scientific journals references;

2.2 User configuration file

The `config-user.yml` configuration file contains all the global level information needed by ESMValTool. It can be reused as many times the user needs to before changing any of the options stored in it. This file is essentially the gateway between the user and the machine-specific instructions to `esmvaltool`. By default, `esmvaltool` looks for it in the home directory, inside the `.esmvaltool` folder.

Users can get a copy of this file with default values by running

```
esmvaltool config get-config-user --path=${TARGET_FOLDER}
```

If the option `--path` is omitted, the file will be created in `${HOME}/.esmvaltool`

The following shows the default settings from the `config-user.yml` file with explanations in a commented line above each option. If only certain values are allowed for an option, these are listed after `---`. The option in square brackets is the default value, i.e., the one that is used if this option is omitted in the file.

```
# Destination directory where all output will be written
# Includes log files and performance stats.
output_dir: ~/esmvaltool_output

# Auxiliary data directory
# Used by some recipes to look for additional datasets.
auxiliary_data_dir: ~/auxiliary_data

# Automatic data download from ESGF --- [never]/when_missing/always
# Use automatic download of missing CMIP3, CMIP5, CMIP6, CORDEX, and obs4MIPs
```

(continues on next page)

(continued from previous page)

```

# data from ESGF. ``never`` disables this feature, which is useful if you are
# working on a computer without an internet connection, or if you have limited
# disk space. ``when_missing`` enables the automatic download for files that
# are not available locally. ``always`` will always check ESGF for the latest
# version of a file, and will only use local files if they correspond to that
# latest version.
search_esgf: never

# Directory for storing downloaded climate data
# Make sure to use a directory where you can store multiple GBs of data. Your
# home directory on a HPC is usually not suited for this purpose, so please
# change the default value in this case!
download_dir: ~/climate_data

# Rootpaths to the data from different projects
# This default setting will work if files have been downloaded by ESMValTool
# via ``search_esgf``. Lists are also possible. For site-specific entries,
# see the default ``config-user.yml`` file that can be installed with the
# command ``esmvaltool config get_config_user``. For each project, this can
# be either a single path or a list of paths. Comment out these when using a
# site-specific path.
rootpath:
  default: ~/climate_data

# Directory structure for input data --- [default]/ESGF/BADC/DKRZ/ETHZ/etc.
# This default setting will work if files have been downloaded by ESMValTool
# via ``search_esgf``. See ``config-developer.yml`` for definitions. Comment
# out/replace as per needed.
drs:
  CMIP3: ESGF
  CMIP5: ESGF
  CMIP6: ESGF
  CORDEX: ESGF
  obs4MIPs: ESGF

# Run at most this many tasks in parallel --- [null]/1/2/3/4/...
# Set to ``null`` to use the number of available CPUs. If you run out of
# memory, try setting max_parallel_tasks to ``1`` and check the amount of
# memory you need for that by inspecting the file ``run/resource_usage.txt`` in
# the output directory. Using the number there you can increase the number of
# parallel tasks again to a reasonable number for the amount of memory
# available in your system.
max_parallel_tasks: null

# Log level of the console --- debug/[info]/warning/error
# For much more information printed to screen set log_level to ``debug``.
log_level: info

# Exit on warning --- true/[false]
# Only used in NCL diagnostic scripts.
exit_on_warning: false

```

(continues on next page)

(continued from previous page)

```

# Plot file format --- [png]/pdf/ps/eps/epsi
output_file_type: png

# Remove the ``preproc`` directory if the run was successful --- [true]/false
# By default this option is set to ``true``, so all preprocessor output files
# will be removed after a successful run. Set to ``false`` if you need those files.
remove_preproc_dir: true

# Use netCDF compression --- true/[false]
compress_netcdf: false

# Save intermediary cubes in the preprocessor --- true/[false]
# Setting this to ``true`` will save the output cube from each preprocessing
# step. These files are numbered according to the preprocessing order.
save_intermediary_cubes: false

# Use a profiling tool for the diagnostic run --- [false]/true
# A profiler tells you which functions in your code take most time to run.
# For this purpose we use ``vprof``, see below for notes. Only available for
# Python diagnostics.
profile_diagnostic: false

# Path to custom ``config-developer.yml`` file
# This can be used to customise project configurations. See
# ``config-developer.yml`` for an example. Set to ``null`` to use the default.
config_developer_file: null

```

The `search_esgf` setting can be used to disable or enable automatic downloads from ESGF. If `search_esgf` is set to `never`, the tool does not download any data from the ESGF. If `search_esgf` is set to `when_missing`, the tool will download any CMIP3, CMIP5, CMIP6, CORDEX, and obs4MIPs data that is required to run a recipe but not available locally and store it in `download_dir` using the ESGF directory structure defined in the *Developer configuration file*. If `search_esgf` is set to `always`, the tool will first check the ESGF for the needed data, regardless of any local data availability; if the data found on ESGF is newer than the local data (if any) or the user specifies a version of the data that is available only from the ESGF, then that data will be downloaded; otherwise, local data will be used.

The `auxiliary_data_dir` setting is the path to place any required additional auxiliary data files. This is necessary because certain Python toolkits, such as `cartopy`, will attempt to download data files at run time, typically geographic data files such as coastlines or land surface maps. This can fail if the machine does not have access to the wider internet. This location allows the user to specify where to find such files if they can not be downloaded at runtime. The example user configuration file already contains two valid locations for `auxiliary_data_dir` directories on CEDA-JASMIN and DKRZ, and a number of such maps and shapefiles (used by current diagnostics) are already there. You will need esmeval group workspace membership to access the JASMIN one (see *instructions* how to gain access to the group workspace).

Warning: This setting is not for model or observational datasets, rather it is for extra data files such as shapefiles or other data sources needed by the diagnostics.

The `profile_diagnostic` setting triggers profiling of Python diagnostics, this will tell you which functions in the diagnostic took most time to run. For this purpose we use `vprof`. For each diagnostic script in the recipe, the profiler writes a `.json` file that can be used to plot a *flame graph* of the profiling information by running

```
vprof --input-file esmvaltool_output/recipe_output/run/diagnostic/script/profile.json
```

Note that it is also possible to use `vprof` to understand other resources used while running the diagnostic, including execution time of different code blocks and memory usage.

A detailed explanation of the data finding-related sections of the `config-user.yml` (`rootpath` and `drs`) is presented in the [Data retrieval](#) section. This section relates directly to the data finding capabilities of ESMValTool and are very important to be understood by the user.

Note: You can choose your `config-user.yml` file at run time, so you could have several of them available with different purposes. One for a formalised run, another for debugging, etc. You can even provide any config user value as a run flag `--argument_name argument_value`

2.3 Dask distributed configuration

The *preprocessor functions* and many of the *Python diagnostics in ESMValTool* make use of the *Iris* library to work with the data. In *Iris*, data can be either *real or lazy*. Lazy data is represented by *dask arrays*. Dask arrays consist of many small *numpy arrays* (called chunks) and if possible, computations are run on those small arrays in parallel. In order to figure out what needs to be computed when, Dask makes use of a ‘scheduler’. The default scheduler in Dask is rather basic, so it can only run on a single computer and it may not always find the optimal task scheduling solution, resulting in excessive memory use when using e.g. the `esmvalcore.preprocessor.multi_model_statistics()` preprocessor function. Therefore it is recommended that you take a moment to configure the *Dask distributed* scheduler. A Dask scheduler and the ‘workers’ running the actual computations, are collectively called a ‘Dask cluster’.

In ESMValCore, the Dask cluster can be configured by creating a file called `~/.esmvaltool/dask.yml`, where `~` is short for your home directory. In this file, under the `client` keyword, the arguments to `distributed.Client` can be provided. Under the `cluster` keyword, the type of cluster (e.g. `distributed.LocalCluster`), as well as any arguments required to start the cluster can be provided. Extensive documentation on setting up Dask Clusters is available [here](#).

Warning: The format of the `~/.esmvaltool/dask.yml` configuration file is not yet fixed and may change in the next release of ESMValCore.

Note: If not all preprocessor functions support lazy data, computational performance may be best with the default scheduler. See [Issue #674](#) for progress on making all preprocessor functions lazy.

Example configurations

Personal computer

Create a Dask distributed cluster on the computer running ESMValCore using all available resources:

```
cluster:
  type: distributed.LocalCluster
```

this should work well for most personal computers.

Note: Note that, if running this configuration on a shared node of an HPC cluster, Dask will try and use as many

resources it can find available, and this may lead to overcrowding the node by a single user (you)!

Shared computer

Create a Dask distributed cluster on the computer running ESMValCore, with 2 workers with 4 threads/4 GiB of memory each (8 GiB in total):

```
cluster:
  type: distributed.LocalCluster
  n_workers: 2
  threads_per_worker: 4
  memory_limit: 4 GiB
```

this should work well for shared computers.

Computer cluster

Create a Dask distributed cluster on the [Levante](#) supercomputer using the [Dask-Jobqueue](#) package:

```
cluster:
  type: dask_jobqueue.SLURMCluster
  queue: shared
  account: bk1088
  cores: 8
  memory: 7680MiB
  processes: 2
  interface: ib0
  local_directory: "/scratch/b/b381141/dask-tmp"
  n_workers: 24
```

This will start 24 workers with $\text{cores} / \text{processes} = 4$ threads each, resulting in $\text{n_workers} / \text{processes} = 12$ Slurm jobs, where each Slurm job will request 8 CPU cores and 7680 MiB of memory and start $\text{processes} = 2$ workers. This example will use the fast infiniband network connection (called `ib0` on Levante) for communication between workers running on different nodes. It is important to set the right location for temporary storage, in this case the `/scratch` space is used. It is also possible to use environmental variables to configure the temporary storage location, if your cluster provides these.

A configuration like this should work well for larger computations where it is advantageous to use multiple nodes in a compute cluster. See [Deploying Dask Clusters on High Performance Computers](#) for more information.

Externally managed Dask cluster

Use an externally managed cluster, e.g. a cluster that you started using the [Dask Jupyterlab extension](#):

```
client:
  address: '127.0.0.1:8786'
```

See [here](#) for an example of how to configure this on a remote system.

For debugging purposes, it can be useful to start the cluster outside of ESMValCore because then [Dask dashboard](#) remains available after ESMValCore has finished running.

Advice on choosing performant configurations

The threads within a single worker can access the same memory locations, so they may freely pass around chunks, while communicating a chunk between workers is done by copying it, so this is (a bit) slower. Therefore it is beneficial for performance to have multiple threads per worker. However, due to limitations in the CPython implementation (known as the Global Interpreter Lock or GIL), only a single thread in a worker can execute Python code (this limitation does

not apply to compiled code called by Python code, e.g. `numpy`), therefore the best performing configurations will typically not use much more than 10 threads per worker.

Due to limitations of the NetCDF library (it is not thread-safe), only one of the threads in a worker can read or write to a NetCDF file at a time. Therefore, it may be beneficial to use fewer threads per worker if the computation is very simple and the runtime is determined by the speed with which the data can be read from and/or written to disk.

2.4 ESGF configuration

The `esmvaltool run` command can automatically download the files required to run a recipe from ESGF for the projects CMIP3, CMIP5, CMIP6, CORDEX, and obs4MIPs. The downloaded files will be stored in the `download_dir` specified in the *User configuration file*. To enable automatic downloads from ESGF, set `search_esgf: when_missing` or `search_esgf: always` in the *User configuration file*, or provide the corresponding command line arguments `--search_esgf=when_missing` or `--search_esgf=always` when running the recipe.

Note: When running a recipe that uses many or large datasets on a machine that does not have any data available locally, the amount of data that will be downloaded can be in the range of a few hundred gigabyte to a few terrabyte. See [Obtaining input data](#) for advice on getting access to machines with large datasets already available.

A log message will be displayed with the total amount of data that will be downloaded before starting the download. If you see that this is more than you would like to download, stop the tool by pressing the `Ctrl` and `C` keys on your keyboard simultaneously several times, edit the recipe so it contains fewer datasets and try again.

For downloading some files, you may need to log in to be able to download the data.

See the [ESGF user guide](#) for instructions on how to create an ESGF OpenID account if you do not have one yet. Note that the OpenID account consists of 3 components instead of the usual two, in addition a username and password you also need the hostname of the provider of the ID; for example `esgf-data.dkrz.de`. Even though the account is issued by a particular host, the same OpenID account can be used to download data from all hosts in the ESGF.

Next, configure your system so the `esmvaltool` can use your credentials. This can be done using the *keyring* package or they can be stored in a *configuration file*.

2.4.1 Storing credentials in keyring

First install the *keyring* package. Note that this requires a supported backend that may not be available on compute clusters, see the [keyring documentation](#) for more information.

```
pip install keyring
```

Next, set your username and password by running the commands:

```
keyring set ESGF hostname
keyring set ESGF username
keyring set ESGF password
```

for example, if you created an account on the host `esgf-data.dkrz.de` with username `'cookiemonster'` and password `'Welcome01'`, run the command

```
keyring set ESGF hostname
```

this will display the text

```
Password for 'hostname' in 'ESGF':
```

type `esgf-data.dkrz.de` (the characters will not be shown) and press Enter. Repeat the same procedure with keyring set ESGF username, type `cookiemonster` and press Enter and keyring set ESGF password, type `Welcome01` and press Enter.

To check that you entered your credentials correctly, run:

```
keyring get ESGF hostname
keyring get ESGF username
keyring get ESGF password
```

2.4.2 Configuration file

An optional configuration file can be created for configuring how the tool uses `esgf-pyclient` to find and download data. The name of this file is `~/.esmvaltool/esgf-pyclient.yml`.

Logon

In the logon section you can provide arguments that will be passed on to `pyesgf.logon.LogonManager.logon()`. For example, you can store the hostname, username, and password or your OpenID account in the file like this:

```
logon:
  hostname: "your-hostname"
  username: "your-username"
  password: "your-password"
```

for example

```
logon:
  hostname: "esgf-data.dkrz.de"
  username: "cookiemonster"
  password: "Welcome01"
```

if you created an account on the host `esgf-data.dkrz.de` with username `'cookiemonster'` and password `'Welcome01'`. Alternatively, you can configure an interactive log in:

```
logon:
  interactive: true
```

Note that storing your password in plain text in the configuration file is less secure. On shared systems, make sure the permissions of the file are set so only you and administrators can read it, i.e.

```
ls -l ~/.esmvaltool/esgf-pyclient.yml
```

shows permissions `-rw-----`.

Search

Any arguments to `pyesgf.search.connection.SearchConnection` can be provided in the section `search_connection`, for example:

```
search_connection:
  expire_after: 2592000 # the number of seconds in a month
```

to keep cached search results for a month.

The default settings are:

```
urls:
- 'https://esgf.ceda.ac.uk/esg-search'
- 'https://esgf-node.llnl.gov/esg-search'
- 'https://esgf-data.dkrz.de/esg-search'
- 'https://esgf-node.ipsl.upmc.fr/esg-search'
- 'https://esg-dn1.nsc.liu.se/esg-search'
- 'https://esgf.nci.org.au/esg-search'
- 'https://esgf.nccs.nasa.gov/esg-search'
- 'https://esgdata.gfdl.noaa.gov/esg-search'
distrib: true
timeout: 120 # seconds
cache: '~/.esmvaltool/cache/pyesgf-search-results'
expire_after: 86400 # cache expires after 1 day
```

Note that by default the tool will try the [ESGF index nodes](#) in the order provided in the configuration file and use the first one that is online. Some ESGF index nodes may return search results faster than others, so you may be able to speed up the search for files by experimenting with placing different index nodes at the top of the list.

If you experience errors while searching, it sometimes helps to delete the cached results.

2.4.3 Download statistics

The tool will maintain statistics of how fast data can be downloaded from what host in the file `~/.esmvaltool/cache/esgf-hosts.yml` and automatically select hosts that are faster. There is no need to manually edit this file, though it can be useful to delete it if you move your computer to a location that is very different from the place where you previously downloaded data. An entry in the file might look like this:

```
esgf2.dkrz.de:
  duration (s): 8
  error: false
  size (bytes): 69067460
  speed (MB/s): 7.9
```

The tool only uses the duration and size to determine the download speed, the speed shown in the file is not used. If error is set to true, the most recent download request to that host failed and the tool will automatically try this host only as a last resort.

2.5 Developer configuration file

Most users and diagnostic developers will not need to change this file, but it may be useful to understand its content. It will be installed along with ESMValCore and can also be viewed on GitHub: [esmvalcore/config-developer.yml](https://github.com/ESMValGroup/esmvalcore/blob/main/config-developer.yml). This configuration file describes the file system structure and CMOR tables for several key projects (CMIP6, CMIP5, obs4MIPs, OBS6, OBS) on several key machines (e.g. BADC, CP4CDS, DKRZ, ETHZ, SMHI, BSC), and for native output data for some models (ICON, IPSL, ... see *Configuring datasets in native format*). CMIP data is stored as part of the Earth System Grid Federation (ESGF) and the standards for file naming and paths to files are set out by CMOR and DRS. For a detailed description of these standards and their adoption in ESMValCore, we refer the user to *CMIP data* section where we relate these standards to the data retrieval mechanism of the ESMValCore.

By default, esmvaltool looks for it in the home directory, inside the '.esmvaltool' folder.

Users can get a copy of this file with default values by running

```
esmvaltool config get-config-developer --path=${TARGET_FOLDER}
```

If the option `--path` is omitted, the file will be created in `${HOME}/.esmvaltool`.

Note: Remember to change your config-user file if you want to use a custom config-developer.

Example of the CMIP6 project configuration:

```
CMIP6:
  input_dir:
    default: '/'
    BADC: '{activity}/{institute}/{dataset}/{exp}/{ensemble}/{mip}/{short_name}/{grid}/
    ↪{version}'
    DKRZ: '{activity}/{institute}/{dataset}/{exp}/{ensemble}/{mip}/{short_name}/{grid}/
    ↪{version}'
    ETHZ: '{exp}/{mip}/{short_name}/{dataset}/{ensemble}/{grid}/'
  input_file: '{short_name}_{mip}_{dataset}_{exp}_{ensemble}_{grid}*.nc'
  output_file: '{project}_{dataset}_{mip}_{exp}_{ensemble}_{short_name}'
  cmor_type: 'CMIP6'
  cmor_strict: true
```

2.5.1 Input file paths

When looking for input files, the esmvaltool command provided by ESMValCore replaces the placeholders `{item}` in `input_dir` and `input_file` with the values supplied in the recipe. ESMValCore will try to automatically fill in the values for `institute`, `frequency`, and `modeling_realm` based on the information provided in the CMOR tables and/or *extra_facets* when reading the recipe. If this fails for some reason, these values can be provided in the recipe too.

The data directory structure of the CMIP projects is set up differently at each site. As an example, the CMIP6 directory path on BADC would be:

```
'{activity}/{institute}/{dataset}/{exp}/{ensemble}/{mip}/{short_name}/{grid}/{version}'
```

The resulting directory path would look something like this:

```
CMIP/MOHC/HadGEM3-GC31-LL/historical/r1i1p1f3/Omon/tos/gn/latest
```

Please, bear in mind that `input_dirs` can also be a list for those cases in which may be needed:

```
- '{exp}/{ensemble}/original/{mip}/{short_name}/{grid}/{version}'  
- '{exp}/{ensemble}/computed/{mip}/{short_name}/{grid}/{version}'
```

In that case, the resultant directories will be:

```
historical/r1i1p1f3/original/Omon/tos/gn/latest  
historical/r1i1p1f3/computed/Omon/tos/gn/latest
```

For a more in-depth description of how to configure ESMValCore so it can find your data please see [CMIP data](#).

2.5.2 Preprocessor output files

The filename to use for preprocessed data is configured in a similar manner using `output_file`. Note that the extension `.nc` (and if applicable, a start and end time) will automatically be appended to the filename.

2.5.3 Project CMOR table configuration

ESMValCore comes bundled with several CMOR tables, which are stored in the directory `esmvalcore/cmor/tables`. These are copies of the tables available from [PCMDI](#).

For every project that can be used in the recipe, there are four settings related to CMOR table settings available:

- `cmor_type`: can be `CMIP5` if the CMOR table is in the same format as the `CMIP5` table or `CMIP6` if the table is in the same format as the `CMIP6` table.
- `cmor_strict`: if this is set to `false`, the CMOR table will be extended with variables from the [Custom CMOR tables](#) (by default loaded from the `esmvalcore/cmor/tables/custom` directory) and it is possible to use variables with a `mip` which is different from the `MIP` table in which they are defined. Note that this option is always enabled for [derived](#) variables.
- `cmor_path`: path to the CMOR table. Relative paths are with respect to `esmvalcore/cmor/tables`. Defaults to the value provided in `cmor_type` written in lower case.
- `cmor_default_table_prefix`: Prefix that needs to be added to the `mip` to get the name of the file containing the `mip` table. Defaults to the value provided in `cmor_type`.

2.5.4 Custom CMOR tables

As mentioned in the previous section, the CMOR tables of projects that use `cmor_strict: false` will be extended with custom CMOR tables. For derived variables (the ones with `derive: true` in the recipe), the custom CMOR tables will always be considered. By default, these custom tables are loaded from `esmvalcore/cmor/tables/custom`. However, by using the special project `custom` in the `config-developer.yml` file with the option `cmor_path`, a custom location for these custom CMOR tables can be specified. In this case, the default custom tables are extended with those entries from the custom location (in case of duplication, the custom location tables take precedence).

Example:

```
custom:  
  cmor_path: ~/my/own/custom_tables
```

This path can be given as relative path (relative to `esmvalcore/cmor/tables`) or as absolute path. Other options given for this special table will be ignored.

Custom tables in this directory need to follow the naming convention `CMOR_{short_name}.dat` and need to be given in `CMIP5` format.

Example for the file `CMOR_asr.dat`:

```
SOURCE: CMIP5
!=====
variable_entry:    asr
!=====
modeling_realm:    atmos
!-----
! Variable attributes:
!-----
standard_name:
units:             W m-2
cell_methods:      time: mean
cell_measures:      area: areacella
long_name:          Absorbed shortwave radiation
!-----
! Additional variable information:
!-----
dimensions:        longitude latitude time
type:              real
positive:          down
!-----
!
```

It is also possible to use a special coordinates file `CMOR_coordinates.dat`, which will extend the entries from the default one (`esmvalcore/cmor/tables/custom/CMOR_coordinates.dat`).

2.5.5 Filter preprocessor warnings

It is possible to ignore specific warnings of the preprocessor for a given project. This is particularly useful for native datasets which do not follow the CMOR standard by default and consequently produce a lot of warnings when handled by Iris. This can be configured in the `config-developer.yml` file for some steps of the preprocessing chain.

Currently supported preprocessor steps:

- `load()`

Here is an example on how to ignore specific warnings during the preprocessor step `load` for all datasets of project EMAC (taken from the default `config-developer.yml` file):

```
ignore_warnings:
  load:
    - {message: 'Missing CF-netCDF formula term variable .*, referenced by netCDF_
↪variable .*', module: iris}
    - {message: 'Ignored formula of unrecognised type: .*', module: iris}
```

The keyword arguments specified in the list items are directly passed to `warnings.filterwarnings()` in addition to `action=ignore` (may be overwritten in `config-developer.yml`).

2.5.6 Configuring datasets in native format

ESMValCore can be configured for handling native model output formats and specific reanalysis/observation datasets without preliminary reformatting. These datasets can be either hosted under the `native6` project (mostly native reanalysis/observational datasets) or under a dedicated project, e.g., `ICON` (mostly native models).

Example:

```
native6:
  cmor_strict: false
  input_dir:
    default: 'Tier{tier}/{dataset}/{version}/{frequency}/{short_name}'
  input_file:
    default: '*.nc'
  output_file: '{project}_{dataset}_{type}_{version}_{mip}_{short_name}'
  cmor_type: 'CMIP6'
  cmor_default_table_prefix: 'CMIP6_'

ICON:
  cmor_strict: false
  input_dir:
    default:
      - '{exp}'
      - '{exp}/outdata'
  input_file:
    default: '{exp}_{var_type}*.nc'
  output_file: '{project}_{dataset}_{exp}_{var_type}_{mip}_{short_name}'
  cmor_type: 'CMIP6'
  cmor_default_table_prefix: 'CMIP6_'
```

A detailed description on how to add support for further native datasets is given [here](#).

Hint: When using native datasets, it might be helpful to specify a custom location for the *Custom CMOR tables*. This allows reading arbitrary variables from native datasets. Note that this requires the option `cmor_strict: false` in the *project configuration* used for the native model output.

2.6 References configuration file

The `esmvaltool/config-references.yml` file contains the list of ESMValTool diagnostic and recipe authors, references and projects. Each author, project and reference referred to in the documentation section of a recipe needs to be in this file in the relevant section.

For instance, the recipe `recipe_ocean_example.yml` file contains the following documentation section:

```
documentation:
  authors:
    - demo_le

  maintainer:
    - demo_le
```

(continues on next page)

(continued from previous page)

```

references:
- demora2018gmd

projects:
- ukesm

```

These four items here are named people, references and projects listed in the `config-references.yml` file.

2.7 Extra Facets

It can be useful to automatically add extra key-value pairs to variables or datasets in the recipe. These key-value pairs can be used for *finding data* or for providing extra information to the functions that *fix data* before passing it on to the preprocessor.

To support this, we provide the extra facets facilities. Facets are the key-value pairs described in *Recipe section: datasets*. Extra facets allows for the addition of more details per project, dataset, mip table, and variable name.

More precisely, one can provide this information in an extra yaml file, named `{project}-something.yml`, where `{project}` corresponds to the project as used by ESMValTool in *Recipe section: datasets* and “something” is arbitrary.

2.7.1 Format of the extra facets files

The extra facets are given in a yaml file, whose file name identifies the project. Inside the file there is a hierarchy of nested dictionaries with the following levels. At the top there is the *dataset* facet, followed by the *mip* table, and finally the *short_name*. The leaf dictionary placed here gives the extra facets that will be made available to data finder and the fix infrastructure. The following example illustrates the concept.

Listing 1: Extra facet example file `native6-era5.yml`

```

ERA5:
  Amon:
    tas: {source_var_name: "t2m", cds_var_name: "2m_temperature"}

```

The three levels of keys in this mapping can contain [Unix shell-style wildcards](#). The special characters used in shell-style wildcards are:

Pattern	Meaning
*	matches everything
?	matches any single character
[seq]	matches any character in seq
[!seq]	matches any character not in seq

where `seq` can either be a sequence of characters or just a bunch of characters, for example `[A-C]` matches the characters A, B, and C, while `[AC]` matches the characters A and C.

For example, this is used to automatically add `product: output1` to any variable of any CMIP5 dataset that does not have a `product` key yet:

Listing 2: Extra facet example file `cmip5-product.yml`

```
'*':  
  '*':  
    '*': {product: output1}
```

2.7.2 Location of the extra facets files

Extra facets files can be placed in several different places. When we use them to support a particular use-case within the ESMValTool project, they will be provided in the sub-folder *extra_facets* inside the package *esmvalcore.config*. If they are used from the user side, they can be either placed in `~/.esmvaltool/extra_facets` or in any other directory of the users choosing. In that case this directory must be added to the *config-user.yml* file under the *extra_facets_dir* setting, which can take a single directory or a list of directories.

The order in which the directories are searched is

1. The internal directory *esmvalcore.config/extra_facets*
2. The default user directory `~/.esmvaltool/extra_facets`
3. The custom user directories in the order in which they are given in *config-user.yml*.

The extra facets files within each of these directories are processed in lexicographical order according to their file name.

In all cases it is allowed to supersede information from earlier files in later files. This makes it possible for the user to effectively override even internal default facets, for example to deal with local particularities in the data handling.

2.7.3 Use of extra facets

For extra facets to be useful, the information that they provide must be applied. There are fundamentally two places where this comes into play. One is *the datafinder*, the other are *fixes*.

INPUT DATA

3.1 Overview

Data discovery and retrieval is the first step in any evaluation process; ESMValTool uses a *semi-automated* data finding mechanism with inputs from both the user configuration file and the recipe file: this means that the user will have to provide the tool with a set of parameters related to the data needed and once these parameters have been provided, the tool will automatically find the right data. We will detail below the data finding and retrieval process and the input the user needs to specify, giving examples on how to use the data finding routine under different scenarios.

3.2 Data types

3.2.1 CMIP data

CMIP data is widely available via the Earth System Grid Federation ([ESGF](#)) and is accessible to users either via automatic download by `esmvaltool` or through the ESGF data nodes hosted by large computing facilities (like CEDA-Jasmin, DKRZ, etc). This data adheres to, among other standards, the DRS and Controlled Vocabulary standard for naming files and structured paths; the [DRS](#) ensures that files and paths to them are named according to a standardized convention. Examples of this convention, also used by ESMValTool for file discovery and data retrieval, include:

- CMIP6 file: {variable_short_name}_{mip}_{dataset_name}_{experiment}_{ensemble}_{grid}_{start-date}-{end-date}.nc
- CMIP5 file: {variable_short_name}_{mip}_{dataset_name}_{experiment}_{ensemble}_{start-date}-{end-date}.nc
- OBS file: {project}_{dataset_name}_{type}_{version}_{mip}_{short_name}_{start-date}-{end-date}.nc

Similar standards exist for the standard paths (input directories); for the ESGF data nodes, these paths differ slightly, for example:

- CMIP6 path for BADC: ROOT-BADC/{institute}/{dataset_name}/{experiment}/{ensemble}/{mip}/{variable_short_name}/{grid};
- CMIP6 path for ETHZ: ROOT-ETHZ/{experiment}/{mip}/{variable_short_name}/{dataset_name}/{ensemble}/{grid}

From the ESMValTool user perspective the number of data input parameters is optimized to allow for ease of use. We detail this procedure in the next section.

3.2.2 Observational data

Part of observational data is retrieved in the same manner as CMIP data, for example using the OBS root path set to:

```
OBS: /gws/nopw/j04/esmeval/obsdata-v2
```

and the dataset:

```
- {dataset: ERA-Interim, project: OBS6, type: reanaly, version: 1, start_year: 2014, end_year: 2015, tier: 3}
```

in `recipe.yml` in `datasets` or `additional_datasets`, the rules set in *CMOR-DRS* are used again and the file will be automatically found:

```
/gws/nopw/j04/esmeval/obsdata-v2/Tier3/ERA-Interim/OBS_ERA-Interim_reanaly_1_Amon_ta_201401-201412.nc
```

Since observational data are organized in Tiers depending on their level of public availability, the default directory must be structured accordingly with sub-directories TierX (Tier1, Tier2 or Tier3), even when `drs: default`.

3.2.3 Datasets in native format

Some datasets are supported in their native format (i.e., the data is not formatted according to a CMIP data request) through the `native6` project (mostly native reanalysis/observational datasets) or through a dedicated project, e.g., ICON (mostly native models). A detailed description of how to include new native datasets is given [here](#).

Hint: When using native datasets, it might be helpful to specify a custom location for the *Custom CMOR tables*. This allows reading arbitrary variables from native datasets. Note that this requires the option `cmor_strict: false` in the *project configuration* used for the native model output.

Supported native reanalysis/observational datasets

The following native reanalysis/observational datasets are supported under the `native6` project. To use these datasets, put the files containing the data in the directory that you have configured for the `native6` project in your *User configuration file*, in a subdirectory called `Tier{tier}/{dataset}/{version}/{frequency}/{short_name}`. Replace the items in curly braces by the values used in the variable/dataset definition in the *recipe*. Below is a list of native reanalysis/observational datasets currently supported.

ERA5

- Supported variables: `cl`, `clt`, `evspsbl`, `evspsblpot`, `mrro`, `pr`, `prsn`, `ps`, `psl`, `ptype`, `rls`, `rlds`, `rsds`, `rsdt`, `rss`, `uas`, `vas`, `tas`, `tasmax`, `tasmin`, `tdps`, `ts`, `tsn` (Elhr/Amon), `orog` (fx)
- Tier: 3

Note: According to the description of Evapotranspiration and potential Evapotranspiration on the Copernicus page (<https://cds.climate.copernicus.eu/cdsapp#!/dataset/reanalysis-era5-single-levels-monthly-means?tab=overview>): “The ECMWF Integrated Forecasting System (IFS) convention is that downward fluxes are positive. Therefore, negative values indicate evaporation and positive values indicate condensation.”

In the CMOR table, these fluxes are defined as positive, if they go from the surface into the atmosphere: “Evaporation at surface (also known as evapotranspiration): flux of water into the atmosphere due to conversion of both liquid and solid phases to vapor (from underlying surface and vegetation).” Therefore, the ERA5 (and ERA5-Land) CMORizer switches the signs of `evpsbl` and `evpsblpot` to be compatible with the CMOR standard used e.g. by the CMIP models.

MSWEP

- Supported variables: `pr`
- Supported frequencies: `mon`, `day`, `3hr`.
- Tier: 3

For example for monthly data, place the files in the `/Tier3/MSWEP/version/mon/pr` subdirectory of your `native6` project location.

Note: For monthly data (V220), the data must be postfixed with the date, i.e. rename `global_monthly_050deg.nc` to `global_monthly_050deg_197901-201710.nc`

For more info: <http://www.gloh2o.org/>

Data for the version V220 can be downloaded from: https://hydrology.princeton.edu/data/hylkeb/MSWEP_V220/.

Supported native models

The following models are natively supported by ESMValCore. In contrast to the native observational datasets listed above, they use dedicated projects instead of the project `native6`.

CESM

ESMValTool is able to read native `CESM` model output.

Warning: The support for native CESM output is still experimental. Currently, only one variable (*tas*) is fully supported. Other 2D variables might be supported by specifying appropriate facets in the recipe or extra facets files (see text below). 3D variables (data that uses a vertical dimension) are not supported, yet.

The default naming conventions for input directories and files for CESM are

- **input directories: 3 different types supported:**
 - `/` (run directory)
 - `{case}/{gcomp}/hist` (short-term archiving)
 - `{case}/{gcomp}/proc/{tdir}/{tperiod}` (post-processed data)
- input files: `{case}.{scomp}.{type}.{string}*nc`

as configured in the *config-developer file* (using the default DRS `drs: default` in the *User configuration file*). More information about CESM naming conventions are given [here](#).

Note: The `{string}` entry in the input file names above does not only correspond to the (optional) `$string` entry for [CESM model output files](#), but can also be used to read [post-processed files](#). In the latter case, `{string}` corresponds to the combination `$SSTRING.$TSTRING`.

Thus, example dataset entries could look like this:

datasets:

```
- {project: CESM, dataset: CESM2, case: f.e21.FHIST_BGC.f09_f09_mg17.CMIP6-AMIP.001,
  type: h0, mip: Amon, short_name: tas, start_year: 2000, end_year: 2014}
- {project: CESM, dataset: CESM2, case: f.e21.F1850_BGC.f09_f09_mg17.CFMIP-hadsst-
  piForcing.001, type: h0, gcomp: atm, scomp: cam, mip: Amon, short_name: tas, start_
  year: 2000, end_year: 2014}
```

Variable-specific defaults for the facet `gcomp` and `scomp` are given in the extra facets (see next paragraph) for some variables, but this can be overwritten in the recipe.

Similar to any other fix, the CESM fix allows the use of *extra facets*. By default, the file `cesm-mappings.yml` is used for that purpose. Currently, this file only contains default facets for a single variable (*tas*); for other variables, these entries need to be defined in the recipe. Supported keys for extra facets are:

Key	Description	Default value if not specified
<code>gcomp</code>	Generic component-model name	No default (needs to be specified in extra facets or recipe if default DRS is used)
<code>raw_r</code>	Variable name of the variable in the raw input file	CMOR variable name of the corresponding variable
<code>raw_u</code>	Units of the variable in the raw input file	If specified, the value given by the <code>units</code> attribute in the raw input file; otherwise unknown
<code>scomp</code>	Specific component-model name	No default (needs to be specified in extra facets or recipe if default DRS is used)
<code>strir</code>	Short string which is used to further identify the history file type (corresponds to <code>\$string</code> or <code>\$SSTRING.\$TSTRING</code> in the CESM file name conventions; see note above)	<code>' '</code> (empty string)
<code>tdir</code>	Entry to distinguish time averages from time series from diagnostic plot sets (only used for post-processed data)	<code>' '</code> (empty string)
<code>tperi</code>	Time period over which the data was processed (only used for post-processed data)	<code>' '</code> (empty string)

EMAC

ESMValTool is able to read native [EMAC](#) model output.

The default naming conventions for input directories and files for EMAC are

- input directories: `{exp}/{channel}`
- input files: `{exp}*{channel}{postproc_flag}.nc`

as configured in the *config-developer file* (using the default DRS `drs: default` in the *User configuration file*).

Thus, example dataset entries could look like this:

```

datasets:
- {project: EMAC, dataset: EMAC, exp: historical, mip: Amon, short_name: tas, start_
  year: 2000, end_year: 2014}
- {project: EMAC, dataset: EMAC, exp: historical, mip: Omon, short_name: tos, postproc_
  flag: "-p-mm", start_year: 2000, end_year: 2014}
- {project: EMAC, dataset: EMAC, exp: historical, mip: Amon, short_name: ta, raw_name:
  tm1_p39_cav, start_year: 2000, end_year: 2014}

```

Please note the duplication of the name EMAC in `project` and `dataset`, which is necessary to comply with ESMValTool's data finding and CMORizing functionalities. A variable-specific default for the facet `channel` is given in the extra facets (see next paragraph) for many variables, but this can be overwritten in the recipe.

Similar to any other fix, the EMAC fix allows the use of *extra facets*. By default, the file `emac-mappings.yml` is used for that purpose. For some variables, extra facets are necessary; otherwise ESMValTool cannot read them properly. Supported keys for extra facets are:

Key	Description	Default value if not specified
<code>channel</code>	Channel in which the desired variable is stored	No default (needs to be specified in extra facets or recipe if default DRS is used)
<code>postproc_f</code>	Postprocessing flag of the data	<code>' '</code> (empty string)
<code>raw_name</code>	Variable name of the variable in the raw input file	CMOR variable name of the corresponding variable
<code>raw_units</code>	Units of the variable in the raw input file	If specified, the value given by the <code>units</code> attribute in the raw input file; otherwise <code>unknown</code>

Note: `raw_name` can be given as `str` or `list`. The latter is used to support multiple different variables names in the input file. In this case, the prioritization is given by the order of the list; if possible, use the first entry, if this is not present, use the second, etc. This is particularly useful for files in which regular averages (`*_ave`) or conditional averages (`*_cav`) exist.

For 3D variables defined on pressure levels, only the pressure levels defined by the CMOR table (e.g., for Amon's `ta`: `tm1_p19_cav` and `tm1_p19_ave`) are given in the default extra facets file. If other pressure levels are desired, e.g., `tm1_p39_cav`, this has to be explicitly specified in the recipe using `raw_name: tm1_p39_cav` or `raw_name: [tm1_p19_cav, tm1_p39_cav]`.

ICON

ESMValTool is able to read native **ICON** model output.

The default naming conventions for input directories and files for ICON are

- input directories: `{exp}` or `{exp}/outdata`
- input files: `{exp}_{var_type}*.nc`

as configured in the *config-developer file* (using the default DRS `drs: default` in the *User configuration file*).

Thus, example dataset entries could look like this:

```

datasets:
- {project: ICON, dataset: ICON, exp: icon-2.6.1_atm_amip_R2B5_r1i1p1f1,
  mip: Amon, short_name: tas, start_year: 2000, end_year: 2014}

```

(continues on next page)

(continued from previous page)

```
- {project: ICON, dataset: ICON, exp: historical, mip: Amon,
  short_name: ta, var_type: atm_dyn_3d_ml, start_year: 2000,
  end_year: 2014}
```

Please note the duplication of the name `ICON` in `project` and `dataset`, which is necessary to comply with ESMValTool's data finding and CMORizing functionalities. A variable-specific default for the facet `var_type` is given in the extra facets (see below) for many variables, but this can be overwritten in the recipe. This is necessary if your `ICON` output is structured in one variable per file. For example, if your output is stored in files called `<exp>_<variable_name>_atm_2d_ml_YYYYMMDDThhmmss.nc`, use `var_type: <variable_name>_atm_2d_ml` in the recipe for this variable.

Usually, `ICON` reports aggregated values at the end of the corresponding time output intervals. For example, for monthly output, `ICON` reports the month February as "1 March". Thus, by default, ESMValCore shifts all time points back by 1/2 of the output time interval so that the new time point corresponds to the center of the interval. This can be disabled by using `shift_time: false` in the recipe or the extra facets (see below). For point measurements (identified by `cell_methods = "time: point"`), this is always disabled.

Warning: To get all desired time points, do **not** use `start_year` and `end_year` in the recipe, but rather `timerange` with at least 8 digits. For example, to get data for the years 2000 and 2001, use `timerange: 20000101/20020101` instead of `timerange: 2000/2001` or `start_year: 2000, end_year: 2001`. See [Time ranges](#) for more information on the `timerange` option.

Usually, ESMValCore will need the corresponding `ICON` grid file of your simulation to work properly (examples: setting latitude/longitude coordinates if these are not yet present, UGRIDization [see below], etc.). This grid file can either be specified as absolute or relative (to `auxiliary_data_dir` as defined in the [User configuration file](#)) path with the facet `horizontal_grid` in the recipe or the extra facets (see below), or retrieved automatically from the `grid_file_uri` attribute of the input files. In the latter case, ESMValCore first searches the input directories specified for `ICON` for a grid file with that name, and if that was not successful, tries to download the file and cache it. The cached file is valid for 7 days.

ESMValCore can automatically make native `ICON` data UGRID-compliant when loading the data. The UGRID conventions provide a standardized format to store data on unstructured grids, which is required by many software packages or tools to work correctly. An example is the horizontal regridding of native `ICON` data to a regular grid. While the built-in [nearest scheme](#) can handle unstructured grids not in UGRID format, using more complex regridding algorithms (for example provided by the `iris-esmf-regrid` package through [Generic regridding schemes](#)) requires the input data in UGRID format. The following code snippet provides a preprocessor that regrids native `ICON` data to a 1°x1° grid using ESMF's first-order conservative regridding algorithm:

```
preprocessors:
  regrid_icon:
    regrid:
      target_grid: 1x1
      scheme:
        reference: esmf_regrid.schemes:ESMFAreaWeighted
```

This automatic UGRIDization is enabled by default, but can be switched off with the facet `ugrid: false` in the recipe or the extra facets (see below). This is useful for diagnostics that do not support input data in UGRID format (yet) like the `Psyplot` diagnostic or if you want to use the built-in [nearest scheme](#) regridding scheme.

For 3D `ICON` variables, ESMValCore tries to add the pressure level information (from the variables `pfull` and `phalf`) and/or altitude information (from the variables `zg` and `zghalf`) to the preprocessed output files. If neither of these variables are available in the input files, it is possible to specify the location of files that include the corresponding `zg` or `zghalf` variables with the facets `zg_file` and/or `zghalf_file` in the recipe or the extra facets. The paths to these

files can be specified absolute or relative (to `auxiliary_data_dir` as defined in the *User configuration file*).

Hint: To use the `extract_levels()` preprocessor on native ICON data, you need to specify the name of the vertical coordinate (e.g., `coordinate: air_pressure`) since native ICON output usually provides a 3D air pressure field instead of a simple 1D vertical coordinate. This also works if your files only contain altitude information (in this case, the US standard atmosphere is used to convert between altitude and pressure levels; see *Vertical interpolation* for details). Example:

```
preprocessors:
  extract_500hPa_level_from_icon:
    extract_levels:
      levels: 50000
      scheme: linear
      coordinate: air_pressure
```

Similar to any other fix, the ICON fix allows the use of *extra facets*. By default, the file `icon-mappings.yml` is used for that purpose. For some variables, extra facets are necessary; otherwise ESMValTool cannot read them properly. Supported keys for extra facets are:

Key	Description	Default value if not specified
<code>horizont</code>	Absolute or relative (to <code>auxiliary_data_dir</code> defined in the <i>User configuration file</i>) path to the ICON grid file	If not given, use file attribute <code>grid_file_uri</code> to retrieve ICON grid file (see details above)
<code>latitude</code>	Standard name of the latitude coordinate in the raw input file	<code>latitude</code>
<code>longitud</code>	Standard name of the longitude coordinate in the raw input file	<code>longitude</code>
<code>raw_name</code>	Variable name of the variable in the raw input file	CMOR variable name of the corresponding variable
<code>raw_unit</code>	Units of the variable in the raw input file	If specified, the value given by the <code>units</code> attribute in the raw input file; otherwise <code>unknown</code>
<code>shift_ti</code>	Shift time points back by 1/2 of the corresponding output time interval	<code>True</code>
<code>ugrid</code>	Automatic UGRIDization of the input data	<code>True</code>
<code>var_type</code>	Variable type of the variable in the raw input file	No default (needs to be specified in extra facets or recipe if default DRS is used)
<code>zg_file</code>	Absolute or relative (to <code>auxiliary_data_dir</code> defined in the <i>User configuration file</i>) path to the input file that contains <code>zg</code>	If possible, use <code>zg</code> variable provided by the raw input file
<code>zghalf_f</code>	Absolute or relative (to <code>auxiliary_data_dir</code> defined in the <i>User configuration file</i>) path to the input file that contains <code>zghalf</code>	If possible, use <code>zghalf</code> variable provided by the raw input file

Hint: In order to read cell area files (`areacella` and `areacello`), one additional manual step is necessary: Copy the ICON grid file (you can find a download link in the global attribute `grid_file_uri` of your ICON data) to your ICON input directory and change its name in such a way that only the grid file is found when the cell area variables are required. Make sure that this file is not found when other variables are loaded.

For example, you could use a new `var_type`, e.g., `horizontalgrid` for this file. Thus, an ICON grid file located in `2.6.1_atm_amip_R2B5_r1i1p1f1/2.6.1_atm_amip_R2B5_r1i1p1f1_horizontalgrid.nc` can be found using

`var_type`: `horizontalgrid` in the recipe (assuming the default naming conventions listed above). Make sure that no other variable uses this `var_type`.

If you want to use the `area_statistics()` preprocessor on *regridded* ICON data, make sure to **not** use the cell area files by using the `skip: true` syntax in the recipe as described in *Supplementary variables (ancillary variables and cell measures)*, e.g.,

```
datasets:
- {project: ICON, dataset: ICON, exp: amip,
  supplementary_variables: [{short_name: areacella, skip: true}]}
```

IPSL-CM6

Both output formats (i.e. the `Output` and the `Analyse / Time series` formats) are supported, and should be configured in recipes as e.g.:

```
datasets:
- {simulation: CM61-LR-hist-03.1950, exp: piControl, out: Analyse, freq: TS_M0,
  account: p86caub, status: PROD, dataset: IPSL-CM6, project: IPSLCM,
  root: /thredds/tgcc/store}
- {simulation: CM61-LR-hist-03.1950, exp: historical, out: Output, freq: M0,
  account: p86caub, status: PROD, dataset: IPSL-CM6, project: IPSLCM,
  root: /thredds/tgcc/store}
```

The `Output` format is an example of a case where variables are grouped in multi-variable files, which name cannot be computed directly from datasets attributes alone but requires to use an `extra_facets` file, which principles are explained in *Extra Facets*, and which content is available [here](#). These multi-variable files must also undergo some data selection.

3.3 Data retrieval

Data retrieval in ESMValTool has two main aspects from the user's point of view:

- data can be found by the tool, subject to availability on disk or [ESGF](#);
- it is the user's responsibility to set the correct data retrieval parameters;

The first point is self-explanatory: if the user runs the tool on a machine that has access to a data repository or multiple data repositories, then ESMValTool will look for and find the available data requested by the user. If the files are not found locally, the tool can search the [ESGF](#) and download the missing files, provided that they are available.

The second point underlines the fact that the user has full control over what type and the amount of data is needed for the analyses. Setting the data retrieval parameters is explained below.

3.3.1 Enabling automatic downloads from the ESGF

To enable automatic downloads from ESGF, set `search_esgf: when_missing` (use local files whenever possible) or `search_esgf: always` (always search ESGF for latest version of files and only use local data if it is the latest version) in the *User configuration file*, or provide the corresponding command line arguments `--search_esgf=when_missing` or `--search_esgf=always` when running the recipe. The files will be stored in the `download_dir` set in the *User configuration file*.

3.3.2 Setting the correct root paths

The first step towards providing ESMValTool the correct set of parameters for data retrieval is setting the root paths to the data. This is done in the user configuration file `config-user.yml`. The two sections where the user will set the paths are `rootpath` and `drs`. `rootpath` contains pointers to CMIP, OBS, `default` and RAWOBS root paths; `drs` sets the type of directory structure the root paths are structured by. It is important to first discuss the `drs` parameter: as we've seen in the previous section, the DRS as a standard is used for both file naming conventions and for directory structures.

3.3.3 Synda

If the `synda install` command is used to download data, it maintains the directory structure as on ESGF. To find data downloaded by `synda`, use the SYNDA `drs` parameter.

```
drs:
  CMIP6: SYNDA
  CMIP5: SYNDA
```

3.3.4 Explaining config-user/drs: CMIP5: or config-user/drs: CMIP6:

Whereas ESMValTool will **always** use the CMOR standard for file naming (please refer above), by setting the `drs` parameter the user tells the tool what type of root paths they need the data from, e.g.:

```
drs:
  CMIP6: BADC
```

will tell the tool that the user needs data from a repository structured according to the BADC DRS structure, i.e.:

```
ROOT/{institute}/{dataset_name}/{experiment}/{ensemble}/{mip}/{variable_short_name}/
{grid};
```

setting the `ROOT` parameter is explained below. This is a strictly-structured repository tree and if there are any sort of irregularities (e.g. there is no `{mip}` directory) the data will not be found! BADC can be replaced with DKRZ or ETHZ depending on the existing `ROOT` directory structure. The snippet

```
drs:
  CMIP6: default
```

is another way to retrieve data from a `ROOT` directory that has no DRS-like structure; `default` indicates that the data lies in a directory that contains all the files without any structure.

Note: When using `CMIP6: default` or `CMIP5: default` it is important to remember that all the needed files must be in the same top-level directory set by `default` (see below how to set `default`).

3.3.5 Explaining config-user/rootpath:

rootpath identifies the root directory for different data types (ROOT as we used it above):

- CMIP e.g. CMIP5 or CMIP6: this is the *root* path(s) to where the CMIP files are stored; it can be a single path or a list of paths; it can point to an ESGF node or it can point to a user private repository. Example for a CMIP5 root path pointing to the ESGF node on CEDA-Jasmin (formerly known as BADC):

```
CMIP5: /badc/cmip5/data/cmip5/output1
```

Example for a CMIP6 root path pointing to the ESGF node on CEDA-Jasmin:

```
CMIP6: /badc/cmip6/data/CMIP6/CMIP
```

Example for a mix of CMIP6 root path pointing to the ESGF node on CEDA-Jasmin and a user-specific data repository for extra data:

```
CMIP6: [/badc/cmip6/data/CMIP6/CMIP, /home/users/johndoe/cmip_data]
```

- OBS: this is the *root* path(s) to where the observational datasets are stored; again, this could be a single path or a list of paths, just like for CMIP data. Example for the OBS path for a large cache of observation datasets on CEDA-Jasmin:

```
OBS: /gws/nopw/j04/esmeval/obsdata-v2
```

- default: this is the *root* path(s) where the tool will look for data from projects that do not have their own rootpath set.
- RAWOBS: this is the *root* path(s) to where the raw observational data files are stored; this is used by esmvaltool data format.

3.3.6 Dataset definitions in recipe

Once the correct paths have been established, ESMValTool collects the information on the specific datasets that are needed for the analysis. This information, together with the CMOR convention for naming files (see *CMOR-DRS*) will allow the tool to search and find the right files. The specific datasets are listed in any recipe, under either the `datasets` and/or `additional_datasets` sections, e.g.

```
datasets:
- {dataset: HadGEM2-CC, project: CMIP5, exp: historical, ensemble: r1i1p1, start_year: ↪
↪ 2001, end_year: 2004}
- {dataset: UKESM1-0-LL, project: CMIP6, exp: historical, ensemble: r1i1p1f2, grid: gn,
↪ start_year: 2004, end_year: 2014}
```

The data finding feature will use this information to find data for **all** the variables specified in `diagnostics/variables`.

3.4 Recap and example

Let us look at a practical example for a recap of the information above: suppose you are using a `config-user.yml` that has the following entries for data finding:

```
rootpath: # running on CEDA-Jasmin
  CMIP6: /badc/cmip6/data/CMIP6/CMIP
drs:
  CMIP6: BADC # since you are on CEDA-Jasmin
```

and the dataset you need is specified in your `recipe.yml` as:

```
- {dataset: UKESM1-0-LL, project: CMIP6, mip: Amon, exp: historical, grid: gn, ensemble: r1i1p1f2, start_year: 2004, end_year: 2014}
```

for a variable, e.g.:

```
diagnostics:
  some_diagnostic:
    description: some_description
    variables:
      ta:
        preprocessor: some_preprocessor
```

The tool will then use the root path `/badc/cmip6/data/CMIP6/CMIP` and the dataset information and will assemble the full DRS path using information from *CMOR-DRS* and establish the path to the files as:

```
/badc/cmip6/data/CMIP6/CMIP/MOHC/UKESM1-0-LL/historical/r1i1p1f2/Amon
```

then look for variable `ta` and specifically the latest version of the data file:

```
/badc/cmip6/data/CMIP6/CMIP/MOHC/UKESM1-0-LL/historical/r1i1p1f2/Amon/ta/gn/latest/
```

and finally, using the file naming definition from *CMOR-DRS* find the file:

```
/badc/cmip6/data/CMIP6/CMIP/MOHC/UKESM1-0-LL/historical/r1i1p1f2/Amon/ta/gn/latest/ta_
Amon_UKESM1-0-LL_historical_r1i1p1f2_gn_195001-201412.nc
```

3.5 Data loading

Data loading is done using the data load functionality of *iris*; we will not go into too much detail about this since we can point the user to the specific functionality [here](#) but we will underline that the initial loading is done by adhering to the CF Conventions that *iris* operates by as well (see [CF Conventions Document](#) and the search page for [CF standard names](#)).

3.6 Data concatenation from multiple sources

Oftentimes data retrieving results in assembling a continuous data stream from multiple files or even, multiple experiments. The internal mechanism through which the assembly is done is via cube concatenation. One peculiarity of iris concatenation (see [iris cube concatenation](#)) is that it doesn't allow for concatenating time-overlapping cubes; this case is rather frequent with data from models overlapping in time, and is accounted for by a function that performs a flexible concatenation between two cubes, depending on the particular setup:

- cubes overlap in time: resulting cube is made up of the overlapping data plus left and right hand sides on each side of the overlapping data; note that in the case of the cubes coming from different experiments the resulting concatenated cube will have composite data made up from multiple experiments: assume [cube1: exp1, cube2: exp2] and cube1 starts before cube2, and cube2 finishes after cube1, then the concatenated cube will be made up of cube2: exp2 plus the section of cube1: exp1 that contains data not provided in cube2: exp2;
- cubes don't overlap in time: data from the two cubes is bolted together;

Note that two cube concatenation is the base operation of an iterative process of reducing multiple cubes from multiple data segments via cube concatenation ie if there is no time-overlapping data, the cubes concatenation is performed in one step.

3.7 Use of extra facets in the datafinder

Extra facets are a mechanism to provide additional information for certain kinds of data. The general approach is described in [Extra Facets](#). Here, we describe how they can be used to locate data files within the datafinder framework. This is useful to build paths for directory structures and file names that require more information than what is provided in the recipe. A common application is the location of variables in multi-variable files as often found in climate models' native output formats.

Another use case is files that use different names for variables in their file name than for the netCDF4 variable name.

To apply the extra facets for this purpose, simply use the corresponding tag in the applicable DRS inside the *config-developer.yml* file. For example, given the extra facets in [Extra facet example file native6-era5.yml](#), one might write the following.

Listing 1: Example drs use in *config-developer.yml*

```
native6:
  input_file:
    default: '{name_in_filename}*.nc'
```

The same replacement mechanism can be employed everywhere where tags can be used, particularly in *input_dir* and *input_file*.

RUNNING

The ESMValCore package provides the `esmvaltool` command line tool, which can be used to run a *recipe*.

To list the available commands, run

```
esmvaltool --help
```

It is also possible to get help on specific commands, e.g.

```
esmvaltool run --help
```

will display the help message with all options for the `run` command.

To run a recipe, call `esmvaltool run` with the path to the desired recipe:

```
esmvaltool run recipe_example.yml
```

The `esmvaltool run recipe_example.yml` command will first look if `recipe_example.yml` is the path to an existing file. If this is the case, it will run that recipe. If you have [ESMValTool installed](#), it will look if the name matches one of the recipes in your ESMValTool installation directory, in the subdirectory [recipes](#) and run that.

Note: There is no `recipe_example.yml` shipped with either ESMValCore or ESMValTool. If you would like to try out the command above, replace `recipe_example.yml` with the path to an existing recipe, e.g. [examples/recipe_python.yml](#) if you have the ESMValTool package installed.

To work with installed recipes, the ESMValTool package provides the `esmvaltool recipes` command, see [Available diagnostics and metrics](#).

If the configuration file is not in the default location `~/.esmvaltool/config-user.yml`, you can pass its path explicitly:

```
esmvaltool run --config_file /path/to/config-user.yml recipe_example.yml
```

It is also possible to explicitly change values from the config file using flags:

```
esmvaltool run --argument_name argument_value recipe_example.yml
```

To automatically download the files required to run a recipe from ESGF, set `search_esgf` to `when_missing` (use local files whenever possible) or `always` (always search ESGF for latest version of files and only use local data if it is the latest version) in the [User configuration file](#) or run the tool with the corresponding commands

```
esmvaltool run --search_esgf=when_missing recipe_example.yml
```

or

```
esmvaltool run --search_esgf=always recipe_example.yml
```

This feature is available for projects that are hosted on the ESGF, i.e. CMIP3, CMIP5, CMIP6, CORDEX, and obs4MIPs.

To control the strictness of the CMOR checker and the checks during concatenation on auxiliary coordinates, supplementary variables, and derived coordinates, use the flag `--check_level`:

```
esmvaltool run --check_level=relaxed recipe_example.yml
```

Possible values are:

- *ignore*: all errors will be reported as warnings. Concatenation will be performed without checks.
- *relaxed*: only fail if there are critical errors. Concatenation will be performed without checks.
- *default*: fail if there are any errors.
- *strict*: fail if there are any warnings.

To re-use pre-processed files from a previous run of the same recipe, you can use

```
esmvaltool run recipe_example.yml --resume_from ~/esmvaltool_output/recipe_python_  
↪20210930_123907
```

Multiple directories can be specified for re-use, make sure to quote them:

```
esmvaltool run recipe_example.yml --resume_from "~/esmvaltool_output/recipe_python_  
↪20210930_101007 ~/esmvaltool_output/recipe_python_20210930_123907"
```

The first preprocessor directory containing the required data will be used.

This feature can be useful when developing new diagnostics, because it avoids the need to re-run the preprocessor. Another potential use case is running the preprocessing part of a recipe on one or more machines that have access to a lot of data and then running the diagnostics on a machine without access to data.

To run only the preprocessor tasks from a recipe, use

```
esmvaltool run recipe_example.yml --remove_preproc_dir=False --run_diagnostic=False
```

Note: Only preprocessing *tasks* that completed successfully can be re-used with the `--resume_from` option. Preprocessing tasks that completed successfully, contain a file called *metadata.yml* in their output directory.

To run a reduced version of the recipe, usually for testing purpose you can use

```
esmvaltool run --max_datasets=NDATASETS --max_years=NYEARS recipe_example.yml
```

In this case, the recipe will limit the number of datasets per variable to NDATASETS and the total amount of years loaded to NYEARS. They can also be used separately. Note that diagnostics may require specific combinations of available data, so use the above two flags at your own risk and for testing purposes only.

To run a recipe, even if some datasets are not available, use

```
esmvaltool run --skip_nonexistent=True recipe_example.yml
```

It is also possible to select only specific diagnostics to be run. To run only one, just specify its name. To provide more than one diagnostic to filter use the syntax 'diag1 diag2/script1' or ('diag1', 'diag2/script1') and pay attention to the quotes.


```
esmvaltool run --diagnostics=diagnostic1 recipe_example.yml
```

Note: ESMValTool command line interface is created using the Fire python package. This package supports the creation of completion scripts for the Bash and Fish shells. Go to <https://google.github.io/python-fire/using-cli/#python-fires-flags> to learn how to set up them.

OUTPUT

ESMValTool automatically generates a new output directory with every run. The location is determined by the `output_dir` option in the `config-user.yml` file, the recipe name, and the date and time, using the the format: `YYYYMMDD_HHMMSS`.

For instance, a typical output location would be: `output_directory/recipe_ocean_amoc_20190118_1027/`

This is effectively produced by the combination: `output_dir/recipe_name_YYYYMMDD_HHMMSS/`

This directory will contain 4 further subdirectories:

1. *Diagnostic output* (**work**): A place for any diagnostic script results that are not plots, e.g. files in NetCDF format (depends on the diagnostics).
2. *Plots* (**plots**): The location for all the plots, split by individual diagnostics and fields.
3. *Run* (**run**): This directory includes all log files, a copy of the recipe, a summary of the resource usage, and the *settings.yml* interface files and temporary files created by the diagnostic scripts.
4. *Preprocessed datasets* (**preproc**): This directory contains all the preprocessed netcdfs data and the *metadata.yml* interface files. Note that by default this directory will be deleted after each run, because most users will only need the results from the diagnostic scripts.

A summary of the output is produced in the file: `index.html`

5.1 Preprocessed datasets

The preprocessed datasets will be stored to the `preproc/` directory. Each variable in each diagnostic will have its own the *metadata.yml* interface files saved in the `preproc` directory.

If the option `save_intermediary_cubes` is set to `true` in the `config-user.yml` file, then the intermediary cubes will also be saved here. This option is set to `false` in the default `config-user.yml` file.

If the option `remove_preproc_dir` is set to `true` in the `config-user.yml` file, then the `preproc` directory will be deleted after the run completes. This option is set to `true` in the default `config-user.yml` file.

5.2 Run

The log files in the run directory are automatically generated by ESMValTool and create a record of the output messages produced by ESMValTool and they are saved in the run directory. They can be helpful for debugging or monitoring the job, but also allow a record of the job output to screen after the job has been completed.

The run directory will also contain a copy of the recipe and the *settings.yml* file, described below. The run directory is also where the diagnostics are executed, and may also contain several temporary files while diagnostics are running.

5.3 Diagnostic output

The work/ directory will contain all files that are output at the diagnostic stage. Ie, the model data is preprocessed by ESMValTool and stored in the preproc/ directory. These files are opened by the diagnostic script, then some processing is applied. Once the diagnostic level processing has been applied, the results should be saved to the work directory.

5.4 Plots

The plots directory is where diagnostics save their output figures. These plots are saved in the format requested by the option *output_file_type* in the config-user.yml file.

5.5 Settings.yml

The settings.yml file is automatically generated by ESMValTool. Each diagnostic will produce a unique settings.yml file.

The settings.yml file passes several global level keys to diagnostic scripts. This includes several flags from the config-user.yml file (such as 'log_level'), several paths which are specific to the diagnostic being run (such as 'plot_dir' and 'run_dir') and the location on disk of the metadata.yml file (described below).

```
input_files: [...]recipe_ocean_bgc_20190118_134855/preproc/diag_timeseries_scalars/mfo/  
↳ metadata.yml  
log_level: debug  
output_file_type: png  
plot_dir: [...]recipe_ocean_bgc_20190118_134855/plots/diag_timeseries_scalars/Scalar_  
↳ timeseries  
profile_diagnostic: false  
recipe: recipe_ocean_bgc.yml  
run_dir: [...]recipe_ocean_bgc_20190118_134855/run/diag_timeseries_scalars/Scalar_  
↳ timeseries  
script: Scalar_timeseries  
version: 2.0a1  
work_dir: [...]recipe_ocean_bgc_20190118_134855/work/diag_timeseries_scalars/Scalar_  
↳ timeseries
```

The first item in the settings file will be a list of *Metadata.yml* files. There is a metadata.yml file generated for each field in each diagnostic.

5.6 Metadata.yml

The metadata.yml file is automatically generated by ESMValTool. Along with the settings.yml file, it passes all the paths, boolean flags, and additional arguments that your diagnostic needs to know in order to run.

The metadata is loaded from cfg as a dictionary object in python diagnostics.

Here is an example metadata.yml file:

```
?
[...]/recipe_ocean_bgc_20190118_134855/preproc/diag_timeseries_scalars/mfo/CMIP5_
↪HadGEM2-ES_Omon_historical_r1i1p1_T00M_mfo_2002-2004.nc
: cmor_table: CMIP5
dataset: HadGEM2-ES
diagnostic: diag_timeseries_scalars
end_year: 2004
ensemble: r1i1p1
exp: historical
field: T00M
filename: [...]/recipe_ocean_bgc_20190118_134855/preproc/diag_timeseries_scalars/mfo/
↪CMIP5-HadGEM2-ES_Omon_historical_r1i1p1_T00M_mfo_2002-2004.nc
frequency: mon
institute: [INPE, MOHC]
long_name: Sea Water Transport
mip: Omon
modeling_realm: [ocean]
preprocessor: prep_timeseries_scalar
project: CMIP5
recipe_dataset_index: 0
short_name: mfo
standard_name: sea_water_transport_across_line
start_year: 2002
units: kg s-1
variable_group: mfo
```

As you can see, this is effectively a dictionary with several items including data paths, metadata and other information.

There are several tools available in python which are built to read and parse these files. The tools are available in the shared directory in the diagnostics directory.

Part II

Example notebooks

Example notebooks are available in the [notebooks](#) folder and can also be viewed [here](#). These notebooks demonstrate the use of the *Python API*.

COMPOSING RECIPES

This notebook shows how to fill the datasets section in a [recipe](#).

```
[1]: from esmvalcore.config import CFG
      from esmvalcore.dataset import Dataset, datasets_to_recipe
      import yaml
```

Configure ESMValCore so it always searches the ESGF for data

```
[2]: CFG['search_esgf'] = 'always'
```

Here is a small example recipe, that uses the `datasets_to_recipe` function to convert a list of datasets to a recipe:

```
[3]: tas = Dataset(
      short_name='tas',
      mip='Amon',
      project='CMIP6',
      dataset='CanESM5-1',
      ensemble='r1i1p1f1',
      exp='historical',
      grid='gn',
      timerange='2000/2002',
      )
      tas['diagnostic'] = 'diagnostic_name'

      pr = tas.copy(short_name='pr')

      print(yaml.safe_dump(datasets_to_recipe([tas, pr])))
```

```
datasets:
- dataset: CanESM5-1
diagnostics:
  diagnostic_name:
    variables:
      pr:
        ensemble: r1i1p1f1
        exp: historical
        grid: gn
        mip: Amon
        project: CMIP6
        timerange: 2000/2002
tas:
```

(continues on next page)

(continued from previous page)

```

ensemble: r1i1p1f1
exp: historical
grid: gn
mip: Amon
project: CMIP6
timerange: 2000/2002

```

A more ambitious recipe might want to use all data that is available on ESGF. We can define a dataset template with a facet value of * where any value can be used. This can then be expanded to a list of datasets using the `from_files()` method.

```

[4]: dataset_template = Dataset(
    short_name='tas',
    mip='Amon',
    project='CMIP6',
    exp='historical',
    dataset='*',
    institute='*',
    ensemble='*',
    grid='*',
)
datasets = list(dataset_template.from_files())
len(datasets)

```

[4]: 778

This results in the following recipe:

```

[5]: for dataset in datasets:
    dataset.facets['diagnostic'] = 'diagnostic_name'
print(yaml.safe_dump(datasets_to_recipe(datasets)))

```

```

datasets:
- dataset: TaiESM1
  ensemble: r(1:2)i1p1f1
  grid: gn
  institute: AS-RCEC
- dataset: AWI-CM-1-1-MR
  ensemble: r(1:5)i1p1f1
  grid: gn
  institute: AWI
- dataset: AWI-ESM-1-1-LR
  ensemble: r1i1p1f1
  grid: gn
  institute: AWI
- dataset: BCC-CSM2-MR
  ensemble: r(1:3)i1p1f1
  grid: gn
  institute: BCC
- dataset: BCC-ESM1
  ensemble: r(1:3)i1p1f1
  grid: gn

```

(continues on next page)

(continued from previous page)

```

institute: BCC
- dataset: CAMS-CSM1-0
  ensemble: r1i1p1f2
  grid: gn
  institute: CAMS
- dataset: CAMS-CSM1-0
  ensemble: r(1:2)i1p1f1
  grid: gn
  institute: CAMS
- dataset: CAS-ESM2-0
  ensemble: r(1:4)i1p1f1
  grid: gn
  institute: CAS
- dataset: FGOALS-f3-L
  ensemble: r(1:3)i1p1f1
  grid: gr
  institute: CAS
- dataset: FGOALS-g3
  ensemble: r(1:6)i1p1f1
  grid: gn
  institute: CAS
- dataset: IITM-ESM
  ensemble: r1i1p1f1
  grid: gn
  institute: CCCR-IITM
- dataset: CanESM5-1
  ensemble: r(1:20)i1p1f1
  grid: gn
  institute: CCCma
- dataset: CanESM5-1
  ensemble: r(1:25)i1p2f1
  grid: gn
  institute: CCCma
- dataset: CanESM5-1
  ensemble: r22i1p1f1
  grid: gn
  institute: CCCma
- dataset: CanESM5-1
  ensemble: r(24:39)i1p1f1
  grid: gn
  institute: CCCma
- dataset: CanESM5-1
  ensemble: r(41:50)i1p1f1
  grid: gn
  institute: CCCma
- dataset: CanESM5-CanOE
  ensemble: r(1:3)i1p2f1
  grid: gn
  institute: CCCma
- dataset: CanESM5
  ensemble: r(1:25)i1p1f1
  grid: gn

```

(continues on next page)

(continued from previous page)

```

institute: CCCma
- dataset: CanESM5
  ensemble: r(1:40)ilp2f1
  grid: gn
  institute: CCCma
- dataset: CMCC-CM2-HR4
  ensemble: r1ilp1f1
  grid: gn
  institute: CMCC
- dataset: CMCC-CM2-SR5
  ensemble: r1ilp1f1
  grid: gn
  institute: CMCC
- dataset: CMCC-CM2-SR5
  ensemble: r(2:11)ilp2f1
  grid: gn
  institute: CMCC
- dataset: CMCC-ESM2
  ensemble: r1ilp1f1
  grid: gn
  institute: CMCC
- dataset: CNRM-CM6-1-HR
  ensemble: r1ilp1f2
  grid: gr
  institute: CNRM-CERFACS
- dataset: CNRM-CM6-1
  ensemble: r(1:30)ilp1f2
  grid: gr
  institute: CNRM-CERFACS
- dataset: CNRM-ESM2-1
  ensemble: r(1:11)ilp1f2
  grid: gr
  institute: CNRM-CERFACS
- dataset: ACCESS-CM2
  ensemble: r(1:10)ilp1f1
  grid: gn
  institute: CSIRO-ARCCSS
- dataset: ACCESS-ESM1-5
  ensemble: r(1:40)ilp1f1
  grid: gn
  institute: CSIRO
- dataset: E3SM-1-0
  ensemble: r(1:5)ilp1f1
  grid: gr
  institute: E3SM-Project
- dataset: E3SM-1-1-ECA
  ensemble: r1ilp1f1
  grid: gr
  institute: E3SM-Project
- dataset: E3SM-1-1
  ensemble: r1ilp1f1
  grid: gr

```

(continues on next page)

(continued from previous page)

```

institute: E3SM-Project
- dataset: E3SM-2-0
  ensemble: r(1:5)ilp1f1
  grid: gr
  institute: E3SM-Project
- dataset: EC-Earth3-AerChem
  ensemble: r1ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-AerChem
  ensemble: r(3:4)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-CC
  ensemble: r1ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-CC
  ensemble: r4ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-CC
  ensemble: r(6:13)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-Veg-LR
  ensemble: r(1:3)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-Veg
  ensemble: r(1:6)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-Veg
  ensemble: r10ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-Veg
  ensemble: r12ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3-Veg
  ensemble: r14ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3
  ensemble: r(1:7)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: EC-Earth3
  ensemble: r(9:25)ilp1f1
  grid: gr

```

(continues on next page)

(continued from previous page)

```

institute: EC-Earth-Consortium
- dataset: EC-Earth3
  ensemble: r(101:150)ilp1f1
  grid: gr
  institute: EC-Earth-Consortium
- dataset: FIO-ESM-2-0
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: FIO-QLNM
- dataset: MPI-ESM-1-2-HAM
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: HAMMOZ-Consortium
- dataset: INM-CM4-8
  ensemble: r1ilp1f1
  grid: gr1
  institute: INM
- dataset: INM-CM5-0
  ensemble: r(1:10)ilp1f1
  grid: gr1
  institute: INM
- dataset: IPSL-CM5A2-INCA
  ensemble: r1ilp1f1
  grid: gr
  institute: IPSL
- dataset: IPSL-CM6A-LR-INCA
  ensemble: r1ilp1f1
  grid: gr
  institute: IPSL
- dataset: IPSL-CM6A-LR
  ensemble: r(1:33)ilp1f1
  grid: gr
  institute: IPSL
- dataset: KIOST-ESM
  ensemble: r1ilp1f1
  grid: gr1
  institute: KIOST
- dataset: MIROC-ES2H
  ensemble: r1ilp(1:3)f2
  grid: gn
  institute: MIROC
- dataset: MIROC-ES2H
  ensemble: r(1:3)ilp4f2
  grid: gn
  institute: MIROC
- dataset: MIROC-ES2L
  ensemble: r1i1000p1f2
  grid: gn
  institute: MIROC
- dataset: MIROC-ES2L
  ensemble: r(1:30)ilp1f2
  grid: gn

```

(continues on next page)

(continued from previous page)

```

institute: MIROC
- dataset: MIROC6
  ensemble: r(1:50)ilp1f1
  grid: gn
  institute: MIROC
- dataset: HadGEM3-GC31-LL
  ensemble: r(1:5)ilp1f3
  grid: gn
  institute: MOHC
- dataset: HadGEM3-GC31-MM
  ensemble: r(1:4)ilp1f3
  grid: gn
  institute: MOHC
- dataset: UKESM1-0-LL
  ensemble: r(1:4)ilp1f2
  grid: gn
  institute: MOHC
- dataset: UKESM1-0-LL
  ensemble: r(5:7)ilp1f3
  grid: gn
  institute: MOHC
- dataset: UKESM1-0-LL
  ensemble: r(8:12)ilp1f2
  grid: gn
  institute: MOHC
- dataset: UKESM1-0-LL
  ensemble: r(16:19)ilp1f2
  grid: gn
  institute: MOHC
- dataset: UKESM1-1-LL
  ensemble: r1ilp1f2
  grid: gn
  institute: MOHC
- dataset: ICON-ESM-LR
  ensemble: r(1:5)ilp1f1
  grid: gn
  institute: MPI-M
- dataset: MPI-ESM1-2-HR
  ensemble: r(1:10)ilp1f1
  grid: gn
  institute: MPI-M
- dataset: MPI-ESM1-2-LR
  ensemble: r1i2000p1f1
  grid: gn
  institute: MPI-M
- dataset: MPI-ESM1-2-LR
  ensemble: r(1:30)ilp1f1
  grid: gn
  institute: MPI-M
- dataset: MRI-ESM2-0
  ensemble: r1i2p1f1
  grid: gn

```

(continues on next page)

(continued from previous page)

```

institute: MRI
- dataset: MRI-ESM2-0
  ensemble: r1i1000p1f1
  grid: gn
  institute: MRI
- dataset: MRI-ESM2-0
  ensemble: r(1:10)i1p1f1
  grid: gn
  institute: MRI
- dataset: GISS-E2-1-G-CC
  ensemble: r1i1p1f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(1:4)i1p5f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(1:5)i1p1f3
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(1:10)i1p1f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(1:10)i1p3f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(1:11)i1p1f2
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(6:10)i1p5f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-G
  ensemble: r(101:102)i1p1f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-H
  ensemble: r(1:5)i1p1f2
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-H
  ensemble: r(1:5)i1p3f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-1-H
  ensemble: r(1:5)i1p5f1
  grid: gn

```

(continues on next page)

(continued from previous page)

```

institute: NASA-GISS
- dataset: GISS-E2-1-H
  ensemble: r(1:10)ilp1f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-2-G
  ensemble: r(1:5)ilp3f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-2-G
  ensemble: r(1:6)ilp1f1
  grid: gn
  institute: NASA-GISS
- dataset: GISS-E2-2-H
  ensemble: r(1:5)ilp1f1
  grid: gn
  institute: NASA-GISS
- dataset: CESM2-FV2
  ensemble: r1i2p2f1
  grid: gn
  institute: NCAR
- dataset: CESM2-FV2
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: NCAR
- dataset: CESM2-WACCM-FV2
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: NCAR
- dataset: CESM2-WACCM
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: NCAR
- dataset: CESM2
  ensemble: r(1:11)ilp1f1
  grid: gn
  institute: NCAR
- dataset: NorCPM1
  ensemble: r(1:30)ilp1f1
  grid: gn
  institute: NCC
- dataset: NorESM2-LM
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: NCC
- dataset: NorESM2-MM
  ensemble: r(1:3)ilp1f1
  grid: gn
  institute: NCC
- dataset: KACE-1-0-G
  ensemble: r(1:3)ilp1f1
  grid: gr

```

(continues on next page)

(continued from previous page)

```
institute: NIMS-KMA
- dataset: UKESM1-0-LL
  ensemble: r(13:15)ilp1f2
  grid: gn
  institute: NIMS-KMA
- dataset: GFDL-CM4
  ensemble: r1ilp1f1
  grid: gr1
  institute: NOAA-GFDL
- dataset: GFDL-ESM4
  ensemble: r(1:3)ilp1f1
  grid: gr1
  institute: NOAA-GFDL
- dataset: NESM3
  ensemble: r(1:5)ilp1f1
  grid: gn
  institute: NUIST
- dataset: SAM0-UNICON
  ensemble: r1ilp1f1
  grid: gn
  institute: SNU
- dataset: CIESM
  ensemble: r(1:3)ilp1f1
  grid: gr
  institute: THU
- dataset: MCM-UA-1-0
  ensemble: r1ilp1f(1:2)
  grid: gn
  institute: UA
diagnostics:
  diagnostic_name:
    variables:
      tas:
        exp: historical
        mip: Amon
        project: CMIP6
```

DISCOVERING DATA

This notebook shows how to find out what data is available locally as well as on ESGF. It also shows how to download the data from ESGF.

```
[1]: from esmvalcore.config import CFG
     from esmvalcore.dataset import Dataset, datasets_to_recipe
     from esmvalcore.esgf import download
     import yaml
```

Configure ESMValCore so it always searches the ESGF for data

```
[2]: CFG['search_esgf'] = 'always'
```

We define a dataset template to search for all CMIP6 datasets that provide surface air temperature (tas) on a monthly resolution for the historical experiment. Note that ESMValCore uses its own names for the facets for a more uniform naming across different CMIP phases and other projects. The mapping to the facet names used on ESGF can be found in `esmvalcore.esgf.facets.FACETS`.

```
[3]: dataset_template = Dataset(
      short_name='tas',
      mip='Amon',
      project='CMIP6',
      exp='historical',
      dataset='*',
      institute='*',
      ensemble='*',
      grid='*',
  )
```

Next, we use the `Dataset.from_files` method to build a list of datasets from the available files. This may take a while as searching the ESGF for many files is a bit slow. Because the search results are cached for a [configurable duration](#), subsequent searches will be faster.

```
[4]: datasets = list(dataset_template.from_files())
     print(f"Found {len(datasets)} datasets, showing the first 10:")
     datasets[:10]
```

```
Found 778 datasets, showing the first 10:
```

```
[4]: [Dataset:
      {'dataset': 'TaiESM1',
       'project': 'CMIP6',
       'mip': 'Amon',
```

(continues on next page)

(continued from previous page)

```

    'short_name': 'tas',
    'ensemble': 'r1i1p1f1',
    'exp': 'historical',
    'grid': 'gn',
    'institute': 'AS-RCEC'},
Dataset:
{'dataset': 'TaiESM1',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r2i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AS-RCEC'},
Dataset:
{'dataset': 'AWI-CM-1-1-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r1i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AWI'},
Dataset:
{'dataset': 'AWI-CM-1-1-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r2i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AWI'},
Dataset:
{'dataset': 'AWI-CM-1-1-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r3i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AWI'},
Dataset:
{'dataset': 'AWI-CM-1-1-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r4i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AWI'},
Dataset:
{'dataset': 'AWI-CM-1-1-MR',

```

(continues on next page)

(continued from previous page)

```

'project': 'CMIP6',
'mip': 'Amon',
'short_name': 'tas',
'ensemble': 'r5i1p1f1',
'exp': 'historical',
'grid': 'gn',
'institute': 'AWI'},
Dataset:
{'dataset': 'AWI-ESM-1-1-LR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r1i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AWI'},
Dataset:
{'dataset': 'BCC-CSM2-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r1i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'BCC'},
Dataset:
{'dataset': 'BCC-CSM2-MR',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r2i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'BCC'}]

```

Let's look at the first dataset in more detail. We can print the facets describing the dataset:

```

[5]: dataset = datasets[0]
dataset

[5]: Dataset:
{'dataset': 'TaiESM1',
 'project': 'CMIP6',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r1i1p1f1',
 'exp': 'historical',
 'grid': 'gn',
 'institute': 'AS-RCEC'}

```

and see what files are available:

```

[6]: dataset.files

```

```
[6]: [ESGFFile:CMIP6/CMIP/AS-RCEC/TaiESM1/historical/r1i1p1f1/Amon/tas/gn/v20200623/tas_Amon_
↳ TaiESM1_historical_r1i1p1f1_gn_185001-201412.nc on hosts ['esgf-data1.llnl.gov', 'esgf.
↳ ceda.ac.uk', 'esgf.rcec.sinica.edu.tw', 'esgf3.dkrz.de', 'esgf-data04.diasjp.net',
↳ 'esgf.nci.org.au', 'esgf3.dkrz.de']]
```

A single file can be downloaded using its download method:

```
[7]: dataset.files[0].download(CFG['download_dir'])
```

```
[7]: LocalFile('~/.climate_data/CMIP6/CMIP/AS-RCEC/TaiESM1/historical/r1i1p1f1/Amon/tas/gn/
↳ v20200623/tas_Amon_TaiESM1_historical_r1i1p1f1_gn_185001-201412.nc')
```

For downloading many files, the `esmvalcore.esgf.download` function is recommended because it will download the files in parallel. The ESMValCore will try to guess the fastest host and download from there. If it is not available for some reason, it will automatically fall back to the next host.

```
[8]: download(dataset.files, CFG['download_dir'])
```


LOADING, PROCESSING, AND VISUALIZING DATA

This notebook shows how to load a dataset, use the preprocessor functions, and visualize the result. In this notebook we will plot the annual mean temperature from 1850 till 2100 from one model.

```
[1]: %matplotlib inline

import matplotlib.pyplot as plt
import iris.quickplot

from esmvalcore.config import CFG
from esmvalcore.dataset import Dataset
from esmvalcore.esgf import download, ESGFFile
from esmvalcore.preprocessor import area_statistics, annual_statistics
```

Configure ESMValCore so it searches the ESGF for data

```
[2]: CFG['search_esgf'] = 'when_missing'
```

Define the dataset we are going to use. In this case surface air temperature (tas).

```
[3]: tas = Dataset(
    short_name='tas',
    mip='Amon',
    project='CMIP5',
    dataset='MPI-ESM-MR',
    ensemble='r1i1p1',
    exp='historical',
    timerange='1850/2000',
)
tas
```

```
[3]: Dataset:
{'dataset': 'MPI-ESM-MR',
 'project': 'CMIP5',
 'mip': 'Amon',
 'short_name': 'tas',
 'ensemble': 'r1i1p1',
 'exp': 'historical',
 'timerange': '1850/2000'}
```

In order to compute the area average later on, we add the cell areas (areacella) as a supplementary dataset. This will append a new dataset to the list of supplementary datasets. Its facets are copied from the `tas` dataset and updated with the provided facets:

```
[4]: tas.add_supplementary(short_name='areacella', mip='fx', ensemble='r0i0p0')
tas.supplementaries
```

```
[4]: [Dataset:
      {'dataset': 'MPI-ESM-MR',
       'project': 'CMIP5',
       'mip': 'fx',
       'short_name': 'areacella',
       'ensemble': 'r0i0p0',
       'exp': 'historical',
       'timerange': '1850/2000'}]
```

ESMValCore can automatically add extra facets based on the `project`, `mip`, `short_name`, and `dataset`. These extra facets are automatically added and used when searching for input files.

```
[5]: tas.augment_facets()
tas
```

```
[5]: Dataset:
      {'dataset': 'MPI-ESM-MR',
       'project': 'CMIP5',
       'mip': 'Amon',
       'short_name': 'tas',
       'ensemble': 'r1i1p1',
       'exp': 'historical',
       'frequency': 'mon',
       'institute': ['MPI-M'],
       'long_name': 'Near-Surface Air Temperature',
       'modeling_realm': ['atmos'],
       'original_short_name': 'tas',
       'product': ['output1', 'output2'],
       'standard_name': 'air_temperature',
       'timerange': '1850/2000',
       'units': 'K'}
      supplementaries:
      {'dataset': 'MPI-ESM-MR',
       'project': 'CMIP5',
       'mip': 'fx',
       'short_name': 'areacella',
       'ensemble': 'r0i0p0',
       'exp': 'historical',
       'frequency': 'fx',
       'institute': ['MPI-M'],
       'long_name': 'Atmosphere Grid-Cell Area',
       'modeling_realm': ['atmos', 'land'],
       'original_short_name': 'areacella',
       'product': ['output1', 'output2'],
       'standard_name': 'cell_area',
       'units': 'm2'}
      session: 'session-686367c0-001c-4864-839d-c20887cf7415_20230301_160531'
```

Use the `find_files` method to find the files corresponding to the dataset.

```
[6]: tas.find_files()
```

(continues on next page)

(continued from previous page)

```
print(tas.files)
for supplementary_ds in tas.supplementaries:
    print(supplementary_ds.files)

[ESGFFile:cmip5/output1/MPI-M/MPI-ESM-MR/historical/mon/atmos/Amon/r1i1p1/v20120503/tas_
→Amon_MPI-ESM-MR_historical_r1i1p1_185001-200512.nc on hosts ['aims3.llnl.gov', 'esgf.
→ceda.ac.uk', 'esgf.nci.org.au', 'esgf1.dkrz.de']]
[ESGFFile:cmip5/output1/MPI-M/MPI-ESM-MR/historical/fx/atmos/fx/r0i0p0/v20120503/
→areacella_fx_MPI-ESM-MR_historical_r0i0p0.nc on hosts ['aims3.llnl.gov', 'esgf.ceda.ac.
→uk', 'esgf.nci.org.au', 'esgf1.dkrz.de']]
```

If the files are not available locally, ESMValCore can download them for us.

```
[7]: files = list(tas.files)
for supplementary_ds in tas.supplementaries:
    files.extend(supplementary_ds.files)
files = [file for file in files if isinstance(file, ESGFFile)]
download(files, CFG['download_dir'])
tas.find_files()
print(tas.files)
for supplementary_ds in tas.supplementaries:
    print(supplementary_ds.files)

[LocalFile('~/.climate_data/cmip5/output1/MPI-M/MPI-ESM-MR/historical/mon/atmos/Amon/
→r1i1p1/v20120503/tas_Amon_MPI-ESM-MR_historical_r1i1p1_185001-200512.nc')]
[LocalFile('~/.climate_data/cmip5/output1/MPI-M/MPI-ESM-MR/historical/fx/atmos/fx/r0i0p0/
→v20120503/areacella_fx_MPI-ESM-MR_historical_r0i0p0.nc')]
```

The data in the files can be loaded into an `iris.cube.Cube`. ESMValCore will automatically check for and fix problems with the data formatting and attach the cell area.

```
[8]: cube = tas.load()
cube

[8]: <iris 'Cube' of air_temperature / (K) (time: 1812; latitude: 96; longitude: 192)>

[9]: cell_area = cube.cell_measures()[0]
cell_area


[9]: <CellMeasure: cell_area / (m2) <lazy> shape(96, 192)>
```

This code shows how to use some `esmvalcore.preprocessor` functions to compute the global annual mean temperature in degrees Celsius:

```
[10]: cube = area_statistics(cube, operator='mean')
cube = annual_statistics(cube, operator='mean')
cube.convert_units('degrees_C')
```

The `iris.quickplot` module has useful functions for quickly plotting the results:

```
[11]: iris.quickplot.plot(cube)
plt.show()
```



Part III

The recipe format

OVERVIEW

After `config-user.yml`, the `recipe.yml` is the second file the user needs to pass to `esmvaltool` as command line option, at each run time point. Recipes contain the data and data analysis information and instructions needed to run the diagnostic(s), as well as specific diagnostic-related instructions.

Broadly, recipes contain a general section summarizing the provenance and functionality of the diagnostics, the datasets which need to be run, the preprocessors that need to be applied, and the diagnostics which need to be run over the preprocessed data. This information is provided to ESMValTool in four main recipe sections: *Documentation*, *Datasets*, *Preprocessors*, and *Diagnostics*, respectively.

9.1 Recipe section: documentation

The documentation section includes:

- The recipe's author's user name (`authors`, matching the definitions in the *References configuration file*)
- The recipe's maintainer's user name (`maintainer`, matching the definitions in the *References configuration file*)
- The title of the recipe (`title`)
- A description of the recipe (`description`, written in Markdown format)
- A list of scientific references (`references`, matching the definitions in the *References configuration file*)
- the project or projects associated with the recipe (`projects`, matching the definitions in the *References configuration file*)

For example, the documentation section of `recipes/recipe_ocean_amoc.yml` is the following:

```
documentation:
  title: Atlantic Meridional Overturning Circulation (AMOC) and the drake passage current
  description: |
    Recipe to produce time series figures of the derived variable, the
    Atlantic meridional overturning circulation (AMOC).
    This recipe also produces transect figures of the stream functions for
    the years 2001-2004.

  authors:
    - demo_le

  maintainer:
    - demo_le

  references:
```

(continues on next page)

(continued from previous page)

```
- demora2018gmd
```

projects:

```
- ukesm
```

Note: Note that all authors, projects, and references mentioned in the description section of the recipe need to be included in the (locally installed copy of the) file `esmvaltool/config-references.yml`, see [References configuration file](#). The author name uses the format: `surname_name`. For instance, John Doe would be: `doe_john`. This information can be omitted by new users whose name is not yet included in `config-references.yml`.

9.2 Recipe section: datasets

The `datasets` section includes dictionaries that, via key-value pairs or “facets”, define standardized data specifications:

- dataset name (key `dataset`, value e.g. `MPI-ESM-LR` or `UKESM1-0-LL`).
- project (key `project`, value `CMIP5` or `CMIP6` for CMIP data, `OBS` for observational data, `ana4mips` for ana4mips data, `obs4MIPs` for obs4MIPs data, `ICON` for ICON data).
- experiment (key `exp`, value e.g. `historical`, `amip`, `piControl`, `rcp85`).
- mip (for CMIP data, key `mip`, value e.g. `Amon`, `Omon`, `LImon`).
- ensemble member (key `ensemble`, value e.g. `r1i1p1`, `r1i1p1f1`).
- sub-experiment id (key `sub_experiment`, value e.g. `s2000`, `s(2000:2002)`, for DCP data only).
- time range (e.g. key-value `start_year: 1982`, `end_year: 1990`). Please note that `yaml` interprets numbers with a leading `0` as octal numbers, so we recommend to avoid them. For example, use `128` to specify the year 128 instead of `0128`. Alternatively, the time range can be specified in [ISO 8601 format](#), for both dates and periods. In addition, wildcards (`'*'`) are accepted, which allow the selection of the first available year for each individual dataset (when used as a starting point) or the last available year (when used as an ending point). The starting point and end point must be separated with `/` (e.g. key-value `timerange: '1982/1990'`). More examples are given [here](#).
- model grid (native grid `grid: gn` or regridded grid `grid: gr`, for CMIP6 data only).

For example, a `datasets` section could be:

```
datasets:
- {dataset: CanESM2, project: CMIP5, exp: historical, ensemble: r1i1p1, start_year: 2001, end_year: 2004}
- {dataset: UKESM1-0-LL, project: CMIP6, exp: historical, ensemble: r1i1p1f2, start_year: 2001, end_year: 2004, grid: gn}
- {dataset: ACCESS-CM2, project: CMIP6, exp: historical, ensemble: r1i1p1f2, timerange: 'P5Y/*', grid: gn}
- {dataset: EC-EARTH3, alias: custom_alias, project: CMIP6, exp: historical, ensemble: r1i1p1f1, start_year: 2001, end_year: 2004, grid: gn}
- {dataset: CMCC-CM2-SR5, project: CMIP6, exp: historical, ensemble: r1i1p1f1, timerange: '2001/P10Y', grid: gn}
- {dataset: HadGEM3-GC31-MM, project: CMIP6, exp: dcppA-hindcast, ensemble: r1i1p1f1, sub_experiment: s2000, grid: gn, start_year: 2000, end_year: 2002}
```

(continues on next page)

(continued from previous page)

```
- {dataset: BCC-CSM2-MR, project: CMIP6, exp: dcppA-hindcast, ensemble: r1i1p1f1, sub_
  experiment: s2000, grid: gn, timerange: '*'}
```

9.2.1 Automatically populating a recipe with all available datasets

It is possible to use `glob` patterns or wildcards for certain facet values, to make it easy to find all available datasets locally and/or on ESGF. Note that `project` cannot be a wildcard.

The facet values for local files are retrieved from the directory tree where the directories represent the facets values. Reading facet values from file names is not yet supported. See *CMIP data* for more information on this kind of file organization.

When (some) files are available locally, the tool will not automatically look for more files on ESGF. To populate a recipe with all available datasets from ESGF, `search_esgf` should be set to `always` in the *user configuration file*.

For more control over which datasets are selected, it is recommended to use a Python script or *Jupyter notebook* to compose the recipe. See *Composing recipes* for an example. This is particularly useful when specific relations are required between datasets, e.g. when a dataset needs to be available for multiple variables or experiments.

An example recipe that will use all CMIP6 datasets and all ensemble members which have a 'historical' experiment could look like this:

```
datasets:
- project: CMIP6
  exp: historical
  dataset: '*'
  institute: '*'
  ensemble: '*'
  grid: '*'
```

After running the recipe, a copy specifying exactly which datasets were used is available in the output directory in the `run` subdirectory. The filename of this recipe will end with `_filled.yml`.

For the `timerange` facet, special syntax is available. See *Time ranges* for more information.

If populating a recipe using wildcards does not work, this is because there were either no files found that match those facets, or the facets could not be read from the directory name or ESGF.

9.2.2 Defining supplementary variables (ancillary variables and cell measures)

It is common practice to store ancillary variables (e.g. land/sea/ice masks) and cell measures (e.g. cell area, cell volume) in separate datasets that are described by slightly different facets. In ESMValCore, we call ancillary variables and cell measures “supplementary variables”. Some *preprocessor functions* need this information to work. For example, the *area_statistics* preprocessor function needs to know area of each grid cell in order to compute a correctly weighted statistic.

To attach these variables to a dataset, the `supplementary_variables` keyword can be used. For example, to add cell area to a dataset, it can be specified as follows:

```
datasets:
- dataset: BCC-ESM1
  project: CMIP6
  exp: historical
  ensemble: r1i1p1f1
```

(continues on next page)

(continued from previous page)

```
grid: gn
supplementary_variables:
- short_name: areacella
  mip: fx
  exp: 1pctCO2
```

Note that the supplementary variable will inherit the facet values from the main dataset, so only those facet values that differ need to be specified.

9.2.3 Automatically selecting the supplementary dataset

When using many datasets, it may be quite a bit of work to find out which facet values are required to find the corresponding supplementary data. The tool can automatically guess the best matching supplementary dataset. To use this feature, the supplementary dataset can be specified as:

```
datasets:
- dataset: BCC-ESM1
  project: CMIP6
  exp: historical
  ensemble: r1i1p1f1
  grid: gn
  supplementary_variables:
  - short_name: areacella
    mip: fx
    exp: '*'
    activity: '*'
    ensemble: '*'
```

With this syntax, the tool will search all available values of `exp`, `activity`, and `ensemble` and use the supplementary dataset that shares the most facet values with the main dataset. Note that this behaviour is different from *using wildcards in the main dataset*, where they will be expanded to generate all matching datasets. The available datasets are shown in the debug log messages when running a recipe with wildcards, so if a different supplementary dataset is preferred, these messages can be used to see what facet values are available. The facet values for local files are retrieved from the directory tree where the directories represent the facets values. Reading facet values from file names is not yet supported. If wildcard expansion fails, this is because there were either no files found that match those facets, or the facets could not be read from the directory name or ESGF.

9.2.4 Automatic definition of supplementary variables

If an ancillary variable or cell measure is *needed by a preprocessor function*, but it is not specified in the recipe, the tool will automatically make a best guess using the syntax above. Usually this will work fine, but if it does not, it is recommended to explicitly define the supplementary variables in the recipe.

To disable this automatic addition, define the supplementary variable as usual, but add the special facet `skip` with value `true`. See *Supplementary variables (ancillary variables and cell measures)* for an example recipe.

9.2.5 Saving ancillary variables and cell measures

By default, ancillary variables and cell measures will be removed from the main variable before saving it to file because they can be as big as the main variable. To keep the supplementary variables, disable the preprocessor function that removes them by setting `remove_supplementary_variables: false` in the preprocessor profile in the recipe.

9.2.6 Concatenating data corresponding to multiple facets

It is possible to define the experiment as a list to concatenate two experiments. Here it is an example concatenating the *historical* experiment with *rcp85*

```
datasets:
- {dataset: CanESM2, project: CMIP5, exp: [historical, rcp85], ensemble: r1i1p1, start_
  ↪year: 2001, end_year: 2004}
```

It is also possible to define the ensemble as a list when the two experiments have different ensemble names. In this case, the specified datasets are concatenated into a single cube:

```
datasets:
- {dataset: CanESM2, project: CMIP5, exp: [historical, rcp85], ensemble: [r1i1p1,
  ↪r1i2p1], start_year: 2001, end_year: 2004}
```

9.2.7 Short notation of ensemble members and sub-experiments

ESMValTool also supports a simplified syntax to add multiple ensemble members from the same dataset. In the ensemble key, any element in the form $(x:y)$ will be replaced with all numbers from x to y (both inclusive), adding a dataset entry for each replacement. For example, to add ensemble members *r1i1p1* to *r10i1p1* you can use the following abbreviated syntax:

```
datasets:
- {dataset: CanESM2, project: CMIP5, exp: historical, ensemble: "r(1:10)i1p1", start_
  ↪year: 2001, end_year: 2004}
```

It can be included multiple times in one definition. For example, to generate the datasets definitions for the ensemble members *r1i1p1* to *r5i1p1* and from *r1i2p1* to *r5i1p1* you can use:

```
datasets:
- {dataset: CanESM2, project: CMIP5, exp: historical, ensemble: "r(1:5)i(1:2)p1",
  ↪start_year: 2001, end_year: 2004}
```

Please, bear in mind that this syntax can only be used in the ensemble tag. Also, note that the combination of multiple experiments and ensembles, like `exp: [historical, rcp85], ensemble: [r1i1p1, "r(2:3)i1p1"]` is not supported and will raise an error.

The same simplified syntax can be used to add multiple sub-experiments:

```
datasets:
- {dataset: MIROC6, project: CMIP6, exp: dcppA-hindcast, ensemble: r1i1p1f1, sub_
  ↪experiment: s(2000:2002), grid: gn, start_year: 2003, end_year: 2004}
```

9.2.8 Time ranges

When using the `timerange` tag to specify the start and end points, possible values can be as follows:

timerange	effect
'1980/1982'	Spans from 01/01/1980 to 31/12/1982
'198002/198205'	Spans from 01/02/1980 to 31/05/1982
'19800302/19820403'	Spans from 02/03/1980 to 03/04/1982
'19800504T100000/19800504T110000'	Spans from 04/05/1980 at 10h to 11h
'1980/P5Y'	Starting from 01/01/1980, spans 5 years
'P2Y5M/198202'	Ending at 28/02/1982, spans 2 years and 5 months
'*'	Finds all available years
'*/1982'	Finds first available point, spans to 31/12/1982
'*/P6Y'	Finds first available point, spans 6 years from it
'198003/*'	Starting from 01/03/1980, spans until the last available point
'P5M/*'	Finds last available point, spans 5 months backwards from it

Note: Please make sure to use a consistent number of digits for the start and end point when using `timerange`, e.g., instead of `198005/2000`, use `198005/200012`. Otherwise, it might happen that ESMValTool does not find your data even though the corresponding years are available. This also applies to wildcards: Wildcards are usually resolved using the `timerange` in the file name. If this is given in the form `YYYYMM`, then the other time point in `timerange` needs to be in the same format, e.g., use `*/200012` instead of `*/2000` in this case. If you use wildcards and get an unexpected error about missing data, have a look at the resolved `timerange` in the error message (`ERROR No input files found for variable {'timerange': '197901/2000', ...}`) and make sure that the number of digits in it is consistent.

Note that this section is not required, as datasets can also be provided in the [Diagnostics](#) section.

9.3 Recipe section: preprocessors

The preprocessor section of the recipe includes one or more preprocessors, each of which may call the execution of one or several preprocessor functions.

Each preprocessor section includes:

- A preprocessor name (any name, under `preprocessors`);
- A list of preprocessor steps to be executed (choose from the API);
- Any or none arguments given to the preprocessor steps;
- The order that the preprocessor steps are applied can also be specified using the `custom_order` preprocessor function.

The following snippet is an example of a preprocessor named `prep_map` that contains multiple preprocessing steps ([Horizontal regridding](#) with two arguments, [Time manipulation](#) with no arguments (i.e., calculating the average over the time dimension) and [Multi-model statistics](#) with two arguments):

```
preprocessors:
  prep_map:
    regrid:
      target_grid: 1x1
```

(continues on next page)

(continued from previous page)

```

scheme: linear
climate_statistics:
  operator: mean
multi_model_statistics:
  span: overlap
  statistics: [mean]

```

Note: In this case no preprocessors section is needed the workflow will apply a default preprocessor consisting of only basic operations like: loading data, applying CMOR checks and fixes (*CMORization and dataset-specific fixes*) and saving the data to disk.

Preprocessor operations will be applied using the default order as listed in *Preprocessor functions*. Preprocessor tasks can be set to run in the order they are listed in the recipe by adding `custom_order: true` to the preprocessor definition.

9.4 Recipe section: diagnostics

The diagnostics section includes one or more diagnostics. Each diagnostic section will include:

- the variable(s) to preprocess, including the preprocessor to be applied to each variable;
- the diagnostic script(s) to be run;
- a description of the diagnostic and lists of themes and realms that it applies to;
- an optional `additional_datasets` section.
- an optional title and description, used to generate the title and description in the `index.html` output file.

9.4.1 The diagnostics section defines tasks

The diagnostic section(s) define the tasks that will be executed when running the recipe. For each variable a preprocessing task will be defined and for each diagnostic script a diagnostic task will be defined. These tasks can be viewed in the `main_log_debug.txt` file that is produced every run. Each task has a unique name that defines the subdirectory where the results of that task are stored. Task names start with the name of the diagnostic section followed by a '/' and then the name of the variable section for a preprocessing task or the name of the diagnostic script section for a diagnostic task.

A (simplified) example diagnostics section could look like

```

diagnostics:
  diagnostic_name:
    title: Air temperature tutorial diagnostic
    description: A longer description can be added here.
    themes:
      - phys
    realms:
      - atmos
    variables:
      variable_name:
        short_name: ta
        preprocessor: preprocessor_name

```

(continues on next page)

(continued from previous page)

```

    mip: Amon
  scripts:
    script_name:
      script: examples/diagnostic.py

```

Note that the example recipe above contains a single diagnostic section called `diagnostic_name` and will result in two tasks:

- a preprocessing task called `diagnostic_name/variable_name` that will preprocess air temperature data for each dataset in the *Datasets* section of the recipe (not shown).
- a diagnostic task called `diagnostic_name/script_name`

The path to the script provided in the `script` option should be either the absolute path to the script, or the path relative to the `esmvaltool/diag_scripts` directory.

Depending on the installation configuration, you may get an error of “file does not exist” when the system tries to run the diagnostic script using relative paths. If this happens, use an absolute path instead.

Note that the script should either have the extension for a supported language, i.e. `.py`, `.R`, `.ncl`, or `.jl` for Python, R, NCL, and Julia diagnostics respectively, or be executable if it is written in any other language.

9.4.2 Ancestor tasks

Some tasks require the result of other tasks to be ready before they can start, e.g. a diagnostic script needs the preprocessed variable data to start. Thus each task has zero or more ancestor tasks. By default, each diagnostic task in a diagnostic section has all variable preprocessing tasks in that same section as ancestors. However, this can be changed using the `ancestors` keyword. Note that wildcard expansion can be used to define ancestors.

```

diagnostics:
  diagnostic_1:
    variables:
      airtemp:
        short_name: ta
        predecessor: predecessor_name
        mip: Amon
    scripts:
      script_a:
        script: diagnostic_a.py
  diagnostic_2:
    variables:
      precip:
        short_name: pr
        predecessor: predecessor_name
        mip: Amon
    scripts:
      script_b:
        script: diagnostic_b.py
        ancestors: [diagnostic_1/script_a, precip]

```

The example recipe above will result in four tasks:

- a preprocessing task called `diagnostic_1/airtemp`
- a diagnostic task called `diagnostic_1/script_a`

- a preprocessing task called `diagnostic_2/precip`
- a diagnostic task called `diagnostic_2/script_b`

the preprocessing tasks do not have any ancestors, while the `diagnostic_a.py` script will receive the preprocessed air temperature data (has ancestor `diagnostic_1/airtemp`) and the `diagnostic_b.py` script will receive the results of `diagnostic_a.py` and the preprocessed precipitation data (has ancestors `diagnostic_1/script_a` and `diagnostic_2/precip`).

9.4.3 Task priority

Tasks are assigned a priority, with tasks appearing earlier on in the recipe getting higher priority. The tasks will be executed sequentially or in parallel, depending on the setting of `max_parallel_tasks` in the [User configuration file](#). When there are fewer than `max_parallel_tasks` running, tasks will be started according to their priority. For obvious reasons, only tasks that are not waiting for ancestor tasks can be started. This feature makes it possible to reduce the processing time of recipes with many tasks, by placing tasks that take relatively long near the top of the recipe. Of course this only works when settings `max_parallel_tasks` to a value larger than 1. The current priority and run time of individual tasks can be seen in the log messages shown when running the tool (a lower number means higher priority).

9.4.4 Variable and dataset definitions

To define a variable/dataset combination that corresponds to an actual variable from a dataset, the keys in each variable section are combined with the keys of each dataset definition. If two versions of the same key are provided, then the key in the datasets section will take precedence over the keys in variables section. For many recipes it makes more sense to define the `start_year` and `end_year` items in the variable section, because the diagnostic script assumes that all the data has the same time range.

Variable short names usually do not change between datasets supported by ESMValCore, as they are usually changed to match CMIP. Nevertheless, there are small changes in variable names in CMIP6 with respect to CMIP5 (i.e. sea ice concentration changed from `sic` to `siconc`). ESMValCore is aware of some of them and can do the automatic translation when needed. It will even do the translation in the preprocessed file so the diagnostic does not have to deal with this complexity, setting the short name in all files to match the one used by the recipe. For example, if `sic` is requested, ESMValCore will find `sic` or `siconc` depending on the project, but all preprocessed files will use `sic` as their `short_name`. If the recipe requested `siconc`, the preprocessed files will be identical except that they will use the `short_name` `siconc` instead.

9.4.5 Diagnostic and variable specific datasets

The `additional_datasets` option can be used to add datasets beyond those listed in the [Datasets](#) section. This is useful if specific datasets need to be used only by a specific diagnostic or variable, i.e. it can be added both at diagnostic level, where it will apply to all variables in that diagnostic section or at individual variable level. For example, this can be a good way to add observational datasets, which are usually variable-specific.

9.4.6 Running a simple diagnostic

The following example, taken from `recipe_ocean_example.yml`, shows a diagnostic named *diag_map*, which loads the temperature at the ocean surface between the years 2001 and 2003 and then passes it to the `prep_map` preprocessor. The result of this process is then passed to the ocean diagnostic map script, `ocean/diagnostic_maps.py`.

```
diagnostics:

  diag_map:
    title: Global Ocean Surface regridded temperature map
    description: Add a longer description here.
    variables:
      tos: # Temperature at the ocean surface
        preprocessor: prep_map
        start_year: 2001
        end_year: 2003
    scripts:
      Global_Ocean_Surface_regrid_map:
        script: ocean/diagnostic_maps.py
```

9.4.7 Passing arguments to a diagnostic script

The diagnostic script section(s) may include custom arguments that can be used by the diagnostic script; these arguments are stored at runtime in a dictionary that is then made available to the diagnostic script via the interface link, independent of the language the diagnostic script is written in. Here is an example of such groups of arguments:

```
scripts:
  autoassess_strato_test_1: &autoassess_strato_test_1_settings
    script: autoassess/autoassess_area_base.py
    title: "Autoassess Stratosphere Diagnostic Metric MPI-MPI"
    area: stratosphere
    control_model: MPI-ESM-LR
    exp_model: MPI-ESM-MR
    obs_models: [ERA-Interim] # list to hold models that are NOT for metrics but for
↪obs operations
    additional_metrics: [ERA-Interim, inmcm4] # list to hold additional datasets for
↪metrics
```

In this example, apart from specifying the diagnostic script `script: autoassess/autoassess_area_base.py`, we pass a suite of parameters to be used by the script (`area`, `control_model` etc). These parameters are stored in key-value pairs in the diagnostic configuration file, an interface file that can be used by importing the `run_diagnostic` utility:

```
from esmvaltool.diag_scripts.shared import run_diagnostic

# write the diagnostic code here e.g.
def run_some_diagnostic(my_area, my_control_model, my_exp_model):
    """Diagnostic to be run."""
    if my_area == 'stratosphere':
        diag = my_control_model / my_exp_model
        return diag
```

(continues on next page)

(continued from previous page)

```
def main(cfg):
    """Main diagnostic run function."""
    my_area = cfg['area']
    my_control_model = cfg['control_model']
    my_exp_model = cfg['exp_model']
    run_some_diagnostic(my_area, my_control_model, my_exp_model)

if __name__ == '__main__':
    with run_diagnostic() as config:
        main(config)
```

This way a lot of the optional arguments necessary to a diagnostic are at the user's control via the recipe.

9.4.8 Running your own diagnostic

If the user wants to test a newly-developed `my_first_diagnostic.py` which is not yet part of the ESMValTool diagnostics library, he/she do it by passing the absolute path to the diagnostic:

diagnostics:

```
myFirstDiag:
  title: Let's do some science!
  description: John Doe wrote a funny diagnostic
  variables:
    tos: # Temperature at the ocean surface
    preprocessor: prep_map
    start_year: 2001
    end_year: 2003
  scripts:
    JoeDiagFunny:
      script: /home/users/john_doe/esmvaltool_testing/my_first_diagnostic.py
```

This way the user may test a new diagnostic thoroughly before committing to the GitHub repository and including it in the ESMValTool diagnostics library.

9.4.9 Re-using parameters from one script to another

Due to yaml features it is possible to recycle entire diagnostics sections for use with other diagnostics. Here is an example:

```
scripts:
  cycle: &cycle_settings
    script: perfmetrics/main.ncl
    plot_type: cycle
    time_avg: monthlyclim
  grading: &grading_settings
    <<: *cycle_settings
    plot_type: cycle_latlon
    calc_grading: true
    normalization: [centered_median, none]
```

In this example the hook `&cycle_settings` can be used to pass the `cycle:` parameters to `grading:` via the shortcut `<<: *cycle_settings`.

PREPROCESSOR

In this section, each of the preprocessor modules is described, roughly following the default order in which preprocessor functions are applied:

- *Overview*
- *Statistical preprocessors*
- *Variable derivation*
- *CMORization and dataset-specific fixes*
- *Supplementary variables (ancillary variables and cell measures)*
- *Vertical interpolation*
- *Weighting*
- *Land-sea masking*
- *Horizontal regridding*
- *Missing values masks*
- *Ensemble statistics*
- *Multi-model statistics*
- *Time manipulation*
- *Area manipulation*
- *Volume manipulation*
- *Cycles*
- *Trend*
- *Detrend*
- *Rolling window statistics*
- *Unit conversion*
- *Bias*
- *Other*

See *Preprocessor functions* for implementation details and the exact default order.

10.1 Overview

The ESMValCore preprocessor can be used to perform a broad range of operations on the input data before diagnostics or metrics are applied. The preprocessor performs these operations in a centralized, documented and efficient way, thus reducing the data processing load on the diagnostics side. For an overview of the preprocessor structure see the *Recipe section: preprocessors*.

Each of the preprocessor operations is written in a dedicated python module and all of them receive and return an instance of `iris.cube.Cube`, working sequentially on the data with no interactions between them. The order in which the preprocessor operations is applied is set by default to minimize the loss of information due to, for example, temporal and spatial subsetting or multi-model averaging. Nevertheless, the user is free to change such order to address specific scientific requirements, but keeping in mind that some operations must be necessarily performed in a specific order. This is the case, for instance, for multi-model statistics, which required the model to be on a common grid and therefore has to be called after the regridding module.

10.2 Statistical preprocessors

Many preprocessors calculate statistics over data. Those preprocessors typically end with `_statistics`, e.g., `area_statistics()` or `multi_model_statistics()`. All these preprocessors support the options `operator`, which directly correspond to `iris.analysis.Aggregator` objects used to perform the statistical calculations. In addition, arbitrary keyword arguments can be passed which are directly passed to the corresponding `iris.analysis.Aggregator` object.

Note: The preprocessors `multi_model_statistics()` and `ensemble_statistics()` support the computation of multiple statistics at the same time. In these cases, they are defined by the option `statistics` (instead of `operator`), which takes a list of possible operators. Each operator can be given as single string or as dictionary. In the latter case, the dictionary needs the keyword `operator` (corresponding to the `operator` as above). All other keywords are interpreted as keyword arguments for the given operator.

Some operators support weights for some preprocessors (see following table), which are used by default. The following operators are currently fully supported; other operators might be supported too if proper keyword arguments are specified:

<i>operator</i>	Corresponding <i>Aggregator</i>	Weighted? ¹
<code>gmean</code>	<code>iris.analysis.GMEAN</code>	no
<code>hmean</code>	<code>iris.analysis.HMEAN</code>	no
<code>max</code>	<code>iris.analysis.MAX</code>	no
<code>mean</code>	<code>iris.analysis.MEAN</code>	yes
<code>median</code>	<code>iris.analysis.MEDIAN</code> ²	no
<code>min</code>	<code>iris.analysis.MIN</code>	no
<code>peak</code>	<code>iris.analysis.PEAK</code>	no
<code>percentile</code>	<code>iris.analysis.PERCENTILE</code>	no
<code>rms</code>	<code>iris.analysis.RMS</code>	yes
<code>std_dev</code>	<code>iris.analysis.STD_DEV</code>	no
<code>sum</code>	<code>iris.analysis.SUM</code>	yes
<code>variance</code>	<code>iris.analysis.VARIANCE</code>	no
<code>wpercentile</code>	<code>iris.analysis.WPERCENTILE</code>	yes

¹ The following preprocessor support weighted statistics by default: `area_statistics()`: weighted by grid cell areas (see also *Supplementary variables (ancillary variables and cell measures)*); `climate_statistics()`: weighted by lengths of time intervals; `volume_statistics()`:

10.2.1 Examples

Calculate the global (weighted) mean:

```
preprocessors:
  global_mean:
    area_statistics:
      operator: mean
```

Calculate zonal maximum.

```
preprocessors:
  zonal_max:
    zonal_statistics:
      operator: max
```

Calculate the 95% percentile over each month separately (will result in 12 time steps, one for January, one for February, etc.):

```
preprocessors:
  monthly_percentiles:
    climate_statistics:
      period: monthly
      operator: percentile
      percent: 95.0
```

Calculate multi-model median, 5%, and 95% percentiles:

```
preprocessors:
  mm_stats:
    multi_model_statistics:
      span: overlap
      statistics:
        - operator: percentile
          percent: 5
        - operator: median
        - operator: percentile
          percent: 95
```

Calculate the global non-weighted root mean square:

```
preprocessors:
  global_mean:
    area_statistics:
      operator: rms
      weights: false
```

Warning: The disabling of weights by specifying the keyword argument `weights: false` needs to be used with great care; from a scientific standpoint, we strongly recommend to **not** use it!

weighted by grid cell volumes (see also *Supplementary variables (ancillary variables and cell measures)*); `axis_statistics()`: weighted by corresponding coordinate bounds.

² `iris.analysis.MEDIAN` is not lazy, but much faster than `iris.analysis.PERCENTILE`. For a lazy median, use `percentile` with the keyword argument `percent: 50`.

10.3 Variable derivation

The variable derivation module allows to derive variables which are not in the CMIP standard data request using standard variables as input. The typical use case of this operation is the evaluation of a variable which is only available in an observational dataset but not in the models. In this case a derivation function is provided by the ESMValCore in order to calculate the variable and perform the comparison. For example, several observational datasets deliver total column ozone as observed variable (*toz*), but CMIP models only provide the ozone 3D field. In this case, a derivation function is provided to vertically integrate the ozone and obtain total column ozone for direct comparison with the observations.

The tool will also look in other mip tables for the same project to find the definition of derived variables. To contribute a completely new derived variable, it is necessary to define a name for it and to provide the corresponding CMOR table. This is to guarantee the proper metadata definition is attached to the derived data. Such custom CMOR tables are collected as part of the [ESMValCore package](#). By default, the variable derivation will be applied only if the variable is not already available in the input data, but the derivation can be forced by setting the `force_derivation` flag.

```
variables:
  toz:
    derive: true
    force_derivation: false
```

The required arguments for this module are two boolean switches:

- `derive`: activate variable derivation
- `force_derivation`: force variable derivation even if the variable is directly available in the input data.

See also `esmvalcore.preprocessor.derive()`. To get an overview on derivation scripts and how to implement new ones, please go to [Deriving a variable](#).

10.4 CMORization and dataset-specific fixes

10.4.1 Data checking

Data preprocessed by ESMValCore is automatically checked against its CMOR definition. To reduce the impact of this check while maintaining it as reliable as possible, it is split in two parts: one will check the metadata and will be done just after loading and concatenating the data and the other one will check the data itself and will be applied after all extracting operations are applied to reduce the amount of data to process.

Checks include, but are not limited to:

- Requested coordinates are present and comply with their definition.
- Correctness of variable names, units and other metadata.
- Compliance with the valid minimum and maximum values allowed if defined.

The most relevant (i.e. a missing coordinate) will raise an error while others (i.e an incorrect long name) will be reported as a warning.

Some of those issues will be fixed automatically by the tool, including the following:

- Incorrect standard or long names.
- Incorrect units, if they can be converted to the correct ones.
- Direction of coordinates.
- Automatic clipping of longitude to 0 - 360 interval.

- Minute differences between the required and actual vertical coordinate values

10.4.2 Dataset specific fixes

Sometimes, the checker will detect errors that it can not fix by itself. ESMValCore deals with those issues by applying specific fixes for those datasets that require them. Fixes are applied at three different preprocessor steps:

- **fix_file**: apply fixes directly to a copy of the file. Copying the files is costly, so only errors that prevent Iris to load the file are fixed here. See `esmvalcore.preprocessor.fix_file()`.
- **fix_metadata**: metadata fixes are done just before concatenating the cubes loaded from different files in the final one. Automatic metadata fixes are also applied at this step. See `esmvalcore.preprocessor.fix_metadata()`.
- **fix_data**: data fixes are applied before starting any operation that will alter the data itself. Automatic data fixes are also applied at this step. See `esmvalcore.preprocessor.fix_data()`.

To get an overview on data fixes and how to implement new ones, please go to [Fixing data](#).

10.5 Supplementary variables (ancillary variables and cell measures)

The following preprocessor functions either require or prefer using an [ancillary variable](#) or [cell measure](#) to perform their computations. In ESMValCore we call both types of variables “supplementary variables”.

Preprocessor	Variable short name	Variable standard name
<i>area_statistics</i>	areacella, areacello	cell_area
<i>mask_landsea</i>	sftlf, sftof	land_area_fraction, sea_area_fraction
<i>mask_landseaice</i>	sftgif	land_ice_area_fraction
<i>volume_statistics</i>	volcello, areacello	ocean_volume, cell_area
<i>weighting_landsea_fraction</i>	sftlf, sftof	land_area_fraction, sea_area_fraction

Only one of the listed variables is required. Supplementary variables can be defined in the recipe as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#). In some cases, preprocessor functions may work without supplementary variables, this is documented case by case in the preprocessor function definition. If a preprocessor function requiring supplementary variables is used without specifying these in the recipe, these will be automatically added. If the automatic selection does not give the desired result, specify the supplementary variables in the recipe as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#).

By default, supplementary variables will be removed from the variable before saving it to file because they can be as big as the main variable. To keep the supplementary variables, disable the preprocessor function `esmvalcore.preprocessor.remove_supplementary_variables()` that removes them by setting `remove_supplementary_variables: false` in the preprocessor in the recipe.

10.5.1 Examples

Compute the global mean surface air temperature, while *automatically selecting the best matching supplementary dataset*:

```
datasets:
- dataset: BCC-ESM1
  project: CMIP6
  ensemble: r1i1p1f1
  grid: gn
- dataset: MPI-ESM-MR
  project: CMIP5
  ensemble: r1i1p1,

preprocessors:
  global_mean:
    area_statistics:
      operator: mean

diagnostics:
  example_diagnostic:
    description: Global mean temperature.
    variables:
      tas:
        mip: Amon
        preprocessor: global_mean
        exp: historical
        timerange: '1990/2000'
        supplementary_variables:
          - short_name: areacella
            mip: fx
            exp: '*'
            activity: '*'
            ensemble: '*'
    scripts: null
```

Attach the land area fraction as an ancillary variable to surface air temperature and store both in the same file:

```
datasets:
- dataset: BCC-ESM1
  ensemble: r1i1p1f1
  grid: gn

preprocessors:
  keep_land_area_fraction:
    remove_supplementary_variables: false

diagnostics:
  example_diagnostic:
    description: Attach land area fraction.
    variables:
      tas:
        mip: Amon
        project: CMIP6
```

(continues on next page)

(continued from previous page)

```

preprocessor: keep_land_area_fraction
exp: historical
timerange: '1990/2000'
supplementary_variables:
  - short_name: sftlf
    mip: fx
    exp: 1pctCO2
scripts: null

```

Automatically define the required ancillary variable (sftlf in this case) and cell measure (areacella), but do not use areacella for dataset BCC-ESM1:

```

datasets:
- dataset: BCC-ESM1
  project: CMIP6
  ensemble: r1i1p1f1
  grid: gn
  supplementary_variables:
    - short_name: areacella
      skip: true
- dataset: MPI-ESM-MR
  project: CMIP5
  ensemble: r1i1p1

preprocessors:
global_land_mean:
  mask_landsea:
    mask_out: sea
  area_statistics:
    operator: mean

diagnostics:
example_diagnostic:
  description: Global mean temperature.
  variables:
    tas:
      mip: Amon
      preprocessor: global_land_mean
      exp: historical
      timerange: '1990/2000'
  scripts: null

```

10.6 Vertical interpolation

Vertical level selection is an important aspect of data preprocessing since it allows the scientist to perform a number of metrics specific to certain levels (whether it be air pressure or depth, e.g. the Quasi-Biennial-Oscillation (QBO) u30 is computed at 30 hPa). Dataset native vertical grids may not come with the desired set of levels, so an interpolation operation will be needed to regrid the data vertically. ESMValCore can perform this vertical interpolation via the `extract_levels` preprocessor. Level extraction may be done in a number of ways.

Level extraction can be done at specific values passed to `extract_levels` as `levels:` with its value a list of levels (note that the units are CMOR-standard, Pascals (Pa)):

```
preprocessors:
  preproc_select_levels_from_list:
    extract_levels:
      levels: [100000., 50000., 3000., 1000.]
      scheme: linear
```

It is also possible to extract the CMIP-specific, CMOR levels as they appear in the CMOR table, e.g. `plev10` or `plev17` or `plev19` etc:

```
preprocessors:
  preproc_select_levels_from_cmip_table:
    extract_levels:
      levels: {cmor_table: CMIP6, coordinate: plev10}
      scheme: nearest
```

Of good use is also the level extraction with values specific to a certain dataset, without the user actually polling the dataset of interest to find out the specific levels: e.g. in the example below we offer two alternatives to extract the levels and vertically regrid onto the vertical levels of ERA-Interim:

```
preprocessors:
  preproc_select_levels_from_dataset:
    extract_levels:
      levels: ERA-Interim
      # This also works, but allows specifying the pressure coordinate name
      # levels: {dataset: ERA-Interim, coordinate: air_pressure}
      scheme: linear_extrapolate
```

By default, vertical interpolation is performed in the dimension coordinate of the z axis. If you want to explicitly declare the z axis coordinate to use (for example, `air_pressure` in variables that are provided in model levels and not pressure levels) you can override that automatic choice by providing the name of the desired coordinate:

```
preprocessors:
  preproc_select_levels_from_dataset:
    extract_levels:
      levels: ERA-Interim
      scheme: linear_extrapolate
      coordinate: air_pressure
```

If coordinate is specified, pressure levels (if present) can be converted to height levels and vice versa using the US standard atmosphere. E.g. `coordinate = altitude` will convert existing pressure levels (`air_pressure`) to height levels (`altitude`); `coordinate = air_pressure` will convert existing height levels (`altitude`) to pressure levels (`air_pressure`).

If the requested levels are very close to the values in the input data, the function will just select the available levels instead of interpolating. The meaning of ‘very close’ can be changed by providing the parameters:

- **rtol**
Relative tolerance for comparing the levels in the input data to the requested levels. If the levels are sufficiently close, the requested levels will be assigned to the vertical coordinate and no interpolation will take place. The default value is 10^{-7} .
- **atol**
Absolute tolerance for comparing the levels in the input data to the requested levels. If the levels are sufficiently close, the requested levels will be assigned to the vertical coordinate and no interpolation will take place. By default, *atol* will be set to 10^{-7} times the mean value of the available levels.

10.6.1 Schemes for vertical interpolation and extrapolation

The vertical interpolation currently supports the following schemes:

- **linear**: Linear interpolation without extrapolation, i.e., extrapolation points will be masked even if the source data is not a masked array.
- **linear_extrapolate**: Linear interpolation with **nearest-neighbour** extrapolation, i.e., extrapolation points will take their value from the nearest source point.
- **nearest**: Nearest-neighbour interpolation without extrapolation, i.e., extrapolation points will be masked even if the source data is not a masked array.
- **nearest_extrapolate**: Nearest-neighbour interpolation with nearest-neighbour extrapolation, i.e., extrapolation points will take their value from the nearest source point.
- See also `esmvalcore.preprocessor.extract_levels()`.
- See also `esmvalcore.preprocessor.get_cmor_levels()`.

Note: Controlling the extrapolation mode allows us to avoid situations where extrapolating values makes little physical sense (e.g. extrapolating beyond the last data point).

10.7 Weighting

10.7.1 Land/sea fraction weighting

This preprocessor allows weighting of data by land or sea fractions. In other words, this function multiplies the given input field by a fraction in the range 0-1 to account for the fact that not all grid points are completely land- or sea-covered.

The application of this preprocessor is very important for most carbon cycle variables (and other land surface outputs), which are e.g. reported in units of $kgC\ m^{-2}$. Here, the surface unit actually refers to ‘square meter of land/sea’ and NOT ‘square meter of gridbox’. In order to integrate these globally or regionally one has to weight by both the surface quantity and the land/sea fraction.

For example, to weight an input field with the land fraction, the following preprocessor can be used:

```
preprocessors:  
  preproc_weighting:  
    weighting_landsea_fraction:
```

(continues on next page)

(continued from previous page)

```
area_type: land
exclude: ['CanESM2', 'reference_dataset']
```

Allowed arguments for the keyword `area_type` are `land` (fraction is 1 for grid cells with only land surface, 0 for grid cells with only sea surface and values in between 0 and 1 for coastal regions) and `sea` (1 for sea, 0 for land, in between for coastal regions). The optional argument `exclude` allows to exclude specific datasets from this preprocessor, which is for example useful for climate models which do not offer land/sea fraction files. This arguments also accepts the special dataset specifiers `reference_dataset` and `alternative_dataset`.

This function requires a land or sea area fraction [ancillary variable](#). This supplementary variable, either `sftlf` or `sftof`, should be attached to the main dataset as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#).

See also `esmvalcore.preprocessor.weighting_landsea_fraction()`.

10.8 Masking

10.8.1 Introduction to masking

Certain metrics and diagnostics need to be computed and performed on specific domains on the globe. The preprocessor supports filtering the input data on continents, oceans/seas and ice. This is achieved by masking the model data and keeping only the values associated with grid points that correspond to, e.g., land, ocean or ice surfaces, as specified by the user. Where possible, the masking is realized using the standard mask files provided together with the model data as part of the CMIP data request (the so-called ancillary variable). In the absence of these files, the Natural Earth masks are used: although these are not model-specific, they represent a good approximation since they have a much higher resolution than most of the models and they are regularly updated with changing geographical features.

10.8.2 Land-sea masking

To mask out a certain domain (e.g., sea) in the preprocessor, `mask_landsea` can be used:

```
preprocessors:
  preproc_mask:
    mask_landsea:
      mask_out: sea
```

and requires only one argument: `mask_out`: either `land` or `sea`.

This function prefers using a land or sea area fraction [ancillary variable](#), but if it is not available it will compute a mask based on [Natural Earth](#) shapefiles. This supplementary variable, either `sftlf` or `sftof`, can be attached to the main dataset as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#).

If the corresponding ancillary variable is not available (which is the case for some models and almost all observational datasets), the preprocessor attempts to mask the data using Natural Earth mask files (that are vectorized rasters). As mentioned above, the spatial resolution of the the Natural Earth masks are much higher than any typical global model (10m for land and glaciated areas and 50m for ocean masks).

See also `esmvalcore.preprocessor.mask_landsea()`.

10.8.3 Ice masking

For masking out ice sheets, the preprocessor uses a different function, to ensure that both land and sea or ice can be masked out without losing generality. To mask ice out, `mask_landseaice` can be used:

```
preprocessors:
  preproc_mask:
    mask_landseaice:
      mask_out: ice
```

and requires only one argument: `mask_out`: either `landsea` or `ice`.

This function requires a land ice area fraction [ancillary variable](#). This supplementary variable `sftgif` should be attached to the main dataset as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#).

See also `esmvalcore.preprocessor.mask_landseaice()`.

10.8.4 Glaciated masking

For masking out glaciated areas a Natural Earth shapefile is used. To mask glaciated areas out, `mask_glaciated` can be used:

```
preprocessors:
  preproc_mask:
    mask_glaciated:
      mask_out: glaciated
```

and it requires only one argument: `mask_out`: only `glaciated`.

See also `esmvalcore.preprocessor.mask_landseaice()`.

10.8.5 Missing values masks

Missing (masked) values can be a nuisance especially when dealing with multi-model ensembles and having to compute multi-model statistics; different numbers of missing data from dataset to dataset may introduce biases and artificially assign more weight to the datasets that have less missing data. This is handled via the missing values masks: two types of such masks are available, one for the multi-model case and another for the single model case.

The multi-model missing values mask (`mask_fillvalues`) is a preprocessor step that usually comes after all the single-model steps (regridding, area selection etc) have been performed; in a nutshell, it combines missing values masks from individual models into a multi-model missing values mask; the individual model masks are built according to common criteria: the user chooses a time window in which missing data points are counted, and if the number of missing data points relative to the number of total data points in a window is less than a chosen fractional threshold, the window is discarded i.e. all the points in the window are masked (set to missing).

```
preprocessors:
  missing_values_preprocessor:
    mask_fillvalues:
      threshold_fraction: 0.95
      min_value: 19.0
      time_window: 10.0
```

In the example above, the fractional threshold for missing data vs. total data is set to 95% and the time window is set to 10.0 (units of the time coordinate units). Optionally, a minimum value threshold can be applied, in this case it is set to 19.0 (in units of the variable units).

See also `esmvalcore.preprocessor.mask_fillvalues()`.

10.8.6 Common mask for multiple models

To create a combined multi-model mask (all the masks from all the analyzed datasets combined into a single mask using a logical OR), the preprocessor `mask_multimodel` can be used. In contrast to `mask_fillvalues`, `mask_multimodel` does not expect that the datasets have a `time` coordinate, but works on datasets with arbitrary (but identical) coordinates. After `mask_multimodel`, all involved datasets have an identical mask.

See also `esmvalcore.preprocessor.mask_multimodel()`.

10.8.7 Minimum, maximum and interval masking

Thresholding on minimum and maximum accepted data values can also be performed: masks are constructed based on the results of thresholding; inside and outside interval thresholding and masking can also be performed. These functions are `mask_above_threshold`, `mask_below_threshold`, `mask_inside_range`, and `mask_outside_range`.

These functions always take a cube as first argument and either `threshold` for threshold masking or the pair `minimum`, `maximum` for interval masking.

See also `esmvalcore.preprocessor.mask_above_threshold()` and related functions.

10.9 Horizontal regridding

Regridding is necessary when various datasets are available on a variety of *lat-lon* grids and they need to be brought together on a common grid (for various statistical operations e.g. multi-model statistics or for e.g. direct inter-comparison or comparison with observational datasets). Regridding is conceptually a very similar process to interpolation (in fact, the regridding engine uses interpolation and extrapolation, with various schemes). The primary difference is that interpolation is based on sample data points, while regridding is based on the horizontal grid of another cube (the reference grid). If the horizontal grids of a cube and its reference grid are sufficiently the same, regridding is automatically and silently skipped for performance reasons.

The use of the horizontal regridding functionality is flexible depending on what type of reference grid and what interpolation scheme is preferred. Below we show a few examples.

10.9.1 Regridding on a reference dataset grid

The example below shows how to regrid on the reference dataset ERA-Interim (observational data, but just as well CMIP, obs4MIPs, or ana4mips datasets can be used); in this case the *scheme* is *linear*.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: ERA-Interim
      scheme: linear
```

10.9.2 Regridding on an MxN grid specification

The example below shows how to regrid on a reference grid with a cell specification of 2.5x2.5 degrees. This is similar to regridding on reference datasets, but in the previous case the reference dataset grid cell specifications are not necessarily known a priori. Regridding on an MxN cell specification is oftentimes used when operating on localized data.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      scheme: nearest
```

In this case the nearest-neighbor interpolation scheme is used (see below for scheme definitions).

When using a MxN type of grid it is possible to offset the grid cell centrepoinets using the *lat_offset* and *lon_offset* arguments:

- *lat_offset*: offsets the grid centers of the latitude coordinate w.r.t. the pole by half a grid step;
- *lon_offset*: offsets the grid centers of the longitude coordinate w.r.t. Greenwich meridian by half a grid step.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      lon_offset: True
      lat_offset: True
      scheme: nearest
```

10.9.3 Regridding to a regional target grid specification

This example shows how to regrid to a regional target grid specification. This is useful if both a *regrid* and *extract_region* step are necessary.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid:
        start_longitude: 40
        end_longitude: 60
        step_longitude: 2
        start_latitude: -10
        end_latitude: 30
        step_latitude: 2
      scheme: nearest
```

This defines a grid ranging from 40° to 60° longitude with 2° steps, and -10° to 30° latitude with 2° steps. If *end_longitude* or *end_latitude* do not fall on the grid (e.g., *end_longitude*: 61), it cuts off at the nearest previous value (e.g. 60).

The longitude coordinates will wrap around the globe if necessary, i.e. *start_longitude*: 350, *end_longitude*: 370 is valid input.

The arguments are defined below:

- `start_latitude`: Latitude value of the first grid cell center (start point). The grid includes this value.
- `end_latitude`: Latitude value of the last grid cell center (end point). The grid includes this value only if it falls on a grid point. Otherwise, it cuts off at the previous value.
- `step_latitude`: Latitude distance between the centers of two neighbouring cells.
- `start_longitude`: Longitude value of the first grid cell center (start point). The grid includes this value.
- `end_longitude`: Longitude value of the last grid cell center (end point). The grid includes this value only if it falls on a grid point. Otherwise, it cuts off at the previous value.
- `step_longitude`: Longitude distance between the centers of two neighbouring cells.

10.9.4 Regridding (interpolation, extrapolation) schemes

ESMValCore has a number of built-in regridding schemes, which are presented in *Built-in regridding schemes*. Additionally, it is also possible to use third party regridding schemes designed for use with *Iris*. This is explained in *Generic regridding schemes*.

Built-in regridding schemes

- `linear`: Bilinear regridding. For source data on a regular grid, uses `Linear` with `extrapolation_mode='mask'`. For source data on an irregular grid, uses `ESMPyLinear`. Source data on an unstructured grid is not supported, yet.
- `nearest`: Nearest-neighbor regridding. For source data on a regular grid, uses `Nearest` with `extrapolation_mode='mask'`. For source data on an irregular grid, uses `ESMPyNearest`. For source data on an unstructured grid, uses `UnstructuredNearest`.
- `area_weighted`: First-order conservative (area-weighted) regridding. For source data on a regular grid, uses `AreaWeighted`. For source data on an irregular grid, uses `ESMPyAreaWeighted`. Source data on an unstructured grid is not supported, yet.

Generic regridding schemes

Iris' *regridding* is based around the flexible use of so-called regridding schemes. These are classes that know how to transform a source cube with a given grid into the grid defined by a given target cube. *Iris* itself provides a number of useful schemes, but they are largely limited to work with simple, regular grids. Other schemes can be provided independently. This is interesting when special regridding-needs arise or when more involved grids and meshes need to be considered. Furthermore, it may be desirable to have finer control over the parameters of the scheme than is afforded by the built-in schemes described above.

To facilitate this, the `regrid()` preprocessor allows the use of any scheme designed for *Iris*. The scheme must be installed and importable. To use this feature, the `scheme` key passed to the preprocessor must be a dictionary instead of a simple string that contains all necessary information. That includes a `reference` to the desired scheme itself, as well as any arguments that should be passed through to the scheme. For example, the following shows the use of the built-in scheme `iris.analysis.AreaWeighted` with a custom threshold for missing data tolerance.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      scheme:
        reference: iris.analysis.AreaWeighted
        mdtol: 0.7
```


Another example is bilinear regridding with extrapolation. This can be achieved with the `iris.analysis.Linear` scheme and the `extrapolation_mode` keyword. Extrapolation points will be calculated by extending the gradient of the closest two points.

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      scheme:
        reference: iris.analysis:Linear
        extrapolation_mode: extrapolate
```

Note: Controlling the extrapolation mode allows us to avoid situations where extrapolating values makes little physical sense (e.g. extrapolating beyond the last data point).

The value of the `reference` key has two parts that are separated by a `:` with no surrounding spaces. The first part is an importable Python module, the second refers to the scheme, i.e. some callable that will be called with the remaining entries of the `scheme` dictionary passed as keyword arguments.

One package that aims to capitalize on the [support for unstructured meshes introduced in Iris 3.2](#) is `iris-esmf-regrid`. It aims to provide lazy regridding for structured regular and irregular grids, as well as unstructured meshes. An example of its usage in a preprocessor is:

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      scheme:
        reference: esmf_regrid.schemes:ESMFAreaWeighted
        mdtol: 0.7
```

Additionally, the use of generic schemes that take source and target grid cubes as arguments is also supported. The call function for such schemes must be defined as `(src_cube, grid_cube, **kwargs)` and they must return `iris.cube.Cube` objects. The `regrid` module will automatically pass the source and grid cubes as inputs of the scheme. An example of this usage is the `regrid_rectilinear_to_rectilinear()` scheme available in `iris-esmf-regrid`:

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 2.5x2.5
      scheme:
        reference: esmf_regrid.schemes:regrid_rectilinear_to_rectilinear
        mdtol: 0.7
```

10.9.5 Reusing regridding weights

If desired, regridding weights can be cached to reduce run times (see [here](#) for technical details on this). This can speed up the regridding of different datasets with similar source and target grids massively, but may take up a lot of memory for extremely high-resolution data. By default, this feature is disabled; to enable it, use the option `cache_weights: true` in the preprocessor definition:

```
preprocessors:
  regrid_preprocessor:
    regrid:
      target_grid: 0.1x0.1
      scheme: linear
      cache_weights: true
```

Not all regridding schemes support weights caching. An overview of those that do is given [here](#) and in the docstrings [here](#).

See also `esmvalcore.preprocessor.regrid()`

10.10 Ensemble statistics

For certain use cases it may be desirable to compute ensemble statistics. For example to prevent models with many ensemble members getting excessive weight in the multi-model statistics functions.

Theoretically, ensemble statistics are a special case (grouped) multi-model statistics. This grouping is performed taking into account the dataset tags *project*, *dataset*, *experiment*, and (if present) *sub_experiment*. However, they should typically be computed earlier in the workflow. Moreover, because multiple ensemble members of the same model are typically more consistent/homogeneous than datasets from different models, the implementation is more straightforward and can benefit from lazy evaluation and more efficient computation.

The preprocessor takes a list of statistics as input:

```
preprocessors:
  example_preprocessor:
    ensemble_statistics:
      statistics: [mean, median]
```

Additional keyword arguments can be given by using a dictionary:

```
preprocessors:
  example_preprocessor:
    ensemble_statistics:
      statistics:
        - operator: percentile
          percent: 20
        - operator: median
```

This preprocessor function exposes the iris analysis package, and works with all (capitalized) statistics from the `iris.analysis` package that can be executed without additional arguments. See *Statistical preprocessors* for more details on supported statistics.

Note that `ensemble_statistics` will not return the single model and ensemble files, only the requested ensemble statistics results.

In case of wanting to save both individual ensemble members as well as the statistic results, the preprocessor chains could be defined as:

```

preprocessors:
  everything_else: &everything_else
  area_statistics: ...
  regrid_time: ...
  multimodel:
    <<: *everything_else
    ensemble_statistics:

variables:
  tas_datasets:
    short_name: tas
    preprocessor: everything_else
    ...
  tas_multimodel:
    short_name: tas
    preprocessor: multimodel
    ...

```

See also `esmvalcore.preprocessor.ensemble_statistics()`.

10.11 Multi-model statistics

Computing multi-model statistics is an integral part of model analysis and evaluation: individual models display a variety of biases depending on model set-up, initial conditions, forcings and implementation; comparing model data to observational data, these biases have a significantly lower statistical impact when using a multi-model ensemble. ESMValCore has the capability of computing a number of multi-model statistical measures: using the preprocessor module `multi_model_statistics` will enable the user for example to ask for either a multi-model mean, median, max, min, std_dev, and / or percentile with a set of argument parameters passed to `multi_model_statistics`. See [Statistical preprocessors](#) for more details on supported statistics. Percentiles can be specified with additional keyword arguments using the syntax `statistics: [{operator: percentile, percent: xx}]`.

Restrictive computation is also available by excluding any set of models that the user will not want to include in the statistics (by setting `exclude: [excluded models list]` argument).

Input datasets may have different time coordinates. Apart from that, all dimensions must match. Statistics can be computed across overlapping times only (`span: overlap`) or across the full time span of the combined models (`span: full`). The preprocessor sets a common time coordinate on all datasets. As the number of days in a year may vary between calendars, (sub-)daily data with different calendars are not supported. The preprocessor saves both the input single model files as well as the multi-model results. In case you do not want to keep the single model files, set the parameter `keep_input_datasets` to `false` (default value is `true`). To remove scalar coordinates before merging input datasets into the multi-dataset cube, use the option `ignore_scalar_coords: true`. The resulting multi-dataset cube will not have scalar coordinates in this case. This ensures that differences in scalar coordinates in the input datasets are ignored, which is helpful if you encounter a `ValueError: Multi-model statistics failed to merge input cubes into a single array with Coordinates in cube.aux_coords (scalar) differ`. Some special scalar coordinates which are expected to differ across cubes (*p0* and *ptop*) are always removed.

```

preprocessors:
  multi_model_save_input:
  multi_model_statistics:
    span: overlap
    statistics: [mean, median]
    exclude: [NCEP-NCAR-R1]

```

(continues on next page)

(continued from previous page)

```

multi_model_without_saving_input:
  multi_model_statistics:
    span: overlap
    statistics: [mean, median]
    exclude: [NCEP-NCAR-R1]
    keep_input_datasets: false
    ignore_scalar_coords: true
multi_model_percentiles_5_95:
  multi_model_statistics:
    span: overlap
    statistics:
      - operator: percentile
        percent: 5
      - operator: percentile
        percent: 95

```

Multi-model statistics also supports a `groupby` argument. You can group by any dataset key (project, experiment, etc.) or a combination of keys in a list. You can also add an arbitrary tag to a dataset definition and then group by that tag. When using this preprocessor in conjunction with *ensemble statistics* preprocessor, you can group by `ensemble_statistics` as well. For example:

```

datasets:
- {dataset: CanESM2, exp: historical, ensemble: "r(1:2)ilp1"}
- {dataset: CCSM4, exp: historical, ensemble: "r(1:2)ilp1"}

preprocessors:
  example_preprocessor:
    ensemble_statistics:
      statistics: [median, mean]
    multi_model_statistics:
      span: overlap
      statistics: [min, max]
      groupby: [ensemble_statistics]
      exclude: [NCEP-NCAR-R1]

```

This will first compute ensemble mean and median, and then compute the multi-model min and max separately for the ensemble means and medians. Note that this combination will not save the individual ensemble members, only the ensemble and multimodel statistics results.

When grouping by a tag not defined in all datasets, the datasets missing the tag will be grouped together. In the example below, datasets *UKESM* and *ERA5* would belong to the same group, while the other datasets would belong to either `group1` or `group2`.

```

datasets:
- {dataset: CanESM2, exp: historical, ensemble: "r(1:2)ilp1", tag: 'group1'}
- {dataset: CanESM5, exp: historical, ensemble: "r(1:2)ilp1", tag: 'group2'}
- {dataset: CCSM4, exp: historical, ensemble: "r(1:2)ilp1", tag: 'group2'}
- {dataset: UKESM, exp: historical, ensemble: "r(1:2)ilp1"}
- {dataset: ERA5}

preprocessors:
  example_preprocessor:
    multi_model_statistics:

```

(continues on next page)

(continued from previous page)

```
span: overlap
statistics: [min, max]
groupby: [tag]
```

Note that those datasets can be excluded if listed in the `exclude` option.

See also `esmvalcore.preprocessor.multi_model_statistics()`.

10.12 Time manipulation

The `_time.py` module contains the following preprocessor functions:

- *extract_time*: Extract a time range from a cube.
- *extract_season*: Extract only the times that occur within a specific season.
- *extract_month*: Extract only the times that occur within a specific month.
- *hourly_statistics*: Compute intra-day statistics
- *daily_statistics*: Compute statistics for each day
- *monthly_statistics*: Compute statistics for each month
- *seasonal_statistics*: Compute statistics for each season
- *annual_statistics*: Compute statistics for each year
- *decadal_statistics*: Compute statistics for each decade
- *climate_statistics*: Compute statistics for the full period
- *resample_time*: Resample data
- *resample_hours*: Convert between N-hourly frequencies by resampling
- *anomalies*: Compute (standardized) anomalies
- *regrid_time*: Aligns the time axis of each dataset to have common time points and calendars.
- *timeseries_filter*: Allows application of a filter to the time-series data.
- *local_solar_time*: Convert cube with UTC time to local solar time.

Statistics functions are applied by default in the order they appear in the list. For example, the following example applied to hourly data will retrieve the minimum values for the full period (by season) of the monthly mean of the daily maximum of any given variable.

```
daily_statistics:
  operator: max

monthly_statistics:
  operator: mean

climate_statistics:
  operator: min
  period: season
```

10.12.1 `extract_time`

This function subsets a dataset between two points in times. It removes all times in the dataset before the first time and after the last time point. The required arguments are relatively self explanatory:

- `start_year`
- `start_month`
- `start_day`
- `end_year`
- `end_month`
- `end_day`

These start and end points are set using the datasets native calendar. All six arguments should be given as integers - the named month string will not be accepted.

See also `esmvalcore.preprocessor.extract_time()`.

10.12.2 `extract_season`

Extract only the times that occur within a specific season.

This function only has one argument: `season`. This is the named season to extract, i.e. DJF, MAM, JJA, SON, but also all other sequentially correct combinations, e.g. JJAS.

Note that this function does not change the time resolution. If your original data is in monthly time resolution, then this function will return three monthly datapoints per year.

If you want the seasonal average, then this function needs to be combined with the `seasonal_mean` function, below.

See also `esmvalcore.preprocessor.extract_season()`.

10.12.3 `extract_month`

The function extracts the times that occur within a specific month. This function only has one argument: `month`. This value should be an integer between 1 and 12 as the named month string will not be accepted.

See also `esmvalcore.preprocessor.extract_month()`.

10.12.4 `hourly_statistics`

This function produces statistics at a x-hourly frequency.

Parameters:

- `hour`: Number of hours per period. Must be a divisor of 24, i.e., (1, 2, 3, 4, 6, 8, 12).
- `operator`: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- Other parameters are directly passed to the `operator` as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.hourly_statistics()`.

10.12.5 daily_statistics

This function produces statistics for each day in the dataset.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.daily_statistics()`.

10.12.6 monthly_statistics

This function produces statistics for each month in the dataset.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.monthly_statistics()`.

10.12.7 seasonal_statistics

This function produces statistics for each season (default: [DJF, MAM, JJA, SON] or custom seasons e.g. [JJAS, ONDJFMAM]) in the dataset. Note that this function will not check for missing time points. For instance, if you are looking at the DJF field, but your datasets starts on January 1st, the first DJF field will only contain data from January and February.

We recommend using the `extract_time` to start the dataset from the following December and remove such biased initial data points.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- *seasons*: Seasons to build statistics. Default is '[DJF, MAM, JJA, SON]'
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.seasonal_statistics()`.

10.12.8 annual_statistics

This function produces statistics for each year.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.annual_statistics()`.

10.12.9 decadal_statistics

This function produces statistics for each decade.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

See also `esmvalcore.preprocessor.decadal_statistics()`.

10.12.10 climate_statistics

This function produces statistics for the whole dataset. It can produce scalars (if the full period is chosen) or hourly, daily, monthly or seasonal statistics.

Parameters:

- *operator*: Operation to apply. See [Statistical preprocessors](#) for more details on supported statistics. Default is *mean*.
- *period*: Define the granularity of the statistics: get values for the full period, for each month, day of year or hour of day. Available periods: *full*, *season*, *seasonal*, *monthly*, *month*, *mon*, *daily*, *day*, *hourly*, *hour*, *hr*. Default is *full*.
- *seasons*: if period 'seasonal' or 'season' allows to set custom seasons. Default is '[DJF, MAM, JJA, SON] '.
- Other parameters are directly passed to the *operator* as keyword arguments. See [Statistical preprocessors](#) for more details.

Note: Some operations are weighted by the time coordinate by default, i.e., the length of the time intervals. See [Statistical preprocessors](#) for more details on supported statistics. For *sum*, the units of the resulting cube are multiplied by the corresponding time units (e.g., days).

Examples:

- Monthly climatology:


```
climate_statistics:  
  operator: mean  
  period: month
```

- Daily maximum for the full period:

```
climate_statistics:  
  operator: max  
  period: day
```

- Minimum value in the period:

```
climate_statistics:  
  operator: min  
  period: full
```

- 80% percentile for each month:

```
climate_statistics:  
  period: month  
  operator: percentile  
  percent: 80
```

See also `esmvalcore.preprocessor.climate_statistics()`.

10.12.11 `resample_time`

This function changes the frequency of the data in the cube by extracting the timesteps that meet the criteria. It is important to note that it is mainly meant to be used with instantaneous data.

Parameters:

- `month`: Extract only timesteps from the given month or do nothing if `None`. Default is `None`
- `day`: Extract only timesteps from the given day of month or do nothing if `None`. Default is `None`
- `hour`: Extract only timesteps from the given hour or do nothing if `None`. Default is `None`

Examples:

- Hourly data to daily:

```
resample_time:  
  hour: 12
```

- Hourly data to monthly:

```
resample_time:  
  hour: 12  
  day: 15
```

- Daily data to monthly:

```
resample_time:  
  day: 15
```

See also `esmvalcore.preprocessor.resample_time()`.

`resample_hours`:

10.12.12 `resample_hours`

This function changes the frequency of the data in the cube by extracting the timesteps that belongs to the desired frequency. It is important to note that it is mainly mean to be used with instantaneous data

Parameters:

- `interval`: New frequency of the data. Must be a divisor of 24
- `offset`: First desired hour. Default 0. Must be lower than the interval

Examples:

- Convert to 12-hourly, by getting timesteps at 0:00 and 12:00:

```
resample_hours:  
  hours: 12
```

- Convert to 12-hourly, by getting timesteps at 6:00 and 18:00:

```
resample_hours:  
  hours: 12  
  offset: 6
```

See also `esmvalcore.preprocessor.resample_hours()`.

10.12.13 `anomalies`

This function computes the anomalies for the whole dataset. It can compute anomalies from the full, seasonal, monthly, daily and hourly climatologies. Optionally standardized anomalies can be calculated.

Parameters:

- `period`: define the granularity of the climatology to use: full period, seasonal, monthly, daily or hourly. Available periods: 'full', 'season', 'seasonal', 'monthly', 'month', 'mon', 'daily', 'day', 'hourly', 'hour', 'hr'. Default is 'full'
- `reference`: Time slice to use as the reference to compute the climatology on. Can be 'null' to use the full cube or a dictionary with the parameters from `extract_time`. Default is null
- `standardize`: if true calculate standardized anomalies (default: false)
- `seasons`: if period 'seasonal' or 'season' allows to set custom seasons. Default is '[DJF, MAM, JJA, SON]'

Examples:

- Anomalies from the full period climatology:

```
anomalies:
```

- Anomalies from the full period monthly climatology:

```
anomalies:  
  period: month
```

- Standardized anomalies from the full period climatology:

```
anomalies:
  standardized: true
```

- Standardized Anomalies from the 1979-2000 monthly climatology:

```
anomalies:
  period: month
  reference:
    start_year: 1979
    start_month: 1
    start_day: 1
    end_year: 2000
    end_month: 12
    end_day: 31
  standardize: true
```

See also `esmvalcore.preprocessor.anomalies()`.

10.12.14 regrid_time

This function aligns the time points of each component dataset so that the Iris cubes from different datasets can be subtracted. The operation makes the datasets time points common; it also resets the time bounds and auxiliary coordinates to reflect the artificially shifted time points. Current implementation for monthly and daily data; the `frequency` is set automatically from the variable CMOR table unless a custom `frequency` is set manually by the user in recipe.

See also `esmvalcore.preprocessor.regrid_time()`.

10.12.15 timeseries_filter

This function allows the user to apply a filter to the timeseries data. This filter may be of the user's choice (currently only the low-pass Lanczos filter is implemented); the implementation is inspired by this [iris example](#) and uses aggregation via `iris.cube.Cube.rolling_window`.

Parameters:

- `window`: the length of the filter window (in units of cube time coordinate).
- `span`: period (number of months/days, depending on data frequency) on which weights should be computed e.g. for 2-yearly: `span = 24` (2 x 12 months). Make sure `span` has the same units as the data cube time coordinate.
- `filter_type`: the type of filter to be applied; default 'lowpass'. Available types: 'lowpass'.
- `filter_stats`: the type of statistic to aggregate on the rolling window; default 'sum'. Available operators: 'mean', 'median', 'std_dev', 'sum', 'min', 'max', 'rms'.

Examples:

- Lowpass filter with a monthly mean as operator:

```
timeseries_filter:
  window: 3 # 3-monthly filter window
  span: 12 # weights computed on the first year
  filter_type: lowpass # low-pass filter
  filter_stats: mean # 3-monthly mean lowpass filter
```

See also `esmvalcore.preprocessor.timeseries_filter()`.

10.12.16 local_solar_time

Many variables in the Earth system show a strong diurnal cycle. The reason for that is of course Earth's rotation around its own axis, which leads to a diurnal cycle of the incoming solar radiation. While UTC time is a very good absolute time measure, it is not really suited to analyze diurnal cycles over larger regions. For example, diurnal cycles over Russia and the USA are phase-shifted by $\sim 180^\circ = 12$ hr in UTC time.

This is where the **local solar time (LST)** comes into play: For a given location, 12:00 noon LST is defined as the moment when the sun reaches its highest point in the sky. By using this definition based on the origin of the diurnal cycle (the sun), we can directly compare diurnal cycles across the globe. LST is mainly determined by the longitude of a location, but due to the eccentricity of Earth's orbit, it also depends on the day of year (see [equation of time](#)). However, this correction is at most ~ 15 min, which is usually smaller than the highest frequency output of CMIP6 models (1 hr) and smaller than the time scale for diurnal evolution of meteorological phenomena (which is in the order of hours, not minutes). Thus, instead, we use the **mean** LST, which solely depends on longitude:

$$LST = UTC + 12 \cdot \frac{lon}{180}$$

where the times are given in hours and *lon* in degrees in the interval $[-180, 180]$. To transform data from UTC to LST, this preprocessor shifts data along the time axis based on the longitude.

This preprocessor does not need any additional parameters.

Example:

```
calculate_local_solar_time:  
  local_solar_time:
```

See also `esmvalcore.preprocessor.local_solar_time()`.

10.13 Area manipulation

The area manipulation module contains the following preprocessor functions:

- `extract_coordinate_points`: Extract a point with arbitrary coordinates given an interpolation scheme.
- `extract_region`: Extract a region from a cube based on lat/lon corners.
- `extract_named_regions`: Extract a specific region from in the region coordinate.
- `extract_shape`: Extract a region defined by a shapefile.
- `extract_point`: Extract a single point (with interpolation)
- `extract_location`: Extract a single point by its location (with interpolation)
- `zonal_statistics`: Compute zonal statistics.
- `meridional_statistics`: Compute meridional statistics.
- `area_statistics`: Compute area statistics.

10.13.1 `extract_coordinate_points`

This function extracts points with given coordinates, following either a `linear` or a `nearest` interpolation scheme. The resulting point cube will match the respective coordinates to those of the input coordinates. If the input coordinate is a scalar, the dimension will be a scalar in the output cube.

If the point to be extracted has at least one of the coordinate point values outside the interval of the cube's same coordinate values, then no extrapolation will be performed, and the resulting extracted cube will have fully masked data.

Examples:

- Extract a point from coordinate *grid_latitude* with given coordinate value 26.0:

```
extract_coordinate_points:  
definition:  
  grid_latitude: 26.  
  scheme: nearest
```

See also `esmvalcore.preprocessor.extract_coordinate_points()`.

10.13.2 `extract_region`

This function returns a subset of the data on the rectangular region requested. The boundaries of the region are provided as latitude and longitude coordinates in the arguments:

- `start_longitude`
- `end_longitude`
- `start_latitude`
- `end_latitude`

Note that this function can only be used to extract a rectangular region. Use `extract_shape` to extract any other shaped region from a shapefile.

If the grid is irregular, the returned region retains the original coordinates, but is cropped to a rectangular bounding box defined by the start/end coordinates. The deselected area inside the region is masked.

See also `esmvalcore.preprocessor.extract_region()`.

10.13.3 `extract_named_regions`

This function extracts a specific named region from the data. This function takes the following argument: `regions` which is either a string or a list of strings of named regions. Note that the dataset must have a `region` coordinate which includes a list of strings as values. This function then matches the named regions against the requested string.

See also `esmvalcore.preprocessor.extract_named_regions()`.

10.13.4 extract_shape

Extract a shape or a representative point for this shape from the data.

Parameters:

- **shapefile**: path to the shapefile containing the geometry of the region to be extracted. If the file contains multiple shapes behaviour depends on the **decomposed** parameter. This path can be relative to **auxiliary_data_dir** defined in the *User configuration file* or relative to **esmvalcore/preprocessor/shapefiles** (in that priority order). Alternatively, a string (see “Shapefile name” below) can be given to load one of the following shapefiles that are shipped with ESMValCore:

Shapefile name	Description	Reference
ar6	IPCC WG1 reference regions (v4) used in Assessment Report 6	https://doi.org/10.5281/zenodo.5176260

- **method**: the method to select the region, selecting either all points contained by the shape or a single representative point. Choose either ‘contains’ or ‘representative’. If not a single grid point is contained in the shape, a representative point will be selected.
- **crop**: by default *extract_region* will be used to crop the data to a minimal rectangular region containing the shape. Set to **false** to only mask data outside the shape. Data on irregular grids will not be cropped.
- **decomposed**: by default **false**; in this case the union of all the regions in the shapefile is masked out. If set to **true**, the regions in the shapefiles are masked out separately and the output cube will have an additional dimension **shape_id** describing the requested regions.
- **ids**: Shapes to be read from the shapefile. Can be given as:
 - **list**: IDs are assigned from the attributes **name**, **NAME**, **Name**, **id**, or **ID** (in that priority order; the first one available is used). If none of these attributes are available in the shapefile, assume that the given *ids* correspond to the reading order of the individual shapes. So, for example, if a file has both **name** and **id** attributes, the *ids* will be assigned from **name**. If the file only has the **id** attribute, it will be taken from it and if no **name** nor **id** attributes are present, an integer ID starting from 0 will be assigned automatically when reading the shapes. We discourage to rely on this last behaviour as we can not assure that the reading order will be the same on different platforms, so we encourage you to specify a custom attribute using a **dict** (see below) instead. Note: An empty list is interpreted as *ids=None* (see below).
 - **dict**: IDs (dictionary value; **list** of **str**) are assigned from attribute given as dictionary key (**str**). Only dictionaries with length 1 are supported. Example: `ids={'Acronym': ['GIC', 'WNA']}`.
 - *None*: select all available regions from the shapefile.

Examples:

- Extract the shape of the river Elbe from a shapefile:

```
extract_shape:
  shapefile: Elbe.shp
  method: contains
```

- Extract the shape of several countries:

```
extract_shape:
  shapefile: NaturalEarth/Countries/ne_110m_admin_0_countries.shp
```

(continues on next page)

(continued from previous page)

```

decomposed: True
method: contains
ids:
  - Spain
  - France
  - Italy
  - United Kingdom
  - Taiwan

```

- Extract European AR6 regions:

```

extract_shape:
  shapefile: ar6
  method: contains
  ids:
    Acronym:
      - NEU
      - WCE
      - MED

```

See also `esmvalcore.preprocessor.extract_shape()`.

10.13.5 extract_point

Extract a single point from the data. This is done using either nearest or linear interpolation.

Returns a cube with the extracted point(s), and with adjusted latitude and longitude coordinates (see below).

Multiple points can also be extracted, by supplying an array of latitude and/or longitude coordinates. The resulting point cube will match the respective latitude and longitude coordinate to those of the input coordinates. If the input coordinate is a scalar, the dimension will be missing in the output cube (that is, it will be a scalar).

If the point to be extracted has at least one of the coordinate point values outside the interval of the cube's same coordinate values, then no extrapolation will be performed, and the resulting extracted cube will have fully masked data.

Parameters:

- `cube`: the input dataset cube.
- `latitude`, `longitude`: coordinates (as floating point values) of the point to be extracted. Either (or both) can also be an array of floating point values.
- `scheme`: interpolation scheme: either 'linear' or 'nearest'. There is no default.

See also `esmvalcore.preprocessor.extract_point()`.

10.13.6 `extract_location`

Extract a single point using a location name, with interpolation (either linear or nearest). This preprocessor extracts a single location point from a cube, according to the given interpolation scheme `scheme`. The function retrieves the coordinates of the location and then calls the `esmvalcore.preprocessor.extract_point()` preprocessor. It can be used to locate cities and villages, but also mountains or other geographical locations.

Note: Note that this function's geolocator application needs a working internet connection.

Parameters:

- *cube*: the input dataset cube to extract a point from.
- *location*: the reference location. Examples: 'mount everest', 'romania', 'new york, usa'. Raises `ValueError` if none supplied.
- *scheme*: interpolation scheme. *linear* or *nearest*. There is no default, raises `ValueError` if none supplied.

See also `esmvalcore.preprocessor.extract_location()`.

10.13.7 `zonal_statistics`

The function calculates the zonal statistics by applying an operator along the longitude coordinate.

Parameters:

- *operator*: Operation to apply. See *Statistical preprocessors* for more details on supported statistics.
- *normalize*: If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- Other parameters are directly passed to the *operator* as keyword arguments. See *Statistical preprocessors* for more details.

See also `esmvalcore.preprocessor.zonal_statistics()`.

10.13.8 `meridional_statistics`

The function calculates the meridional statistics by applying an operator along the latitude coordinate. This function takes one argument:

Parameters:

- *operator*: Operation to apply. See *Statistical preprocessors* for more details on supported statistics.
- *normalize*: If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- Other parameters are directly passed to the *operator* as keyword arguments. See *Statistical preprocessors* for more details.

See also `esmvalcore.preprocessor.meridional_statistics()`.

10.13.9 area_statistics

This function can be used to apply several different operations in the horizontal plane: for example, mean, sum, standard deviation, median, variance, minimum, maximum and root mean square. Some operations are grid cell area weighted by default. For sums, the units of the resulting cubes are multiplied by m^2 . See *Statistical preprocessors* for more details on supported statistics.

Note that this function is applied over the entire dataset. If only a specific region, depth layer or time period is required, then those regions need to be removed using other preprocessor operations in advance.

For weighted statistics, this function requires a cell area *cell measure*, unless the coordinates of the input data are regular 1D latitude and longitude coordinates so the cell areas can be computed internally. The required supplementary variable, either *areacella* for atmospheric variables or *areacello* for ocean variables, can be attached to the main dataset as described in *Defining supplementary variables (ancillary variables and cell measures)*.

Parameters:

- *operator*: Operation to apply. See *Statistical preprocessors* for more details on supported statistics.
- *normalize*: If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- Other parameters are directly passed to the *operator* as keyword arguments. See *Statistical preprocessors* for more details.

Examples: * Calculate global mean:

```
area_statistics:
  operator: mean
```

- Subtract global mean from dataset:

```
area_statistics:
  operator: mean
  normalize: subtract
```

See also `esmvalcore.preprocessor.area_statistics()`.

10.14 Volume manipulation

The `_volume.py` module contains the following preprocessor functions:

- *axis_statistics*: Perform operations along a given axis.
- *extract_volume*: Extract a specific depth range from a cube.
- *volume_statistics*: Calculate the volume-weighted average.
- *depth_integration*: Integrate over the depth dimension.
- *extract_transect*: Extract data along a line of constant latitude or longitude.
- *extract_trajectory*: Extract data along a specified trajectory.

10.14.1 `extract_volume`

Extract a specific range in the z -direction from a cube. The range is given as an interval that can be:

- open (z_{\min} , z_{\max}), in which the extracted range does not include z_{\min} nor z_{\max} .
- closed [z_{\min} , z_{\max}], in which the extracted includes both z_{\min} and z_{\max} .
- left closed [z_{\min} , z_{\max}), in which the extracted range includes z_{\min} but not z_{\max} .
- right closed (z_{\min} , z_{\max}], in which the extracted range includes z_{\max} but not z_{\min} .

The extraction is performed by applying a constraint on the coordinate values, without any kind of interpolation.

This function takes four arguments:

- `z_min` to define the minimum value of the range to extract in the z -direction.
- `z_max` to define the maximum value of the range to extract in the z -direction.
- **`interval_bounds` to define whether the bounds of the interval are open, closed, left_closed or right_closed.** Default is open.
- **`nearest_value` to extract a range taking into account the values of the z -coordinate that are closest to z_{\min} and z_{\max} .** Default is False.

As the coordinate points are likely to vary depending on the dataset, sometimes it might be useful to adjust the given `z_min` and `z_max` values to the values of the coordinate points before performing an extraction. This behaviour can be achieved by setting the `nearest_value` argument to True.

For example, in a cube with `z_coord = [0., 1.5, 2.6., 3.8., 5.4]`, the preprocessor below:

```
preprocessors:
  extract_volume:
    z_min: 1.
    z_max: 5.
    interval_bounds: 'closed'
```

would return a cube with a `z_coord` defined as `z_coord = [1.5, 2.6., 3.8.]`, since these are the values that strictly fall into the range given by [`z_min`=1, `z_max`=5].

Whereas setting `nearest_value: True`:

```
preprocessors:
  extract_volume:
    z_min: 1.
    z_max: 5.
    interval_bounds: 'closed'
    nearest_value: True
```

would return a cube with a `z_coord` defined as `z_coord = [1.5, 2.6., 3.8., 5.4]`, since `z_max = 5` is closest to the coordinate point `z = 5.4` than it is to `z = 3.8`.

Note that this preprocessor requires the requested z -coordinate range to be the same sign as the Iris cube. That is, if the cube has z -coordinate as negative, then `z_min` and `z_max` need to be negative numbers.

See also `esmvalcore.preprocessor.extract_volume()`.

10.14.2 volume_statistics

This function calculates the volume-weighted average across three dimensions, but maintains the time dimension.

By default, the *mean* operation is weighted by the grid cell volumes.

For weighted statistics, this function requires a cell volume *cell measure*, unless it has a cell_area *cell measure* or the coordinates of the input data are regular 1D latitude and longitude coordinates so the cell volumes can be computed internally. The required supplementary variable *volcello*, or *areacello* in its absence, can be attached to the main dataset as described in *Defining supplementary variables (ancillary variables and cell measures)*.

No depth coordinate is required as this is determined by Iris. However, to compute the volume automatically when *volcello* is not provided, the depth coordinate units should be convertible to meters.

Parameters:

- *operator*: Operation to apply. At the moment, only *mean* is supported. See *Statistical preprocessors* for more details on supported statistics.
- *normalize*: If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- Other parameters are directly passed to the *operator* as keyword arguments. See *Statistical preprocessors* for more details.

See also `esmvalcore.preprocessor.volume_statistics()`.

10.14.3 axis_statistics

This function operates over a given axis, and removes it from the output cube.

Takes arguments:

- *axis*: direction over which the statistics will be performed. Possible values for the axis are *x*, *y*, *z*, *t*.
- *operator*: Operation to apply. See *Statistical preprocessors* for more details on supported statistics.
- *normalize*: If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- Other parameters are directly passed to the *operator* as keyword arguments. See *Statistical preprocessors* for more details.

Note: The coordinate associated to the axis over which the operation will be performed must be one-dimensional, as multidimensional coordinates are not supported in this preprocessor.

Some operations are weighted by the corresponding coordinate bounds by default. For sums, the units of the resulting cubes are multiplied by the corresponding coordinate units. See *Statistical preprocessors* for more details on supported statistics.

See also `esmvalcore.preprocessor.axis_statistics()`.

10.14.4 depth_integration

This function integrates over the depth dimension. This function does a weighted sum along the z -coordinate, and removes the z direction of the output cube. This preprocessor takes no arguments. The units of the resulting cube are multiplied by the z -coordinate units.

See also `esmvalcore.preprocessor.depth_integration()`.

10.14.5 extract_transect

This function extracts data along a line of constant latitude or longitude. This function takes two arguments, although only one is strictly required. The two arguments are `latitude` and `longitude`. One of these arguments needs to be set to a float, and the other can then be either ignored or set to a minimum or maximum value.

For example, if we set latitude to 0 N and leave longitude blank, it would produce a cube along the Equator. On the other hand, if we set latitude to 0 and then set longitude to `[40., 100.]` this will produce a transect of the Equator in the Indian Ocean.

See also `esmvalcore.preprocessor.extract_transect()`.

10.14.6 extract_trajectory

This function extract data along a specified trajectory. The three arguments are: `latitudes`, `longitudes` and number of point needed for extrapolation `number_points`.

If two points are provided, the `number_points` argument is used to set a the number of places to extract between the two end points.

If more than two points are provided, then `extract_trajectory` will produce a cube which has extrapolated the data of the cube to those points, and `number_points` is not needed.

Note that this function uses the expensive `interpolate` method from `Iris.analysis.trajectory`, but it may be necessary for irregular grids.

See also `esmvalcore.preprocessor.extract_trajectory()`.

10.15 Cycles

The `_cycles.py` module contains the following preprocessor functions:

- `amplitude`: Extract the peak-to-peak amplitude of a cycle aggregated over specified coordinates.

10.15.1 amplitude

This function extracts the peak-to-peak amplitude (maximum value minus minimum value) of a field aggregated over specified coordinates. Its only argument is `coords`, which can either be a single coordinate (given as `str`) or multiple coordinates (given as `list` of `str`). Usually, these coordinates refer to temporal categorised coordinates `iris.coord_categorisation` like `year`, `month`, `day of year`, etc. For example, to extract the amplitude of the annual cycle for every single year in the data, use `coords: year`; to extract the amplitude of the diurnal cycle for every single day in the data, use `coords: [year, day_of_year]`.

See also `esmvalcore.preprocessor.amplitude()`.

10.16 Trend

The trend module contains the following preprocessor functions:

- `linear_trend`: Calculate linear trend along a specified coordinate.
- `linear_trend_stderr`: Calculate standard error of linear trend along a specified coordinate.

10.16.1 `linear_trend`

This function calculates the linear trend of a dataset (defined as slope of an ordinary linear regression) along a specified coordinate. The only argument of this preprocessor is `coordinate` (given as `str`; default value is 'time').

See also `esmvalcore.preprocessor.linear_trend()`.

10.16.2 `linear_trend_stderr`

This function calculates the standard error of the linear trend of a dataset (defined as the standard error of the slope in an ordinary linear regression) along a specified coordinate. The only argument of this preprocessor is `coordinate` (given as `str`; default value is 'time'). Note that the standard error is **not** identical to a confidence interval.

See also `esmvalcore.preprocessor.linear_trend_stderr()`.

10.17 Detrend

ESMValCore also supports detrending along any dimension using the preprocessor function 'detrend'. This function has two parameters:

- `dimension`: dimension to apply detrend on. Default: "time"
- `method`: It can be `linear` or `constant`. Default: `linear`

If method is `linear`, detrend will calculate the linear trend along the selected axis and subtract it to the data. For example, this can be used to remove the linear trend caused by climate change on some variables if selected dimension is time.

If method is `constant`, detrend will compute the mean along that dimension and subtract it from the data

See also `esmvalcore.preprocessor.detrend()`.

10.18 Rolling window statistics

One can calculate rolling window statistics using the preprocessor function `rolling_window_statistics`. This function takes three parameters:

- `coordinate`: Coordinate over which the rolling-window statistics is calculated.
- `operator`: Operation to apply. See *Statistical preprocessors* for more details on supported statistics.
- `window_length`: size of the rolling window to use (number of points).
- Other parameters are directly passed to the `operator` as keyword arguments. See *Statistical preprocessors* for more details.

This example applied on daily precipitation data calculates two-day rolling precipitation sum.

```
preprocessors:
  preproc_rolling_window:
    coordinate: time
    operator: sum
    window_length: 2
```

See also `esmvalcore.preprocessor.rolling_window_statistics()`.

10.19 Unit conversion

10.19.1 convert_units

Converting units is also supported. This is particularly useful in cases where different datasets might have different units, for example when comparing CMIP5 and CMIP6 variables where the units have changed or in case of observational datasets that are delivered in different units.

In these cases, having a unit conversion at the end of the processing will guarantee homogeneous input for the diagnostics.

Conversion is only supported between compatible units! In other words, converting temperature units from degC to Kelvin works fine, while changing units from kg to m will not work.

However, there are some well-defined exceptions from this rule in order to transform one quantity to another (physically related) quantity. These quantities are identified via their `standard_name` and their `units` (units convertible to the ones defined are also supported). For example, this enables conversions between precipitation fluxes measured in kg m⁻² s⁻¹ and precipitation rates measured in mm day⁻¹ (and vice versa). Currently, the following special conversions are supported:

- `precipitation_flux` (kg m⁻² s⁻¹) – `lwe_precipitation_rate` (mm day⁻¹)
- `equivalent_thickness_at_stp_of_atmosphere_ozone_content` (m) –
 `equivalent_thickness_at_stp_of_atmosphere_ozone_content` (DU)

Hint: Names in the list correspond to `standard_names` of the input data. Conversions are allowed from each quantity to any other quantity given in a bullet point. The corresponding target quantity is inferred from the desired target units. In addition, any other units convertible to the ones given are also supported (e.g., instead of mm day⁻¹, m s⁻¹ is also supported).

Note: For the transformation between the different precipitation variables, a water density of 1000 kg m⁻³ is assumed.

See also `esmvalcore.preprocessor.convert_units()`.

10.19.2 accumulate_coordinate

This function can be used to weight data using the bounds from a given coordinate. The resulting cube will then have units given by `cube_units * coordinate_units`.

For instance, if a variable has units such as $X \text{ s}^{-1}$, using `accumulate_coordinate` on the time coordinate would result on a cube where the data would be multiplied by the time bounds and the resulting units for the variable would be converted to X . In this case, weighting the data with the time coordinate would allow to cancel the time units in the variable.

Note: The coordinate used to weight the data must be one-dimensional, as multidimensional coordinates are not supported in this preprocessor.

See also `esmvalcore.preprocessor.accumulate_coordinate()`

10.20 Bias

The bias module contains the following preprocessor functions:

- **bias:** Calculate absolute or relative biases with respect to a reference dataset

10.20.1 bias

This function calculates biases with respect to a given reference dataset. For this, exactly one input dataset needs to be declared as `reference_for_bias: true` in the recipe, e.g.,

```
datasets:
- {dataset: CanESM5, project: CMIP6, ensemble: r1i1p1f1, grid: gn}
- {dataset: CESM2, project: CMIP6, ensemble: r1i1p1f1, grid: gn}
- {dataset: MIROC6, project: CMIP6, ensemble: r1i1p1f1, grid: gn}
- {dataset: ERA-Interim, project: OBS6, tier: 3, type: reanaly, version: 1,
  reference_for_bias: true}
```

In the example above, ERA-Interim is used as reference dataset for the bias calculation. The reference dataset needs to be broadcastable to all other datasets. This supports *iris*' rich broadcasting abilities. To ensure this, the preprocessors `esmvalcore.preprocessor.regrid()` and/or `esmvalcore.preprocessor.regrid_time()` might be helpful.

The bias preprocessor supports 4 optional arguments in the recipe:

- **bias_type** (`str`, default: 'absolute'): Bias type that is calculated. Can be 'absolute' (i.e., calculate bias for dataset X and reference R as $X - R$) or **relative** (i.e., calculate bias as $\frac{X-R}{R}$).
- **denominator_mask_threshold** (`float`, default: 1e-3): Threshold to mask values close to zero in the denominator (i.e., the reference dataset) during the calculation of relative biases. All values in the reference dataset with absolute value less than the given threshold are masked out. This setting is ignored when **bias_type** is set to 'absolute'. Please note that for some variables with very small absolute values (e.g., carbon cycle fluxes, which are usually $< 10^{-6} \text{ kg m}^{-2} \text{ s}^{-1}$) it is absolutely essential to change the default value in order to get reasonable results.
- **keep_reference_dataset** (`bool`, default: False): If True, keep the reference dataset in the output. If False, drop the reference dataset.

- `exclude` (`list` of `str`): Exclude specific datasets from this preprocessor. Note that this option is only available in the recipe, not when using `esmvalcore.preprocessor.bias()` directly (e.g., in another python script). If the reference dataset has been excluded, an error is raised.

Example:

```
preprocessors:
  preproc_bias:
    bias:
      bias_type: relative
      denominator_mask_threshold: 1e-8
      keep_reference_dataset: true
      exclude: [CanESM2]
```

See also `esmvalcore.preprocessor.bias()`.

10.21 Information on maximum memory required

In the most general case, we can set upper limits on the maximum memory the analysis will require:

$M_s = (R + N) \times F_{\text{eff}} - F_{\text{eff}}$ - when no multi-model analysis is performed;

$M_m = (2R + N) \times F_{\text{eff}} - 2F_{\text{eff}}$ - when multi-model analysis is performed;

where

- M_s : maximum memory for non-multimodel module
- M_m : maximum memory for multi-model module
- R : computational efficiency of module; R is typically 2-3
- N : number of datasets
- F_{eff} : average size of data per dataset where $F_{\text{eff}} = e \times f \times F$ where e is the factor that describes how lazy the data is ($e = 1$ for fully realized data) and f describes how much the data was shrunk by the immediately previous module, e.g. time extraction, area selection or level extraction; note that for `fix_data` f relates only to the time extraction, if data is exact in time (no time selection) $f = 1$ for `fix_data` so for cases when we deal with a lot of datasets $R + N \approx N$, data is fully realized, assuming an average size of 1.5GB for 10 years of 3D netCDF data, N datasets will require:

$$M_s = 1.5 \times (N - 1) \text{ GB}$$

$$M_m = 1.5 \times (N - 2) \text{ GB}$$

As a rule of thumb, the maximum required memory at a certain time for multi-model analysis could be estimated by multiplying the number of datasets by the average file size of all the datasets; this memory intake is high but also assumes that all data is fully realized in memory; this aspect will gradually change and the amount of realized data will decrease with the increase of disk use.

10.22 Other

Miscellaneous functions that do not belong to any of the other categories.

10.22.1 Clip

This function clips data values to a certain minimum, maximum or range. The function takes two arguments:

- **minimum:** Lower bound of range. Default: `None`
- **maximum:** Upper bound of range. Default: `None`

The example below shows how to set all values below zero to zero.

```
preprocessors:  
  clip:  
    minimum: 0  
    maximum: null
```


Part IV

Diagnostic script interfaces

In order to communicate with diagnostic scripts, ESMValCore uses YAML files. The YAML files provided by ESMValCore to the diagnostic script tell the diagnostic script the settings that were provided in the recipe and where to find the pre-processed input data. On the other hand, the YAML file provided by the diagnostic script to ESMValCore tells ESMValCore which pre-processed data was used to create what plots. The latter is optional, but needed for recording provenance.

PROVENANCE

When ESMValCore (the `esmvaltool` command) runs a recipe, it will first find all data and run the default preprocessor steps plus any additional preprocessing steps defined in the recipe. Next it will run the diagnostic script defined in the recipe and finally it will store provenance information. Provenance information is stored in the [W3C PROV XML format](#). To read in and extract information, or to plot these files, the [prov](#) Python package can be used. In addition to provenance information, a caption is also added to the plots.

INFORMATION PROVIDED BY ESMVALCORE TO THE DIAGNOSTIC SCRIPT

To provide the diagnostic script with the information it needs to run (e.g. location of input data, various settings), the ESMValCore creates a YAML file called `settings.yml` and provides the path to this file as the first command line argument to the diagnostic script.

The most interesting settings provided in this file are

```
run_dir: /path/to/recipe_output/run/diagnostic_name/script_name
work_dir: /path/to/recipe_output/work/diagnostic_name/script_name
plot_dir: /path/to/recipe_output/plots/diagnostic_name/script_name
input_files:
  - /path/to/recipe_output/preproc/diagnostic_name/ta/metadata.yml
  - /path/to/recipe_output/preproc/diagnostic_name/pr/metadata.yml
```

Custom settings in the script section of the recipe will also be made available in this file.

There are three directories defined:

- `run_dir` use this for storing temporary files
- `work_dir` use this for storing NetCDF files containing the data used to make a plot
- `plot_dir` use this for storing plots

Finally `input_files` is a list of YAML files, containing a description of the preprocessed data. Each entry in these YAML files is a path to a preprocessed file in NetCDF format, with a list of various attributes. An example preprocessor metadata.yml file could look like this:

```
? /path/to/recipe_output/preproc/diagnostic_name/pr/CMIP5_GFDL-ESM2G_Amon_historical_
  r1i1p1_T2Ms_pr_2000-2002.nc
: alias: GFDL-ESM2G
  cmor_table: CMIP5
  dataset: GFDL-ESM2G
  diagnostic: diagnostic_name
  end_year: 2002
  ensemble: r1i1p1
  exp: historical
  filename: /path/to/recipe_output/preproc/diagnostic_name/pr/CMIP5_GFDL-ESM2G_Amon_
  historical_r1i1p1_T2Ms_pr_2000-2002.nc
  frequency: mon
  institute: [NOAA-GFDL]
  long_name: Precipitation
  mip: Amon
```

(continues on next page)

(continued from previous page)

```
modeling_realm: [atmos]
preprocessor: preprocessor_name
project: CMIP5
recipe_dataset_index: 1
reference_dataset: MPI-ESM-LR
short_name: pr
standard_name: precipitation_flux
start_year: 2000
units: kg m-2 s-1
variable_group: pr
? /path/to/recipe_output/preproc/diagnostic_name/pr/CMIP5_MPI-ESM-LR_Amon_historical_
↪r1ilp1_T2Ms_pr_2000-2002.nc
: alias: MPI-ESM-LR
cmor_table: CMIP5
dataset: MPI-ESM-LR
diagnostic: diagnostic_name
end_year: 2002
ensemble: r1ilp1
exp: historical
filename: /path/to/recipe_output/preproc/diagnostic1/pr/CMIP5_MPI-ESM-LR_Amon_
↪historical_r1ilp1_T2Ms_pr_2000-2002.nc
frequency: mon
institute: [MPI-M]
long_name: Precipitation
mip: Amon
modeling_realm: [atmos]
preprocessor: preprocessor_name
project: CMIP5
recipe_dataset_index: 2
reference_dataset: MPI-ESM-LR
short_name: pr
standard_name: precipitation_flux
start_year: 2000
units: kg m-2 s-1
variable_group: pr
```

INFORMATION PROVIDED BY THE DIAGNOSTIC SCRIPT TO ESMVALCORE

After the diagnostic script has finished running, ESMValCore will try to store provenance information. In order to link the produced files to input data, the diagnostic script needs to store a YAML file called `diagnostic_provenance.yml` in its `run_dir`.

For every output file (netCDF files, plot files, etc.) produced by the diagnostic script, there should be an entry in the `diagnostic_provenance.yml` file. The name of each entry should be the path to the file. Each output file entry should at least contain the following items:

- `ancestors` a list of input files used to create the plot.
- `caption` a caption text for the plot.

Each file entry can also contain items from the categories defined in the file `esmvaltool/config_references.yml`. The short entries will automatically be replaced by their longer equivalent in the final provenance records. It is possible to add custom provenance information by adding custom items to entries.

An example `diagnostic_provenance.yml` file could look like this

```
? /path/to/recipe_output/work/diagnostic_name/script_name/CMIP5_GFDL-ESM2G_Amon_
↪historical_r1i1p1_pr_2000-2002_mean.nc
: ancestors: [/path/to/recipe_output/preproc/diagnostic_name/pr/CMIP5_GFDL-ESM2G_Amon_
↪historical_r1i1p1_pr_2000-2002.nc]
  authors: [andela_bouwe, righi_mattia]
  caption: Average Precipitation between 2000 and 2002 according to GFDL-ESM2G.
  domains: [global]
  plot_types: [zonal]
  references: [acknow_project]
  statistics: [mean]

? /path/to/recipe_output/plots/diagnostic_name/script_name/CMIP5_GFDL-ESM2G_Amon_
↪historical_r1i1p1_pr_2000-2002_mean.png
: ancestors: [/path/to/recipe_output/preproc/diagnostic_name/pr/CMIP5_GFDL-ESM2G_Amon_
↪historical_r1i1p1_pr_2000-2002.nc]
  authors: [andela_bouwe, righi_mattia]
  caption: Average Precipitation between 2000 and 2002 according to GFDL-ESM2G.
  domains: [global]
  plot_types: ['zonal']
  references: [acknow_project]
  statistics: [mean]
```

You can check whether your diagnostic script successfully provided the provenance information to the ESMValCore by checking the following points:

- for each output file in the `work_dir` and `plot_dir`, a file with the same name, but ending with `_provenance.xml` is created
- the output file is shown on the `index.html` page
- there were no warning messages in the log related to provenance

See [Recording provenance](#) for more extensive usage notes.

Part V

Development

To get started developing, have a look at our [contribution guidelines](#). This chapter describes how to implement the most commonly contributed new features.

PREPROCESSOR FUNCTION

Preprocessor functions are located in `esmvalcore.preprocessor`. To add a new preprocessor function, start by finding a likely looking file to add your function to in `esmvalcore/preprocessor`. Create a new file in that directory if you cannot find a suitable place.

The function should look like this:

```
def example_preprocessor_function(
    cube,
    example_argument,
    example_optional_argument=5,
):
    """Compute an example quantity.

    A more extensive explanation of the computation can be added here. Add
    references to scientific literature if available.

    Parameters
    -----
    cube: iris.cube.Cube
        Input cube.

    example_argument: str
        Example argument, the value of this argument can be provided in the
        recipe. Describe what valid values are here. In this case, a valid
        argument is the name of a dimension of the input cube.

    example_optional_argument: int, optional
        Another example argument, the value of this argument can optionally
        be provided in the recipe. Describe what valid values are here.

    Returns
    -----
    iris.cube.Cube
        The result of the example computation.
    """

    # Replace this with your own computation
    cube = cube.collapsed(example_argument, iris.analysis.MEAN)

    return cube
```

The above function needs to be imported in the file `esmvalcore/preprocessor/__init__.py`:

```
from ._example_module import example_preprocessor_function

__all__ = [
    ...
    'example_preprocessor_function',
    ...
]
```

The location in the `__all__` list above determines the default order in which preprocessor functions are applied, so carefully consider where you put it and ask for advice if needed.

The preprocessor function above can then be used from the *Recipe section: preprocessors* like this:

```
preprocessors:
  example_preprocessor:
    example_preprocessor_function:
      example_argument: median
      example_optional_argument: 6
```

The optional argument (in this example: `example_optional_argument`) can be omitted in the recipe.

14.1 Lazy and real data

Preprocessor functions should support both *real and lazy data*. This is vital for supporting the large datasets that are typically used with the ESMValCore. If the data of the incoming cube has been realized (i.e. `cube.has_lazy_data()` returns `False` so `cube.core_data()` is a `NumPy` array), the returned cube should also have realized data. Conversely, if the incoming cube has lazy data (i.e. `cube.has_lazy_data()` returns `True` so `cube.core_data()` is a `Dask array`), the returned cube should also have lazy data. Note that `NumPy` functions will often call their `Dask` equivalent if it exists and if their input array is a `Dask array`, and vice versa.

Note that preprocessor functions should preferably be small and just call the relevant *iris* code. Code that is more involved, e.g. lots of work with `Numpy` and `Dask` arrays, and more broadly applicable, should be implemented in *iris* instead.

14.2 Metadata

Preprocessor functions may change the metadata of datasets. An obvious example is `convert_units()`, which changes units. If cube metadata is changed in a preprocessor function, the `metadata.yml` file is automatically updated with this information. The following attributes are taken into account:

Attribute in metadata.yml file	Updated from
<code>standard_name</code>	<code>iris.cube.Cube.standard_name</code>
<code>long_name</code>	<code>iris.cube.Cube.long_name</code>
<code>short_name</code>	<code>iris.cube.Cube.var_name</code>
<code>units</code>	<code>iris.cube.Cube.units</code>
<code>frequency</code>	<code>iris.cube.Cube.attributes['frequency']</code>

If a given cube property is `None`, the corresponding attribute is updated with an empty string (`' '`). If a cube property is not given, the corresponding attribute is not updated.

14.3 Documentation

The documentation in the function docstring will be shown in the *Preprocessor functions* chapter. In addition, you should add documentation on how to use the new preprocessor function from the recipe in [doc/recipe/preprocessor.rst](#) so it is shown in the *Preprocessor* chapter. See the introduction to *Documentation* for more information on how to best write documentation.

14.4 Tests

Tests should be implemented for new or modified preprocessor functions. For an introduction to the topic, see *Tests*.

14.4.1 Unit tests

To add a unit test for the preprocessor function from the example above, create a file called `tests/unit/preprocessor/_example_module/test_example_preprocessor_function.py` and add the following content:

```
"""Test function `esmvalcore.preprocessor.example_preprocessor_function`."""
import cf_units
import dask.array as da
import iris
import numpy as np
import pytest

from esmvalcore.preprocessor import example_preprocessor_function

@pytest.mark.parametrize('lazy', [True, False])
def test_example_preprocessor_function(lazy):
    """Test that the computed result is as expected."""

    # Construct the input cube
    data = np.array([1, 2], dtype=np.float32)
    if lazy:
        data = da.asarray(data, chunks=(1, ))
    cube = iris.cube.Cube(
        data,
        var_name='tas',
        units='K',
    )
    cube.add_dim_coord(
        iris.coords.DimCoord(
            np.array([0.5, 1.5], dtype=np.float64),
            bounds=np.array([[0, 1], [1, 2]], dtype=np.float64),
            standard_name='time',
            units=cf_units.Unit('days since 1950-01-01 00:00:00',
                               calendar='gregorian'),
        ),
        0,
    )
```

(continues on next page)

(continued from previous page)

```

# Compute the result
result = example_preprocessor_function(cube, example_argument='time')

# Check that lazy data is returned if and only if the input is lazy
assert result.has_lazy_data() is lazy

# Construct the expected result cube
expected = iris.cube.Cube(
    np.array(1.5, dtype=np.float32),
    var_name='tas',
    units='K',
)
expected.add_aux_coord(
    iris.coords.AuxCoord(
        np.array([1], dtype=np.float64),
        bounds=np.array([[0, 2]], dtype=np.float64),
        standard_name='time',
        units=cf_units.Unit('days since 1950-01-01 00:00:00',
                           calendar='gregorian'),
    ))
expected.add_cell_method(
    iris.coords.CellMethod(method='mean', coords=('time', )))

# Compare the result of the computation with the expected result
print('result:', result)
print('expected result:', expected)
assert result == expected

```

In this test we used the decorator `pytest.mark.parametrize` to test two scenarios, with both lazy and realized data, with a single test.

14.4.2 Sample data tests

The idea of adding *sample data tests* is to check that preprocessor functions work with realistic data. This also provides an easy way to add regression tests, though these should preferably be implemented as unit tests instead, because using the sample data for this purpose is slow. To add a test using the sample data, create a file `tests/sample_data/preprocessor/example_preprocessor_function/test_example_preprocessor_function.py` and add the following content:

```

"""Test function `esmvalcore.preprocessor.example_preprocessor_function`."""
from pathlib import Path

import esmvaltool_sample_data
import iris
import pytest

from esmvalcore.preprocessor import example_preprocessor_function

@pytest.mark.use_sample_data
def test_example_preprocessor_function():

```

(continues on next page)

(continued from previous page)

```

"""Regression test to check that the computed result is as expected."""
# Load an example input cube
cube = esmvaltool_sample_data.load_timeseries_cubes(mip_table='Amon')[0]

# Compute the result
result = example_preprocessor_function(cube, example_argument='time')

filename = Path(__file__).with_name('example_preprocessor_function.nc')
if not filename.exists():
    # Create the file the expected result if it doesn't exist
    iris.save(result, target=str(filename))
    raise FileNotFoundError(
        f'Reference data was missing, wrote new copy to {filename}')

# Load the expected result cube
expected = iris.load_cube(str(filename))

# Compare the result of the computation with the expected result
print('result:', result)
print('expected result:', expected)
assert result == expected

```

This will use a file from the sample data repository as input. The first time you run the test, the computed result will be stored in the file `tests/sample_data/preprocessor/example_preprocessor_function/example_preprocessor_function.nc`. Any subsequent runs will re-load the data from file and check that it did not change. Make sure the stored results are small, i.e. smaller than 100 kilobytes, to keep the size of the ESMValCore repository small.

14.5 Using multiple datasets as input

The name of the first argument of the preprocessor function should in almost all cases be `cube`. Only when implementing a preprocessor function that uses all datasets as input, the name of the first argument should be `products`. If you would like to implement this type of preprocessor function, start by having a look at the existing functions, e.g. `esmvalcore.preprocessor.multi_model_statistics()` or `esmvalcore.preprocessor.mask_fillvalues()`.

FIXING DATA

The baseline case for ESMValCore input data is CMOR fully compliant data that is read using Iris' `iris.load_raw()`. ESMValCore also allows for some departures from compliance (see *Customizing checker strictness*). Beyond that situation, some datasets (either model or observations) contain (known) errors that would normally prevent them from being processed. The issues can be in the metadata describing the dataset and/or in the actual data. Typical examples of such errors are missing or wrong attributes (e.g. attribute "units" says 1e-9 but data are actually in 1e-6), missing or mislabeled coordinates (e.g. "lev" instead of "plev" or missing coordinate bounds like "lat_bnds") or problems with the actual data (e.g. cloud liquid water only instead of sum of liquid + ice as specified by the CMIP data request). As an extreme case, some data sources simply are not NetCDF files and must go through some other data load function. ESMValCore can apply on-the-fly fixes to such datasets when issues can be fixed automatically.

In addition, some datasets are supported in their native (i.e., non CMOR-compliant) format through fixes. This is implemented for a set of *Datasets in native format*. A detailed description of how to include new native datasets is given *below*.

The following sections provide details on how to design such fixes.

Note: CMORizer scripts. Support for many observational and reanalysis datasets is also possible through a priori reformatting by *CMORizer scripts in the ESMValTool*, which are rather relevant for datasets of small volume

15.1 Fix structure

Fixes are Python classes stored in `esmvalcore/cmor/_fixes/[PROJECT]/[DATASET].py` that derive from `esmvalcore.cmor._fixes.fix.Fix` and are named after the short name of the variable they fix. You can also use the names of mip tables (e.g., Amon, Lmon, Omon, etc.) if you want the fix to be applied to all variables of that table in the dataset or AllVars if you want the fix to be applied to the whole dataset.

Warning: Be careful to replace any - with _ in your dataset name. We need this replacement to have proper python module names.

The fixes are automatically loaded and applied when the dataset is preprocessed. They are a special type of *pre-processor function*, called by the preprocessor functions `esmvalcore.preprocessor.fix_file()`, `esmvalcore.preprocessor.fix_metadata()`, and `esmvalcore.preprocessor.fix_data()`.

The Fix class provides the following attributes:

- `Fix.vardef`: *VariableInfo* object that corresponds to the variable fixed by the fix.
- `Fix.extra_facets`: `dict` that contains all facets of the corresponding dataset fixed by the fix (see `esmvalcore.dataset.Dataset.facets`).

- `Fix.session`: [Session](#) object that includes configuration and directory information.

15.2 Fixing a dataset

To illustrate the process of creating a fix we are going to construct a new one from scratch for a fictional dataset. We need to fix a CMIPX model called PERFECT-MODEL that is reporting a missing latitude coordinate for variable tas.

15.2.1 Check the output

Next to the error message, you should see some info about the iris cube: size, coordinates. In our example it looks like this:

```
air_temperature/ (K) (time: 312; altitude: 90; longitude: 180)
  Dimension coordinates:
    time                x          -          -
    altitude            -          x          -
    longitude            -          -          x
  Auxiliary coordinates:
    day_of_month         x          -          -
    day_of_year          x          -          -
    month_number         x          -          -
    year                 x          -          -
  Attributes:
    {'cmor_table': 'CMIPX', 'mip': 'Amon', 'short_name': 'tas', 'frequency': 'mon'}
```

So now the mistake is clear: the latitude coordinate is badly named and the fix should just rename it.

15.2.2 Create the fix

We start by creating the module file. In our example the path will be `esmvalcore/cmor/_fixes/CMIPX/PERFECT_MODEL.py`. If it already exists just add the class to the file, there is no limit in the number of fixes we can have in any given file.

Then we have to create the class for the fix deriving from `esmvalcore.cmor._fixes.Fix`

```
"""Fixes for PERFECT-MODEL."""
from esmvalcore.cmor.fix import Fix

class tas(Fix):
    """Fixes for tas variable."""
```

Next we must choose the method to use between the ones offered by the `Fix` class:

- `fix_file`: should be used only to fix errors that prevent data loading. As a rule of thumb, you should only use it if the execution halts before reaching the checks.
- `fix_metadata`: you want to change something in the cube that is not the data (e.g., variable or coordinate names, data units).
- `fix_data`: you need to fix the data. Beware: coordinates data values are part of the metadata.

In our case we need to rename the coordinate `altitude` to `latitude`, so we will implement the `fix_metadata` method:


```

"""Fixes for PERFECT-MODEL."""
from esmvalcore.cmor.fix import Fix

class tas(Fix):
    """Fixes for tas variable."""

    def fix_metadata(self, cubes):
        """
        Fix metadata for tas.

        Fix the name of the latitude coordinate, which is called altitude
        in the original file.
        """

        # Sometimes Iris will interpret the data as multiple cubes.
        # Good CMOR datasets will only show one but we support the
        # multiple cubes case to be able to fix the errors that are
        # leading to that extra cubes.
        # In our case this means that we can safely assume that the
        # tas cube is the first one
        tas_cube = cubes[0]
        latitude = tas_cube.coord('altitude')

        # Fix the names. Latitude values, units and
        latitude.short_name = 'lat'
        latitude.standard_name = 'latitude'
        latitude.long_name = 'latitude'
        return cubes

```

This will fix the error. The next time you run ESMValTool you will find that the error is fixed on the fly and, hopefully, your recipe will run free of errors. The `cubes` argument to the `fix_metadata` method will contain all cubes loaded from a single input file. Some care may need to be taken that the right cube is selected and fixed in case multiple cubes are created. Usually this happens when a coordinate is mistakenly loaded as a cube, because the input data does not follow the [CF Conventions](#).

Sometimes other errors can appear after you fix the first one because they were hidden by it. In our case, the latitude coordinate could have bad units or values outside the valid range for example. Just extend your fix to address those errors.

15.2.3 Finishing

Chances are that you are not the only one that wants to use that dataset and variable. Other users could take advantage of your fixes as soon as possible. Please, create a separated pull request for the fix and submit it.

It will also be very helpful if you just scan a couple of other variables from the same dataset and check if they share this error. In case that you find that it is a general one, you can change the fix name to the corresponding mip table name (e.g., `Amon`, `Lmon`, `Omon`, etc.) so it gets executed for all variables in that table in the dataset or to `AllVars` so it gets executed for all variables in the dataset. If you find that this is shared only by a handful of similar vars you can just make the fix for those new vars derive from the one you just created:

```

"""Fixes for PERFECT-MODEL."""
from esmvalcore.cmor.fix import Fix

class tas(Fix):

```

(continues on next page)

(continued from previous page)

```

"""Fixes for tas variable."""

def fix_metadata(self, cubes):
    """
    Fix metadata for tas.

    Fix the name of the latitude coordinate, which is called altitude
    in the original file.
    """

    # Sometimes Iris will interpret the data as multiple cubes.
    # Good CMOR datasets will only show one but we support the
    # multiple cubes case to be able to fix the errors that are
    # leading to that extra cubes.
    # In our case this means that we can safely assume that the
    # tas cube is the first one
    tas_cube = cubes[0]
    latitude = tas_cube.coord('altitude')

    # Fix the names. Latitude values, units and
    latitude.short_name = 'lat'
    latitude.standard_name = 'latitude'
    latitude.long_name = 'latitude'
    return cubes

class ps(tas):
    """Fixes for ps variable."""

```

15.3 Common errors

The above example covers one of the most common cases: variables / coordinates that have names that do not match the expected. But there are some others that use to appear frequently. This section describes the most common cases.

15.3.1 Bad units declared

It is quite common that a variable declares to be using some units but the data is stored in another. This can be solved by overwriting the units attribute with the actual data units.

```

def fix_metadata(self, cubes):
    cube = self.get_cube_from_list(cubes)
    cube.units = 'real_units'

```

Detecting this error can be tricky if the units are similar enough. It also has a good chance of going undetected until you notice strange results in your diagnostic.

For the above example, it can be useful to access the variable definition and associated coordinate definitions as provided by the CMOR table. For example:

```
def fix_metadata(self, cubes):
    cube = self.get_cube_from_list(cubes)
    cube.units = self.vardef.units
```

To learn more about what is available in these definitions, see: [esmvalcore.cmor.table.VariableInfo](#) and [esmvalcore.cmor.table.CoordinateInfo](#).

15.3.2 Coordinates missing

Another common error is to have missing coordinates. Usually it just means that the file does not follow the CF-conventions and Iris can therefore not interpret it.

If this is the case, you should see a warning from the ESMValTool about discarding some cubes in the fix metadata step. Just before that warning you should see the full list of cubes as read by Iris. If that list contains your missing coordinate you can create a fix for this model:

```
def fix_metadata(self, cubes):
    coord_cube = cubes.extract_cube('COORDINATE_NAME')
    # Usually this will correspond to an auxiliary coordinate
    # because the most common error is to forget adding it to the
    # coordinates attribute
    coord = iris.coords.AuxCoord(
        coord_cube.data,
        var_name=coord_cube.var_name,
        standard_name=coord_cube.standard_name,
        long_name=coord_cube.long_name,
        units=coord_cube.units,
    )

    # It may also have bounds as another cube
    coord.bounds = cubes.extract_cube('BOUNDS_NAME').data

    data_cube = cubes.extract_cube('VAR_NAME')
    data_cube.add_aux_coord(coord, DIMENSIONS_INDEX_TUPLE)
    return [data_cube]
```

15.4 Customizing checker strictness

The data checker classifies its issues using four different levels of severity. From highest to lowest:

- **CRITICAL**: issues that most of the time will have severe consequences.
- **ERROR**: issues that usually lead to unexpected errors, but can be safely ignored sometimes.
- **WARNING**: something is not up to the standard but is unlikely to have consequences later.
- **DEBUG**: any info that the checker wants to communicate. Regardless of checker strictness, those will always be reported as debug messages.

Users can have control about which levels of issues are interpreted as errors, and therefore make the checker fail or warnings or debug messages. For this purpose there is an optional command line option `-check-level` that can take a number of values, listed below from the lowest level of strictness to the highest:

- **ignore**: all issues, regardless of severity, will be reported as warnings. Checker will never fail. Use this at your own risk.
- **relaxed**: only CRITICAL issues are treated as errors. We recommend not to rely on this mode, although it can be useful if there are errors preventing the run that you are sure you can manage on the diagnostics or that will not affect you.
- **default**: fail if there are any CRITICAL or ERROR issues (DEFAULT); Provides a good measure of safety.
- **strict**: fail if there are any warnings, this is the highest level of strictness. Mostly useful for checking datasets that you have produced, to be sure that future users will not be distracted by inoffensive warnings.

15.5 Add support for new native datasets

This section describes how to add support for additional native datasets. You can choose to host this new data source either under a dedicated project or under project `native6`.

15.5.1 Configuration

An example of a configuration in `config-developer.yml` for projects used for native datasets is given [here](#). Make sure to use the option `cmor_strict: false` for these projects if you want to make use of *Custom CMOR tables*. This allows reading arbitrary variables from native datasets.

15.5.2 Locate data

To allow ESMValCore to locate the data files, use the following steps:

- If you want to use the `native6` project (recommended for datasets whose input files can be easily moved to the usual `native6` directory structure given by the `rootpath` in your *User configuration file*; this is usually the case for native reanalysis/observational datasets):

The entry `native6` of `config-developer.yml` should be complemented with sub-entries for `input_dir` and `input_file` that go under a new key representing the data organization (such as `MY_DATA_ORG`), and these sub-entries can use an arbitrary list of `{placeholders}`. Example :

```
native6:
  ...
  input_dir:
    default: 'Tier{tier}/{dataset}/{version}/{frequency}/{short_name}'
    MY_DATA_ORG: '{dataset}/{exp}/{simulation}/{version}/{type}'
  input_file:
    default: '*.nc'
    MY_DATA_ORG: '{simulation}_*.nc'
  ...
```

To find your native data (e.g., called MYDATA) that is for example located in `{rootpath}/MYDATA/amip/run1/42-0/atm/run1_1979.nc` (`{rootpath}` is ESMValTool's rootpath for the project `native6` defined in your *User configuration file*), use the following dataset entry in your recipe

```
datasets:
- {project: native6, dataset: MYDATA, exp: amip, simulation: run1, version: 42-0, ↵
  ↪ type: atm}
```

and make sure to use the following DRS for the project `native6` in your *User configuration file*:

```
drs:
  native6: MY_DATA_ORG
```

- If you want to use a dedicated project for your native dataset (recommended for datasets for which you cannot control the location of the input files; this is usually the case for native model output):

A new entry for the project needs to be added to `config-developer.yml`. For example, for the ICON model, create a new project `ICON`:

```
ICON:
  ...
  input_dir:
    default:
      - '{exp}'
      - '{exp}/outdata'
  input_file:
    default: '{exp}_{var_type}*.nc'
  ...
```

To find your `ICON` data that is for example located in files like `{rootpath}/amip/amip_atm_2d_ml_20000101T000000Z.nc` (`{rootpath}` is ESMValTool rootpath for the project `ICON` defined in your *User configuration file*), use the following dataset entry in your recipe:

```
datasets:
  - {project: ICON, dataset: ICON, exp: amip}
```

Please note the duplication of the name `ICON` in project and dataset, which is necessary to comply with ESMValTool's data finding and CMORizing functionalities. For other native models, dataset could also refer to a subversion of the model. Note that it is possible to predefine facets in an *extra facets file*. In this `ICON` example, the facet `var_type` is predefined for many variables.

15.5.3 Fix native data

To ensure that the native dataset has the correct metadata and data (i.e., that it is CMOR-compliant), use *dataset fixes*. This is where the actual CMORization takes place. For example, a `native6` dataset fix for ERA5 is located [here](#), and the `ICON` fix is located [here](#).

ESMValTool also provides a base class `NativeDatasetFix` that provides convenient functions useful for all native dataset fixes. An example for its usage can be found [here](#).

15.5.4 Extra facets for native datasets

If necessary, provide a so-called `extra facets file` which allows to cope e.g. with variable naming issues for finding files or additional information that is required for the fixes. See *Extra Facets* and *Use of extra facets in fixes* for more details on this. An example of such a file for IPSL-CM6 is given [here](#).

15.6 Use of extra facets in fixes

Extra facets are a mechanism to provide additional information for certain kinds of data. The general approach is described in [Extra Facets](#). Here, we describe how they can be used in fixes to mold data into the form required by the applicable standard. For example, if the input data is part of an observational product that delivers surface temperature with a variable name of *t2m* inside a file named *2m_temperature_1950_monthly.nc*, but the same variable is called *tas* in the applicable standard, a fix can be created that reads the original variable from the correct file, and provides a renamed variable to the rest of the processing chain.

Normally, the applicable standard for variables is CMIP6.

For more details, refer to existing uses of this feature as examples, as e.g. *for IPSL-CM6*.

DERIVING A VARIABLE

The variable derivation preprocessor module allows to derive variables which are not in the CMIP standard data request using standard variables as input. This is a special type of *preprocessor function*. All derivation scripts are located in `esmvalcore/preprocessor/_derive/`. A typical example looks like this:

```
"""Derivation of variable `dummy`."""
from ._baseclass import DerivedVariableBase

class DerivedVariable(DerivedVariableBase):
    """Derivation of variable `dummy`."""

    @staticmethod
    def required(project):
        """Declare the variables needed for derivation."""
        mip = 'fx'
        if project == 'CMIP6':
            mip = 'Ofx'
        required = [
            {'short_name': 'var_a'},
            {'short_name': 'var_b', 'mip': mip, 'optional': True},
        ]
        return required

    @staticmethod
    def calculate(cubes):
        """Compute `dummy`."""

        # `cubes` is a CubeList containing all required variables.
        cube = do_something_with(cubes)

        # Return single cube at the end
        return cube
```

The static function `required(project)` returns a list of dict containing all required variables for deriving the derived variable. Its only argument is the `project` of the specific dataset. In this particular example script, the derived variable `dummy` is derived from `var_a` and `var_b`. It is possible to specify arbitrary attributes for each required variable, e.g. `var_b` uses the mip `fx` (or `Ofx` in the case of CMIP6) instead of the original one of `dummy`. Note that you can also declare a required variable as `optional=True`, which allows the skipping of this particular variable during data extraction. For example, this is useful for `fx` variables which are often not available for observational datasets. Otherwise, the tool will fail if not all required variables are available for all datasets.

The actual derivation takes place in the static function `calculate(cubes)` which returns a single cube containing

the derived variable. Its only argument `cubes` is a `CubeList` containing all required variables.

Part VI

Contributions are very welcome

We greatly value contributions of any kind. Contributions could include, but are not limited to documentation improvements, bug reports, new or improved code, scientific and technical code reviews, infrastructure improvements, mailing list and chat participation, community help/building, education and outreach. We value the time you invest in contributing and strive to make the process as easy as possible. If you have suggestions for improving the process of contributing, please do not hesitate to propose them.

If you have a bug or other issue to report or just need help, please open an issue on the [issues tab on the ESMValCore github repository](#).

If you would like to contribute a new *preprocessor function*, *derived variable*, *fix for a dataset*, or another new feature, please discuss your idea with the development team before getting started, to avoid double work and/or disappointment later. A good way to do this is to open an [issue](#) on GitHub.

GETTING STARTED

See *Installation from source* for instructions on how to set up a development installation.

New development should preferably be done in the [ESMValCore](#) GitHub repository. The default git branch is `main`. Use this branch to create a new feature branch from and make a pull request against. This [page](#) offers a good introduction to git branches, but it was written for BitBucket while we use GitHub, so replace the word BitBucket by GitHub whenever you read it.

It is recommended that you open a [draft pull request](#) early, as this will cause *CircleCI to run the unit tests*, *Codacy to analyse your code*, and *readthedocs to build the documentation*. It's also easier to get help from other developers if your code is visible in a pull request.

[Make small pull requests](#), the ideal pull requests changes just a few files and adds/changes no more than 100 lines of production code. The amount of test code added can be more extensive, but changes to existing test code should be made sparingly.

17.1 Design considerations

When making changes, try to respect the current structure of the program. If you need to make major changes to the structure of program to add a feature, chances are that you have either not come up with the most optimal design or the feature is not a very good fit for the tool. Discuss your feature with the [@ESMValGroup/esmvaltool-coreteam](#) in an [issue](#) to find a solution.

Please keep the following considerations in mind when programming:

- Changes should preferably be *backward compatible*.
- Apply changes gradually and change no more than a few files in a single pull request, but do make sure every pull request in itself brings a meaningful improvement. This reduces the risk of breaking existing functionality and making *backward incompatible* changes, because it helps you as well as the reviewers of your pull request to better understand what exactly is being changed.
- *Preprocessor functions* are Python functions (and not classes) so they are easy to understand and implement for scientific contributors.
- No additional CMOR checks should be implemented inside preprocessor functions. The input cube is fixed and confirmed to follow the specification in [esmvalcore/cmor/tables](#) before applying any other preprocessor functions. This design helps to keep the preprocessor functions and diagnostics scripts that use the preprocessed data from the tool simple and reliable. See [Project CMOR table configuration](#) for the mapping from project in the recipe to the relevant CMOR table.
- The ESMValCore package is based on [iris](#). Preprocessor functions should preferably be small and just call the relevant iris code. Code that is more involved and more broadly applicable than just in the ESMValCore, should be implemented in iris instead.

- Any settings in the recipe that can be checked before loading the data should be checked at the *task creation stage*. This avoids that users run a recipe for several hours before finding out they made a mistake in the recipe. No data should be processed or files written while creating the tasks.
- CMOR checks should provide a good balance between reliability of the tool and ease of use. Several *levels of strictness of the checks* are available to facilitate this.
- Keep your code short and simple: we would like to make contributing as easy as possible. For example, avoid implementing complicated class inheritance structures and *boilerplate* code.
- If you find yourself copy-pasting a piece of code and making minor changes to every copy, instead put the repeated bit of code in a function that you can re-use, and provide the changed bits as function arguments.
- Be careful when changing existing unit tests to make your new feature work. You might be breaking existing features if you have to change existing tests.

Finally, if you would like to improve the design of the tool, discuss your plans with the [@ESMValGroup/esmvaltool-coreteam](#) to make sure you understand the current functionality and you all agree on the new design.

CHECKLIST FOR PULL REQUESTS

To clearly communicate up front what is expected from a pull request, we have the following checklist. Please try to do everything on the list before requesting a review. If you are unsure about something on the list, please ask the [@ESMValGroup/tech-reviewers](#) or [@ESMValGroup/science-reviewers](#) for help by commenting on your (draft) pull request or by starting a new [discussion](#).

In the ESMValTool community we use [pull request reviews](#) to ensure all code and documentation contributions are of good quality. The icons indicate whether the item will be checked during the [Technical review](#) or [Scientific review](#).

- The new functionality is *relevant and scientifically sound*
- *The pull request has a descriptive title and labels*
- Code is written according to the *code quality guidelines*
- and *Documentation* is available
- Unit *tests* have been added
- Changes are *backward compatible*
- Changed *dependencies have been added or removed correctly*
- The *list of authors* is up to date
- The *checks shown below the pull request* are successful

Pull requests introducing a change that causes a recipe to no longer run successfully (*breaking change*), or which results in scientifically significant changes in results (*science change*) require additional items to be reviewed defined in the [backward compatibility policy](#). These include in particular:

- Instructions for the release notes to assist *recipe developers* to adapt their recipe in light of the *backward-incompatible change* available.
- General instructions for *recipe developers* working on *user recipes* to enable them to adapt their code related to *backward-incompatible changes* available (see [ESMValTool_Tutorial: issue #263](#)).
- Core development team tagged to notify them of the *backward-incompatible change*, and give at least 2 weeks for objections to be raised before merging to the main branch. If a strong objection is raised the backward-incompatible change should not be merged until the objection is resolved.
- Information required for the “*backward-incompatible changes*” section in the PR that introduces the *backward-incompatible change* available.

SCIENTIFIC RELEVANCE

The proposed changes should be relevant for the larger scientific community. The implementation of new features should be scientifically sound; e.g. the formulas used in new preprocessors functions should be accompanied by the relevant references and checked for correctness by the scientific reviewer. The [CF Conventions](#) as well as additional standards imposed by [CMIP](#) should be followed whenever possible.

PULL REQUEST TITLE AND LABEL

The title of a pull request should clearly describe what the pull request changes. If you need more text to describe what the pull request does, please add it in the description. [Add one or more labels](#) to your pull request to indicate the type of change. At least one of the following [labels](#) should be used: *bug*, *deprecated feature*, *fix for dataset*, *preprocessor*, *cmor*, *api*, *testing*, *documentation* or *enhancement*.

The titles and labels of pull requests are used to compile the [Changelog](#), therefore it is important that they are easy to understand for people who are not familiar with the code or people in the project. Descriptive pull request titles also makes it easier to find back what was changed when, which is useful in case a bug was introduced.

CODE QUALITY

To increase the readability and maintainability of the ESMValCore source code, we aim to adhere to best practices and coding standards.

We include checks for Python and yaml files, most of which are described in more detail in the sections below. This includes checks for invalid syntax and formatting errors. [Pre-commit](#) is a handy tool that can run all of these checks automatically just before you commit your code. It knows which tool to run for each filetype, and therefore provides a convenient way to check your code.

21.1 Python

The standard document on best practices for Python code is [PEP8](#) and there is [PEP257](#) for code documentation. We make use of [numpy style docstrings](#) to document Python functions that are visible on [readthedocs](#).

To check if your code adheres to the standard, go to the directory where the repository is cloned, e.g. `cd ESMValCore`, and run [prospector](#)

```
prospector esmvalcore/preprocessor/_regrid.py
```

In addition to prospector, we use [flake8](#) to automatically check for bugs and formatting mistakes and [mypy](#) for checking that [type hints](#) are correct. Note that [type hints](#) are completely optional, but if you do choose to add them, they should be correct.

When you make a pull request, adherence to the Python development best practices is checked in two ways:

1. As part of the unit tests, [flake8](#) and [mypy](#) are run by [CircleCI](#), see the section on [Tests](#) for more information.
2. [Codacy](#) is a service that runs prospector (and other code quality tools) on changed files and reports the results. Click the ‘Details’ link behind the Codacy check entry and then click ‘View more details on Codacy Production’ to see the results of the static code analysis done by [Codacy](#). If you need to log in, you can do so using your GitHub account.

The automatic code quality checks by prospector are really helpful to improve the quality of your code, but they are not flawless. If you suspect prospector or Codacy may be wrong, please ask the [@ESMValGroup/tech-reviewers](#) by commenting on your pull request.

Note that running prospector locally will give you quicker and sometimes more accurate results than waiting for Codacy.

Most formatting issues in Python code can be fixed automatically by running the commands

```
isort some_file.py
```

to sort the imports in [the standard way](#) using [isort](#) and

```
yapf -i some_file.py
```

to add/remove whitespace as required by the standard using `yapf`,

```
docformatter -i some_file.py
```

to run `docformatter` which helps formatting the docstrings (such as line length, spaces).

21.2 YAML

Please use `yamllint` to check that your YAML files do not contain mistakes. `yamllint` checks for valid syntax, common mistakes like key repetition and cosmetic problems such as line length, trailing spaces, wrong indentation, etc.

21.3 Any text file

A generic tool to check for common spelling mistakes is `codespell`.

DOCUMENTATION

The documentation lives on docs.esmvaltool.org.

22.1 Adding documentation

The documentation is built by [readthedocs](#) using [Sphinx](#). There are two main ways of adding documentation:

1. As written text in the directory `doc`. When writing `reStructuredText` (`.rst`) files, please try to limit the line length to 80 characters and always start a sentence on a new line. This makes it easier to review changes to documentation on GitHub.
2. As docstrings or comments in code. For Python code, only the `docstrings` of Python modules, classes, and functions that are mentioned in `doc/api` are used to generate the online documentation. This results in the *ES-MValCore API Reference*. The standard document with best practices on writing docstrings is [PEP257](#). For the API documentation, we make use of [numpy style docstrings](#).

22.2 What should be documented

Functionality that is visible to users should be documented. Any documentation that is visible on [readthedocs](#) should be well written and adhere to the standards for documentation. Examples of this include:

- The *recipe*
- Preprocessor *functions* and their *use from the recipe*
- *Configuration options*
- *Installation*
- *Output files*
- *Command line interface*
- *Diagnostic script interfaces*
- *The experimental Python interface*

Note that:

- For functions that compute scientific results, comments with references to papers and/or other resources as well as formula numbers should be included.
- When making changes to/introducing a new preprocessor function, also update the *preprocessor documentation*.

- There is no need to write complete numpy style documentation for functions that are not visible in the [ESMValCore API Reference](#) chapter on readthedocs. However, adding a docstring describing what a function does is always a good idea. For short functions, a one-line docstring is usually sufficient, but more complex functions might require slightly more extensive documentation.

When reviewing a pull request, always check that documentation is easy to understand and available in all expected places.

22.3 How to build and view the documentation

Whenever you make a pull request or push new commits to an existing pull request, readthedocs will automatically build the documentation. The link to the documentation will be shown in the list of checks below your pull request. Click 'Details' behind the check `docs/readthedocs.org:esmvalcore` to preview the documentation. If all checks were successful, you may need to click 'Show all checks' to see the individual checks.

To build the documentation on your own computer, go to the directory where the repository was cloned and run

```
sphinx-build doc doc/build
```

or

```
sphinx-build -Ea doc doc/build
```

to build it from scratch.

Make sure that your newly added documentation builds without warnings or errors and looks correctly formatted. [CircleCI](#) will build the documentation with the command:

```
sphinx-build -W doc doc/build
```

This will catch mistakes that can be detected automatically.

The configuration file for [Sphinx](#) is `doc/shinx/source/conf.py`.

See [Integration with the ESMValCore documentation](#) for information on how the ESMValCore documentation is integrated into the complete ESMValTool project documentation on readthedocs.

When reviewing a pull request, always check that the documentation checks shown below the pull request were successful.

TESTS

To check that the code works correctly, there are tests available in the `tests` directory. We use `pytest` to write and run our tests.

Contributions to ESMValCore should be [covered by unit tests](#). Have a look at the existing tests in the `tests` directory for inspiration on how to write your own tests. If you do not know how to start with writing unit tests, ask the [@ESMValGroup/tech-reviewers](#) for help by commenting on the pull request and they will try to help you. It is also recommended that you have a look at the [pytest](#) documentation at some point when you start writing your own tests.

23.1 Running tests

To run the tests on your own computer, go to the directory where the repository is cloned and run the command

```
pytest
```

Optionally you can skip tests which require additional dependencies for supported diagnostic script languages by adding `-m 'not installation'` to the previous command. To only run tests from a single file, run the command

```
pytest tests/unit/test_some_file.py
```

If you would like to avoid loading the default `pytest` configuration from `setup.cfg` because this can be a bit slow for running just a few tests, use

```
pytest -c /dev/null tests/unit/test_some_file.py
```

Use

```
pytest --help
```

for more information on the available commands.

Whenever you make a pull request or push new commits to an existing pull request, the tests in the `tests` directory of the branch associated with the pull request will be run automatically on [CircleCI](#). The results appear at the bottom of the pull request. Click on ‘Details’ for more information on a specific test job.

When reviewing a pull request, always check that all test jobs on [CircleCI](#) were successful.

23.2 Test coverage

To check which parts of your code are [covered by unit tests](#), open the file `test-reports/coverage_html/index.html` (available after running a `pytest` command) and browse to the relevant file.

CircleCI will upload the coverage results from running the tests to [codecov](#) and [Codacy](#). [codecov](#) is a service that will comment on pull requests with a summary of the test coverage. If [codecov](#) reports that the coverage has decreased, check the report and add additional tests. Alternatively, it is also possible to view code coverage on [Codacy](#) (click the Files tab) and [CircleCI](#) (open the tests job and click the ARTIFACTS tab). To see some of the results on CircleCI, Codacy, or codecov, you may need to log in; you can do so using your GitHub account.

When reviewing a pull request, always check that new code is covered by unit tests and [codecov](#) reports an increased coverage.

23.3 Sample data

New or modified preprocessor functions should preferably also be tested using the sample data. These tests are located in `tests/sample_data`. Please mark new tests that use the sample data with the [decorator](#) `@pytest.mark.use_sample_data`.

The [ESMValTool_sample_data](#) repository contains samples of CMIP6 data for testing ESMValCore. The [ESMValTool-sample-data](#) package is installed as part of the developer dependencies. The size of the package is relatively small (~100 MB), so it can be easily downloaded and distributed.

Preprocessing the sample data can be time-consuming, so some intermediate results are cached by `pytest` to make the tests run faster. If you suspect the tests are failing because the cache is invalid, clear it by running

```
pytest --cache-clear
```

To avoid running the time consuming tests that use sample data altogether, run

```
pytest -m "not use_sample_data"
```

23.4 Automated testing

Whenever you make a pull request or push new commits to an existing pull request, the tests in the `tests` of the branch associated with the pull request will be run automatically on [CircleCI](#).

Every night, more extensive tests are run to make sure that problems with the installation of the tool are discovered by the development team before users encounter them. These nightly tests have been designed to follow the installation procedures described in the documentation, e.g. in the [Installation](#) chapter. The nightly tests are run using both CircleCI and GitHub Actions. The result of the tests ran by CircleCI can be seen on the [CircleCI project page](#) and the result of the tests ran by GitHub Actions can be viewed on the [Actions tab](#) of the repository (to learn more about the Github-hosted runners, please have a look the [documentation](#)).

The configuration of the tests run by CircleCI can be found in the directory `.circleci`, while the configuration of the tests run by GitHub Actions can be found in the directory `.github/workflows`.

BACKWARD COMPATIBILITY

The ESMValCore package is used by many people to run their recipes. Many of these recipes are maintained in the public ESMValTool repository, but there are also users who choose not to share their work there. While our commitment is first and foremost to users who do share their recipes in the ESMValTool repository, we still try to be nice to all of the ESMValCore users.

Note: The [backward compatibility policy](#) outlines the key principles on backward compatibility and additional guidance on handling *backward-incompatible changes*. This policy applies to both, ESMValCore and ESMValTool.

When making changes, e.g. to the *recipe format*, the *diagnostic script interface*, the public *Python API*, or the *configuration file format*, keep in mind that this may affect many users. To keep the tool user friendly, try to avoid making changes that are not backward compatible, i.e. changes that require users to change their existing recipes, diagnostics, configuration files, or scripts.

If you really must change the public interfaces of the tool, always discuss this with the [@ESMValGroup/esmvaltool-coreteam](#). Try to deprecate the feature first by issuing an *ESMValCoreDeprecationWarning* using the `warnings` module and schedule it for removal two [minor versions](#) from the upcoming release. For example, when you deprecate a feature in a pull request that will be included in version 2.5, that feature should be removed in version 2.7:

```
import warnings

from esmvalcore.exceptions import ESMValCoreDeprecationWarning

# Other code

def func(x, deprecated_option=None):
    """Deprecate deprecated_option."""
    if deprecated_option is not None:
        deprecation_msg = (
            "The option ``deprecated_option`` has been deprecated in "
            "ESMValCore version 2.5 and is scheduled for removal in "
            "version 2.7. Add additional text (e.g., description of "
            "alternatives) here.")
        warnings.warn(deprecation_msg, ESMValCoreDeprecationWarning)

# Other code
```

Mention the version in which the feature will be removed in the deprecation message. Label the pull request with the `deprecated feature` label. When deprecating a feature, please follow up by actually removing the feature in due course.

If you must make backward incompatible changes, you need to update the available recipes in ESMValTool and link the ESMValTool pull request(s) in the ESMValCore pull request description. You can ask the [@ESMValGroup/esmvaltool-](#)

[recipe-maintainers](#) for help with updating existing recipes, but please be considerate of their time. You should tag the [@ESMValGroup/esmvaltool-coreteam](#) to notify them of the backward-incompatible change, and give at least 2 weeks for objections to be raised before merging to the main branch. If a strong objection is raised the backwards-incompatible change should not be merged until the objection is resolved.

When reviewing a pull request, always check for backward incompatible changes and make sure they are needed and have been discussed with the [@ESMValGroup/esmvaltool-coreteam](#). Also, make sure the author of the pull request has created the accompanying pull request(s) to update the ESMValTool, before merging the ESMValCore pull request.

DEPENDENCIES

Before considering adding a new dependency, carefully check that the [license](#) of the dependency you want to add and any of its dependencies are [compatible](#) with the [Apache 2.0](#) license that applies to the ESMValCore. Note that GPL version 2 license is considered incompatible with the Apache 2.0 license, while the compatibility of GPL version 3 license with the Apache 2.0 license is questionable. See this [statement](#) by the authors of the Apache 2.0 license for more information.

When adding or removing dependencies, please consider applying the changes in the following files:

- `environment.yml` contains all the development dependencies; these are all from [conda-forge](#)
- `setup.py` contains all Python dependencies, regardless of their installation source

Note that packages may have a different name on [conda-forge](#) than on [PyPI](#).

Several test jobs on [CircleCI](#) related to the installation of the tool will only run if you change the dependencies. These will be skipped for most pull requests.

When reviewing a pull request where dependencies are added or removed, always check that the changes have been applied in all relevant files.

LIST OF AUTHORS

If you make a contribution to ESMValCore and you would like to be listed as an author (e.g. on [Zenodo](#)), please add your name to the list of authors in `CITATION.cff` and generate the entry for the `.zenodo.json` file by running the commands

```
pip install cffconvert
cffconvert --ignore-suspect-keys --outputformat zenodo --outfile .zenodo.json
```

Presently, this method unfortunately discards entries *communities* and *grants* from that file; please restore them manually, or alternately proceed with the addition manually

PULL REQUEST CHECKS

To check that a pull request is up to standard, several automatic checks are run when you make a pull request. Read more about it in the [Tests](#) and [Documentation](#) sections. Successful checks have a green ✓ in front, a `✗` means the check failed.

If you need help with the checks, please ask the technical reviewer of your pull request for help. Ask [@ESMValGroup/tech-reviewers](#) if you do not have a technical reviewer yet.

If the checks are broken because of something unrelated to the current pull request, please check if there is an open issue that reports the problem. Create one if there is no issue yet. You can attract the attention of the [@ESMValGroup/esmvaltool-coreteam](#) by mentioning them in the issue if it looks like no-one is working on solving the problem yet. The issue needs to be fixed in a separate pull request first. After that has been merged into the `main` branch and all checks on this branch are green again, merge it into your own branch to get the tests to pass.

When reviewing a pull request, always make sure that all checks were successful. If the Codacy check keeps failing, please run prospector locally. If necessary, ask the pull request author to do the same and to address the reported issues. See the section on [code_quality](#) for more information. Never merge a pull request with failing CircleCI or readthedocs checks.

MAKING A RELEASE

The release manager makes the release, assisted by the release manager of the previous release, or if that person is not available, another previous release manager. Perform the steps listed below with two persons, to reduce the risk of error.

Note: The previous release manager ensures the current release manager has the required administrative permissions to make the release. Consider the following services: [conda-forge](#), [DockerHub](#), [PyPI](#), and [readthedocs](#).

The release of ESMValCore is tied to the release of ESMValTool. The detailed steps can be found in the ESMValTool [documentation](#). To start the procedure, ESMValCore gets released as a release candidate to test the recipes in ESMValTool. If bugs are found during the testing phase of the release candidate, make as many release candidates for ESMValCore as needed in order to fix them.

To make a new release of the package, be it a release candidate or the final release, follow these steps:

28.1 1. Check that all tests and builds work

- Check that the [nightly test run on CircleCI](#) was successful.
- Check that the [GitHub Actions test runs](#) were successful.
- Check that the documentation builds successfully on [readthedocs](#).
- Check that the [Docker images](#) are building successfully.

All tests should pass before making a release (branch).

28.2 2. Create a release branch

Create a branch off the main branch and push it to GitHub. Ask someone with administrative permissions to set up branch protection rules for it so only you and the person helping you with the release can push to it.

28.3 3. Increase the version number

The version number is automatically generated from the information provided by git using [setuptools-scm](<https://pypi.org/project/setuptools-scm/>), but a static version number is stored in `CITATION.cff`. Make sure to update the version number and release date in `CITATION.cff`. See <https://semver.org> for more information on choosing a version number. Make a pull request and get it merged into `main` and cherry pick it into the release branch.

28.4 4. Add release notes

Use the script `esmvaltool/utils/draft_release_notes.py` to create a draft of the release notes. This script uses the titles and labels of merged pull requests since the previous release. Open a discussion to allow members of the development team to nominate pull requests as highlights. Add the most voted pull requests as highlights at the beginning of changelog. After the highlights section, list any backward incompatible changes that the release may include. The [backward compatibility policy](#) lists the information that should be provided by the developer of any backward incompatible change. Make sure to also list any deprecations that the release may include, as well as a brief description on how to upgrade a deprecated feature. Review the results, and if anything needs changing, change it on GitHub and re-run the script until the changelog looks acceptable. Copy the result to the file `doc/changelog.rst`. Make a pull request and get it merged into `main` and cherry pick it into the release branch.

28.5 5. Make the (pre-)release on GitHub

Do a final check that all tests on CircleCI and GitHub Actions completed successfully. Then click the [releases](#) tab and create the new release from the release branch (i.e. not from `main`).

Create a tag and tick the *This is a pre-release* box if working with a release candidate.

28.6 6. Mark the release in the main branch

When the (pre-)release is tagged, it is time to merge the release branch back into `main`. We do this for two reasons, namely, one, to mark the point up to which commits in `main` have been considered for inclusion into the present release, and, two, to inform setuptools-scm about the version number so that it creates the correct version number in `main`. However, unlike in a normal merge, we do not want to integrate any of the changes from the release branch into `main`. This is because all changes that should be in both branches, i.e. bug fixes, originate from `main` anyway and the only other changes in the release branch relate to the release itself. To take this into account, we perform the merge in this case on the command line using the [ours merge strategy](#) (`git merge -s ours`), not to be confused with the `ours` option to the `ort` merge strategy (`git merge -X ours`). For details about merge strategies, see the above-linked page. To execute the merge use following sequence of steps

```
git fetch
git checkout main
git pull
git merge -s ours v2.1.x
git push
```

Note that the release branch remains intact and you should continue any work on the release on that branch.

28.7 7. Create and upload the PyPI package

The package is automatically uploaded to the [PyPI](#) by a GitHub action. If has failed for some reason, build and upload the package manually by following the instructions below.

Follow these steps to create a new Python package:

- Check out the tag corresponding to the release, e.g. `git checkout tags/v2.1.0`
- Make sure your current working directory is clean by checking the output of `git status` and by running `git clean -xdf` to remove any files ignored by git.
- Install the required packages: `python3 -m pip install --upgrade pep517 twine`
- Build the package: `python3 -m pep517.build --source --binary --out-dir dist/ .` This command should generate two files in the `dist` directory, e.g. `ESMValCore-2.3.1-py3-none-any.whl` and `ESMValCore-2.3.1.tar.gz`.
- Upload the package: `python3 -m twine upload dist/*` You will be prompted for an API token if you have not set this up before, see [here](#) for more information.

You can read more about this in [Packaging Python Projects](#).

28.8 8. Create the Conda package

The `esmvalcore` package is published on the [conda-forge conda channel](#). This is done via a pull request on the [esmvalcore-feedstock repository](#).

To publish a release candidate, you have to open a pull request yourself. An example for this can be found [here](#). Make sure to use the [rc branch](#) as the target branch for your pull request and follow all instructions given by the linter bot. The testing of ESMValTool will be performed with the published release candidate.

For the final release, this pull request is automatically opened by a bot. An example pull request can be found [here](#). Follow the instructions by the bot to finalize the pull request. This step mostly contains updating dependencies that have been changed during the last release cycle. Once approved by the [feedstock maintainers](#) they will merge the pull request, which will in turn publish the package on conda-forge some time later. Contact the feedstock maintainers if you want to become a maintainer yourself.

28.9 9. Check the Docker images

There are two main Docker container images available for ESMValCore on [Dockerhub](#):

- `esmvalgroup/esmvalcore:stable`, built from [docker/Dockerfile](#), this is a tag that is always the same as the latest released version. This image is only built by Dockerhub when a new release is created.
- `esmvalgroup/esmvalcore:development`, built from [docker/Dockerfile.dev](#), this is a tag that always contains the latest conda environment for ESMValCore, including any test dependencies. It is used by [CircleCI](#) to run the unit tests. This speeds up running the tests, as it avoids the need to build the conda environment for every test run. This image is built by Dockerhub every time there is a new commit to the `main` branch on Github.

In addition to the two images mentioned above, there is an image available for every release (e.g. `esmvalgroup/esmvalcore:v2.5.0`). When working on the Docker images, always try to follow the [best practices](#).

After making the release, check that the Docker image for that release has been built correctly by

1. checking that the version tag is available on [Dockerhub](#) and the `stable` tag has been updated,

2. running some recipes with the `stable` tag Docker container, for example one recipe for Python, NCL, R, and Julia,
3. running a recipe with a Singularity container built from the `stable` tag.

If there is a problem with the automatically built container image, you can fix the problem and build a new image locally. For example, to [build](#) and [upload](#) the container image for v2.5.0 of the tool run:

```
git checkout v2.5.0
git clean -x
docker build -t esmvalgroup/esmvalcore:v2.5.0 . -f docker/Dockerfile
docker push esmvalgroup/esmvalcore:v2.5.0
```

(when making updates, you may want to add `.post0`, `.post1`, .. to the version number to avoid overwriting an older tag) and if it is the latest release that you are updating, also run

```
docker tag esmvalgroup/esmvalcore:v2.5.0 esmvalgroup/esmvalcore:stable
docker push esmvalgroup/esmvalcore:stable
```

Note that the `docker push` command will overwrite the existing tags on Dockerhub, but the previous container image will remain available as an untagged image.

Part VII

ESMValCore API Reference

ESMValCore is mostly used as a commandline tool. However, it is also possible to use (parts of) ESMValTool as a library. This section documents the public API of ESMValCore.

CMOR FUNCTIONS

CMOR module.

29.1 Checking compliance

Module for checking iris cubes against their CMOR definitions.

Classes:

<i>CheckLevels</i> (value[, names, module, ...])	Level of strictness of the checks.
<i>CMORCheck</i> (cube, var_info[, frequency, ...])	Class used to check the CMOR-compliance of the data.

Exceptions:

<i>CMORCheckError</i>	Exception raised when a cube does not pass the CMORCheck.
-----------------------	---

Functions:

<i>cmor_check_metadata</i> (cube, cmor_table, mip, ...)	Check if metadata conforms to variable's CMOR definition.
<i>cmor_check_data</i> (cube, cmor_table, mip, ...)	Check if data conforms to variable's CMOR definition.
<i>cmor_check</i> (cube, cmor_table, mip, short_name)	Check if cube conforms to variable's CMOR definition.

```
class esmvalcore.cmor.check.CheckLevels(value, names=None, *, module=None, qualname=None,  
                                         type=None, start=1, boundary=None)
```

Bases: `IntEnum`

Level of strictness of the checks.

Attributes:

<i>DEBUG</i>	Report any debug message that the checker wants to communicate.
<i>STRICT</i>	Fail if there are warnings regarding compliance of CMOR standards.
<i>DEFAULT</i>	Fail if cubes present any discrepancy with CMOR standards.
<i>RELAXED</i>	Fail if cubes present severe discrepancies with CMOR standards.
<i>IGNORE</i>	Do not fail for any discrepancy with CMOR standards.

DEBUG = 1

Report any debug message that the checker wants to communicate.

STRICT = 2

Fail if there are warnings regarding compliance of CMOR standards.

DEFAULT = 3

Fail if cubes present any discrepancy with CMOR standards.

RELAXED = 4

Fail if cubes present severe discrepancies with CMOR standards.

IGNORE = 5

Do not fail for any discrepancy with CMOR standards.

exception `esmvalcore.cmor.check.CMORCheckError`

Bases: `Exception`

Exception raised when a cube does not pass the CMORCheck.

class `esmvalcore.cmor.check.CMORCheck`(*cube*, *var_info*, *frequency=None*, *fail_on_error=False*,
check_level=CheckLevels.DEFAULT, *automatic_fixes=False*)

Bases: `object`

Class used to check the CMOR-compliance of the data.

Parameters

- **cube** (*iris.cube.Cube*) – Iris cube to check.
- **var_info** (*variables_info.VariableInfo*) – Variable info to check.
- **frequency** (*str*) – Expected frequency for the data. If not given, use the one from the variable information.
- **fail_on_error** (*bool*) – If true, CMORCheck stops on the first error. If false, it collects all possible errors before stopping.
- **automatic_fixes** (*bool*) – If True, CMORCheck will try to apply automatic fixes for any detected error, if possible.

Deprecated since version 2.10.0: This option has been deprecated in ESMValCore version 2.10.0 and is scheduled for removal in version 2.12.0. Please use the functions `fix_metadata()`, `fix_data()`, or `esmvalcore.dataset.Dataset.load()` (which automatically includes the first two functions) instead. Fixes and CMOR checks have been clearly separated in ESMValCore version 2.10.0.

- **check_level** (`CheckLevels`) – Level of strictness of the checks.

frequency

Expected frequency for the data.

Type

str

Methods:

<code>check_metadata([logger])</code>	Check the cube metadata.
<code>check_data([logger])</code>	Check the cube data.
<code>report_errors()</code>	Report detected errors.
<code>report_warnings()</code>	Report detected warnings to the given logger.
<code>report_debug_messages()</code>	Report detected debug messages to the given logger.
<code>has_errors()</code>	Check if there are reported errors.
<code>has_warnings()</code>	Check if there are reported warnings.
<code>has_debug_messages()</code>	Check if there are reported debug messages.
<code>report(level, message, *args)</code>	Report a message from the checker.
<code>report_critical(message, *args)</code>	Report an error.
<code>report_error(message, *args)</code>	Report a normal error.
<code>report_warning(message, *args)</code>	Report a warning level error.
<code>report_debug_message(message, *args)</code>	Report a debug message.

check_metadata(*logger*: *Logger* | *None* = *None*) → *Cube*

Check the cube metadata.

It will also report some warnings in case of minor errors.

Parameters

logger (*Logger* | *None*) – Given logger.

Returns

Checked cube.

Return type

iris.cube.Cube

Raises

CMORCheckError – If errors are found. If `fail_on_error` attribute is set to `True`, raises as soon as an error is detected. If set to `False`, it perform all checks and then raises.

check_data(*logger*: *Logger* | *None* = *None*) → *Cube*

Check the cube data.

Assumes that metadata is correct, so you must call `check_metadata` prior to this.

It will also report some warnings in case of minor errors.

Parameters

logger (*Logger* | *None*) – Given logger.

Returns

Checked cube.

Return type

iris.cube.Cube

Raises

CMORCheckError – If errors are found. If `fail_on_error` attribute is set to `True`, raises as soon as an error is detected. If set to `False`, it perform all checks and then raises.

report_errors()

Report detected errors.

Raises

CMORCheckError – If any errors were reported before calling this method.

report_warnings()

Report detected warnings to the given logger.

report_debug_messages()

Report detected debug messages to the given logger.

has_errors()

Check if there are reported errors.

Returns

True if there are pending errors, False otherwise.

Return type

bool

has_warnings()

Check if there are reported warnings.

Returns

True if there are pending warnings, False otherwise.

Return type

bool

has_debug_messages()

Check if there are reported debug messages.

Returns

True if there are pending debug messages, False otherwise.

Return type

bool

report(level, message, *args)

Report a message from the checker.

Parameters

- **level** (**CheckLevels**) – Message level
- **message** (*str*) – Message to report
- **args** – String format args for the message

Raises

CMORCheckError – If fail on error is set, it is thrown when registering an error message

report_critical(message, *args)

Report an error.

If fail_on_error is set to True, raises automatically. If fail_on_error is set to False, stores it for later reports.

Parameters

- **message** (*str: unicode*) – Message for the error.
- ***args** – arguments to format the message string.

report_error(*message*, **args*)

Report a normal error.

Parameters

- **message** (*str*: *unicode*) – Message for the error.
- ***args** – arguments to format the message string.

report_warning(*message*, **args*)

Report a warning level error.

Parameters

- **message** (*str*: *unicode*) – Message for the warning.
- ***args** – arguments to format the message string.

report_debug_message(*message*, **args*)

Report a debug message.

Parameters

- **message** (*str*: *unicode*) – Message for the debug logger.
- ***args** – arguments to format the message string

`esmvalcore.cmor.check.cmor_check_metadata(cube: Cube, cmor_table: str, mip: str, short_name: str, frequency: str | None = None, check_level: CheckLevels = CheckLevels.DEFAULT) → Cube`

Check if metadata conforms to variable's CMOR definition.

None of the checks at this step will force the cube to load the data.

Parameters

- **cube** (*Cube*) – Data cube to check.
- **cmor_table** (*str*) – CMOR definitions to use (i.e., the variable's project).
- **mip** (*str*) – Variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **frequency** (*str* | *None*) – Data frequency. If not given, use the one from the CMOR table of the variable.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Returns

Checked cube.

Return type

`iris.cube.Cube`

`esmvalcore.cmor.check.cmor_check_data(cube: Cube, cmor_table: str, mip: str, short_name: str, frequency: str | None = None, check_level: CheckLevels = CheckLevels.DEFAULT) → Cube`

Check if data conforms to variable's CMOR definition.

Parameters

- **cube** (*Cube*) – Data cube to check.
- **cmor_table** (*str*) – CMOR definitions to use (i.e., the variable's project).

- **mip** (*str*) – Variable's MIP.
- **short_name** (*str*) – Variable's short name
- **frequency** (*str* / *None*) – Data frequency. If not given, use the one from the CMOR table of the variable.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Returns

Checked cube.

Return type

`iris.cube.Cube`

```
esmvalcore.cmor.check.cmor_check(cube: Cube, cmor_table: str, mip: str, short_name: str, frequency: str |  
                                   None = None, check_level: CheckLevels = CheckLevels.DEFAULT) →  
                                   Cube
```

Check if cube conforms to variable's CMOR definition.

Equivalent to calling `cmor_check_metadata()` and `cmor_check_data()` consecutively.

Parameters

- **cube** (*Cube*) – Data cube to check.
- **cmor_table** (*str*) – CMOR definitions to use (i.e., the variable's project).
- **mip** (*str*) – Variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **frequency** (*str* / *None*) – Data frequency. If not given, use the one from the CMOR table of the variable.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Returns

Checked cube.

Return type

`iris.cube.Cube`

29.2 Automatically fixing issues

Apply automatic fixes for known errors in cmorized data.

All functions in this module will work even if no fixes are available for the given dataset. Therefore is recommended to apply them to all variables to be sure that all known errors are fixed.

Functions:

<code>fix_data(cube, short_name, project, dataset, mip)</code>	Fix cube data if fixes are required.
<code>fix_file(file, short_name, project, dataset, ...)</code>	Fix files before ESMValTool can load them.
<code>fix_metadata(cubes, short_name, project, ...)</code>	Fix cube metadata if fixes are required.

```
esmvalcore.cmor.fix.fix_data(cube: Cube, short_name: str, project: str, dataset: str, mip: str, frequency: str  
                             | None = None, check_level: CheckLevels = CheckLevels.DEFAULT, session:  
                             Session | None = None, **extra_facets) → Cube
```


Fix cube data if fixes are required.

This method assumes that metadata is already fixed and checked.

This method collects all the relevant fixes (including generic ones) for a given variable and applies them.

Parameters

- **cube** (*Cube*) – Cube to fix.
- **short_name** (*str*) – Variable's short name.
- **project** (*str*) – Project of the dataset.
- **dataset** (*str*) – Name of the dataset.
- **mip** (*str*) – Variable's MIP.
- **frequency** (*Optional[str]*) – Variable's data frequency, if available.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Deprecated since version 2.10.0: This option has been deprecated in ESMValCore version 2.10.0 and is scheduled for removal in version 2.12.0. Please use the functions `cmor_check_metadata()`, `cmor_check_data()`, or `cmor_check()` instead. This function will no longer perform CMOR checks. Fixes and CMOR checks have been clearly separated in ESMValCore version 2.10.0.

- **session** (*Optional[Session]*) – Current session which includes configuration and directory information.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Fixed cube.

Return type

`iris.cube.Cube`

```
esmvalcore.cmor.fix.fix_file(file: Path, short_name: str, project: str, dataset: str, mip: str, output_dir: Path,
                             add_unique_suffix: bool = False, session: Session | None = None, frequency:
                             str | None = None, **extra_facets) → str | Path
```

Fix files before ESMValTool can load them.

These fixes are only for issues that prevent iris from loading the cube or that cannot be fixed after the cube is loaded.

Original files are not overwritten.

Parameters

- **file** (*Path*) – Path to the original file.
- **short_name** (*str*) – Variable's short name.
- **project** (*str*) – Project of the dataset.
- **dataset** (*str*) – Name of the dataset.
- **mip** (*str*) – Variable's MIP.
- **output_dir** (*Path*) – Output directory for fixed files.
- **add_unique_suffix** (*bool*) – Adds a unique suffix to `output_dir` for thread safety.

- **session** (*Optional* [[Session](#)]) – Current session which includes configuration and directory information.
- **frequency** (*Optional* [[str](#)]) – Variable's data frequency, if available.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Path to the fixed file.

Return type

[str](#) or [pathlib.Path](#)

```
esmvalcore.cmor.fix.fix_metadata(cubes: Sequence[Cube], short_name: str, project: str, dataset: str, mip: str, frequency: str | None = None, check_level: CheckLevels = CheckLevels.DEFAULT, session: Session | None = None, **extra_facets) → CubeList
```

Fix cube metadata if fixes are required.

This method collects all the relevant fixes (including generic ones) for a given variable and applies them.

Parameters

- **cubes** ([Sequence](#) [[Cube](#)]) – Cubes to fix.
- **short_name** ([str](#)) – Variable's short name.
- **project** ([str](#)) – Project of the dataset.
- **dataset** ([str](#)) – Name of the dataset.
- **mip** ([str](#)) – Variable's MIP.
- **frequency** (*Optional* [[str](#)]) – Variable's data frequency, if available.
- **check_level** ([CheckLevels](#)) – Level of strictness of the checks.

Deprecated since version 2.10.0: This option has been deprecated in ESMValCore version 2.10.0 and is scheduled for removal in version 2.12.0. Please use the functions [cmor_check_metadata\(\)](#), [cmor_check_data\(\)](#), or [cmor_check\(\)](#) instead. This function will no longer perform CMOR checks. Fixes and CMOR checks have been clearly separated in ESMValCore version 2.10.0.

- **session** (*Optional* [[Session](#)]) – Current session which includes configuration and directory information.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Fixed cubes.

Return type

[iris.cube.CubeList](#)

29.3 Functions for fixing issues

Functions for fixing specific issues with datasets.

Functions:

<code>add_altitude_from_plev(cube)</code>	Add altitude coordinate from pressure level coordinate.
<code>add_plev_from_altitude(cube)</code>	Add pressure level coordinate from altitude coordinate.
<code>get_next_month(month, year)</code>	Get next month and year.
<code>get_time_bounds(time, freq)</code>	Get bounds for time coordinate.

`esmvalcore.cmor.fixes.add_altitude_from_plev(cube)`

Add altitude coordinate from pressure level coordinate.

Parameters

cube (*iris.cube.Cube*) – Input cube.

Raises

ValueError – cube does not contain coordinate `air_pressure`.

`esmvalcore.cmor.fixes.add_plev_from_altitude(cube)`

Add pressure level coordinate from altitude coordinate.

Parameters

cube (*iris.cube.Cube*) – Input cube.

Raises

ValueError – cube does not contain coordinate `altitude`.

`esmvalcore.cmor.fixes.get_next_month(month: int, year: int) → tuple[int, int]`

Get next month and year.

Parameters

- **month** (*int*) – Current month.
- **year** (*int*) – Current year.

Returns

Next month and next year.

Return type

`tuple[int, int]`

`esmvalcore.cmor.fixes.get_time_bounds(time: Coord, freq: str) → ndarray`

Get bounds for time coordinate.

For monthly data, use the first day of the current month and the first day of the next month. For yearly or decadal data, use 1 January of the current year and 1 January of the next year or 10 years from the current year. For other frequencies (daily, 6-hourly, 3-hourly, hourly), half of the frequency is subtracted/added from the current point in time to get the bounds.

Parameters

- **time** (*Coord*) – Time coordinate.
- **freq** (*str*) – Frequency.

Returns

Time bounds

Return type

np.ndarray

Raises**NotImplementedError** – Non-supported frequency is given.

29.4 Using CMOR tables

CMOR information reader for ESMValTool.

Read variable information from CMOR 2 and CMOR 3 tables and make it easily available for the other components of ESMValTool

Classes:

<i>CMIP3Info</i> (cmor_tables_path[, default, ...])	Class to read CMIP3-like data request.
<i>CMIP5Info</i> (cmor_tables_path[, default, ...])	Class to read CMIP5-like data request.
<i>CMIP6Info</i> (cmor_tables_path[, default, ...])	Class to read CMIP6-like data request.
<i>CoordinateInfo</i> (name)	Class to read and store coordinate information.
<i>CustomInfo</i> ([cmor_tables_path])	Class to read custom var info for ESMVal.
<i>InfoBase</i> (default, alt_names, strict)	Base class for all table info classes.
<i>JsonInfo</i> ()	Base class for the info classes.
<i>TableInfo</i> (*args, **kwargs)	Container class for storing a CMOR table.
<i>VariableInfo</i> (table_type, short_name)	Class to read and store variable information.

Data:

<i>CMOR_TABLES</i>	CMOR info objects.
--------------------	--------------------

Functions:

<i>get_var_info</i> (project, mip, short_name)	Get variable information.
<i>read_cmor_tables</i> ([cfg_developer])	Read cmor tables required in the configuration.

class esmvalcore.cmor.table.**CMIP3Info**(cmor_tables_path, default=None, alt_names=None, strict=True)

Bases: *CMIP5Info*

Class to read CMIP3-like data request.

Parameters

- **cmor_tables_path** (*str*) – Path to the folder containing the Tables folder with the json files
- **default** (*object*) – Default table to look variables on if not found
- **strict** (*bool*) – If False, will look for a variable in other tables if it can not be found in the requested one

Methods:

<i>get_table</i> (table)	Search and return the table info.
<i>get_variable</i> (table_name, short_name[, derived])	Search and return the variable information.

get_table(*table*)

Search and return the table info.

Parameters

table (*str*) – Table name

Returns

Return the TableInfo object for the requested table if found, returns None if not

Return type

TableInfo

get_variable(*table_name: str, short_name: str, derived: bool = False*) → *VariableInfo* | None

Search and return the variable information.

Parameters

- **table_name** (*str*) – Table name, i.e., the variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **derived** (*bool*) – Variable is derived. Information retrieval for derived variables always looks in the default tables (usually, the custom tables) if variable is not found in the requested table.

Returns

VariableInfo object for the requested variable if found, None otherwise.

Return type

VariableInfo | None

class esmvalcore.cmor.table.**CMIP5Info**(*cmor_tables_path, default=None, alt_names=None, strict=True*)

Bases: *InfoBase*

Class to read CMIP5-like data request.

Parameters

- **cmor_tables_path** (*str*) – Path to the folder containing the Tables folder with the json files
- **default** (*object*) – Default table to look variables on if not found
- **strict** (*bool*) – If False, will look for a variable in other tables if it can not be found in the requested one

Methods:

<i>get_table</i> (<i>table</i>)	Search and return the table info.
<i>get_variable</i> (<i>table_name, short_name[, derived]</i>)	Search and return the variable information.

get_table(*table*)

Search and return the table info.

Parameters

table (*str*) – Table name

Returns

Return the TableInfo object for the requested table if found, returns None if not

Return type

TableInfo

get_variable(*table_name*: *str*, *short_name*: *str*, *derived*: *bool* = *False*) → *VariableInfo* | *None*

Search and return the variable information.

Parameters

- **table_name** (*str*) – Table name, i.e., the variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **derived** (*bool*) – Variable is derived. Information retrieval for derived variables always looks in the default tables (usually, the custom tables) if variable is not found in the requested table.

Returns

VariableInfo object for the requested variable if found, *None* otherwise.

Return type

VariableInfo | *None*

class esmvalcore.cmor.table.CMIP6Info(*cmor_tables_path*, *default*=*None*, *alt_names*=*None*, *strict*=*True*, *default_table_prefix*="")

Bases: *InfoBase*

Class to read CMIP6-like data request.

This uses CMOR 3 json format

Parameters

- **cmor_tables_path** (*str*) – Path to the folder containing the Tables folder with the json files
- **default** (*object*) – Default table to look variables on if not found
- **strict** (*bool*) – If *False*, will look for a variable in other tables if it can not be found in the requested one

Methods:

<i>get_table</i> (<i>table</i>)	Search and return the table info.
<i>get_variable</i> (<i>table_name</i> , <i>short_name</i> [, <i>derived</i>])	Search and return the variable information.

get_table(*table*)

Search and return the table info.

Parameters

table (*str*) – Table name

Returns

Return the *TableInfo* object for the requested table if found, returns *None* if not

Return type

TableInfo

get_variable(*table_name*: *str*, *short_name*: *str*, *derived*: *bool* = *False*) → *VariableInfo* | *None*

Search and return the variable information.

Parameters

- **table_name** (*str*) – Table name, i.e., the variable's MIP.
- **short_name** (*str*) – Variable's short name.

- **derived** (*bool*) – Variable is derived. Information retrieval for derived variables always looks in the default tables (usually, the custom tables) if variable is not found in the requested table.

Returns

VariableInfo object for the requested variable if found, None otherwise.

Return type

VariableInfo | None

```
esmvalcore.cmor.table.CMOR_TABLES: dict[str, CMIP3Info | CMIP5Info | CMIP6Info | CustomInfo] = {'CESM': <esmvalcore.cmor.table.CMIP6Info object>, 'CMIP3': <esmvalcore.cmor.table.CMIP3Info object>, 'CMIP5': <esmvalcore.cmor.table.CMIP5Info object>, 'CMIP6': <esmvalcore.cmor.table.CMIP6Info object>, 'CORDEX': <esmvalcore.cmor.table.CMIP5Info object>, 'EMAC': <esmvalcore.cmor.table.CMIP6Info object>, 'ICON': <esmvalcore.cmor.table.CMIP6Info object>, 'IPSLCM': <esmvalcore.cmor.table.CMIP6Info object>, 'OBS': <esmvalcore.cmor.table.CMIP5Info object>, 'OBS6': <esmvalcore.cmor.table.CMIP6Info object>, 'ana4mips': <esmvalcore.cmor.table.CMIP5Info object>, 'custom': <esmvalcore.cmor.table.CustomInfo object>, 'native6': <esmvalcore.cmor.table.CMIP6Info object>, 'obs4MIPs': <esmvalcore.cmor.table.CMIP6Info object>}
```

CMOR info objects.

Type

dict of str, obj

class esmvalcore.cmor.table.CoordinateInfo(*name*)

Bases: *JsonInfo*

Class to read and store coordinate information.

Attributes:

<i>axis</i>	Axis
<i>generic_lev_name</i>	Generic level name
<i>long_name</i>	Long name
<i>must_have_bounds</i>	Whether bounds are required on this dimension
<i>out_name</i>	Out name
<i>requested</i>	Values requested
<i>standard_name</i>	Standard name
<i>stored_direction</i>	Direction in which the coordinate increases
<i>units</i>	Units
<i>valid_max</i>	Maximum allowed value
<i>valid_min</i>	Minimum allowed value
<i>value</i>	Coordinate value
<i>var_name</i>	Short name

Methods:

<i>read_json</i> (json_data)	Read coordinate information from json.
------------------------------	--

axis

Axis

generic_lev_name

Generic level name

long_name

Long name

must_have_bounds

Whether bounds are required on this dimension

out_name

Out name

This is the name of the variable in the file

read_json(*json_data*)

Read coordinate information from json.

Non-present options will be set to empty

Parameters

json_data (*dict*) – dictionary created by the json reader containing coordinate information

requested

Values requested

standard_name

Standard name

stored_direction

Direction in which the coordinate increases

units

Units

valid_max

Maximum allowed value

valid_min

Minimum allowed value

value

Coordinate value

var_name

Short name

class `esmvalcore.cmor.table.CustomInfo`(*cmor_tables_path*: *str* | *Path* | *None* = *None*)

Bases: *CMIP5Info*

Class to read custom var info for ESMVal.

Parameters

cmor_tables_path (*Optional*[*str* | *Path*]) – Full path to the table or name for the table if it is present in ESMValTool repository. If *None*, use default tables from *esmval-core/cmor/tables/custom*.

Methods:

<code>get_table</code> (table)	Search and return the table info.
<code>get_variable</code> (table, short_name[, derived])	Search and return the variable info.

`get_table(table)`

Search and return the table info.

Parameters

table (*str*) – Table name

Returns

Return the TableInfo object for the requested table if found, returns None if not

Return type

TableInfo

`get_variable(table: str, short_name: str, derived: bool = False) → VariableInfo | None`

Search and return the variable info.

Parameters

- **table** (*str*) – Table name. Ignored for custom tables.
- **short_name** (*str*) – Variable's short name.
- **derived** (*bool*) – Variable is derived. Info retrieval for derived variables always looks on the default tables if variable is not found in the requested table. Ignored for custom tables.

Returns

VariableInfo object for the requested variable if found, returns None if not.

Return type

VariableInfo | None

`class esmvalcore.cmor.table.InfoBase(default, alt_names, strict)`

Bases: *object*

Base class for all table info classes.

This uses CMOR 3 json format

Parameters

- **default** (*object*) – Default table to look variables on if not found
- **alt_names** (*list[list[str]]*) – List of known alternative names for variables
- **strict** (*bool*) – If False, will look for a variable in other tables if it can not be found in the requested one

Methods:

<code>get_table(table)</code>	Search and return the table info.
<code>get_variable(table_name, short_name[, derived])</code>	Search and return the variable information.

`get_table(table)`

Search and return the table info.

Parameters

table (*str*) – Table name

Returns

Return the TableInfo object for the requested table if found, returns None if not

Return type

TableInfo

get_variable(*table_name*: *str*, *short_name*: *str*, *derived*: *bool* = *False*) → *VariableInfo* | *None*

Search and return the variable information.

Parameters

- **table_name** (*str*) – Table name, i.e., the variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **derived** (*bool*) – Variable is derived. Information retrieval for derived variables always looks in the default tables (usually, the custom tables) if variable is not found in the requested table.

Returns

VariableInfo object for the requested variable if found, *None* otherwise.

Return type

VariableInfo | *None*

class `esmvalcore.cmor.table.JsonInfo`

Bases: `object`

Base class for the info classes.

Provides common utility methods to read json variables

class `esmvalcore.cmor.table.TableInfo`(*args, **kwargs)

Bases: `dict`

Container class for storing a CMOR table.

Methods:

<code>clear()</code>	
<code>copy()</code>	
<code>fromkeys([value])</code>	Create a new dictionary with keys from iterable and values set to value.
<code>get(key[, default])</code>	Return the value for key if key is in the dictionary, else default.
<code>items()</code>	
<code>keys()</code>	
<code>pop(k[,d])</code>	If the key is not found, return the default if given; otherwise, raise a <code>KeyError</code> .
<code>popitem()</code>	Remove and return a (key, value) pair as a 2-tuple.
<code>setdefault(key[, default])</code>	Insert key with a value of default if key is not in the dictionary.
<code>update([E,]**F)</code>	If E is present and has a <code>.keys()</code> method, then does: for k in E: D[k] = E[k] If E is present and lacks a <code>.keys()</code> method, then does: for k, v in E: D[k] = v In either case, this is followed by: for k in F: D[k] = F[k]
<code>values()</code>	

clear() → None. Remove all items from D.

copy() → a shallow copy of D

fromkeys(*value=None, /*)

Create a new dictionary with keys from iterable and values set to value.

get(*key, default=None, /*)

Return the value for key if key is in the dictionary, else default.

items() → a set-like object providing a view on D's items

keys() → a set-like object providing a view on D's keys

pop(*k[, d]*) → v, remove specified key and return the corresponding value.

If the key is not found, return the default if given; otherwise, raise a `KeyError`.

popitem()

Remove and return a (key, value) pair as a 2-tuple.

Pairs are returned in LIFO (last-in, first-out) order. Raises `KeyError` if the dict is empty.

setdefault(*key, default=None, /*)

Insert key with a value of default if key is not in the dictionary.

Return the value for key if key is in the dictionary, else default.

update(*[E,]**F*) → None. Update D from dict/iterable E and F.

If E is present and has a `.keys()` method, then does: for k in E: D[k] = E[k] If E is present and lacks a `.keys()` method, then does: for k, v in E: D[k] = v In either case, this is followed by: for k in F: D[k] = F[k]

values() → an object providing a view on D's values

class `esmvalcore.cmor.table.VariableInfo`(*table_type, short_name*)

Bases: `JsonInfo`

Class to read and store variable information.

Attributes:

<code>coordinates</code>	Coordinates
<code>dimensions</code>	List of dimensions
<code>frequency</code>	Data frequency
<code>long_name</code>	Long name
<code>modeling_realm</code>	Modeling realm
<code>positive</code>	Increasing direction
<code>short_name</code>	Short name
<code>standard_name</code>	Standard name
<code>units</code>	Data units
<code>valid_max</code>	Maximum admitted value
<code>valid_min</code>	Minimum admitted value

Methods:

<code>copy()</code>	Return a shallow copy of <code>VariableInfo</code> .
<code>has_coord_with_standard_name</code> (<i>standard_name</i>)	Check if a coordinate with a given <i>standard_name</i> exists.
<code>read_json</code> (<i>json_data, default_freq</i>)	Read variable information from json.

coordinates

Coordinates

This is a dict with the names of the dimensions as keys and CoordinateInfo objects as values.

copy()

Return a shallow copy of VariableInfo.

Returns

Shallow copy of this object.

Return type

VariableInfo

dimensions

List of dimensions

frequency

Data frequency

has_coord_with_standard_name(*standard_name: str*) → bool

Check if a coordinate with a given *standard_name* exists.

For some coordinates, multiple (slightly different) versions with different dimension names but identical *standard_name* exist. For example, the CMIP6 tables provide 4 different *standard_name=time* dimensions: *time*, *time1*, *time2*, and *time3*. Other examples would be the CMIP6 pressure levels (*plev19*, *plev23*, *plev27*, etc. with standard name *air_pressure*) and the altitudes (*alt16*, *alt40* with standard name *altitude*).

This function can be used to check for the existence of a specific coordinate defined by its *standard_name*, not its dimension name.

Parameters

standard_name (*str*) – Standard name to be checked.

Returns

True if there is at least one coordinate with the given *standard_name*, *False* if not.

Return type

bool

long_name

Long name

modeling_realm

Modeling realm

positive

Increasing direction

read_json(*json_data, default_freq*)

Read variable information from json.

Non-present options will be set to empty

Parameters

- **json_data** (*dict*) – Dictionary created by the json reader containing variable information.
- **default_freq** (*str*) – Default frequency to use if it is not defined at variable level.

short_name

Short name

standard_name

Standard name

units

Data units

valid_max

Maximum admitted value

valid_min

Minimum admitted value

`esmvalcore.cmor.table.get_var_info(project: str, mip: str, short_name: str) → VariableInfo | None`

Get variable information.

Note: If *project*=*CORDEX* and the *mip* ends with 'hr', it is cropped to 'h' since CORDEX X-hourly tables define the *mip* as ending in 'h' instead of 'hr'.

Parameters

- **project** (*str*) – Dataset's project.
- **mip** (*str*) – Variable's CMOR table, i.e., MIP.
- **short_name** (*str*) – Variable's short name.

Returns

VariableInfo object for the requested variable if found, *None* otherwise.

Return type

VariableInfo | *None*

Raises

KeyError – No CMOR tables available for *project*.

`esmvalcore.cmor.table.read_cmor_tables(cfg_developer: Path | None = None) → None`

Read cmor tables required in the configuration.

Parameters

cfg_developer (*Path* | *None*) – Path to config-developer.yml file.

Raises

TypeError – If *cfg_developer* is not a Path-like object

Return type

None

CONFIGURATION

This section describes the `config` module.

30.1 Config

Configuration of ESMValCore/Tool is done via the `Config` object. The global configuration can be imported from the `esmvalcore.config` module as `CFG`:

```
>>> from esmvalcore.config import CFG
>>> CFG
Config({'auxiliary_data_dir': PosixPath('/home/user/auxiliary_data'),
      'compress_netcdf': False,
      'config_developer_file': None,
      'config_file': PosixPath('/home/user/.esmvaltool/config-user.yml'),
      'drs': {'CMIP5': 'default', 'CMIP6': 'default'},
      'exit_on_warning': False,
      'log_level': 'info',
      'max_parallel_tasks': None,
      'output_dir': PosixPath('/home/user/esmvaltool_output'),
      'output_file_type': 'png',
      'profile_diagnostic': False,
      'remove_preproc_dir': True,
      'rootpath': {'CMIP5': '~/default_inputpath',
                  'CMIP6': '~/default_inputpath',
                  'default': '~/default_inputpath'},
      'save_intermediary_cubes': False})
```

The parameters for the user configuration file are listed [here](#).

`CFG` is essentially a python dictionary with a few extra functions, similar to `matplotlib.rcParams`. This means that values can be updated like this:

```
>>> CFG['output_dir'] = '~/esmvaltool_output'
>>> CFG['output_dir']
PosixPath('/home/user/esmvaltool_output')
```

Notice that `CFG` automatically converts the path to an instance of `pathlib.Path` and expands the home directory. All values entered into the config are validated to prevent mistakes, for example, it will warn you if you make a typo in the key:

```
>>> CFG['output_directory'] = '~/esmvaltool_output'
InvalidConfigParameter: `output_directory` is not a valid config parameter.
```

Or, if the value entered cannot be converted to the expected type:

```
>>> CFG['max_parallel_tasks'] = ''
InvalidConfigParameter: Key `max_parallel_tasks`: Could not convert '' to int
```

Config is also flexible, so it tries to correct the type of your input if possible:

```
>>> CFG['max_parallel_tasks'] = '8' # str
>>> type(CFG['max_parallel_tasks'])
int
```

By default, the config is loaded from the default location (`/home/user/.esmvaltool/config-user.yml`). If it does not exist, it falls back to the default values. to load a different file:

```
>>> CFG.load_from_file('~my-config.yml')
```

Or to reload the current config:

```
>>> CFG.reload()
```

30.2 Session

Recipes and diagnostics will be run in their own directories. This behaviour can be controlled via the *Session* object. A *Session* can be initiated from the global *Config*.

```
>>> session = CFG.start_session(name='my_session')
```

A *Session* is very similar to the config. It is also a dictionary, and copies all the keys from the *Config*. At this moment, session is essentially a copy of *CFG*:

```
>>> print(session == CFG)
True
>>> session['output_dir'] = '~/my_output_dir'
>>> print(session == CFG) # False
False
```

A *Session* also knows about the directories where the data will be stored. The session name is used to prefix the directories.

```
>>> session.session_dir
/home/user/my_output_dir/my_session_20201203_155821
>>> session.run_dir
/home/user/my_output_dir/my_session_20201203_155821/run
>>> session.work_dir
/home/user/my_output_dir/my_session_20201203_155821/work
>>> session.preproc_dir
/home/user/my_output_dir/my_session_20201203_155821/preproc
>>> session.plot_dir
/home/user/my_output_dir/my_session_20201203_155821/plots
```


Unlike the global configuration, of which only one can exist, multiple sessions can be initiated from [Config](#).

30.3 API reference

Configuration module.

`esmvalcore.config.CFG`

ESMValCore configuration.

By default, this will be loaded from the file `~/.esmvaltool/config-user.yml`. If used within the `esmvaltool` program, this will respect the `--config_file` argument.

Classes:

<code>Config(*args, **kwargs)</code>	ESMValTool configuration object.
<code>Session(config[, name])</code>	Container class for session configuration and directory information.

class `esmvalcore.config.Config(*args, **kwargs)`

ESMValTool configuration object.

Do not instantiate this class directly, but use [`esmvalcore.config.CFG`](#) instead.

Methods:

<code>load_from_file([filename])</code>	Load user configuration from the given file.
<code>reload()</code>	Reload the config file.
<code>start_session(name)</code>	Start a new session from this configuration object.

load_from_file(*filename*: *PathLike* | *str* | *None* = *None*) → *None*

Load user configuration from the given file.

Parameters

filename (*PathLike* | *str* | *None*) –

Return type

None

reload()

Reload the config file.

start_session(*name*: *str*)

Start a new session from this configuration object.

Parameters

name (*str*) – Name of the session.

Return type

[*Session*](#)

class `esmvalcore.config.Session(config: dict, name: str = 'session')`

Container class for session configuration and directory information.

Do not instantiate this class directly, but use `CFG.start_session` instead.

Parameters

- **config** (*dict*) – Dictionary with configuration settings.
- **name** (*str*) – Name of the session to initialize, for example, the name of the recipe (default='session').

Attributes:

<code>config_dir</code>	Return user config directory.
<code>main_log</code>	Return main log file.
<code>main_log_debug</code>	Return main log debug file.
<code>plot_dir</code>	Return plot directory.
<code>preproc_dir</code>	Return preproc directory.
<code>relative_main_log</code>	
<code>relative_main_log_debug</code>	
<code>relative_plot_dir</code>	
<code>relative_preproc_dir</code>	
<code>relative_run_dir</code>	
<code>relative_work_dir</code>	
<code>run_dir</code>	Return run directory.
<code>session_dir</code>	Return session directory.
<code>work_dir</code>	Return work directory.

Methods:

<code>set_session_name([name])</code>	Set the name for the session.
---------------------------------------	-------------------------------

property config_dir

Return user config directory.

property main_log

Return main log file.

property main_log_debug

Return main log debug file.

property plot_dir

Return plot directory.

property preproc_dir

Return preproc directory.

```
relative_main_log = PosixPath('run/main_log.txt')
```

```
relative_main_log_debug = PosixPath('run/main_log_debug.txt')
```

```
relative_plot_dir = PosixPath('plots')
```

```
relative_preproc_dir = PosixPath('preproc')
```

```
relative_run_dir = PosixPath('run')
```

```
relative_work_dir = PosixPath('work')
```

property `run_dir`

Return run directory.

property `session_dir`

Return session directory.

session_name: `str` | `None`

set_session_name(*name*: `str` = 'session')

Set the name for the session.

The *name* is used to name the session directory, e.g. `session_20201208_132800/`. The date is suffixed automatically.

Parameters

name (`str`) –

property `work_dir`

Return work directory.

DATASET

Classes and functions for defining, finding, and loading data.

Classes:

<code>Dataset(**facets)</code>	Define datasets, find the related files, and load them.
--------------------------------	---

Data:

<code>INHERITED_FACETS</code>	Inherited facets.
-------------------------------	-------------------

Functions:

<code>datasets_to_recipe(datasets[, recipe])</code>	Create or update a recipe from datasets.
---	--

class `esmvalcore.dataset.Dataset(**facets: str | Sequence[str] | Number)`

Define datasets, find the related files, and load them.

Parameters

****facets** (*FacetValue*) – Facets describing the dataset. See `esmvalcore.esgf.facets.FACETS` for the mapping between the facet names used by ESMValCore and those used on ESGF.

supplementaries

List of supplementary datasets.

Type

`list[Dataset]`

facets

Facets describing the dataset.

Type

`esmvalcore.typing.Facets`

Methods:

<code>add_supplementary(**facets)</code>	Add an supplementary dataset.
<code>augment_facets()</code>	Add extra facets.
<code>copy(**facets)</code>	Create a copy.
<code>find_files()</code>	Find files.
<code>from_files()</code>	Create datasets based on the available files.
<code>from_ranges()</code>	Create a list of datasets from short notations.
<code>from_recipe(recipe, session)</code>	Read datasets from a recipe.
<code>load()</code>	Load dataset.
<code>set_facet(key, value[, persist])</code>	Set facet.
<code>set_version()</code>	Set the 'version' facet based on the available data.
<code>summary([shorten])</code>	Summarize the content of dataset.

Attributes:

<code>files</code>	The files associated with this dataset.
<code>minimal_facets</code>	Return a dictionary with the persistent facets.
<code>session</code>	A <code>esmvalcore.config.Session</code> associated with the dataset.

`add_supplementary(facets: str | Sequence[str] | Number) → None`**

Add an supplementary dataset.

This is a convenience function that will create a copy of the current dataset, update its facets with the values specified in `**facets`, and append it to `Dataset.supplementaries`. For more control over the creation of the supplementary dataset, first create a new `Dataset` describing the supplementary dataset and then append it to `Dataset.supplementaries`.

Parameters

`facets (str | Sequence[str] | Number)`** – Facets describing the supplementary variable.

Return type

None

`augment_facets() → None`

Add extra facets.

This function will update the dataset with additional facets from various sources.

Return type

None

`copy(facets: str | Sequence[str] | Number) → Dataset`**

Create a copy.

Parameters

`facets (str | Sequence[str] | Number)`** – Update these facets in the copy. Note that for supplementary datasets attached to the dataset, the 'short_name' and 'mip' facets will not be updated with these values.

Returns

A copy of the dataset.

Return type

`Dataset`

property files: `Sequence[ESGFFile | LocalFile]`

The files associated with this dataset.

find_files() → `None`

Find files.

Look for files and populate the `Dataset.files` property of the dataset and its supplementary datasets.

Return type

`None`

from_files() → `Iterator[Dataset]`

Create datasets based on the available files.

The facet values for local files are retrieved from the directory tree where the directories represent the facets values. Reading facet values from file names is not yet supported. See [CMIP data](#) for more information on this kind of file organization.

`glob.glob()` patterns can be used as facet values to select multiple datasets. If for some of the datasets not all glob patterns can be expanded (e.g. because the required facet values cannot be inferred from the directory names), these datasets will be ignored, unless this happens to be all datasets.

If `glob.glob()` patterns are used in supplementary variables and multiple matching datasets are found, only the supplementary dataset that has most facets in common with the main dataset will be attached.

Supplementary datasets will inherit the facet values from the main dataset for those facets listed in [INHERITED_FACETS](#).

Examples

See [Discovering data](#) for example use cases.

Yields

`Dataset` – Datasets representing the available files.

Return type

`Iterator[Dataset]`

from_ranges() → `list[Dataset]`

Create a list of datasets from short notations.

This expands the 'ensemble' and 'sub_experiment' facets in the dataset definition if they are ranges.

For example 'ensemble'='r(1:3)i1p1f1' will be expanded to three datasets, with 'ensemble' values 'r1i1p1f1', 'r2i1p1f1', 'r3i1p1f1'.

Returns

The datasets.

Return type

`list[Dataset]`

static from_recipe(recipe: Path | str | dict, session: Session) → list[Dataset]

Read datasets from a recipe.

Parameters

- **recipe** (`Path` | `str` | `dict`) – *Recipe* to load the datasets from. The value provided here should be either a path to a file, a recipe file that has been loaded using e.g. `yaml.safe_load()`, or an `str` that can be loaded using `yaml.safe_load()`.
- **session** (`Session`) – Datasets to use in the recipe.

Returns

A list of datasets.

Return type

`list[Dataset]`

`load()` → `Cube`

Load dataset.

Raises

`InputFilesNotFound` – When no files were found.

Returns

An `iris` cube with the data corresponding the the dataset.

Return type

`iris.cube.Cube`

property `minimal_facets`: `Dict[str, str | Sequence[str] | Number]`

Return a dictionary with the persistent facets.

property `session`: `Session`

A `esmvalcore.config.Session` associated with the dataset.

set_facet(*key*: `str`, *value*: `str | Sequence[str] | Number`, *persist*: `bool = True`)

Set facet.

Parameters

- **key** (`str`) – The name of the facet.
- **value** (`str | Sequence[str] | Number`) – The value of the facet.
- **persist** (`bool`) – When writing a dataset to a recipe, only persistent facets will get written.

set_version() → `None`

Set the 'version' facet based on the available data.

Return type

`None`

summary(*shorten*: `bool = False`) → `str`

Summarize the content of dataset.

Parameters

shorten (`bool`) – Shorten the summary.

Returns

A summary describing the dataset.

Return type

`str`

`esmvalcore.dataset.INHERITED_FACETS`: `list[str] = ['dataset', 'domain', 'driver', 'grid', 'project', 'timerange']`

Inherited facets.

Supplementary datasets created based on the available files using the `Dataset.from_files()` method will inherit the values of these facets from the main dataset.


```
esmvalcore.dataset.datasets_to_recipe(datasets: Iterable[Dataset], recipe: Path | str | dict[str, Any] | None  
                                     = None) → dict
```

Create or update a recipe from datasets.

Parameters

- **datasets** (*Iterable*[*Dataset*]) – Datasets to use in the recipe.
- **recipe** (*Path* | *str* | *dict*[*str*, *Any*] | *None*) – *Recipe* to load the datasets from. The value provided here should be either a path to a file, a recipe file that has been loaded using e.g. `yaml.safe_load()`, or an *str* that can be loaded using `yaml.safe_load()`.

Return type

dict

Examples

See *Composing recipes* for example use cases.

Returns

The recipe with the datasets. To convert the *dict* to a *recipe*, use e.g. `yaml.safe_dump()`.

Return type

dict

Raises

RecipeError – Raised when a dataset is missing the diagnostic facet.

Parameters

- **datasets** (*Iterable*[*Dataset*]) –
- **recipe** (*Path* | *str* | *dict*[*str*, *Any*] | *None*) –

FIND AND DOWNLOAD FILES FROM ESGF

This module provides the function `esmvalcore.esgf.find_files()` for searching for files on ESGF using the ESM-ValTool vocabulary. It returns `esmvalcore.esgf.ESGFFile` objects, which have a convenient `esmvalcore.esgf.ESGFFile.download()` method for downloading the files.

See *ESGF configuration* for instructions on configuring this module.

32.1 esmvalcore.esgf

`esmvalcore.esgf.find_files(*, project, short_name, dataset, **facets)`

Search for files on ESGF.

Parameters

- **project** (*str*) – Choose from CMIP3, CMIP5, CMIP6, CORDEX, or obs4MIPs.
- **short_name** (*str*) – The name of the variable.
- **dataset** (*str*) – The name of the dataset.
- ****facets** (*Union[str, list[str]]*) – Any other search facets. An '*' can be used to match any value. By default, only the latest version of a file will be returned. To select all versions use `version='*'` while other omitted facets will default to '*'. It is also possible to specify multiple values for a facet, e.g. `exp=['historical', 'ssp585']` will match any file that belongs to either the historical or ssp585 experiment. The `timerange` facet can be specified in *ISO 8601 format*.

Note: A value of `timerange='*'` is supported, but combining a '*' with a time or period *as supported in the recipe* is currently not supported and will return all found files.

Examples

Examples of how to use this function for all supported projects.

Search for a CMIP3 dataset:

```
>>> find_files(  
...     project='CMIP3',  
...     frequency='mon',  
...     short_name='tas',  
...     dataset='cccma_cgcm3_1',
```

(continues on next page)

(continued from previous page)

```

...     exp='historical',
...     ensemble='run1',
... )
[ESGFFile:cmip3/CCCma/cccma_cgcm3_1/historical/mon/atmos/run1/tas/v1/tas_a1_20c3m_1_
↪cgcm3.1_t47_1850_2000.nc]

```

Search for a CMIP5 dataset:

```

>>> find_files(
...     project='CMIP5',
...     mip='Amon',
...     short_name='tas',
...     dataset='inmcm4',
...     exp='historical',
...     ensemble='r1i1p1',
... )
[ESGFFile:cmip5/output1/INM/inmcm4/historical/mon/atmos/Amon/r1i1p1/v20130207/tas_
↪Amon_inmcm4_historical_r1i1p1_185001-200512.nc]

```

Search for a CMIP6 dataset:

```

>>> find_files(
...     project='CMIP6',
...     mip='Amon',
...     short_name='tas',
...     dataset='CanESM5',
...     exp='historical',
...     ensemble='r1i1p1f1',
... )
[ESGFFile:CMIP6/CMIP/CCCma/CanESM5/historical/r1i1p1f1/Amon/tas/gn/v20190429/tas_
↪Amon_CanESM5_historical_r1i1p1f1_gn_185001-201412.nc]

```

Search for a CORDEX dataset and limit the search results to files containing data to the years in the range 1990-2000:

```

>>> find_files(
...     project='CORDEX',
...     frequency='mon',
...     dataset='COSMO-crCLIM-v1-1',
...     short_name='tas',
...     exp='historical',
...     ensemble='r1i1p1',
...     domain='EUR-11',
...     driver='MPI-M-MPI-ESM-LR',
...     timerange='1990/2000',
... )
[ESGFFile:cordex/output/EUR-11/CLMcom-ETH/MPI-M-MPI-ESM-LR/historical/r1i1p1/COSMO-
↪crCLIM-v1-1/v1/mon/tas/v20191219/tas_EUR-11_MPI-M-MPI-ESM-LR_historical_r1i1p1_
↪CLMcom-ETH-COSMO-crCLIM-v1-1_v1_mon_198101-199012.nc,
ESGFFile:cordex/output/EUR-11/CLMcom-ETH/MPI-M-MPI-ESM-LR/historical/r1i1p1/COSMO-
↪crCLIM-v1-1/v1/mon/tas/v20191219/tas_EUR-11_MPI-M-MPI-ESM-LR_historical_r1i1p1_
↪CLMcom-ETH-COSMO-crCLIM-v1-1_v1_mon_199101-200012.nc]

```

Search for an obs4MIPs dataset:

```
>>> find_files(
...     project='obs4MIPs',
...     frequency='mon',
...     dataset='CERES-EBAF',
...     short_name='rsutcs',
... )
[ESGFFile:obs4MIPs/NASA-LaRC/CERES-EBAF/atmos/mon/v20160610/rsutcs_CERES-EBAF_L3B_
↪Ed2-8_200003-201404.nc]
```

Search for any ensemble member:

```
>>> find_files(
...     project='CMIP6',
...     mip='Amon',
...     short_name='tas',
...     dataset='BCC-CSM2-MR',
...     exp='historical',
...     ensemble='*',
... )
[ESGFFile:CMIP6/CMIP/BCC/BCC-CSM2-MR/historical/r1i1p1f1/Amon/tas/gn/v20181126/tas_
↪Amon_BCC-CSM2-MR_historical_r1i1p1f1_gn_185001-201412.nc,
ESGFFile:CMIP6/CMIP/BCC/BCC-CSM2-MR/historical/r2i1p1f1/Amon/tas/gn/v20181115/tas_
↪Amon_BCC-CSM2-MR_historical_r2i1p1f1_gn_185001-201412.nc,
ESGFFile:CMIP6/CMIP/BCC/BCC-CSM2-MR/historical/r3i1p1f1/Amon/tas/gn/v20181119/tas_
↪Amon_BCC-CSM2-MR_historical_r3i1p1f1_gn_185001-201412.nc]
```

Search for all available versions of a file:

```
>>> find_files(
...     project='CMIP5',
...     mip='Amon',
...     short_name='tas',
...     dataset='CCSM4',
...     exp='historical',
...     ensemble='r1i1p1',
...     version='*',
... )
[ESGFFile:cmip5/output1/NCAR/CCSM4/historical/mon/atmos/Amon/r1i1p1/v20121031/tas_
↪Amon_CCSM4_historical_r1i1p1_185001-200512.nc,
ESGFFile:cmip5/output1/NCAR/CCSM4/historical/mon/atmos/Amon/r1i1p1/v20130425/tas_
↪Amon_CCSM4_historical_r1i1p1_185001-200512.nc,
ESGFFile:cmip5/output1/NCAR/CCSM4/historical/mon/atmos/Amon/r1i1p1/v20160829/tas_
↪Amon_CCSM4_historical_r1i1p1_185001-200512.nc]
```

Search for a specific version of a file:

```
>>> find_files(
...     project='CMIP5',
...     mip='Amon',
...     short_name='tas',
...     dataset='CCSM4',
...     exp='historical',
```

(continues on next page)

(continued from previous page)

```
...     ensemble='r1i1p1',
...     version='v20130425',
... )
[ESGFFile:cmip5/output1/NCAR/CCSM4/historical/mon/atmos/Amon/r1i1p1/v20130425/tas_
↪Amon_CCSM4_historical_r1i1p1_185001-200512.nc]
```

Returns

A list of files that have been found.

Return type

list of *ESGFFile*

`esmvalcore.esgf.download(files, dest_folder, n_jobs=4)`

Download multiple ESGFFiles in parallel.

Parameters

- **files** (list of *ESGFFile*) – The files to download.
- **dest_folder** (*Path*) – The destination folder.
- **n_jobs** (*int*) – The number of files to download in parallel.

Raises

DownloadError: – Raised if one or more files failed to download.

`class esmvalcore.esgf.ESGFFile(results)`

Bases: *object*

File on the ESGF.

This is the object returned by `esmvalcore.esgf.find_files()`.

dataset

The name of the dataset that the file is part of.

Type

str

facets

Facets describing the file.

Type

dict[str, str]

name

The name of the file.

Type

str

size

The size of the file in bytes.

Type

int

urls

The URLs where the file can be downloaded.

Type

`list[str]`

Methods:

<code>download(dest_folder)</code>	Download the file.
<code>local_file(dest_folder)</code>	Return the path to the local file after download.

download(dest_folder)

Download the file.

Parameters

dest_folder (*Path*) – The destination folder.

Raises

DownloadError: – Raised if downloading the file failed.

Returns

The path where the file will be located after download.

Return type

LocalFile

local_file(dest_folder)

Return the path to the local file after download.

Parameters

dest_folder (*Path*) – The destination folder.

Returns

The path where the file will be located after download.

Return type

LocalFile

32.2 esmvalcore.esgf.facets

Module containing mappings from our names to ESGF names.

Data:

<code>DATASET_MAP</code>	Cache for the mapping between recipe/filesystem and ESGF dataset names.
<code>FACETS</code>	Mapping between the recipe and ESGF facet names.

Functions:

<code>create_dataset_map()</code>	Create the DATASET_MAP from recipe datasets to ESGF dataset names.
-----------------------------------	--

```
esmvalcore.esgf.facets.DATASET_MAP = {'CMIP3': {}, 'CMIP5': {'ACCESS1-0': 'ACCESS1.0',  
'ACCESS1-3': 'ACCESS1.3', 'CESM1-BGC': 'CESM1(BGC)', 'CESM1-CAM5': 'CESM1(CAM5)',  
'CESM1-CAM5-1-FV2': 'CESM1(CAM5.1,FV2)', 'CESM1-FASTCHEM': 'CESM1(FASTCHEM)',  
'CESM1-WACCM': 'CESM1(WACCM)', 'CSIRO-Mk3-6-0': 'CSIRO-Mk3.6.0', 'GFDL-CM2p1':  
'GFDL-CM2.1', 'MRI-AGCM3-2H': 'MRI-AGCM3.2H', 'MRI-AGCM3-2S': 'MRI-AGCM3.2S',  
'bcc-csm1-1': 'BCC-CSM1.1', 'bcc-csm1-1-m': 'BCC-CSM1.1(m)', 'fio-esm': 'FIO-ESM',  
'inmcm4': 'INM-CM4'}, 'CMIP6': {}, 'CORDEX': {}, 'obs4MIPs': {}}
```

Cache for the mapping between recipe/filesystem and ESGF dataset names.

```
esmvalcore.esgf.facets.FACETS = {'CMIP3': {'dataset': 'model', 'ensemble': 'ensemble',  
'exp': 'experiment', 'frequency': 'time_frequency', 'short_name': 'variable'}, 'CMIP5':  
{'dataset': 'model', 'ensemble': 'ensemble', 'exp': 'experiment', 'frequency':  
'time_frequency', 'institute': 'institute', 'mip': 'cmor_table', 'product': 'product',  
'short_name': 'variable'}, 'CMIP6': {'activity': 'activity_drs', 'dataset': 'source_id',  
'ensemble': 'member_id', 'exp': 'experiment_id', 'grid': 'grid_label', 'institute':  
'institution_id', 'mip': 'table_id', 'short_name': 'variable'}, 'CORDEX': {'dataset':  
'rcm_name', 'domain': 'domain', 'driver': 'driving_model', 'ensemble': 'ensemble', 'exp':  
'experiment', 'frequency': 'time_frequency', 'institute': 'institute', 'product':  
'product', 'short_name': 'variable'}, 'obs4MIPs': {'dataset': 'source_id', 'frequency':  
'time_frequency', 'institute': 'institute', 'short_name': 'variable'}}
```

Mapping between the recipe and ESGF facet names.

```
esmvalcore.esgf.facets.create_dataset_map()
```

Create the DATASET_MAP from recipe datasets to ESGF dataset names.

Run *python -m esmvalcore.esgf.facets* to print an up to date map.

EXCEPTIONS

Exceptions that may be raised by ESMValCore.

Exceptions:

<i>ESMValCoreDeprecationWarning</i>	Custom deprecation warning.
<i>Error</i>	Base class from which other exceptions are derived.
<i>InputFilesNotFound(msg)</i>	Files that are required to run the recipe have not been found.
<i>InvalidConfigParameter</i>	Config parameter is invalid.
<i>MissingConfigParameter</i>	Config parameter is missing.
<i>RecipeError(msg)</i>	Recipe contains an error.
<i>SuppressedError</i>	Errors subclassed from SuppressedError hide the full traceback.

exception `esmvalcore.exceptions.ESMValCoreDeprecationWarning`

Bases: `UserWarning`

Custom deprecation warning.

exception `esmvalcore.exceptions.Error`

Bases: `Exception`

Base class from which other exceptions are derived.

exception `esmvalcore.exceptions.InputFilesNotFound(msg)`

Bases: `RecipeError`

Files that are required to run the recipe have not been found.

exception `esmvalcore.exceptions.InvalidConfigParameter`

Bases: `Error`, `SuppressedError`

Config parameter is invalid.

exception `esmvalcore.exceptions.MissingConfigParameter`

Bases: `UserWarning`

Config parameter is missing.

exception `esmvalcore.exceptions.RecipeError(msg)`

Bases: `Error`

Recipe contains an error.

exception `esmvalcore.exceptions.SuppressedError`

Bases: `Exception`

Errors subclassed from `SuppressedError` hide the full traceback.

This can be used for simple user-facing errors that do not need the full traceback.

IRIS HELPER FUNCTIONS

Auxiliary functions for `iris`.

Functions:

<code>add_leading_dim_to_cube(cube, dim_coord)</code>	Add new leading dimension to cube.
<code>date2num(date, unit[, dtype])</code>	Convert datetime object into numeric value with requested dtype.
<code>has_irregular_grid(cube)</code>	Check if a cube has an irregular grid.
<code>has_unstructured_grid(cube)</code>	Check if a cube has an unstructured grid.
<code>merge_cube_attributes(cubes[, delimiter])</code>	Merge attributes of all given cubes in-place.
<code>rechunk_cube(cube, complete_coords[, ...])</code>	Rechunk cube so that it is not chunked along given dimensions.

`esmvalcore.iris_helpers.add_leading_dim_to_cube(cube, dim_coord)`

Add new leading dimension to cube.

An input cube with shape (x, ..., z) will be transformed to a cube with shape (w, x, ..., z) where w is the length of `dim_coord`. Note that the data is broadcasted to the new shape.

Parameters

- **cube** (`iris.cube.Cube`) – Input cube.
- **dim_coord** (`iris.coords.DimCoord`) – Dimensional coordinate that is used to describe the new leading dimension. Needs to be 1D.

Returns

Transformed input cube with new leading dimension.

Return type

`iris.cube.Cube`

Raises

CoordinateMultiDimError – `dim_coord` is not 1D.

`esmvalcore.iris_helpers.date2num(date, unit, dtype=<class 'numpy.float64'>)`

Convert datetime object into numeric value with requested dtype.

This is a custom version of `cf_units.Unit.date2num()` that guarantees the correct dtype for the return value.

Parameters

- **date** (`datetime.datetime` or `cftime.datetime`) –
- **unit** (`cf_units.Unit`) –
- **dtype** (a `numpy dtype`) –

Returns

The return value of `unit.date2num` with the requested dtype.

Return type

`numpy.ndarray` of type *dtype*

`esmvalcore.iris_helpers.has_irregular_grid(cube: Cube) → bool`

Check if a cube has an irregular grid.

Parameters

cube (*Cube*) – Cube to be checked.

Returns

True if input cube has an irregular grid, else False.

Return type

`bool`

`esmvalcore.iris_helpers.has_unstructured_grid(cube: Cube) → bool`

Check if a cube has an unstructured grid.

Parameters

cube (*Cube*) – Cube to be checked.

Returns

True if input cube has an unstructured grid, else False.

Return type

`bool`

`esmvalcore.iris_helpers.merge_cube_attributes(cubes: Sequence[Cube], delimiter: str = ' ') → None`

Merge attributes of all given cubes in-place.

After this operation, the attributes of all given cubes are equal. This is useful for operations that combine cubes, such as `iris.cube.CubeList.merge_cube()` or `iris.cube.CubeList.concatenate_cube()`.

Note: This function differs from `iris.util.equalise_attributes()` in this respect that it does not delete attributes that are not identical but rather concatenates them (sorted) using the given delimiter. E.g., the attributes `exp: historical` and `exp: ssp585` end up as `exp: historical ssp585` using the default `delimiter = ' '`.

Parameters

- **cubes** (*Sequence*[*Cube*]) – Input cubes whose attributes will be modified in-place.
- **delimiter** (*str*) – Delimiter that is used to concatenate non-identical attributes.

Return type

None

`esmvalcore.iris_helpers.rechunk_cube(cube: Cube, complete_coords: Iterable[Coord | str], remaining_dims: int | Literal['auto'] = 'auto') → Cube`

Rechunk cube so that it is not chunked along given dimensions.

This will rechunk the cube's data, but also all non-dimensional coordinates, cell measures, and ancillary variables that span at least one of the given dimensions.

Note: This will only rechunk *dask* arrays. *numpy* arrays are not changed.

Parameters

- **cube** (*Cube*) – Input cube.
- **complete_coords** (*Iterable*[*Coord* / *str*]) – (Names of) coordinates along which the output cubes should not be chunked. The given coordinates must span exactly 1 dimension.
- **remaining_dims** (*int* / *Literal*['auto']) – Chunksize of the remaining dimensions.

Returns

Rechunked cube. This will always be a copy of the input cube.

Return type

Cube

FIND FILES ON THE LOCAL FILESYSTEM

Find files on the local filesystem.

Classes:

<code>LocalFile(*args, **kwargs)</code>	File on the local filesystem.
---	-------------------------------

Functions:

<code>find_files(*[, debug])</code>	Find files on the local filesystem.
-------------------------------------	-------------------------------------

class `esmvalcore.local.LocalFile(*args, **kwargs)`

Bases: `PosixPath`

File on the local filesystem.

Attributes:

<code>facets</code>	Facets describing the file.
---------------------	-----------------------------

property `facets: Dict[str, str | Sequence[str] | Number]`

Facets describing the file.

Note: When using `find_files()`, facets are read from the directory structure. Facets stored in filenames are not yet supported.

`esmvalcore.local.find_files(*, debug: bool = False, **facets: str | Sequence[str] | Number) → list[LocalFile] | tuple[list[LocalFile], list[Path]]`

Find files on the local filesystem.

The directories that are searched for files are defined in `esmvalcore.config.CFG` under the 'rootpath' key using the directory structure defined under the 'drs' key. If `esmvalcore.config.CFG['rootpath']` contains a key that matches the value of the project facet, those paths will be used. If there is no project specific key, the directories in `esmvalcore.config.CFG['rootpath']['default']` will be searched.

See [Input data](#) for extensive instructions on configuring ESMValCore so it can find files locally.

Parameters

- **debug** (*bool*) – When debug is set to `True`, the function will return a tuple with the first element containing the files that were found and the second element containing the `glob.glob()` patterns that were used to search for files.
- ****facets** (*str* | *Sequence[str]* | *Number*) – Facets used to search for files. An `'*'` can be used to match any value. By default, only the latest version of a file will be returned. To select all versions use `version='*'`. It is also possible to specify multiple values for a facet, e.g. `exp=['historical', 'ssp585']` will match any file that belongs to either the historical or ssp585 experiment. The `timerange` facet can be specified in `ISO 8601` format.

Return type

`list[LocalFile]` | `tuple[list[LocalFile], list[Path]]`

Note: A value of `timerange='*'` is supported, but combining a `'*'` with a time or period *as supported in the recipe* is currently not supported and will return all found files.

Examples

Search for files containing surface air temperature from any CMIP6 model for the historical experiment:

```
>>> esmvalcore.local.find_files(  
...     project='CMIP6',  
...     activity='CMIP',  
...     mip='Amon',  
...     short_name='tas',  
...     exp='historical',  
...     dataset='*',  
...     ensemble='*',  
...     grid='*',  
...     institute='*',  
... )  
[LocalFile('/home/bandela/climate_data/CMIP6/CMIP/BCC/BCC-ESM1/historical/r1i1p1f1/  
↪Amon/tas/gn/v20181214/tas_Amon_BCC-ESM1_historical_r1i1p1f1_gn_185001-201412.nc')]
```

Returns

The files that were found.

Return type

`list[LocalFile]`

Parameters

- **debug** (*bool*) –
- **facets** (*str* | *Sequence[str]* | *Number*) –

PREPROCESSOR FUNCTIONS

```
esmvalcore.preprocessor.DEFAULT_ORDER = ('fix_file', 'load', 'fix_metadata',
'concatenate', 'cmor_check_metadata', 'clip_timerange', 'fix_data', 'cmor_check_data',
'add_supplementary_variables', 'derive', 'extract_time', 'extract_season',
'extract_month', 'resample_hours', 'resample_time', 'extract_levels',
'weighting_landsea_fraction', 'mask_landsea', 'mask_glaciated', 'mask_landseaice',
'regrid', 'extract_coordinate_points', 'extract_point', 'extract_location',
'mask_multimodel', 'mask_fillvalues', 'mask_above_threshold', 'mask_below_threshold',
'mask_inside_range', 'mask_outside_range', 'clip', 'rolling_window_statistics',
'extract_region', 'extract_shape', 'extract_volume', 'extract_trajectory',
'extract_transect', 'detrend', 'extract_named_regions', 'axis_statistics',
'depth_integration', 'area_statistics', 'volume_statistics', 'local_solar_time',
'amplitude', 'zonal_statistics', 'meridional_statistics', 'accumulate_coordinate',
'hourly_statistics', 'daily_statistics', 'monthly_statistics', 'seasonal_statistics',
'annual_statistics', 'decadal_statistics', 'climate_statistics', 'anomalies',
'regrid_time', 'timeseries_filter', 'linear_trend', 'linear_trend_stderr',
'convert_units', 'ensemble_statistics', 'multi_model_statistics', 'bias',
'remove_supplementary_variables', 'save')
```

By default, preprocessor functions are applied in this order.

Preprocessor module.

Functions:

<code>accumulate_coordinate(cube, coordinate)</code>	Weight data using the bounds from a given coordinate.
<code>add_supplementary_variables(cube, ...)</code>	Add ancillary variables and/or cell measures.
<code>amplitude(cube, coords)</code>	Calculate amplitude of cycles by aggregating over coordinates.
<code>annual_statistics(cube[, operator])</code>	Compute annual statistics.
<code>anomalies(cube, period[, reference, ...])</code>	Compute anomalies using a mean with the specified granularity.
<code>area_statistics(cube, operator[, normalize])</code>	Apply a statistical operator in the horizontal plane.
<code>axis_statistics(cube, axis, operator[, ...])</code>	Perform statistics along a given axis.
<code>bias(products[, ref_cube, bias_type, ...])</code>	Calculate biases relative to a reference dataset.
<code>climate_statistics(cube[, operator, period, ...])</code>	Compute climate statistics with the specified granularity.
<code>clip(cube[, minimum, maximum])</code>	Clip values at a specified minimum and/or maximum value.
<code>clip_timerange(cube, timerange)</code>	Extract time range with a resolution up to seconds.
<code>cmor_check_data(cube, cmor_table, mip, ...)</code>	Check if data conforms to variable's CMOR definition.
<code>cmor_check_metadata(cube, cmor_table, mip, ...)</code>	Check if metadata conforms to variable's CMOR definition.

continues on next page

Table 1 – continued from previous page

<i>concatenate</i> (cubes[, check_level])	Concatenate all cubes after fixing metadata.
<i>convert_units</i> (cube, units)	Convert the units of a cube to new ones.
<i>daily_statistics</i> (cube[, operator])	Compute daily statistics.
<i>decadal_statistics</i> (cube[, operator])	Compute decadal statistics.
<i>depth_integration</i> (cube)	Determine the total sum over the vertical component.
<i>derive</i> (cubes, short_name, long_name, units)	Derive variable.
<i>detrend</i> (cube[, dimension, method])	Detrend data along a given dimension.
<i>ensemble_statistics</i> (products, statistics, ...)	Compute ensemble statistics.
<i>extract_coordinate_points</i> (cube, definition, ...)	Extract points from any coordinate with interpolation.
<i>extract_levels</i> (cube, levels, scheme[, ...])	Perform vertical interpolation.
<i>extract_location</i> (cube, location, scheme)	Extract a point using a location name, with interpolation.
<i>extract_month</i> (cube, month)	Slice cube to get only the data belonging to a specific month.
<i>extract_named_regions</i> (cube, regions)	Extract a specific named region.
<i>extract_point</i> (cube, latitude, longitude, scheme)	Extract a point, with interpolation.
<i>extract_region</i> (cube, start_longitude, ...)	Extract a region from a cube.
<i>extract_season</i> (cube, season)	Slice cube to get only the data belonging to a specific season.
<i>extract_shape</i> (cube, shapefile[, method, ...])	Extract a region defined by a shapefile using masking.
<i>extract_time</i> (cube, start_year, start_month, ...)	Extract a time range from a cube.
<i>extract_trajectory</i> (cube, latitudes, longitudes)	Extract data along a trajectory.
<i>extract_transect</i> (cube[, latitude, longitude])	Extract data along a line of constant latitude or longitude.
<i>extract_volume</i> (cube, z_min, z_max[, ...])	Subset a cube based on a range of values in the z-coordinate.
<i>fix_data</i> (cube, short_name, project, dataset, mip)	Fix cube data if fixes are required.
<i>fix_file</i> (file, short_name, project, dataset, ...)	Fix files before ESMValTool can load them.
<i>fix_metadata</i> (cubes, short_name, project, ...)	Fix cube metadata if fixes are required.
<i>hourly_statistics</i> (cube, hours[, operator])	Compute hourly statistics.
<i>linear_trend</i> (cube[, coordinate])	Calculate linear trend of data along a given coordinate.
<i>linear_trend_stderr</i> (cube[, coordinate])	Calculate standard error of linear trend along a given coordinate.
<i>load</i> (file[, ignore_warnings])	Load iris cubes from string or Path objects.
<i>local_solar_time</i> (cube)	Convert UTC time coordinate to local solar time (LST).
<i>mask_above_threshold</i> (cube, threshold)	Mask above a specific threshold value.
<i>mask_below_threshold</i> (cube, threshold)	Mask below a specific threshold value.
<i>mask_fillvalues</i> (products, threshold_fraction)	Compute and apply a multi-dataset fillvalues mask.
<i>mask_glaciated</i> (cube[, mask_out])	Mask out glaciated areas.
<i>mask_inside_range</i> (cube, minimum, maximum)	Mask inside a specific threshold range.
<i>mask_landsea</i> (cube, mask_out)	Mask out either land mass or sea (oceans, seas and lakes).
<i>mask_landseaice</i> (cube, mask_out)	Mask out either landsea (combined) or ice.
<i>mask_multimodel</i> (products)	Apply common mask to all datasets (using logical OR).
<i>mask_outside_range</i> (cube, minimum, maximum)	Mask outside a specific threshold range.
<i>meridional_statistics</i> (cube, operator[, ...])	Compute meridional statistics.
<i>monthly_statistics</i> (cube[, operator])	Compute monthly statistics.
<i>multi_model_statistics</i> (products, span, ...)	Compute multi-model statistics.
<i>regrid</i> (cube, target_grid, scheme[, ...])	Perform horizontal regridding.
<i>regrid_time</i> (cube, frequency)	Align time axis for cubes so they can be subtracted.
<i>remove_supplementary_variables</i> (cube)	Remove supplementary variables.
<i>resample_hours</i> (cube, interval[, offset])	Convert x-hourly data to y-hourly by eliminating extra timesteps.
<i>resample_time</i> (cube[, month, day, hour])	Change frequency of data by resampling it.

continues on next page

Table 1 – continued from previous page

<code>rolling_window_statistics</code> (cube, coordinate, ...)	Compute rolling-window statistics over a coordinate.
<code>save</code> (cubes, filename[, optimize_access, ...])	Save iris cubes to file.
<code>seasonal_statistics</code> (cube[, operator, seasons])	Compute seasonal statistics.
<code>timeseries_filter</code> (cube, window, span[, ...])	Apply a timeseries filter.
<code>volume_statistics</code> (cube, operator[, normalize])	Apply a statistical operation over a volume.
<code>weighting_landsea_fraction</code> (cube, area_type)	Weight fields using land or sea fraction.
<code>zonal_statistics</code> (cube, operator[, normalize])	Compute zonal statistics.

`esmvalcore.preprocessor.accumulate_coordinate`(cube: *Cube*, coordinate: *str* | *DimCoord* | *AuxCoord*) → *Cube*

Weight data using the bounds from a given coordinate.

The resulting cube will then have units given by `cube_units * coordinate_units`.

Parameters

- **cube** (*Cube*) – Data cube for the flux
- **coordinate** (*str* | *DimCoord* | *AuxCoord*) – Name of the coordinate that will be used as weights.

Returns

Cube with the aggregated data

Return type

iris.cube.Cube

Raises

- **ValueError** – If the coordinate is not found in the cube.
- **NotImplementedError** – If the coordinate is multidimensional.

`esmvalcore.preprocessor.add_supplementary_variables`(cube: *Cube*, supplementary_cubes: *Iterable*[*Cube*]) → *Cube*

Add ancillary variables and/or cell measures.

Parameters

- **cube** (*Cube*) – Cube to add to.
- **supplementary_cubes** (*Iterable*[*Cube*]) – Iterable of cubes containing the supplementary variables.

Returns

Cube with added ancillary variables and/or cell measures.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.amplitude`(cube, coords)

Calculate amplitude of cycles by aggregating over coordinates.

Note: The amplitude is calculated as *peak-to-peak* amplitude (difference between maximum and minimum value of the signal). Other amplitude types are currently not supported.

Parameters

- **cube** (*iris.cube.Cube*) – Input data.
- **coords** (*str* or *list of str*) – Coordinates over which is aggregated. For example, use 'year' to extract the annual cycle amplitude for each year in the data or ['day_of_year', 'year'] to extract the diurnal cycle amplitude for each individual day in the data. If the coordinates are not found in cube, try to add it via *iris.coord_categorisation* (at the moment, this only works for the temporal coordinates *day_of_month*, *day_of_year*, *hour*, *month*, *month_fullname*, *month_number*, *season*, *season_number*, *season_year*, *weekday*, *weekday_fullname*, *weekday_number* or *year*).

Returns

Amplitudes.

Return type

iris.cube.Cube

Raises

iris.exceptions.CoordinateNotFoundError – A coordinate is not found in cube and cannot be added via *iris.coord_categorisation*.

esmvalcore.preprocessor.annual_statistics(*cube: Cube*, *operator: str = 'mean'*, ***operator_kwargs*) → *Cube*

Compute annual statistics.

Note that this function does not weight the annual mean if uneven time periods are present. I.e., all data inside the year are treated equally.

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the *iris.analysis.Aggregator* object used to calculate the statistics. Allowed options are given in *this table*.
- ****operator_kwargs** – Optional keyword arguments for the *iris.analysis.Aggregator* object defined by *operator*.

Returns

Annual statistics cube.

Return type

iris.cube.Cube

esmvalcore.preprocessor.anomalies(*cube: Cube*, *period: str*, *reference: dict | None = None*, *standardize: bool = False*, *seasons: Iterable[str] = ('DJF', 'MAM', 'JJA', 'SON')*) → *Cube*

Compute anomalies using a mean with the specified granularity.

Computes anomalies based on hourly, daily, monthly, seasonal or yearly means for the full available period.

Parameters

- **cube** (*Cube*) – Input cube.
- **period** (*str*) – Period to compute the statistic over. Available periods: *full*, *season*, *seasonal*, *monthly*, *month*, *mon*, *daily*, *day*, *hourly*, *hour*, *hr*.
- **reference** (*optional*) – Period of time to use a reference, as needed for the *extract_time()* preprocessor function. If *None*, all available data is used as a reference.
- **standardize** (*optional*) – If *True* standardized anomalies are calculated.
- **seasons** (*optional*) – Seasons to use if needed. Defaults to ('DJF', 'MAM', 'JJA', 'SON').

Returns

Anomalies cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.area_statistics(cube: Cube, operator: str, normalize: Literal['subtract', 'divide'] | None = None, **operator_kwargs) → Cube`

Apply a statistical operator in the horizontal plane.

We assume that the horizontal directions are ['longitude', 'latitude'].

This table shows a list of supported operators. All operators that support weights are by default weighted with the grid cell areas. Note that for area-weighted sums, the units of the resulting cube will be multiplied by m^2 .

Parameters

- **cube** (*Cube*) – Input cube. The input cube should have a `iris.coords.CellMeasure` named 'cell_area', unless it has regular 1D latitude and longitude coordinates so the cell areas can be computed using `iris.analysis.cartography.area_weights()`.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in *this table*.
- **normalize** (*Literal*['subtract', 'divide'] | *None*) – If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Collapsed cube.

Return type

`iris.cube.Cube`

Raises

`iris.exceptions.CoordinateMultiDimError` – Cube has irregular or unstructured grid but supplementary variable *cell_area* is not available.

`esmvalcore.preprocessor.axis_statistics(cube: Cube, axis: str, operator: str, normalize: Literal['subtract', 'divide'] | None = None, **operator_kwargs) → Cube`

Perform statistics along a given axis.

Operates over an axis direction.

Note: The *mean*, *sum* and *rms* operations are weighted by the corresponding coordinate bounds by default. For *sum*, the units of the resulting cube will be multiplied by corresponding coordinate units.

Parameters

- **cube** (*Cube*) – Input cube.
- **axis** (*str*) – Direction over where to apply the operator. Possible values are *x*, *y*, *z*, *t*.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in *this table*.

- **normalize** (*Literal*['subtract', 'divide'] | *None*) – If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- ****operator_kwargs** – Optional keyword arguments for the *iris.analysis.Aggregator* object defined by *operator*.

Returns

Collapsed cube.

Return type

iris.cube.Cube

```
esmvalcore.preprocessor.bias(products: set[PreprocessorFile] | Iterable[Cube], ref_cube: Cube | None =  
                             None, bias_type: BiasType = 'absolute', denominator_mask_threshold: float =  
                             0.001, keep_reference_dataset: bool = False) → set[PreprocessorFile] |  
                             CubeList
```

Calculate biases relative to a reference dataset.

The reference dataset needs to be broadcastable to all input *products*. This supports *iris*' rich broadcasting abilities. To ensure this, the preprocessors *esmvalcore.preprocessor.regrid()* and/or *esmvalcore.preprocessor.regrid_time()* might be helpful.

Notes

The reference dataset can be specified with the *ref_cube* argument. If *ref_cube* is *None*, exactly one input dataset in the *products* set needs to have the facet *reference_for_bias*: *true* defined in the recipe. Please do **not** specify the option *ref_cube* when using this preprocessor function in a recipe.

Parameters

- **products** (*set*[*PreprocessorFile*] | *Iterable*[*Cube*]) – Input datasets/cubes for which the bias is calculated relative to a reference dataset/cube.
- **ref_cube** (*Optional*[*Cube*]) – Cube which is used as reference for the bias calculation. If *None*, *products* needs to be a *set* of *~esmvalcore.preprocessor.PreprocessorFile* objects and exactly one dataset in *products* needs the facet *reference_for_bias*: *true*.
- **bias_type** (*BiasType*) – Bias type that is calculated. Must be one of 'absolute' (dataset - ref) or 'relative' ((dataset - ref) / ref).
- **denominator_mask_threshold** (*float*) – Threshold to mask values close to zero in the denominator (i.e., the reference dataset) during the calculation of relative biases. All values in the reference dataset with absolute value less than the given threshold are masked out. This setting is ignored when *bias_type* is set to 'absolute'. Please note that for some variables with very small absolute values (e.g., carbon cycle fluxes, which are usually $< 10^{-6}$ kg m⁻² s⁻¹) it is absolutely essential to change the default value in order to get reasonable results.
- **keep_reference_dataset** (*bool*) – If *True*, keep the reference dataset in the output. If *False*, drop the reference dataset. Ignored if *ref_cube* is given.

Returns

Output datasets/cubes. Will be a *set* of *PreprocessorFile* objects if *products* is also one, a *CubeList* otherwise.

Return type

set[*PreprocessorFile*] | *CubeList*

Raises

ValueError – Not exactly one input datasets contains the facet `reference_for_bias: true` if `ref_cube=None`; `ref_cube=None` and the input products are given as iterable of `Cube` objects; `bias_type` is not one of 'absolute' or 'relative'.

```
esmvalcore.preprocessor.climate_statistics(cube: Cube, operator: str = 'mean', period: str = 'full',
                                          seasons: Iterable[str] = ('DJF', 'MAM', 'JJA', 'SON'),
                                          **operator_kwargs) → Cube
```

Compute climate statistics with the specified granularity.

Computes statistics for the whole dataset. It is possible to get them for the full period or with the data grouped by hour, day, month or season.

Note: The *mean*, *sum* and *rms* operations over the *full* period are weighted by the time coordinate, i.e., the length of the time intervals. For *sum*, the units of the resulting cube will be multiplied by corresponding time units (e.g., days).

Parameters

- **cube** (`Cube`) – Input cube.
- **operator** (`str`) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- **period** (`str`) – Period to compute the statistic over. Available periods: *full*, *season*, *seasonal*, *monthly*, *month*, *mon*, *daily*, *day*, *hourly*, *hour*, *hr*.
- **seasons** (`Iterable[str]`) – Seasons to use if needed. Defaults to ('DJF', 'MAM', 'JJA', 'SON').
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Climate statistics cube.

Return type

`iris.cube.Cube`

```
esmvalcore.preprocessor.clip(cube, minimum=None, maximum=None)
```

Clip values at a specified minimum and/or maximum value.

Values lower than minimum are set to minimum and values higher than maximum are set to maximum.

Parameters

- **cube** (`iris.cube.Cube`) – iris cube to be clipped
- **minimum** (`float`) – lower threshold to be applied on input cube data.
- **maximum** (`float`) – upper threshold to be applied on input cube data.

Returns

clipped cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.clip_timerange(cube: Cube, timerange: str) → Cube`

Extract time range with a resolution up to seconds.

Parameters

- **cube** (*Cube*) – Input cube.
- **timerange** (*str*) – Time range in ISO 8601 format.

Returns

Sliced cube.

Return type

`iris.cube.Cube`

Raises

ValueError – Time ranges are outside the cube's time limits.

`esmvalcore.preprocessor.cmor_check_data(cube: Cube, cmor_table: str, mip: str, short_name: str, frequency: str | None = None, check_level: CheckLevels = CheckLevels.DEFAULT) → Cube`

Check if data conforms to variable's CMOR definition.

Parameters

- **cube** (*Cube*) – Data cube to check.
- **cmor_table** (*str*) – CMOR definitions to use (i.e., the variable's project).
- **mip** (*str*) – Variable's MIP.
- **short_name** (*str*) – Variable's short name
- **frequency** (*str* / *None*) – Data frequency. If not given, use the one from the CMOR table of the variable.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Returns

Checked cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.cmor_check_metadata(cube: Cube, cmor_table: str, mip: str, short_name: str, frequency: str | None = None, check_level: CheckLevels = CheckLevels.DEFAULT) → Cube`

Check if metadata conforms to variable's CMOR definition.

None of the checks at this step will force the cube to load the data.

Parameters

- **cube** (*Cube*) – Data cube to check.
- **cmor_table** (*str*) – CMOR definitions to use (i.e., the variable's project).
- **mip** (*str*) – Variable's MIP.
- **short_name** (*str*) – Variable's short name.
- **frequency** (*str* / *None*) – Data frequency. If not given, use the one from the CMOR table of the variable.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Returns

Checked cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.concatenate(cubes, check_level=CheckLevels.DEFAULT)`

Concatenate all cubes after fixing metadata.

Parameters

- **cubes** (*iterable of `iris.cube.Cube`*) – Data cubes to be concatenated
- **check_level** (`CheckLevels`) – Level of strictness of the checks in the concatenation.

Returns

cube – Resulting concatenated cube.

Return type

`iris.cube.Cube`

Raises

ValueError – Concatenation was not possible.

`esmvalcore.preprocessor.convert_units(cube, units)`

Convert the units of a cube to new ones.

This converts units of a cube.

Note: Allows special unit conversions which transforms one quantity to another (physically related) quantity. These quantities are identified via their `standard_name` and their `units` (units convertible to the ones defined are also supported). For example, this enables conversions between precipitation fluxes measured in `kg m-2 s-1` and precipitation rates measured in `mm day-1` (and vice versa).

Currently, the following special conversions are supported:

- `precipitation_flux (kg m-2 s-1)` – `lwe_precipitation_rate (mm day-1)`
- `equivalent_thickness_at_stp_of_atmosphere_ozone_content (m)` – `equivalent_thickness_at_stp_of_atmosphere_ozone_content (DU)`

Names in the list correspond to `standard_names` of the input data. Conversions are allowed from each quantity to any other quantity given in a bullet point. The corresponding target quantity is inferred from the desired target units. In addition, any other units convertible to the ones given are also supported (e.g., instead of `mm day-1`, `m s-1` is also supported).

Note that for precipitation variables, a water density of `1000 kg m-3` is assumed.

Parameters

- **cube** (*`iris.cube.Cube`*) – Input cube.
- **units** (*`str`*) – New units in udunits form.

Returns

converted cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.daily_statistics(cube: Cube, operator: str = 'mean', **operator_kwargs) → Cube`

Compute daily statistics.

Chunks time in daily periods and computes statistics over them;

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Daily statistics cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.decadal_statistics(cube: Cube, operator: str = 'mean', **operator_kwargs) → Cube`

Compute decadal statistics.

Note that this function does not weight the decadal mean if uneven time periods are present. Ie, all data inside the decade are treated equally.

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Decadal statistics cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.depth_integration(cube: Cube) → Cube`

Determine the total sum over the vertical component.

Requires a 3D cube. The z-coordinate integration is calculated by taking the sum in the z direction of the cell contents multiplied by the cell thickness. The units of the resulting cube are multiplied by the z-coordinate units.

Parameters

cube (*Cube*) – Input cube.

Returns

Collapsed cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.derive(cubes, short_name, long_name, units, standard_name=None)`

Derive variable.

Parameters

- **cubes** (*iris.cube.CubeList*) – Includes all the needed variables for derivation defined in `get_required()`.
- **short_name** (*str*) – short_name
- **long_name** (*str*) – long_name
- **units** (*str*) – units
- **standard_name** (*str*, *optional*) – standard_name

Returns

The new derived variable.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.detrend(cube, dimension='time', method='linear')`

Detrend data along a given dimension.

Parameters

- **cube** (*iris.cube.Cube*) – input cube.
- **dimension** (*str*) – Dimension to detrend
- **method** (*str*) – Method to detrend. Available: linear, constant. See documentation of ‘`scipy.signal.detrend`’ for details

Returns

Detrended cube

Return type

iris.cube.Cube

`esmvalcore.preprocessor.ensemble_statistics(products: set[PreprocessorFile] | Iterable[Cube], statistics: list[str | dict], output_products, span: str = 'overlap', ignore_scalar_coords: bool = False) → dict | set`

Compute ensemble statistics.

An ensemble grouping is performed on the input products (using the *ensemble* facet of input datasets). The statistics are then computed calling `esmvalcore.preprocessor.multi_model_statistics()` with appropriate groups.

Parameters

- **products** (*set[PreprocessorFile] | Iterable[Cube]*) – Cubes (or products) over which the statistics will be computed.
- **statistics** (*list[str | dict]*) – Statistical operations to be computed, e.g., ['mean', 'median']. For some statistics like percentiles, it is also possible to pass additional key-word arguments, e.g., [{'operator': 'percentile', 'percent': 20}]. All supported options are given in [this table](#).
- **output_products** (*dict*) – For internal use only. A dict with statistics names as keys and preprocessorfiles as values. If products are passed as input, the statistics cubes will be assigned to these output products.
- **span** (*str*) – Overlap or full; if overlap, statistics are computed on common time- span; if full, statistics are computed on full time spans, ignoring missing data.

- **ignore_scalar_coords** (*bool*) – If True, remove any scalar coordinate in the input datasets before merging the input cubes into the multi-dataset cube. The resulting multi-dataset cube will have no scalar coordinates (the actual input datasets will remain unchanged). If False, scalar coordinates will remain in the input datasets, which might lead to merge conflicts in case the input datasets have different scalar coordinates.

Returns

A *dict* of cubes or *set* of *output_products* depending on the type of *products*.

Return type

dict | *set*

See also:

esmvalcore.preprocessor.multi_model_statistics(), the

esmvalcore.preprocessor.extract_coordinate_points(cube, definition, scheme)

Extract points from any coordinate with interpolation.

Multiple points can also be extracted, by supplying an array of coordinates. The resulting point cube will match the respective coordinates to those of the input coordinates. If the input coordinate is a scalar, the dimension will be a scalar in the output cube.

Parameters

- **cube** (*cube*) – The source cube to extract a point from.
- **definition** (*dict(str, float or array of float)*) – The coordinate - values pairs to extract
- **scheme** (*str*) – The interpolation scheme. ‘linear’ or ‘nearest’. No default.

Returns

Returns a cube with the extracted point(s), and with adjusted latitude and longitude coordinates (see above). If desired point outside values for at least one coordinate, this cube will have fully masked data.

Return type

iris.cube.Cube

Raises

ValueError: – If the interpolation scheme is not provided or is not recognised.

*esmvalcore.preprocessor.extract_levels(cube: Cube, levels: _SupportsArray[*dtype*[Any]] | _NestedSequence[_SupportsArray[*dtype*[Any]]] | *bool* | *int* | *float* | *complex* | *str* | *bytes* | _NestedSequence[*bool* | *int* | *float* | *complex* | *str* | *bytes*] | *Array*, scheme: *str*, coordinate: *str* | *None* = *None*, rtol: *float* = 1e-07, atol: *float* | *None* = *None*)*

Perform vertical interpolation.

Parameters

- **cube** (*Cube*) – The source cube to be vertically interpolated.
- **levels** (*_SupportsArray[*dtype*[Any]] | _NestedSequence[_SupportsArray[*dtype*[Any]]] | *bool* | *int* | *float* | *complex* | *str* | *bytes* | _NestedSequence[*bool* | *int* | *float* | *complex* | *str* | *bytes*] | *Array*) – One or more target levels for the vertical interpolation. Assumed to be in the same S.I. units of the source cube vertical dimension coordinate. If the requested levels are sufficiently close to the levels of the cube, cube slicing will take place instead of interpolation.*

- **scheme** (*str*) – The vertical interpolation scheme to use. Choose from ‘linear’, ‘nearest’, ‘linear_extrapolate’, ‘nearest_extrapolate’.
- **coordinate** (*str* / *None*) – The coordinate to interpolate. If specified, pressure levels (if present) can be converted to height levels and vice versa using the US standard atmosphere. E.g. ‘coordinate = altitude’ will convert existing pressure levels (air_pressure) to height levels (altitude); ‘coordinate = air_pressure’ will convert existing height levels (altitude) to pressure levels (air_pressure).
- **rtol** (*float*) – Relative tolerance for comparing the levels in *cube* to the requested levels. If the levels are sufficiently close, the requested levels will be assigned to the cube and no interpolation will take place.
- **atol** (*float* / *None*) – Absolute tolerance for comparing the levels in *cube* to the requested levels. If the levels are sufficiently close, the requested levels will be assigned to the cube and no interpolation will take place. By default, *atol* will be set to 10^{-7} times the mean value of the levels on the cube.

Returns

A cube with the requested vertical levels.

Return type

`iris.cube.Cube`

See also:

regrid

Perform horizontal regridding.

`esmvalcore.preprocessor.extract_location(cube, location, scheme)`

Extract a point using a location name, with interpolation.

Extracts a single location point from a cube, according to the interpolation scheme *scheme*.

The function just retrieves the coordinates of the location and then calls the `extract_point` preprocessor.

It can be used to locate cities and villages, but also mountains or other geographical locations.

Note: The geolocator needs a working internet connection.

Parameters

- **cube** (*cube*) – The source cube to extract a point from.
- **location** (*str*) – The reference location. Examples: ‘mount everest’, ‘romania’, ‘new york, usa’
- **scheme** (*str*) – The interpolation scheme. ‘linear’ or ‘nearest’. No default.

Returns

- *Returns a cube with the extracted point, and with adjusted*
- *latitude and longitude coordinates.*

Raises

- **ValueError:** – If location is not supplied as a preprocessor parameter.
- **ValueError:** – If scheme is not supplied as a preprocessor parameter.
- **ValueError:** – If given location cannot be found by the geolocator.

`esmvalcore.preprocessor.extract_month(cube: Cube, month: int) → Cube`

Slice cube to get only the data belonging to a specific month.

Parameters

- **cube** (*Cube*) – Original data
- **month** (*int*) – Month to extract as a number from 1 to 12.

Returns

Cube for specified month.

Return type

`iris.cube.Cube`

Raises

ValueError – Requested month is not present in the cube.

`esmvalcore.preprocessor.extract_named_regions(cube: Cube, regions: str | Iterable[str]) → Cube`

Extract a specific named region.

The region coordinate exist in certain CMIP datasets. This preprocessor allows a specific named regions to be extracted.

Parameters

- **cube** (*Cube*) – Input cube.
- **regions** (*str* | *Iterable*[*str*]) – A region or list of regions to extract.

Returns

Smaller cube.

Return type

`iris.cube.Cube`

Raises

- **ValueError** – regions is not list or tuple or set.
- **ValueError** – region not included in cube.

`esmvalcore.preprocessor.extract_point(cube, latitude, longitude, scheme)`

Extract a point, with interpolation.

Extracts a single latitude/longitude point from a cube, according to the interpolation scheme *scheme*.

Multiple points can also be extracted, by supplying an array of latitude and/or longitude coordinates. The resulting point cube will match the respective latitude and longitude coordinate to those of the input coordinates. If the input coordinate is a scalar, the dimension will be missing in the output cube (that is, it will be a scalar).

If the point to be extracted has at least one of the coordinate point values outside the interval of the cube's same coordinate values, then no extrapolation will be performed, and the resulting extracted cube will have fully masked data.

Parameters

- **cube** (*cube*) – The source cube to extract a point from.
- **latitude** (*float*, or array of *float*) – The latitude and longitude of the point.
- **longitude** (*float*, or array of *float*) – The latitude and longitude of the point.
- **scheme** (*str*) – The interpolation scheme. 'linear' or 'nearest'. No default.

Returns

Returns a cube with the extracted point(s), and with adjusted latitude and longitude coordinates (see above). If desired point outside values for at least one coordinate, this cube will have fully masked data.

Return type

`iris.cube.Cube`

Raises

ValueError: – If the interpolation scheme is None or unrecognized.

Examples

With a cube that has the coordinates

- latitude: [1, 2, 3, 4]
- longitude: [1, 2, 3, 4]
- **data values**: [[[1, 2, 3, 4], [5, 6, ..., [...], [...], ...]]]

```
>>> point = extract_point(cube, 2.5, 2.5, 'linear')
>>> point.data
array([ 8.5, 24.5, 40.5, 56.5])
```

Extraction of multiple points at once, with a nearest matching scheme. The values for 0.1 will result in masked values, since this lies outside the cube grid.

```
>>> point = extract_point(cube, [1.4, 2.1], [0.1, 1.1],
...                          'nearest')
>>> point.data.shape
(4, 2, 2)
>>> # x, y, z indices of masked values
>>> np.where(~point.data.mask)
(array([0, 0, 1, 1, 2, 2, 3, 3]), array([0, 1, 0, 1, 0, 1, 0, 1]),
array([1, 1, 1, 1, 1, 1, 1, 1]))
>>> point.data[~point.data.mask].data
array([ 1,  5, 17, 21, 33, 37, 49, 53])
```

`esmvalcore.preprocessor.extract_region(cube: Cube, start_longitude: float, end_longitude: float, start_latitude: float, end_latitude: float) → Cube`

Extract a region from a cube.

Function that subsets a cube on a box (start_longitude, end_longitude, start_latitude, end_latitude).

Parameters

- **cube** (*Cube*) – Input data cube.
- **start_longitude** (*float*) – Western boundary longitude.
- **end_longitude** (*float*) – Eastern boundary longitude.
- **start_latitude** (*float*) – Southern Boundary latitude.
- **end_latitude** (*float*) – Northern Boundary Latitude.

Returns

Smaller cube.

Return type`iris.cube.Cube``esmvalcore.preprocessor.extract_season(cube: Cube, season: str) → Cube`

Slice cube to get only the data belonging to a specific season.

Parameters

- **cube** (*Cube*) – Original data
- **season** (*str*) – Season to extract. Available: DJF, MAM, JJA, SON and all sequentially correct combinations: e.g. JJAS

Returns

data cube for specified season.

Return type`iris.cube.Cube`**Raises**

ValueError – Requested season is not present in the cube.

`esmvalcore.preprocessor.extract_shape(cube: Cube, shapefile: str | Path, method: str = 'contains', crop: bool = True, decomposed: bool = False, ids: list | dict | None = None) → Cube`

Extract a region defined by a shapefile using masking.

Note that this function does not work for shapes crossing the prime meridian or poles.

Parameters

- **cube** (*Cube*) – Input cube.
- **shapefile** (*str* | *Path*) – A shapefile defining the region(s) to extract. Also accepts the following strings to load special shapefiles:
 - 'ar6': IPCC WG1 reference regions (v4) used in Assessment Report 6 (<https://doi.org/10.5281/zenodo.5176260>). Should be used in combination with a `dict` for the argument *ids*, e.g., `ids={'Acronym': ['GIC', 'WNA']}`.
- **method** (*str*) – Select all points contained by the shape or select a single representative point. Choose either 'contains' or 'representative'. If 'contains' is used, but not a single grid point is contained by the shape, a representative point will be selected.
- **crop** (*bool*) – In addition to masking, crop the resulting cube using `extract_region()`. Data on irregular grids will not be cropped.
- **decomposed** (*bool*) – If set to *True*, the output cube will have an additional dimension *shape_id* describing the requested regions.
- **ids** (*list* | *dict* | *None*) – Shapes to be read from the shapefile. Can be given as:
 - **list**: IDs are assigned from the attributes *name*, *NAME*, *Name*, *id*, or *ID* (in that priority order; the first one available is used). If none of these attributes are available in the shapefile, assume that the given *ids* correspond to the reading order of the individual shapes, e.g., `ids=[0, 2]` corresponds to the first and third shape read from the shapefile. Note: An empty list is interpreted as *ids=None*.
 - **dict**: IDs (dictionary value; **list** of *str*) are assigned from attribute given as dictionary key (*str*). Only dictionaries with length 1 are supported. Example: `ids={'Acronym': ['GIC', 'WNA']}` for `shapefile='ar6'`.
 - *None*: select all available shapes from the shapefile.

Returns

Cube containing the extracted region.

Return type

`iris.cube.Cube`

See also:**`extract_region`**

Extract a region from a cube.

`esmvalcore.preprocessor.extract_time(cube: Cube, start_year: int, start_month: int, start_day: int, end_year: int, end_month: int, end_day: int) → Cube`

Extract a time range from a cube.

Given a time range passed in as a series of years, months and days, it returns a time-extracted cube with data only within the specified time range.

Parameters

- **cube** (*Cube*) – Input cube.
- **start_year** (*int*) – Start year.
- **start_month** (*int*) – Start month.
- **start_day** (*int*) – Start day.
- **end_year** (*int*) – End year.
- **end_month** (*int*) – End month.
- **end_day** (*int*) – End day.

Returns

Sliced cube.

Return type

`iris.cube.Cube`

Raises

ValueError – Time ranges are outside the cube time limits.

`esmvalcore.preprocessor.extract_trajectory(cube: Cube, latitudes: Sequence[float], longitudes: Sequence[float], number_points: int = 2) → Cube`

Extract data along a trajectory.

latitudes and longitudes are the pairs of coordinates for two points. `number_points` is the number of points between the two points.

This version uses the expensive interpolate method, but it may be necessary for irregular grids.

If only two latitude and longitude coordinates are given, `extract_trajectory` will produce a cube which will extrapolate along a line between those two points, and will add `number_points` points between the two corners.

If more than two points are provided, then `extract_trajectory` will produce a cube which has extrapolated the data of the cube to those points, and `number_points` is not needed.

Parameters

- **cube** (*Cube*) – Input cube.
- **latitudes** (*Sequence*[*float*]) – Latitude coordinates.
- **longitudes** (*Sequence*[*float*]) – Longitude coordinates.

- **number_points** (*optional*) – Number of points to extrapolate.

Returns

Collapsed cube.

Return type

`iris.cube.Cube`

Raises

ValueError – Latitude and longitude have different dimensions.

```
esmvalcore.preprocessor.extract_transect(cube: Cube, latitude: None | float | Iterable[float] = None,
                                         longitude: None | float | Iterable[float] = None) → Cube
```

Extract data along a line of constant latitude or longitude.

Both arguments, latitude and longitude, are treated identically. Either argument can be a single float, or a pair of floats, or can be left empty. The single float indicates the latitude or longitude along which the transect should be extracted. A pair of floats indicate the range that the transect should be extracted along the secondary axis.

For instance `'extract_transect(cube, longitude=-28)'` will produce a transect along 28 West.

Also, `'extract_transect(cube, longitude=-28, latitude=[-50, 50])'` will produce a transect along 28 West between 50 south and 50 North.

This function is not yet implemented for irregular arrays - instead try the `extract_trajectory` function, but note that it is currently very slow. Alternatively, use the `regrid` preprocessor to regrid along a regular grid and then extract the transect.

Parameters

- **cube** (*Cube*) – Input cube.
- **latitude** (*optional*) – Transect latitude or range.
- **longitude** (*optional*) – Transect longitude or range.

Returns

Collapsed cube.

Return type

`iris.cube.Cube`

Raises

- **ValueError** – Slice extraction not implemented for irregular grids.
- **ValueError** – Latitude and longitude are both floats or lists; not allowed to slice on both axes at the same time.

```
esmvalcore.preprocessor.extract_volume(cube: Cube, z_min: float, z_max: float, interval_bounds: str =
                                       'open', nearest_value: bool = False) → Cube
```

Subset a cube based on a range of values in the z-coordinate.

Function that subsets a cube on a box of (z_min, z_max) , $[z_min, z_max]$, $[z_min, z_max)$ or $[z_min, z_max]$. Note that this requires the requested z-coordinate range to be the same sign as the iris cube. ie, if the cube has z-coordinate as negative, then `z_min` and `z_max` need to be negative numbers. If `nearest_value` is set to `False`, the extraction will be performed with the given `z_min` and `z_max` values. If `nearest_value` is set to `True`, the cube extraction will be performed taking into account the `z_coord` values that are closest to the `z_min` and `z_max` values.

Parameters

- **cube** (*Cube*) – Input cube.

- **z_min** (*float*) – Minimum depth to extract.
- **z_max** (*float*) – Maximum depth to extract.
- **interval_bounds** (*str*) – Sets left bound of the interval to either 'open', 'closed', 'left_closed' or 'right_closed'.
- **nearest_value** (*bool*) – Extracts considering the nearest value of z-coord to z_min and z_max.

Returns

z-coord extracted cube.

Return type

`iris.cube.Cube`

```
esmvalcore.preprocessor.fix_data(cube: Cube, short_name: str, project: str, dataset: str, mip: str,
                                frequency: str | None = None, check_level: CheckLevels =
                                CheckLevels.DEFAULT, session: Session | None = None, **extra_facets)
                                → Cube
```

Fix cube data if fixes are required.

This method assumes that metadata is already fixed and checked.

This method collects all the relevant fixes (including generic ones) for a given variable and applies them.

Parameters

- **cube** (*Cube*) – Cube to fix.
- **short_name** (*str*) – Variable's short name.
- **project** (*str*) – Project of the dataset.
- **dataset** (*str*) – Name of the dataset.
- **mip** (*str*) – Variable's MIP.
- **frequency** (*Optional[str]*) – Variable's data frequency, if available.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Deprecated since version 2.10.0: This option has been deprecated in ESMValCore version 2.10.0 and is scheduled for removal in version 2.12.0. Please use the functions `cmor_check_metadata()`, `cmor_check_data()`, or `cmor_check()` instead. This function will no longer perform CMOR checks. Fixes and CMOR checks have been clearly separated in ESMValCore version 2.10.0.

- **session** (*Optional[Session]*) – Current session which includes configuration and directory information.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Fixed cube.

Return type

`iris.cube.Cube`

```
esmvalcore.preprocessor.fix_file(file: Path, short_name: str, project: str, dataset: str, mip: str, output_dir:
                                Path, add_unique_suffix: bool = False, session: Session | None = None,
                                frequency: str | None = None, **extra_facets) → str | Path
```

Fix files before ESMValTool can load them.

These fixes are only for issues that prevent iris from loading the cube or that cannot be fixed after the cube is loaded.

Original files are not overwritten.

Parameters

- **file** (*Path*) – Path to the original file.
- **short_name** (*str*) – Variable's short name.
- **project** (*str*) – Project of the dataset.
- **dataset** (*str*) – Name of the dataset.
- **mip** (*str*) – Variable's MIP.
- **output_dir** (*Path*) – Output directory for fixed files.
- **add_unique_suffix** (*bool*) – Adds a unique suffix to *output_dir* for thread safety.
- **session** (*Optional* [*Session*]) – Current session which includes configuration and directory information.
- **frequency** (*Optional* [*str*]) – Variable's data frequency, if available.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Path to the fixed file.

Return type

str or *pathlib.Path*

```
esmvalcore.preprocessor.fix_metadata(cubes: Sequence[Cube], short_name: str, project: str, dataset: str,
                                     mip: str, frequency: str | None = None, check_level: CheckLevels =
                                     CheckLevels.DEFAULT, session: Session | None = None,
                                     **extra_facets) → CubeList
```

Fix cube metadata if fixes are required.

This method collects all the relevant fixes (including generic ones) for a given variable and applies them.

Parameters

- **cubes** (*Sequence* [*Cube*]) – Cubes to fix.
- **short_name** (*str*) – Variable's short name.
- **project** (*str*) – Project of the dataset.
- **dataset** (*str*) – Name of the dataset.
- **mip** (*str*) – Variable's MIP.
- **frequency** (*Optional* [*str*]) – Variable's data frequency, if available.
- **check_level** (*CheckLevels*) – Level of strictness of the checks.

Deprecated since version 2.10.0: This option has been deprecated in ESMValCore version 2.10.0 and is scheduled for removal in version 2.12.0. Please use the functions [cmor_check_metadata\(\)](#), [cmor_check_data\(\)](#), or [cmor_check\(\)](#) instead. This function will no longer perform CMOR checks. Fixes and CMOR checks have been clearly separated in ESMValCore version 2.10.0.

- **session** (*Optional* [[Session](#)]) – Current session which includes configuration and directory information.
- ****extra_facets** – Extra facets are mainly used for data outside of the big projects like CMIP, CORDEX, obs4MIPs. For details, see [Extra Facets](#).

Returns

Fixed cubes.

Return type

[iris.cube.CubeList](#)

`esmvalcore.preprocessor.hourly_statistics(cube: Cube, hours: int, operator: str = 'mean',
**operator_kwargs) → Cube`

Compute hourly statistics.

Chunks time in x hours periods and computes statistics over them.

Parameters

- **cube** ([Cube](#)) – Input cube.
- **hours** (*int*) – Number of hours per period. Must be a divisor of 24, i.e., (1, 2, 3, 4, 6, 8, 12).
- **operator** (*str*) – The operation. Used to determine the [iris.analysis.Aggregator](#) object used to calculate the statistics. Allowed options are given in [this table](#).
- ****operator_kwargs** – Optional keyword arguments for the [iris.analysis.Aggregator](#) object defined by *operator*.

Returns

Hourly statistics cube.

Return type

[iris.cube.Cube](#)

`esmvalcore.preprocessor.linear_trend(cube, coordinate='time')`

Calculate linear trend of data along a given coordinate.

The linear trend is defined as the slope of an ordinary linear regression.

Parameters

- **cube** ([iris.cube.Cube](#)) – Input data.
- **coordinate** (*str*, *optional* (default: 'time')) – Dimensional coordinate over which the trend is calculated.

Returns

Trends.

Return type

[iris.cube.Cube](#)

Raises

[iris.exceptions.CoordinateNotFoundError](#) – The dimensional coordinate with the name *coordinate* is not found in cube.

`esmvalcore.preprocessor.linear_trend_stderr(cube, coordinate='time')`

Calculate standard error of linear trend along a given coordinate.

This gives the standard error (not confidence intervals!) of the trend defined as the standard error of the estimated slope of an ordinary linear regression.

Parameters

- **cube** (*iris.cube.Cube*) – Input data.
- **coordinate** (*str*, optional (default: 'time')) – Dimensional coordinate over which the standard error of the trend is calculated.

Returns

Standard errors of trends.

Return type

iris.cube.Cube

Raises

iris.exceptions.CoordinateNotFoundError – The dimensional coordinate with the name `coordinate` is not found in `cube`.

`esmvalcore.preprocessor.load(file: str | Path, ignore_warnings: list[dict] | None = None) → CubeList`

Load iris cubes from string or Path objects.

Parameters

- **file** (*str* | *Path*) – File to be loaded. Could be string or POSIX Path object.
- **ignore_warnings** (*list[dict]* | *None*) – Keyword arguments passed to `warnings.filterwarnings()` used to ignore warnings issued by `iris.load_raw()`. Each list element corresponds to one call to `warnings.filterwarnings()`.

Returns

Loaded cubes.

Return type

iris.cube.CubeList

Raises

ValueError – Cubes are empty.

`esmvalcore.preprocessor.local_solar_time(cube: Cube) → Cube`

Convert UTC time coordinate to local solar time (LST).

This preprocessor transforms input data with a UTC-based time coordinate to a **local solar time (LST)** coordinate. In LST, 12:00 noon is defined as the moment when the sun reaches its highest point in the sky. Thus, LST is mainly determined by longitude of a location. LST is particularly suited to analyze diurnal cycles across larger regions of the globe, which would be phase-shifted against each other when using UTC time.

To transform data from UTC to LST, this function shifts data along the time axis based on the longitude. In addition to the *cube*'s data, this function also considers auxiliary coordinates, cell measures and ancillary variables that span both the time and longitude dimension.

Note: This preprocessor preserves the temporal frequency of the input data. For example, hourly input data will be transformed into hourly output data. For this, a location's exact LST will be put into corresponding bins defined by the bounds of the input time coordinate (in this example, the bin size is 1 hour). If time bounds are not given or cannot be approximated (only one time step is given), a bin size of 1 hour is assumed.

LST is approximated as $UTC_time + 12 * longitude / 180$, where *longitude* is assumed to be in [-180, 180] (this function automatically calculates the correct format for the longitude). This is only an approximation since the exact LST also depends on the day of year due to the eccentricity of Earth's orbit (see [equation of time](#)). However, since the corresponding error is ~15 min at most, this is ignored here, as most climate model data has a coarser temporal resolution and the time scale for diurnal evolution of meteorological phenomena is usually in the order of hours, not minutes.

Parameters

cube (*Cube*) – Input cube. Needs a 1D monotonically increasing dimensional coordinate *time* (assumed to refer to UTC time) and a 1D coordinate *longitude*.

Returns

Transformed cube of same shape as input cube with an LST coordinate instead of UTC time.

Return type

Cube

Raises

- **`iris.exceptions.CoordinateNotFoundError`** – Input cube does not contain valid *time* and/or *longitude* coordinate.
- **`iris.exceptions.CoordinateMultiDimError`** – Input cube has multidimensional *longitude* coordinate.
- **`ValueError`** – *time* coordinate of input cube is not monotonically increasing.

`esmvalcore.preprocessor.mask_above_threshold(cube, threshold)`

Mask above a specific threshold value.

Takes a value 'threshold' and masks off anything that is above it in the cube data. Values equal to the threshold are not masked.

Parameters

- **cube** (*iris.cube.Cube*) – iris cube to be thresholded.
- **threshold** (*float*) – threshold to be applied on input cube data.

Returns

thresholded cube.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.mask_below_threshold(cube, threshold)`

Mask below a specific threshold value.

Takes a value 'threshold' and masks off anything that is below it in the cube data. Values equal to the threshold are not masked.

Parameters

- **cube** (*iris.cube.Cube*) – iris cube to be thresholded
- **threshold** (*float*) – threshold to be applied on input cube data.

Returns

thresholded cube.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.mask_fillvalues(products, threshold_fraction, min_value=None, time_window=1)`

Compute and apply a multi-dataset fillvalues mask.

Construct the mask that fills a certain time window with missing values if the number of values in that specific window is less than a given fractional threshold. This function is the extension of `_get_fillvalues_mask` and performs the combination of missing values masks from each model (of multimodels) into a single fillvalues mask to be applied to each model.

Parameters

- **products** (*iris.cube.Cube*) – data products to be masked.
- **threshold_fraction** (*float*) – fractional threshold to be used as argument for Aggregator. Must be between 0 and 1.
- **min_value** (*float*) – minimum value threshold; default None If default, no thresholding applied so the full mask will be selected.
- **time_window** (*float*) – time window to compute missing data counts; default set to 1.

Returns

Masked iris cubes.

Return type

iris.cube.Cube

Raises

NotImplementedError – Implementation missing for data with higher dimensionality than 4.

`esmvalcore.preprocessor.mask_glaciated(cube, mask_out: str = 'glaciated')`

Mask out glaciated areas.

It applies a Natural Earth mask. Note that for computational reasons only the 10 largest polygons are used for masking.

Parameters

- **cube** (*iris.cube.Cube*) – data cube to be masked.
- **mask_out** (*str*) – “glaciated” to mask out glaciated areas

Returns

Returns the masked iris cube.

Return type

iris.cube.Cube

Raises

ValueError – Error raised if masking on irregular grids is attempted or if mask_out has a wrong value.

`esmvalcore.preprocessor.mask_inside_range(cube, minimum, maximum)`

Mask inside a specific threshold range.

Takes a MINIMUM and a MAXIMUM value for the range, and masks off anything that's between the two in the cube data.

Parameters

- **cube** (*iris.cube.Cube*) – iris cube to be thresholded
- **minimum** (*float*) – lower threshold to be applied on input cube data.
- **maximum** (*float*) – upper threshold to be applied on input cube data.

Returns

thresholded cube.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.mask_landsea(cube, mask_out)`

Mask out either land mass or sea (oceans, seas and lakes).

It uses dedicated ancillary variables (sftlf or sftof) or, in their absence, it applies a [Natural Earth](#) mask (land or ocean contours). Note that the Natural Earth masks have different resolutions: 10m for land, and 50m for seas. These are more than enough for masking climate model data.

Parameters

- **cube** (*iris.cube.Cube*) – data cube to be masked. If the cube has an *iris.coords.AncillaryVariable* with standard name 'land_area_fraction' or 'sea_area_fraction' that will be used. If both are present, only the 'land_area_fraction' will be used. If the ancillary variable is not available, the mask will be calculated from Natural Earth shapefiles.
- **mask_out** (*str*) – either “land” to mask out land mass or “sea” to mask out seas.

Returns

Returns the masked iris cube.

Return type

iris.cube.Cube

Raises

ValueError – Error raised if masking on irregular grids is attempted without an ancillary variable. Irregular grids are not currently supported for masking with Natural Earth shapefile masks.

`esmvalcore.preprocessor.mask_landseaice(cube, mask_out)`

Mask out either landsea (combined) or ice.

Function that masks out either landsea (land and seas) or ice (Antarctica, Greenland and some glaciers).

It uses dedicated ancillary variables (sftgif).

Parameters

- **cube** (*iris.cube.Cube*) – data cube to be masked. It should have an *iris.coords.AncillaryVariable* with standard name 'land_ice_area_fraction'.
- **mask_out** (*str*) – either “landsea” to mask out landsea or “ice” to mask out ice.

Returns

Returns the masked iris cube with either land or ice masked out.

Return type

iris.cube.Cube

Raises

ValueError – Error raised if landsea-ice mask not found as an ancillary variable.

`esmvalcore.preprocessor.mask_multimodel(products)`

Apply common mask to all datasets (using logical OR).

Parameters

products (*iris.cube.CubeList* or *list of PreprocessorFile*) – Data products/cubes to be masked.

Returns

Masked data products/cubes.

Return type

iris.cube.CubeList or *list of PreprocessorFile*

Raises

- **ValueError** – Datasets have different shapes.
- **TypeError** – Invalid input data.

`esmvalcore.preprocessor.mask_outside_range(cube, minimum, maximum)`

Mask outside a specific threshold range.

Takes a MINIMUM and a MAXIMUM value for the range, and masks off anything that's outside the two in the cube data.

Parameters

- **cube** (*iris.cube.Cube*) – iris cube to be thresholded
- **minimum** (*float*) – lower threshold to be applied on input cube data.
- **maximum** (*float*) – upper threshold to be applied on input cube data.

Returns

thresholded cube.

Return type

iris.cube.Cube

`esmvalcore.preprocessor.meridional_statistics(cube: Cube, operator: str, normalize: Literal['subtract', 'divide'] | None = None, **operator_kwargs) → Cube`

Compute meridional statistics.

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the *iris.analysis.Aggregator* object used to calculate the statistics. Allowed options are given in *this table*.
- **normalize** (*Literal*['subtract', 'divide'] | *None*) – If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- ****operator_kwargs** – Optional keyword arguments for the *iris.analysis.Aggregator* object defined by *operator*.

Returns

Meridional statistics cube.

Return type

iris.cube.Cube

Raises

ValueError – Error raised if computation on irregular grids is attempted. Zonal statistics not yet implemented for irregular grids.

`esmvalcore.preprocessor.monthly_statistics(cube: Cube, operator: str = 'mean', **operator_kwargs) → Cube`

Compute monthly statistics.

Chunks time in monthly periods and computes statistics over them;

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the *iris.analysis.Aggregator* object used to calculate the statistics. Allowed options are given in *this table*.

- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by `operator`.

Returns

Monthly statistics cube.

Return type

`iris.cube.Cube`

```
esmvalcore.preprocessor.multi_model_statistics(products: set[PreprocessorFile] | Iterable[Cube],
                                              span: str, statistics: list[str | dict],
                                              output_products=None, groupby: tuple | None = None,
                                              keep_input_datasets: bool = True,
                                              ignore_scalar_coords: bool = False) → dict | set
```

Compute multi-model statistics.

This function computes multi-model statistics on a list of `products`, which can be instances of `Cube` or `PreprocessorFile`. The latter is used internally by ESMValCore to store workflow and provenance information, and this option should typically be ignored.

Cubes must have consistent shapes apart from a potential time dimension. There are two options to combine time coordinates of different lengths, see the `span` argument.

Desired statistics need to be given as a list, e.g., `statistics: ['mean', 'median']`. For some statistics like percentiles, it is also possible to pass additional keyword arguments, for example `statistics: [{'operator': 'percentile', 'percent': 20}]`. A full list of supported statistics is available in the section on *Statistical preprocessors*.

This function can handle cubes with differing metadata:

- Cubes with identical `name()` and `units` will get identical values for `standard_name`, `long_name`, and `var_name` (which will be arbitrarily set to the first encountered value if different cubes have different values for them).
- `attributes`: Differing attributes are deleted, see `iris.util.equalise_attributes()`.
- `cell_methods`: All cell methods are deleted prior to combining cubes.
- `cell_measures()`: All cell measures are deleted prior to combining cubes, see `esmvalcore.preprocessor.remove_fx_variables()`.
- `ancillary_variables()`: All ancillary variables are deleted prior to combining cubes, see `esmvalcore.preprocessor.remove_fx_variables()`.
- `coords()`: Exactly identical coordinates are preserved. For coordinates with equal `name()` and `units`, names are equalized, `attributes` deleted and `circular` is set to `False`. For all other coordinates, `long_name` is removed, `attributes` deleted and `circular` is set to `False`. Scalar coordinates can be removed if desired by the option `ignore_scalar_coords=True`. Please note that some special scalar coordinates which are expected to differ across cubes (ancillary coordinates for derived coordinates like *p0* and *ptop*) are always removed.

Notes

Some of the operators in `iris.analysis` require additional arguments. Except for percentiles, these operators are currently not supported.

Lazy operation is supported for all statistics, except median.

Parameters

- **products** (`set[PreprocessorFile]` | `Iterable[Cube]`) – Cubes (or products) over which the statistics will be computed.
- **span** (`str`) – Overlap or full; if overlap, statistics are computed on common time- span; if full, statistics are computed on full time spans, ignoring missing data. This option is ignored if input cubes do not have time dimensions.
- **statistics** (`list[str | dict]`) – Statistical operations to be computed, e.g., ['mean', 'median']. For some statistics like percentiles, it is also possible to pass additional key-word arguments, e.g., [{'operator': 'percentile', 'percent': 20}]. All supported options are given in [this table](#).
- **output_products** (`dict`) – For internal use only. A dict with statistics names as keys and preprocessorfiles as values. If products are passed as input, the statistics cubes will be assigned to these output products.
- **groupby** (`Optional[tuple]`) – Group products by a given tag or attribute, e.g., ('project', 'dataset', 'tag1'). This is ignored if products is a list of cubes.
- **keep_input_datasets** (`bool`) – If True, the output will include the input datasets. If False, only the computed statistics will be returned.
- **ignore_scalar_coords** (`bool`) – If True, remove any scalar coordinate in the input datasets before merging the input cubes into the multi-dataset cube. The resulting multi-dataset cube will have no scalar coordinates (the actual input datasets will remain unchanged). If False, scalar coordinates will remain in the input datasets, which might lead to merge conflicts in case the input datasets have different scalar coordinates.

Returns

A `dict` of cubes or `set` of `output_products` depending on the type of `products`.

Return type

`dict | set`

Raises

ValueError – If span is neither overlap nor full, or if input type is neither cubes nor products.

`esmvalcore.preprocessor.regrid(cube: Cube, target_grid: Cube | Dataset | Path | str | dict, scheme: str | dict, lat_offset: bool = True, lon_offset: bool = True, cache_weights: bool = False) → Cube`

Perform horizontal regridding.

Note that the target grid can be a `Cube`, a `Dataset`, a path to a cube (`Path` or `str`), a grid spec (`str`) in the form of `MxN`, or a `dict` specifying the target grid.

For the latter, the `target_grid` should be a `dict` with the following keys:

- **start_longitude**: longitude at the center of the first grid cell.
- **end_longitude**: longitude at the center of the last grid cell.
- **step_longitude**: constant longitude distance between grid cell centers.

- `start_latitude`: latitude at the center of the first grid cell.
- `end_latitude`: longitude at the center of the last grid cell.
- `step_latitude`: constant latitude distance between grid cell centers.

Parameters

- **cube** (*Cube*) – The source cube to be regridded.
- **target_grid** (*Cube* / *Dataset* / *Path* / *str* / *dict*) – The (location of a) cube that specifies the target or reference grid for the regridding operation. Alternatively, a *Dataset* can be provided. Alternatively, a string cell specification may be provided, of the form `MxN`, which specifies the extent of the cell, longitude by latitude (degrees) for a global, regular target grid. Alternatively, a dictionary with a regional target grid may be specified (see above).
- **scheme** (*str* / *dict*) – The regridding scheme to perform. If the source grid is structured (regular or irregular), can be one of the built-in schemes `linear`, `nearest`, `area_weighted`. If the source grid is unstructured, can be one of the built-in schemes `nearest`. Alternatively, a *dict* that specifies generic regridding can be given (see below).
- **lat_offset** (*bool*) – Offset the grid centers of the latitude coordinate w.r.t. the pole by half a grid step. This argument is ignored if *target_grid* is a cube or file.
- **lon_offset** (*bool*) – Offset the grid centers of the longitude coordinate w.r.t. Greenwich meridian by half a grid step. This argument is ignored if *target_grid* is a cube or file.
- **cache_weights** (*bool*) – If `True`, cache regridding weights for later usage. This can speed up the regridding of different datasets with similar source and target grids massively, but may take up a lot of memory for extremely high-resolution data. This option is ignored for schemes that do not support weights caching. More details on this are given in the section on *Reusing regridding weights*. To clear the cache, use `esmvalcore.preprocessor.regrid.cache_clear()`.

Returns

Regridded cube.

Return type

`iris.cube.Cube`

See also:

extract_levels

Perform vertical regridding.

Notes

This preprocessor allows for the use of arbitrary *Iris* regridding schemes, that is anything that can be passed as a scheme to `iris.cube.Cube.regrid()` is possible. This enables the use of further parameters for existing schemes, as well as the use of more advanced schemes for example for unstructured meshes. To use this functionality, a dictionary must be passed for the scheme with a mandatory entry of `reference` in the form specified for the object reference of the *entry point data model*, i.e. `importable.module:object.attr`. This is used as a factory for the scheme. Any further entries in the dictionary are passed as keyword arguments to the factory.

For example, to use the familiar `iris.analysis.Linear` regridding scheme with a custom extrapolation mode, use

```
my_preprocessor:
  regrid:
    target: 1x1
    scheme:
      reference: iris.analysis.Linear
      extrapolation_mode: nanmask
```

To use the area weighted regridded available in `esmf_regrid.schemes.ESMFAreaWeighted` use

```
my_preprocessor:
  regrid:
    target: 1x1
    scheme:
      reference: esmf_regrid.schemes:ESMFAreaWeighted
```

`esmvalcore.preprocessor.regrid_time(cube: Cube, frequency: str) → Cube`

Align time axis for cubes so they can be subtracted.

Operations on time units, time points and auxiliary coordinates so that any cube from cubes can be subtracted from any other cube from cubes. Currently this function supports yearly (frequency=yr), monthly (frequency=mon), daily (frequency=day), 6-hourly (frequency=6hr), 3-hourly (frequency=3hr) and hourly (frequency=1hr) data time frequencies.

Parameters

- **cube** (*Cube*) – Input cube.
- **frequency** (*str*) – Data frequency: *mon*, *day*, *1hr*, *3hr* or *6hr*.

Returns

Cube with converted time axis and units.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.remove_supplementary_variables(cube: Cube)`

Remove supplementary variables.

Strip cell measures or ancillary variables from the cube containing the data.

Parameters

cube (*iris.cube.Cube*) – Iris cube with data and cell measures or ancillary variables.

Returns

Cube without cell measures or ancillary variables.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.resample_hours(cube: Cube, interval: int, offset: int = 0) → Cube`

Convert x-hourly data to y-hourly by eliminating extra timesteps.

Convert x-hourly data to y-hourly ($y > x$) by eliminating the extra timesteps. This is intended to be used only with instantaneous values.

For example:

- `resample_hours(cube, interval=6)`: Six-hourly intervals at 0:00, 6:00, 12:00, 18:00.
- `resample_hours(cube, interval=6, offset=3)`: Six-hourly intervals at 3:00, 9:00, 15:00, 21:00.

- `resample_hours(cube, interval=12, offset=6)`: Twelve-hourly intervals at 6:00, 18:00.

Parameters

- **cube** (*Cube*) – Input cube.
- **interval** (*int*) – The period (hours) of the desired data.
- **offset** (*optional*) – The first hour (hours) of the desired data.

Returns

Cube with the new frequency.

Return type

`iris.cube.Cube`

Raises

ValueError: – The specified frequency is not a divisor of 24.

`esmvalcore.preprocessor.resample_time(cube: Cube, month: int | None = None, day: int | None = None, hour: int | None = None) → Cube`

Change frequency of data by resampling it.

Converts data from one frequency to another by extracting the timesteps that match the provided month, day and/or hour. This is meant to be used with instantaneous values when computing statistics is not desired.

For example:

- `resample_time(cube, hour=6)`: Daily values taken at 6:00.
- `resample_time(cube, day=15, hour=6)`: Monthly values taken at 15th 6:00.
- `resample_time(cube, month=6)`: Yearly values, taking in June
- `resample_time(cube, month=6, day=1)`: Yearly values, taking 1st June

The condition must yield only one value per interval: the last two samples above will produce yearly data, but the first one is meant to be used to sample from monthly output and the second one will work better with daily.

Parameters

- **cube** (*Cube*) – Input cube.
- **month** (*optional*) – Month to extract.
- **day** (*optional*) – Day to extract.
- **hour** (*optional*) – Hour to extract.

Returns

Cube with the new frequency.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.rolling_window_statistics(cube: Cube, coordinate: str, operator: str, window_length: int, **operator_kwargs)`

Compute rolling-window statistics over a coordinate.

Parameters

- **cube** (*Cube*) – Input cube.
- **coordinate** (*str*) – Coordinate over which the rolling-window statistics is calculated.

- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.
- **window_length** (*int*) – Size of the window to use.

Returns

Rolling-window statistics cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.save(cubes, filename, optimize_access="", compress=False, alias="", **kwargs)`

Save iris cubes to file.

Parameters

- **cubes** (*iterable of `iris.cube.Cube`*) – Data cubes to be saved
- **filename** (*str*) – Name of target file
- **optimize_access** (*str*) – Set internal NetCDF chunking to favour a reading scheme
Values can be map or timeseries, which improve performance when reading the file one map or time series at a time. Users can also provide a coordinate or a list of coordinates. In that case the better performance will be achieved by loading all the values in that coordinate at a time
- **compress** (*bool, optional*) – Use NetCDF internal compression.
- **alias** (*str, optional*) – Var name to use when saving instead of the one in the cube.

Returns

filename

Return type

str

Raises

ValueError – cubes is empty.

`esmvalcore.preprocessor.seasonal_statistics(cube: Cube, operator: str = 'mean', seasons: Iterable[str] = ('DJF', 'MAM', 'JJA', 'SON'), **operator_kwargs) → Cube`

Compute seasonal statistics.

Chunks time seasons and computes statistics over them.

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- **seasons** (*Iterable[str]*) – Seasons to build. Available: ('DJF', 'MAM', 'JJA', 'SON') (default) and all sequentially correct combinations holding every month of a year: e.g. ('JJAS', 'ONDJFMAM'), or less in case of prior season extraction.
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Seasonal statistic cube.

Return type

`iris.cube.Cube`

`esmvalcore.preprocessor.timeseries_filter(cube: Cube, window: int, span: int, filter_type: str = 'lowpass', filter_stats: str = 'sum', **operator_kwargs) → Cube`

Apply a timeseries filter.

Method borrowed from [iris example](#)

Apply each filter using the `rolling_window` method used with the `weights` keyword argument. A weighted sum is required because the magnitude of the weights are just as important as their relative sizes.

See also the `iris.cube.Cube.rolling_window`.

Parameters

- **cube** (*Cube*) – Input cube.
- **window** (*int*) – The length of the filter window (in units of cube time coordinate).
- **span** (*int*) – Number of months/days (depending on data frequency) on which weights should be computed e.g. 2-yearly: `span = 24` (2 x 12 months). Span should have same units as cube time coordinate.
- **filter_type** (*optional*) – Type of filter to be applied; default 'lowpass'. Available types: 'lowpass'.
- **filter_stats** (*optional*) – Type of statistic to aggregate on the rolling window; default: *sum*. Used to determine the `iris.analysis.Aggregator` object used for aggregation. Allowed options are given in [this table](#).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *filter_stats*.

Returns

Cube time-filtered using 'rolling_window'.

Return type

`iris.cube.Cube`

Raises

- **iris.exceptions.CoordinateNotFoundError** – Cube does not have time coordinate.
- **NotImplementedError** – *filter_type* is not implemented.

`esmvalcore.preprocessor.volume_statistics(cube: Cube, operator: str, normalize: Literal['subtract', 'divide'] | None = None, **operator_kwargs) → Cube`

Apply a statistical operation over a volume.

The volume average is weighted according to the cell volume.

Parameters

- **cube** (*Cube*) – Input cube. The input cube should have a `iris.coords.CellMeasure` named 'ocean_volume', unless it has a `iris.coords.CellMeasure` named 'cell_area' or regular 1D latitude and longitude coordinates so the cell areas can be computed using `iris.analysis.cartography.area_weights()`. The volume will be computed from the area multiplied by the thickness, computed from the bounds of the vertical coordinate. In that case, vertical coordinate units should be convertible to meters.

- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Currently, only *mean* is allowed.
- **normalize** (*Literal*['subtract', 'divide'] | *None*) – If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Return type*Cube*

Note: This preprocessor has been designed for oceanic variables, but it might be applicable to atmospheric data as well.

Returns

Collapsed cube.

Return type`iris.cube.Cube`**Parameters**

- **cube** (*Cube*) –
- **operator** (*str*) –
- **normalize** (*Literal*['subtract', 'divide'] | *None*) –

`esmvalcore.preprocessor.weighting_landsea_fraction(cube, area_type)`

Weight fields using land or sea fraction.

This preprocessor function weights a field with its corresponding land or sea area fraction (value between 0 and 1). The application of this is important for most carbon cycle variables (and other land-surface outputs), which are e.g. reported in units of *kgC m⁻²*. This actually refers to ‘per square meter of land/sea’ and NOT ‘per square meter of gridbox’. So in order to integrate these globally or regionally one has to both area-weight the quantity but also weight by the land/sea fraction.

Parameters

- **cube** (*iris.cube.Cube*) – Data cube to be weighted. It should have an `iris.coords.AncillaryVariable` with standard name 'land_area_fraction' or 'sea_area_fraction'. If both are present, only the 'land_area_fraction' will be used.
- **area_type** (*str*) – Use land ('land') or sea ('sea') fraction for weighting.

Returns

Land/sea fraction weighted cube.

Return type`iris.cube.Cube`**Raises**

- **TypeError** – *area_type* is not 'land' or 'sea'.
- **ValueError** – Land/sea fraction variables *sftlf* or *sftof* not found.

```
esmvalcore.preprocessor.zonal_statistics(cube: Cube, operator: str, normalize: Literal['subtract',  
                                         'divide'] | None = None, **operator_kwargs) → Cube
```

Compute zonal statistics.

Parameters

- **cube** (*Cube*) – Input cube.
- **operator** (*str*) – The operation. Used to determine the `iris.analysis.Aggregator` object used to calculate the statistics. Allowed options are given in [this table](#).
- **normalize** (*Literal*['subtract', 'divide'] | *None*) – If given, do not return the statistics cube itself, but rather, the input cube, normalized with the statistics cube. Can either be *subtract* (statistics cube is subtracted from the input cube) or *divide* (input cube is divided by the statistics cube).
- ****operator_kwargs** – Optional keyword arguments for the `iris.analysis.Aggregator` object defined by *operator*.

Returns

Zonal statistics cube or input cube normalized by statistics cube (see *normalize*).

Return type

`iris.cube.Cube`

Raises

ValueError – Error raised if computation on irregular grids is attempted. Zonal statistics not yet implemented for irregular grids.

REGRIDDING SCHEMES

Iris natively supports data regridding with its `iris.cube.Cube.regrid()` method and a set of predefined regridding schemes provided in the `analysis` module (further details are given on [this page](#)). Here, further regridding schemes are provided that are compatible with `iris.cube.Cube.regrid()`.

Example:

```
from esmvalcore.preprocessor.regrid_schemes import ESMPyAreaWeighted

regridded_cube = cube.regrid(target_grid, ESMPyAreaWeighted())
```

Regridding schemes.

Classes:

<code>ESMPyAreaWeighted([mask_threshold])</code>	ESMPy area-weighted regridding scheme.
<code>ESMPyLinear([mask_threshold])</code>	ESMPy bilinear regridding scheme.
<code>ESMPyNearest([mask_threshold])</code>	ESMPy nearest-neighbor regridding scheme.
<code>ESMPyRegridder(src_cube, tgt_cube[, method, ...])</code>	General ESMPy regridder.
<code>GenericFuncScheme(func, **kwargs)</code>	Regridding with a generic function.
<code>GenericRegridder(src_cube, tgt_cube, func, ...)</code>	Generic function regridder.
<code>UnstructuredNearest()</code>	Unstructured nearest-neighbor regridding scheme.

class `esmvalcore.preprocessor.regrid_schemes.ESMPyAreaWeighted`(*mask_threshold*: *float* = 0.99)

ESMPy area-weighted regridding scheme.

This class can be used in `iris.cube.Cube.regrid()`.

Does not support lazy regridding.

Methods:

<code>regridder(src_cube, tgt_cube)</code>	Get regridder.
--	----------------

Parameters

mask_threshold (*float*) –

regridder(*src_cube*: *Cube*, *tgt_cube*: *Cube*) → *ESMPyRegridder*

Get regridder.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.

- **tgt_cube** (*Cube*) – Cube defining the target grid.

Returns

Regridder instance.

Return type

ESMPyRegridder

class esmvalcore.preprocessor.regrid_schemes.**ESMPyLinear**(*mask_threshold: float = 0.99*)

ESMPy bilinear regridding scheme.

This class can be used in `iris.cube.Cube.regrid()`.

Does not support lazy regridding.

Methods:

<i>regridder</i> (src_cube, tgt_cube)	Get regridder.
---------------------------------------	----------------

Parameters

mask_threshold (*float*) –

regridder(*src_cube: Cube, tgt_cube: Cube*) → *ESMPyRegridder*

Get regridder.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.

Returns

Regridder instance.

Return type

ESMPyRegridder

class esmvalcore.preprocessor.regrid_schemes.**ESMPyNearest**(*mask_threshold: float = 0.99*)

ESMPy nearest-neighbor regridding scheme.

This class can be used in `iris.cube.Cube.regrid()`.

Does not support lazy regridding.

Methods:

<i>regridder</i> (src_cube, tgt_cube)	Get regridder.
---------------------------------------	----------------

Parameters

mask_threshold (*float*) –

regridder(*src_cube: Cube, tgt_cube: Cube*) → *ESMPyRegridder*

Get regridder.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.

Returns

Regridder instance.

Return type

ESMPyRegridder

```
class esmvalcore.preprocessor.regrid_schemes.ESMPyRegridder(src_cube: Cube, tgt_cube: Cube,
                                                           method: str = 'linear',
                                                           mask_threshold: float = 0.99)
```

General ESMPy regridder.

Does not support lazy regridding nor weights caching.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.
- **method** (*str*) – Regridding algorithm. Must be one of *linear*, *area_weighted*, *nearest*.
- **mask_threshold** (*float*) – Threshold used to regrid mask of input cube.

```
class esmvalcore.preprocessor.regrid_schemes.GenericFuncScheme(func: Callable, **kwargs)
```

Regridding with a generic function.

This class can be used in `iris.cube.Cube.regrid()`.

Does support lazy regridding if *func* does.

Parameters

- **func** (*Callable*) – Generic regridding function with signature `f(src_cube: Cube, grid_cube: Cube, **kwargs) -> Cube`.
- ****kwargs** – Keyword arguments for the generic regridding function.

Methods:

<i>regridder</i> (src_cube, tgt_cube)	Get regridder.
---------------------------------------	----------------

```
regridder(src_cube: Cube, tgt_cube: Cube) → GenericRegridder
```

Get regridder.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.

Returns

Regridder instance.

Return type

GenericRegridder

```
class esmvalcore.preprocessor.regrid_schemes.GenericRegridder(src_cube: Cube, tgt_cube: Cube,
                                                                func: Callable, **kwargs)
```

Generic function regridder.

Does support lazy regridding if *func* does. Does not support weights caching.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.
- **func** (*Callable*) – Generic regridding function with signature `f(src_cube: Cube, grid_cube: Cube, **kwargs) -> Cube`.
- ****kwargs** – Keyword arguments for the generic regridding function.

class `esmvalcore.preprocessor.regrid_schemes.UnstructuredNearest`

Unstructured nearest-neighbor regridding scheme.

This class is a wrapper around `iris.analysis.UnstructuredNearest` that removes any additional X or Y coordinates prior to regridding if necessary. It can be used in `iris.cube.Cube.regrid()`.

Methods:

<code>regridder(src_cube, tgt_cube)</code>	Get regridded.
--	----------------

regridder (*src_cube: Cube, tgt_cube: Cube*) → `UnstructuredNearestNeighbourRegridded`

Get regridded.

Parameters

- **src_cube** (*Cube*) – Cube defining the source grid.
- **tgt_cube** (*Cube*) – Cube defining the target grid.

Returns

Regridded instance.

Return type

`UnstructuredNearestNeighbourRegridded`

TYPE HINTS

Type aliases for providing type hints.

`esmvalcore.typing.FacetValue(*args, **kwargs)`

Type describing a single facet.

alias of `Union[str, Sequence[str], Number]`

`esmvalcore.typing.Facets(*args, **kwargs)`

Type describing a collection of facets.

alias of `Dict[str, Union[str, Sequence[str], Number]]`

`esmvalcore.typing.NetCDFAttr(*args, **kwargs)`

Type describing netCDF attributes.

`NetCDF attributes` can be strings, numbers or sequences.

alias of `Union[str, Number, Iterable]`

EXPERIMENTAL API

This page describes the new ESMValCore API. The experimental API module is available in the submodule `esmvalcore.experimental`. The API is under development, so use at your own risk!

39.1 Recipes

This section describes the *recipe* submodule of the API (`esmvalcore.experimental`).

39.1.1 Recipe metadata

Recipe is a class that holds metadata from a recipe.

```
>>> Recipe('path/to/recipe_python.yml')
recipe = Recipe('Recipe Python')
```

Printing the recipe will give a nice overview of the recipe:

```
>>> print(recipe)
## Recipe python

Example recipe that plots a map and timeseries of temperature.

### Authors
- Bouwe Andela (NLeSC, Netherlands; https://orcid.org/0000-0001-9005-8940)
- Mattia Righi (DLR, Germany; https://orcid.org/0000-0003-3827-5950)

### Maintainers
- Manuel Schlund (DLR, Germany; https://orcid.org/0000-0001-5251-0158)

### Projects
- DLR project ESMVal
- Copernicus Climate Change Service 34a Lot 2 (MAGIC) project

### References
- Please acknowledge the project(s).
```

39.1.2 Running a recipe

To run the recipe, call the `run()` method.

```
>>> output = recipe.run()
<log messages>
```

By default, a new Session is automatically created, so that data are never overwritten. Data are stored in the `esmvaltool_output` directory specified in the config. Sessions can also be explicitly specified.

```
>>> from esmvalcore.experimental import CFG
>>> session = CFG.start_session('my_session')
>>> output = recipe.run(session)
<log messages>
```

`run()` returns a dictionary of objects that can be used to inspect the output of the recipe. The output is an instance of `ImageFile` or `DataFile` depending on its type.

For working with recipe output, see: [Recipe output](#).

39.1.3 Running a single diagnostic or preprocessor task

The python example recipe contains 5 tasks:

Preprocessors:

- `timeseries/tas_amsterdam`
- `timeseries/script1`
- `map/tas`

Diagnostics:

- `timeseries/tas_global`
- `map/script1`

To run a single diagnostic or preprocessor, the name of the task can be passed as an argument to `run()`. If a diagnostic is passed, all ancestors will automatically be run too.

```
>>> output = recipe.run('map/script1')
>>> output
map/script1:
  DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc')
  DataFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.nc')
  ImageFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.png')
  ImageFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.png')
```

It is also possible to run a single preprocessor task:

```
>>> output = recipe.run('map/tas')
>>> output
map/tas:
  DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc')
  DataFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.nc')
```

39.1.4 API reference

Recipe metadata.

Classes:

<i>Recipe</i> (path)	API wrapper for the esmvalcore Recipe object.
----------------------	---

class esmvalcore.experimental.recipe.**Recipe**(path: *PathLike*)

Bases: `object`

API wrapper for the esmvalcore Recipe object.

This class can be used to inspect and run the recipe.

Parameters

path (*pathlike*) – Path to the recipe.

Attributes:

<i>data</i>	Return dictionary representation of the recipe.
<i>name</i>	Return the name of the recipe.

Methods:

<i>get_output</i> ()	Get output from recipe.
<i>render</i> ([template])	Render output as html.
<i>run</i> ([task, session])	Run the recipe.

property data: `dict`

Return dictionary representation of the recipe.

get_output() → *RecipeOutput*

Get output from recipe.

Returns

output – Returns output of the recipe as instances of `OutputFile` grouped by diagnostic task.

Return type

`dict`

property name

Return the name of the recipe.

render(*template=None*)

Render output as html.

template

[`Template`] An instance of `jinja2.Template` can be passed to customize the output.

run(*task: str | None = None, session: Session | None = None*)

Run the recipe.

This function loads the recipe into the ESMValCore recipe format and runs it.

Parameters

- **task** (*str*) – Specify the name of the diagnostic or preprocessor to run a single task.
- **session** (Session, optional) – Defines the config parameters and location where the recipe output will be stored. If None, a new session will be started automatically.

Returns

output – Returns output of the recipe as instances of `OutputItem` grouped by diagnostic task.

Return type

`dict`

39.2 Recipe output

This section describes the `recipe_output` submodule of the API (`esmvalcore.experimental`).

After running a recipe, output is returned by the `run()` method. Alternatively, it can be retrieved using the `get_output()` method.

```
>>> recipe_output = recipe.get_output()
```

`recipe_output` is a mapping of the individual tasks and their output filenames (data and image files) with a set of attributes describing the data.

```
>>> recipe_output
timeseries/script1:
  DataFile('tas_amsterdam_CMIP5_CanESM2_Amon_historical_r1i1p1_tas_1850-2000.nc')
  DataFile('tas_amsterdam_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000.nc')
  DataFile('tas_amsterdam_MultiModelMean_Amon_tas_1850-2000.nc')
  DataFile('tas_global_CMIP5_CanESM2_Amon_historical_r1i1p1_tas_1850-2000.nc')
  DataFile('tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000.nc')
  ImageFile('tas_amsterdam_CMIP5_CanESM2_Amon_historical_r1i1p1_tas_1850-2000.png')
  ImageFile('tas_amsterdam_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000.png')
  ImageFile('tas_amsterdam_MultiModelMean_Amon_tas_1850-2000.png')
  ImageFile('tas_global_CMIP5_CanESM2_Amon_historical_r1i1p1_tas_1850-2000.png')
  ImageFile('tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000.png')

map/script1:
  DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc')
  DataFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.nc')
  ImageFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.png')
  ImageFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.png')
```

Output is grouped by the task that produced them. They can be accessed like a dictionary.

```
>>> task_output = recipe_output['map/script1']
>>> task_output
map/script1:
  DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc')
  DataFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.nc')
  ImageFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.png')
  ImageFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.png')
```

The task output has a list of files associated with them, usually image (`.png`) or data files (`.nc`). To get a list of all files, use `files()`.

```
>>> print(task_output.files)
(DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc'),
..., ImageFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.png'))
```

It is also possible to select the image (*image_files()*) files or data files (*data_files()*) only.

```
>>> for image_file in task_output.image_files:
>>>     print(image_file)
ImageFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.png')
ImageFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.png')

>>> for data_file in task_output.data_files:
>>>     print(data_file)
DataFile('CMIP5_CanESM2_Amon_historical_r1i1p1_tas_2000-2000.nc')
DataFile('CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_2000-2000.nc')
```

39.2.1 Working with output files

Output comes in two kinds, *DataFile* corresponds to data files in .nc format and *ImageFile* corresponds to plots in .png format (see below). Both object are derived from the same base class (*OutputFile*) and therefore share most of the functionality.

For example, author information can be accessed as instances of *Contributor* via

```
>>> output_file = task_output[0]
>>> output_file.authors
(Contributor('Andela, Bouwe', institute='NLeSC, Netherlands', orcid='https://orcid.org/
↪0000-0001-9005-8940'),
 Contributor('Righi, Mattia', institute='DLR, Germany', orcid='https://orcid.org/0000-
↪0003-3827-5950'))
```

And associated references as instances of *Reference* via

```
>>> output_file.references
(Reference('acknow_project'),)
```

OutputFile also knows about associated files

```
>>> data_file.citation_file
Path('.../tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000_citation.
↪bibtex')
>>> data_file.data_citation_file
Path('.../tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000_data_citation_
↪info.txt')
>>> data_file.provenance_svg_file
Path('.../tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000_provenance.svg
↪')
>>> data_file.provenance_xml_file
Path('.../tas_global_CMIP6_BCC-ESM1_Amon_historical_r1i1p1f1_tas_1850-2000_provenance.xml
↪')
```

39.2.2 Working with image files


Image output uses IPython magic to plot themselves in a notebook environment.

```
>>> image_file = recipe_output['map/script1'].image_files[0]
>>> image_file
```

For example:

```
In [30]: image_file = recipe_output['map/script1'].image_files[0]
         image_file
```

Out[30]: Average Near-Surface Air Temperature between 2000 and 2000 according to BCC-ESM1.



Using IPython.display, it is possible to show all image files.

```
>>> from IPython.display import display
>>>
>>> task = recipe_output['map/script1']
>>> for image_file in task.image_files:
>>>     display(image_file)
```


39.2.3 Working with data files

Data files can be easily loaded using xarray:

```
>>> data_file = recipe_output['timeseries/script1'].data_files[0]
>>> data = data_file.load_xarray()
>>> type(data)
xarray.core.dataset.Dataset
```

Or iris:

```
>>> cube = data_file.load_iris()
>>> type(cube)
iris.cube.CubeList
```

39.2.4 API reference

API for handing recipe output.

Classes:

<i>DataFile</i> (path[, attributes])	Container for data output.
<i>DiagnosticOutput</i> (name, task_output[, title, ...])	Container for diagnostic output.
<i>ImageFile</i> (path[, attributes])	Container for image output.
<i>OutputFile</i> (path[, attributes])	Base container for recipe output files.
<i>RecipeOutput</i> (task_output[, session, info])	Container for recipe output.
<i>TaskOutput</i> (name, files)	Container for task output.

class esmvalcore.experimental.recipe_output.**DataFile**(path: *str*, attributes: *dict* | *None* = *None*)

Bases: *OutputFile*

Container for data output.

Attributes:

<i>authors</i>	List of recipe authors.
<i>caption</i>	Return the caption of the file (fallback to path).
<i>citation_file</i>	Return path of citation file (bibtex format).
<i>data_citation_file</i>	Return path of data citation info (txt format).
<i>kind</i>	
<i>provenance_xml_file</i>	Return path of provenance file (xml format).
<i>references</i>	List of project references.

Methods:

<i>create</i> (path[, attributes])	Construct new instances of OutputFile.
<i>load_iris</i> ()	Load data using iris.
<i>load_xarray</i> ()	Load data using xarray.

Parameters

- **path** (*str*) –
- **attributes** (*dict* | *None*) –

property authors: *tuple*

List of recipe authors.

property caption: *str*

Return the caption of the file (fallback to path).

property citation_file

Return path of citation file (bibtex format).

classmethod create(*path: str, attributes: dict | None = None*) → *OutputFile*

Construct new instances of *OutputFile*.

Chooses a derived class if suitable.

Parameters

- **path** (*str*) –
- **attributes** (*dict* | *None*) –

Return type

OutputFile

property data_citation_file

Return path of data citation info (txt format).

kind: *str* | *None* = 'data'

load_iris()

Load data using iris.

load_xarray()

Load data using xarray.

property provenance_xml_file

Return path of provenance file (xml format).

property references: *tuple*

List of project references.

class `esmvalcore.experimental.recipe_output.DiagnosticOutput`(*name, task_output, title=None, description=None*)

Bases: *object*

Container for diagnostic output.

Parameters

- **name** (*str*) – Name of the diagnostic
- **title** (*str*) – Title of the diagnostic
- **description** (*str*) – Description of the diagnostic
- **task_output** (*list* of *TaskOutput*) – List of task output.

class `esmvalcore.experimental.recipe_output.ImageFile`(*path*: *str*, *attributes*: *dict* | *None* = *None*)

Bases: `OutputFile`

Container for image output.

Attributes:

<code>authors</code>	List of recipe authors.
<code>caption</code>	Return the caption of the file (fallback to path).
<code>citation_file</code>	Return path of citation file (bibtex format).
<code>data_citation_file</code>	Return path of data citation info (txt format).
<code>kind</code>	
<code>provenance_xml_file</code>	Return path of provenance file (xml format).
<code>references</code>	List of project references.

Methods:

<code>create</code> (<i>path</i> [, <i>attributes</i>])	Construct new instances of <code>OutputFile</code> .
<code>to_base64</code> ()	Encode image as base64 to embed in a Jupyter notebook.

Parameters

- **path** (*str*) –
- **attributes** (*dict* | *None*) –

property authors: `tuple`

List of recipe authors.

property caption: `str`

Return the caption of the file (fallback to path).

property citation_file

Return path of citation file (bibtex format).

classmethod create(*path*: *str*, *attributes*: *dict* | *None* = *None*) → `OutputFile`

Construct new instances of `OutputFile`.

Chooses a derived class if suitable.

Parameters

- **path** (*str*) –
- **attributes** (*dict* | *None*) –

Return type

`OutputFile`

property data_citation_file

Return path of data citation info (txt format).

kind: `str` | `None` = `'image'`

property provenance_xml_file

Return path of provenance file (xml format).

property references: tuple

List of project references.

to_base64() → *str*

Encode image as base64 to embed in a Jupyter notebook.

Return type

str

class `esmvalcore.experimental.recipe_output.OutputFile`(*path: str, attributes: dict | None = None*)

Bases: `object`

Base container for recipe output files.

Use `OutputFile.create(path='<path>', attributes=attributes)` to initialize a suitable subclass.

Parameters

- **path** (*str*) – Name of output file
- **attributes** (*dict*) – Attributes corresponding to the recipe output

Attributes:

<i>authors</i>	List of recipe authors.
<i>caption</i>	Return the caption of the file (fallback to path).
<i>citation_file</i>	Return path of citation file (bibtex format).
<i>data_citation_file</i>	Return path of data citation info (txt format).
<i>kind</i>	
<i>provenance_xml_file</i>	Return path of provenance file (xml format).
<i>references</i>	List of project references.

Methods:

<i>create</i> (<i>path[, attributes]</i>)	Construct new instances of <code>OutputFile</code> .
---	--

property authors: tuple

List of recipe authors.

property caption: str

Return the caption of the file (fallback to path).

property citation_file

Return path of citation file (bibtex format).

classmethod `create`(*path: str, attributes: dict | None = None*) → *OutputFile*

Construct new instances of `OutputFile`.

Chooses a derived class if suitable.

Parameters

- **path** (*str*) –
- **attributes** (*dict* | *None*) –

Return type`OutputFile`**property data_citation_file**

Return path of data citation info (txt format).

kind: `str` | `None` = `None`

property provenance_xml_file

Return path of provenance file (xml format).

property references: `tuple`

List of project references.

```
class esmvalcore.experimental.recipe_output.RecipeOutput(task_output: dict, session=None,
                                                         info=None)
```

Bases: `Mapping`

Container for recipe output.

Parameters

task_output (`dict`) – Dictionary with recipe output grouped by task name. Each task value is a mapping of the filenames with the product attributes.

diagnostics

Dictionary with recipe output grouped by diagnostic.

Type`dict`**info**

The recipe used to create the output.

Type`RecipeInfo`**session**

The session used to run the recipe.

Type`esmvalcore.config.Session`**Attributes:**

`FILTER_ATTRS`

Methods:

<code>from_core_recipe_output(recipe_output)</code>	Construct instance from <code>_recipe.Recipe</code> output.
<code>get(k[,d])</code>	
<code>items()</code>	
<code>keys()</code>	
<code>read_main_log()</code>	Read log file.
<code>read_main_log_debug()</code>	Read debug log file.
<code>render([template])</code>	Render output as html.
<code>values()</code>	
<code>write_html()</code>	Write output summary to html document.

FILTER_ATTRS: `list = ['realms', 'plot_type', 'plot_types', 'long_names']`

classmethod `from_core_recipe_output(recipe_output: dict)`

Construct instance from `_recipe.Recipe` output.

The core recipe format is not directly compatible with the API. This constructor converts the raw recipe dict to `RecipeInfo`

Parameters

recipe_output (`dict`) – Output from `_recipe.Recipe.get_product_output`

`get(k[, d])` → `D[k]` if `k` in `D`, else `d`. `d` defaults to `None`.

`items()` → a set-like object providing a view on `D`'s items

`keys()` → a set-like object providing a view on `D`'s keys

`read_main_log()` → `str`

Read log file.

Return type

`str`

`read_main_log_debug()` → `str`

Read debug log file.

Return type

`str`

`render(template=None)`

Render output as html.

template

[`Template`] An instance of `jinja2.Template` can be passed to customize the output.

`values()` → an object providing a view on `D`'s values

`write_html()`

Write output summary to html document.

A html file `index.html` gets written to the session directory.

class `esmvalcore.experimental.recipe_output.TaskOutput` (*name: str, files: dict*)

Bases: `object`

Container for task output.

Parameters

- **name** (*str*) – Name of the task
- **files** (*dict*) – Mapping of the filenames with the associated attributes.

Attributes:

<code>data_files</code>	Return a tuple of data objects.
<code>image_files</code>	Return a tuple of image objects.

Methods:

<code>from_task</code> (task)	Create an instance of <i>TaskOutput</i> from a Task.
-------------------------------	--

property `data_files`: `tuple`

Return a tuple of data objects.

classmethod `from_task`(task) → *TaskOutput*

Create an instance of *TaskOutput* from a Task.

Where task is an instance of *esmvalcore._task.BaseTask*.

Return type

TaskOutput

property `image_files`: `tuple`

Return a tuple of image objects.

39.3 Recipe Metadata

This section describes the *recipe_metadata* submodule of the API (`esmvalcore.experimental`).

39.3.1 API reference

API for recipe metadata.

Classes:

<code>Contributor</code> (name, institute[, orcid])	Contains contributor (author or maintainer) information.
<code>Project</code> (project)	Use this class to acknowledge a project associated with the recipe.
<code>Reference</code> (filename)	Parse reference information from bibtex entries.

Exceptions:

<code>RenderError</code>	Error during rendering of object.
--------------------------	-----------------------------------

```
class esmvalcore.experimental.recipe_metadata.Contributor(name: str, institute: str, orcid: str | None
                                                         = None)
```

Bases: `object`

Contains contributor (author or maintainer) information.

Parameters

- **name** (`str`) – Name of the author, i.e. 'John Doe'
- **institute** (`str`) – Name of the institute
- **orcid** (`str`, *optional*) – ORCID url

Methods:

<code>from_dict(attributes)</code>	Return an instance of Contributor from a dictionary.
<code>from_tag(tag)</code>	Return an instance of Contributor from a tag (TAGS).

```
classmethod from_dict(attributes)
```

Return an instance of Contributor from a dictionary.

Parameters

attributes (`dict`) – Dictionary containing name / institute [/ orcid].

```
classmethod from_tag(tag: str) → Contributor
```

Return an instance of Contributor from a tag (TAGS).

Parameters

tag (`str`) – The contributor tags are defined in the authors section in config-references.yml.

Return type

`Contributor`

```
class esmvalcore.experimental.recipe_metadata.Project(project: str)
```

Bases: `object`

Use this class to acknowledge a project associated with the recipe.

Parameters

project (`str`) – The project title.

Methods:

<code>from_tag(tag)</code>	Return an instance of Project from a tag (TAGS).
----------------------------	--

```
classmethod from_tag(tag: str) → Project
```

Return an instance of Project from a tag (TAGS).

Parameters

tag (`str`) – The project tags are defined in config-references.yml.

Return type

`Project`

class `esmvalcore.experimental.recipe_metadata.Reference(filename: str)`

Bases: `object`

Parse reference information from bibtex entries.

Parameters

filename (*str*) – Name of the bibtex file.

Raises

NotImplementedError – If the bibtex file contains more than 1 entry.

Methods:

<code>from_tag(tag)</code>	Return an instance of Reference from a bibtex tag.
<code>render([renderer])</code>	Render the reference.

classmethod `from_tag(tag: str) → Reference`

Return an instance of Reference from a bibtex tag.

Parameters

tag (*str*) – The bibtex tags resolved as `esmvaltool/references/{tag}.bibtex` or the corresponding directory as defined by the diagnostics path.

Return type

`Reference`

render(*renderer: str = 'html'*) → *str*

Render the reference.

Parameters

renderer (*str*) – Choose the renderer for the string representation. Must be one of: 'plain-text', 'markdown', 'html', 'latex'

Returns

Rendered reference

Return type

str

exception `esmvalcore.experimental.recipe_metadata.RenderError`

Bases: `BaseException`

Error during rendering of object.

add_note()

Exception.add_note(note) – add a note to the exception

args

with_traceback()

Exception.with_traceback(tb) – set self.__traceback__ to tb and return self.

39.4 Utils

This section describes the *utils* submodule of the API (`esmvalcore.experimental`).

39.4.1 Finding recipes

One of the first thing we may want to do, is to simply get one of the recipes available in ESMValTool

If you already know which recipe you want to load, call `get_recipe()`.

```
from esmvalcore.experimental import get_recipe
>>> get_recipe('examples/recipe_python')
Recipe('Recipe python')
```

Call the `get_all_recipes()` function to get a list of all available recipes.

```
>>> from esmvalcore.experimental import get_all_recipes
>>> recipes = get_all_recipes()
>>> recipes
[Recipe('Recipe perfmetrics cmip5 4cds'),
 Recipe('Recipe martin18grl'),
 ...
 Recipe('Recipe wflow'),
 Recipe('Recipe pcrglobwb')]
```

To search for a specific recipe, you can use the `find()` method. This takes a search query that looks through the recipe metadata and returns any matches. The query can be a regex pattern, so you can make it as complex as you like.

```
>>> results = recipes.find('climwip')
[Recipe('Recipe climwip')]
```

The recipes are loaded in a *Recipe* object, which knows about the documentation, authors, project, and related references of the recipe. It resolves all the tags, so that it knows which institute an author belongs to and which references are associated with the recipe.

This means you can search for something like this:

```
>>> recipes.find('Geophysical Research Letters')
[Recipe('Recipe martin18grl'),
 Recipe('Recipe climwip'),
 Recipe('Recipe ecs constraints'),
 Recipe('Recipe ecs scatter'),
 Recipe('Recipe ecs'),
 Recipe('Recipe seaice')]
```

39.4.2 API reference

ESMValCore utilities.

Classes:

<code>RecipeList([iterable])</code>	Container for recipes.
-------------------------------------	------------------------

Functions:

<code>get_all_recipes([subdir])</code>	Return a list of all available recipes.
<code>get_recipe(name)</code>	Get a recipe by its name.

class `esmvalcore.experimental.utils.RecipeList(iterable=(), /)`

Container for recipes.

Methods:

<code>find(query)</code>	Search for recipes matching the search query or pattern.
--------------------------	--

find(*query*: *Pattern[str]*)

Search for recipes matching the search query or pattern.

Searches in the description, authors and project information fields. All matches are returned.

Parameters

query (*str*, *Pattern*) – String to search for, e.g. `find_recipes('righi')` will return all matching that author. Can be a *regex* pattern.

Returns

List of recipes matching the search query.

Return type

RecipeList

`esmvalcore.experimental.utils.get_all_recipes(subdir: str | None = None) → list`

Return a list of all available recipes.

Parameters

subdir (*str*) – Sub-directory of the `DIAGNOSTICS.path` to look for recipes, e.g. `get_all_recipes(subdir='examples')`.

Returns

List of available recipes

Return type

RecipeList

`esmvalcore.experimental.utils.get_recipe(name: PathLike | str) → Recipe`

Get a recipe by its name.

The function looks first in the local directory, and second in the repository defined by the diagnostic path. The recipe name can be specified with or without extension. The first match will be returned.

Parameters

name (*str*, *pathlike*) – Name of the recipe file, i.e. `examples/recipe_python.yml`

Returns

Instance of `Recipe` which can be used to inspect and run the recipe.

Return type

Recipe

Raises

FileNotFoundError – If the name cannot be resolved to a recipe file.

Part VIII

Changelog

Highlights

- All statistics preprocessors support the same operators and have a common [documentation](#). In addition, arbitrary keyword arguments for the statistical operation can be directly given to the preprocessor.
- The output webpage generated by the tool now looks better and provides methods to select and filter the output.
- Improved computational efficiency:
 - Automatic rechunking between preprocessor steps to keep the [graph size smaller](#) and the [chunk size optimal](#).
 - Reduce the size of the dask graph created by `esmvalcore.preprocessor.anomalies()`.
 - Preprocessors `esmvalcore.preprocessor.mask_above_threshold()`, `esmvalcore.preprocessor.mask_below_threshold()`, `esmvalcore.preprocessor.mask_inside_range()`, `esmvalcore.preprocessor.mask_outside_range()` are now lazy.
 - Lazy coordinates bounds are no longer loaded into memory by the CMOR checks and fixes.

This release includes

40.1 Backwards incompatible changes

- Remove the deprecated option `use_legacy_supplementaries` ([Pull request #2202](#)) by [@bouweandela](#)
 - The recommended upgrade procedure is to remove `use_legacy_supplementaries` from `config-user.yml` (if it was there) and remove any mention of `fx_variables` from the recipe. If automatically defining the required supplementary variables does not work, define them in the `variable` or `(additional_) datasets` section as described in [Defining supplementary variables \(ancillary variables and cell measures\)](#).
- Use smarter (units-aware) weights ([Pull request #2139](#)) by [@schlunma](#)
 - Some preprocessors handle units better. For details, see the pull request.
- Removed deprecated configuration option `offline` ([Pull request #2213](#)) by [@schlunma](#)
 - In [v2.8.0](#), we replaced the old `offline` configuration option. From this version on, it stops working. Please refer to [v2.8.0](#) for upgrade instructions.
- Fix issue with CORDEX datasets requiring different dataset tags for downloads and fixes ([Pull request #2066](#)) by [@ljoakim](#)
 - Due to the different facets for CORDEX datasets, there was an inconsistency in the fixing mechanism. This change requires changes to existing recipes that use CORDEX datasets. Please refer to the pull request for detailed update instructions.
- For the following changes, no user change is necessary

- Remove deprecated way of calling `read_cmor_tables()` (Pull request #2201) by @bouweandela
- Remove deprecated callback argument from preprocessor load function (Pull request #2207) by @bouweandela
- Remove deprecated preprocessor function `cleanup` (Pull request #2215) by @bouweandela

40.2 Deprecations

- Clearly separate fixes and CMOR checks (Pull request #2157) by @schlunma
- Added new operators for statistics preprocessor (e.g., 'percentile') and allowed passing additional arguments (Pull request #2191) by @schlunma
 - This harmonizes the operators for all statistics preprocessors. From this version, the new names can be used; the old arguments will stop working from version 2.12.0. Please refer to *Statistical preprocessors* for a detailed description.

40.3 Bug fixes

- Re-add correctly region-extracted cell measures and ancillary variables after `extract_region` (Pull request #2166) by @valeriupredoi, @schlunma
- Fix sorting of datasets
 - Fix sorting of ensemble members in `datasets_to_recipe()` (Pull request #2095) by @bouweandela
 - Fix a problem with sorting datasets that have a mix of facet types (Pull request #2238) by @bouweandela
 - Avoid a crash if dataset has supplementary variables (Pull request #2198) by @bouweandela

40.4 CMOR standard

- ERA5 on-the-fly CMORizer: changed sign of variables `evspsbl` and `evspsblpot` (Pull request #2115) by @katjaweigel
- Add ch4 surface custom cmor table entry (Pull request #2168) by @hb326
- Add CMIP3 institutes names used at NCI (Pull request #2152) by @rbeucher
- Added `get_time_bounds()` and `get_next_month()` to public API (Pull request #2214) by @schlunma
- Improve concatenation checks
 - Relax concatenation checks for `--check_level=relax` and `--check_level=ignore` (Pull request #2144) by @sloosvel
 - Fix `concatenate` preprocessor function (Pull request #2240) by @bouweandela
 - Fix time overlap handling in concatenation (Pull request #2247) by @zklaus

40.5 Computational performance improvements

- Make *Minimum, maximum and interval masking* preprocessors lazy (Pull request #2169) by @joergbenke
 - Restored usage of numpy in *_mask_with_shp* (Pull request #2209) by @joergbenke
- Do not realize lazy coordinate bounds in CMOR check (Pull request #2146) by @sloosvel
- Rechunk between preprocessor steps (Pull request #2205) by @bouweandela
- Reduce the size of the dask graph created by the *anomalies* preprocessor function (Pull request #2200) by @bouweandela

40.6 Documentation

- Add reference to release v2.9.0 in the changelog (Pull request #2130) by @remi-kazoni
- Add merge instructions to release instructions (Pull request #2131) by @zklaus
- Update *mamba* before building environment during Readthedocs build (Pull request #2149) by @valeriupredo
- Ensure compatible zstandard and zstd versions for .conda support (Pull request #2204) by @zklaus
- Remove outdated documentation (Pull request #2210) by @bouweandela
- Remove meercode badge from README because their API is broken (Pull request #2224) by @valeriupredo
- Correct usage help text of version command (Pull request #2232) by @jfrost-mo
- Add `navigation_with_keys: False` to `html_theme_options` in Readthedocs `conf.py` (Pull request #2245) by @valeriupredo
- Replace squarey badge with roundy shield for Anaconda sticker in README (Pull request #2233, Pull request #2260) by @valeriupredo

40.7 Fixes for datasets

- Updated doc about fixes and added type hints to fix functions (Pull request #2160) by @schlunma

40.8 Installation

- Clean-up how pins are written in conda environment file (Pull request #2125) by @valeriupredo
- Use `importlib.metadata` instead of deprecated `pkg_resources` (Pull request #2096) by @bouweandela
- Pin shapely to `>=2.0` (Pull request #2075) by @valeriupredo
- Pin Python to `<3.12` in conda environment (Pull request #2272) by @bouweandela

40.9 Preprocessor

- Improve preprocessor output sorting code (Pull request #2111) by @bouweandela
- Preprocess datasets in the same order as they are listed in the recipe (Pull request #2103) by @bouweandela

40.10 Automatic testing

- [Github Actions] Compress all bash shell setters into one default option per workflow (Pull request #2126) by @valeriupredo
- [Github Actions] Fix Monitor Tests Github Action (Pull request #2135) by @valeriupredo
- [condalock] update conda lock file (Pull request #2141) by @valeriupredo
- [Condalock] make sure mamba/conda are at latest version by forcing a pinned mamba install (Pull request #2136) by @valeriupredo
- Update code coverage orbs (Pull request #2206) by @bouweandela
- Revisit the comment-triggered Github Actions test (Pull request #2243) by @valeriupredo
- Remove workflow that runs Github Actions tests from PR comment (Pull request #2244) by @valeriupredo

40.11 Improvements

- Merge v2.9.x into main (Pull request #2128) by @schlunma
- Fix typo in citation file (Pull request #2182) by @bouweandela
- Cleaned and extended function that extracts datetimes from paths (Pull request #2181) by @schlunma
- Add file encoding (and some read modes) at open file step (Pull request #2219) by @valeriupredo
- Check type of argument passed to `read_cmor_tables()` (Pull request #2217) by @valeriupredo
- Dynamic HTML output for monitoring (Pull request #2062) by @bsolino
- Use PyPI's trusted publishers authentication (Pull request #2269) by @valeriupredo

41.1 Highlights

It is now possible to use the [Dask distributed scheduler](#), which can significantly reduce the run-time of recipes. Configuration examples and advice are available in [our documentation](#). More work on improving the computational performance is planned, so please share your experiences, good and bad, with this new feature in [Discussion #1763](#).

This release includes

41.2 Backwards incompatible changes

- Remove deprecated configuration options (Pull request #2056) by @bouweandela
 - The module `esmvalcore.experimental.config` has been removed. To upgrade, import the module from `esmvalcore.config` instead.
 - The module `esmvalcore._config` has been removed. To upgrade, use `esmvalcore.config` instead.
 - The methods `esmvalcore.config.Session.to_config_user` and `esmvalcore.config.Session.from_config_user` have been removed. To upgrade, use `esmvalcore.config.Session` to access the configuration values directly.

41.3 Bug fixes

- Respect `ignore_warnings` settings from the *project configuration* in `esmvalcore.dataset.Dataset.load()` (Pull request #2046) by @schlunma
- Fixed usage of custom location for *custom CMOR tables* (Pull request #2052) by @schlunma
- Fix issue with writing `index.html` when *running a recipe* with `--resume-from` (Pull request #2055) by @bouweandela
- Fixed bug in ICON CMORizer that lead to shifted time coordinates (Pull request #2038) by @schlunma
- Include `-` in allowed characters for bibtex references (Pull request #2097) by @alistairsellar
- Do not raise an exception if the requested version of a file is not available for all matching files on ESGF (Pull request #2105) by @bouweandela

41.4 Computational performance improvements

- Add support for *configuring Dask distributed* (Pull request #2049, Pull request #2122) by @bouweandela
- Make `esmvalcore.preprocessor.extract_levels()` lazy (Pull request #1761) by @bouweandela
- Lazy implementation of `esmvalcore.preprocessor.multi_model_statistics()` and `esmvalcore.preprocessor.ensemble_statistics()` (Pull request #968 and Pull request #2087) by @Peter9192
- Avoid realizing data in preprocessor function `esmvalcore.preprocessor.concatenate()` when cubes overlap (Pull request #2109) by @bouweandela

41.5 Documentation

- Remove unneeded sphinxcontrib extension (Pull request #2047) by @valeriupredoi
- Show ESMValTool logo on PyPI webpage (Pull request #2065) by @valeriupredoi
- Fix gitter badge in README (Pull request #2118) by @remi-kazeroni
- Add changelog for v2.9.0 (Pull request #2088 and Pull request #2123) by @bouweandela

41.6 Fixes for datasets

- Pass the `esmvalcore.config.Session` to fixes (Pull request #1988) by @schlunma
- ICON: Allowed specifying vertical grid information in recipe (Pull request #2067) by @schlunma
- Allow specifying `raw_units` for CESM2, EMAC, and ICON CMORizers (Pull request #2043) by @schlunma
- ICON: allow specifying horizontal grid file in recipe/extra facets (Pull request #2078) by @schlunma
- Fix tas/tos CMIP6: FIO, KACE, MIROC, IITM (Pull request #2061) by @pepcos
- Add fix for EC-Earth3-Veg tos calendar (Pull request #2100) by @bouweandela
- Correct GISS-E2-1-G tos units (Pull request #2099) by @bouweandela

41.7 Installation

- Drop support for Python 3.8 (Pull request #2053) by @bouweandela
- Add python 3.11 to Github Actions package (conda and PyPI) installation tests (Pull request #2083) by @valeriupredoi
- Remove `with_mypy` or `with-mypy` optional tool for prospector (Pull request #2108) by @valeriupredoi

41.8 Preprocessor

- Added `period='hourly'` for `esmvalcore.preprocessor.climate_statistics()` and `esmvalcore.preprocessor.anomalies()` (Pull request #2068) by @schlunma
- Support IPCC AR6 regions in `esmvalcore.preprocessor.extract_shape()` (Pull request #2008) by @schlunma

42.1 Highlights

This release adds support for Python 3.11 and includes several bugfixes.

This release includes:

42.2 Bug fixes

- Pin numpy !=1.24.3 (Pull request #2011) by @valeriupredo
- Fix a bug in recording provenance for the `mask_multimodel` preprocessor (Pull request #1984) by @schlunma
- Fix ICON hourly data rounding issues (Pull request #2022) by @BauerJul
- Use the default SSL context when using the `extract_location` preprocessor (Pull request #2023) by @ehogan
- Make time-related CMOR fixes work with time dimensions *time1*, *time2*, *time3* (Pull request #1971) by @schlunma
- Always create a cache directory for storing ICON grid files (Pull request #2030) by @schlunma
- Fixed altitude <=> pressure level conversion for masked arrays in the `extract_levels` preprocessor (Pull request #1999) by @schlunma
- Allowed ignoring of scalar time coordinates in the `multi_model_statistics` preprocessor (Pull request #1961) by @schlunma

42.3 Fixes for datasets

- Add support for hourly ICON data (Pull request #1990) by @BauerJul
- Fix areacello in BCC-CSM2-MR (Pull request #1993) by @remi-kazeroni

42.4 Installation

- Add support for Python=3.11 (Pull request #1832) by @valeriupredoi
- Modernize conda lock file creation workflow with mamba, Mambaforge etc (Pull request #2027) by @valeriupredoi
- Pin *libnetcdf*=4.9.1 (Pull request #2072) by @remi-kazoni

42.5 Documentation

- Add changelog for v2.8.1 (Pull request #2079) by @bouweandela

42.6 Automatic testing

- Use mocked *geopy.geocoders.Nominatim* to avoid *ReadTimeoutError* (Pull request #2005) by @schlunma
- Update pre-commit hooks (Pull request #2020) by @bouweandela

43.1 Highlights

- ESMValCore now supports wildcards in recipes and offers improved support for ancillary variables and dataset versioning thanks to contributions by @bouweandela. For details, see *Automatically populating a recipe with all available datasets* and *Defining supplementary variables*.
- Support for CORDEX datasets in a rotated pole coordinate system has been added by @sloosvel.
- Native *ICON* output is now made UGRID-compliant on-the-fly to unlock the use of more sophisticated regridding algorithms, thanks to @schlunma.
- The Python API has been extended with the addition of three modules: `esmvalcore.config`, `esmvalcore.dataset`, and `esmvalcore.local`, all these features courtesy of @bouweandela. For details, see our new example *Example notebooks*.
- The preprocessor `multi_model_statistics()` has been extended to support more use-cases thanks to contributions by @schlunma. For details, see *Multi-model statistics*.

This release includes:

43.2 Backwards incompatible changes

Please read the descriptions of the linked pull requests for detailed upgrade instructions.

- The algorithm for automatically defining the ancillary variables and cell measures has been improved ([Pull request #1609](#)) by @bouweandela. If this does not work as expected, more examples of how to adapt your recipes are given [here](#) and in the corresponding sections of the *recipe documentation* and the *preprocessor documentation*.
- Remove deprecated features scheduled for removal in v2.8.0 or earlier ([Pull request #1826](#)) by @schlunma. Removed `esmvalcore.iris_helpers.var_name_constraint` (has been deprecated in v2.6.0; please use `iris.NameConstraint` with the keyword argument `var_name` instead) and the option `always_use_ne_mask` for `esmvalcore.preprocessor.mask_landsea()` (has been deprecated in v2.5.0; the same behavior can now be achieved by specifying `supplementary_variables`).
- No files will be found if a non-existent version of a dataset is specified ([Pull request #1835](#)) by @bouweandela. If a version of a dataset is specified in the recipe, the tool will now search for exactly that version, instead of simply using the latest version. Therefore, it is necessary to make sure that the version number in the directory tree matches with the version number in the recipe to find the files.
- The default filename template for obs4MIPs has been updated to better match filenames used in this project in ([Pull request #1866](#)) by @bouweandela. This may cause issues if you are storing all the files for obs4MIPs in a directory with no subdirectories per dataset.

43.3 Deprecations

Please read the descriptions of the linked pull requests for detailed upgrade instructions.

- Various configuration related options that are now available through `esmvalcore.config` have been deprecated (Pull request #1769) by @bouweandela.
- The `fx_variables` preprocessor argument and related features have been deprecated (Pull request #1609) by @bouweandela. See Pull request #1609#Deprecations for more information.
- Combined `offline` and `always_search_esgf` into a single option `search_esgf` (Pull request #1935) @schlunma. The configuration option/command line argument `offline` has been deprecated in favor of `search_esgf`. The previous `offline: true` is now `search_esgf: never` (the default); the previous `offline: false` is now `search_esgf: when_missing`. More details on how to adapt your workflow regarding these new options are given in Pull request #1935 and the documentation.
- `esmvalcore.preprocessor.cleanup()` has been deprecated (Pull request #1949) @schlunma. Please do not use this anymore in the recipe (it is not necessary).

43.4 Python API

- Support searching ESGF for a specific version of a file and add `esmvalcore.esgf.ESGFFile.facets` (Pull request #1822) by @bouweandela
- Fix issues with searching for files on ESGF (Pull request #1863) by @bouweandela
- Move the `esmvalcore.experimental.config` module to `esmvalcore.config` (Pull request #1769) by @bouweandela
- Add `esmvalcore.local`, a module to search data on the local filesystem (Pull request #1835) by @bouweandela
- Add `esmvalcore.dataset` module (Pull request #1877) by @bouweandela

43.5 Bug fixes

- Import from `esmvalcore.config` in the `esmvalcore.experimental` module (Pull request #1816) by @bouweandela
- Added scalar coords of input cubes to output of `esmpy_regrid` (Pull request #1811) by @schlunma
- Fix severe bug in `esmvalcore.preprocessor.mask_fillvalues()` (Pull request #1823) by @schlunma
- Fix LWP of ICON on-the-fly CMORizer (Pull request #1839) by @schlunma
- Fixed issue in irregular regridding regarding scalar coordinates (Pull request #1845) by @schlunma
- Update product attributes and `metadata.yml` with cube metadata before saving files (Pull request #1837) by @schlunma
- Remove an extra space character from a filename (Pull request #1883) by @bouweandela
- Improve resilience of ESGF search (Pull request #1869) by @bouweandela
- Fix issue with no files found if timerange start/end differs in length (Pull request #1880) by @bouweandela
- Add `driver` and `sub_experiment` tags to generate dataset aliases (Pull request #1886) by @sloosvel
- Fixed time points of native CESM2 output (Pull request #1772) by @schlunma

- Fix type hints for Python versions < 3.10 (Pull request #1897) by @bouweandela
- Fixed `set_range_in_0_360` for dask arrays (Pull request #1919) by @schlunma
- Made equalized attributes in concatenated cubes consistent across runs (Pull request #1783) by @schlunma
- Fix issue with reading dates from files (Pull request #1936) by @bouweandela
- Add institute name used on ESGF for CMIP5 CanAM4, CanCM4, and CanESM2 (Pull request #1937) by @bouweandela
- Fix issue where data was not loaded and saved (Pull request #1962) by @bouweandela
- Fix type hints for Python 3.8 (Pull request #1795) by @bouweandela
- Update the institute facet of the CSIRO-Mk3L-1-2 model (Pull request #1966) by @remi-kazoni
- Fixed race condition that may result in errors in `esmvalcore.preprocessor.cleanup()` (Pull request #1949) by @schlunma
- Update notebook so it uses supplementaries instead of ancillaries (Pull request #1945) by @bouweandela

43.6 Documentation

- Fix anaconda badge in README (Pull request #1759) by @valeriupredoi
- Fix mistake in the documentation of `esmvalcore.esgf.find_files` (Pull request #1784) by @bouweandela
- Support linking to “stable” ESMValTool version on readthedocs (Pull request #1608) by @bouweandela
- Updated ICON doc with information on usage of `extract_levels` preprocessor (Pull request #1903) by @schlunma
- Add changelog for latest released version v2.7.1 (Pull request #1905) by @valeriupredoi
- Update `preprocessor.rst` due to renaming of NCEP dataset to NCEP-NCAR-R1 (Pull request #1908) by @hb326
- Replace timerange nested lists in docs with overview table (Pull request #1940) by @zklaus
- Updated section “backward compatibility” in `contributing.rst` (Pull request #1918) by @axel-lauer
- Add link to ESMValTool release procedure steps (Pull request #1957) by @remi-kazoni
- Synchronize documentation table of contents with ESMValTool (Pull request #1958) by @bouweandela

43.7 Improvements

- Support wildcards in the recipe and improve support for ancillary variables and dataset versioning (Pull request #1609) by @bouweandela. More details on how to adapt your recipes are given in the corresponding pull request description and in the corresponding sections of the [recipe documentation](#) and the [preprocessor documentation](#).
- Create a session directory with suffix “-1”, “-2”, etc if it already exists (Pull request #1818) by @bouweandela
- Message for users when they use `esmvaltool` executable from `esmvalcore` only (Pull request #1831) by @valeriupredoi
- Order recipe output in `index.html` (Pull request #1899) by @bouweandela
- Improve reading facets from ESGF search results (Pull request #1920) by @bouweandela

43.8 Fixes for datasets

- Fix rotated coordinate grids and *tas* and *pr* for CORDEX datasets (Pull request #1765) by @sloosvel
- Made ICON output UGRID-compliant (on-the-fly) (Pull request #1664) by @schlunma
- Fix automatic download of ICON grid file and make ICON UGRIDization optional (*default: true*) (Pull request #1922) by @schlunma
- Add siconc fixes for EC-Earth3-Veg and EC-Earth3-Veg-LR models (Pull request #1771) by @egalytska
- Fix siconc in KIOST-ESM (Pull request #1829) by @LisaBock
- Extension of ERA5 CMORizer (variable cl) (Pull request #1850) by @axel-lauer
- Add standard variable names for EMAC (Pull request #1853) by @FranziskaWinterstein
- Fix for FGOALS-f3-L clt (Pull request #1928) by @LisaBock

43.9 Installation

- Add all deps to the conda-forge environment and suppress installing and reinstalling deps with pip at readthedocs builds (Pull request #1786) by @valeriupredoi
- Pin netCDF4<1.6.1 (Pull request #1805) by @bouweandela
- Unpin NetCF4 (Pull request #1814) by @valeriupredoi
- Unpin flake8 (Pull request #1820) by @valeriupredoi
- Add iris-esmf-regrid as a dependency (Pull request #1809) by @sloosvel
- Pin esmpy<8.4 (Pull request #1871) by @zklaus
- Update esmpy import for ESMF v8.4.0 (Pull request #1876) by @bouweandela

43.10 Preprocessor

- Allow `esmvalcore.preprocessor.multi_model_statistics()` on cubes with arbitrary dimensions (Pull request #1808) by @schlunma
- Smarter removal of coordinate metadata in `esmvalcore.preprocessor.multi_model_statistics()` preprocessor (Pull request #1813) by @schlunma
- Allowed usage of `esmvalcore.preprocessor.multi_model_statistics()` on single cubes/products (Pull request #1849) by @schlunma
- Allowed usage of `esmvalcore.preprocessor.multi_model_statistics()` on cubes with identical `name()` and `units` (but e.g. different `long_name`) (Pull request #1921) by @schlunma
- Allowed ignoring scalar coordinates in `esmvalcore.preprocessor.multi_model_statistics()` (Pull request #1934) by @schlunma
- Refactored `esmvalcore.preprocessor.regrid()` and removed unnecessary code not needed anymore due to new iris version (Pull request #1898) by @schlunma
- Do not realise coordinates during CMOR check (Pull request #1912) by @sloosvel
- Make `esmvalcore.preprocessor.extract_volume()` work with closed and mixed intervals and allow nearest value selection (Pull request #1930) by @sloosvel

43.11 Release

- Changelog for v2.8.0rc1 (Pull request #1952) by @remi-kazoni
- Increase version number for ESMValCore v2.8.0rc1 (Pull request #1955) by @remi-kazoni
- Changelog for v2.8.0rc2 (Pull request #1959) by @remi-kazoni
- Increase version number for ESMValCore v2.8.0rc2 (Pull request #1973) by @remi-kazoni
- Changelog for v2.8.0 (Pull request #1978) by @remi-kazoni
- Increase version number for ESMValCore v2.8.0 (Pull request #1983) by @remi-kazoni

43.12 Automatic testing

- Set implicit optional to true in *mypy* config to avert side effects and test fails from new *mypy* version (Pull request #1790) by @valeriupredoi
- Remove duplicate *implicit_optional = True* line in *setup.cfg* (Pull request #1791) by @valeriupredoi
- Fix failing test due to missing sample data (Pull request #1797) by @bouweandela
- Remove outdated *cmor_table* facet from data finder tests (Pull request #1798) by @bouweandela
- Modernize tests for *esmvalcore.preprocessor.save()* (Pull request #1799) by @bouweandela
- No more sequential tests since SegFaults were not noticed anymore (Pull request #1819) by @valeriupredoi
- Update pre-commit configuration (Pull request #1821) by @bouweandela
- Updated URL of ICON grid file used for testing (Pull request #1914) by @schlunma

43.13 Variable Derivation

- Add derivation of sea ice extent (Pull request #1695) by @sloosvel

44.1 Highlights

This is a bugfix release where we unpin *cf-units* to allow the latest *iris*=3.4.0 to be installed. It also includes an update to the default configuration used when searching the ESGF for files, to account for a recent change of the CEDA ESGF index node hostname. The changelog contains only changes that were made to the `main` branch.

44.2 Installation

- Set the version number on the development branches to one minor version more than the previous release (Pull request #1854) by @bouweandela
- Unpin cf-units (Pull request #1770) by @bouweandela

44.3 Bug fixes

- Improve error handling if an esgf index node is offline (Pull request #1834) by @bouweandela

44.4 Automatic testing

- Removed unnecessary test that fails with iris 3.4.0 (Pull request #1846) by @schlunma
- Update CEDA ESGF index node hostname (Pull request #1838) by @valeriupredoi

45.1 Highlights

- We have a new preprocessor function called ‘`rolling_window_statistics`’ implemented by @malinae
- We have improved the support for native models, refactored native model fixes by adding common base class *NativeDatasetFix*, changed default DRS for reading native ICON output, and added tests for input/output filenames for **ICON** and **EMAC** on-the-fly CMORizer, all these features courtesy of @schlunma
- Performance of preprocessor functions that use time dimensions has been sped up by **two orders of magnitude** thanks to contributions by @bouweandela

This release includes:

45.2 Backwards incompatible changes

- Change default DRS for reading native ICON output ([Pull request #1705](#)) by @schlunma

45.3 Bug fixes

- Add support for regions stored as MultiPolygon to `extract_shape` preprocessor ([Pull request #1670](#)) by @bouweandela
- Fixed type annotations for Python 3.8 ([Pull request #1700](#)) by @schlunma
- `Core_io.concatenate()` may fail due to case when one of the cubes is scalar - this fixes that ([Pull request #1715](#)) by @valeriupredo
- Pick up esmvalcore badge instead of esmvaltool one in README ([Pull request #1749](#)) by @valeriupredo
- Restore support for scalar cubes to time selection preprocessor functions ([Pull request #1750](#)) by @bouweandela
- Fix calculation of precipitation flux in EMAC on-the-fly CMORizer ([Pull request #1755](#)) by @schlunma

45.4 Deprecations

- Remove deprecation warning for regrid schemes already deprecated for v2.7.0 (Pull request #1753) by @valeriupredoi

45.5 Documentation

- Add Met Office Installation Method (Pull request #1692) by @mo-tgeddes
- Add MO-paths to config file (Pull request #1709) by @mo-tgeddes
- Update MO obs4MIPs paths in the user configuration file (Pull request #1734) by @mo-tgeddes
- Update *Making a release* section of the documentation (Pull request #1689) by @sloosvel
- Added changelog for v2.7.0 (Pull request #1746) by @valeriupredoi
- update CITATION.cff file with 2.7.0 release info (Pull request #1757) by @valeriupredoi

45.6 Improvements

- New preprocessor function 'rolling_window_statistics' (Pull request #1702) by @malininae
- Remove *pytest_flake8* plugin and use *flake8* instead (Pull request #1722) by @valeriupredoi
- Added CESM2 CMORizer (Pull request #1678) by @schlunma
- Speed up functions that use time dimension (Pull request #1713) by @bouweandela
- Modernize and minimize pylint configuration (Pull request #1726) by @bouweandela

45.7 Fixes for datasets

- Refactored native model fixes by adding common base class *NativeDatasetFix* (Pull request #1694) by @schlunma

45.8 Installation

- Pin *netCDF4* != 1.6.1 since that seems to throw a flurry of Segmentation Faults (Pull request #1724) by @valeriupredoi

45.9 Automatic testing

- Pin *flake8*<5.0.0 since Circle CI tests are failing copiously ([Pull request #1698](#)) by [@valeriupredoi](#)
- Added tests for input/output filenames for ICON and EMAC on-the-fly CMORizer ([Pull request #1718](#)) by [@schlunma](#)
- Fix failed tests for Python<3.10 resulting from typing ([Pull request #1748](#)) by [@schlunma](#)

46.1 Highlights

- A new set of CMOR fixes is now available in order to load native EMAC model output and CMORize it on the fly. For details, see *Supported native models: EMAC*.
- The version number of ESMValCore is now automatically generated using `setuptools_scm`, which extracts Python package versions from git metadata.

This release includes

46.2 Deprecations

- Deprecate the function `esmvalcore.var_name_constraint` (Pull request #1592) by @schlunma. This function is scheduled for removal in v2.8.0. Please use `iris.NameConstraint` with the keyword argument `var_name` instead: this is an exact replacement.

46.3 Bug fixes

- Added `start_year` and `end_year` attributes to derived variables (Pull request #1547) by @schlunma
- Show all results on recipe results webpage (Pull request #1560) by @bouweandela
- Regridding regular grids with similar coordinates (Pull request #1567) by @tomaslovato
- Fix timerange wildcard search when deriving variables or downloading files (Pull request #1562) by @sloosvel
- Fix `force_derivation` bug (Pull request #1627) by @sloosvel
- Correct `build-and-deploy-on-pypi` action (Pull request #1634) by @sloosvel
- Apply `clip_timerange` to time dependent fx variables (Pull request #1603) by @sloosvel
- Correctly handle `requests.exceptions.ConnectTimeout` when an ESGF index node is offline (Pull request #1638) by @bouweandela

46.4 CMOR standard

- Added custom CMOR tables used for EMAC CMORizer (Pull request #1599) by @schlunma
- Extended ICON CMORizer (Pull request #1549) by @schlunma
- Add CMOR check exception for a basin coord named sector (Pull request #1612) by @dhohn
- Custom user-defined location for custom CMOR tables (Pull request #1625) by @schlunma

46.5 Containerization

- Remove update command in Dockerfile (Pull request #1630) by @sloosvel

46.6 Community

- Add David Hohn to contributors' list (Pull request #1586) by @valeriupredoi

46.7 Documentation

- [Github Actions Docs] Full explanation on how to use the GA test triggered by PR comment and added docs link for GA hosted runners (Pull request #1553) by @valeriupredoi
- Update the command for building the documentation (Pull request #1556) by @bouweandela
- Update documentation on running the tool (Pull request #1400) by @bouweandela
- Add support for DKRZ-Levante (Pull request #1558) by @remi-kazoni
- Improved documentation on native dataset support (Pull request #1559) by @schlunma
- Tweak *extract_point* preprocessor: explain what it returns if one point coord outside cube and add explicit test (Pull request #1584) by @valeriupredoi
- Update CircleCI, readthedocs, and Docker configuration (Pull request #1588) by @bouweandela
- Remove support for Mistral in *config-user.yml* (Pull request #1620) by @remi-kazoni
- Add changelog for v2.6.0rc1 (Pull request #1633) by @sloosvel
- Add a note on transferring permissions to the release manager (Pull request #1645) by @bouweandela
- Add documentation on building and uploading Docker images (Pull request #1644) by @bouweandela
- Update documentation on ESMValTool module at DKRZ (Pull request #1647) by @remi-kazoni
- Expanded information on deprecations in changelog (Pull request #1658) by @schlunma

46.8 Improvements

- Removed trailing whitespace in custom CMOR tables (Pull request #1564) by @schlunma
- Try searching multiple ESGF index nodes (Pull request #1561) by @bouweandela
- Add CMIP6 *amoc* derivation case and add a test (Pull request #1577) by @valeriupredoi
- Added EMAC CMORizer (Pull request #1554) by @schlunma
- Improve performance of *volume_statistics* (Pull request #1545) by @sloosvel

46.9 Fixes for datasets

- Fixes of ocean variables in multiple CMIP6 datasets (Pull request #1566) by @tomaslovato
- Ensure lat/lon bounds in FGOALS-I3 atmos variables are contiguous (Pull request #1571) by @sloosvel
- Added *AllVars* fix for CMIP6's ICON-ESM-LR (Pull request #1582) by @schlunma

46.10 Installation

- Removed *package/meta.yml* (Pull request #1540) by @schlunma
- Pinned iris>=3.2.1 (Pull request #1552) by @schlunma
- Use *setuptools-scm* to automatically generate the version number (Pull request #1578) by @bouweandela
- Pin *cf-units* to lower than 3.1.0 to temporarily avoid changes within new version related to calendars (Pull request #1659) by @valeriupredoi

46.11 Preprocessor

- Allowed special case for unit conversion of precipitation (*kg m⁻² s⁻¹ <-> mm day⁻¹*) (Pull request #1574) by @schlunma
- Add general *extract_coordinate_points* preprocessor (Pull request #1581) by @sloosvel
- Add preprocessor *accumulate_coordinate* (Pull request #1281) by @jvegreg
- Add *axis_statistics* and improve *depth_integration* (Pull request #1589) by @sloosvel

46.12 Release

- Increase version number for ESMValCore v2.6.0rc1 (Pull request #1632) by @sloosvel
- Update changelog and version for 2.6rc3 (Pull request #1646) by @sloosvel
- Add changelog for rc4 (Pull request #1662) by @sloosvel

46.13 Automatic testing

- Refresh CircleCI cache weekly (Pull request #1597) by @bouweandela
- Use correct cache restore key on CircleCI (Pull request #1598) by @bouweandela
- Install git and ssh before checking out code on CircleCI (Pull request #1601) by @bouweandela
- Fetch all history in Github Action tests (Pull request #1622) by @sloosvel
- Test Github Actions dashboard badge from meercode.io (Pull request #1640) by @valeriupredo
- Improve esmvalcore.esgf unit test (Pull request #1650) by @bouweandela

46.14 Variable Derivation

- Added derivation of *hfn*s (Pull request #1594) by @schlunma

47.1 Highlights

- The new preprocessor `extract_location()` can extract arbitrary locations on the Earth using the `geopy` package that connects to OpenStreetMap. For details, see [Extract location](#).
- Time ranges can now be extracted using the ISO 8601 format. In addition, wildcards are allowed, which makes the time selection much more flexible. For details, see [Recipe section: Datasets](#).
- The new preprocessor `ensemble_statistics()` can calculate arbitrary statistics over all ensemble members of a simulation. In addition, the preprocessor `multi_model_statistics()` now accepts the keyword `groupy`, which allows the calculation of multi-model statistics over arbitrary multi-model ensembles. For details, see [Ensemble statistics](#) and [Multi-model statistics](#).

This release includes

47.2 Backwards incompatible changes

- Update Cordex section in `config-developer.yml` (Pull request #1303) by @francesco-cmcc. This changes the naming convention of ESMValCore's output files from CORDEX dataset. This only affects recipes that use CORDEX data. Most likely, no changes in diagnostics are necessary; however, if code relies on the specific naming convention of files, it might need to be adapted.
- Dropped Python 3.7 (Pull request #1530) by @schlunma. ESMValCore v2.5.0 dropped support for Python 3.7. From now on Python ≥ 3.8 is required to install ESMValCore. The main reason for this is that conda-forge dropped support for Python 3.7 for OSX and arm64 (more details are given [here](#)).

47.3 Bug fixes

- Fix `extract_shape` when fx vars are present (Pull request #1403) by @sloosvel
- Added support of `extra_facets` to fx variables added by the preprocessor (Pull request #1399) by @schlunma
- Augmented input for derived variables with `extra_facets` (Pull request #1412) by @schlunma
- Correctly use masked arrays after `unstructured_nearest` regridding (Pull request #1414) by @schlunma
- Fixing the broken derivation script for XCH4 (and XCO2) (Pull request #1428) by @hb326
- Ignore `.pymon-journal` file in test discovery (Pull request #1436) by @valeriupredo
- Fixed bug that caused automatic download to fail in rare cases (Pull request #1442) by @schlunma

- Add new `JULIA_LOAD_PATH` to diagnostic task test (Pull request #1444) by @valeriupredoi
- Fix provenance file permissions (Pull request #1468) by @bouweandela
- Fixed usage of `statistics=std_dev` option in multi-model statistics preprocessors (Pull request #1478) by @schlunma
- Removed scalar coordinates `p0` and `ptop` prior to merge in `multi_model_statistics` (Pull request #1471) by @axel-lauer
- Added `dataset` and `alias` attributes to `multi_model_statistics` output (Pull request #1483) by @schlunma
- Fixed issues with multi-model-statistics timeranges (Pull request #1486) by @schlunma
- Fixed output messages for CMOR logging (Pull request #1494) by @schlunma
- Fixed `clip_timerange` if only a single time point is extracted (Pull request #1497) by @schlunma
- Fixed chunking in `multi_model_statistics` (Pull request #1500) by @schlunma
- Fixed renaming of auxiliary coordinates in `multi_model_statistics` if coordinates are equal (Pull request #1502) by @schlunma
- Fixed timerange selection for automatic downloads (Pull request #1517) by @schlunma
- Fixed chunking in `multi_model_statistics` (Pull request #1524) by @schlunma

47.4 Deprecations

- Renamed vertical regridding schemes (Pull request #1429) by @schlunma. Old regridding schemes are supported until v2.7.0. For details, see *Vertical interpolation schemes*.

47.5 Documentation

- Remove duplicate entries in changelog (Pull request #1391) by @zklaus
- Documentation on how to use HPC central installations (Pull request #1409) by @valeriupredoi
- Correct brackets in preprocessor documentation for list of seasons (Pull request #1420) by @bouweandela
- Add Python=3.10 to package info, update Circle CI auto install and documentation for Python=3.10 (Pull request #1432) by @valeriupredoi
- Reverted unintentional change in `.zenodo.json` (Pull request #1452) by @schlunma
- Synchronized config-user.yml with version from ESMValTool (Pull request #1453) by @schlunma
- Solved issues in configuration files (Pull request #1457) by @schlunma
- Add direct link to download conda lock file in the install documentation (Pull request #1462) by @valeriupredoi
- CITATION.cff fix and automatic validation of citation metadata (Pull request #1467) by @valeriupredoi
- Updated documentation on how to deprecate features (Pull request #1426) by @schlunma
- Added reference hook to conda lock in documentation install section (Pull request #1473) by @valeriupredoi
- Increased ESMValCore version to 2.5.0rc1 (Pull request #1477) by @schlunma
- Added changelog for v2.5.0 release (Pull request #1476) by @schlunma
- Increased ESMValCore version to 2.5.0rc2 (Pull request #1487) by @schlunma

- Added some authors to citation and zenodo files (Pull request #1488) by @SarahAlidoost
- Restored *scipy* intersphinx mapping (Pull request #1491) by @schlunma
- Increased ESMValCore version to 2.5.0rc3 (Pull request #1504) by @schlunma
- Fix download instructions for the MSWEP dataset (Pull request #1506) by @remi-kazoni
- Documentation updated for the new cmorizer framework (Pull request #1417) by @remi-kazoni
- Added tests for duplicates in changelog and removed duplicates (Pull request #1508) by @schlunma
- Increased ESMValCore version to 2.5.0rc4 (Pull request #1519) by @schlunma
- Add Github Actions Test badge in README (Pull request #1526) by @valeriupredo
- Increased ESMValCore version to 2.5.0rc5 (Pull request #1529) by @schlunma
- Increased ESMValCore version to 2.5.0rc6 (Pull request #1532) by @schlunma

47.6 Fixes for datasets

- Added fix for AIRS v2.1 (obs4mips) (Pull request #1472) by @axel-lauer

47.7 Preprocessor

- Added bias preprocessor (Pull request #1406) by @schlunma
- Improve error messages when a preprocessor is failing (Pull request #1408) by @schlunma
- Added option to explicitly not use fx variables in preprocessors (Pull request #1416) by @schlunma
- Add *extract_location* preprocessor to extract town, city, mountains etc - anything specifiable by a location (Pull request #1251) by @jvegreg
- Add ensemble statistics preprocessor and 'groupby' option for multimodel (Pull request #673) by @sloosvel
- Generic regridding preprocessor (Pull request #1448) by @zklaus

47.8 Automatic testing

- Add *pandas* as dependency :panda_face: (Pull request #1402) by @valeriupredo
- Fixed tests for python 3.7 (Pull request #1410) by @schlunma
- Remove accessing *.xml()* cube method from test (Pull request #1419) by @valeriupredo
- Remove flag to use pip 2020 solver from Github Action pip install command on OSX (Pull request #1357) by @valeriupredo
- Add Python=3.10 to Github Actions and switch to Python=3.10 for the Github Action that builds the PyPi package (Pull request #1430) by @valeriupredo
- Pin *flake8*<4 to keep getting relevant error traces when tests fail with FLAKE8 issues (Pull request #1434) by @valeriupredo
- Implementing conda lock (Pull request #1164) by @valeriupredo

- Relocate *pytest-monitor* outputted database *.pymon* so *.pymon-journal* file should not be looked for by *pytest* (Pull request #1441) by @valeriupredo
- Switch to Mambaforge in Github Actions tests (Pull request #1438) by @valeriupredo
- Turn off conda lock file creation on any push on *main* branch from Github Action test (Pull request #1489) by @valeriupredo
- Add DRS path test for IPSLCM files (Pull request #1490) by @senesis
- Add a test module that runs tests of *iris* I/O every time we notice serious bugs there (Pull request #1510) by @valeriupredo
- [Github Actions] Trigger Github Actions tests (*run-tests.yml* workflow) from a comment in a PR (Pull request #1520) by @valeriupredo
- Update Linux condalock file (various pull requests) github-actions[bot]

47.9 Installation

- Move *nested-lookup* dependency to *environment.yml* to be installed from conda-forge instead of PyPi (Pull request #1481) by @valeriupredo
- Pinned *iris* (Pull request #1511) by @schlunma
- Updated dependencies (Pull request #1521) by @schlunma
- Pinned *iris*<3.2.0 (Pull request #1525) by @schlunma

47.10 Improvements

- Allow to load all files, first X years or last X years in an experiment (Pull request #1133) by @sloosvel
- Filter tasks earlier (Pull request #1264) by @jvegreg
- Added earlier validation for command line arguments (Pull request #1435) by @schlunma
- Remove *profile_diagnostic* from diagnostic settings and increase test coverage of *_task.py* (Pull request #1404) by @valeriupredo
- Add *output2* to the *product* extra facet of CMIP5 data (Pull request #1514) by @remi-kazoni
- Speed up ESGF search (Pull request #1512) by @bouweandela

48.1 Highlights

- ESMValCore now has the ability to automatically download missing data from ESGF. For details, see [Data Retrieval](#).
- ESMValCore now also can resume an earlier run. This is useful to re-use expensive preprocessor results. For details, see [Running](#).

This release includes

48.2 Bug fixes

- Crop on the ID-selected region(s) and not on the whole shapefile (Pull request #1151) by @stefsmets
- Add 'comment' to list of removed attributes (Pull request #1244) by @Peter9192
- Speed up multimodel statistics and fix bug in peak computation (Pull request #1301) by @bouweandela
- No longer make plots of provenance (Pull request #1307) by @bouweandela
- No longer embed provenance in output files (Pull request #1306) by @bouweandela
- Removed automatic addition of areacello to obs4mips datasets (Pull request #1316) by @schlunma
- Pin docutils <0.17 to fix bullet lists on readthedocs (Pull request #1320) by @zklaus
- Fix obs4MIPs capitalization (Pull request #1328) by @bouweandela
- Fix Python 3.7 tests (Pull request #1330) by @bouweandela
- Handle fx variables in *extract_levels* and some time operations (Pull request #1269) by @sloosvel
- Refactored mask regridding for irregular grids (fixes #772) (Pull request #865) by @zklaus
- Fix *da.broadcast_to* call when the fx cube has different shape than target data cube (Pull request #1350) by @valeriupredo
- Add tests for *_aggregate_time_fx* (Pull request #1354) by @sloosvel
- Fix extra facets (Pull request #1360) by @bouweandela
- Pin pip!=21.3 to avoid pypa/pip#10573 with editable installs (Pull request #1359) by @zklaus
- Add a custom *date2num* function to deal with changes in cftime (Pull request #1373) by @zklaus
- Removed custom version of *AtmosphereSigmaFactory* (Pull request #1382) by @schlunma

48.3 Deprecations

- Remove `write_netcdf` and `write_plots` from `config-user.yml` (Pull request #1300) by @bouweandela

48.4 Documentation

- Add link to plot directory in `index.html` (Pull request #1256) by @stefsmeets
- Work around issue with yapf not following PEP8 (Pull request #1277) by @bouweandela
- Update the core development team (Pull request #1278) by @bouweandela
- Update the documentation of the provenance interface (Pull request #1305) by @bouweandela
- Update version number to first release candidate 2.4.0rc1 (Pull request #1363) by @zklaus
- Update to new ESMValTool logo (Pull request #1374) by @zklaus
- Update version number for third release candidate 2.4.0rc3 (Pull request #1384) by @zklaus
- Update changelog for 2.4.0rc3 (Pull request #1385) by @zklaus
- Update version number to final 2.4.0 release (Pull request #1389) by @zklaus
- Update changelog for 2.4.0 (Pull request #1366) by @zklaus

48.5 Fixes for datasets

- Add fix for differing latitude coordinate between historical and ssp585 in MPI-ESM1-2-HR r2i1p1f1 (Pull request #1292) by @bouweandela
- Add fixes for time and latitude coordinate of EC-Earth3 r3i1p1f1 (Pull request #1290) by @bouweandela
- Apply latitude fix to all CCSM4 variables (Pull request #1295) by @bouweandela
- Fix lat and lon bounds for FGOALS-g3 mrsos (Pull request #1289) by @thomascrocker
- Add grid fix for tos in fgoals-f3-l (Pull request #1326) by @sloosvel
- Add fix for CIESM pr (Pull request #1344) by @bouweandela
- Fix DRS for IPSLCM : split attribute 'freq' into : 'out' and 'freq' (Pull request #1304) by @senesis

48.6 CMOR standard

- Remove history attribute from coords (Pull request #1276) by @jvegreg
- Increased flexibility of CMOR checks for datasets with generic alevel coordinates (Pull request #1032) by @schlunma
- Automatically fix small deviations in vertical levels (Pull request #1177) by @bouweandela
- Adding standard names to the custom tables of the *rlns* and *rsns* variables (Pull request #1386) by @remi-kazoni

48.7 Preprocessor

- Implemented fully lazy `climate_statistics` (Pull request #1194) by @schlunma
- Run the multimodel statistics preprocessor last (Pull request #1299) by @bouweandela

48.8 Automatic testing

- Improving test coverage for `_task.py` (Pull request #514) by @valeriupredoi
- Upload coverage to codecov (Pull request #1190) by @bouweandela
- Improve codecov status checks (Pull request #1195) by @bouweandela
- Fix curl install in CircleCI (Pull request #1228) by @jvegreg
- Drop support for Python 3.6 (Pull request #1200) by @valeriupredoi
- Allow more recent version of *scipy* (Pull request #1182) by @schlunma
- Speed up conda build *conda_build* Circle test by using *mamba* solver via *boa* (and use it for Github Actions test too) (Pull request #1243) by @valeriupredoi
- Fix numpy deprecation warnings (Pull request #1274) by @bouweandela
- Unpin upper bound for iris (previously was at <3.0.4) (Pull request #1275) by @valeriupredoi
- Modernize *conda_install* test on Circle CI by installing from conda-forge with Python 3.9 and change install instructions in documentation (Pull request #1280) by @valeriupredoi
- Run a nightly Github Actions workflow to monitor tests memory per test (configurable for other metrics too) (Pull request #1284) by @valeriupredoi
- Speed up tests of tasks (Pull request #1302) by @bouweandela
- Fix upper case to lower case variables and functions for flake compliance in *tests/unit/preprocessor/_regrid/test_extract_levels.py* (Pull request #1347) by @valeriupredoi
- Cleaned up a bit Github Actions workflows (Pull request #1345) by @valeriupredoi
- Update circleci jobs: renaming tests to more descriptive names and removing conda build test (Pull request #1351) by @zklaus
- Pin iris to latest $\geq 3.1.0$ (Pull request #1341) by @valeriupredoi

48.9 Installation

- Pin *esmpy* to anything but 8.1.0 since that particular one changes the CPU affinity (Pull request #1310) by @valeriupredoi

48.10 Improvements

- Add a more friendly and useful message when using default config file (Pull request #1233) by @valeriupredoi
- Replace `os.walk` by `glob.glob` in data finder (only look for data in the specified locations) (Pull request #1261) by @bouweandela
- Machine-specific directories for auxiliary data in the *config-user.yml* file (Pull request #1268) by @remi-kazoni
- Add an option to download missing data from ESGF (Pull request #1217) by @bouweandela
- Speed up provenance recording (Pull request #1327) by @bouweandela
- Improve results web page (Pull request #1332) by @bouweandela
- Move institutes from *config-developer.yml* to default extra facets config and add wildcard support for extra facets (Pull request #1259) by @bouweandela
- Add support for re-using preprocessor output from previous runs (Pull request #1321) by @bouweandela
- Log fewer messages to screen and hide stack trace for known recipe errors (Pull request #1296) by @bouweandela
- Log ESMValCore and ESMValTool versions when running (Pull request #1263) by @jvegreg
- Add “grid” as a tag to the output file template for CMIP6 (Pull request #1356) by @zklaus
- Implemented ICON project to read native ICON model output (Pull request #1079) by @bsolino

V2.3.1

This release includes

49.1 Bug fixes

- Update config-user.yml template with correct drs entries for CEDA-JASMIN (Pull request #1184) by @valeriupredoi
- Enhancing MIROC5 fix for hfls and evspsbl (Pull request #1192) by @katjaweigel
- Fix alignment of daily data with inconsistent calendars in multimodel statistics (Pull request #1212) by @Peter9192
- Pin cf-units, remove github actions test for Python 3.6 and fix test_access1_0 and test_access1_3 to use cf-units for comparisons (Pull request #1197) by @valeriupredoi
- Fixed search for fx files when no mip is given (Pull request #1216) by @schlunma
- Make sure climate statistics always returns original dtype (Pull request #1237) by @zklaus
- Bugfix for regional regridding when non-integer range is passed (Pull request #1231) by @stefsmets
- Make sure area_statistics preprocessor always returns original dtype (Pull request #1239) by @zklaus
- Add “.” (dot) as allowed separation character for the time range group (Pull request #1248) by @zklaus

49.2 Documentation

- Add a link to the instructions to use pre-installed versions on HPC clusters (Pull request #1186) by @remikazeroni
- Bugfix release: set version to 2.3.1 (Pull request #1253) by @zklaus

49.3 Fixes for datasets

- Set circular attribute in MCM-UA-1-0 fix (Pull request #1178) by @sloosvel
- Fixed time coordinate of MIROC-ESM (Pull request #1188) by @schlunma

49.4 Preprocessor

- Filter warnings about collapsing multi-model dimension in multimodel statistics preprocessor function (Pull request #1215) by @bouweandela
- Remove fx variables before computing multimodel statistics (Pull request #1220) by @sloosvel

49.5 Installation

- Pin lower bound for iris to 3.0.2 (Pull request #1206) by @valeriupredoi
- Pin *iris*<3.0.4 to ensure we still (sort of) support Python 3.6 (Pull request #1252) by @valeriupredoi

49.6 Improvements

- Add test to verify behaviour for scalar height coord for tas in multi-model (Pull request #1209) by @Peter9192
- Sort missing years in “No input data available for years” message (Pull request #1225) by @ledm

This release includes

50.1 Bug fixes

- Extend preprocessor multi_model_statistics to handle data with “altitude” coordinate (Pull request #1010) by @axel-lauer
- Remove scripts included with CMOR tables (Pull request #1011) by @bouweandela
- Avoid side effects in extract_season (Pull request #1019) by @jvegreg
- Use nearest scheme to avoid interpolation errors with masked data in regression test (Pull request #1021) by @stefsmeets
- Move _get_time_bounds from preprocessor._time to cmor.check to avoid circular import with cmor module (Pull request #1037) by @valeriupredoi
- Fix test that makes conda build fail (Pull request #1046) by @valeriupredoi
- Fix ‘positive’ attribute for rsns/rlns variables (Pull request #1051) by @lukasbrunner
- Added preprocessor mask_multimodel (Pull request #767) by @schlunma
- Fix bug when fixing bounds after fixing longitude values (Pull request #1057) by @sloosvel
- Run conda build parallel AND sequential tests (Pull request #1065) by @valeriupredoi
- Add key to id_prop (Pull request #1071) by @lukasbrunner
- Fix bounds after reversing coordinate values (Pull request #1061) by @sloosvel
- Fixed --skip-nonexistent option (Pull request #1093) by @schlunma
- Do not consider CMIP5 variable sit to be the same as sithick from CMIP6 (Pull request #1033) by @bouweandela
- Improve finding date range in filenames (enforces separators) (Pull request #1145) by @senesis
- Review fx handling (Pull request #1147) by @sloosvel
- Fix lru cache decorator with explicit call to method (Pull request #1172) by @valeriupredoi
- Update _volume.py (Pull request #1174) by @ledm

50.2 Deprecations

50.3 Documentation

- Final changelog for 2.3.0 (Pull request #1163) by @zklaus
- Set version to 2.3.0 (Pull request #1162) by @zklaus
- Fix documentation build (Pull request #1006) by @bouweandela
- Add labels required for linking from ESMValTool docs (Pull request #1038) by @bouweandela
- Update contribution guidelines (Pull request #1047) by @bouweandela
- Fix basestring references in documentation (Pull request #1106) by @jvegreg
- Updated references master to main (Pull request #1132) by @axel-lauer
- Add instructions how to use the central installation at DKRZ-Mistral (Pull request #1155) by @remi-kazoni

50.4 Fixes for datasets

- Added fixes for various CMIP5 datasets, variable cl (3-dim cloud fraction) (Pull request #1017) by @axel-lauer
- Added fixes for hybrid level coordinates of CESM2 models (Pull request #882) by @schlunma
- Extending LWP fix for CMIP6 models (Pull request #1049) by @axel-lauer
- Add fixes for the net & up radiation variables from ERA5 (Pull request #1052) by @lukasbrunner
- Add derived variable rsus (Pull request #1053) by @lukasbrunner
- Supported mip-level fixes (Pull request #1095) by @schlunma
- Fix erroneous use of *grid_latitude* and *grid_longitude* and cleaned ocean grid fixes (Pull request #1092) by @schlunma
- Fix for pr of miroc5 (Pull request #1110) by @remi-kazoni
- Ocean depth fix for cnrm_esm2_1, gfdl_esm4, ipsl_cm6a_lr datasets + mcm_ua_1_0 (Pull request #1098) by @tomaslovato
- Fix for uas variable of the MCM_UA_1_0 dataset (Pull request #1102) by @remi-kazoni
- Fixes for sos and siconc of BCC models (Pull request #1090) by @remi-kazoni
- Run fgco2 fix for all CESM2 models (Pull request #1108) by @LisaBock
- Fixes for the siconc variable of CMIP6 models (Pull request #1105) by @remi-kazoni
- Fix wrong sign for land surface flux (Pull request #1113) by @LisaBock
- Fix for pr of EC_EARTH (Pull request #1116) by @remi-kazoni

50.5 CMOR standard

- Format cmor related files (Pull request #976) by @jvegreg
- Check presence of time bounds and guess them if needed (Pull request #849) by @sloosvel
- Add custom variable “tasaga” (Pull request #1118) by @LisaBock
- Find files for CMIP6 DCPD startdates (Pull request #771) by @sloosvel

50.6 Preprocessor

- Update tests for multimodel statistics preprocessor (Pull request #1023) by @stefsmets
- Raise in extract_season and extract_month if result is None (Pull request #1041) by @jvegreg
- Allow selection of shapes in extract_shape (Pull request #764) by @jvegreg
- Add option for regional regridding to regrid preprocessor (Pull request #1034) by @stefsmets
- Load fx variables as cube cell measures / ancillary variables (Pull request #999) by @sloosvel
- Check horizontal grid before regridding (Pull request #507) by @BenMGeo
- Clip irregular grids (Pull request #245) by @bouweandela
- Use native iris functions in multi-model statistics (Pull request #1150) by @Peter9192

50.7 Notebook API (experimental)

50.8 Automatic testing

- Report coverage for tests that run on any pull request (Pull request #994) by @bouweandela
- Install ESMValTool sample data from PyPI (Pull request #998) by @jvegreg
- Fix tests for multi-processing with spawn method (i.e. macOS with Python>3.8) (Pull request #1003) by @bvreede
- Switch to running the Github Action test workflow every 3 hours in single thread mode to observe if Segmentation Faults occur (Pull request #1022) by @valeriupredoi
- Revert to original Github Actions test workflow removing the 3-hourly test run with -n 1 (Pull request #1025) by @valeriupredoi
- Avoid stale cache for multimodel statistics regression tests (Pull request #1030) by @bouweandela
- Add newer Python versions in OSX to Github Actions (Pull request #1035) by @bvreede
- Add tests for type annotations with mypy (Pull request #1042) by @stefsmets
- Run problematic cmor tests sequentially to avoid segmentation faults on CircleCI (Pull request #1064) by @valeriupredoi
- Test installation of esmvalcore from conda-forge (Pull request #1075) by @valeriupredoi
- Added additional test cases for integration tests of data_finder.py (Pull request #1087) by @schunma
- Pin cf-units and fix tests (cf-units>=2.1.5) (Pull request #1140) by @valeriupredoi

- Fix failing CircleCI tests (Pull request #1167) by @bouweandela
- Fix test failing due to fx files chosen differently on different OS's (Pull request #1169) by @valeriupredoi
- Compare datetimes instead of strings in _fixes/cmip5/test_access1_X.py (Pull request #1173) by @valeriupredoi
- Pin Python to 3.9 in environment.yml on CircleCI and skip mypy tests in conda build (Pull request #1176) by @bouweandela

50.9 Installation

- Update yamale to version 3 (Pull request #1059) by @zklaus

50.10 Improvements

- Refactor diagnostics / tags management (Pull request #939) by @stefsmee
- Support multiple paths in input_dir (Pull request #1000) by @jvegreg
- Generate HTML report with recipe output (Pull request #991) by @stefsmee
- Add timeout to requests.get in _citation.py (Pull request #1091) by @SarahAlidoost
- Add SYNDA drs for CMIP5 and CMIP6 (closes #582) (Pull request #583) by @zklaus
- Add basic support for variable mappings (Pull request #1124) by @zklaus
- Handle IPSL-CM6 (Pull request #1153) by @senesis

51.1 Highlights

ESMValCore is now using the recently released [Iris 3](#). We acknowledge that this change may impact your work, as Iris 3 introduces several changes that are not backward-compatible, but we think that moving forward is the best decision for the tool in the long term.

This release is also the first one including support for downloading CMIP6 data using Synda and we have also started supporting Python 3.9. Give it a try!

This release includes

51.2 Bug fixes

- Fix path settings for DKRZ/Mistral ([Pull request #852](#)) by [@bouweandela](#)
- Change logic for calling the diagnostic script to avoid problems with scripts where the executable bit is accidentally set ([Pull request #877](#)) by [@bouweandela](#)
- Fix overwriting in generic level check ([Pull request #886](#)) by [@sloosvel](#)
- Add double quotes to script args in rerun screen message when using vprof profiling ([Pull request #897](#)) by [@valeriupredo](#)
- Simplify time handling in multi-model statistics preprocessor ([Pull request #685](#)) by [@Peter9192](#)
- Fix links to Iris documentation ([Pull request #966](#)) by [@jvegreg](#)
- Bugfix: Fix units for MSWEP data ([Pull request #986](#)) by [@stefsmets](#)

51.3 Deprecations

- Deprecate defining `write_plots` and `write_netcdf` in config-user file ([Pull request #808](#)) by [@bouweandela](#)

51.4 Documentation

- Fix numbering of steps in release instructions (Pull request #838) by @bouweandela
- Add labels to changelogs of individual versions for easy reference (Pull request #899) by @zklaus
- Make CircleCI badge specific to main branch (Pull request #902) by @bouweandela
- Fix docker build badge url (Pull request #906) by @stefsmeeits
- Update github PR template (Pull request #909) by @stefsmeeits
- Refer to ESMValTool GitHub discussions page in the error message (Pull request #900) by @bouweandela
- Support automatically closing issues (Pull request #922) by @bouweandela
- Fix checkboxes in PR template (Pull request #931) by @stefsmeeits
- Change in config-user defaults and documentation with new location for esmeval OBS data on JASMIN (Pull request #958) by @valeriupredo
- Update Core Team info (Pull request #942) by @axel-lauer
- Update iris documentation URL for sphinx (Pull request #964) by @bouweandela
- Set version to 2.2.0 (Pull request #977) by @jvegreg
- Add first draft of v2.2.0 changelog (Pull request #983) by @jvegreg
- Add checkbox in PR template to assign labels (Pull request #985) by @jvegreg
- Update install.rst (Pull request #848) by @bascrezee
- Change the order of the publication steps (Pull request #984) by @jvegreg
- Add instructions how to use esmvaltool from HPC central installations (Pull request #841) by @valeriupredo

51.5 Fixes for datasets

- Fixing unit for derived variable rsnstcsnorm to prevent overcorrection2 (Pull request #846) by @katjaweigel
- Cmp6 fix awi cm 1 1 mr (Pull request #822) by @mwjury
- Cmp6 fix ec earth3 veg (Pull request #836) by @mwjury
- Changed latitude longitude fix from Tas to AllVars. (Pull request #916) by @katjaweigel
- Fix for precipitation (pr) to use ERA5-Land cmorizer (Pull request #879) by @katjaweigel
- Cmp6 fix ec earth3 (Pull request #837) by @mwjury
- Cmp6_fix_fggoals_f3_l_Amon_time_bnds (Pull request #831) by @mwjury
- Fix for FGOALS-f3-L sftlf (Pull request #667) by @mwjury
- Improve ACCESS-CM2 and ACCESS-ESM1-5 fixes and add CIESM and CESM2-WACCM-FV2 fixes for cl, clw and cli (Pull request #635) by @axel-lauer
- Add fixes for cl, cli, clw and tas for several CMIP6 models (Pull request #955) by @schlunma
- Dataset fixes for MSWEP (Pull request #969) by @stefsmeeits
- Dataset fixes for: ACCESS-ESM1-5, CanESM5, CanESM5 for carbon cycle (Pull request #947) by @bettina-gier
- Fixes for KIOST-ESM (CMIP6) (Pull request #904) by @remi-kazoni

- Fixes for AWI-ESM-1-1-LR (CMIP6, piControl) (Pull request #911) by @remi-kazoni

51.6 CMOR standard

- CMOR check generic level coordinates in CMIP6 (Pull request #598) by @sloosvel
- Update CMIP6 tables to 6.9.33 (Pull request #919) by @jvegreg
- Adding custom variables for tas uncertainty (Pull request #924) by @LisaBock
- Remove monotonicity coordinate check for unstructured grids (Pull request #965) by @jvegreg

51.7 Preprocessor

- Added clip_start_end_year preprocessor (Pull request #796) by @schlunma
- Add support for downloading CMIP6 data with Synda (Pull request #699) by @bouweandela
- Add multimodel tests using real data (Pull request #856) by @stefsmeets
- Add plev/altitude conversion to extract_levels (Pull request #892) by @axel-lauer
- Add possibility of custom season extraction. (Pull request #247) by @mwjury
- Adding the ability to derive xch4 (Pull request #783) by @hb326
- Add preprocessor function to resample time and compute x-hourly statistics (Pull request #696) by @jvegreg
- Fix duplication in preprocessors DEFAULT_ORDER introduced in #696 (Pull request #973) by @jvegreg
- Use consistent precision in multi-model statistics calculation and update reference data for tests (Pull request #941) by @Peter9192
- Refactor multi-model statistics code to facilitate ensemble stats and lazy evaluation (Pull request #949) by @Peter9192
- Add option to exclude input cubes in output of multimodel statistics to solve an issue introduced by #949 (Pull request #978) by @Peter9192

51.8 Automatic testing

- Pin cftime>=1.3.0 to have newer string formatting in and fix two tests (Pull request #878) by @valeriupredoi
- Switched miniconda conda setup hooks for Github Actions workflows (Pull request #873) by @valeriupredoi
- Add test for latest version resolver (Pull request #874) by @stefsmeets
- Update codacy coverage reporter to fix coverage (Pull request #905) by @nielsdrost
- Avoid hardcoded year in tests and add improvement to plev test case (Pull request #921) by @bouweandela
- Pin scipy to less than 1.6.0 until Issue #927 gets resolved (Pull request #928) by @valeriupredoi
- Github Actions: change time when conda install test runs (Pull request #930) by @valeriupredoi
- Remove redundant test line from test_utils.py (Pull request #935) by @valeriupredoi
- Removed netCDF4 package from integration tests of fixes (Pull request #938) by @schlunma

- Use new conda environment for installing ESMValCore in Docker containers (Pull request #951) by @bouweandela

51.9 Notebook API (experimental)

- Implement importable config object in experimental API submodule (Pull request #868) by @stefsmee
- Add loading and running recipes to the notebook API (Pull request #907) by @stefsmee
- Add displaying and loading of recipe output to the notebook API (Pull request #957) by @stefsmee
- Add functionality to run single diagnostic task to notebook API (Pull request #962) by @stefsmee

51.10 Improvements

- Create CODEOWNERS file (Pull request #809) by @jvegreg
- Remove code needed for Python <3.6 (Pull request #844) by @bouweandela
- Add requests as a dependency (Pull request #850) by @bouweandela
- Pin Python to less than 3.9 (Pull request #870) by @valeriupredoi
- Remove numba dependency (Pull request #880) by @schlunma
- Add Listing and finding recipes to the experimental notebook API (Pull request #901) by @stefsmee
- Skip variables that don't have dataset or additional_dataset keys (Pull request #860) by @valeriupredoi
- Refactor logging configuration (Pull request #933) by @stefsmee
- Xco2 derivation (Pull request #913) by @bettina-gier
- Working environment for Python 3.9 (pin to !=3.9.0) (Pull request #885) by @valeriupredoi
- Print source file when using config get_config_user command (Pull request #960) by @valeriupredoi
- Switch to Iris 3 (Pull request #819) by @stefsmee
- Refactor tasks (Pull request #959) by @stefsmee
- Restore task summary in debug log after #959 (Pull request #981) by @bouweandela
- Pin pre-commit hooks (Pull request #974) by @stefsmee
- Improve error messages when data is missing (Pull request #917) by @jvegreg
- Set remove_preproc_dir to false in default config-user (Pull request #979) by @valeriupredoi
- Move fiona to be installed from conda forge (Pull request #987) by @valeriupredoi
- Re-added fiona in setup.py (Pull request #990) by @valeriupredoi

This release includes

52.1 Bug fixes

- Set unit=1 if anomalies are standardized (Pull request #727) by @bascrezee
- Fix crash for FGOALS-g2 variables without longitude coordinate (Pull request #729) by @bouweandela
- Improve variable alias management (Pull request #595) by @jvegreg
- Fix area_statistics fx files loading (Pull request #798) by @jvegreg
- Fix units after derivation (Pull request #754) by @schlunma

52.2 Documentation

- Update v2.0.0 release notes with final additions (Pull request #722) by @bouweandela
- Update package description in setup.py (Pull request #725) by @mattiarighi
- Add installation instructions for pip installation (Pull request #735) by @bouweandela
- Improve config-user documentation (Pull request #740) by @bouweandela
- Update the zenodo file with contributors (Pull request #807) by @valeriupredoi
- Improve command line run documentation (Pull request #721) by @jvegreg
- Update the zenodo file with contributors (continued) (Pull request #810) by @valeriupredoi

52.3 Improvements

- Reduce size of docker image (Pull request #723) by @jvegreg
- Add 'test' extra to installation, used by docker development tag (Pull request #733) by @bouweandela
- Correct dockerhub link (Pull request #736) by @bouweandela
- Create action-install-from-pypi.yml (Pull request #734) by @valeriupredoi
- Add pre-commit for linting/formatting (Pull request #766) by @stefsmeets
- Run tests in parallel and when building conda package (Pull request #745) by @bouweandela

- Readable exclude pattern for pre-commit (Pull request #770) by @stefsmets
- Github Actions Tests (Pull request #732) by @valeriupredo
- Remove isort setup to fix formatting conflict with yapf (Pull request #778) by @stefsmets
- Fix yapf-isort import formatting conflict (Fixes #777) (Pull request #784) by @stefsmets
- Sorted output for *esmvaltool recipes list* (Pull request #790) by @stefsmets
- Replace vmprof with vprof (Pull request #780) by @valeriupredo
- Update CMIP6 tables to 6.9.32 (Pull request #706) by @jvegreg
- Default config-user path now set in config-user read function (Pull request #791) by @jvegreg
- Add custom variable lweGrace (Pull request #692) by @bascrezee
- Create Github Actions workflow to build and deploy on Test PyPi and PyPi (Pull request #820) by @valeriupredo
- Build and publish the esmvalcore package to conda via Github Actions workflow (Pull request #825) by @valeriupredo

52.4 Fixes for datasets

- Fix cmip6 models (Pull request #629) by @npgillett
- Fix siconca variable in EC-Earth3 and EC-Earth3-Veg models in amip simulation (Pull request #702) by @egalytska

52.5 Preprocessor

- Move cmor_check_data to early in preprocessing chain (Pull request #743) by @bouweandela
- Add RMS iris analysis operator to statistics preprocessor functions (Pull request #747) by @pcosbsc
- Add surface chlorophyll concentration as a derived variable (Pull request #720) by @sloosvel
- Use dask to reduce memory consumption of extract_levels for masked data (Pull request #776) by @valeriupredo

This release includes

53.1 Bug fixes

- Fixed derivation of co2s (Pull request #594) by @schlunma
- Padding while cropping needs to stay within sane bounds for shapefiles that span the whole Earth (Pull request #626) by @valeriupredoi
- Fix concatenation of a single cube (Pull request #655) by @bouweandela
- Fix mask fx dict handling not to fail if empty list in values (Pull request #661) by @valeriupredoi
- Preserve metadata during anomalies computation when using iris cubes difference (Pull request #652) by @valeriupredoi
- Avoid crashing when there is directory 'esmvaltool' in the current working directory (Pull request #672) by @valeriupredoi
- Solve bug in ACCESS1 dataset fix for calendar. (Pull request #671) by @Peter9192
- Fix the syntax for adding multiple ensemble members from the same dataset (Pull request #678) by @SarahAli-doost
- Fix bug that made preprocessor with fx files fail in rare cases (Pull request #670) by @schlunma
- Add support for string coordinates (Pull request #657) by @jvegreg
- Fixed the shape extraction to account for wraparound shapefile coords (Pull request #319) by @valeriupredoi
- Fixed bug in time weights calculation (Pull request #695) by @schlunma
- Fix diagnostic filter (Pull request #713) by @jvegreg

53.2 Documentation

- Add pandas as a requirement for building the documentation (Pull request #607) by @bouweandela
- Document default order in which preprocessor functions are applied (Pull request #633) by @bouweandela
- Add pointers about data loading and CF standards to documentation (Pull request #571) by @valeriupredoi
- Config file populated with site-specific data paths examples (Pull request #619) by @valeriupredoi
- Update Codacy badges (Pull request #643) by @bouweandela

- Update copyright info on readthedocs (Pull request #668) by @bouweandela
- Updated references to documentation (now docs.esmvaltool.org) (Pull request #675) by @axel-lauer
- Add all European grants to Zenodo (Pull request #680) by @bouweandela
- Update Sphinx to v3 or later (Pull request #683) by @bouweandela
- Increase version to 2.0.0 and add release notes (Pull request #691) by @bouweandela
- Update setup.py and README.md for use on PyPI (Pull request #693) by @bouweandela
- Suggested Documentation changes (Pull request #690) by @ssmithClimate

53.3 Improvements

- Reduce the size of conda package (Pull request #606) by @bouweandela
- Add a few unit tests for DiagnosticTask (Pull request #613) by @bouweandela
- Make ncl or R tests not fail if package not installed (Pull request #610) by @valeriupredo
- Pin flake8<3.8.0 (Pull request #623) by @valeriupredo
- Log warnings for likely errors in provenance record (Pull request #592) by @bouweandela
- Unpin flake8 (Pull request #646) by @bouweandela
- More flexible native6 default DRS (Pull request #645) by @bouweandela
- Try to use the same python for running diagnostics as for esmvaltool (Pull request #656) by @bouweandela
- Fix test for lower python version and add note on lxml (Pull request #659) by @valeriupredo
- Added 1m deep average soil moisture variable (Pull request #664) by @bascrezee
- Update docker recipe (Pull request #603) by @jvegreg
- Improve command line interface (Pull request #605) by @jvegreg
- Remove utils directory (Pull request #697) by @bouweandela
- Avoid pytest version that crashes (Pull request #707) by @bouweandela
- Options arg in read_config_user_file now optional (Pull request #716) by @jvegreg
- Produce a readable warning if ancestors are a string instead of a list. (Pull request #711) by @katjaweigel
- Pin Yamale to v2 (Pull request #718) by @bouweandela
- Expanded cmor public API (Pull request #714) by @schlunma

53.4 Fixes for datasets

- Added various fixes for hybrid height coordinates (Pull request #562) by @schlunma
- Extended fix for cl-like variables of CESM2 models (Pull request #604) by @schlunma
- Added fix to convert “geopotential” to “geopotential height” for ERA5 (Pull request #640) by @egalytska
- Do not fix longitude values if they are too far from valid range (Pull request #636) by @jvegreg

53.5 Preprocessor

- Implemented concatenation of cubes with derived coordinates (Pull request #546) by @schlunma
- Fix derived variable ctotat calculation depending on project and standard name (Pull request #620) by @valeriupredoi
- State of the art FX variables handling without preprocessing (Pull request #557) by @valeriupredoi
- Add max, min and std operators to multimodel (Pull request #602) by @jvegreg
- Added preprocessor to extract amplitude of cycles (Pull request #597) by @schlunma
- Overhaul concatenation and allow for correct concatenation of multiple overlapping datasets (Pull request #615) by @valeriupredoi
- Change volume stats to handle and output masked array result (Pull request #618) by @valeriupredoi
- Area_weights for cordex in area_statistics (Pull request #631) by @mwjury
- Accept cubes as input in multimodel (Pull request #637) by @sloosvel
- Make multimodel work correctly with yearly data (Pull request #677) by @valeriupredoi
- Optimize time weights in time preprocessor for climate statistics (Pull request #684) by @valeriupredoi
- Add percentiles to multi-model stats (Pull request #679) by @Peter9192

This release includes

54.1 Bug fixes

- Cast dtype float32 to output from zonal and meridional area preprocessors (Pull request #581) by @valeriupredoi

54.2 Improvements

- Unpin on Python<3.8 for conda package (run) (Pull request #570) by @valeriupredoi
- Update pytest installation marker (Pull request #572) by @bouweandela
- Remove vmrh2o (Pull request #573) by @mattiarighi
- Restructure documentation (Pull request #575) by @bouweandela
- Fix mask in land variables for CCSM4 (Pull request #579) by @zklaus
- Fix derive scripts wrt required method (Pull request #585) by @zklaus
- Check coordinates do not have repeated standard names (Pull request #558) by @jvegreg
- Added derivation script for co2s (Pull request #587) by @schlunma
- Adapted custom co2s table to match CMIP6 version (Pull request #588) by @schlunma
- Increase version to v2.0.0b9 (Pull request #593) by @bouweandela
- Add a method to save citation information (Pull request #402) by @SarahAlidoost

For older releases, see the release notes on <https://github.com/ESMValGroup/ESMValCore/releases>.

Part IX

Indices and tables

- [genindex](#)
- [search](#)

PYTHON MODULE INDEX

e

- `esmvalcore.cmor`, [181](#)
- `esmvalcore.cmor.check`, [181](#)
- `esmvalcore.cmor.fix`, [186](#)
- `esmvalcore.cmor.fixes`, [189](#)
- `esmvalcore.cmor.table`, [190](#)
- `esmvalcore.config`, [203](#)
- `esmvalcore.dataset`, [207](#)
- `esmvalcore.esgf.facets`, [217](#)
- `esmvalcore.exceptions`, [219](#)
- `esmvalcore.experimental.recipe`, [271](#)
- `esmvalcore.experimental.recipe_metadata`, [281](#)
- `esmvalcore.experimental.recipe_output`, [275](#)
- `esmvalcore.experimental.utils`, [285](#)
- `esmvalcore.iris_helpers`, [221](#)
- `esmvalcore.local`, [225](#)
- `esmvalcore.preprocessor`, [227](#)
- `esmvalcore.preprocessor.regrid_schemes`, [263](#)
- `esmvalcore.typing`, [267](#)

A

accumulate_coordinate() (in module *esmvalcore.preprocessor*), 229
 add_altitude_from_plev() (in module *esmvalcore.cmor.fixes*), 189
 add_leading_dim_to_cube() (in module *esmvalcore.iris_helpers*), 221
 add_note() (*esmvalcore.experimental.recipe_metadata.RenderError* method), 283
 add_plev_from_altitude() (in module *esmvalcore.cmor.fixes*), 189
 add_supplementary() (*esmvalcore.dataset.Dataset* method), 208
 add_supplementary_variables() (in module *esmvalcore.preprocessor*), 229
 amplitude() (in module *esmvalcore.preprocessor*), 229
 annual_statistics() (in module *esmvalcore.preprocessor*), 230
 anomalies() (in module *esmvalcore.preprocessor*), 230
 area_statistics() (in module *esmvalcore.preprocessor*), 231
 args (*esmvalcore.experimental.recipe_metadata.RenderError* attribute), 283
 augment_facets() (*esmvalcore.dataset.Dataset* method), 208
 authors (*esmvalcore.experimental.recipe_output.DataFile* property), 276
 authors (*esmvalcore.experimental.recipe_output.ImageFile* property), 277
 authors (*esmvalcore.experimental.recipe_output.OutputFile* property), 278
 axis (*esmvalcore.cmor.table.CoordinateInfo* attribute), 193
 axis_statistics() (in module *esmvalcore.preprocessor*), 231

B

bias() (in module *esmvalcore.preprocessor*), 232

C

caption (*esmvalcore.experimental.recipe_output.DataFile* property), 276

caption (*esmvalcore.experimental.recipe_output.ImageFile* property), 277
 caption (*esmvalcore.experimental.recipe_output.OutputFile* property), 278
 CFG (in module *esmvalcore.config*), 203
 check_data() (*esmvalcore.cmor.check.CMORCheck* method), 183
 check_metadata() (*esmvalcore.cmor.check.CMORCheck* method), 183
 CheckLevels (class in *esmvalcore.cmor.check*), 181
 citation_file (*esmvalcore.experimental.recipe_output.DataFile* property), 276
 citation_file (*esmvalcore.experimental.recipe_output.ImageFile* property), 277
 citation_file (*esmvalcore.experimental.recipe_output.OutputFile* property), 278
 clear() (*esmvalcore.cmor.table.TableInfo* method), 196
 climate_statistics() (in module *esmvalcore.preprocessor*), 233
 clip() (in module *esmvalcore.preprocessor*), 233
 clip_timerange() (in module *esmvalcore.preprocessor*), 233
 CMIP3Info (class in *esmvalcore.cmor.table*), 190
 CMIP5Info (class in *esmvalcore.cmor.table*), 191
 CMIP6Info (class in *esmvalcore.cmor.table*), 192
 cmor_check() (in module *esmvalcore.cmor.check*), 186
 cmor_check_data() (in module *esmvalcore.cmor.check*), 185
 cmor_check_data() (in module *esmvalcore.preprocessor*), 234
 cmor_check_metadata() (in module *esmvalcore.cmor.check*), 185
 cmor_check_metadata() (in module *esmvalcore.preprocessor*), 234
 CMOR_TABLES (in module *esmvalcore.cmor.table*), 193
 CMORCheck (class in *esmvalcore.cmor.check*), 182
 CMORCheckError, 182
 concatenate() (in module *esmvalcore.preprocessor*), 235

- Config (class in *esmvalcore.config*), 203
 config_dir (*esmvalcore.config.Session* property), 204
 Contributor (class in *esmvalcore.experimental.recipe_metadata*), 281
 convert_units() (in module *esmvalcore.preprocessor*), 235
 CoordinateInfo (class in *esmvalcore.cmor.table*), 193
 coordinates (*esmvalcore.cmor.table.VariableInfo* attribute), 198
 copy() (*esmvalcore.cmor.table.TableInfo* method), 197
 copy() (*esmvalcore.cmor.table.VariableInfo* method), 198
 copy() (*esmvalcore.dataset.Dataset* method), 208
 create() (*esmvalcore.experimental.recipe_output.DataFile* class method), 276
 create() (*esmvalcore.experimental.recipe_output.ImageFile* class method), 277
 create() (*esmvalcore.experimental.recipe_output.OutputFile* class method), 278
 create_dataset_map() (in module *esmvalcore.esgf.facets*), 218
 CustomInfo (class in *esmvalcore.cmor.table*), 194
- ## D
- daily_statistics() (in module *esmvalcore.preprocessor*), 235
 data (*esmvalcore.experimental.recipe.Recipe* property), 271
 data_citation_file (*esmvalcore.experimental.recipe_output.DataFile* property), 276
 data_citation_file (*esmvalcore.experimental.recipe_output.ImageFile* property), 277
 data_citation_file (*esmvalcore.experimental.recipe_output.OutputFile* property), 279
 data_files (*esmvalcore.experimental.recipe_output.TaskOutput* property), 281
 DataFile (class in *esmvalcore.experimental.recipe_output*), 275
 Dataset (class in *esmvalcore.dataset*), 207
 dataset (*esmvalcore.esgf.ESGFFFile* attribute), 216
 DATASET_MAP (in module *esmvalcore.esgf.facets*), 217
 datasets_to_recipe() (in module *esmvalcore.dataset*), 210
 date2num() (in module *esmvalcore.iris_helpers*), 221
 DEBUG (*esmvalcore.cmor.check.CheckLevels* attribute), 182
 decadal_statistics() (in module *esmvalcore.preprocessor*), 236
 DEFAULT (*esmvalcore.cmor.check.CheckLevels* attribute), 182
 DEFAULT_ORDER (in module *esmvalcore.preprocessor*), 227
 depth_integration() (in module *esmvalcore.preprocessor*), 236
 derive() (in module *esmvalcore.preprocessor*), 236
 detrend() (in module *esmvalcore.preprocessor*), 237
 DiagnosticOutput (class in *esmvalcore.experimental.recipe_output*), 276
 diagnostics (*esmvalcore.experimental.recipe_output.RecipeOutput* attribute), 279
 dimensions (*esmvalcore.cmor.table.VariableInfo* attribute), 198
 download() (*esmvalcore.esgf.ESGFFFile* method), 217
 download() (in module *esmvalcore.esgf*), 216
- ## E
- ensemble_statistics() (in module *esmvalcore.preprocessor*), 237
 Error, 219
 ESGFFFile (class in *esmvalcore.esgf*), 216
 ESMPyAreaWeighted (class in *esmvalcore.preprocessor.regrid_schemes*), 263
 ESMPyLinear (class in *esmvalcore.preprocessor.regrid_schemes*), 264
 ESMPyNearest (class in *esmvalcore.preprocessor.regrid_schemes*), 264
 ESMPyRegridder (class in *esmvalcore.preprocessor.regrid_schemes*), 265
 esmvalcore.cmor
 module, 181
 esmvalcore.cmor.check
 module, 181
 esmvalcore.cmor.fix
 module, 186
 esmvalcore.cmor.fixes
 module, 189
 esmvalcore.cmor.table
 module, 190
 esmvalcore.config
 module, 203
 esmvalcore.dataset
 module, 207
 esmvalcore.esgf.facets
 module, 217
 esmvalcore.exceptions
 module, 219
 esmvalcore.experimental.recipe
 module, 271
 esmvalcore.experimental.recipe_metadata
 module, 281
 esmvalcore.experimental.recipe_output
 module, 275
 esmvalcore.experimental.utils

module, 285
 esmvalcore.iris_helpers
 module, 221
 esmvalcore.local
 module, 225
 esmvalcore.preprocessor
 module, 227
 esmvalcore.preprocessor.regrid_schemes
 module, 263
 esmvalcore.typing
 module, 267
 ESMValCoreDeprecationWarning, 219
 extract_coordinate_points() (in module *esmval-core.preprocessor*), 238
 extract_levels() (in module *esmval-core.preprocessor*), 238
 extract_location() (in module *esmval-core.preprocessor*), 239
 extract_month() (in module *esmval-core.preprocessor*), 240
 extract_named_regions() (in module *esmval-core.preprocessor*), 240
 extract_point() (in module *esmval-core.preprocessor*), 240
 extract_region() (in module *esmval-core.preprocessor*), 241
 extract_season() (in module *esmval-core.preprocessor*), 242
 extract_shape() (in module *esmval-core.preprocessor*), 242
 extract_time() (in module *esmvalcore.preprocessor*), 243
 extract_trajectory() (in module *esmval-core.preprocessor*), 243
 extract_transect() (in module *esmval-core.preprocessor*), 244
 extract_volume() (in module *esmval-core.preprocessor*), 244

F

facets (*esmvalcore.dataset.Dataset* attribute), 207
 facets (*esmvalcore.esgf.ESGFFFile* attribute), 216
 facets (*esmvalcore.local.LocalFile* property), 225
 FACETS (in module *esmvalcore.esgf.facets*), 218
 Facets (in module *esmvalcore.typing*), 267
 FacetValue (in module *esmvalcore.typing*), 267
 files (*esmvalcore.dataset.Dataset* property), 208
 FILTER_ATTRS (in module *esmval-core.experimental.recipe_output.RecipeOutput* attribute), 280
 find() (in module *esmvalcore.experimental.utils.RecipeList* method), 285
 find_files() (*esmvalcore.dataset.Dataset* method), 209

find_files() (in module *esmvalcore.esgf*), 213
 find_files() (in module *esmvalcore.local*), 225
 fix_data() (in module *esmvalcore.cmor.fix*), 186
 fix_data() (in module *esmvalcore.preprocessor*), 245
 fix_file() (in module *esmvalcore.cmor.fix*), 187
 fix_file() (in module *esmvalcore.preprocessor*), 245
 fix_metadata() (in module *esmvalcore.cmor.fix*), 188
 fix_metadata() (in module *esmvalcore.preprocessor*), 246
 frequency (*esmvalcore.cmor.check.CMORCheck* attribute), 182
 frequency (*esmvalcore.cmor.table.VariableInfo* attribute), 198
 from_core_recipe_output() (*esmval-core.experimental.recipe_output.RecipeOutput* class method), 280
 from_dict() (*esmval-core.experimental.recipe_metadata.Contributor* class method), 282
 from_files() (*esmvalcore.dataset.Dataset* method), 209
 from_ranges() (*esmvalcore.dataset.Dataset* method), 209
 from_recipe() (*esmvalcore.dataset.Dataset* static method), 209
 from_tag() (*esmvalcore.experimental.recipe_metadata.Contributor* class method), 282
 from_tag() (*esmvalcore.experimental.recipe_metadata.Project* class method), 282
 from_tag() (*esmvalcore.experimental.recipe_metadata.Reference* class method), 283
 from_task() (*esmval-core.experimental.recipe_output.TaskOutput* class method), 281
 fromkeys() (*esmvalcore.cmor.table.TableInfo* method), 197

G

generic_lev_name (*esmval-core.cmor.table.CoordinateInfo* attribute), 193
 GenericFuncScheme (class in *esmval-core.preprocessor.regrid_schemes*), 265
 GenericRegridder (class in *esmval-core.preprocessor.regrid_schemes*), 265
 get() (*esmvalcore.cmor.table.TableInfo* method), 197
 get() (*esmvalcore.experimental.recipe_output.RecipeOutput* method), 280
 get_all_recipes() (in module *esmval-core.experimental.utils*), 285
 get_next_month() (in module *esmvalcore.cmor.fixes*), 189
 get_output() (*esmvalcore.experimental.recipe.Recipe* method), 271

- `get_recipe()` (in module `esmvalcore.experimental.utils`), 285
- `get_table()` (`esmvalcore.cmor.table.CMIP3Info` method), 190
- `get_table()` (`esmvalcore.cmor.table.CMIP5Info` method), 191
- `get_table()` (`esmvalcore.cmor.table.CMIP6Info` method), 192
- `get_table()` (`esmvalcore.cmor.table.CustomInfo` method), 195
- `get_table()` (`esmvalcore.cmor.table.InfoBase` method), 195
- `get_time_bounds()` (in module `esmvalcore.cmor.fixes`), 189
- `get_var_info()` (in module `esmvalcore.cmor.table`), 199
- `get_variable()` (`esmvalcore.cmor.table.CMIP3Info` method), 191
- `get_variable()` (`esmvalcore.cmor.table.CMIP5Info` method), 191
- `get_variable()` (`esmvalcore.cmor.table.CMIP6Info` method), 192
- `get_variable()` (`esmvalcore.cmor.table.CustomInfo` method), 195
- `get_variable()` (`esmvalcore.cmor.table.InfoBase` method), 195
- ## H
- `has_coord_with_standard_name()` (`esmvalcore.cmor.table.VariableInfo` method), 198
- `has_debug_messages()` (`esmvalcore.cmor.check.CMORCheck` method), 184
- `has_errors()` (`esmvalcore.cmor.check.CMORCheck` method), 184
- `has_irregular_grid()` (in module `esmvalcore.iris_helpers`), 222
- `has_unstructured_grid()` (in module `esmvalcore.iris_helpers`), 222
- `has_warnings()` (`esmvalcore.cmor.check.CMORCheck` method), 184
- `hourly_statistics()` (in module `esmvalcore.preprocessor`), 247
- ## I
- `IGNORE` (`esmvalcore.cmor.check.CheckLevels` attribute), 182
- `image_files` (`esmvalcore.experimental.recipe_output.TaskOutput` property), 281
- `ImageFile` (class in `esmvalcore.experimental.recipe_output`), 276
- `info` (`esmvalcore.experimental.recipe_output.RecipeOutput` attribute), 279
- `InfoBase` (class in `esmvalcore.cmor.table`), 195
- `INHERITED_FACETS` (in module `esmvalcore.dataset`), 210
- `InputFilesNotFound`, 219
- `InvalidConfigParameter`, 219
- `items()` (`esmvalcore.cmor.table.TableInfo` method), 197
- `items()` (`esmvalcore.experimental.recipe_output.RecipeOutput` method), 280
- ## J
- `JsonInfo` (class in `esmvalcore.cmor.table`), 196
- ## K
- `keys()` (`esmvalcore.cmor.table.TableInfo` method), 197
- `keys()` (`esmvalcore.experimental.recipe_output.RecipeOutput` method), 280
- `kind` (`esmvalcore.experimental.recipe_output.DataFile` attribute), 276
- `kind` (`esmvalcore.experimental.recipe_output.ImageFile` attribute), 277
- `kind` (`esmvalcore.experimental.recipe_output.OutputFile` attribute), 279
- ## L
- `linear_trend()` (in module `esmvalcore.preprocessor`), 247
- `linear_trend_stderr()` (in module `esmvalcore.preprocessor`), 247
- `load()` (`esmvalcore.dataset.Dataset` method), 210
- `load()` (in module `esmvalcore.preprocessor`), 248
- `load_from_file()` (`esmvalcore.config.Config` method), 203
- `load_iris()` (`esmvalcore.experimental.recipe_output.DataFile` method), 276
- `load_xarray()` (`esmvalcore.experimental.recipe_output.DataFile` method), 276
- `local_file()` (`esmvalcore.esgf.ESGFFFile` method), 217
- `local_solar_time()` (in module `esmvalcore.preprocessor`), 248
- `LocalFile` (class in `esmvalcore.local`), 225
- `long_name` (`esmvalcore.cmor.table.CoordinateInfo` attribute), 194
- `long_name` (`esmvalcore.cmor.table.VariableInfo` attribute), 198
- ## M
- `main_log` (`esmvalcore.config.Session` property), 204
- `main_log_debug` (`esmvalcore.config.Session` property), 204
- `mask_above_threshold()` (in module `esmvalcore.preprocessor`), 249
- `mask_below_threshold()` (in module `esmvalcore.preprocessor`), 249

mask_fillvalues() (in module *esmvalcore.preprocessor*), 249

mask_glaciated() (in module *esmvalcore.preprocessor*), 250

mask_inside_range() (in module *esmvalcore.preprocessor*), 250

mask_landsea() (in module *esmvalcore.preprocessor*), 250

mask_landseaice() (in module *esmvalcore.preprocessor*), 251

mask_multimodel() (in module *esmvalcore.preprocessor*), 251

mask_outside_range() (in module *esmvalcore.preprocessor*), 252

merge_cube_attributes() (in module *esmvalcore.iris_helpers*), 222

meridional_statistics() (in module *esmvalcore.preprocessor*), 252

minimal_facets (*esmvalcore.dataset.Dataset* property), 210

MissingConfigParameter, 219

modeling_realm (*esmvalcore.cmor.table.VariableInfo* attribute), 198

module

- esmvalcore.cmor*, 181
- esmvalcore.cmor.check*, 181
- esmvalcore.cmor.fix*, 186
- esmvalcore.cmor.fixes*, 189
- esmvalcore.cmor.table*, 190
- esmvalcore.config*, 203
- esmvalcore.dataset*, 207
- esmvalcore.esgf.facets*, 217
- esmvalcore.exceptions*, 219
- esmvalcore.experimental.recipe*, 271
- esmvalcore.experimental.recipe_metadata*, 281
- esmvalcore.experimental.recipe_output*, 275
- esmvalcore.experimental.utils*, 285
- esmvalcore.iris_helpers*, 221
- esmvalcore.local*, 225
- esmvalcore.preprocessor*, 227
- esmvalcore.preprocessor.regrid_schemes*, 263
- esmvalcore.typing*, 267

monthly_statistics() (in module *esmvalcore.preprocessor*), 252

multi_model_statistics() (in module *esmvalcore.preprocessor*), 253

must_have_bounds (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194

N

name (*esmvalcore.esgf.ESGFFile* attribute), 216

name (*esmvalcore.experimental.recipe.Recipe* property), 271

NetCDFAttr (in module *esmvalcore.typing*), 267

O

out_name (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194

OutputFile (class in *esmvalcore.experimental.recipe_output*), 278

P

plot_dir (*esmvalcore.config.Session* property), 204

pop() (*esmvalcore.cmor.table.TableInfo* method), 197

popitem() (*esmvalcore.cmor.table.TableInfo* method), 197

positive (*esmvalcore.cmor.table.VariableInfo* attribute), 198

preproc_dir (*esmvalcore.config.Session* property), 204

Project (class in *esmvalcore.experimental.recipe_metadata*), 282

provenance_xml_file (*esmvalcore.experimental.recipe_output.DataFile* property), 276

provenance_xml_file (*esmvalcore.experimental.recipe_output.ImageFile* property), 277

provenance_xml_file (*esmvalcore.experimental.recipe_output.OutputFile* property), 279

R

read_cmor_tables() (in module *esmvalcore.cmor.table*), 199

read_json() (*esmvalcore.cmor.table.CoordinateInfo* method), 194

read_json() (*esmvalcore.cmor.table.VariableInfo* method), 198

read_main_log() (*esmvalcore.experimental.recipe_output.RecipeOutput* method), 280

read_main_log_debug() (*esmvalcore.experimental.recipe_output.RecipeOutput* method), 280

rechunk_cube() (in module *esmvalcore.iris_helpers*), 222

Recipe (class in *esmvalcore.experimental.recipe*), 271

RecipeError, 219

RecipeList (class in *esmvalcore.experimental.utils*), 285

RecipeOutput (class in *esmvalcore.experimental.recipe_output*), 279

Reference	(class in <code>esmvalcore.experimental.recipe_metadata</code>), 282	<code>report_debug_message()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 185
<code>references</code> (<code>esmvalcore.experimental.recipe_output.DataFile</code> property), 276		<code>report_debug_messages()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 184
<code>references</code> (<code>esmvalcore.experimental.recipe_output.ImageFile</code> property), 278		<code>report_error()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 184
<code>references</code> (<code>esmvalcore.experimental.recipe_output.OutputFile</code> property), 279		<code>report_errors()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 183
<code>regrid()</code> (in module <code>esmvalcore.preprocessor</code>), 254		<code>report_warning()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 185
<code>regrid_time()</code> (in module <code>esmvalcore.preprocessor</code>), 256		<code>report_warnings()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 184
<code>regridder()</code> (<code>esmvalcore.preprocessor.regrid_schemes.ESMPyAreaWeighted</code> method), 263		<code>requested</code> (<code>esmvalcore.cmor.table.CoordinateInfo</code> attribute), 194
<code>regridder()</code> (<code>esmvalcore.preprocessor.regrid_schemes.ESMPyLinear</code> method), 264		<code>resample_hours()</code> (in module <code>esmvalcore.preprocessor</code>), 256
<code>regridder()</code> (<code>esmvalcore.preprocessor.regrid_schemes.ESMPyNearest</code> method), 264		<code>resample_time()</code> (in module <code>esmvalcore.preprocessor</code>), 257
<code>regridder()</code> (<code>esmvalcore.preprocessor.regrid_schemes.GenericFuncScheme</code> method), 265		<code>rolling_window_statistics()</code> (in module <code>esmvalcore.preprocessor</code>), 257
<code>regridder()</code> (<code>esmvalcore.preprocessor.regrid_schemes.UnstructuredNearest</code> method), 266		<code>run()</code> (<code>esmvalcore.experimental.recipe.Recipe</code> method), 271
<code>relative_main_log</code> (<code>esmvalcore.config.Session</code> attribute), 204		<code>run_dir</code> (<code>esmvalcore.config.Session</code> property), 205
<code>relative_main_log_debug</code> (<code>esmvalcore.config.Session</code> attribute), 204		<code>save()</code> (in module <code>esmvalcore.preprocessor</code>), 258
<code>relative_plot_dir</code> (<code>esmvalcore.config.Session</code> attribute), 204		<code>seasonal_statistics()</code> (in module <code>esmvalcore.preprocessor</code>), 258
<code>relative_preproc_dir</code> (<code>esmvalcore.config.Session</code> attribute), 204		<code>Session</code> (class in <code>esmvalcore.config</code>), 203
<code>relative_run_dir</code> (<code>esmvalcore.config.Session</code> attribute), 204		<code>session</code> (<code>esmvalcore.dataset.Dataset</code> property), 210
<code>relative_work_dir</code> (<code>esmvalcore.config.Session</code> attribute), 205		<code>session</code> (<code>esmvalcore.experimental.recipe_output.RecipeOutput</code> attribute), 279
<code>RELAXED</code> (<code>esmvalcore.cmor.check.CheckLevels</code> attribute), 182		<code>session_dir</code> (<code>esmvalcore.config.Session</code> property), 205
<code>reload()</code> (<code>esmvalcore.config.Config</code> method), 203		<code>session_name</code> (<code>esmvalcore.config.Session</code> attribute), 205
<code>remove_supplementary_variables()</code> (in module <code>esmvalcore.preprocessor</code>), 256		<code>set_facet()</code> (<code>esmvalcore.dataset.Dataset</code> method), 210
<code>render()</code> (<code>esmvalcore.experimental.recipe.Recipe</code> method), 271		<code>set_session_name()</code> (<code>esmvalcore.config.Session</code> method), 205
<code>render()</code> (<code>esmvalcore.experimental.recipe_metadata.Reference</code> method), 283		<code>set_version()</code> (<code>esmvalcore.dataset.Dataset</code> method), 210
<code>render()</code> (<code>esmvalcore.experimental.recipe_output.RecipeOutput</code> method), 280		<code>setdefault()</code> (<code>esmvalcore.cmor.table.TableInfo</code> method), 197
<code>RenderError</code> , 283		<code>short_name</code> (<code>esmvalcore.cmor.table.VariableInfo</code> attribute), 198
<code>report()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 184		<code>size</code> (<code>esmvalcore.esgf.ESGFFFile</code> attribute), 216
<code>report_critical()</code> (<code>esmvalcore.cmor.check.CMORCheck</code> method), 184		<code>standard_name</code> (<code>esmvalcore.cmor.table.CoordinateInfo</code> attribute), 194
		<code>standard_name</code> (<code>esmvalcore.cmor.table.VariableInfo</code> attribute), 198
		<code>start_session()</code> (<code>esmvalcore.config.Config</code> method), 203
		<code>stored_direction</code> (<code>esmvalcore.cmor.table.CoordinateInfo</code> attribute), 194

STRICT (*esmvalcore.cmor.check.CheckLevels* attribute), 182
 summary() (*esmvalcore.dataset.Dataset* method), 210
 supplementaries (*esmvalcore.dataset.Dataset* attribute), 207
 SuppressedError, 219

T

TableInfo (class in *esmvalcore.cmor.table*), 196
 TaskOutput (class in *esmvalcore.experimental.recipe_output*), 280
 timeseries_filter() (in module *esmvalcore.preprocessor*), 259
 to_base64() (*esmvalcore.experimental.recipe_output.ImageFile* method), 278

U

units (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194
 units (*esmvalcore.cmor.table.VariableInfo* attribute), 199
 UnstructuredNearest (class in *esmvalcore.preprocessor.regrid_schemes*), 266
 update() (*esmvalcore.cmor.table.TableInfo* method), 197
 urls (*esmvalcore.esgf.ESGFFile* attribute), 216

V

valid_max (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194
 valid_max (*esmvalcore.cmor.table.VariableInfo* attribute), 199
 valid_min (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194
 valid_min (*esmvalcore.cmor.table.VariableInfo* attribute), 199
 value (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194
 values() (*esmvalcore.cmor.table.TableInfo* method), 197
 values() (*esmvalcore.experimental.recipe_output.RecipeOutput* method), 280
 var_name (*esmvalcore.cmor.table.CoordinateInfo* attribute), 194
 VariableInfo (class in *esmvalcore.cmor.table*), 197
 volume_statistics() (in module *esmvalcore.preprocessor*), 259

W

weighting_landsea_fraction() (in module *esmvalcore.preprocessor*), 260

with_traceback() (*esmvalcore.experimental.recipe_metadata.RenderError* method), 283
 work_dir (*esmvalcore.config.Session* property), 205
 write_html() (*esmvalcore.experimental.recipe_output.RecipeOutput* method), 280

Z

zonal_statistics() (in module *esmvalcore.preprocessor*), 260