
Petr Olah HTTPBin Client Documentation

Release 0.0.1

Petr Olah

Jun 03, 2018

Contents:

1	Introduction	3
2	API Reference	5
3	Indices and tables	7
	Python Module Index	9

Petr Olah's python client to httpbin.org, open sourced under the MIT license

Here you should introduce what your library does.
`reStructuredText` is powerful and extensible markup.

Important: Make sure to use directives such as:

- `.. important::`
 - `.. note::`
-

See also:

You can reference external libraries through `intersphinx`. For example, `requests.post()` or `Session`.

Warning: Some directives are available only on sphinx, such as `.. deprecated::`

Deprecated since version 0.0.1: This is useful to document breaking changes in the API.

Petr Olah HTTPBin Client

Petr Olah's python client to httpbin.org, open sourced under the MIT license

class `formulka_httpbin.HttpBinClient` (*base_url='https://httpbin.org'*)
Python client for the HTTPBin API.

Powered by `requests.Session`.

make_full_url (*path*)

Builds a full url to be used internally in this client.

Parameters `path` – a string with the path.

Returns a string

Note: any trailing slashes at the left side of the `path` argument will be stripped.

post (*data=None*)

Calls the `/post` endpoint

Note: This function is here for demo purposes.

Parameters `data` – data to be passed to `requests.Session.post()`

Returns a dict with deserialized the JSON response

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`

f

formulka_httpbin, 5

F

formulka_httpbin (module), 5

H

HttpBinClient (class in formulka_httpbin), 5

M

make_full_url() (formulka_httpbin.HttpBinClient
method), 5

P

post() (formulka_httpbin.HttpBinClient method), 5