
interdoc
Release 0.1.0

Oct 05, 2019

Contents

1 Overview	1
1.1 Installation	1
1.2 Documentation	1
1.3 Development	1
2 Installation	3
3 Usage	5
4 Reference	7
4.1 interdoc package	7
5 Contributing	9
5.1 Bug reports	9
5.2 Documentation improvements	9
5.3 Feature requests and feedback	9
5.4 Development	10
6 Authors	13
7 Changelog	15
7.1 0.1.0 (2019-10-03)	15
8 Indices and tables	17
Python Module Index	19
Index	21

CHAPTER 1

Overview

docs	
tests	
package	

Interactive docs

- Free software: MIT License

1.1 Installation

```
pip install interdoc
```

1.2 Documentation

<https://interdoc.readthedocs.io/>

1.3 Development

To run the all tests run:

```
tox
```

Note, to combine the coverage data from all the tox environments run:

Windows	<pre>set PYTEST_ADDOPTS=--cov-append tox</pre>
Other	<pre>PYTEST_ADDOPTS=--cov-append tox</pre>

CHAPTER 2

Installation

At the command line:

```
pip install interdoc
```


CHAPTER 3

Usage

You can edit this page to improve the documentation. Just click on the text you want to edit. Then find your pull request on [GitHub](#).

The code for adding this functionality to your docs is on [this page](#). Keep in mind this is at the proof-of-concept stage.

4.1 interdoc package

4.1.1 Submodules

4.1.2 interdoc.app module

```
interdoc.app.main()
```

4.1.3 interdoc.cli module

Module that contains the command line app.

Why does this file exist, and why not put this in `__main__`?

You might be tempted to import things from `__main__` later, but that will cause problems: the code will get executed twice:

- When you run `python -minterdoc` python will execute `__main__.py` as a script. That means there won't be any `interdoc.__main__` in `sys.modules`.
- When you import `__main__` it will get executed again (as a module) because there's no `interdoc.__main__` in `sys.modules`.

Also see (1) from <http://click.pocoo.org/5/setuptools/#setuptools-integration>

4.1.4 Module contents

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When [reporting a bug](#) please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

interdoc could always use more documentation, whether as part of the official interdoc docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at <https://github.com/metatooling/interdoc/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up *interdoc* for local development:

1. Fork *interdoc* (look for the “Fork” button).
2. Clone your fork locally:

```
git clone git@github.com:your_name_here/interdoc.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you’re done making changes, run all the checks, doc builder and spell checker with `tox` one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .
git commit -m "Your detailed description of your changes."
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you’re developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`)¹.
2. Update documentation when there’s new API, functionality etc.
3. Add a file in `changelog.d/` describing the changes. The filename should be `{id}.{type}.rst`, where `{id}` is the number of the GitHub issue or pull request and `{type}` is one of `breaking` (for breaking changes), `deprecation` (for deprecations), or `change` (for non-breaking changes). For example, to add a new feature requested in GitHub issue #1234, add a file called `changelog.d/1234.change.rst` describing the change.
4. Add yourself to `AUTHORS.rst`.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- pytest -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

¹ If you don’t have all the necessary python versions available locally you can rely on Travis - it will run the tests for each change you add in the pull request.

It will be slower though ...

detox

CHAPTER 6

Authors

- Interdoc contributors - <https://github.com/metatooling/interdoc>

7.1 0.1.0 (2019-10-03)

7.1.1 Changes

- First release on PyPI.

—

CHAPTER 8

Indices and tables

- `genindex`
- `modindex`
- `search`

i

interdoc, 7
interdoc.app, 7
interdoc.cli, 7

I

`interdoc` (*module*), 7

`interdoc.app` (*module*), 7

`interdoc.cli` (*module*), 7

M

`main()` (*in module interdoc.app*), 7