# **Local Music Bot Documentation**

Release 1.0.1

**Natsulus** 

# Getting Started

1	Installing	3
2	Config	5
3	Commands	7
4	Query	15
5	Role	17
6	Perms	21
7	Library	25
8	TODO	27
9	Changelog	29

The Local Music Bot is a Discord Bot for Local Music with library and role management.

If you have any feedback or problems, feel free to add Natsulus#5647 on Discord or submit an issue on Github or join the Support Server.

If you wish to contribute and know how to code with Node.js, you can make a pull request on the Dev branch of the Github Repository.

**Note:** The bot and docs are still a work-in-progress.

Getting Started 1

2 Getting Started

Installing

### Requirements

#### **Windows**

- NodeJS Requires v5.0.0 or above due to ES6 code.
- Python 2.7 Requires v2.7.x, not v3.x.x.
- Visual Studio Select Custom Installation and make sure Visual C++ under Programming Languages is selected.
  - Your Visual Studio installation ideally has to be recent.
  - Can be Express, Community or Enterprise Edition, but NOT VS Code.
- FFmpeg Add bin folder to PATH Environment Variable.

#### Mac

- NodeJS Requires v5.0.0 or above due to ES6 code.
- Python 2.7 Requires v2.7.x, not v3.x.x. Should be already installed by default.
- Xcode Command Line Tools

```
$ xcode-select --install
```

• FFmpeg

\$ brew install ffmpeg

#### Linux (Debian-based)

• NodeJS Linux - Requires v5.0.0 or above due to ES6 code.

- Python 2.7 Requires v2.7.x, not v3.x.x. Should be already installed by default.
- Build Essential

\$ sudo apt-get install build-essential

FFmpeg

\$ sudo apt-get install ffmpeg

#### If on Ubuntu 14.04, use this instead:

\$ sudo add-apt-repository ppa:mc3man/trusty-media && sudo apt-get update && sudo apt-get install ffmpeg

### Installation

- 1. Download the repository. (You can use git clone or the Download ZIP button Github provides.)
- 2. Open the *config.json* file and edit it.
- 3. Open a Command Prompt/Terminal at the directory of the downloaded repository.
- 4. Run npm install to install the dependencies.
- 5. Run npm start to start up the bot.
- 6. Start using the bot!

Config

## config.json

**prefix** The prefix the bot uses.

owner The owner's Discord ID.

token Your bot's token. Defaults to email and password if not provided.

email Your bot's email. Optional if token provided.

password Your bot's password. Optional if token provided.

allowedChannels Array of text channel IDs which the bot will listen to. Used to avoid clogging up channel logs.

### **Example**

```
{
    "prefix": ">",
    "owner": "345678909876543",
    "token": "ABC123def987-zxyNOP546",
    "email": "",
    "password": "",
    "allowedChannels": ["23456789098765432", "23456789098765432"]
}
```

6 Chapter 2. Config

Commands

## Query

### search Query

Perm: *query.search* Aliases: find

Searches for songs based on a Query and returns a song or list.

### queue Query

Perm: *query.queue* Aliases: insert, q

Searches for songs based on a Query and queues a song or list.

### Voice

### join ChannelName

Perm: voice.join

Aliases:

Joins a voice channel if not already in one. ChannelName is case-insensitive and provides partial matching.

#### leave

Perm: voice.leave

Aliases:

Leaves a voice channel if connected to one.

#### **View**

#### current

Perm: *view.current*Aliases: playing, song

Provides detail about the song currently playing.

#### list

Perm: *view.list* Aliases: songs

Lists all songs in queue as well as the song currently playing.

#### cover

Perm: view.cover

Aliases: art, artwork, albumart, image

Get the album art of the current song if available.

#### Queue

### autoplay on | off | status

Perm: *role.mod.add*Aliases: auto, ap

Enables or disables autoplay.

### unqueue NumberOrRange

Perm: *queue.remove*Aliases: remove

Removes the track/s from the queue at the provided Number/Range.

#### shuffle

Perm: queue.shuffle

Aliases: randomise, randomize

Shuffles the queue.

#### skip

Perm: queue.skip.novote

Aliases: next

Skips current song.

#### skip vote

Perm: queue.skip.vote

Aliases: next

Calls a vote to skip a song if no vote has started, else adds to vote to skip song.

### Role

#### role

Perm: role.view.own

Aliases: r

View details about own role.

#### role User#Tag

Perm: role.view.other

Aliases: r

3.5. Role 9

View details about the role of User#Tag.

#### role view ID

Perm: role.view.detail

Aliases: r

View details about specified role.

#### role list

Perm: role.view.list

Aliases: r

Lists all roles with their ID and Name.

### role add ID | Name | Description

Perm: role.mod.add

Aliases: r

Adds a new role. Description is optional.

#### role delete ID

Perm: role.mod.delete

Aliases: r

Deletes the role with the specified role. All users with the deleted role will have their role set to the default role.

### role edit ID | Key | Value

Perm: role.mod.edit

Aliases: r

Edits the key for the specified role with the value. Cannot edit the keys Perm or Default.

### role set ID User#Tag

Perm: role.mod.set

Aliases: r

10

Sets the role of User#Tag with the specified role. Can enter multiple User#Tag, separated by "  $\mid$  ". e.g. >role set 5 Bob#1234  $\mid$  Fred#0420  $\mid$  Tim#000

#### role default

Perm: role.default.view

Aliases: r

View details on the default role.

#### role default ID

Perm: role.default.set

Aliases: r

Sets the default role to the specified role. ID must be greater than 5.

#### role give *ID Perm*

Perm: role.perm.give

Aliases: r

Gives the specified role the specified Perm. Can enter multiple perm, separated by a space. e.g. >role give 5 role.default.view role.view playlist

#### role remove ID Perm

Perm: role.perm.remove

Aliases: r

Removes the specified Perm from the specified role. Can enter multiple perm, separated by a space. e.g. >role remove 5 role.default.view role.view playlist

### Library

### library

Perm: library.view.active

Aliases: lib

View details of the active library.

3.6. Library 11

#### library Name

Perm: library.view.detail

Aliases: lib

View details of specified library.

#### library list

Perm: library.view.list

Aliases: lib

View list of libraries.

### library add Name | Path | Description

Perm: library.mod.add

Aliases: lib

Add a new library. Description is optional.

### library delete Name

Perm: library.mod.delete

Aliases: lib

Deletes the library with the specified Name.

### library edit Name | Key | Value

Perm: library.mod.edit

Aliases: lib

Edits the key for the library with the specified Name with the value. Cannot edit the key Active.

### library select Name

Perm: library.mod.select

Aliases: lib

Selects the specified library as the active library.

#### update

Perm: library.update.active

Aliases:

Check active library for any changes and updates the library.

### update LibraryName

Perm: library.update.other

Aliases:

Check specified library for any changes and updates the library.

### **Playlist**

#### playlist Name

Perm: playlist.view.detail

Aliases: pl

Lists all songs in the specified playlist.

#### playlist list

Perm: playlist.view.list

Aliases: pl

Lists all playlist names.

### playlist save Name

Perm: playlist.save

Aliases: pl

Save the current song and queue as a playlist with the specified name.

### playlist load Name

Perm: playlist.load

Aliases: pl

3.7. Playlist

Load the specified playlist into the queue.

### playlist delete Name

 $Perm: \textit{playlist.delete.own} \mid \textit{playlist.delete.other}$ 

Aliases: pl

Deletes the specified playlist if you created it and have *playlist.delete.own* perm.

Deletes the specified playlist if you didn't create it and have *playlist.delete.other* perm.

Query

## **Options**

Query	Details		
title	Case-Insensitive & Partial Matching		
album	Case-Insensitive & Partial Matching		
artist	Case-Insensitive & Partial Matching		
allbu-	Case-Insensitive & Partial Matching		
martist			
filename	Case-Insensitive & Partial Matching		
duration	Number for amount of seconds. Negative for <i>shorter than</i> , Positive for <i>longer than</i> .		
page	Number. Results are limited to 20 per page.		
track	Number or Range. This is the number seen in the results and not the track number of an album.		
sortby	none, title, album, artist, albumartist, filename, duration. Sorts in ascending order, add - in front for		
	descending.		
random	ndom Provide any value to get a random song based on other query values except page, track and sortby		

### **Examples**

Search for songs with artist SomeArtist, album SomeAlbum, getting results 21-40 (Page 2) when sorted by title then album in ascending order, then artist in descending order:

```
>search artist: SomeArtist album: SomeAlbum page: 2 sortby: title album -artist
```

Search for songs with album SomeAlbum with a duration shorter than 420 seconds:

```
>search album: SomeAlbum duration: -420
Search for songs with album SongAlbum and select track #5:
>search album: SomeAlbum track: 5
```

Search for songs with artist Space Artist and select track 3-8 when not sorted:

```
>search artist: Space Artist track: 3-8 sortby: none
```

Search for a random song from songs with album SongAlbum:

>search album: SomeAlbum random: Anything Can Be Put For Random's Value But There Must Be Something

Search for a random song from the library:

```
>search random: asdf
```

### **Notes**

• If no sortby value is provided it defaults to the sortby value: album artist albumartist title filename

16 Chapter 4. Query

Role

## Keys

#### ID

The numbered position of the role in the hiearchy. The lower the number, the higher the hierarchical position with #0 reserved for the Owner.

This must be unique.

#### Name

Name of the Role.

This must be unique.

### **Description**

A description of the role.

#### **Perm**

An array/list of *Perms* the role has.

#### **Default**

Only one role has the value of this key as true at one time.

Role with this key as true is the default role a new user gets assigned to.

### **Provided Roles**

The following roles come with the bot:

#### **Owner**

ID: 0

Description: The Owner of the bot. Perm: Code bypasses perm requirements.

Default: false

#### **Partner**

ID: 1

Description: A user the Owner can absolutely trust.

Perm: query, voice, view, queue, role, library.view, library.mod.select, library.update, playlist

Default: false

#### **Admin**

ID: 3

Description: A user who moderates other users.

Perm: query, voice, view, queue, role.view, role.mod, role.default.view, library.view, library.mod.select,

library.update, playlist

Default: false

#### **Moderator**

ID: 5

Description: A user who assists with moderating other users.

Perm: query, voice, view, queue, role.view, role.mod.set, library.view.active, library.update.data.active, playlist.view,

playlist.save, playlist.load, playlist.delete.own

Default: false

#### Listener

ID: 8

Description: A user who uses the bot.

Perm: query, voice, view, queue.shuffle, queue.skip.vote, role.view.own, playlist.view, playlist.save, playlist.load,

playlist.delete.own Default: false

18 Chapter 5. Role

#### Member

ID: 10

Description: A normal user.

Perm: query.search, view.current, view.list

Default: true

5.2. Provided Roles

20 Chapter 5. Role

Perms

### **Perm List**

- query
  - search
  - queue
- voice
  - join
  - leave
- view
  - current
  - list
  - cover
- queue
  - remove
  - shuffle
  - skip
    - \* novote
    - \* vote
- role
  - view
    - \* own
    - \* other

- \* detail
- \* list
- mod
  - \* add
  - \* delete
  - \* edit
  - \* set
- default
  - \* view
  - \* set
- perm
  - \* give
  - \* remove
- library
  - view
    - \* active
    - \* detail
    - \* list
  - mod
    - \* add
    - \* delete
    - \* edit
    - \* select
  - update
    - \* active
    - \* other
- playlist
  - view
    - \* detail
    - \* list
  - save
  - load
  - delete
    - \* own
    - \* other

22 Chapter 6. Perms

## **Notes**

Use dot notation to select sub perms. Selecting main perm will select all sub perms.

e.g. voice = voice.join & voice.leave

6.2. Notes 23

24 Chapter 6. Perms

# $\mathsf{CHAPTER}\ 7$

Library

## Keys

#### **Name**

The name of the library. This must be unique.

#### **Path**

The root path of the library. Paths should not use and should instead use /. This must be unique.

### **Description**

A description of the library.

#### **Active**

Only one library has the value of this key as true at one time. Library with this key as true is the library that is currently being used.

#### **Notes**

• New libraries will take a while to load depending on the size of the library and the disk's read speed as they must open each file to get their metadata.

• Libraries cannot detect files that were modified while the library was not active.

26 Chapter 7. Library

### **TODO**

### **v1**

- Prettify the messages.
- Support @mention
- Support new members joining server.

## v2 (Undecided)

- Change Bot Name to 'Music Library Bot'.
- Implement Streaming Support (Youtube, SoundCloud, etc).
- Support modified files when bot is offline.

## v3 (Undecided)

• Stream Site DL to File in Library?

28 Chapter 8. TODO

## Changelog

### 1.0.1

- Fixed Perm Checking
- Fixed Role Set Command
- Started Planning v1.1 Update
- Created a Support Server

### 1.0.0

- Version 1.0.0 of the bot is now released!
- All commands are usable.
- Role Management is available with perms.
- Library Management & File Monitoring while online.
- Updates Library for all offline changes except for modified/replaced files.