

---

# **LOOT Documentation**

*Release latest*

**The LOOT Team**

**Jun 27, 2026**



# APPLICATION DOCUMENTATION

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Installation &amp; Uninstallation</b>	<b>3</b>
2.1	Windows . . . . .	3
2.2	Linux . . . . .	3
<b>3</b>	<b>Initialisation</b>	<b>5</b>
3.1	Microsoft Store Compatibility . . . . .	5
3.2	Epic Games Store Compatibility . . . . .	6
3.3	Install Location Detection . . . . .	6
<b>4</b>	<b>The Main Interface</b>	<b>9</b>
4.1	The Menu Bar . . . . .	9
4.2	The Toolbar . . . . .	10
4.3	Plugin Cards & Sidebar Items . . . . .	11
4.4	Filters . . . . .	12
<b>5</b>	<b>Editing Plugin Metadata</b>	<b>15</b>
<b>6</b>	<b>Editing Plugin Groups</b>	<b>19</b>
6.1	What Are Plugin Groups? . . . . .	19
6.2	The Groups Editor . . . . .	20
6.3	Rules For Using Groups . . . . .	20
<b>7</b>	<b>Editing Settings</b>	<b>23</b>
7.1	General Settings . . . . .	23
7.2	Game Settings . . . . .	24
<b>8</b>	<b>How LOOT Sorts Plugins</b>	<b>27</b>
8.1	Building The Plugin Graph . . . . .	28
8.2	Topological Sort . . . . .	30
<b>9</b>	<b>Themes</b>	<b>31</b>
<b>10</b>	<b>Contributing &amp; Support</b>	<b>33</b>
<b>11</b>	<b>Credits</b>	<b>35</b>
<b>12</b>	<b>Version History</b>	<b>37</b>
12.1	0.29.2 - Unreleased . . . . .	37
12.2	0.29.1 - 2026-04-18 . . . . .	38
12.3	0.29.0 - 2026-04-11 . . . . .	39

12.4	0.28.0 - 2025-10-11	41
12.5	0.26.1 - 2025-06-07	42
12.6	0.26.0 - 2025-05-02	43
12.7	0.25.2 - 2025-03-16	44
12.8	0.25.1 - 2025-03-15	44
12.9	0.25.0 - 2025-02-24	45
12.10	0.24.1 - 2024-11-07	46
12.11	0.24.0 - 2024-10-05	46
12.12	0.23.1 - 2024-08-25	47
12.13	0.23.0 - 2024-07-10	47
12.14	0.22.4 - 2024-05-17	49
12.15	0.22.3 - 2023-12-06	50
12.16	0.22.2 - 2023-12-01	51
12.17	0.22.1 - 2023-11-05	51
12.18	0.22.0 - 2023-10-07	51
12.19	0.21.0 - 2023-09-17	53
12.20	0.20.0 - 2023-06-10	54
12.21	0.19.1 - 2023-01-14	56
12.22	0.19.0 - 2023-01-14	56
12.23	0.18.6 - 2022-10-22	57
12.24	0.18.5 - 2022-10-02	57
12.25	0.18.4 - 2022-08-28	58
12.26	0.18.3 - 2022-05-21	59
12.27	0.18.2 - 2022-03-23	60
12.28	0.18.1 - 2022-03-15	61
12.29	0.18.0 - 2022-03-07	62
12.30	0.17.0 - 2021-12-19	65
12.31	0.16.1 - 2021-05-09	66
12.32	0.16.0 - 2020-08-22	67
12.33	0.15.1 - 2019-12-10	68
12.34	0.15.0 - 2019-12-10	68
12.35	0.14.6 - 2019-09-28	69
12.36	0.14.5 - 2019-07-04	69
12.37	0.14.4 - 2019-05-11	70
12.38	0.14.3 - 2019-02-10	71
12.39	0.14.2 - 2019-01-20	71
12.40	0.14.1 - 2019-01-19	71
12.41	0.14.0 - 2019-01-19	71
12.42	0.13.6 - 2018-11-27	73
12.43	0.13.5 - 2018-11-26	73
12.44	0.13.4 - 2018-09-25	73
12.45	0.13.3 - 2018-09-11	74
12.46	0.13.2 - 2018-09-10	74
12.47	0.13.1 - 2018-06-03	74
12.48	0.13.0 - 2018-06-02	75
12.49	0.12.5 - 2018-03-19	76
12.50	0.12.4 - 2018-02-22	76
12.51	0.12.3 - 2018-02-10	77
12.52	0.12.2 - 2018-02-05	77
12.53	0.12.1 - 2017-12-03	77
12.54	0.12.0 - 2017-12-02	78
12.55	0.11.0 - 2017-05-13	79
12.56	0.10.3 - 2017-01-08	79
12.57	0.10.2 - 2016-12-03	80

12.58	0.10.1 - 2016-11-12	81
12.59	0.10.0 - 2016-11-06	82
12.60	0.9.2 - 2016-08-03	82
12.61	0.9.1 - 2016-06-23	83
12.62	0.9.0 - 2016-05-21	84
12.63	0.8.1 - 2015-09-27	85
12.64	0.8.0 - 2015-07-22	86
12.65	0.7.1 - 2015-06-22	86
12.66	0.7.0 - 2015-05-20	87
12.67	0.6.1 - 2014-12-22	89
12.68	0.6.0 - 2014-07-05	89
12.69	0.5.0 - 2014-03-31	91
<b>13</b>	<b>Copyright Notice</b>	<b>93</b>
<b>14</b>	<b>Copyright License Texts</b>	<b>95</b>
14.1	Boost	95
14.2	LOOT, libloot, OGDF & Qt	96
14.3	LOOT Documentation	108
14.4	LOOT Masterlists & Translations	116
14.5	Material Icons	118
14.6	spdlog	122
14.7	toml++	123
14.8	ValveFileVDF	123



## INTRODUCTION

LOOT is a plugin load order optimiser for:

- Starfield
- The Elder Scrolls III: Morrowind
- The Elder Scrolls IV: Oblivion
- The Elder Scrolls IV: Oblivion Remastered
- The Elder Scrolls V: Skyrim
- The Elder Scrolls V: Skyrim Special Edition (and Anniversary Edition)
- The Elder Scrolls V: Skyrim VR
- Fallout 3
- Fallout: New Vegas
- Fallout 4
- Fallout 4 VR
- Nehrim: At Fate's Edge
- Enderal: Forgotten Stories
- Enderal: Forgotten Stories (Special Edition)
- OpenMW

LOOT can automatically calculate a load order that satisfies all plugin dependencies and maximises each plugin's impact on your game. It can also detect many issues, and provides a large number of plugin-specific usage notes, warnings and Bash Tag suggestions for Wrye Bash.

While LOOT can correctly handle the vast majority of plugins without help, some plugins need additional metadata to be sorted correctly. LOOT has a masterlist of metadata for each supported game, and you can add more to customise LOOT's behaviour.

LOOT helps make using mods easier, and you should still possess a working knowledge of mod load ordering. See [Introduction To Load Orders](#) for an overview.



## INSTALLATION & UNINSTALLATION

### 2.1 Windows

**LOOT requires a 64-bit version of Windows 10 (1809) or later.**

LOOT can be installed either using its automated installer or manually from a release archive. If you are using the installer, just run it and follow the wizard steps. If installing manually, extract the downloaded archive to a location of your choice.

LOOT requires the [MSVC 2022 x64 redistributable](#) to be installed.

The installer automatically downloads and installs the redistributable if you don't already have them installed, but if you use the release archive then you will need to do so manually.

If LOOT was installed using the installer, then use the uninstaller linked to in the Start Menu to uninstall LOOT. If LOOT was installed manually:

1. Delete the files you extracted from the location you chose.
2. Delete the LOOT folder in your local application data folder, which can be accessed by entering `%LOCALAPPDATA%` into Windows' File Explorer.

### 2.2 Linux

**LOOT requires a 64-bit version of Linux.**

LOOT can be installed as a [Flatpak](#) application.

You may be able to install and uninstall LOOT through your Linux distribution's package manager. If not, first [install Flatpak](#) if it is not already installed, and then install LOOT from [Flathub](#).

LOOT can be uninstalled using the command line:

```
flatpak uninstall io.github.loot.loot
```

Or, if you want to also remove the data that LOOT stores in `~/.var/app/io.github.loot.loot`:

```
flatpak uninstall --delete-data io.github.loot.loot
```



## INITIALISATION

When LOOT is run, it will attempt to detect which of the supported games are installed. If a *default game* has been set, LOOT will run for it, otherwise it will run for the same game as it last ran for. If the relevant game cannot be detected, or if there is no record of the last game LOOT ran for, it will run for the first detected game.

LOOT's initialisation can be customised using command line parameters:

**--game="<Game Identifier>":**

Set the game to run for. Case sensitive. If the supplied game identifier is recognised, the default and last game values are ignored. The game identifiers recognised by default are Starfield, Morrowind, Oblivion, Oblivion Remastered, Skyrim, Skyrim Special Edition, Skyrim VR, Fallout3, FalloutNV, Fallout4, Fallout4VR, Nehrim, Enderal, Enderal Special Edition and OpenMW. If you have multiple installs of a supported game then their identifiers will be different. The identifier values are the same as the game installs' LOOT folder names, which are visible in LOOT's Settings dialog.

**--game-path="<path>":**

Set the install path of the game identified by --game. This replaces any existing value stored in LOOT's settings.

**--loot-data-path="<path>":**

Set the path to use for LOOT's application data storage. If this is an empty string or not specified, LOOT defaults to %LOCALAPPDATA%\LOOT on Windows and (in order of decreasing preference) \$XDG\_DATA\_HOME/LOOT or \$HOME/.local/share/LOOT on Linux. Note that Flatpak internally overrides \$XDG\_DATA\_HOME to be \$HOME/.var/app/io.github.loot.loot/data.

**--auto-sort:**

Once LOOT has initialised, automatically sort the load order, apply the sorted load order, then quit. If an error occurs at any point, the remaining steps are cancelled. If this is passed, --game must also be passed.

If LOOT cannot detect any supported game installs, you can edit LOOT's settings in the *Settings dialog* to provide a path to a supported game, after which you can relaunch LOOT to detect that game.

Once a game has been set, LOOT will scan its plugins and load the game's masterlist, if one is present. The plugins and any metadata they have are then listed in their current load order.

If LOOT detects that it is the first time you have run that version of LOOT, it will display a "First-Time Tips" dialog, which provides some information about the user interface that may not be immediately obvious.

### 3.1 Microsoft Store Compatibility

LOOT supports games bought from the Microsoft Store or obtained through a Game Pass subscription, but the following games have each of their localisations installed in separate subdirectories:

- Morrowind
- Oblivion
- Fallout 3

- Fallout: New Vegas

LOOT will check the localisations in the order of your system's preferred UI languages, stopping at the first subdirectory it finds a copy of the game in.

### **Note**

LOOT does not support detecting game installs from before February 2022 (installed using Xbox app versions earlier than 2202.1001.7.0). Such installs have limitations that cause issues for LOOT and other modding utilities.

## 3.2 Epic Games Store Compatibility

LOOT supports games bought from the Epic Games Store, but Fallout 3 and Fallout: New Vegas are installed in the same way as they are installed by the Xbox app, so LOOT will pick one localisation as described for the Microsoft Store above.

## 3.3 Install Location Detection

When LOOT starts, it first loads its configured game settings. If the `--game` and `--game-path` command line parameters are given it overrides the configured path for the given game using the given path. It then searches for supported games using all of the following sources:

- the install location given in Steam's configuration files
- the install location(s) given in the [Heroic Games Launcher](#)'s configuration files
- the game's Steam Registry key(s)
- the game's GOG Registry key(s)
- the parent directory of the current working directory (e.g. if LOOT is at `Skyrim Special Edition\LOOT\LOOT.exe` next to `Skyrim Special Edition\SkyrimSE.exe`)
- the game's non-store-specific Registry key
- the install location given in the Epic Games Launcher's manifest files
- the install locations used by the Xbox app, checking each drive in the order they're listed by Windows

The detected games are merged with the configured game settings, primarily by comparing the detected and configured game install paths. Any detected games that did not have matching configuration get new settings entries added for them. If multiple copies of a single game are detected, each instance is named differently in LOOT's settings to help differentiate between them.

For example, if you've got Skyrim installed through Steam and the Microsoft Store, LOOT will find both installs, and may name one "TES V: Skyrim (Steam)" and the other "TES V: Skyrim (MS Store)".

If LOOT's automatic game detection doesn't work correctly for you, you'll need to manually provide the correct install path in LOOT's settings and then relaunch LOOT.

### 3.3.1 Game Detection on Linux

On Linux, LOOT can only automatically detect games that were installed through Steam or through the Heroic Games Launcher.

If running LOOT as a Flatpak application, it only has permission to access the following paths by default:


- `$XDG_DATA_HOME/Steam`

- `~/.var/app/com.valvesoftware.Steam/.local/share/Steam`
- `/run/media`
- `$XDG_CONFIG_HOME/heroic`
- `~/.var/app/com.heroicgameslauncher.hgl/config/heroic`
- `~/Games/Heroic`
- `/etc`
- `/usr`
- `/var/lib/flatpak/app/org.openmw.OpenMW`
- `~/.local/share/flatpak/app/org.openmw.OpenMW`
- `~/.var/app/org.openmw.OpenMW`
- `$XDG_CONFIG_HOME/openmw`
- `$XDG_DATA_HOME/openmw`

Those paths grant access to the default Steam, Heroic Games Launcher and OpenMW directories. If you have installed games elsewhere, you will need to grant LOOT access to the relevant paths. This can be done using an application such as [Flatseal](#) or on the command line using `flatpak --user override --filesystem=<path> io.github.loot.loot`.



## THE MAIN INTERFACE



### 4.1 The Menu Bar

The menu bar consists of the File, Game, Plugin and Help menus. Some menus and menu items are disabled when there is an unapplied sorted load order and while the metadata editor is open. If you're trying to use an option that is faded out, first close the metadata editor, or apply or discard a sorted load order. Additionally, the whole Plugin menu is disabled unless there is a plugin selected in the sidebar.

A few items in the menus are not self-explanatory:

- “Back Up Load Order...” records the current load order in a file that’s saved in the LOOT folder for the current game.
- “Restore Load Order...” allows you to restore from a previous load order backup. Restoring a backup first creates an automatic backup of the current load order. The restore dialog also allows you to delete load order backups.
- “Redate Plugins...” is provided so that Skyrim and Skyrim Special Edition modders may set the load order for the Creation Kit. It is only available for Skyrim, and changes the timestamps of the plugins in its Data folder to match their current load order. A side effect of changing the timestamps is that any Steam Workshop mods installed will be re-downloaded.
- “Copy Load Order” copies the displayed list of plugins and the decimal and hexadecimal indices of active plugins to the clipboard. The columns are:
  1. Decimal load order index
  2. Hexadecimal load order index
  3. Hexadecimal light plugin index
  4. Plugin name
- “Copy Content” copies the data displayed in LOOT’s cards to the clipboard as Markdown-formatted text.
- “Refresh Content” re-scans the installed plugins’ headers and regenerates the content LOOT displays. This can be useful if you have made changes to your installed plugins while LOOT was open. Refreshing content will also discard any CRCs that were previously calculated, as they may have changed.
- The “Search Cards...” option allows you to search all the visible text displayed on plugin cards, so the results may be affected by any filters you have active. Searching can optionally be done using case-insensitive Perl-like regular expressions instead of case-insensitive text comparison.

## 4.2 The Toolbar

The toolbar provides access to LOOT’s main features: selecting a game, sorting plugins and updating the masterlist. These features get disabled while the metadata editor is open, so if you’re trying to use an option that is faded out, first close the editor.

### 4.2.1 Game Menu

LOOT’s active game can be changed by clicking on it in the header bar, and selecting another game from the menu that is displayed. Games that have no install detected have their menu items disabled.

### 4.2.2 Masterlist Update & Sorting

The masterlist update process updates the active game’s masterlist to the latest revision at the location given by the game’s masterlist repository settings.

By *default*, sorting first updates the masterlist. LOOT then calculates a load order for your plugins, using their internal data and any metadata they may have. If a cyclic interaction is detected (eg. A depends on B depends on A), then sorting will fail.

Once LOOT has calculated a load order, it is compared with the current load order. If the current and calculated load orders are identical, LOOT will inform you that no changes were made via a status bar notification. If the calculated load order contains changes, the plugin cards are sorted into that order and the masterlist update and sorting buttons are replaced with Apply Sorted Load Order and Discard Sorted Load Order buttons, which apply and discard the calculated load order respectively. Changing games is disabled until the calculated load order is applied or discarded.

LOOT is able to sort plugins ghosted by Wrye Bash, and can extract Bash Tags and version numbers from plugin descriptions. Provided that they have the `Filter Bash Tag` present in their description, LOOT can recognise filter patches and so avoid displaying unnecessary error messages for any of their masters that may be missing.

Any errors encountered during sorting or masterlist update will be displayed on the “General Information” card.

### Load Order Backups

In addition to the “Back Up Load Order” Game menu action, LOOT automatically backs up the current load order before applying a sorted load order, fixing an ambiguous load order or restoring a load order backup. Only the ten most recent automatic backups are retained. LOOT never automatically deletes manual backups.

Backups are stored as JSON files in the LOOT’s data folder for the current game. The files use the naming scheme `loadorder.<creation timestamp>.json`.

## 4.3 Plugin Cards & Sidebar Items

Each plugin is displayed on its own “card”, which displays all the information LOOT has for that plugin, and provides access to plugin-specific functionality, including editing its metadata. Each plugin also has an item in the sidebar’s Plugins section. The sidebar item contains the plugin’s listed position, name and an icon for plugins that have user metadata. It also displays the plugin’s in-game load order index if the plugin is active, while light plugins have their light plugin index displayed. Clicking on a plugin’s sidebar item will select it, so that the Plugin menu options operate on it. Double-clicking a plugin’s sidebar item will jump to its card.

The plugin card’s header holds the following information, some of which is only displayed if applicable:

- The plugin name.
- The plugin’s version number, extracted from its description field.
- The plugin’s CRC (Cyclic Redundancy Checksum), which can be used to uniquely identify it. CRCs are only displayed after they have been calculated during overlap filtering or sorting, except the the CRC of the game’s main master plugin, which is never displayed.
- The “Active Plugin” icon.
- The “Master Plugin” icon.
- The “Blueprint Master Plugin” icon.
- The “Light Plugin” icon or “Small Plugin” icon.
- The “Medium Plugin” icon.
- The “Empty Plugin” icon.
- The “Loads Archive” icon.
- The “Verified clean” icon.
- The “Has User Metadata” icon.
- The “Has Hidden Messages” icon.

Messages, Bash Tag suggestions and plugin sources are displayed below the plugin card’s header.

LOOT’s plugin messages are a valuable resource, as they provide information that might not be obvious. It is important for a stable, healthy game that you act on any messages that require action. If you think a message suggests an unnecessary action, report it to an official LOOT thread. If you encounter a message that is non-conditional, ie. it suggests an action but is still displayed on subsequent runs of LOOT after the action has been carried out, also report it to an official LOOT thread, so that it can be made conditional.

You can hide individual messages by right-clicking them and selecting the “Hide message” context menu action. A card with hidden messages (whether hidden individually or using filters) will display the “Has Hidden Messages” icon, and they can be unhidden by right-clicking the card (anywhere outside its list of messages) and selecting the relevant context menu action. The selected plugin’s hidden messages can also be unhidden from the Plugin menu. The Game menu contains actions to unhide individually-hidden general messages, and to unhide all individually-hidden messages.

You generally don’t need to do anything with Bash Tag suggestions, so they’re hidden by default. If you’re using Wrye Bash it will automatically apply LOOT’s suggestions, and if you’re not using Wrye Bash then this information doesn’t apply.

Plugin sources are obtained from location metadata, and don’t necessarily reflect where you downloaded the plugin from. If multiple mods provide a plugin with the same filename, that plugin may be listed with links to where each of those mods are hosted.

## 4.4 Filters

Clicking the Filters section header in the sidebar will replace the sidebar’s plugin list with a list of filter toggles that can be applied to hide various combinations of plugins and other content. The available filter toggles are:

### **Hide version numbers**

Hides the version numbers displayed in blue next to those plugins that provide them.

### **Hide CRCs**

Hides the CRCs displayed in orange next to those plugins that provide them.

### **Hide Bash Tags**

Hides all Bash Tag suggestions.

### **Hide Sources**

Hides all plugin sources.

### **Hide notes**

Hides all messages that have the Note: prefix, or the equivalent text for the language selected in LOOT’s settings.

### **Hide official plugins’ cleaning messages**

Hides all plugin cleaning messages for the current game’s official plugins.

### **Hide all plugin messages**

Hides all plugin messages.

### **Hide inactive plugins**

Hides all plugins that are inactive.

### **Hide messageless plugins**

Hides all plugins that have no visible messages.

### **Show only new messages**

Hides all messages that existed the last time LOOT ran for the current game, before its content was last refreshed, or before its masterlist was last updated while it was the current game.

### **Show only empty plugins**

Hides all plugins that contain more than their header record. Empty plugins can be used to load assets from BSA or BA2 files (depending on the game).

### **Show only plugins with load after metadata**

Hides all plugins that do not have load after metadata. This is checked after conditions are evaluated, so will hide plugins that have load after metadata that is irrelevant for your game install.

### **Show only plugins with load after user metadata**

Hides all plugins that do not have load after user metadata. This is checked before conditions are evaluated, so will also show plugins with user metadata that is irrelevant for your game install.

**Show only plugins without load order metadata**

This is checked after conditions are evaluated, so will hide plugins that have load after metadata that is irrelevant for your game install.

**Show only warnings and errors**

Combines the Bash Tags, sources, notes and messageless plugins filters. Enabling it enables those other filters, and disabling any of those other filters will also disable it.

The filter toggles have their states saved on quitting LOOT, and they are restored when LOOT is next launched. There are also three other filters in the sidebar tab:

**Show only overlapping plugins for**

This filters the plugin cards displayed so that only plugins which modify the same game data records with this plugin will be visible. If this plugin loads an archive, other plugins that load archives which contain resources with the same file paths are also displayed. Sorting with the overlap filter active will first deactivate it.

**Show only plugins in group**

This filters the plugin cards displayed so that only plugins in the selected group will be visible.


**Show only plugins with cards that contain**

This hides any plugins that don't have the filter input value present in any of the text on their cards.

The "Use regular expression" checkbox controls whether the input value is interpreted as text or as a regular expression. If ticked and the input value is not a valid regular expression, a tooltip detailing the issue will be displayed and the card content filter will be ignored.



## EDITING PLUGIN METADATA



LOOT uses metadata to supply plugins with messages and Bash Tag suggestions, and to help it sort plugins that it can't otherwise sort correctly. You can add to your installed plugins' metadata through the metadata editor panel, and plugins with user metadata are indicated with a "Has User Metadata" icon.

The editor panel is accessed by selecting a plugin in the sidebar and then clicking the "Edit Metadata" item in the Plugin menu. Only one plugin's metadata can be edited at a time. While the editor panel is open, the plugin sidebar also displays any non-default plugin groups, to aid setting new group memberships. The editor can be resized by grabbing the top of the editor's header and dragging it up or down.

The editor's header displays the name of the plugin being edited, "Save" and "Cancel" buttons, and a row of tabs.

The Group tab's page contains the "Group" dropdown, which sets the group that the plugin belongs to, and is set to the "default" group by default. Plugin groups are used to concisely load groups of plugins after others. The dropdown lists all defined groups: to define new groups or edit existing groups, use the Groups Editor.

The other tab pages contain metadata tables, which are detailed below. New rows can be added, and existing user-added rows can be removed, though rows containing metadata from the masterlist or from plugins cannot. Such non-user metadata rows are greyed out to indicate that they are not editable. The Load After, Requirements and Incompatibilities tables can have rows added by dragging and dropping plugins from the sidebar into the table area.

### Load After

This is a list of plugins which, if present, the current plugin must load after, but which are not required. This metadata can be used for resolving specific compatibility issues. Each entry has two fields:

- The filename is the path, relative to the game's plugins folder (usually Data), of the file to be checked for. This field is required. It gives the filenames of installed plugins as autocomplete suggestions.
- The condition is an optional condition string that is used to determine if the file should be checked for. If left blank, the file will always be checked for. Condition strings are a relatively advanced part of LOOT's functionality, and their syntax is covered in the [Metadata Syntax documentation](#).
- The constraint is an optional condition string that must evaluate to true for the file's existence to be recognised.

### Requirements

This is a list of files that are required by the current plugin for it to function correctly. The current plugin will be loaded after any plugins listed. LOOT will also display an error message if any of the listed files are missing. Any file, not just plugins, can be listed here. Each entry has the same fields as for the load after table and two additional fields:

- The display name is optional, and if specified will be used instead of the filename in any error messages that are displayed if a problem is encountered relating to the file.
- The detail field takes a list of localisable message texts that will be appended to the error message if one is displayed.

Note that listing a plugin's masters as requirements is unnecessary, as LOOT already checks them.

### Incompatibilities

This is a list of files that are incompatible with the plugin. LOOT will display an error message if any of the listed files are found. Any file, not just plugins, can be listed here, and each entry has the same fields as for the requirements table.

### Messages

A list of messages that are to be displayed for the plugin in LOOT's report. These have no bearing on a plugin's position in the load order. Each message has three fields:

- The type is fairly self-explanatory, and is used to provide messages of varying severity with appropriate emphasis in LOOT's report.
- The content is the localisable message text.
- The condition is, like for the corresponding file field, used to determine if the message should be displayed. If left blank, the message is displayed.

### Bash Tags

A list of Bash Tags. These are used by Wrye Bash when generating a Bashed Patch, and are detailed in [Wrye Bash's readme](#). LOOT's metadata includes Bash Tag addition and removal suggestions, and any Bash Tags that came with the plugin are also displayed.

As LOOT can suggest Bash Tags be added or removed, it is possible for the same Tag to appear twice, being suggested for addition and removal. In such cases, removal overrides addition.

Each Bash Tag has three fields:

- The add/remove field determines whether the Tag is to be suggested for addition or removal.
- The Bash Tag field is the actual Bash Tag name. The field gives autocomplete suggestions for Bash Tags that LOOT knows are supported for the current game.
- The condition decides if the Tag is to be suggested or not. It functions as for files and messages.

If a plugin's masters are missing, an error message will be displayed for it. Filter patches are special mods designed for use with a Bashed Patch that do not require all their masters to be present, and so any plugin with the Filter tag applied and missing masters will not cause any errors to be displayed.

### **Dirty Plugin Info**

A list of dirty plugin CRCs and related information. Each row has six fields:

- The CRC of the dirty plugin.
- The ITM Count for the dirty plugin.
- The number of Deleted References that the dirty plugin contains.
- The number of Deleted Navmeshes that the dirty plugin contains.
- The name of the Cleaning Utility to use to clean the dirty plugin.
- A localisable detail message text.
- A condition that is used to determine if the dirty info is relevant, other than the plugin CRC matching.

LOOT uses the information supplied to construct a warning message for the plugin if it matches any of the given CRCs.

### **Clean Plugin Info**

A list of clean plugin CRCs and the utility they were verified clean by. Each row has two fields:

- The CRC of the clean plugin.
- The name of the Cleaning Utility to use to verify that the plugin is clean.
- A condition that is used to determine if the clean info is relevant, other than the plugin CRC matching.

LOOT uses the information supplied to display an icon on the plugin's card if it matches any of the given CRCs.


### **Locations**

A list of URLs that the mod to which the plugin belongs can be found at. LOOT displays these as source hyperlinks on the plugin's card. Each location has two fields:

- The URL at which the plugin's parent mod can be found.
- The Name you wish to give the URL. If given, LOOT uses this as the text displayed for the hyperlink on the plugin's card.



## EDITING PLUGIN GROUPS



### 6.1 What Are Plugin Groups?

LOOT assigns each plugin to one plugin group, with plugins belonging to the default group by default. Each group has a name and a list of zero or more other groups it loads after. In this way, it's possible to concisely load groups of plugins after other groups of plugins.

Group load order is transitive, i.e. given three groups A, B and C, if C loads after B and B loads after A, then plugins in group C will load after plugins in group A even if no plugins in group B are installed.

## 6.2 The Groups Editor

A group must be defined before plugins can belong to it, and defining and editing groups is done in the Groups Editor, which can be accessed through the Game menu.

The groups editor consists of an interactive graph displaying all defined groups and their load after metadata, and a sidebar containing:

- a list of plugins in the currently-selected group
- a list of plugins that are other groups, and a dropdown combo box listing plugins that are in other groups. The list can be used to select one or more plugins to add to the currently-selected group, while the dropdown is an alternative way to find and select one plugin at a time to add to the currently-selected group
- an input for creating a new group or renaming the currently-selected group
- a button to automatically arrange the layout of the groups in the graph.

In the groups graph:

- Groups are displayed as circular nodes in the graph, labelled with their names.
  - Groups that load after no other groups are displayed in blue.
  - Groups that no other groups load after are displayed in green.
  - The default group is displayed in orange.
- Load after metadata is displayed as lines (edges/vertices) between nodes, pointing from the earlier group to the later group.
- Metadata defined in the masterlist is greyed out, while user-defined metadata is not.

If any group definitions reference another group that does not exist, the groups editor will create the missing group as user metadata. This is to help when there is user metadata that says the user-defined group B must load after the masterlist-defined group A, but then group A is removed in a masterlist update. In that case, just open up the groups editor and link group A back into the graph as it was before.

New load after metadata can be added by double-clicking on one group node and dragging a line from it to any other group nodes.

Clicking on a group will cause any installed plugins in that group to be listed in the sidebar. Right-clicking the list will display a context menu that contains an action to copy the listed plugin names to the clipboard.

Right-clicking a load after metadata line will remove that load after metadata, and right-clicking a group will remove it. Masterlist metadata cannot be removed. A group cannot be removed if any installed plugins belong to it.

The graph can be zoomed in and out of using your mouse's scroll wheel. Left-clicking and dragging an empty space will move the whole graph, while left-clicking and dragging a node will move it.

## 6.3 Rules For Using Groups

The groups editor enforces a few rules:

- A group cannot load after itself.
- A group cannot load after another group if the other group does not exist.
- It's not possible to delete groups that are defined in the masterlist.
- It's not possible to remove 'load after' entries from a group if they were defined in the masterlist.

It's possible to define group relationships and memberships that would produce a cyclic load order. A simple example is where group B loads after group A, and group A loads after group B.

A more complex example involving other types of metadata is where

- A.esp is in the early group
- B.esp is in the mid group
- C.esp is in the late group
- A.esp has C.esp as a master
- The late group loads after the mid group, which loads after the early group.

A load order must be linear, so where group metadata is involved in a cycle, LOOT will break the cycle by ignoring a plugin's group membership: in the example above, C.esp's group membership would be ignored.


While not a strict rule, it's best to avoid defining cyclic group relationships or assigning plugins to groups that would introduce cycles, to avoid surprising sorting behaviour due to LOOT breaking those cycles.



## EDITING SETTINGS

LOOT's settings may be accessed through the File menu.

### 7.1 General Settings



#### Default Game

If set to something other than Autodetect, this overrides game autodetection. If the game specified is not detected, LOOT falls back to autodetection.

#### Language

Controls the language LOOT uses. Any plugin messages that do not have translations in the selected language will be displayed in English, if available, or in their available language otherwise.

#### Theme

Controls the theme LOOT loads. If the specified theme is not found, LOOT falls back to the default theme.

#### Update masterlist before sorting

If checked, LOOT will update its masterlist, should an update be available, before sorting plugins.

#### Check for LOOT updates on startup

If checked, LOOT will check for updates on startup and display a general message if an update is available.

#### Enable Debug Logging

If enabled, writes debug output to %LOCALAPPDATA%\LOOT\LOOTDebugLog.txt. Debug logging can have a

noticeable impact on performance, so it is off by default.

### Display dialog when sorting makes no changes

If enabled, when LOOT sorts the load order and makes no changes, it will display a dialog message box saying so. If disabled, LOOT will instead display the message in the status bar.


### Warn if the game's paths are in a case-sensitive filesystem

If enabled and LOOT detects that the current game is installed in a case-sensitive filesystem (as is usually the case on Linux), it will display a warning message saying so in the General Information card.

### Masterlist prelude source

The URL of a masterlist prelude file that LOOT uses to update its local copy of the masterlist prelude.

## 7.2 Game Settings



LOOT's game-specific settings can be customised by selecting a game in the sidebar. New game profiles can be added, making it easy to use LOOT across multiple copies of a game, including total conversion mods. Game profiles can also be deleted, though the active game cannot have its profile deleted, and LOOT will recreate default profiles for any games it detects when it is next run.

### Name

The name of the game, or another identifying text, that is displayed in menus and the LOOT's title bar.

### Base Game

Every game LOOT runs for must use the plugin file format and load order system of one of the following games:

- Starfield
- TES III: Morrowind
- TES IV: Oblivion
- TES IV: Oblivion Remastered
- TES V: Skyrim
- TES V: Skyrim Special Edition
- TES V: Skyrim VR
- Fallout 3

- Fallout: New Vegas
- Fallout 4
- Fallout 4 VR
- OpenMW

**LOOT Folder**

The sub-folder which LOOT uses to store the game's files in. Each game is given a unique sub-folder.

**Main Master Plugin**

The game's main master plugin. This is checked for when detecting if the game is installed.

**Minimum Header Version**

LOOT will display a warning message for any plugin that has a header version less than this value. Note that this version is different from any version that LOOT may be able to read from the plugin's description field.

**Masterlist Source**

The URL of a masterlist file that LOOT uses to update its local copy of the masterlist.

**Install Path**

The path to the game's folder, in which the games executable and plugins folder (usually `Data`) are found.

**Local AppData Path**


The path to the game's local application data directory, which is usually in `%LOCALAPPDATA%` and for most games contains `plugins.txt`. If left empty, LOOT will derive the path to use from the base game type.



## HOW LOOT SORTS PLUGINS

LOOT sorts plugins according to a set of rules that dictate how two plugins load relative to one another. An example rule could be “Cutting Room Floor.esp must load after Skyrim.esm”. LOOT derives rules from various data sources: one source for the example rule could be the plugins’ master flag fields: `Skyrim.esm` has its master flag set, and `Cutting Room Floor.esp` does not. Another source could be the plugins’ master fields: `Cutting Room Floor.esp` has `Skyrim.esm` as a master.

LOOT represents these rules in a graph, where each point (or *vertex*) represents a plugin, and each line (or *edge*) joins two points, going from the plugin that loads earlier to the plugin that loads later. Visualised, a simple set of rules on a small load order looks like this:



It may seem like there are a lot of edges in that image, but a real load order graph can contain thousands of vertices and over a hundred thousand edges.

To improve performance, LOOT actually sorts using three graphs: one for master-flagged plugins, one for blueprint masters, and one for the other plugins, and then appends the latter’s sorted order to the former’s sorted order to give the complete sorted load order. The two graphs are sorted the same way, so the information below applies to both, and the result is the same as if a single graph was used.

## 8.1 Building The Plugin Graph

The plugin graph is constructed in a specific way, partly to ensure that sorting doesn't give you different results every time.

### 8.1.1 Hard Rules

First the 'hard' rules, which **must** be followed, are applied. For each plugin, going in lexicographical (like alphabetical, but extended to cover digits and other symbols) order:

1. If the plugin has its master flag set, edges are added going from it to every other plugin that does not have its master flag set. Note that because plugins are partitioned into separate graphs by their master flag, this doesn't add any edges, but it's kept for completeness.
2. If the plugin has any masters, edges are added going from each of them to the plugin.
3. If the plugin has any requirements metadata, edges are added going from each required plugin to the plugin.
4. If the plugin has any "load after" metadata, edges are added going from each "load after" plugin to the plugin.

Some games, like the various versions of Skyrim and Fallout 4, hardcode the positions of some plugins. To take this into account when sorting, LOOT adds hard rules for them. For each plugin that has a hardcoded position, going from the first/earliest hardcoded position to the last/latest position, an edge is added between each consecutive plugin to enforce that order, and then edges are added from the last hardcoded plugin going to every non-hardcoded plugin.

In the example graph image above, all the edges apart from the one between `Cutting Room Floor.esp` and `Bashed Patch, 0.esp` could be due to hard rules:

- `Skyrim.esm` is a master of all the other plugins.
- `Skyrim.esm`, `Update.esm`, `Dawnguard.esm`, `HearthFires.esm` and `Dragonborn.esm` are all hardcoded to load in that order.
- All of the `*.esm` plugins have their master flag set, and both of the `*.esp` plugins do not have it set.

### 8.1.2 Group Rules

At this point, all hard rules have been applied. Group rules are applied next. This part has the most complex logic, though the ideas behind it are relatively simple. To summarise, each plugin belongs to a group, and groups can load after other groups. If group C loads after group B, and group B loads after group A, this means that all the plugins in group C load after all the plugins in groups A and B.

However, group rules are 'soft' rules, so can be ignored to avoid cyclic interactions. A cyclic interaction occurs when following the rules results in a load order that loops back on itself, e.g. the two rules "B loads after A" and "A loads after B" are cyclic. If applying a group rule would cause a cycle, LOOT ignores it.

LOOT applies group rules by traversing the groups graph, starting with the earliest-loading group and other groups that don't load after any others, and for each group it tries to add edges going from all the plugins in all earlier groups to the plugins in the current group. It does this for all groups except the default group, and then does it for the default group.

In the example graph image above, the edge from `Cutting Room Floor.esp` to `Bashed Patch, 0.esp` is due to a group rule, because `Bashed Patch, 0.esp` is in a group that loads after `Cutting Room Floor.esp`'s group.

### 8.1.3 Overlap Rules

Overlap rules are applied after group rules, and have lower priority. They are also soft rules, and are ignored as necessary to avoid cyclic interactions. Two plugins are said to overlap if they both contain a copy of a record, or if they both load one or more BSAs (or BA2s for Fallout 4) and the BSAs loaded by one plugin contain data for a file path that is also included in the BSAs loaded by the other plugin. They don't necessarily have to make any edits to a record for there to

be an overlap, it just needs to be in both plugins. Similarly, the assets loaded by the two plugins could be identical or completely different, it's only the presence of the file path that matters.

If two plugins' records overlap, and one overrides more records than the other, then the rule is to load the plugin that overrides fewer records after the other plugin. Otherwise, if the two plugins' loaded assets overlap, the plugin that loads more assets loads first. This is done to help maximise the effect that each plugin has. If the two plugins override the same number of records and load the same number of assets, the overlap is ignored and no rule exists.

Each pair of plugins is checked in lexicographical order for overlap, and all overlap rules are applied, unless adding a rule would cause a cycle.

Morrowind plugins that have one or more masters that are not installed have their total record count used in place of their override record count, as unlike for other games, a Morrowind plugin's override records can only be counted by comparing the plugin against its masters. Morrowind plugins also can't load BSAs, so they can't have overlapping assets.

### 8.1.4 Tie Breaks

At this point LOOT might be ready to calculate a load order from the graph, but to ensure a consistent result, it needs to make sure there is only one possible path through the graph that visits every plugin. For example, going back to the image above, if there was no edge between `Cutting Room Floor.esp` and `Bashed Patch, 0.esp`, the load order could be:

```
Skyrim.esm
...
Cutting Room Floor.esp
Bashed Patch, 0.esp
```

or it could be:

```
Skyrim.esm
...
Bashed Patch, 0.esp
Cutting Room Floor.esp
```

as there would be no way to decide which plugin to put last. This could mean that LOOT's sorting would be inconsistent, maybe picking a different result each time, which wouldn't be good.

To avoid this, LOOT first sorts the plugins into their current load order:

- If both plugins have positions in the current load order, the function preserves their existing relative order.
- If one plugin has a position and the other does not, the plugin with a position goes before the plugin without a position.
- If neither plugin has a load order position, a case-insensitive lexicographical comparison of their filenames without file extensions is used to decide their order. If they are equal, a case-insensitive lexicographical comparison of their file extensions is used.

Once sorted, LOOT tries to add an edge between each consecutive pair of plugins, in an attempt to enforce the current load order.

- If adding the edge would cause a cycle, then the LOOT loops through each plugin in the existing path between the pair of plugins and pins its position relative to the plugins that have already been processed, before continuing with the next pair of plugins.
- If adding the edge wouldn't cause a cycle but the first plugin of the pair has already had its position pinned, then the second plugin of the pair has its position pinned too.
- Otherwise, the edge is simply added.

Here's a diagram showing plugins A, B, C, D and E, with that being their current load order. Sorting has already added edges between (C, E) and (D, E) that contradict the current load order:

## 8.2 Topological Sort

At this point the plugin graph is now complete. Before calculating a load order from the graph, the graph is checked for cycles: if one is found, a sorting error occurs. If no cycles are found, then the graph is topologically sorted, which produces a path through the graph's vertices that visits each vertex exactly once. This path is the calculated load order.

The topological sort of the example graph is:

```
Skyrim.esm  
Update.esm  
Dawnguard.esm  
HearthFires.esm  
Dragonborn.esm  
Cutting Room Floor.esp  
Bashed Patch, 0.esp
```

## **THEMES**

Themes can be selected in LOOT's settings dialog. Two themes are provided with LOOT: the default theme and a dark theme. The default theme can adapt to light and dark system colour schemes. You can also explicitly select its light and dark variants, though their behaviour varies across systems:

- On Windows selecting the opposite variant to your system colour scheme will use the selected colour scheme.
- On Linux selecting the opposite variant to your system colour scheme may not work correctly and result in a mix of the system colour scheme and elements of LOOT's variant theme.

Additional themes may be installed in the `themes` directory in LOOT's application data directory (at `%LOCALAPPDATA%\LOOT` on Windows). A theme is defined by a single `<theme name>.theme.qss` Qt Style Sheet file, or a pair of `<theme name>-light.theme.qss` and `<theme name>-dark.theme.qss` files that are used when the system colour scheme is light or dark respectively.



## CONTRIBUTING & SUPPORT

LOOT is very much a community project, and contributions from its users are very welcome, whether they be metadata, translations, code or anything else. The best way to contribute is to [make changes yourself](#) at GitHub! It's the fastest way to get changes you want applied, and you'll get your name automatically immortalised in our [credits](#).

If you encounter an issue with LOOT, check the [Frequently Asked Questions](#) page in case a solution is available there. Otherwise, general discussion and support takes place in LOOT's official [forum thread](#) or on our [Discord](#) server, which are also linked to on [LOOT's homepage](#).

If you want to submit metadata, the easiest way to do so is to add the metadata to your own LOOT install, then use the Copy Metadata feature to easily get it in a form that you can then edit into a masterlist on GitHub or post in the official forum thread.

Information on dirty plugins is very welcome in the form of [QAC \(Quick Auto Clean\)](#) reports from xEdit. In addition to the QAC report we also require a link to a plugins source, so we can always verify and reevaluate the plugin at a later date. Please also check if the masterlist already includes information on the plugin in question.

**For safety and usability, links to mods must follow these guidelines:**

- The link should refer to an official/canonical/supported source, as opposed to unverified uploads.
- Whenever possible, the url should use `https` instead of `http`.
- The plugin in question mustn't be behind a paywall of any sort.
- The LOOT Team reserves the right to reject URLs to websites that contain illegal content.



## CREDITS

LOOT is developed on [GitHub](#), and a full list of GitHub contributors may be found [here](#).

LOOT's masterlists have gotten many additions, improvements, refinements and translations over the years, and so credit is due to the very large number of people and sources (particularly BOSS's masterlists) who have contributed to them.

In addition, the following are credited with application-related support:

- Original icon: jonwd7
- Translations:
  - Bulgarian: Georgi Georgiev
  - Chinese (Simplified): bluesky404, silentdark, YanJunSunYJS, Dcycore
  - Czech: ThePotatoChronicler
  - Danish: Freso, ZyPA
  - Finnish: 3ventic, Ricky-Tigg
  - French: Kaos, cpasmoi, Sita, Zamix, Simple Shawn
  - German: lpradel, DaCoolX, Infernio, pStyl3
  - Italian: Griam, nicola89b, albie
  - Japanese: kuroko, tktk11, Menchi
  - Korean: SteamB23, sean-kang, minjasmin
  - Polish: Łukasz Niemczyk, Yoosk, alemisiu
  - Portuguese: ironmagician, SantosSi
  - Portuguese (Brazil): Kassane, zDasF1xer, Kyo- (Carlos Gabriel), Hollow\_666
  - Russian: Tokc.D.K., Kerber, IllusiveMan196, xsSplater, Aimdru
  - Spanish: Sharlikran, Artaios, Mr. Robo, Allen1351 (Ale), gallegonovato
  - Swedish: Mikael Hiort af Ornäs, simoneddeland, ddbb07, tygyh
  - Tamil: TamilNeram
  - Turkish: Ilker Binzet
  - Ukrainian: IllusiveMan196
- Testing: Too many to list, thank you all!

LOOT uses the [Boost](#), [spdlog](#), [toml++](#) and [ValveFileVDF](#) libraries and the [OGDF](#) and [Qt](#) frameworks.



## VERSION HISTORY

Only application history is recorded here. A full history of masterlist changes may be viewed by browsing the GitHub repositories.

### 12.1 0.29.2 - Unreleased

#### 12.1.1 Added

- Support for detecting OpenMW v0.51.0 using its Windows Registry key.
- A new dialog for comparing current and sorted load orders. The dialog can be accessed from the Game menu or the toolbar while LOOT is displaying an unapplied sorted load order.
- When a masterlist update removes groups that are referenced by user metadata (directly or indirectly), LOOT will now recover those groups as user metadata, appending `` (Recovered)`` to their original names. User metadata for installed plugins is also updated to use the new group names, and a general warning message is displayed for each recovered group to inform the user of the change, so that they can update their user metadata as necessary. A separate warning message is displayed after loading metadata if there are any groups with names ending in `` (Recovered)``.

#### 12.1.2 Fixed

- When LOOT was run through MO2 for a game install path that included a symlink, plugins installed by MO2 would not appear in LOOT. Note that although such plugins are now displayed in LOOT, it's a known issue that MO2's virtual filesystem does not work with symlinks, so there may be other negative effects when they are used together.
- When regenerating state-based general messages in response to state changes (e.g. loading data or sorting), LOOT now only removes the existing messages that are relevant to the state that has changed before generating any new messages. For example, if there is a message about a metadata parsing error, it will no longer be removed when loading plugins.
- When LOOT was running as a Flatpak application and OpenMW was not installed as a Flatpak application and the host did not have the `XDG_CONFIG_HOME` and/or `XDG_DATA_HOME` environment variables defined, LOOT would incorrectly look for OpenMW's default user config and user data directories inside its own Flatpak data directory instead of in the host's home directory. Via libloot.

#### 12.1.3 Changed

- When multiple versions of OpenMW are installed, LOOT can now detect them all using their Windows Registry keys instead of stopping at the first version it finds.
- The dropdown list of plugins displayed by the plugin metadata editor when editing filename values for requirements, incompatibilities or "load after" metadata no longer includes the plugin that is having its metadata edited.

- When reading BSAs and BA2s, LOOT now uses asset paths instead of hashes of those paths. This improves the accuracy of asset overlap checks performed during sorting, as the hashes used by BSAs are relatively collision-prone.

This means that BSAs are now required to include folder and file names, and any that don't will be skipped with an error logged for each. All official BSAs and BSAs created using the official tools include folder and file names. Via libloot.

- Updated libloot to v0.29.6.
- Updated the Bulgarian translation.
- Updated the Tamil translation.

## 12.2 0.29.1 - 2026-04-18

### 12.2.1 Added

- Warning messages are now displayed for Starfield plugins if:
  - they are a blueprint plugin (i.e. they have the blueprint flag set) but are not a master file
  - their filename starts with `BlueprintShips-` but does not have the `.esm` file extension
  - their filename starts with `BlueprintShips-` but the plugin does not have the blueprint flag set.

Such plugins are unsupported and should be avoided, as it's not possible to reliably activate them and may not be possible to give them a consistent load order position.

### 12.2.2 Fixed

- The Flatpak could crash on startup or when opening the Groups Editor due to the OGDF dependency being built targeting the instruction set of the machine that the Flatpak was built on, so the code could try to use functionality that is not present in older CPUs. It now targets the x86-64 CPU type, which is supported by almost all AMD and Intel CPUs released in the last 20 years. This change was also applied in a post-release update to the v0.29.0 Flatpak on Flathub.
- The installer did not include `icuuc.dll`, causing a crash on startup when LOOT was run using Wine.
- The installer did not install the Tamil translation.
- The uninstaller did not remove the empty Turkish translation directories after removing the translation files.
- When loading a load order that contained an inactive master, one or more blueprint masters and no non-master plugins, the inactive master was incorrectly positioned after the blueprint masters if it had a more recent modification timestamp. Via libloot.
- The wrong fallback filename ordering behaviour was used when loading a load order and ordering plugins by timestamp and two plugins had the same modification timestamp. Via libloot.
- When loading a Starfield load order, `sTestFile` entries were ordered differently to how they're ordered by Starfield v1.16.236.0. Via libloot.

### 12.2.3 Changed

- When setting a Starfield load order, blueprint plugins and plugins with names that start with `BlueprintShips-` are no longer written to `plugins.txt`. This means that it is effectively no longer possible to explicitly activate such plugins, or to give them consistent load order positions unless they are blueprint masters. Via libloot.
- Added some error handling for when opening various files fails, including masterlists during masterlist update, Qt stylesheets, Epic Games Store manifest files, Heroic Games Launcher files and load order backup files.

- The Flatpak is now built with more debug info. This change was also applied in a post-release update to the v0.29.0 Flatpak on Flathub.
- Updated libloot to v0.29.4.
- Updated the German translation.

### 12.2.4 Removed

- `qtuiotouchplugin.dll` is no longer included in the release archive, as it's not used by LOOT.

## 12.3 0.29.0 - 2026-04-11

### 12.3.1 Added

- Support for Starfield v1.16.236.0's new `SFBGS00D.esm` and `SFBGS047.esm` plugins and the Terran Armada DLC's new `SFBGS050.esm` plugin, which have hardcoded load order positions.
- Support for adding multiple plugins to the same group at once, using a new multi-select list in the Groups Editor.
- Support for detecting OpenMW v0.50.0 using its Windows Registry key.
- Support for building LOOT using a prebuilt copy of minizip-ng without its minizip compatibility layer. minizip and minizip-ng with its minizip compatibility layer were already supported.
- A debug-level log message is now written when a plugin is successfully loaded. Via libloot.

### 12.3.2 Fixed

- Warnings about ambiguous load orders when Starfield blueprint plugins or BlueprintShips plugins are installed (aside from `BlueprintShips-Starfield.esm`, which was already handled as a special case). The Terran Armada DLC and "Trackers Alliance: The Complete Bounty Series" Creation include such plugins.
- Starfield BlueprintShips plugins are now correctly displayed as active when there is an active plugin that matches the BlueprintShips plugin's suffix. For example, if a plugin named `example.esp` is active, then `BlueprintShips-example.esm` is also active if the latter is installed.
- An error that occurred when saving settings when there is no current game (e.g. because LOOT could not detect any installed games).
- When switching theme from "default (dark)" or "default (light)" to "default", the colour scheme override was not removed, which led to the wrong colours being used until LOOT was restarted.
- The general information card's hidden messages icon colour was not updated on changing between light-coloured and dark-coloured themes until LOOT was restarted.
- Depending on the Qt style used, switching themes could lead to the general information and plugin cards changing size, causing their layout to be wrong until LOOT was restarted.
- Switching themes did not reliably update the styling of the last card that the user moused over before switching themes.
- After deleting a game in the Settings dialog, the displayed game settings would be for the game below the selected game, until another game was selected.
- LOOT leaked memory whenever a plugin card's content changed in a way that could affect its height (e.g. by adding a message to the plugin).
- When detecting an installed copy of a game that has its different languages installed side-by-side (e.g. Fallout 3 from the Epic Games Store), LOOT attempts to select the same language as the preferred system language(s), but on Linux it was often unable to determine what the preferred languages were.

- On Linux the LOOT window icon was displayed with a bright green border.
- Building LOOT using CMake’s Ninja generator on Windows.
- Various compilation, linking and packaging errors encountered when cross-compiling LOOT for Windows using mingw-w64.

### 12.3.3 Changed

- When LOOT sets the load order, it now writes the timestamps of Starfield blueprint masters to match their load order, in addition to including them in `plugins.txt`. This is so that when Starfield launches and removes the blueprint masters from `plugins.txt`, it will still use the same load order for those plugins for subsequent launches.
- The “Copy Load Order” Game menu action is no longer disabled while there is an unapplied sorted load order. In that state, the action copies the unapplied load order, rather than the game’s current saved load order.
- Qt’s fusion style is now the default on Windows 10 and Windows 11, instead of the `windowsvista` style. Unlike `windowsvista`, fusion allows LOOT’s default theme to be used in dark or light variants, and those variants can be used following the system colour scheme or independent of it.
- Improved the contrast of some text and border colours in the dark colour scheme variant of the default theme.
- Windows 11 users can now override the Qt style that LOOT uses by default using Qt’s `-style` CLI argument.
- The default behaviour on Windows with a dark colour scheme when using the `windows11` or `fusion` Qt styles is to use the system’s accent colour as the hyperlink text colour, but depending on the accent colour this can make hyperlinks unreadable due to low contrast. LOOT now overrides the hyperlink text colour to a shade of blue that has good contrast with the dark colour scheme’s background colour.
- The default behaviour on Windows with a dark colour scheme when using the `fusion` Qt style is to use the system’s accent colour as the background colour of checkboxes, but depending on the accent colour this can make it difficult to see if a checkbox is ticked or not. LOOT now overrides the checkbox styling to use a neutral background colour.
- Unexpected errors in the Groups Editor that could potentially crash LOOT will now display an error message dialog box instead.
- Updated LOOT’s list of known official plugins for Skyrim SE, Starfield and Fallout 4.
- LOOT now logs a warning when it tries to retrieve data for a plugin in the load order that hasn’t been loaded.
- LOOT now supports v0.29 of the metadata syntax.
- User-visible copyright notices now use “The LOOT Contributors” as the copyright holder, and the docs author and executable publisher is now “The LOOT Team”.
- Updated Boost to v1.90.0.
- Updated fmt to v12.1.0.
- Updated libloot to v0.29.3.
- Updated libtbb used by the Flatpak build to v2022.3.0.
- Updated minizip-ng to v4.1.0.
- Updated OGDF to foxglove-202510.
- Updated Qt to v6.10.3.
- Updated spdlog to v1.17.0.
- Updated zlib to v1.3.2.
- Updated the Bulgarian translation.

- Updated the Brazilian Portuguese translation.
- Updated the German translation.
- Updated the Russian translation.
- Updated the Simplified Chinese translation.
- Updated the Tamil translation.

## 12.4 0.28.0 - 2025-10-11

Version 0.27.x was skipped to keep LOOT's minor version equal to libloot's.



### 12.4.1 Added

- Support for hiding individual general and plugin messages using context menu and application menu actions. Hidden messages can be unhidden globally or per card.
- A “Show only new messages” filter that hides all messages that existed the last time LOOT ran for the current game, before its content was last refreshed, or before its masterlist was last updated while it was the current game.
- Support for paths longer than 260 characters on Windows. This requires Windows 10 v1607 or later and a Registry value to be set to enable long paths in Windows, though LOOT may work with long paths on Windows 11 without setting the Registry value. See [Microsoft's documentation](#) for details. The 260-character limit is specific to Windows, so Linux builds were unaffected.
- Support for plugin and archive symlinks when the game is Oblivion Remastered or OpenMW on Windows, and for all games on Linux.
- Support for the DLC install paths used by the Microsoft Store's distribution of Starfield (via libloot).

### 12.4.2 Fixed

- Detection of OpenMW on Linux.
- Cyclic interaction error messages will no longer report blueprint master edges as unknown edges.
- Building with Qt 6.4, which is the version of Qt provided by Debian 12 and Ubuntu 24.04.

### 12.4.3 Changed

- The “Empty Plugin” icon is now  and its old  icon is now used to indicate that a card has hidden messages.
- Search input and content filtering regular expressions now support Unicode.
- Message filters are now also applied to general messages, not just plugin messages.
- Metadata parsing error messages now distinguish between prelude/masterlist errors and user metadata errors.
- Updated LOOT's documentation, which had outdated descriptions of the sorting process and cycles involving group metadata, and was missing information about file constraint metadata and a few newer LOOT settings.
- It's now possible to build libloot from source as part of building LOOT.
- Updated fmt to v12.0.0.
- Updated libloot to v0.28.2.
- Updated Qt to v6.9.1.
- Updated Brazilian Portuguese translation.
- Updated Bulgarian translation.

- Updated German translation.
- Updated Portuguese translation.
- Updated Russian translation.
- Updated Simplified Chinese translation.
- Updated Swedish translation.
- Updated Tamil translation.
- Updated Ukrainian translation.

## 12.5 0.26.1 - 2025-06-07

### 12.5.1 Added

- A “Show only plugins with load after metadata” filter.
- A “Show only plugins with load after user metadata” filter.
- A “Show only plugins without load order metadata” filter, where load order metadata are load after, requirement or group metadata. It is mutually exclusive with the other two new filters.
- Support for manual load order backups, via a new “Back Up Load Order...” action in the Game menu. LOOT already creates a load order backup whenever it’s about to set the load order, but this allows a backup to be created at any time with a custom name.
- Support for restoring load order backups, via a new “Restore Load Order...” action in the Game menu. This does not support backups created by earlier versions of LOOT, as they lack the required metadata. The Restore Load Order dialog also allows selected backups to be deleted.

### 12.5.2 Fixed

- Saving settings with OpenMW installed, which was accidentally broken in LOOT v0.26.0.
- The wrong colours were used in the groups editor’s graph, which could lead to very low contrast.
- Plugin card shadows are now drawn correctly when using the dark theme.
- Qt printed some debug console output when launching LOOT relating to layouts and some files not being found.

### 12.5.3 Changed

- Qt’s `windows11` style is now overridden with Qt’s `windowsvista` style, as the former is relatively unpolished and looks particularly bad when using the default LOOT theme with a dark Windows colour scheme.
- The Bash Tags group box on plugin cards now uses a style that’s consistent across Windows 10 and 11, with sharp border corners and border colour that’s slightly darker than it was on Windows 10 and lighter than it was on Windows 11.
- Improve the contrast of UI colours used in the default and dark themes.
- Improve the consistency of the colour palette used for the dark theme.
- The format of LOOT’s load order backups has changed to allow metadata to be recorded along with the plugin filenames.
- Load order backups are now created within a `backups` subdirectory of the relevant game’s LOOT folder instead of directly within the folder itself.

- The maximum number of automatic load order backups that are retained per game has been increased from 3 to 10.
- Updated the German translation.
- Updated the Brazilian Portuguese translation.
- Updated the Bulgarian translation.
- Updated the Russian translation.
- Updated fmt to v11.2.0.
- Updated libloot to v0.26.3.
- Updated minizip-ng to v4.0.10.
- Updated spdlog to v1.15.3.

#### 12.5.4 Removed

- The ability to provide a LOOT Folder name when adding a game in the settings dialog, as it was a relatively common source of confusion. LOOT will now automatically generate a suitable folder name instead.

## 12.6 0.26.0 - 2025-05-02

### 12.6.1 Added

- Support for TES IV: Oblivion Remastered.
  - Oblivion Remastered uses a similar load order system to Skyrim (not Skyrim Special Edition), so LOOT will similarly read and write a `loadorder.txt` in the same directory as `Plugins.txt`.
  - Like OpenMW, Oblivion Remastered does not force master plugins to load before other plugins: all plugins are treated as non-masters.
- The tables in the plugin metadata editor's Load After, Requirements and Incompatibilities tabs have gained a Constraint column as part of supporting v0.26 of the metadata syntax.

### 12.6.2 Fixed

- Plugin validity checks did not consider filter patches' embedded Bash Tags, so LOOT would incorrectly display errors about missing masters for them.
- A crash could occur when creating a game handle for an OpenMW install that does not define any user config paths. An error now occurs instead. Via libloot.

### 12.6.3 Changed

- Official LOOT releases now require the MSVC 2022 redistributable, which LOOT's installer will automatically download and install if necessary.
- Skyrim VR and Fallout 4 VR now default to the same masterlist sources as Skyrim SE and Fallout 4 respectively, as their masterlists have been merged.
- LOOT now supports v0.26 of the metadata syntax.
- Updated fmt to v11.1.14.
- Updated libloot to v0.26.1.
- Updated Qt to v6.9.0.

- Updated spdlog to v1.15.2.
- Updated ValveFileVDF to v1.1.1.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Portuguese translation.
- Updated the Russian translation.

### 12.6.4 Removed

- File metadata display names are no longer quoted in messages.
- Paths in condition strings are no longer restricted to staying within the directory tree that starts one level above the game's main plugins directory (usually the `Data` directory). Via libloot.
- The audio permission from LOOT's Flatpak manifest, as it was unused.

## 12.7 0.25.2 - 2025-03-16

### 12.7.1 Fixed

- LOOT v0.25.1 broke loading plugins for Morrowind, OpenMW and Starfield. Via libloot.

### 12.7.2 Changed

- Updated libloot to v0.25.5.

## 12.8 0.25.1 - 2025-03-15

This version was tagged but never fully released due to an issue found during the release process.

### 12.8.1 Fixed

- The changes to groups handling during sorting that were introduced in v0.25.0 included an optimisation that skipped processing groups that had already been processed, but it prematurely skipped groups when the defined groups included one that loaded directly after more than one other group. Via libloot.
- The `loot-condition-interpreter` version used in the Flatpak build. This was included in the v0.25.0 release on Flathub but not in the upstream code tagged as 0.25.0.

### 12.8.2 Changed

- Updated libloot to v0.25.4.
- Updated the Chinese translation.
- Updated the Swedish translation.
- Use `cmake-ninja` for libloot in Flatpak build. This was included in the v0.25.0 release on Flathub but not in the upstream code tagged as 0.25.0.

---

## 12.9 0.25.0 - 2025-02-24

### 12.9.1 Added

- Support for OpenMW. OpenMW differs from other games in a few ways:
  - Master-flagged plugins are not forced to load before other plugins.
  - There can be more than 255 plugins active at the same time (up to 2147483646 active plugins).
  - It's not possible to persist changes to the load order positions of inactive plugins, so if you apply a sorted load order and then reload LOOT or view the load order in another application you may not see the load order that you applied.
  - LOOT does not support ghosted plugins for OpenMW.
  - The Registry keys that LOOT uses to detect OpenMW installs on Windows are version-specific, and LOOT is only aware of OpenMW 0.48.0 and 0.49.0 (the latter is unreleased at time of writing). Other versions of OpenMW may be compatible, but LOOT will not automatically detect their install paths.
- A Tamil translation by TamilNeram.

### 12.9.2 Fixed

- The groups editor graph's background was white when using the dark theme.
- Low contrast text in the group editor's graph when using the dark theme.
- Switching from the dark theme back to the default theme would not correctly apply the default theme on Windows until LOOT was relaunched.
- Several cases where plugin group memberships would cause cyclic interaction errors during sorting. Via libloot.

### 12.9.3 Changed

- The application of plugin groups as part of the sorting process has been overhauled. As well as fixing several known bugs, the new approach avoids causing cyclic interaction errors, handles groups more consistently and is easier to understand. As a result of these changes, sorting may now give different results compared to v0.24.1 and earlier. Via libloot.
- Sorting performance has significantly improved, particularly for larger load orders and load orders with more groups: over 2x 0.24.1's performance has been observed. Via libloot.
- When building LOOT from source for Linux, the build process no longer falls back to downloading a precompiled libloot release if libloot is not found.
- Updated Boost to v1.87.0.
- Updated fmt to v11.1.3.
- Updated libloot to v0.25.3.
- Updated minizip-ng to v4.0.8.
- Updated Qt to v6.8.2.
- Updated spdlog to v1.15.1.
- Updated TBB to v2022.0.0.
- Updated ValveFileVDF to v1.1.0.
- LOOT's translations are now licensed under the Creative Commons Zero 1.0 license. Some Chinese, French, and Polish translations have been removed as their authors did not respond to requests to relicense their contributions.

- LOOT's installer now uses official Korean and Swedish Inno Setup translations.
- Updated the Brazilian Portuguese translation.
- Updated the Chinese translation.
- Updated the Finnish translation.
- Updated the German translation.

## 12.10 0.24.1 - 2024-11-07

### 12.10.1 Fixed

- A performance regression was introduced in v0.24.0 when interacting with the load order, particularly when reading and writing very large load orders. Via libloot.
- Starfield's `ShatteredSpace.esm` is now placed after `OldMars.esm`, to match where it is hardcoded to load by the game. Via libloot.

### 12.10.2 Changed

- Updated libloot to v0.24.5.
- Updated ValveFileVDF to v1.0.1.
- Updated the Russian translation.

## 12.11 0.24.0 - 2024-10-05

### 12.11.1 Added

- Support for Starfield's blueprint master plugin type.
- A new icon that is displayed on the plugin cards of blueprint master plugins.
- A warning message is now displayed for any non-blueprint-master plugin that has a blueprint master plugin as one of its masters.

### 12.11.2 Changed

- Starfield's `Starfield.esm`, `ShatteredSpace.esm`, `Constellation.esm`, `OldMars.esm`, `SFBGS003.esm`, `SFBGS004.esm`, `SFBGS006.esm`, `SFBGS007.esm` and `SFBGS008.esm` plugins are now treated as having hardcoded load order positions, to match the behaviour of Starfield v1.14.70.0.
- Updated libloot to v0.24.3.
- The `fmt` dependency that was previously bundled with the `spdlog` dependency has been replaced by a separate dependency on `fmt` v11.0.2.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Russian translation.
- Updated the Ukrainian translation.

### 12.11.3 Removed

- LOOT no longer writes to %USERPROFILE%\Documents\My Games\Starfield\Starfield.ccc.

## 12.12 0.23.1 - 2024-08-25

### 12.12.1 Added

- SFBGS004.esm is now also written to Starfield.ccc, after SFBGS003.esm.
- A warning message is now displayed for any Morrowind or Starfield plugin that is inactive and has missing masters, as LOOT is unable to sort Morrowind or Starfield load orders that have missing masters.

### 12.12.2 Fixed

- LOOT would show an “Ambiguous load order detected” warning after Starfield was updated to 1.13.61.0 (Starfield’s August update), due to its addition of a new official plugin (SFBGS004.esm).

### 12.12.3 Changed

- An error message is now displayed in the General Information card when sorting fails due to missing masters.
- A shadow effect has been added to the borders between cards in the main window area to help visually separate different plugins’ information.
- Updated libloot to v0.23.1.
- Updated the Czech translation.
- Updated the Brazilian Portuguese translation.
- Updated the Bulgarian translation.
- Updated the Korean translation.
- Updated the Portuguese translation.
- Updated the Russian translation.
- Updated the Turkish translation.

## 12.13 0.23.0 - 2024-07-10

### 12.13.1 Added

- Support for medium plugins when Starfield is the current game.
  - Active medium plugins are shown in the plugins sidebar with an index of the form FD 01, where 01 is the medium-plugin-specific index.
  - The General Information card now shows a count of the active medium plugins when Starfield is the current game.
  - If a medium plugin contains records with FormIDs outside of the valid range for a medium plugin, an error message will be shown on its card.
  - Medium plugins have an active plugin limit of 256 plugins that is separate to the limits for small (a.k.a. light) and full plugins. If that limit is breached, a warning message will be displayed.
  - A new “Medium Plugin” icon is displayed in medium plugins’ cards.
- A new “Small Plugin” icon is displayed in small plugins’ cards when Starfield is the current game.

- A Turkish translation by Ilker Binzet.

### 12.13.2 Fixed

- When checking if a Morrowind plugin was a master file, LOOT incorrectly checked the file extension instead of the plugin header's master flag (via libloot).
- LOOT was not able to reliably check if two Starfield plugins had overlapping records, which affected the overlapping plugins filter and was partly responsible for LOOT's sorting functionality being disabled for Starfield (via libloot).
- If a non-master plugin was a master of two master plugins, it would be hoisted to load before the master that loaded second instead of the master that loaded first (via libloot).
- If more than one plugin needed to be hoisted while reading the load order, some plugins could be moved too late in the load order (via libloot).
- When getting the load order, the result will now correctly reflect the supported games' ability to hoist master files to load above other master files that depend on them (via libloot).

### 12.13.3 Changed

- Sorting has been re-enabled for Starfield.
- Reading Starfield's load order will now take %USERPROFILE%\Documents\My Games\Starfield\Starfield.ccc into account if it exists (via libloot).
- LOOT now writes to %USERPROFILE%\Documents\My Games\Starfield\Starfield.ccc when it is initialised for Starfield, replacing the contents of the file if it already exists. This is done to ensure the following load order for Starfield's official plugins:

```
Starfield.esm
Constellation.esm
OldMars.esm
BlueprintShips-Starfield.esm
SFBGS007.esm
SFBGS008.esm
SFBGS006.esm
SFBGS003.esm
```

- Various updates to match terminology introduced by Starfield's Creation Kit:
  - The “Active Regular Plugins” row in the General Information card has been renamed to “Active Full Plugins”.
  - A few warning messages that referred to non-small, non-medium plugins as “normal” now refer to them as “full”.
  - Light plugins are now referred to as small plugins when Starfield is the current game.
  - Overlay plugins are now referred to as update plugins.
- Update plugins no longer avoid taking up a load order slot when active, to reflect a change in Starfield's behaviour.
- Plugins in %USERPROFILE%\Documents\My Games\Starfield\Data are now ignored unless a plugin of the same name is present in the Starfield install path's Data folder, to reflect a change in Starfield's behaviour.
- The “Hide Creation Club plugins” filter is now hidden for all games apart from Skyrim Special Edition and Fallout 4.
- When updating a game's masterlist, the masterlist and masterlist prelude are now updated in parallel.

- If LOOT is configured to update a game's masterlist before sorting, it will now sort the load order even if updating the masterlist fails.
- The plugin card icon displayed for light plugins has been replaced.
- LOOT's installer can now run without administrative privileges. The first time you install LOOT, the installer will now ask if you want to install it for you only, or for all users. Only the option to install for all users requires administrative privileges.

If LOOT (v0.8.0 or newer) was already installed using the installer, then the installer will now automatically try to use the same privileges as last time. To avoid that, uninstall LOOT before running the installer.

If LOOT is installed for only the current user, its default install location is %LOCALAPPDATA%\Programs instead of %ProgramFiles%, and the installer will write its Registry entries under HKEY\_CURRENT\_USER instead of under HKEY\_LOCAL\_MACHINE.

- LOOT's installer may now be run on the ARM64 version of Windows 11 (though this is untested). Note that the installer is still an x86 application, and LOOT is still an x86-64 application, so running both relies on Windows 11's emulation layer.
- Updated libloot to v0.23.0.
- Updated minizip-ng to v4.0.7.
- Updated Qt to v6.7.2.
- Updated ValveFileVDF to 1a132f3b0b3cf501bdec03a99cdf009d99fc951c.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Russian translation.
- Updated the Spanish translation.

### 12.13.4 Removed

- LOOT's installer no longer writes to the Registry under HKEY\_LOCAL\_MACHINE\Software\LOOT.

If you want to detect LOOT's install path, every installer since LOOT v0.8.0 has written it as the value of InstallLocation under Software\Microsoft\Windows\CurrentVersion\Uninstall\{BF634210-A0D4-443F-A657-0DCE38040374}\_is1. That subkey may appear under HKEY\_CURRENT\_USER or HKEY\_LOCAL\_MACHINE, depending on whether LOOT was installed per-user or for all users.

## 12.14 0.22.4 - 2024-05-17

### 12.14.1 Added

- Support for Fallout 4 from the Epic Games Store.
- A config option to disable the warning that is displayed when LOOT detects a game install in a case-insensitive filesystem. The warning remains displayed by default.
- LOOT will now display an error message for any plugin that is its own master.
- LOOT will now display an error message for any light plugin installed in a post-Skyrim game that does not support light plugins.
- The docs now include plugin card icon images where the icons are mentioned.

### 12.14.2 Fixed

- Fallout 4 VR is no longer treated as if it supports light plugins.
- Skyrim VR is no longer treated as if it supports light plugins, unless the ESL Support SKSEVR plugin is installed.
- LOOT no longer crashes if masterlist update fails to first update the prelude.

### 12.14.3 Changed

- Masterlist update and LOOT update network requests now time out after 30 seconds.
- The Flatpak application is now built from source within the Flatpak build environment.
- Updated Boost to 1.85.0.
- Updated libloot to v0.22.4.
- Updated minizip-ng to v4.0.5.
- Updated Qt to v6.7.0.
- Updated spdlog to v1.14.1.
- Updated tomlplusplus to v3.4.0.
- Updated ValveFileVDF to c8adfc29e62cc980b595e965bedfb239087647ff.
- Updated zlib to v1.3.1.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Russian translation.
- Updated the Ukrainian translation.

### 12.14.4 Removed

- The Linux binary release archive. Releases are now only available for Linux as a Flatpak application from Flathub.

## 12.15 0.22.3 - 2023-12-06

### 12.15.1 Fixed

- LOOT no longer displays an error for Skyrim Special Edition light plugins that have a header version of 1.71 or greater and which contain records with object IDs less than `0x800`. Such plugins were introduced with Skyrim Special Edition v1.6.1130.0. Via libloot.
- LOOT will now display an error for Fallout 4 light plugins that have a header version less than 1.0 and which contain records with object IDs less than `0x800`. Via libloot.

### 12.15.2 Changed

- Updated libloot to v0.22.3.

## 12.16 0.22.2 - 2023-12-01

### 12.16.1 Fixed

- LOOT could error when reading the load order if it encountered a game ini file containing single or double quote or backslash characters, as it attempted to treat them as special characters. Via libloot.

### 12.16.2 Changed

- Updated libloot to v0.22.2.

## 12.17 0.22.1 - 2023-11-05

### 12.17.1 Fixed

- The “Hide Creation Club plugins” filter had no effect on Linux.

### 12.17.2 Changed

- Sorting has been disabled for Starfield. Due to the way that Starfield plugins make changes to existing data, LOOT cannot reliably detect when two plugins change the same record, so sorting may not function as intended.
- The new plugin type and plugin header flag introduced by Starfield that was previously referred to as the “override” plugin type and flag is now referred to as the “overlay” plugin type and flag for consistency with xEdit, Wrye Bash and Mod Organizer 2.
- The “Show only conflicting plugins for” filter has been renamed to “Show only overlapping plugins for” for clarity and consistency with other LOOT functionality.

## 12.18 0.22.0 - 2023-10-07

### 12.18.1 Added

- Support for Starfield.
- LOOT will now display a warning if it detects that a Starfield plugin has the override flag set and also adds new records.

### 12.18.2 Fixed

- LOOT could crash during startup if game detection encountered an error.
- LOOT could crash if updating all masterlists encountered an error, and an error could be encountered depending on how fast each masterlist was updated.
- Detection of Epic Games Store games installed using Heroic Games Launcher on Linux would cause LOOT to use the wrong local app data paths for Skyrim Special Edition and Fallout: New Vegas.
- High CPU usage when idle, which was accidentally introduced in LOOT v0.21.0.
- The installer now includes copies of masterlists for Nehrim, Enderal and Enderal Special Edition.
- The uninstaller did not remove non-default LOOT game folders or empty folders in LOOT’s install path.
- Only lowercase plugin file extensions were recognised as plugin file extensions when evaluating conditions. Via libloot.
- Fallout: New Vegas plugins with corresponding `.nam` files are now identified as being active. Via libloot.

- Plugins activated using the `sTestFile1` through `sTestFile10` ini file properties are now recognised as being active for all games other than Morrowind, which does not support those properties. The properties are used by default in Fallout 3, Fallout: New Vegas and Skyrim Special Edition. Via libloot.
- Fallout 4's `Fallout4.ccc` and `plugins.txt` and Fallout 4 VR's `plugins.txt` are now ignored when the game has plugins activated using the `sTestFile1` through `sTestFile10` ini file properties. Setting the load order still writes `plugins.txt` but now also sets the load order using plugin file timestamps. Via libloot.
- When deciding where to look for Oblivion's `plugins.txt`, the `bUseMyGamesDirectory` ini property is now correctly expected in the `[General]` section of `Oblivion.ini`, instead of anywhere in the file. Via libloot.
- When reading the load order, LOOT now orders plugins correctly when their order depends on their timestamps and two plugins have the same timestamp. LOOT used to sort them in ascending filename order: it now uses descending order for all games other than Starfield. Via libloot.
- When reading the load order for games that can have plugins with no defined load order position, LOOT now adds such plugins to the load order in ascending timestamp order rather than ascending filename order, matching the behaviour of all supported games, xEdit and Wrye Bash. Via libloot.
- LOOT no longer warns that Morrowind, Oblivion, Fallout 3 and Fallout New Vegas load orders are ambiguous if they have two plugins with the same timestamp. Via libloot.
- LOOT no longer requires that implicitly active plugins are listed in `plugins.txt` for a Skyrim SE, Skyrim VR, Fallout 4 or Fallout 4 VR load order to be unambiguous.
- Outdated screenshots in the documentation.

### 12.18.3 Changed

- It is now possible to edit a game's name in LOOT's settings.
- LOOT now checks if the load order is ambiguous after setting it (e.g. by applying a sorted load order or by trying to fix an ambiguous load order), and displays a warning dialog if it is ambiguous.
- LOOT will now copy the masterlist from the default LOOT folder for a game if it exists when initialising a different LOOT folder for the same game, so that the masterlist doesn't need to be re-downloaded to initialise LOOT for multiple installs of the same game.
- Updated metainfo XML to match Flathub listing.
- Updated installation page of the documentation to reflect that LOOT is available for Linux on Flathub.
- Updated the Brazilian Portuguese translation.
- Updated the Bulgarian translation.
- Updated the Finnish translation.
- Updated the German translation.
- Updated the Japanese translation.
- Updated the Ukrainian translation.
- Updated Boost to 1.83.0.
- Updated libloot to v0.22.1.
- Updated minizip-ng to v4.0.1.
- Updated OGDF to v2023.09.
- Updated Qt to v6.5.3.
- Updated toml++ to v3.3.0.

- Updated zlib to v1.3.

## 12.18.4 Removed

- Support for detecting Microsoft Store game installs from before February 2022.

## 12.19 0.21.0 - 2023-09-17

### 12.19.1 Added

- Support for the GOG distribution of Fallout 4.
- LOOT can now find Steam game installs by reading Steam configuration files.
- LOOT can now find GOG and Epic Games Store games installed using the [Heroic Games Launcher](#).
- A “Hide official plugins’ cleaning messages” filter.
- An “Update All Masterlists” action is now available in the File menu. It updates the masterlists for all configured games.
- An “Open FAQs” action is now available in the Help menu. It opens the LOOT FAQs webpage in the user’s default browser.
- A “Copy Plugin Names” action is now available in a right-click context menu for the Groups Editor’s group plugins list. The action copies the listed plugin names to the clipboard.
- LOOT will now display warning messages if the current game is installed to, or stores its local application data in, a case-sensitive filesystem path.
- A LOOT release is now available for Linux as a binary archive. This is intended as a step towards making LOOT releases available as a Flatpak application on Flathub, and is not recommended for general use as the archive does not include most of LOOT’s runtime dependencies.

### 12.19.2 Fixed

- If LOOT v0.20.0 encountered errors during startup, it would fail to display the error messages correctly, instead displaying blank error messages.
- Since v0.19.0, LOOT could crash if an error was encountered while loading data for the current game.
- The styling of the general information and plugin cards would not update in response to application state changes (e.g. if inactive windows are styled to have grey text, the text would stay black whether or not the LOOT window was active).
- When running on Linux with some system configurations and a dark system theme, some of the text in LOOT’s main window cards would be difficult to read due to having very low contrast. LOOT’s default theme now adapts its colours if it detects that the system colour scheme is dark.
- When reading the list of active plugins for Oblivion, LOOT would look for a file named `plugins.txt`, which caused inaccurate results on case-sensitive filesystems, as Oblivion writes the file as `Plugins.txt`. Via `libloot`.
- Condition evaluation would only recognise plugin files as plugins if they had lowercase file extensions. Via `libloot`.

### 12.19.3 Changed

- LOOT now differentiates Nehrim from Oblivion, Enderal from Skyrim and Enderal Special Edition from Skyrim Special Edition in its settings. When updating from a previous version of LOOT, existing settings will be migrated: if a configured game is not installed, heuristics will be used to differentiate between settings for the total conversions and for the original games.

- The error messages displayed when LOOT cannot detect any game installs have been improved.
- LOOT now sorts games it detects by name.
- LOOT will no longer encounter an error when the game's local app data path does not exist. Via libloot.
- Theme files are now loaded from the `themes` folder in LOOT's data folder instead of the `themes` folder in LOOT's install folder.
- When running on Linux, the user's home directory path is now replaced with `$HOME` instead of `%USERPROFILE%` in log messages.
- When running on Linux, LOOT now uses `$XDG_DATA_HOME/LOOT` instead of `$XDG_CONFIG_HOME/LOOT` to store its data, and falls back to using `$HOME/.local/share/LOOT` instead of `$HOME/.config/LOOT`.
- LOOT now supports `v0.21` of its metadata syntax. Via libloot.
- The default masterlist branch is now `v0.21`.
- The Light Plugin icon has been replaced.
- Updated Bulgarian translation.
- Updated Finnish translation.
- Updated French translation.
- Updated German translation.
- Updated Italian translation.
- Updated Ukrainian translation.
- Updated libloot to 0.21.0.
- Updated Qt to 6.5.2.
- Updated to ICU 71.1 on Linux.

### 12.19.4 Removed

- Copy to clipboard functionality on Linux no longer requires `xclip` to be installed.
- When running on Linux, LOOT no longer scans mount points for Microsoft Store game installs, as it wouldn't be able to correctly generate configuration for any games that it found.
- When running on Linux LOOT will no longer detect a game installed beside the LOOT install path, as LOOT cannot then find the game's local data path.

## 12.20 0.20.0 - 2023-06-10

### 12.20.1 Added

- Support for the GOG distributions of *Nehrim* and *Enderal*.
- Support for multiple instances of each supported game (e.g. from Steam, GOG, Epic Games Store, Microsoft Store). LOOT will now look for all instances of supported games and create a separate settings entry for each instance found.
- Support for the Microsoft Store's *Fallout 4* DLC, which get installed outside of the *Fallout 4* installation path.
- LOOT now displays warning messages for all games when too many plugins are active. Previously such messages were only displayed for *Morrowind*.

- LOOT now displays error messages explaining why a group cannot be removed in the Groups Editor instead of just doing nothing.
- The installer now includes the most recent masterlists and prelude at time of creation, and can optionally download all the latest masterlists and prelude when installing LOOT.
- The installer has been translated into Bulgarian, Italian and Ukrainian.

### **12.20.2 Fixed**

- LOOT could crash on startup if it encountered an invalid `.GamingRoot` file when trying to detect Microsoft Store games.
- LOOT could error on startup if the Epic Games Launcher was not installed.
- Cyclic interaction error messages could include too many plugins in the cycles they displayed.
- LOOT allowed invalid folder names when adding a new game in the Settings dialog.
- Errors encountered during masterlist updates or the check for new LOOT updates would cause an internal error message to be displayed to the user. A generic error message is now displayed instead, matching how other errors are handled.
- Double-right-clicking on a group in the Groups Editor would prevent it from being moved.
- The sidebar plugins table text colour is now consistent across all columns when a row is selected but the sidebar does not have focus.

### **12.20.3 Changed**

- LOOT no longer treats any active plugins as inactive if too many are active, as this could cause them to be deactivated unnecessarily when setting a sorted load order.
- Improved the warning messages displayed when there are too many active Morrowind plugins.
- If LOOT encounters an invalid `.GamingRoot` file, it now skips only that file instead of all remaining `.GamingRoot` files.
- Updated the Brazilian Portuguese translation.
- Updated the Bulgarian translation.
- Updated the Finnish translation.
- Updated the German translation.
- Updated the Italian translation.
- Updated the Japanese translation.
- Updated the Ukrainian translation.
- Updated the Polish installer translation.
- Updated Boost to 1.81.0.
- Updated libloot to 0.19.4.
- Updated Qt to 6.5.1.

## 12.20.4 Removed

- Support for Windows 7 and 8.1, and 32-bit Windows 10. LOOT now requires 64-bit Windows 10 or 11.

## 12.21 0.19.1 - 2023-01-14

### 12.21.1 Fixed

- The 0.19.0 release did not have the correct version number.

## 12.22 0.19.0 - 2023-01-14

### 12.22.1 Added

- Sorting now takes into account overlapping assets in BSAs/BA2s that are loaded by plugins. If two plugins don't make changes to the same record but load BSAs (or BA2s for Fallout 4) that contain data for the same asset path, the plugin that loads more assets will load first (unless that's contradicted by higher-priority data and metadata).
- It is now possible to add plugins to groups from within the groups editor.
- It is now possible to rename groups in the groups editor.

### 12.22.2 Fixed

- When the currently-selected group in the groups editor is removed, its information to the right of the dialog is now cleared.
- LOOT now limits itself to scanning fixed and RAM disk drives when searching for Microsoft Store games. LOOT would previously also scan other drives, like optical and floppy disk drives and network drives.
- If LOOT could not apply a sorted load order, the error message could give the wrong path to the file that the game uses to store the load order.

### 12.22.3 Changed

- Sorting is now significantly faster, with tests showing over 290 times the sorting speed of LOOT v0.18.6 with large load orders. Due to the changes, LOOT may sort unrelated plugins differently.
- Game data loading is now faster, with test showing a 40% improvement since LOOT v0.18.6.
- Changing LOOT's plugin data or active filters no longer resets the search dialog, instead the search results are updated to reflect the changes.
- Non-user metadata rows in the plugin metadata editor's tables are now greyed out to distinguish them from editable user metadata rows.
- Cyclic interaction errors now distinguish between group edges that involve user metadata and those that don't.
- LOOT.exe did not include some file info fields that are required according to Microsoft's documentation. The `CompanyName`, `FileDescription`, `InternalName`, `OriginalFilename` and `ProductName` fields have been added.
- Translatable text now consistently uses C++20-style formatting replacement fields (e.g. `{0}`, `{1}`).
- LOOT now includes informational messages in its log when debug logging is disabled.
- Updated the Bulgarian translation.
- Updated the Chinese translation.
- Updated the Finnish translation.

- Updated the German translation.
- Updated the Italian translation.
- Updated the Japanese translation.
- Updated the Ukrainian translation.
- Updated libloot to v0.19.2.
- Updated Qt to 6.4.2.
- Updated spdlog to v1.11.0.
- Updated zlib to 1.2.13.
- Updated minizip-ng to 3.0.8.
- Updated tomlplusplus to 3.2.0.
- Linux builds are now built using GCC 10 and now link against the tbb library.

## 12.23 0.18.6 - 2022-10-22

### 12.23.1 Added

- Built-in support for the Epic Games Store distributions of Skyrim Special Edition and Fallout 3.

### 12.23.2 Changed

- Improved game detection for game installs that have localisations installed in side-by-side subfolders (e.g. the Epic Games Store and Microsoft Store distributions of Fallout 3). LOOT will now check each localisation's folder in the order of Windows' preferred user interface languages, so it should now pick the same localisation as the store's launcher.
- Updated the Danish translation.
- Updated libloot to v0.18.2.

## 12.24 0.18.5 - 2022-10-02

### 12.24.1 Added

- Built-in support for the GOG distribution of Skyrim Special Edition.
- LOOT will now display a warning message reminding the user to launch Morrowind with MWSE if a Morrowind install has more than 254 plugins active and MWSE is installed.

### 12.24.2 Fixed

- If Oblivion's `Oblivion.ini` could not be found or read, or if it did not contain the `bUseMyGamesDirectory` setting, the game's install path would be used as the parent directory for `plugins.txt`. LOOT now correctly defaults to using the game's local app data directory, and only uses the install path if `bUseMyGamesDirectory=0` is found. Via libloot.

### 12.24.3 Changed

- Improved the formatting of plugin metadata when it is serialised as YAML. Via libloot.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Ukrainian translation.
- Updated libloot to 0.18.1.
- Updated Qt to 6.4.0.

## 12.25 0.18.4 - 2022-08-28

### 12.25.1 Added

- Mnemonics (Alt keyboard shortcuts) have been added for LOOT's menus and sidebar headings.
- The groups editor's window position is now saved.
- The groups editor now has a button to auto-arrange the layout of groups.
- The groups editor now prompts when exiting without saving and changes have been made.
- Debug logging now replaces the user's home directory (i.e. the value of %USERPROFILE%) with the literal string %USERPROFILE% to help avoid the user accidentally revealing their name when sharing their debug log.
- The Sort Plugins, Update Masterlist, Apply Sorted Load Order and Discard Sorted Load Order toolbar actions have been added to the Game menu so that they can be selected using keyboard navigation.

### 12.25.2 Fixed

- Groups with only out-edges are now saved when exiting the groups editor.
- The height of sidebar rows now scales with text line height so that text is not cut off when using Windows text scaling greater than 100%.
- LOOT's installer no longer double-encodes the settings file when it sets LOOT's language, so non-ASCII text like language names is no longer mangled.
- LOOT's uninstaller now correctly removes a variety of files and directories that it previously missed.
- The plugin menu is no longer incorrectly disabled when filtering visible plugins.
- Refreshing LOOT's content no longer enables the plugin menu with no plugin selected.
- The general information card could be sized incorrectly when switching between games.
- Plugin card heights could be calculated incorrectly when changing the width of the cards list.
- LOOT no longer logs an unnecessary error when downloading a masterlist for the first time.
- LOOT no longer logs an unnecessary error when setting group positions in the groups editor for the first time.

### 12.25.3 Changed

- Disabling the warnings and errors filter now restores its component filters' previous states instead of disabling all of them.
- The text for sources displayed on plugin cards can now wrap around to new lines.
- Keyboard navigation of the user interface has been improved:

- Navigating between elements using the Tab key now does so in a more intuitive order in the filters sidebar, groups editor, game settings panel, new game dialog and settings dialog.
- The table views in the plugins sidebar panel and plugin metadata editor and the game registry keys text box no longer prevent the Tab key from being used to move from them to the next UI element.
- The message content editor dialog no longer closes if the Tab key is pressed while it is open.
- The step size for the minimum header version game setting input has been changed from 1 to 0.01.
- The group nodes (circles) in the groups editor now have a little padding to make selecting them easier.
- Theme changes are now applied when saving and exiting the settings dialog, instead of when LOOT starts.
- Updated the Bulgarian translation.
- Updated the Finnish translation.
- Updated the French translation.
- Updated the German translation.
- Updated the Italian translation.
- Updated the Ukrainian translation.
- Updated zlib to 1.2.12.
- Updated minizip-ng to 3.0.6.
- Updated spdlog to 1.10.0.
- Updated Qt to 6.2.4.
- Replaced cptoml with toml++.

## 12.26 0.18.3 - 2022-05-21

### 12.26.1 Added

- A “Show only warnings and errors” filter has been added that combines the Bash Tags, sources, notes and messageless plugins filters.
- A “Show only empty plugins” filter hides any plugins that are not empty.
- The Groups Editor window can now be maximised and minimised using the new buttons in the window frame.
- Group positions in the Groups Editor will now be remembered, unless a group with no saved position is encountered when opening the Groups Editor.

### 12.26.2 Fixed

- When checking if old (pre-0.18.0) game masterlist settings could be migrated, LOOT checked the wrong settings fields, so would never display a warning if automatic migration couldn't be done.
- LOOT detects and logs when it's run from Mod Organizer, but its detection did not work for newer versions of Mod Organizer.
- LOOT would forget about any groups that were not connected to any other groups when exiting the Groups Editor.
- The progress bar in the progress dialog now uses the full width of the dialog as intended.

- When opening the plugin metadata editor for a plugin assigned to a group that does not exist, LOOT would set the Group dropdown to the first listed group. It now adds the missing group to the list (with a note that the group does not exist) and selects that group.

### 12.26.3 Changed

- If sorting makes no changes a notification dialog is now displayed by default. The new dialog can be suppressed using a new setting in LOOT's settings dialog.
- Groups graph layout has been improved: it now runs left to right to make use of the available space in most screens, group names will no longer overlap, and the layout algorithm now produces better results for non-trivial graphs.
- Groups in the Groups Editor graph now have a little padding so that their names do not run right to the edge of the graph's area.
- When a new group is added in the Groups Editor, it is now added in the centre of the visible area, and offset downwards if there is already something at that location.
- The game install path and local AppData path settings now have folder pickers that can be used to simplify setting values for those settings.
- When metadata is copied to the clipboard, the BBCode tags are now separated from the metadata YAML by line breaks.
- Updated the Bulgarian translation.
- Updated the Finnish translation.
- Updated the French translation.
- Updated the German translation.
- Updated the Japanese translation.
- Updated the Russian translation.
- Updated the Ukrainian translation.

## 12.27 0.18.2 - 2022-03-23

### 12.27.1 Added

- LOOT now logs whether it's 32-bit or 64-bit and the operating system and CPU architecture it's running on, to aid debugging.

### 12.27.2 Fixed

- When built using Qt 5, LOOT requires the MSVC 2010 redistributable to be installed, which was unknown. The requirement is now documented and the installer will now download and install the redistributable if it cannot find it already installed.
- The installer did not include two OpenSSL DLLs when packaging a LOOT build based on Qt 5. This meant that masterlist update would fail when using LOOT's default sources, or any other HTTPS URL sources.

The two DLLs that were missing have different filenames depending on the build type. For 32-bit builds, they are `libcrypto-1_1.dll` and `libssl-1_1.dll`. For 64-bit builds, they are `libcrypto-1_1-x64.dll` and `libssl-1_1-x64.dll`.

- Entering text into the text input in the groups editor will make the "Add a new group" button the default, so that pressing the Enter key will add the named group instead of exiting the editor.

### 12.27.3 Changed

- LOOT now detects installed themes once on startup instead of each time the settings dialog is opened, reducing the delay before the dialog is displayed.
- When migrating LOOT game folders, LOOT now migrates a `SkyrimSE` folder (only used by LOOT v0.10.0) when loading that game, to match migration of other game folders. Previously that folder would be migrated when loading LOOT's settings, and only when loading settings saved by LOOT v0.10.0.
- LOOT now writes its log with debug verbosity before LOOT's settings are loaded, to prevent any low-severity messages written during that time always being lost.
- Updated the French translation.
- Updated the German translation.

### 12.27.4 Removed

- The `D3Dcompiler_47.dll`, `libEGL.dll`, `libGLESv2.dll` and `opengl32sw.dll` DLLs are no longer included in LOOT packages as they appear to be unused and removing them reduces package and install sizes by at least 30%.

## 12.28 0.18.1 - 2022-03-15

### 12.28.1 Added

- The “Search Cards” button has been reintroduced to the toolbar.
- The Plugin menu now has a “Copy Plugin Name” action.
- A “Clear” button is now displayed in the content filter and search inputs to help quickly empty them.
- A new “Is instance of base game” game setting to help distinguish between instances of the base game types and total conversions that build off of those base game types.

### 12.28.2 Fixed

- An empty regular expression search pattern no longer matches all plugin cards.
- The Group tab in the plugin metadata editor now correctly displays a “Has User Metadata” icon when a user has overridden the plugin's group.
- The plugin content filters were not applied correctly.
- Enderal Special Edition is no longer detected as installed if Skyrim Special Edition is installed through the Microsoft Store.
- The search dialog now navigates to the matching card and disables its navigation buttons when there is only one search result.

### 12.28.3 Changed

- The content filter is now applied on text entry (i.e. as you type) instead of waiting for the Enter key to be pressed or another user interface element to be selected.
- Settings are now saved when the “Save” button is used to exit the Settings dialog instead of only on quitting LOOT, to guard against a crash after exiting the dialog causing changes to be lost.
- The Settings dialog's “General” panel now includes text that explains that the Language and Theme settings only take effect after restarting LOOT. Previously this information was conveyed in tooltips.

- Opening the metadata editor for a plugin now scrolls to that plugin in the sidebar and card lists.
- The “Master File” icon is now called the “Master Plugin” icon for consistency with the other plugin type icons, and the “Master File” game setting now has the label “Main Master Plugin” for clarity.
- The main window’s content area now has some padding to avoid some visual confusion.
- A minor performance improvement to all operations involving the sidebar and plugin card lists.
- LOOT now supports migrating from old default prelude and masterlist sources in readiness for any potential future changes to the default source locations.
- Updated the Bulgarian translation.
- Updated the German translation.
- Updated the Italian translation.
- Updated the Ukrainian translation.

### 12.28.4 Removed

- The `fontFamily` field in LOOT’s languages settings, as it’s no longer used as of LOOT v0.18.0.

## 12.29 0.18.0 - 2022-03-07

### 12.29.1 Added

- Support for games installed through the Microsoft Store or Xbox apps. Older versions of the apps install games with very restricted permissions that are difficult to change, and which cause problems when modding. Newer versions install games with much less restricted permissions, but there are still some issues that are not present in versions of the games installed from other sources like Steam or GOG. See [Microsoft Store Compatibility](#) for more information.
- The `--game-path` CLI parameter can be used in conjunction with `--game` to replace the identified game’s install path in LOOT’s settings.
- LOOT will now display a warning message in a plugin’s card if it makes any Bash Tag suggestions that would be overridden by the content of an installed BashTags file for that plugin.
- Location metadata is now displayed at the bottom of plugin cards.
- It’s now possible to search cards using regular expressions by ticking the “Use regular expression” checkbox in the search dialog.
- It’s now possible to filter plugin content using a regular expression by ticking the “Use regular expression” checkbox below the content filter input in the sidebar.
- A “Hide Sources” filter has been added to control the display of location metadata. It is enabled by default.
- A “Hide Creation Club plugins” filter has been added to hide any installed Creation Club plugins’ cards for games that support the Creation Club. It is disabled by default.
- The sidebar plugins list now includes a column that contains the plugin’s position in the load order.
- The File menu has a new “Backup LOOT Data” action that creates a timestamped zip file in `%LOCALAPPDATA%\LOOT\backups\` that contains the contents of `%LOCALAPPDATA%\LOOT`, excluding the `backups` directory, any `.git` directories and the `LOOTDebugLog.txt` file.
- LOOT will now automatically backup its existing data when a new version of LOOT is run for the first time.

- The Game menu has a new “Fix Ambiguous Load Order” action. It starts off disabled, but LOOT will enable it and display a warning dialog if it detects an ambiguous load order (e.g. when you’ve just installed a new plugin and not yet given it an explicit load order position). The menu action saves the load order that is seen by LOOT so that there’s no room for ambiguity.
- The Help menu has a new “Join Discord Server” action that opens the LOOT Discord server’s invitation link in your default web browser.
- It’s now possible to configure a game’s minimum header version using the new “Minimum Header Version” field for games in the settings dialog.
- It’s now possible to view and edit multilingual message content in the plugin metadata editor. The editor tables display the text selected for the current language, and double-clicking on a table cell holding message content will open a dialog with an editable table containing the multilingual content.
- A “Detail” column has been added to the plugin metadata editor’s Requirements, Incompatibilities and Dirty Plugin Info tabs to represent the metadata’s detail field.

### 12.29.2 Fixed

- LOOT would sometimes display a blank white window when run.
- LOOT’s uninstaller did not remove the LOOT game folders for Skyrim Special Edition, Skyrim VR, Fallout 4 VR, Nehrim, Enderal or Enderal Special Edition when asked to remove user data.
- When sorting failed LOOT would display an error message giving a path to a file that may be read-only, but the file path was always wrong for Morrowind and was also wrong if using a non-default local AppData path for the current game.
- Two versions that only differ by the presence and absence of pre-release identifiers were not correctly compared according to Semantic Versioning, which states that 1.0.0-alpha is less than 1.0.0. Via libloot.

### 12.29.3 Changed

- Official LOOT releases now require the MSVC 2019 redistributable, which LOOT’s installer will automatically download and install if necessary. In addition, a 64-bit build is available that requires a 64-bit version of Windows 10 (1809) or later, and this build is recommended for everyone with a PC that meets that requirement.
- The user interface has been completely replaced by a new implementation using Qt. The new user interface is more efficient, responsive and maintainable, and has a substantially different look and feel. In addition, it introduces the following changes to LOOT’s functionality:
  - The toolbar overflow menu items have been moved into File, Game and Help menus in the new menu bar.
  - Plugin cards no longer have menus: instead there’s a Plugin menu in the menu bar that contains the same actions, which operate on the plugin that’s currently selected in the sidebar.
  - Notifications are now displayed in the status bar rather than in a pop-up toast widget.
  - It’s no longer possible to select card text to copy it to the clipboard, so instead there’s a “Copy Card Content” action in the Plugin menu.
  - Clicking on a plugin in the sidebar selects it, and double-clicking scrolls to its card, instead of single-clicking scrolling to its card and double-clicking opening it in the metadata editor.
  - The game selection dropdown now only lists games that LOOT detects are installed, instead of displaying all configured games and disabling those that aren’t detected.
  - Markdown text is now interpreted as CommonMark instead of GitHub Flavored Markdown.
  - Themes have been reimplemented, see the [Themes](#) section for more information about the new theme file formats.

- Updating the masterlist prelude and masterlists no longer uses Git. This massively speeds up fetching the prelude or masterlist for the first time.
  - Each pair of repository URL and branch settings has been replaced by a source setting that accepts a local path or HTTP(S) URL of a metadata file.

LOOT will migrate existing repository URL and branch settings for any repository on GitHub. It will also migrate local repository paths so long as the path is to a Git repository with the relevant metadata file in the repository working copy's root directory. LOOT will display a warning if it cannot migrate existing settings.
  - The revision ID displayed by LOOT is now the Git blob hash of the file instead of the Git commit hash that the file is from. When calculating the hash, LOOT first replaces all CRLF line endings with LF, which may cause it to produce different blob hash values from Git when using an unofficial masterlist.
  - The date displayed by LOOT is now the date on which the masterlist was last updated, not the date of the Git commit that it was updated to.
- The First Time Tips dialog is now displayed before loading the game it's running for, and no longer runs if auto-sort is enabled.
- The "Open Debug Log Location" menu action has been renamed to "Open LOOT Data Folder".
- The "Local Data Path" game setting has been renamed to "Local AppData Path".
- Bash Tag suggestions are now hidden by default.
- The Active Plugins count in the General Information card has been split into Active Regular Plugins and Active Light Plugins for games that support light plugins, as they have separate limits.
- Content is now copied as Markdown that is equivalent to what is displayed, instead of as raw JSON data.
- Plugin metadata is now copied as YAML instead of JSON, using the same format as LOOT uses when saving user metadata.
- Bash Tags are now displayed below messages because they're generally of less interest to users, and they're grouped together to make it more obvious what they are.
- The Groups Editor now lays out groups vertically rather than horizontally.
- The Groups Editor no longer has a separate "drawing mode": instead, lines between groups can be drawn by double-clicking a node then dragging to another node, as in LOOT v0.16.1 and earlier.
- LOOT's game folders have been moved into %LOCALAPPDATA%\LOOT\games to differentiate them from the other files and folders in %LOCALAPPDATA%\LOOT. LOOT will migrate each existing game folder to the new location when it is run for that game.
- LOOT now supports v0.18 of its metadata syntax.
- Updated the Bulgarian translation.
- Updated the Czech translation.
- Updated the German translation.
- Updated the Italian translation.
- Updated the Spanish translation.
- Updated the Russian translation.
- Updated the Ukrainian translation.
- Updated Boost to v1.77.0.
- Updated libloot to v0.18.0.

### 12.29.4 Removed

- LOOT will no longer silently set an unchanged load order when sorting, which it previously did for Skyrim, Skyrim Special Edition, Skyrim VR, Fallout 4 and Fallout 4 VR.
- The “Jump To General Information” toolbar button.
- The Chromium Embedded Framework dependency.
- The nlohmann/json dependency.
- All JavaScript dependencies.

## 12.30 0.17.0 - 2021-12-19

### 12.30.1 Added

- Support for multiple registry keys per game.
- Support for registry keys in the 64-bit registry view.
- Steam and GOG registry keys for all supported games on each platform.
- Support for the masterlist prelude, a metadata file that is used to supply common metadata to all masterlists.
- The ability to filter plugins by their group.
- The `detail` message string is now appended when generating requirement and incompatibility messages.
- A Ukrainian translation by IllusiveMan196.

### 12.30.2 Fixed

- LOOT will only attempt to start for the preferred game if it is installed, and will otherwise fall back to the first listed installed game.
- Autocomplete error translations were unused.
- Some groups editor text was untranslatable.

### 12.30.3 Changed

- The groups editor now has a “drawing mode” toggle button. Edges can only be added in drawing mode, and nodes can only be moved around outside of drawing mode.
- The Skyrim VR and Fallout VR games now use new `skyrimvr` and `falloutvr` masterlist repositories. The new repositories are independent from the `skyrimse` and `fallout4` repositories that were previously used.
- LOOT’s installer now downloads the latest MSVC 2015/2017/2019 redistributable if it is not already installed, or if it is older than 14.15.26706.
- Sorting now checks for cycles before adding overlap edges, so that any cycles are caught before the slowest steps in the sorting process. Via libloot.
- Masterlist update no longer supports rolling back through revisions until a revision that can be successfully loaded is found. Via libloot.
- Updated libloot to v0.17.1.
- Updated nlohmann/json to v0.17.0.
- Updated spdlog to v1.9.2.
- Updated JS package dependencies.

- Updated to Inno Setup v6.2.0.
- Updated the German translation.
- Updated the Italian translation.
- Updated the Korean translation.
- Updated the Bulgarian translation.
- Updated the Russian translation.
- Updated the Spanish translation.

## 12.31 0.16.1 - 2021-05-09

### 12.31.1 Added

- Support for Enderal: Forgotten Stories and Enderal: Forgotten Stories (Special Edition). LOOT's default configuration includes the necessary configuration for these games: if upgrading from an older version of LOOT, remove any existing `settings.toml` to have LOOT generate its default configuration.
- It is now possible to set the name of a game's folder within `%LOCALAPPDATA%` using the `local_folder` config property in LOOT's `settings.toml` file. It cannot be used at the same time as the `local_path` property.
- A Bulgarian translation by RacerBG.
- An Italian translation by Griam, nicola89b and albie.
- A Portuguese translation by ironmagician.

### 12.31.2 Fixed

- The “Hide inactive plugins” and “Hide messageless plugins” filters did not affect LOOT's search, which would count hidden plugins in its results and attempt to navigate between them.
- Invalid plugins were not hidden in some cases.
- Linux builds did not correctly handle case-insensitivity of plugin names during sorting on filesystems with case folding enabled. Via libloot.

### 12.31.3 Changed

- The settings dialog has been redesigned to better accommodate a longer list of supported games and give more space to their configuration inputs.
- If the selected game cannot be found, the error message displayed by LOOT now suggests running the game's launcher as this is a very common fix.
- If LOOT fails to read a game's settings from `settings.toml`, it will now log the error in its debug log.
- Themes are now sorted lexicographically in their selection dropdown in LOOT's settings.
- Most occurrences of the terms “Light Master” or “Light Master File” have been replaced by “Light Plugin” to reflect that whether or not a plugin is light is independent of whether it is a master.
- The installer once again downloads the MSVC redistributable if it is not already installed, as it did before LOOT v0.16.0.
- Updated the Brazilian Portuguese translation.
- Updated the Chinese translation.
- Updated the German translation.

- Updated Boost to 1.72.0.
- Updated CEF to v90.6.5+g7a604aa+chromium-90.0.4430.93.
- Updated libloot to 0.16.3.
- Updated spdlog to 1.8.5.
- Updated JS package dependencies.

### 12.31.4 Removed

- The “do not clean” filter, as messages using that filter no longer exist in recent versions of any of LOOT’s masterlists.

## 12.32 0.16.0 - 2020-08-22

### 12.32.1 Fixed

- LOOT did not display generated messages (such as errors about missing masters) for plugins that had no metadata after evaluating conditions.
- Existing messages were not displayed in the plugin metadata editor.
- Game data was loaded twice on startup.
- Changing LOOT’s theme now stores `theme.css` in `%LOCALAPPDATA%\LOOT` to avoid permissions issues due to User Account Control (UAC).
- When getting metadata for a plugin, LOOT would prefer masterlist metadata over userlist metadata if they conflicted, which was the opposite of the intended behaviour.
- Clearing user groups metadata using the “Clear All User Metadata” menu option did not remove them from the UI.
- LOOT now correctly identifies the BSAs that a Skyrim SE or Skyrim VR loads. This assumes that Skyrim VR plugins load BSAs in the same way as Skyrim SE. Previously LOOT would use the same rules as the Fallout games for Skyrim SE or VR, which was incorrect. Via libloot.

### 12.32.2 Changed

- Missing groups are now added as userlist groups when the groups editor is opened, to make it easier to recover from sorting errors due to missing groups.
- The “has user metadata” icon is now displayed on each tab of the metadata editor that contains user metadata, apart from the “Main” tab.
- When getting metadata for a plugin, metadata from a plugin’s specific metadata object is preferred over metadata from any matching regex entries, and earlier regex entries now take precedence over later regex entries (as listed in the masterlist or userlist). Via libloot.
- CRC calculations in metadata conditions are now much faster for larger files. Via libloot.
- Directory paths are now handled more gracefully when encountered by `checksum()`, `version()` and `product_version()` conditions. Via libloot.
- When comparing metadata objects, all their fields are now compared. This means that objects that were previously treated as equal but had unequal fields that were not taken into account are now treated as unequal. For example, two requirements with the same filename but different conditions will now both appear in the metadata editor. Via libloot.

- When loading plugins, LOOT identifies their corresponding archive files (\*.bsa or \*.ba2, depending on the game) more quickly. Via libloot.
- The order of collection elements in plugin metadata objects is now preserved. Via libloot.
- The installer now bundles the MSVC redistributable instead of downloading it if required, as the plugin providing the download functionality is no longer available.
- Updated CEF to v84.4.1+gfdc7504+chromium-84.0.4147.105.
- Updated spdlog to v1.7.0.
- Updated libloot to v0.16.1.
- Updated nlohmann/json to v3.9.1.
- Updated JS package dependencies.

### 12.32.3 Removed

- It's no longer possible to disable plugin metadata, though doing so has never had any effect.

## 12.33 0.15.1 - 2019-12-10

### 12.33.1 Fixed

- The “Open Groups Editor” menu item could not be translated (this wasn't properly fixed in v0.15.0).
- The changelog for the 0.15.0 release was missing.

## 12.34 0.15.0 - 2019-12-10

### 12.34.1 Fixed

- The “Open Groups Editor” menu item could not be translated.
- The “Open Groups Editor” menu item was not disabled if game loading failed.
- LOOT would fail to select a game if the preferred game was not installed but another game was.
- LOOT was unable to extract versions from plugin descriptions containing `version:` followed by whitespace and one or more digits. Via libloot.
- LOOT did not error if masterlist metadata defined a group that loaded after another group that was not defined in the masterlist, but which was defined in user metadata. This was unintentional, and now all groups mentioned in masterlist metadata must now be defined in the masterlist. Via libloot.

### 12.34.2 Changed

- The GUI is now better at handling initialisation failures.
- The “Add New Row” icon button in editable tables has been replaced by text-only button, and its implementation tweaked to reduce the chance of breakage.
- The range of FormIDs that are recognised as valid in light masters has been extended for Fallout 4 plugins, from between `0x800` and `0xFFF` inclusive to between `0x001` and `0xFFF` inclusive, to reflect the extended range supported by Fallout 4 v1.10.162.0.0. The valid range for Skyrim Special Edition plugins is unchanged. Via libloot.
- LOOT now supports v0.15 of the metadata syntax. Via libloot.

- Updated the German translation.
- Updated libloot to v0.15.1.
- Updated nlohmann/json to v3.7.3.
- Updated spdlog to v1.4.2.

### 12.34.3 Removed

- The ability to specify the HTML file URL to load as a CLI parameter, as it could cause users to see a white screen on launch if they ran LOOT with an unrecognised CLI parameter.

## 12.35 0.14.6 - 2019-09-28

### 12.35.1 Added

- Support for TES III: Morrowind.
- Support for selecting a theme in LOOT's settings dialog, making it easier to use the dark theme that LOOT has bundled since v0.9.2.
- Support for specifying a font family to use per language, so that different languages can use different fonts. The default font families are Roboto, Noto, sans-serif. Korean prefixes this with Malgun Gothic, Chinese with Microsoft Yahei, and Japanese with Meiryo. Font families are specified in the new `languages` table in LOOT's `settings.toml`.

### 12.35.2 Fixed

- Regular expressions in condition strings are now prefixed with `^` and suffixed with `$` before evaluation to ensure that only exact matches to the given expression are found. Via libloot.
- LOOT's taskbar icon would sometimes be displayed with a black bar down its left side.

### 12.35.3 Changed

- The languages that LOOT supports are no longer hardcoded: the list is now read from the new `languages` table in LOOT's `settings.toml`. A supported language is expected to have a Gettext MO file at `resources/110n/<ISO code>/LC_MESSAGES/loot.mo`, relative to `LOOT.exe`.
- Updated libloot to v0.14.10.
- Updated nlohmann/json to v3.7.0.
- Updated JS package dependencies.

## 12.36 0.14.5 - 2019-07-04

### 12.36.1 Fixed

- Filename comparisons implemented case-insensitivity incorrectly, which caused LOOT to not properly recognise some files, depending on the characters in their filename and the current locale. On Windows, LOOT now implements case-insensitivity using the same case folding rules as Windows itself. On Linux, LOOT uses the locale-independent case folding rules provided by the ICU library, which are very similar but not identical to the rules used by Windows.
- Evaluating `version()` and `product_version()` conditions will no longer error if the given executable has no version fields. Instead, it will be evaluated as having no version. Via libloot.

- Sorting would not preserve the existing relative positions of plugins that had no relative positioning enforced by plugin data or metadata, if one or both of their filenames were not case-sensitively equal to their entries in `plugins.txt` / `loadorder.txt`. Load order position comparison is now correctly case-insensitive. Via libloot.

### 12.36.2 Changed

- Improved load order sorting performance.
- Game names and game folder names are now handled case-sensitively to avoid unnecessary and possibly incorrect case folding.
- Updated libloot to v0.14.8.
- Downgraded CEF to v3.3440.1806.g65046b7, as the hashes for v74.1.16+ge20b240+chromium-74.0.3729.131 kept changing unexpectedly, causing builds to fail.
- Updated the German translation.
- Updated the Japanese translation.
- Updated the Russian translation.

## 12.37 0.14.4 - 2019-05-11

### 12.37.1 Fixed

- Any instances of `\.` in messages would be incorrectly displayed as `..`.
- LOOT would unnecessarily ignore intermediate plugins in a non-master to master cycle involving groups, leading to unexpected results when sorting plugins (via libloot).
- `HearthFires.esm` was not recognised as a hardcoded plugin on case-sensitive filesystems, causing a cyclic interaction error when sorting Skyrim or Skyrim SE (via libloot).

### 12.37.2 Changed

- Groups that contain installed plugins can no longer be deleted in the groups editor.
- Clicking on a group in the groups editor will now display a list of the installed plugins in that group in the editor's sidebar.
- An error message is now displayed for each plugin that belongs to a nonexistent group.
- Game configuration can now include the root Registry key when specifying a registry key. If no root key is specified, `HKEY_LOCAL_MACHINE` is used. The recognised root keys are:
  - `HKEY_CLASSES_ROOT`
  - `HKEY_CURRENT_CONFIG`
  - `HKEY_CURRENT_USER`
  - `HKEY_LOCAL_MACHINE`
  - `HKEY_USERS`
- Updated the Russian translation.
- Updated libloot to v0.14.6.
- Updated CEF to v74.1.16+ge20b240+chromium-74.0.3729.131.
- Updated `nlohmann/json` to v3.6.1.

- Updated spdlog to v1.3.1.

## 12.38 0.14.3 - 2019-02-10

### 12.38.1 Fixed

- Plugin counters would be set to zero after cancelling a load order sort.
- The user interface would not display default values for some data if overriding values were removed (e.g. removing a plugin's user metadata would not set its group back to the default if no group was set in the masterlist).
- Saving user metadata with the default group would store that group membership in user metadata even if the plugin was already in the default group.
- Condition parsing now errors if it does not consume the whole condition string, so invalid syntax is not silently ignored (via libloot).
- Conditions were not parsed past the first instance of `file(<regex>)`, `active(<regex>)`, `many(<regex>)` or `many_active(<regex>)` (via libloot).
- LOOT could crash on startup or changing game when trying to check if the game or data paths are symlinks. If a check fails, LOOT will now assume the path is not a symlink. Via libloot.

### 12.38.2 Changed

- Updated libloot to v0.14.4.

## 12.39 0.14.2 - 2019-01-20

### 12.39.1 Fixed

- An error when loading plugins with a file present in the plugins directory that has a filename containing characters that cannot be represented in the system code page. Via libloot.
- An error when trying to read the version of an executable that does not have a US English version information resource. Executable versions are now read from the file's first version information resource, whatever its language. Via libloot.

### 12.39.2 Changed

- Updated libloot to 0.14.2.

## 12.40 0.14.1 - 2019-01-19

### 12.40.1 Fixed

- The LOOT update checker would fail when LOOT's version number was equal to the version number of the latest release.

## 12.41 0.14.0 - 2019-01-19

### 12.41.1 Added

- An error message will now be displayed for any light plugin that contains new records with FormIDs outside the valid range for light plugins.

- A warning message will now be displayed for any plugin that has a header version that is older than is used by the game, to help draw attention to plugins that have been incorrectly ported from older games. The header version checked is the value of the version field in the HEDR subrecord of the plugin's TES4 record.
- A section to the documentation that explains LOOT's sorting algorithm.

### 12.41.2 Fixed

- Creating a new group by pressing the Enter key after typing a name in the Groups Editor input field no longer leaves the group creation button enabled.
- Incorrect handling of non-ASCII characters in plugin filenames when getting their active load order indices, which could lead to incorrect indices being displayed in the sidebar.
- Incorrect handling of non-ASCII characters in games' LOOT folder names. By default all folder names only contained ASCII characters, so this would only affect customised folder names.
- BSAs/BA2s loaded by non-ASCII plugins for Oblivion, Fallout 3, Fallout: New Vegas and Fallout 4 may not have been detected due to incorrect case-insensitivity handling (via LOOT API).
- Fixed incorrect case-insensitivity handling for non-ASCII plugin filenames and File metadata names (via LOOT API).
- Path equivalence checks could be inaccurate as they were using case-insensitive string comparisons, which may not match filesystem behaviour. Filesystem equivalence checks are now used to improve correctness. (Via LOOT API).
- Errors due to filesystem permissions when cloning a new masterlist repository into an existing game directory. Deleting the temporary directory is now deferred until after its contents have been copied into the game directory, and if an error is encountered when deleting the temporary directory, it is logged but does not cause the masterlist update to fail. (Via LOOT API).
- The Czech translation mangled placeholders in message strings, causing errors when it was used.

### 12.41.3 Changed

- LOOT now requires a C++17-compatible compiler, so Windows builds now require the MSVC 2017 x86 redistributable instead of the MSVC 2015 x86 redistributable.
- The masterlist or default group for a plugin in the plugin editor's group dropdown is now styled with bold dark blue text to make it easier to undo user customisation of a plugin's group.
- Cyclic interaction errors will now detail the data source of each interaction in the cyclic path, to make it easier to identify the problematic metadata and so fix it.
- Updated the Japanese translation.
- Updated the German translation.
- LOOT now supports v0.14 of the metadata syntax (via LOOT API).
- Updated LOOT API, which has been renamed to libloot, to 0.14.1.
- Updated cpptoml to v0.1.1.
- Updated spdlog to v1.3.0.
- Updated nlohmann/json to v3.5.0.
- Updated JavaScript GUI dependencies.

## 12.42 0.13.6 - 2018-11-27

### 12.42.1 Fixed

- Load order indices in the sidebar were formatted incorrectly for light plugins.

## 12.43 0.13.5 - 2018-11-26

### 12.43.1 Fixed

- Out-of-bounds memory read that caused corruption in LOOT's `settings.toml` when LOOT is closed after having been unable to find any installed games.

### 12.43.2 Added

- An `--auto-sort` parameter that can be passed to `LOOT.exe` with `--game`, and which will cause LOOT to automatically sort the game's load order and apply the sorted load order, then quit. If an error is encountered at any point, auto-sort is cancelled.
- A Czech translation by ThePotatoChronicler.
- A documentation section that describes the sorting algorithm.

### 12.43.3 Changed

- Passing an invalid `--game` value as a parameter to `LOOT.exe` now causes an error to be displayed.
- The Groups Editor now uses a left-to-right layout when displaying the groups graph, which is clearer and more consistent than the previous layout.
- Updated GUI dependencies.
- Updated Japanese translation.

## 12.44 0.13.4 - 2018-09-25

### 12.44.1 Fixed

- Warnings were displayed for ghosted plugins saying they were invalid and would be ignored when they were not.
- Filesystem errors when trying to set permissions during a masterlist update that clones a new repository (via LOOT API).

### 12.44.2 Changed

- The Group dropdown menu in the metadata editor now “drops up” to reduce the amount of scrolling necessary by default to see the full list.
- The GUI is now based on a mix of Polymer 3 and React elements.
- Updated GUI dependencies.
- Updated LOOT API to v0.13.8.

## 12.45 0.13.3 - 2018-09-11

### 12.45.1 Fixed

- LOOT's "check for updates" functionality was failing due to the latest release unexpectedly not appearing on the first page of results when fetching repository tag data.

## 12.46 0.13.2 - 2018-09-10

### 12.46.1 Fixed

- Plugins with a *.esp* file extension and the light master flag set no longer appear as masters.
- Running LOOT outside of its executable's directory no longer results in a blank window.
- Cursor displaying as text selector in dropdown lists.
- Incompatibility messages not being displayed for non-plugin files.
- Fallout 4's *DLCUltraHighResolution.esm* is now handled as a hardcoded plugin (via *libloadorder* via the LOOT API).
- Plugins that are corrupt past their TES4 header are now handled gracefully when sorting and removed from the UI, with a warning message displayed for each removed plugin.
- Metadata editor text fields now trim whitespace to avoid unexpected metadata mismatches.

### 12.46.2 Changed

- Updated Boost to v1.67.0.
- Updated spdlog to v1.1.0.
- Updated Google Test to v1.8.1.
- Updated cpptoml v0.1.0.
- Updated CEF to v3.3440.1806.g65046b7.
- Updated nlohmann/json to v3.2.0.
- Updated LOOT API to v0.13.7 which should carry a number of performance improvements with it.
- Updated Danish translation.

## 12.47 0.13.1 - 2018-06-03

### 12.47.1 Changed

- Sorting now enforces hardcoded plugin positions without the need for LOOT metadata. This helps LOOT avoid producing invalid load orders, particularly those involving Creation Club plugins (via LOOT API).
- Updated LOOT API to v0.13.5.
- Updated spdlog to v0.17.0.

## 12.48 0.13.0 - 2018-06-02

### 12.48.1 Added

- Support for Skyrim VR.
- Support for plugin groups. Each plugin belongs to a group, and groups can load after zero or more other groups, providing a concise way to load groups of plugins after other groups of plugins. The group a plugin belongs to can be set in the metadata editor, and groups can be edited in the new Groups Editor accessible through the main menu.
- LOOT's update checking on startup can now be toggled from the settings dialog.

### 12.48.2 Changed

- Bash Tag suggestions now display tags that are present in the plugin's description field in silver text.
- Sorting error messages now includes the full path to `plugins.txt` when suggesting it may be read-only.
- Updated the LOOT API to v0.13.4.
- Updated CEF to v3.3325.1758.g9aea513.
- Updated nlohmann/json to v3.1.2.

### 12.48.3 Removed

- Support for local and global priority metadata. Priorities have been superseded by groups, which provide similar functionality more accessibly.

### 12.48.4 Fixed

- Cannot read property 'status' of undefined errors could occur when LOOT attempted to check for updated and no Internet connection was available.
- An error that occurred when attempting to apply edits to clean or dirty plugin metadata.
- A potential error during sorting if the number of plugins installed changed since LOOT was started or its content was last refreshed.
- An error when applying a load order for Oblivion, Fallout 3 or Fallout: New Vegas involving a plugin with a timestamp earlier than 1970-01-01 00:00:00 UTC (via LOOT API).
- An error when loading the current load order for Skyrim with a `loadorder.txt` incorrectly encoded in Windows-1252 (via LOOT API).
- Various filesystem-related issues that could be encountered when updating masterlists, including failure due to file handles being left open while attempting to remove the files they referenced (via LOOT API).
- Incorrect load order positions were given for light-master-flagged `.esp` plugins when getting the load order (via LOOT API).
- Closing LOOT with the metadata editor open or unapplied sorting results displayed would not display a confirmation dialog.
- Editable table rows for non-user metadata were not being made read-only.
- User metadata was not used when checking the validity of a plugin's install environment (e.g. if any incompatible plugins are present).
- Bash Tag removal suggestions were treated as addition suggestions unless the tag name was prefixed by an additional `-`.

- File metadata's `display` field wasn't used in generated UI messages.
- The top divider in a scrollable dialog could be hidden when scrolling.

## 12.49 0.12.5 - 2018-03-19

### 12.49.1 Fixed

- LOOT now checks that its game subdirectories are actually directories, not just that they exist, erroring earlier and more helpfully when there is somehow a file with the same name in the LOOT data directory.
- Windows 7 users can now update their masterlists again without having to manually enable system-wide TLS 1.2 support. This was an issue after GitHub disabled support for older, insecure versions of TLS encryption because Microsoft didn't enable TLS 1.2 support in Windows 7 by default. Fixed via the LOOT API.

### 12.49.2 Changed

- Migrated all non-Polymer GUI dependencies from Bower to NPM.
- Refactored GUI JavaScript and custom elements into ES2015 modules.
- Introduced Webpack to bundle JavaScript and CSS for the GUI.
- Updated Polymer to v2.5.0.
- Updated the LOOT API to v0.12.5.

## 12.50 0.12.4 - 2018-02-22

### 12.50.1 Fixed

- Loading or saving a load order could be very slow because the plugins directory was scanned recursively, which is unnecessary. In the reported case, this fix caused saving a load order to go from 23 seconds to 43 milliseconds (via the LOOT API).
- Plugin parsing errors were being logged with trace severity, they are now logged as errors (via the LOOT API).
- Chromium console messages are now logged with severity levels that better match the severity with which they appear in the console (via the LOOT API).
- Saving a load order for Oblivion, Fallout 3 or Fallout: New Vegas now updates plugin access times to the current time for correctness (via the LOOT API).

### 12.50.2 Changed

- Added a specific message for sorting errors that mentions `plugins.txt` probably being read-only, as it's the most common cause of issues filed.
- Added missing mentions of Fallout 4 VR support.
- Performance improvement for load order operations (via the LOOT API).
- Updated the LOOT API to v0.12.4.
- Updated `spdlog` to v0.16.3.
- Updated `nlohmann/json` to v3.1.1.
- Updated CEF to v3.3282.1733.g9091548.

## 12.51 0.12.3 - 2018-02-10

### 12.51.1 Fixed

- LOOT wouldn't start when run by a user with a %LOCALAPPDATA path containing non-ASCII characters, which was a regression introduced in v0.12.0.
- The log buffer is flushed after every statement, fixing the regression introduced in v0.12.2.
- The uninstaller didn't remove `settings.toml`.

### 12.51.2 Changed

- Disabled CEF debug logging, as the `CEFDebugLog.txt` has generally been more misleading than helpful.

## 12.52 0.12.2 - 2018-02-05

### 12.52.1 Added

- Support for Fallout 4 VR.
- Support for configuring games' local paths, i.e. the directory in which their `plugins.txt` is stored. Each game entry in LOOT's `settings.toml` now has a `local_path` variable that is blank by default, which leaves it up to `libloadorder` (via the LOOT API) to determine the path. There is no GUI option to configure the value.
- Chromium console messages are now logged to `LOOTDebugLog.txt` to help when debugging.

### 12.52.2 Changed

- Updated LOOT API to v0.12.3.
- Replaced Protocol Buffers serialisation dependency with `nlohmann/json v2.1.1`.
- Replaced `Boost.Log` with `spdlog v0.14.0`.
- Downgraded `Boost` to 1.63.0 to take advantage of pre-built binaries on AppVeyor.
- Updated Japanese translation.

### 12.52.3 Removed

- The `--game-appdata-path` CLI parameter, which set the local path to use for all games, and which has been superseded by game-specific `local_path` configuration variables.

### 12.52.4 Fixed

- Plugins with a `.esp` file extension and the light master flag set are no longer treated as masters when sorting, so they can have other `.esp` files as masters without causing cyclic interaction sorting errors (via LOOT API).
- Sorting didn't update sidebar indices.

## 12.53 0.12.1 - 2017-12-03

### 12.53.1 Fixed

- Settings would not save correctly with debug logging disabled.
- LOOT API logging was disabled on Linux.

- Typos in the v0.12.0 changelog.

## 12.54 0.12.0 - 2017-12-02

### 12.54.1 Added

- Support for light master (.esl) plugins.
  - Light masters are indicated by a new icon on their plugin cards, and the “Master File” icon is suppressed for light masters.
  - In the sidebar, light masters all have the in-game load order index FE, followed by the hexadecimal index of the light master relative to only other light masters.
  - A new general warning message will be displayed when 255 normal plugins and at least one light master are active.
  - A new error message will be displayed for light masters that depend on a non-master plugin.
- Support for specifying the game local app data path using the `--game-appdata-path=<path>` command line parameter.
- Japanese translation by kuroko137.

### 12.54.2 Changed

- LOOT now stores its settings in a `settings.toml` file instead of a `settings.yaml` file. It cannot upgrade from the latter to the former itself, but a converter is available [online](#).
- “Copy Load Order” now includes a third column for the index of light masters relative to other light masters.
- Updated the UI to use Polymer v2 and updated LOOT’s custom elements to use the Custom Elements v1 syntax.
- LOOT API log messages are now included in the `LOOTDebugLog.txt` file, and are no longer written to `LOOTAPIDebugLog.txt`.
- Updated the Chinese translation.
- Updated the Danish translation.
- Updated the Russian translation.
- Updated the LOOT API to v0.12.1.
- Updated Lodash to b4.17.4.
- Updated Octokat to v0.8.0.
- Updated CEF to v3.3163.1671.g700dc25.

### 12.54.3 Fixed

- Error when adding a Bash Tag with no condition using the metadata editor.
- Detection of Skyrim and Skyrim SE when LOOT is installed in the same directory as both.
- General messages disappearing when cancelling a sort.
- Blank messages’ content in the metadata editor after updating the masterlist.
- LOOT window size/position not restoring maximised state correctly.
- “Cannot read property of ‘text’ of undefined” error messages when something went wrong.

- The “new version available” message is no longer displayed for snapshot builds built from code newer than the latest release.
- Significant fixes in the LOOT API:
  - A crash would occur when loading an plugin that had invalid data past its header. Such plugins are now just silently ignored.
  - LOOT would not resolve game or local data paths that are junction links correctly, which caused problems later when trying to perform actions such as loading plugins.
  - Performing a masterlist update on a branch where the remote and local histories had diverged would fail. The existing local branch is now discarded and the remote branch checked out anew, as intended.

## 12.55 0.11.0 - 2017-05-13

### 12.55.1 Changed

- The LOOT application now uses the LOOT API, rather than sharing internal code with it.
- LOOT now writes to an additional log file, `LOOTAPIDebugLog.txt`.
- If LOOT is closed while maximised, it will now start maximised.
- Log timestamps now have microsecond precision.
- Updated to CEF v3.2924.1561.g06fde99.
- The LOOT API has had its code split into its own [repository](#). Its documentation, along with the metadata syntax documentation, is now hosted [separately](#).

### 12.55.2 Fixed

- A few inaccurate logging statements.
- Menu text wrapping during opening animation.
- Inconsistent editor priority values handling, causing priority values user metadata to not trigger the “Has User Metadata” icon appearing in certain circumstances.
- The LOOT window’s title is now set on Linux.
- The LOOT window’s size and position is now saved and restored on Linux.
- Clipboard operations are now supported on Linux (requires `xclip` to be installed).

## 12.56 0.10.3 - 2017-01-08

### 12.56.1 Added

- LOOT now creates a backup of the existing load order when applying a sorted load order. The backup is stored in LOOT’s folder for the current game, and up to the three most recent backups are retained.

### 12.56.2 Changed

- If no game is detected when LOOT is launched and a valid game path or Registry key pointing to a game path is added in the Settings dialog, LOOT will select that game and refresh its content when the new settings are applied.
- Most exception-derived errors now display a generic error message, as exception messages are no longer translatable. Only metadata syntax exceptions still have their message displayed in the UI.

- Improved robustness of error handling when calculating file CRCs.
- Improved consistency of error logging.
- Errors and warnings are now always logged, even when debug logging is disabled.
- The First Time Tips and About dialogs are now fully translatable, with the exception of the legal text in the About dialog.
- Updated Russian translation.

### 12.56.3 Fixed

- A crash on startup if none of the supported games were detected.
- A crash when applying settings when none of the supported games are detected.
- Buttons and menu items for performing game-specific operations are now disabled while none of the supported games are detected.
- Initialisation error messages were formatted incorrectly.
- An error message reading `Cannot read property 'textContent' of undefined` could be displayed on startup due to UI elements initialising later than expected.
- The texts of the first plugin card and sidebar item were not being translated.
- LOOT now logs being unable to find a game's registry entry as `[info]`, not `[error]`.
- If an error was encountered while loading a userlist, constructing the error message produced a `boost::too_many_args` error that obscured the original error.
- The installer now checks for v14.0.24215 of the MSVC Redistributable, it was previously checking for v14.0.24212, which some users found insufficient.

## 12.57 0.10.2 - 2016-12-03

### 12.57.1 Added

- Support for specifying the path to use for LOOT's local data storage, via the `--loot-data-path` parameter.

### 12.57.2 Changed

- The metadata editor now displays an error message when the user inputs invalid priority values, in addition to the input's existing red underline styling for invalid values, and instead of validating the values when trying to save the metadata.
- LOOT's icon now scales better for high-DPI displays.
- LOOT's UI is now built as many loose files instead of one large HTML file, to aid debugging and development.
- Updated Chinese translation.
- Updated Chromium Embedded Framework to 3.2840.1517.gd7afec5.
- Updated libgit2 to 0.24.3.
- Updated Polymer to 1.7.0, and also updated various Polymer elements.

### 12.57.3 Fixed

- A crash could occur if some plugins that are hardcoded to always load were missing. Fixed by updating to libloadorder v9.5.4.
- Plugin cleaning metadata with no `info` value generated a warning message with no text.
- The LOOT update checker will no longer display an empty error dialog if the update check is unable to connect to the GitHub API (eg. if offline).
- Redate Plugins was accidentally disabled for Skyrim SE in v0.10.1, and had no effect for Skyrim SE in v0.10.0.
- Having more than ~ 100 plugins installed could make the sidebar's plugin list appear on top of dialogs.
- More UI text has been made available for translation.
- Tweak some text formatting to include more context for translators.
- Dirty plugin warning messages now distinguish between singular and plural forms for their ITM, deleted reference and deleted navmesh counts, to allow the construction of more grammatically-correct messages in English and other languages.
- The UI text for the metadata editor was always displayed in English even when LOOT was set to use another language, despite translations being available.
- It was possible to open the metadata editor during sorting by double-clicking a plugin in the sidebar.
- Removed a duplicate section in the documentation for editing metadata.

## 12.58 0.10.1 - 2016-11-12

### 12.58.1 Changed

- When saving a load order for Fallout 4 or Skyrim SE, the official plugins (including DLC plugins) are no longer written to `plugins.txt` to match game behaviour and improve interoperability with other modding utilities.
- LOOT now uses `Skyrim Special Edition` as the folder name for storing its Skyrim SE data, to mirror the game's own folder naming and improve interoperability with other modding utilities, and automatically renames any `SkyrimSE` folder created by LOOT v0.10.0.
- Updated Russian translation.
- Updated Chinese translation.

### 12.58.2 Fixed

- When saving a load order for Fallout 4 or Skyrim SE, the positions of official plugins (including DLC plugins) in `plugins.txt` are now ignored if they are present and a hardcoded order used instead. Note that there is a bug in Skyrim SE v1.2.39 that causes the DLC plugins to be loaded in timestamp order: this behaviour is ignored.
- If the LOOT installer installed the MSVC redistributable, the latter would silently force a restart, leading to possible data loss.
- It was possible to open the metadata editor between sorting and applying/cancelling a sorted load order, which would then cause an error when trying to close the editor. The editor is now correctly disabled during the sort process.

## 12.59 0.10.0 - 2016-11-06

### 12.59.1 Added

- Support for TES V: Skyrim Special Edition.
- Swedish translation by Mikael Hiort af Ornäs (Lakrits).
- More robust update checker, so now LOOT will notify users of an update without needing a masterlist to be present or for it to be updated for the new release, and will also detect when the user is using a non-release build with the same version number.

### 12.59.2 Changed

- LOOT now supports v0.10 of the metadata syntax. This breaks compatibility with existing syntax, which may cause existing user metadata to fail to load. See [the syntax version history](#) for the details.
- The Global Priority toggle button in the metadata editor has been replaced with an input field to reflect the change in syntax for global priorities.
- Added a “Clean Plugin Info” tab to the metadata editor, for editing metadata that identifies a plugin as being clean.
- Added a “Verified clean” icon to plugin cards that is displayed for plugins that are identified as clean.
- All operations triggered from the UI are now processed asynchronously, which may have a minor positive effect on perceived performance.
- Error messages displayed in dialog boxes no longer include an error code.
- Rewrote the documentation, which is now hosted online at [Read The Docs](#).
- Updated Simplified Chinese translation.
- Updated Russian translation.
- Updated German translation.
- Updated Danish translation.
- Updated CEF to 3.2840.1511.gb345083 and libgit2 to 0.24.2.

### 12.59.3 Fixed

- Cached plugin CRCs causing checksum conditions to always evaluate to false.
- Data being loaded twice when launching LOOT.
- Updating the masterlist when the user’s TEMP and TMP environmental variables point to a different drive than the one LOOT is installed on.
- Incorrect error message display when there was an issue during initialisation.
- Sidebar plugin load order indices not updating when sorting changed plugin positions.
- The “Has User Metadata” icon not displaying when priority metadata was changed.

## 12.60 0.9.2 - 2016-08-03

### 12.60.1 Added

- Theming support and the dark theme have been reimplemented and reintroduced.

- Plugin filename and Bash Tag name fields will now autocomplete in the metadata editor.
- The in-game load order indices of active plugins are now displayed in the sidebar.

### 12.60.2 Changed

- Most URLs now use HTTPS.
- The Danish and French translations have been updated.
- The CEF (3.2743.1442.ge29124d), libespm (2.5.5), Polymer (1.6.0) and Pseudosem (1.1.0) dependencies have been updated to the versions given in brackets.

### 12.60.3 Fixed

- Error when applying filters on startup.
- Hidden plugin and message counters not updating correctly after sorting.
- An error occurring when the user's temporary files directory didn't exist and updating the masterlist tried to create a directory there.
- The installer failing if LOOT was previously installed on a drive that no longer exists. The installer now always gives the option to change the default install path it selects.
- Startup errors being reported incorrectly and causing additional errors that prevented the user from being informed of the original issue.
- The metadata editor's CRC input field being too short to fully display its validation error message.
- Errors when reading some Oblivion plugins during sorting, including the official DLC.
- Some cases where LOOT would fail to start.
- The conflict filter not including the Unofficial Skyrim Legendary Edition Patch's plugin (and any other plugin that overrides a very large number of records) in results.
- The "not sorted" message reappearing if the load order was sorted twice in one session and cancelled the second time.
- Version numbers where a digit was immediately followed by a letter not being detected.

## 12.61 0.9.1 - 2016-06-23

### 12.61.1 Added

- Support for Fallout 4's Contraptions Workshop DLC, and the upcoming Vault-Tec Workshop and Nuka-World DLC. Support for the latter two is based on their probable but unconfirmed plugin names, which may be subject to change.

### 12.61.2 Changed

- The content refresh menu item is now disabled during sorting.
- The conflicts filter toggle buttons have been removed from the plugin card menus, and the filter re-implemented as a dropdown menu of plugin names in the Filters sidebar tab.
- Enabling the conflicts filter now scrolls to the target plugin, which is no longer highlighted with a blue border.
- The layout of the Filters sidebar tab has been improved.

- The CEF (3.2704.1427.g95055fe), and libloadorder (9.4.0) dependencies have been updated to the versions given in brackets.
- Some code has been refactored to improve its quality.

### 12.61.3 Removed

- Support for Windows Vista.

### 12.61.4 Fixed

- User dirty metadata being read-only in the metadata editor.
- LOOT incorrectly reading a tag with no name from plugin descriptions containing `{{BASH:}}`.

## 12.62 0.9.0 - 2016-05-21

### 12.62.1 Added

- Support for Fallout 4.
- A warning message is displayed in the General Information card if the user has not sorted their load order in the current LOOT session.
- An error message is displayed in the General Information card when a cyclic interaction sorting error is encountered, and remains there until sorting is next attempted.

### 12.62.2 Changed

- Improve sorting performance by only reading the header when loading game's main master file.
- References to "BSAs" have been replaced with the more generic "Archives" as Fallout 4's BSA equivalents use a different file extension.
- The sorting process now recognises when the sorted load order is identical to the existing load order and informs the user, avoiding unnecessary filesystem interaction.
- The metadata editor has been reimplemented as a single resizeable panel displayed below the plugin card list instead of a separate editor for each plugin card.
- Editable table styling has been improved to more closely align to the Material Design guidelines.
- Minor UI changes have been made to scrollbar and focus outline styling to improve accessibility.
- UI interaction performance has been improved, especially when scrolling the plugin card list.
- The PayPal donation link now points to the PayPal.Me service, which has a more polished UX and lower fees.
- LOOT's settings file handling has been reimplemented, fixing crashes due to invalid settings values and allowing missing settings to use their default values.
- Plugin version string extraction has been reimplemented, improving its accuracy and maintainability.
- Plugin CRC, file and version condition evaluation has been optimised to use cached data where it exists, avoiding unnecessary filesystem interaction.
- The French and Danish translations have been updated.
- The installer now only creates one shortcut for LOOT in the Start menu, following Microsoft guidelines.
- A lot of code has been refactored and improved to increase its quality.

- The Boost (1.60), CEF (3.2623.1401.gb90a3be), libespm (2.5.2), libgit2 (0.24.1), libloadorder (9.3.0) and Polymer (1.4) dependencies have been updated to the versions given in brackets.

### 12.62.3 Removed

- The Flattr donation link.
- The experimental theming support, as its implementation was incompatible with Polymer 1.2's styling mechanisms.

### 12.62.4 Fixed

- Redate Plugins attempted to redate plugins that were missing, causing an error.
- LOOT would not launch when run by a user with a non-ASCII local application data path.
- Sorting processed priority value inheritance throughout the load order incorrectly, leading to some plugins being positioned incorrectly.
- The conflict filter displayed only the target plugin when enabled for the first time in a session.
- The behaviour of the search functionality was inconsistent.
- Duplicate messages could be displayed under certain circumstances.
- Opening the metadata editor for one plugin displayed the metadata for another plugin under certain circumstances.
- Changing the current game quickly could leave the UI unresponsive.
- Applying a filter then scrolling the plugin card list would display some cards with no content.
- Plugin cards would disappear when jumping to a plugin card near the bottom of the load order using the sidebar.
- Clicking on a disabled element in a dropdown menu would cause the menu to close.
- The UI font size was too large, due to a misunderstanding of the Material Design guidelines.
- Attempting to build native Linux and 64-bit executables produced errors. Such builds are unsupported and no official builds are planned.

## 12.63 0.8.1 - 2015-09-27

### 12.63.1 Added

- Checks for safe file paths when parsing conditions.

### 12.63.2 Changed

- Updated Chinese translation.
- Updated Boost (1.59.0), libgit2 (0.23.2) and CEF (branch 2454) dependencies.

### 12.63.3 Fixed

- Crash when loading plugins due to lack of thread safety.
- The masterlist updater and validator not checking for valid condition and regex syntax.
- The masterlist updater not working correctly for Windows Vista users.

## 12.64 0.8.0 - 2015-07-22

### 12.64.1 Added

- Support for loading custom user interface themes, and added a dark theme.

### 12.64.2 Changed

- Improved detail of metadata syntax error messages.
- Improved plugin loading performance for computers with weaker multithreading capabilities (eg. non-hyperthreaded dual-core or single-core CPUs).
- LOOT no longer displays validity warnings for inactive plugins.
- LOOT now displays a more user-friendly error when a syntax error is encountered in an updated masterlist.
- Metadata syntax support changes, see the metadata syntax document for details.
- LOOT's installer now uses Inno Setup instead of NSIS.
- LOOT's installer now uninstalls previous versions of LOOT silently, preserving user data, instead of displaying the uninstaller UI.
- Updated German and Russian translations.
- Updated libgit2 to v0.23.0.

### 12.64.3 Fixed

- “Cannot read property ‘push’ of undefined” errors when sorting.
- Many miscellaneous bugs, including initialisation crashes and incorrect metadata input/output handling.
- Metadata editors not clearing unsaved edits when editing is cancelled.
- LOOT silently discarding some non-unique metadata: an error message will now be displayed when loading or attempting to apply such metadata.
- Userlist parsing errors being saved as general messages in the userlist.
- LOOT's version comparison behaviour for a wide variety of version string formats. This involved removing LOOT's usage of the Alphanum code library.

## 12.65 0.7.1 - 2015-06-22

### 12.65.1 Added

- Content search, accessible from an icon button in the header bar, and using the Ctrl-F keyboard shortcut.
- “Copy Load Order” feature to main menu.

### 12.65.2 Changed

- LOOT now uses versioned masterlists, so that new features can be used without breaking LOOT for users who haven't yet updated.
- Moved content filter into Filters sidebar tab. The Ctrl-F keyboard shortcut no longer focusses the content filter.
- Checkbox-toggled filters now have their last state restored on launch.
- Darkened background behind cards to increase contrast.

- Updated French translation.

### 12.65.3 Fixed

- LOOT UI opening in default browser on launch.
- “No existing load order position” errors when sorting.
- Message filters being ignored by plugin cards after navigating the list.
- Output of Bash Tag removal suggestions in userlists.
- Display of masterlist revisions where they were wrongly interpreted as numbers.

## 12.66 0.7.0 - 2015-05-20

### 12.66.1 Added

- Danish and Korean translations.
- If LOOT can’t detect any installed games, it now launches to the settings dialog, where the game settings can be edited to allow a game to be detected.
- A “Copy Content” item in the main menu, to copy the plugin list and all information it contains to the clipboard as YAML-formatted text.
- A “Refresh Content” item in the main menu, which re-scans plugin headers and updates LOOT’s content.
- LOOT is now built with High DPI display support.
- Masterlist updates can now be performed independently of sorting.
- A “First-Time Tips” dialog will be displayed on the first run of any particular version of LOOT.
- Attempting to close LOOT with an unapplied sorted load order or an open plugin editor will trigger a confirmation dialog.
- Support for GitHub Flavored Markdown in messages, minus features specific to the GitHub site, such as @mentions and emoji.
- Support for message content substitution metadata syntax in the masterlist.
- Display of LOOT’s build revision has been added to the “About” dialog.
- Plugin location metadata can now be added through the user interface.
- A content filter, which hides plugins that don’t have the filter text present in their filenames, versions, CRCs, Bash Tags or messages.

### 12.66.2 Changed

- New single-window HTML5-based interface and a new icon, based on Google’s Material Design.
  - LOOT now parses the masterlist and plugin headers on startup, and the resulting content is displayed with the plugins in their current load order.
  - Each plugin now has its own editor, and multiple editors can be opened at once.
  - Drag ‘n’ drop of plugins from the sidebar into metadata editor tables no longer requires the conflicts filter to be enabled.
  - CRCs are calculated during conflict filtering or sorting, so are not displayed until either process has been performed.

- The “View Debug Log” menu item has been replaced with a “Open Debug Log Location” menu item to make it easier to share the file itself.
  - Debug logging control has been simplified to enable/disable, replacing the “Debug Verbosity” setting with an “Enable Debug Logging” toggle.
  - Changes to game settings now take immediate effect.
  - Masterlist updating now exits earlier if the masterlist is already up-to-date.
  - Masterlist revisions are now displayed using the shortest unique substring that is at least 7 characters long.
  - Making edits to plugin metadata before applying a calculated load order no longer causes LOOT to recalculate the load order. Instead, the displayed load order is applied, and the metadata edits will be applied the next time sorting is performed.
  - All references to “UDRs” have been replaced by the more technically-correct “Deleted References” term.
  - The “Hide inactive plugin messages” filter has been replaced by a “Hide inactive plugins” filter.
  - Copied metadata is now wrapped in BBCode `[spoiler][code]...[/code][/spoiler]` tags for easier pasting into forum posts.
  - The Summary and General Messages cards have been combined into a General Information card.
- Sorting performance improvements.
  - Updated Boost (1.58.0), libgit2 (0.22.2) and libloadorder dependencies.

### 12.66.3 Removed

- Messages with multiple language strings can no longer be created through the user interface. User-added multiple-language messages will be converted to single-language strings if their plugin’s editor is opened then closed using the “OK” button.
- The “Copy Name” menu item has been removed, as plugin names can now be selected and copied using Ctrl-C.
- As LOOT no longer generates reports, it doesn’t save them either.

### 12.66.4 Fixed

- The `settings.yaml` included with the installer was very old.
- Inactive incompatibilities were displayed as error messages. They are now displayed as warnings.
- Masterlist entries that matched the same plugin were not being merged. Now one exact match and any number of regex matches will be merged.
- Masterlist updating failed when a fast-forward merge was not possible (eg. when remote has been rebased, or a different repository is used). Such cases are now handled by deleting the local repository and re-cloning the remote.
- Masterlist updating failed when the path to LOOT’s folder included a junction link.
- Masterlists would not ‘update’ to older revisions. This can be useful for testing, so now they can do so.
- Crashes when trying to read corrupt plugins and after masterlist update completion.
- LOOT would crash when trying to detect a game installed to a location in which the user does not have read permissions, now such games are treated as not being installed.
- Plugins with non-ASCII description text would cause `codecv` to `wstring` errors.
- LOOT would accept any file with a `.esp` or `.esm` extension as a plugin. It now checks more thoroughly, by attempting to parse such files’ headers.

- LOOT would only detect Skyrim plugins as loading BSAs. Plugins for the other games that also load BSAs are now correctly detected as such.
- Depending on the plugins involved, sorting could produce a different load order every time it was run. Sorting now produces unchanging load orders, using existing load order position where there is no reason to move a plugin.

## 12.67 0.6.1 - 2014-12-22

### 12.67.1 Added

- German translation.
- The Large Address Aware flag to the LOOT executable.

### 12.67.2 Changed

- Updated Boost (1.57.0), wxWidgets (3.0.2) and libloadorder (6.0.3) dependencies.
- The game menu is now updated when the settings window is exited with the “OK” button.
- Updated Russian translation.
- Updated Brazilian Portuguese translation.

### 12.67.3 Fixed

- Default Nehrim registry entry path.
- Messages in the wrong language being selected.
- LOOT windows opening off-screen if the screen area had been changed since last run.
- Read-only `.git` folders preventing repository deletion.
- Unnecessary plugins in cyclic dependency error messages.
- Bash Tag suggestions displaying incorrectly.
- The current game can no longer be deleted from the settings window.
- Plugin metadata being lost when the settings window was exited with the “OK” button, leading to possible condition evaluation issues.
- A blank report bug when running on systems which don't have Internet Explorer 11 installed.
- Reports appearing empty of all content when no global messages are to be displayed.

### 12.67.4 Security

- Updated libgit2 to 0.21.3, which includes a fix for a critical security vulnerability.

## 12.68 0.6.0 - 2014-07-05

### 12.68.1 Added

- Display of masterlist revision date in reports.
- Report filter for inactive plugin messages.
- The number of dirty plugins, active plugins and plugins in total to the report summary.

- A find dialog to the report viewer, initiated using the Ctrl-F keyboard shortcut.
- LOOT's windows now remember their last position and size.
- Command line parameter for selecting the game LOOT should run for.
- Finnish translation.

### 12.68.2 Changed

- Unified and improved the metadata editors launched during and outside of sorting.
  - The metadata editor now resizes more appropriately.
  - The mid-sorting instance hides the requirement, incompatibility, Bash Tags, dirty info and message lists.
  - Both instances now have a conflict filter, priority display in their plugin list and drag 'n' drop from the plugin list into whatever metadata lists are visible.
  - The mid-sorting instance also hides the load after entry edit button, and the button to add new entries (so drag 'n' drop is the only available method of adding entries).
  - The metadata editor now displays plugins with user edits using a tick beside their name, rather than bolding their name text.
  - Plugins that have been edited in the current instance have their list entry text bolded.
  - Checkboxes have been added to set whether or not a priority value is "global". The UI also now displays the priority value used in comparisons (ie. with the millions and higher digits omitted).
  - A right-click menu command for clearing all user-added metadata for all plugins has been added to the metadata editor.
- Missing master/requirement and incompatibility errors are downgraded to warnings if the plugin in question is inactive.
- Masterlist update errors have been made more user-friendly.
- If an error is encountered during masterlist update, LOOT will now silently delete the repository folder and attempt the update again. If it fails again, it will then report an error.
- Masterlist update now handles repository interaction a lot more like Git itself does, so should be less error-prone.
- Cyclic dependency error messages now detail the full cycle.
- LOOT's report now uses a static HTML file and generates a javascript file that is dynamically loaded to contain the report data. This removes the PugiXML build dependency.
- Debug log message priorities adjusted so that medium verbosity includes more useful data.
- Updated dependencies: libgit2 (v0.21.0), wxWidgets (v3.0.1), libloadorder (latest), libespm (latest).

### 12.68.3 Removed

- Support for Windows XP.
- Support for loading BOSS masterlists using the API. This was a leftover from when LOOT was BOSSv3 and backwards compatibility was an issue.
- The ability to open reports in an external browser. This was necessitated by the changes to report generation.
- The MSVC 2013 redistributable requirement.
- The "None Specified" language option is no longer available: English is the new default.

#### **12.68.4 Fixed**

- The uninstaller not removing the Git repositories used to update the masterlists.
- Miscellaneous crashes due to uncaught exceptions.
- Plugin priorities are now temporarily “inherited” during sorting so that a plugin with a low priority that is made via metadata to load after a plugin with a high priority doesn’t cause other plugins with lower priorities to be positioned incorrectly.
- The default language is now correctly set to English.
- Defaults for the online masterlist repository used for Nehrim.
- Endless sorting loop that occurred if some user metadata was disabled.

#### **12.69 0.5.0 - 2014-03-31**

- Initial release.



## COPYRIGHT NOTICE

LOOT and its API are distributed under the GNU General Public License v3.0. The documentation is distributed under the GNU Free Documentation License v1.3. The full texts of both licenses are included in *Copyright License Texts*.

While the GPL license allows anyone to make derivative works of LOOT, the LOOT Team encourages those thinking of doing so to first discuss their reasoning for such an endeavour with the Team. It may be that what the derivative work would do differently is already planned for a future version of LOOT or would be happily integrated into LOOT, thus avoiding any extra effort by others.

LOOT has been specifically designed to prevent it being locked into the LOOT Team's official masterlist repositories. Nevertheless, the LOOT Team appeals to the community to avoid the distribution of unofficial masterlists, as this would only hamper the effort to create one set of stores for load order information. Any issues with a masterlist are best brought to the attention of the LOOT Team so that they may be remedied.

GNU Free Documentation License Version 1.3 Notice:

Copyright (C) 2013–2026 The LOOT Contributors

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

A copy of the license is included in *Copyright License Texts*.



## COPYRIGHT LICENSE TEXTS

### Contents

- *Copyright License Texts*
  - *Boost*
  - *LOOT, libloot, OGDF & Qt*
  - *LOOT Documentation*
  - *LOOT Masterlists & Translations*
  - *Material Icons*
  - *spdlog*
  - *toml++*
  - *ValveFileVDF*

### 14.1 Boost

Boost Software License - Version 1.0 - August 17th, 2003

Permission **is** hereby granted, free of charge, to **any** person **or** organization obtaining a copy of the software **and** accompanying documentation covered by this license (the "**Software**") to use, reproduce, display, distribute, execute, **and** transmit the Software, **and** to prepare derivative works of the Software, **and** to permit third-parties to whom the Software **is** furnished to do so, **all** subject to the following:

The copyright notices **in** the Software **and** this entire statement, including the above license grant, this restriction **and** the following disclaimer, must be included **in all** copies of the Software, **in whole or in part, and all** derivative works of the Software, unless such copies **or** derivative works are solely **in** the form of machine-executable **object** code generated by a source language processor.

THE SOFTWARE IS PROVIDED "**AS IS**", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT

(continues on next page)

(continued from previous page)

SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 14.2 LOOT, libloot, OGDF & Qt

### GNU GENERAL PUBLIC LICENSE Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone **is** permitted to copy **and** distribute verbatim copies  
of this license document, but changing it **is not** allowed.

#### Preamble

The GNU General Public License **is** a free, copyleft license **for**  
software **and** other kinds of works.

The licenses **for** most software **and** other practical works are designed  
to take away your freedom to share **and** change the works. By contrast,  
the GNU General Public License **is** intended to guarantee your freedom to  
share **and** change **all** versions of a program--to make sure it remains free  
software **for** **all** its users. We, the Free Software Foundation, use the  
GNU General Public License **for** most of our software; it applies also to  
**any** other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, **not**  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (**and** charge **for**  
them **if** you wish), that you receive source code **or** can get it **if** you  
want it, that you can change the software **or** use pieces of it **in** new  
free programs, **and** that you know you can do these things.

To protect your rights, we need to prevent others **from denying** you  
these rights **or** asking you to surrender the rights. Therefore, you have  
certain responsibilities **if** you distribute copies of the software, **or if**  
you modify it: responsibilities to respect the freedom of others.

For example, **if** you distribute copies of such a program, whether  
gratis **or for** a fee, you must **pass** on to the recipients the same  
freedoms that you received. You must make sure that they, too, receive  
**or** can get the source code. And you must show them these terms so they  
know their rights.

Developers that use the GNU GPL protect your rights **with** two steps:  
(1) **assert** copyright on the software, **and** (2) offer you this License

(continues on next page)

(continued from previous page)

giving you legal permission to copy, distribute **and/or** modify it.

For the developers' **and authors'** protection, the GPL clearly explains that there **is** no warranty **for** this free software. For both users' **and authors' sake**, the GPL requires that modified versions be marked as changed, so that their problems will **not** be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install **or** run modified versions of the software inside them, although the manufacturer can do so. This **is** fundamentally incompatible **with** the aim of protecting users' **freedom to change the software**. The systematic pattern of such abuse occurs **in** the area of products **for** individuals to use, which **is** precisely where it **is** most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice **for** those products. If such problems arise substantially **in** other domains, we stand ready to extend this provision to those domains **in** future versions of the GPL, **as** needed to protect the freedom of users.

Finally, every program **is** threatened constantly by software patents. States should **not** allow patents to restrict development **and** use of software on general-purpose computers, but **in** those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms **and** conditions **for** copying, distribution **and** modification follow.

#### TERMS AND CONDITIONS

##### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such **as** semiconductor masks.

"The Program" refers to **any** copyrightable work licensed under this License. Each licensee **is** addressed **as** "you". "Licensees" **and** "recipients" may be individuals **or** organizations.

To "modify" a work means to copy **from or** adapt **all or** part of the work **in** a fashion requiring copyright permission, other than the making of an exact copy. The resulting work **is** called a "modified version" of the earlier work **or** a work "based on" the earlier work.

A "covered work" means either the unmodified Program **or** a work based on the Program.

To "propagate" a work means to do anything **with** it that, without permission, would make you directly **or** secondarily liable **for**

(continues on next page)

(continued from previous page)

infringement under applicable copyright law, **except** executing it on a computer **or** modifying a private copy. Propagation includes copying, distribution (**with or** without modification), making available to the public, **and in** some countries other activities **as** well.

To "**convey**" a work means **any** kind of propagation that enables other parties to make **or** receive copies. Mere interaction **with** a user through a computer network, **with** no transfer of a copy, **is not** conveying.

An interactive user interface displays "**Appropriate Legal Notices**" to the extent that it includes a convenient **and** prominently visible feature that (1) displays an appropriate copyright notice, **and** (2) tells the user that there **is** no warranty **for** the work (**except** to the extent that warranties are provided), that licensees may convey the work under this License, **and** how to view a copy of this License. If the interface presents a **list** of user commands **or** options, such **as** a menu, a prominent item **in** the **list** meets this criterion.

#### 1. Source Code.

The "**source code**" **for** a work means the preferred form of the work **for** making modifications to it. "**Object code**" means **any** non-source form of a work.

A "**Standard Interface**" means an interface that either **is** an official standard defined by a recognized standards body, **or, in** the case of interfaces specified **for** a particular programming language, one that **is** widely used among developers working **in** that language.

The "**System Libraries**" of an executable work include anything, other than the work **as** a whole, that (a) **is** included **in** the normal form of packaging a Major Component, but which **is not** part of that Major Component, **and** (b) serves only to enable use of the work **with** that Major Component, **or** to implement a Standard Interface **for** which an implementation **is** available to the public **in** source code form. A "**Major Component**", **in** this context, means a major essential component (kernel, window system, **and** so on) of the specific operating system (**if any**) on which the executable work runs, **or** a compiler used to produce the work, **or** an **object** code interpreter used to run it.

The "**Corresponding Source**" **for** a work **in object** code form means **all** the source code needed to generate, install, **and** (**for** an executable work) run the **object** code **and** to modify the work, including scripts to control those activities. However, it does **not** include the work's System Libraries, **or** general-purpose tools **or** generally available free programs which are used unmodified **in** performing those activities but which are **not** part of the work. For example, Corresponding Source includes interface definition files associated **with** source files **for** the work, **and** the source code **for** shared libraries **and** dynamically linked subprograms that the work **is** specifically designed to require, such **as** by intimate data communication **or** control flow between those subprograms **and** other parts of the work.

(continues on next page)

(continued from previous page)

The Corresponding Source need **not** include anything that users can regenerate automatically **from other** parts of the Corresponding Source.

The Corresponding Source **for** a work **in** source code form **is** that same work.

## 2. Basic Permissions.

All rights granted under this License are granted **for** the term of copyright on the Program, **and** are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output **from running** a covered work **is** covered by this License only **if** the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use **or** other equivalent, **as** provided by copyright law.

You may make, run **and** propagate covered works that you do **not** convey, without conditions so long **as** your license otherwise remains **in** force. You may convey covered works to others **for** the sole purpose of having them make modifications exclusively **for** you, **or** provide you **with** facilities **for** running those works, provided that you comply **with** the terms of this License **in** conveying **all** material **for** which you do **not** control copyright. Those thus making **or** running the covered works **for** you must do so exclusively on your behalf, under your direction **and** control, on terms that prohibit them **from making any** copies of your copyrighted material outside their relationship **with** you.

Conveying under **any** other circumstances **is** permitted solely under the conditions stated below. Sublicensing **is not** allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under **any** applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, **or** similar laws prohibiting **or** restricting circumvention of such measures.

When you convey a covered work, you waive **any** legal power to forbid circumvention of technological measures to the extent such circumvention **is** effected by exercising rights under this License **with** respect to the covered work, **and** you disclaim **any** intention to limit operation **or** modification of the work **as** a means of enforcing, against the work's users, your **or** third parties' **legal rights to forbid circumvention of** technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's **source code as you**

(continues on next page)

(continued from previous page)

receive it, **in any** medium, provided that you conspicuously **and** appropriately publish on each copy an appropriate copyright notice; keep intact **all** notices stating that this License **and any** non-permissive terms added **in** accord **with** section 7 apply to the code; keep intact **all** notices of the absence of **any** warranty; **and** give **all** recipients a copy of this License along **with** the Program.

You may charge **any** price **or** no price **for** each copy that you convey, **and** you may offer support **or** warranty protection **for** a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, **or** the modifications to produce it **from the** Program, **in** the form of source code under the terms of section 4, provided that you also meet **all** of these conditions:

a) The work must carry prominent notices stating that you modified it, **and** giving a relevant date.

b) The work must carry prominent notices stating that it **is** released under this License **and any** conditions added under section 7. This requirement modifies the requirement **in** section 4 to "**keep intact all notices**".

c) You must license the entire work, **as** a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along **with any** applicable section 7 additional terms, to the whole of the work, **and all** its parts, regardless of how they are packaged. This License gives no permission to license the work **in any** other way, but it does **not** invalidate such permission **if** you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, **if** the Program has interactive interfaces that do **not** display Appropriate Legal Notices, your work need **not** make them do so.

A compilation of a covered work **with** other separate **and** independent works, which are **not** by their nature extensions of the covered work, **and** which are **not** combined **with** it such **as** to form a larger program, **in or** on a volume of a storage **or** distribution medium, **is** called an "**aggregate**" **if** the compilation **and** its resulting copyright are **not** used to limit the access **or** legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work **in** an aggregate does **not** cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work **in object** code form under the terms of sections 4 **and** 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License,

(continues on next page)

(continued from previous page)

in one of these ways:

- a) Convey the **object** code **in, or** embodied **in**, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used **for** software interchange.
- b) Convey the **object** code **in, or** embodied **in**, a physical product (including a physical distribution medium), accompanied by a written offer, valid **for** at least three years **and** valid **for as long as** you offer spare parts **or** customer support **for** that product model, to give anyone who possesses the **object** code either (1) a copy of the Corresponding Source **for all** the software **in** the product that **is** covered by this License, on a durable physical medium customarily used **for** software interchange, **for** a price no more than your reasonable cost of physically performing this conveying of source, **or** (2) access to copy the Corresponding Source **from a** network server at no charge.
- c) Convey individual copies of the **object** code **with** a copy of the written offer to provide the Corresponding Source. This alternative **is** allowed only occasionally **and** noncommercially, **and** only **if** you received the **object** code **with** such an offer, **in** accord **with** subsection 6b.
- d) Convey the **object** code by offering access **from a** designated place (gratis **or for** a charge), **and** offer equivalent access to the Corresponding Source **in** the same way through the same place at no further charge. You need **not** require recipients to copy the Corresponding Source along **with** the **object** code. If the place to copy the **object** code **is** a network server, the Corresponding Source may be on a different server (operated by you **or** a third party) that supports equivalent copying facilities, provided you maintain clear directions **next** to the **object** code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it **is** available **for as long as** needed to satisfy these requirements.
- e) Convey the **object** code using peer-to-peer transmission, provided you inform other peers where the **object** code **and** Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the **object** code, whose source code **is** excluded **from the** Corresponding Source **as** a System Library, need **not** be included **in** conveying the **object** code work.

A "User Product" **is** either (1) a "consumer product", which means **any** tangible personal **property** which **is** normally used **for** personal, family, **or** household purposes, **or** (2) anything designed **or** sold **for** incorporation into a dwelling. In determining whether a product **is** a consumer product, doubtful cases shall be resolved **in** favor of coverage. For a particular

(continues on next page)

(continued from previous page)

product received by a particular user, "normally used" refers to a typical **or** common use of that **class of** product, regardless of the status of the particular user **or** of the way **in** which the particular user actually uses, **or** expects **or is** expected to use, the product. A product **is** a consumer product regardless of whether the product has substantial commercial, industrial **or** non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" **for** a User Product means **any** methods, procedures, authorization keys, **or** other information required to install **and** execute modified versions of a covered work **in** that User Product **from** a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified **object** code **is in** no case prevented **or** interfered **with** solely because modification has been made.

If you convey an **object** code work under this section **in, or with, or** specifically **for** use **in**, a User Product, **and** the conveying occurs **as** part of a transaction **in** which the right of possession **and** use of the User Product **is** transferred to the recipient **in** perpetuity **or for** a fixed term (regardless of how the transaction **is** characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does **not** apply **if** neither you nor **any** third party retains the ability to install modified **object** code on the User Product (**for** example, the work has been installed **in** ROM).

The requirement to provide Installation Information does **not** include a requirement to **continue** to provide support service, warranty, **or** updates **for** a work that has been modified **or** installed by the recipient, **or for** the User Product **in** which it has been modified **or** installed. Access to a network may be denied when the modification itself materially **and** adversely affects the operation of the network **or** violates the rules **and** protocols **for** communication across the network.

Corresponding Source conveyed, **and** Installation Information provided, **in** accord **with** this section must be **in** a **format** that **is** publicly documented (**and with** an implementation available to the public **in** source code form), **and** must require no special password **or** key **for** unpacking, reading **or** copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions **from one or** more of its conditions. Additional permissions that are applicable to the entire Program shall be treated **as** though they were included **in** this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

(continues on next page)

(continued from previous page)

When you convey a copy of a covered work, you may at your option remove **any** additional permissions **from that** copy, **or from any** part of it. (Additional permissions may be written to require their own removal **in** certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, **for** which you have **or** can give appropriate copyright permission.

Notwithstanding **any** other provision of this License, **for** material you add to a covered work, you may (**if** authorized by the copyright holders of that material) supplement the terms of this License **with** terms:

- a) Disclaiming warranty **or** limiting liability differently **from the** terms of sections **15 and 16** of this License; **or**
- b) Requiring preservation of specified reasonable legal notices **or** author attributions **in** that material **or in** the Appropriate Legal Notices displayed by works containing it; **or**
- c) Prohibiting misrepresentation of the origin of that material, **or** requiring that modified versions of such material be marked **in** reasonable ways **as** different **from the** original version; **or**
- d) Limiting the use **for** publicity purposes of names of licensors **or** authors of the material; **or**
- e) Declining to grant rights under trademark law **for** use of some trade names, trademarks, **or** service marks; **or**
- f) Requiring indemnification of licensors **and** authors of that material by anyone who conveys the material (**or** modified versions of it) **with** contractual assumptions of liability to the recipient, **for any** liability that these contractual assumptions directly impose on those licensors **and** authors.

All other non-permissive additional terms are considered "**further restrictions**" **within the meaning of section 10**. If the Program as you received it, **or any** part of it, contains a notice stating that it **is** governed by this License along **with** a term that **is** a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing **or** conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does **not** survive such relicensing **or** conveying.

If you add terms to a covered work **in** accord **with** this section, you must place, **in** the relevant source files, a statement of the additional terms that apply to those files, **or** a notice indicating where to find the applicable terms.

Additional terms, permissive **or** non-permissive, may be stated **in** the form of a separately written license, **or** stated **as** exceptions; the above requirements apply either way.

(continues on next page)

## 8. Termination.

You may **not** propagate **or** modify a covered work **except as** expressly provided under this License. Any attempt otherwise to propagate **or** modify it **is** void, **and** will automatically terminate your rights under this License (including **any** patent licenses granted under the third paragraph of section 11).

However, **if** you cease **all** violation of this License, then your license **from a** particular copyright holder **is** reinstated (a) provisionally, unless **and** until the copyright holder explicitly **and finally** terminates your license, **and** (b) permanently, **if** the copyright holder fails to notify you of the violation by some reasonable means prior to **60** days after the cessation.

Moreover, your license **from a** particular copyright holder **is** reinstated permanently **if** the copyright holder notifies you of the violation by some reasonable means, this **is** the first time you have received notice of violation of this License (**for any** work) **from that** copyright holder, **and** you cure the violation prior to **30** days after your receipt of the notice.

Termination of your rights under this section does **not** terminate the licenses of parties who have received copies **or** rights **from you** under this License. If your rights have been terminated **and not** permanently reinstated, you do **not** qualify to receive new licenses **for** the same material under section 10.

## 9. Acceptance Not Required **for** Having Copies.

You are **not** required to accept this License **in** order to receive **or** run a copy of the Program. Ancillary propagation of a covered work occurring solely **as** a consequence of using peer-to-peer transmission to receive a copy likewise does **not** require acceptance. However, nothing other than this License grants you permission to propagate **or** modify **any** covered work. These actions infringe copyright **if** you do **not** accept this License. Therefore, by modifying **or** propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license **from the** original licensors, to run, modify **and** propagate that work, subject to this License. You are **not** responsible **for** enforcing compliance by third parties **with** this License.

An "**entity transaction**" **is** a transaction transferring control of an organization, **or** substantially **all** assets of one, **or** subdividing an organization, **or** merging organizations. If propagation of a covered work results **from an** entity transaction, each party to that transaction who receives a copy of the work also receives whatever

licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that

(continues on next page)

(continued from previous page)

country that you have reason to believe are valid.

If, pursuant to **or in** connection **with** a single transaction **or** arrangement, you convey, **or** propagate by procuring conveyance of, a covered work, **and** grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify **or** convey a specific copy of the covered work, then the patent license you grant **is** automatically extended to **all** recipients of the covered work **and** works based on it.

A patent license **is** "discriminatory" **if** it does **not** include within the scope of its coverage, prohibits the exercise of, **or is** conditioned on the non-exercise of one **or** more of the rights that are specifically granted under this License. You may **not** convey a covered work **if** you are a party to an arrangement **with** a third party that **is in** the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, **and** under which the third party grants, to **any** of the parties who would receive the covered work **from you**, a discriminatory patent license (a) **in** connection **with** copies of the covered work conveyed by you (**or** copies made **from those** copies), **or** (b) primarily **for and in** connection **with** specific products **or** compilations that contain the covered work, unless you entered into that arrangement, **or** that patent license was granted, prior to 28 March 2007.

Nothing **in** this License shall be construed **as** excluding **or** limiting **any** implied license **or** other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement **or** otherwise) that contradict the conditions of this License, they do **not** excuse you **from the** conditions of this License. If you cannot convey a covered work so **as** to satisfy simultaneously your obligations under this License **and any** other pertinent obligations, then **as** a consequence you may **not** convey it at **all**. For example, **if** you agree to terms that obligate you to collect a royalty **for** further conveying **from those** to whom you convey the Program, the only way you could satisfy both those terms **and** this License would be to refrain entirely **from conveying** the Program.

#### 13. Use **with** the GNU Affero General Public License.

Notwithstanding **any** other provision of this License, you have permission to link **or** combine **any** covered work **with** a work licensed under version 3 of the GNU Affero General Public License into a single combined work, **and** to convey the resulting work. The terms of this License will **continue** to apply to the part which **is** the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination **as** such.

(continues on next page)

(continued from previous page)

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised **and/or** new versions of the GNU General Public License **from time** to time. Such new versions will be similar **in** spirit to the present version, but may differ **in** detail to address new problems **or** concerns.

Each version **is** given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "**or any later version**" applies to it, you have the option of following the terms **and** conditions either of that numbered version **or** of **any** later version published by the Free Software Foundation. If the Program does **not** specify a version number of the GNU General Public License, you may choose **any** version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version **for** the Program.

Later license versions may give you additional **or** different permissions. However, no additional obligations are imposed on **any** author **or** copyright holder **as** a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "**AS IS**" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty **and** limitation of liability provided

(continues on next page)

(continued from previous page)

above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

## 14.3 LOOT Documentation

GNU Free Documentation License  
Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.  
<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

### 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a

(continues on next page)

(continued from previous page)

world-wide, royalty-free license, unlimited **in** duration, to use that work under the conditions stated herein. The "Document", below, refers to **any** such manual **or** work. Any member of the public **is** a licensee, **and is** addressed **as** "you". You accept the license **if** you copy, modify **or** distribute the work **in** a way requiring permission under copyright law.

A "Modified Version" of the Document means **any** work containing the Document **or** a portion of it, either copied verbatim, **or with** modifications **and/or** translated into another language.

A "Secondary Section" **is** a named appendix **or** a front-matter section of the Document that deals exclusively **with** the relationship of the publishers **or** authors of the Document to the Document's **overall** subject (**or** to related matters) **and** contains nothing that could fall directly within that overall subject. (Thus, **if** the Document **is in** part a textbook of mathematics, a Secondary Section may **not** explain **any** mathematics.) The relationship could be a matter of historical connection **with** the subject **or with** related matters, **or** of legal, commercial, philosophical, ethical **or** political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, **as** being those of Invariant Sections, **in** the notice that says that the Document **is** released under this License. If a section does **not** fit the above definition of Secondary then it **is not** allowed to be designated **as** Invariant. The Document may contain zero Invariant Sections. If the Document does **not** identify **any** Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, **as** Front-Cover Texts **or** Back-Cover Texts, **in** the notice that says that the Document **is** released under this License. A Front-Cover Text may be at most 5 words, **and** a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented **in** a **format** whose specification **is** available to the general public, that **is** suitable **for** revising the document straightforwardly **with** generic text editors **or** (**for** images composed of pixels) generic paint programs **or** (**for** drawings) some widely available drawing editor, **and** that **is** suitable **for input** to text formatters **or for** automatic translation to a variety of formats suitable **for input** to text formatters. A copy made **in** an otherwise Transparent file **format** whose markup, **or** absence of markup, has been arranged to thwart **or** discourage subsequent modification by readers **is not** Transparent. An image **format is not** Transparent **if** used **for any** substantial amount of text. A copy that **is not** "Transparent" **is** called "Opaque".

Examples of suitable formats **for** Transparent copies include plain ASCII without markup, Texinfo **input format**, LaTeX **input format**, SGML **or** XML using a publicly available DTD, **and** standard-conforming simple HTML, PostScript **or** PDF designed **for** human modification. Examples of

(continues on next page)

(continued from previous page)

transparent image formats include PNG, XCF **and** JPG. Opaque formats include proprietary formats that can be read **and** edited only by proprietary word processors, SGML **or** XML **for** which the DTD **and/or** processing tools are **not** generally available, **and** the machine-generated HTML, PostScript **or** PDF produced by some word processors **for** output purposes only.

The "Title Page" means, **for** a printed book, the title page itself, plus such following pages **as** are needed to hold, legibly, the material this License requires to appear **in** the title page. For works **in** formats which do **not** have any title page **as** such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person **or** entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either **is** precisely XYZ **or** contains XYZ **in** parentheses following text that translates XYZ **in** another language. (Here XYZ stands **for** a specific section name mentioned below, such **as** "Acknowledgements", "Dedications", "Endorsements", **or** "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers **next** to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference **in** this License, but only **as** regards disclaiming warranties: any other implication that these Warranty Disclaimers may have **is** void **and** has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy **and** distribute the Document **in** any medium, either commercially **or** noncommercially, provided that this License, the copyright notices, **and** the license notice saying this License applies to the Document are reproduced **in** all copies, **and** that you add no other conditions whatsoever to those of this License. You may **not** use technical measures to obstruct **or** control the reading **or** further copying of the copies you make **or** distribute. However, you may accept compensation **in** exchange **for** copies. If you distribute a large enough number of copies you must also follow the conditions **in** section 3.

You may also lend copies, under the same conditions stated above, **and** you may publicly display copies.

## 3. COPYING IN QUANTITY

If you publish printed copies (**or** copies **in** media that commonly have printed covers) of the Document, numbering more than 100, **and** the

(continues on next page)

(continued from previous page)

Document's license notice requires Cover Texts, you must enclose the copies **in** covers that carry, clearly **and** legibly, **all** these Cover Texts: Front-Cover Texts on the front cover, **and** Back-Cover Texts on the back cover. Both covers must also clearly **and** legibly identify you **as** the publisher of these copies. The front cover must present the full title **with all** words of the title equally prominent **and** visible. You may add other material on the covers **in** addition. Copying **with** changes limited to the covers, **as long as** they preserve the title of the Document **and** satisfy these conditions, can be treated **as** verbatim copying **in** other respects.

If the required texts **for** either cover are too voluminous to fit legibly, you should put the first ones listed (**as many as** fit reasonably) on the actual cover, **and continue** the rest onto adjacent pages.

If you publish **or** distribute Opaque copies of the Document numbering more than **100**, you must either include a machine-readable Transparent copy along **with** each Opaque copy, **or** state **in or with** each Opaque copy a computer-network location **from which** the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies **in** quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly **or** through your agents **or** retailers) of that edition to the public.

It **is** requested, but **not** required, that you contact the authors of the Document well before redistributing **any** large number of copies, to give them a chance to provide you **with** an updated version of the Document.

#### 4. MODIFICATIONS

You may copy **and** distribute a Modified Version of the Document under the conditions of sections **2 and 3** above, provided that you release the Modified Version under precisely this License, **with** the Modified Version filling the role of the Document, thus licensing distribution **and** modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things **in** the Modified Version:

- A. Use **in** the Title Page (**and** on the covers, **if any**) a title distinct **from that** of the Document, **and from those** of previous versions (which should, **if there were any**, be listed **in** the History section of the Document). You may use the same title **as** a previous version **if** the original publisher of that version gives permission.
- B. List on the Title Page, **as** authors, one **or** more persons **or** entities responsible **for** authorship of the modifications **in** the Modified Version, together **with** at least five of the principal authors of the

(continues on next page)

(continued from previous page)

- Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
  - D. Preserve all the copyright notices of the Document.
  - E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
  - F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
  - G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
  - H. Include an unaltered copy of this License.
  - I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
  - J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
  - K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
  - L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
  - M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
  - N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
  - O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

(continues on next page)

(continued from previous page)

You may add a passage of up to five words **as** a Front-Cover Text, **and** a passage of up to 25 words **as** a Back-Cover Text, to the end of the **list** of Cover Texts **in** the Modified Version. Only one passage of Front-Cover Text **and** one of Back-Cover Text may be added by (**or** through arrangements made by) **any** one entity. If the Document already includes a cover text **for** the same cover, previously added by you **or** by arrangement made by the same entity you are acting on behalf of, you may **not** add another; but you may replace the old one, on explicit permission **from the** previous publisher that added the old one.

The author(s) **and** publisher(s) of the Document do **not** by this License give permission to use their names **for** publicity **for or** to **assert or** imply endorsement of **any** Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document **with** other documents released under this License, under the terms defined **in** section 4 above **for** modified versions, provided that you include **in** the combination **all** of the Invariant Sections of **all** of the original documents, unmodified, **and list** them **all as** Invariant Sections of your combined work **in** its license notice, **and** that you preserve **all** their Warranty Disclaimers.

The combined work need only contain one copy of this License, **and** multiple identical Invariant Sections may be replaced **with** a single copy. If there are multiple Invariant Sections **with** the same name but different contents, make the title of each such section unique by adding at the end of it, **in** parentheses, the name of the original author **or** publisher of that section **if** known, **or else** a unique number. Make the same adjustment to the section titles **in** the **list** of Invariant Sections **in** the license notice of the combined work.

In the combination, you must combine **any** sections Entitled "History" **in** the various original documents, forming one section Entitled "History"; likewise combine **any** sections Entitled "Acknowledgements", **and any** sections Entitled "Dedications". You must delete **all** sections Entitled "Endorsements".

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document **and** other documents released under this License, **and** replace the individual copies of this License **in** the various documents **with** a single copy that **is** included **in** the collection, provided that you follow the rules of this License **for** verbatim copying of each of the documents **in all** other respects.

You may extract a single document **from such** a collection, **and** distribute it individually under this License, provided you insert a

(continues on next page)

copy of this License into the extracted document, **and** follow this License **in all** other respects regarding verbatim copying of that document.

#### 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document **or** its derivatives **with** other separate **and** independent documents **or** works, **in or** on a volume of a storage **or** distribution medium, **is** called an "aggregate" **if** the copyright resulting **from the** compilation **is not** used to limit the legal rights of the compilation's users **beyond what the individual works permit**. When the Document **is** included **in** an aggregate, this License does **not** apply to the other works **in** the aggregate which are **not** themselves derivative works of the Document.

If the Cover Text requirement of section 3 **is** applicable to these copies of the Document, then **if** the Document **is** less than one half of the entire aggregate, the Document's Cover Texts **may be placed on** covers that bracket the Document within the aggregate, **or** the electronic equivalent of covers **if** the Document **is in** electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

#### 8. TRANSLATION

Translation **is** considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections **with** translations requires special permission **from their** copyright holders, but you may include translations of some **or all** Invariant Sections **in** addition to the original versions of these Invariant Sections. You may include a translation of this License, **and all** the license notices **in** the Document, **and any** Warranty Disclaimers, provided that you also include the original English version of this License **and** the original versions of those notices **and** disclaimers. In case of a disagreement between the translation **and** the original version of this License **or** a notice **or** disclaimer, the original version will prevail.

If a section **in** the Document **is** Entitled "Acknowledgements", "Dedications", **or** "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

#### 9. TERMINATION

You may **not** copy, modify, sublicense, **or** distribute the Document **except as** expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, **or** distribute it **is** void, **and** will automatically terminate your rights under this License.

(continued from previous page)

However, **if** you cease **all** violation of this License, then your license **from a** particular copyright holder **is** reinstated (a) provisionally, unless **and** until the copyright holder explicitly **and finally** terminates your license, **and** (b) permanently, **if** the copyright holder fails to notify you of the violation by some reasonable means prior to **60** days after the cessation.

Moreover, your license **from a** particular copyright holder **is** reinstated permanently **if** the copyright holder notifies you of the violation by some reasonable means, this **is** the first time you have received notice of violation of this License (**for any work**) **from that** copyright holder, **and** you cure the violation prior to **30** days after your receipt of the notice.

Termination of your rights under this section does **not** terminate the licenses of parties who have received copies **or** rights **from you** under this License. If your rights have been terminated **and not** permanently reinstated, receipt of a copy of some **or all** of the same material does **not** give you **any** rights to use it.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License **from time** to time. Such new versions will be similar **in** spirit to the present version, but may differ **in** detail to address new problems **or** concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License **is** given a distinguishing version number. If the Document specifies that a particular numbered version of this License "**or any later version**" applies to it, you have the option of following the terms **and** conditions either of that specified version **or** of **any** later version that has been published (**not as** a draft) by the Free Software Foundation. If the Document does **not** specify a version number of this License, you may choose **any** version ever published (**not as** a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's **public statement of acceptance of a** version permanently authorizes you to choose that version **for** the Document.

## 11. RELICENSING

"Massive Multiauthor Collaboration Site" (**or "MMC Site"**) means **any** World Wide Web server that publishes copyrightable works **and** also provides prominent facilities **for** anybody to edit those works. A public wiki that anybody can edit **is** an example of such a server. A "Massive Multiauthor Collaboration" (**or "MMC"**) contained **in** the site means **any set** of copyrightable works thus published on the MMC site.

(continues on next page)

(continued from previous page)

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a **not-for-profit** corporation **with** a principal place of business **in** San Francisco, California, **as well as** future copyleft versions of that license published by that same organization.

"Incorporate" means to publish **or** republish a Document, **in whole or in part, as** part of another Document.

An MMC **is "eligible for relicensing" if it is** licensed under this License, **and if all** works that were first published under this License somewhere other than this MMC, **and** subsequently incorporated **in whole or in part** into the MMC, (1) had no cover texts **or** invariant sections, **and** (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained **in** the site under CC-BY-SA on the same site at **any** time before August 1, 2009, provided the MMC **is** eligible **for** relicensing.

## 14.4 LOOT Masterlists & Translations

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright **and** Related Rights (defined below) upon the creator **and** subsequent owner(s) (each **and** all, an "owner") of an original work of authorship **and/or** a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work **for** the purpose of contributing to a commons of creative, cultural **and** scientific works ("Commons") that the public can reliably **and** without fear of later claims of infringement build upon, modify, incorporate **in** other works, reuse **and** redistribute **as freely as possible in any** form whatsoever **and for any** purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture **and** the further production of creative, cultural **and** scientific works, **or** to gain reputation **or** greater distribution **for** their Work **in** part through the use **and** efforts of others.

(continues on next page)

(continued from previous page)

For these **and/or** other purposes **and** motivations, **and** without **any** expectation of additional consideration **or** compensation, the person associating CC0 **with** a Work (the "Affirmer"), to the extent that he **or** she **is** an owner of Copyright **and** Related Rights **in** the Work, voluntarily elects to apply CC0 to the Work **and** publicly distribute the Work under its terms, **with** knowledge of his **or** her Copyright **and** Related Rights **in** the Work **and** the meaning **and** intended legal effect of CC0 on those rights.

1. Copyright **and** Related Rights. A Work made available under CC0 may be protected by copyright **and** related **or** neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, **and** translate a Work;
- ii. moral rights retained by the original author(s) **and/or** performer(s);
- iii. publicity **and** privacy rights pertaining to a person's image **or** likeness depicted **in** a Work;
- iv. rights protecting against unfair competition **in** regards to a Work, subject to the limitations **in** paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use **and** reuse of data **in** a Work;
- vi. database rights (such **as** those arising under Directive 96/9/EC of the European Parliament **and** of the Council of 11 March 1996 on the legal protection of databases, **and** under **any** national implementation thereof, including **any** amended **or** successor version of such directive); **and**
- vii. other similar, equivalent **or** corresponding rights throughout the world based on applicable law **or** treaty, **and** **any** national implementations thereof.

2. Waiver. To the greatest extent permitted by, but **not in** contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably **and** unconditionally waives, abandons, **and** surrenders **all** of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known **or** unknown (including existing **as well as** future claims **and** causes of action), **in** the Work (i) **in all** territories worldwide, (ii) **for** the maximum duration provided by applicable law **or** treaty (including future time extensions), (iii) **in any** current **or** future medium **and for any** number of copies, **and** (iv) **for any** purpose whatsoever, including without limitation commercial, advertising **or** promotional purposes (the "Waiver"). Affirmer makes the Waiver **for** the benefit of each member of the public at large **and** to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall **not** be subject to revocation, rescission, cancellation, termination, **or any** other legal **or** equitable action to disrupt the quiet enjoyment of the Work by the public **as** contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should **any** part of the Waiver **for any** reason be judged legally invalid **or** ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into

(continues on next page)

(continued from previous page)

account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver **is** so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable **and** unconditional license to exercise Affirmer's Copyright and Related Rights **in** the Work (i) **in all** territories worldwide, (ii) **for** the maximum duration provided by applicable law **or** treaty (including future time extensions), (iii) **in any current or** future medium **and for any** number of copies, **and** (iv) **for any** purpose whatsoever, including without limitation commercial, advertising **or** promotional purposes (the "License"). The License shall be deemed effective **as** of the date CC0 was applied by Affirmer to the Work. Should **any** part of the License **for any** reason be judged legally invalid **or** ineffective under applicable law, such partial invalidity **or** ineffectiveness shall **not** invalidate the remainder of the License, **and in** such case Affirmer hereby affirms that he **or** she will **not** (i) exercise **any** of his **or** her remaining Copyright **and** Related Rights **in** the Work **or** (ii) **assert any** associated claims **and** causes of action **with** respect to the Work, **in** either case contrary to Affirmer's express Statement of Purpose.

4. Limitations **and** Disclaimers.

- a. No trademark **or** patent rights held by Affirmer are waived, abandoned, surrendered, licensed **or** otherwise affected by this document.
- b. Affirmer offers the Work **as-is and** makes no representations **or** warranties of **any** kind concerning the Work, express, implied, statutory **or** otherwise, including without limitation warranties of title, merchantability, fitness **for** a particular purpose, non infringement, **or** the absence of latent **or** other defects, accuracy, **or** the present **or** absence of errors, whether **or not** discoverable, **all** to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility **for** clearing rights of other persons that may apply to the Work **or any** use thereof, including without limitation **any** person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility **for** obtaining **any** necessary consents, permissions **or** other rights required **for any** use of the Work.
- d. Affirmer understands **and** acknowledges that Creative Commons **is not** a party to this document **and** has no duty **or** obligation **with** respect to this CC0 **or** use of the Work.

## 14.5 Material Icons

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

(continues on next page)

(continued from previous page)

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

(continues on next page)

(continued from previous page)

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

(continues on next page)

(continued from previous page)

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

(continues on next page)

(continued from previous page)

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 14.6 spdlog

The MIT License (MIT)

Copyright (c) 2016 Gabi Melman.

Permission **is** hereby granted, free of charge, to **any** person obtaining a copy of this software **and** associated documentation files (the "**Software**"), to deal **in** the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, **and/or** sell copies of the Software, **and** to permit persons to whom the Software **is** furnished to do so, subject to the following conditions:

(continues on next page)

(continued from previous page)

The above copyright notice **and** this permission notice shall be included **in** all copies **or** substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 14.7 toml++

MIT License

Copyright (c) Mark Gillard <mark.gillard@outlook.com.au>

Permission **is** hereby granted, free of charge, to **any** person obtaining a copy of this software **and** associated documentation files (the "Software"), to deal **in** the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, **and/or** sell copies of the Software, **and** to permit persons to whom the Software **is** furnished to do so, subject to the following conditions:

The above copyright notice **and** this permission notice shall be included **in all copies or** substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 14.8 ValveFileVDF

The MIT License (MIT)

Copyright (c) Matthias Moeller 2016 m\_moeller@live.de

Permission **is** hereby granted, free of charge, to **any** person obtaining a copy of this software **and** associated documentation files (the "Software"), to deal **in** the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, **and/or** sell

(continues on next page)

(continued from previous page)

copies of the Software, **and** to permit persons to whom the Software **is** furnished to do so, subject to the following conditions:

The above copyright notice **and** this permission notice shall be included **in all** copies **or** substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.