
MicroPython DHT12 Library Documentation

Release 1.0

Mike Causer

Nov 12, 2017

Contents

1	<i>dht12</i> module	3
1.1	DHT12	3
2	Usage Examples	5
3	Indices and tables	7
	Python Module Index	9

Contents:

1.1 DHT12

class `dht12.DHT12` (*i2c*[, *address*])

The basic class for handling the communication with the sensor.

The `i2c` parameter is an initialized I²C bus, and the optional address specifies which sensor to connect to, if you have more than one and have changed their addresses with the `Addr` pin.

temperature ()

Get the temperature in Celcius

humidity ()

Get the relative humidity as a percentage

Usage Examples

Connect your sensor in following way:

- vin 3V
- sda gpio4
- gnd gnd
- scl gpio5

Now, to make basic measurement:

```
import dht12
from machine import I2C, Pin
i2c = I2C(scl=Pin(5), sda=Pin(4))
sensor = dht12.DHT12(i2c)
sensor.measure()
print(sensor.temperature())
print(sensor.humidity())
```

To perform continuous measurement:

```
import time
while True:
    sensor.measure()
    print(sensor.temperature())
    print(sensor.humidity())
    time.sleep_ms(4000)
```


CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`

d

dht12,3

D

DHT12 (class in dht12), 3

dht12 (module), 3

H

humidity() (dht12.DHT12 method), 3

T

temperature() (dht12.DHT12 method), 3