

---

# mobcrush Documentation

*Release*

**Author**

Sep 05, 2017



---

## Contents:

---

<b>1</b>	<b>mobcrush package</b>	<b>1</b>
1.1	Submodules	1
1.2	mobcrush.datatypes module	1
1.2.1	mobcrush.datatypes	1
1.3	mobcrush.main module	3
1.3.1	mobcrush.main	3
1.4	Module contents	3
1.4.1	Mobcrush API Wrapper	3
<b>2</b>	<b>Indices and tables</b>	<b>5</b>
	<b>Python Module Index</b>	<b>7</b>



## Submodules

### mobcrush.datatypes module

#### mobcrush.datatypes

Datatypes for the Mobcrush API.

**class** `mobcrush.datatypes.Broadcast` (*data*)

Bases: `object`

Class for mobcrush broadcasts

**Parameters** `data` (*dict*) – Data of the broadcast

**enddate**

**formats**

**game**

**hasCustomThumbnail**

**height**

**id**

**likes**

**live**

**mature**

**region**

**snapshot**

**startdate**

**title**  
**url**  
**user**  
**viewers**  
**views**  
**width**

**class** `mobcrush.datatypes.Game` (*data*)

Bases: `object`

Class for mobcrush games

**Parameters** `data` (*dict*) – Data of the game

**icon**  
**id**  
**name**  
**urls**

**class** `mobcrush.datatypes.Streamer` (*data*)

Bases: `object`

Class for streamers

**Parameters** `data` (*dict*) – Data of the streamer

**broadcastcount**  
**chatroomid**  
**description**  
**donations**  
**featured**  
**followercount**  
**followingcount**  
**id**  
**islive**  
**lastbroadcast**  
**name**  
**partner**  
**poster**  
**profilepic**  
**profilepic\_s**  
**raw**  
**subtitle**  
**url**

## mobcrush.main module

### mobcrush.main

Main file for the Mobcrush API

**class** `mobcrush.main.User` (*username, password*)

Bases: `object`

User class of the mobcrush api.

#### Parameters

- **username** (*str*) – Username of the user.
- **password** (*str*) – Password of the user.

**login** ()

Logs the user into the mobcrush API

**say** (*chatroomid, msg*)

Sends message to the specified chatroom id.

**Param** *chatroomid*: ID of the Mobcrush chatroom to send to

**Parameters** *msg* (*str*) – Message to send

**Returns** True if completed

:rtype `bool`

`mobcrush.main.cache` (*\*args, \*\*kwargs*)

Caches the response using requests-cache – Should only be called once

`mobcrush.main.streamer` (*streamer*)

Fetches streamer from api from username. Usernames must match the url of the streamer

**Parameters** *streamer* – Streamer's username to query.

**Returns** `mobcrush.Streamer`.

**Return type** `class`

## Module contents

### Mobcrush API Wrapper

A basic wrapper for the Mobcrush API. :copyright: (c) 2017 Jay Nagpaul :license: MIT, see LICENSE for more details.





## CHAPTER 2

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`



**m**

mobcrush, 3  
mobcrush.datatypes, 1  
mobcrush.main, 3



**B**

Broadcast (class in mobcrush.datatypes), 1  
broadcastcount (mobcrush.datatypes.Streamer attribute), 2

**C**

cache() (in module mobcrush.main), 3  
chatroomid (mobcrush.datatypes.Streamer attribute), 2

**D**

description (mobcrush.datatypes.Streamer attribute), 2  
donations (mobcrush.datatypes.Streamer attribute), 2

**E**

enddate (mobcrush.datatypes.Broadcast attribute), 1

**F**

featured (mobcrush.datatypes.Streamer attribute), 2  
followercount (mobcrush.datatypes.Streamer attribute), 2  
followingcount (mobcrush.datatypes.Streamer attribute), 2  
formats (mobcrush.datatypes.Broadcast attribute), 1

**G**

Game (class in mobcrush.datatypes), 2  
game (mobcrush.datatypes.Broadcast attribute), 1

**H**

hasCustomThumbnail (mobcrush.datatypes.Broadcast attribute), 1  
height (mobcrush.datatypes.Broadcast attribute), 1

**I**

icon (mobcrush.datatypes.Game attribute), 2  
id (mobcrush.datatypes.Broadcast attribute), 1  
id (mobcrush.datatypes.Game attribute), 2  
id (mobcrush.datatypes.Streamer attribute), 2  
islive (mobcrush.datatypes.Streamer attribute), 2

**L**

lastbroadcast (mobcrush.datatypes.Streamer attribute), 2  
likes (mobcrush.datatypes.Broadcast attribute), 1  
live (mobcrush.datatypes.Broadcast attribute), 1  
login() (mobcrush.main.User method), 3

**M**

mature (mobcrush.datatypes.Broadcast attribute), 1  
mobcrush (module), 3  
mobcrush.datatypes (module), 1  
mobcrush.main (module), 3

**N**

name (mobcrush.datatypes.Game attribute), 2  
name (mobcrush.datatypes.Streamer attribute), 2

**P**

partner (mobcrush.datatypes.Streamer attribute), 2  
poster (mobcrush.datatypes.Streamer attribute), 2  
profilepic (mobcrush.datatypes.Streamer attribute), 2  
profilepic\_s (mobcrush.datatypes.Streamer attribute), 2

**R**

raw (mobcrush.datatypes.Streamer attribute), 2  
region (mobcrush.datatypes.Broadcast attribute), 1

**S**

say() (mobcrush.main.User method), 3  
snapshot (mobcrush.datatypes.Broadcast attribute), 1  
startdate (mobcrush.datatypes.Broadcast attribute), 1  
Streamer (class in mobcrush.datatypes), 2  
streamer() (in module mobcrush.main), 3  
subtitle (mobcrush.datatypes.Streamer attribute), 2

**T**

title (mobcrush.datatypes.Broadcast attribute), 1

**U**

url (mobcrush.datatypes.Broadcast attribute), 2

url (mobcrush.datatypes.Streamer attribute), 2  
urls (mobcrush.datatypes.Game attribute), 2  
User (class in mobcrush.main), 3  
user (mobcrush.datatypes.Broadcast attribute), 2

## V

viewers (mobcrush.datatypes.Broadcast attribute), 2  
views (mobcrush.datatypes.Broadcast attribute), 2

## W

width (mobcrush.datatypes.Broadcast attribute), 2