
mplview Documentation

Release 0.0.4+4.g0ed93f0.dirty

John Kirkham

Jan 18, 2018

Contents

1	mplview	3
2	Installation	5
3	Usage	7
4	API	9
5	Contributing	13
6	Indices and tables	17
	Python Module Index	19

Contents:

A simple, embeddable Matplotlib-based image viewer.

- Free software: BSD 3-Clause
- Documentation: <https://mplview.readthedocs.io>.

1.1 Features

- TODO

1.2 Credits

This package was created with [Cookiecutter](#) and the [nanshe-org/nanshe-cookiecutter](#) project template.

2.1 Stable release

To install `mplview`, run this command in your terminal:

```
$ pip install mplview
```

This is the preferred method to install `mplview`, as it will always install the most recent stable release.

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for `mplview` can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/jakirkham/mplview
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/jakirkham/mplview/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use mplview in a project:

```
import mplview
```


4.1 mplview package

4.1.1 Submodules

mplview.core module

class `mplview.core.MatplotlibViewer` (*args, **kwargs)

Bases: `matplotlib.figure.Figure`

Provides a way to interact with numpy arrays pulled from neuron images.

Wraps a Matplotlib figure instance.

color_range_update (*vmin*, *vmax*)

Handles an update to the vmin and vmax range based on the selection provided.

Parameters

- **the min value selected** (*vmin*) –
- **the max value selected** (*vmax*) –

format_coord (*x*, *y*)

Include intensity when showing coordinates during mouseover.

Parameters

- **x** (*float*) – cursor's x position within the image.
- **y** (*float*) – cursor's y position within the image.

Returns coordinates and intensity if it can be gotten.

Return type `str`

get_image (*i=None*)

Gets the current image or the image if it is a projection.

Parameters *i* (*int*) – image to retrieve (defaults to selection).

Returns the current image.

Return type `numpy.ndarray`

set_images (*new_neuron_images*, *cmap*=`<matplotlib.colors.LinearSegmentedColormap object>`,
use_matshow=`False`, *vmin*=`None`, *vmax*=`None`)

Sets the images to be viewed.

Parameters *new_neuron_images* (*numpy.ndarray*) – array of images (first index is which image)

time_update ()

Method to be called by the SequenceNavigator when the time changes. Updates image displayed.

class `mplview.core.SequenceNavigator` (*fig*, *max_time*, *min_time*=0, *time_step*=1, *ax_color*=`'lightgoldenrodyellow'`, *hovercolor*=`'0.975'`)

Bases: `object`

begin_time (*event*)

Sets time to *min_time*.

Parameters `Matplotlib event that caused the call to this callback.`
(*event*) –

disconnect (*cid*)

Disconnects the given *cid* from being notified of time updates.

Parameters *ID of callback to pull* (*cid*) –

end_time (*event*)

Sets time to *max_time*.

Parameters `Matplotlib event that caused the call to this callback.`
(*event*) –

next_time (*event*)

Sets time to one *time_step* after.

Parameters `Matplotlib event that caused the call to this callback.`
(*event*) –

normalize_val (*val*)

Takes the time value and normalizes it to fit within the range. Then, makes sure it is a discrete number of steps from the *min_time*.

Parameters *float position from the slider bar to correct* (*val*) –

Returns the normalized value.

Return type `int`

on_time_update (*func*)

Registers a callback function for notification when the time is updated.

Parameters *func* (*callable*) – function call when the time is updated

Returns

a callback ID or *cid* to allow pulling the callback when no longer necessary.

Return type `int`

prev_time (*event*)

Sets time to one *time_step* prior.

Parameters Matplotlib event that caused the call to this callback.
(*event*) –

time_update (*val*)

Takes the time value and normalizes it within the range if it does not fit.

Parameters float position from slider bar to move to (*val*) –

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

5.1 Types of Contributions

5.1.1 Report Bugs

Report bugs at <https://github.com/jakirkham/mplview/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

5.1.4 Write Documentation

mplview could always use more documentation, whether as part of the official mplview docs, in docstrings, or even on the web in blog posts, articles, and such.

5.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/jakirkham/mplview/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

5.2 Get Started!

Ready to contribute? Here's how to set up *mplview* for local development.

1. Fork the *mplview* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/mplview.git
```

3. Install your local copy into an environment. Assuming you have conda installed, this is how you set up your fork for local development (on Windows drop *source*). Replace “<some version>” with the Python version used for testing.:

```
$ conda create -n mplviewenv python="<some version>"
$ source activate mplviewenv
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions:

```
$ flake8 mplview tests
$ python setup.py test or py.test
```

To get flake8, just conda install it into your environment.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5, and 3.6. Check https://travis-ci.org/jakirkham/mplview/pull_requests and make sure that the tests pass for all supported Python versions.

5.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_mplview
```


CHAPTER 6

Indices and tables

- `genindex`
- `modindex`
- `search`

m

`mplview`, 9
`mplview.core`, 9

B

`begin_time()` (`mplview.core.SequenceNavigator` method),
10

C

`color_range_update()` (`mplview.core.MatplotlibViewer`
method), 9

D

`disconnect()` (`mplview.core.SequenceNavigator` method),
10

E

`end_time()` (`mplview.core.SequenceNavigator` method),
10

F

`format_coord()` (`mplview.core.MatplotlibViewer`
method), 9

G

`get_image()` (`mplview.core.MatplotlibViewer` method), 9

M

`MatplotlibViewer` (class in `mplview.core`), 9

`mplview` (module), 9

`mplview.core` (module), 9

N

`next_time()` (`mplview.core.SequenceNavigator` method),
10

`normalize_val()` (`mplview.core.SequenceNavigator`
method), 10

O

`on_time_update()` (`mplview.core.SequenceNavigator`
method), 10

P

`prev_time()` (`mplview.core.SequenceNavigator` method),
10

S

`SequenceNavigator` (class in `mplview.core`), 10

`set_images()` (`mplview.core.MatplotlibViewer` method),
10

T

`time_update()` (`mplview.core.MatplotlibViewer` method),
10

`time_update()` (`mplview.core.SequenceNavigator`
method), 11