
sbt-native-packager

Release 1.0a1

Josh Suereth

March 11, 2016

1	Introduction	1
1.1	Goals	1
1.2	Scope	1
1.3	Formats and Archetypes	1
2	Getting Started	3
2.1	Version 1.0 and greater	3
2.1.1	Build.scala	3
2.2	Version 0.8.x or lower	3
2.3	Packaging Formats	4
2.4	Archetypes	4

Introduction

1.1 Goals

Describe our goals

1.2 Scope

1.3 Formats and Archetypes

Contents

- *Getting Started*
 - *Version 1.0 and greater*
 - *Version 0.8.x or lower*
 - *Packaging Formats*
 - *Archetypes*

Getting Started

The `sbt-native-packager` is a plugin. To use it, first create a `project/plugins.sbt` file with the following content.

```
addSbtPlugin("com.typesafe.sbt" % "sbt-native-packager" % "x.y.z")
```

Also, each operating system requires its own tools. These tools are specified in the operating system specific sections.

2.1 Version 1.0 and greater

If you use sbt 0.13.5 or greater you can enable sbt native packager by enabling it in your `build.sbt`. We recommend to use an archetype for setting up your build

```
enablePlugins(JavaAppPackaging)
```

but if you only want the bare minimum you can only add the packager plugin

```
enablePlugins(SbtNativePackager)
```

The autoplugins mechanism will import everything automatically.

2.1.1 Build.scala

If you use a `Build.scala` you can import the available keys with this statement

```
import com.typesafe.sbt.SbtNativePackager.autoImport._
```

2.2 Version 0.8.x or lower

If you don't use autoplugins you need to import the available keys yourself. In your `build.sbt` or `Build.scala` add

```
import com.typesafe.sbt.SbtNativePackager._  
import NativePackagerKeys._
```

2.3 Packaging Formats

2.4 Archetypes