
OrgNote Documentation

发布 *0.5.2*

Leslie Zhu

2019 年 10 月 06 日

1 安装	3
2 快速使用	5
3 配置	7
3.1 博客与作者信息	7
3.2 博客描述与关键字	8
3.3 博客文件目录设置	8
3.4 主题与外观	9
3.5 多说评论框	9
3.6 边框布局	9
3.7 链接	10
4 用户指南	11
5 命令自动补全	13
5.1 安装	13
5.2 用法	14
6 更新记录	15

[Github](#) | [PyPI](#)

OrgNote 是一个基于 Emacs 的 org-mode 模式写博客的工具

目录:

安装

通过 *pip* 安装:

```
$ sudo pip install orgnote
```

通过 *easy_install* 安装:

```
$ sudo easy_install orgnote
```

源码安装:

```
$ git clone git@github.com:LeslieZhu/OrgNote.git
$ cd OrgNote
$ sudo python setup.py install
```

快速使用

首先，你应该在 [GitHub](#) 上建立一个项目 `yourname.github.com`，这里的 *yourname* 是你在 GitHub 上的用户名。

然后按照步骤执行：

```
$ git clone git@github.com:yourname/yourname.github.com.git

$ cd yourname.github.com

$ orgnote init                # 初始化目录

$ orgnote new note-name      # 添加一篇博文

$ orgnote list               # 列出所有博文

$ orgnote status             # 查看博文是否在发布列表中

$ orgnote publish note-name  # 将博文添加到发布列表中

$ orgnote generate           # 生成博客

$ orgnote server [port]     # 在本地预览效果，默认通过 localhost:8080 查看效果
```

(下页继续)

(续上页)

```
$ orgnote deploy
```

```
# 部署到服务器
```

更新 `_config.yml` 文件:

注解: 由于 YAML 对中文支持不好, 配置文件里面最好一律使用英文。

3.1 博客与作者信息

```
# OrgNote Configuration
## Docs: http://lesliezhu.github.io/OrgNote/
## Source: https://github.com/LeslieZhu/OrgNote

# Site
title: OrgNote
subtitle: "A simple org-mode blog, write blog by org-mode in Emacs"

author: OrgNote
email: pythonisland@gmail.com

language: zh-CN
```

注解: *language* 最好设置为 *zh-CN* , 虽然设置为 *en* 也可以, 但 OrgNote 使用中文比较稳妥。

3.2 博客描述与关键字

```
# About this blog
description: "Use OrgNote."
keywords: "OrgNote, Emacs, org-mode, blog, python, geek"
```

注解: 这个 *description* 会作为 *About* 页面的内容, 支持 HTML 标签方式。

3.3 博客文件目录设置

```
# URL
## If your site is put in a subdirectory, set url as 'http://yoursite.com/child' and
↳ root as '/child/'
url: http://yoursite.com
root: /

# Directory
# if the source_dir is ./notes, then set 'source_dir' as 'notes', not include the '/'
public_dir: public
source_dir: notes
images_dir: images
```

注解: 如果为自己的某个 GitHub 项目创建网页, 并且使用了 OrgNote, 则由于 GitHub 会对该项目使用类似 *http://yoursite.github.io/child* 的 URL, 则 *root* 应该设置为 */child/*.

对于 *public_dir*, *source_dir*, *images_dir* 目录前后都不需要增加 */* 字符。

如果要插入 *images_dir* 目录下的图片, 图片文件路径使用类似 */images/filename.jpg*.

3.4 主题与外观

```
# Category & Tag
default_tag: "札记"

# Theme
# the default is 'freemind' and it's only theme for OrgNote now
theme: freemind

# Pagination
## the note num of each page
per_page: 6
```

注解: 目前 OrgNote 只能使用默认的 freemind 主题。

3.5 多说评论框

```
# duoshuo
duoshuo_shortcode:
```

注解: 这里添多说评论框的用户 ID 即可, 会自动生成调用代码; 如果将多说自动生成的代码都添加在这里, 反而无法工作, 切记!

3.6 边框布局

```
# layout
## 1: enable
## 0: disable
### if 'sidebar_show` is disable, ignore all `sidebar` option
### the sidebar item display as the config order, sidebar items list:
### sidebar_latest, sidebar_tags, sidebar_time, sidebar_weibo, sidebar_link

sidebar_show: 1
```

(下页继续)

(续上页)

```
sidebar:  
  - sidebar_latest  
  - sidebar_tags  
  - sidebar_time  
  - sidebar_link
```

注解: 右边的边框内容, 显示顺序是根据这里的排列顺序, 如果不需要某个内容, 则不要写到这里即可。

3.7 链接

```
# links, each link should setting url,name,icon  
links:  
  link1:  
    url: http://lesliezhu.github.com  
    name: Leslie Zhu  
    icon: fa fa-github  
  link2:  
    url: https://github.com/LeslieZhu/OrgNote  
    name: OrgNote  
    icon: fa fa-github
```

注解: 对于每个连接的 *link1*, *link2* 等名字都无所谓, 但建议使用 *link-num* 的形式。

```
$ orgnote help

Usage: orgnote <command>

Commands:
init      Create a new OrgNote folder
new       Create a new .org post
list      List this blog notes
status    Status of those notes
publish   Auto Publish a note
generate  Generate static files
server    Start the server
deploy    Deploy your website
help      Get help on a command
version   Display version information
```

OrgNote 使用起来很简单，基本就这几条命令。

在 Bash 中自动补全 OrgNote 命令.

5.1 安装

全局设置:

```
$ git clone git@github.com:LeslieZhu/orgnote-bash-completion.git
$ sudo cp ./orgnote-bash-completion/orgnote /etc/bash_completion.d/
$ . /etc/bash_completion.d/orgnote
```

本地设置:

```
$ mkdir -p ~/bash_completion.d
$ cp ./orgnote-bash-completion/orgnote ~/bash_completion.d/
$ echo "" >> ~/.bashrc
$ echo 'if [ -f "$HOME/bash_completion.d/orgnote" ] ; then' >> ~/.bashrc
$ echo '    . $HOME/bash_completion.d/orgnote' >> ~/.bashrc
$ echo "fi" >> ~/.bashrc
$ . ~/bash_completion.d/orgnote
```

5.2 用法

列出 orgnote 命令的选项:

```
$ orgnote [TAB]
init new list status publish generate server deploy help version
```

自动补全命令:

```
$ orgnote i[TAB]
$ orgnote init
```

2016-04-03 Leslie Zhu <pythonisland@gmail.com>

- orgnote/parser.py (OrgNote.contain__page): use bs4 html parser (OrgNote.contain__page): use pygments code highlight

2016-03-12 Leslie Zhu <pythonisland@gmail.com>

- orgnote/parser.py (OrgNote.do__generate):

In emacs batch mode, use scripts/init-orgnote.el can generate highlight code in htm this will force generate all raw-html again in emacs batch mode, work as a backed feature.

generate options: all: re-generate all notes' s raw-html file xxx.org: re-generate the note' s raw-html file num: re-generate last num notes' s raw-html file blank: ignore raw-html re-generate step

2016-03-10 Leslie Zhu <pythonisland@gmail.com>

- orgnote/parser.py (OrgNote.scan): update note filename in scan function

2016-03-09 Leslie Zhu <pythonisland@gmail.com>

- orgnote/parser.py: sort the links in __config.yml
- orgnote/config.py: add sidebar__contact configure item

2016-03-07 Leslie Zhu <pythonisland@gmail.com>

- orgnote/util.py: update the note file glob regex

2014-12-08 Leslie Zhu <pythonisland@gmail.com>

- 0.4.0:
- use YAML configure file, not use .ini file anymore
- all special config read from YAML configure file
- the public url format with year/month/date
- auto publish the file user input, not publish all in backend
- the default org file init with configure options

2014-11-24 Leslie Zhu <pythonisland@gmail.com>

- 0.3.0: new design
- add Config system, so user can configure OrgNote easy
- add setup.py, so user can install it as a python package
- add more command like *init*, *list* etc, so it more Hexo-like
- only support default theme
- only support emacs org-html.el convert, not use HTML parser in this version

2014-11-13 Leslie Zhu <pythonisland@gmail.com>

- 0.2.0: the basic functions ready
- orgnote.py: split homepage as small pages

2014-10-13 Leslie Zhu <pythonisland@gmail.com>

- 0.1.4: add feature show the notes by month in sidebar.