# plocate Documentation

Release 0.1.2

**Aetf** 

## Contents

1	plocate				
	1.1 Features	3			
	1.2 TODO	3			
	1.3 Credits	3			
2	Installation	5			
	2.1 Stable release	5			
	2.2 Alternate installation	5			
	2.3 From sources	5			
3	Usage	7			
4	Contributing	9			
	4.1 Types of Contributions	9			
	4.2 Get Started!				
	4.3 Pull Request Guidelines				
	4.4 Tips	11			

Contents:

Contents 1

2 Contents

plocate

Locate implementation with extra filtering features, compatible with mlocate.db format.

• Free software: BSD license

• Documentation: https://plocate.readthedocs.io.

### **Features**

- Compatible with mlocate
- Filtering with entry type (directory or file)

### **TODO**

- Handle signal for cancelation
- Produce output as soon as possible
- Don't convert the whole database in python objects, just read and skip

### **Credits**

This package was created with Cookiecutter and the audreyr/cookiecutter-pypackage project template.

4 Chapter 1. plocate

Installation

### Stable release

To install plocate, run this command in your terminal:

```
$ pip install plocate
```

This is the preferred method to install plocate, as it will always install the most recent stable release.

If you don't have pip installed, this Python installation guide can guide you through the process.

### **Alternate installation**

#### Pipsi (Linux/OSX only):

```
$ pipsi install plocate
```

If you don't know what pipsi is, go to its website to learn about this cool installer.

### From sources

The sources for plocate can be downloaded from the Github repo.

You can either clone the public repository:

```
$ git clone git://github.com/Aetf/plocate
```

Or download the tarball:

```
$ curl -OL https://github.com/Aetf/plocate/tarball/master
```

Once you have a copy of the source, you can install it with:

\$ python setup.py install

CHA	PT	FF	} . 1

Usage

To use plocate in a project:

import plocate

8 Chapter 3. Usage

### Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

### **Types of Contributions**

### **Report Bugs**

Report bugs at https://github.com/Aetf/plocate/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

### **Fix Bugs**

Look through the GitHub issues for bugs. Anything tagged with "bug" and "help wanted" is open to whoever wants to implement it.

### **Implement Features**

Look through the GitHub issues for features. Anything tagged with "enhancement" and "help wanted" is open to whoever wants to implement it.

#### **Write Documentation**

plocate could always use more documentation, whether as part of the official plocate docs, in docstrings, or even on the web in blog posts, articles, and such.

#### **Submit Feedback**

The best way to send feedback is to file an issue at https://github.com/Aetf/plocate/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome:)

### **Get Started!**

Ready to contribute? Here's how to set up *plocate* for local development.

- 1. Fork the *plocate* repo on GitHub.
- 2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/plocate.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv plocate
$ cd plocate/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 plocate tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

### **Pull Request Guidelines**

Before you submit a pull request, check that it meets these guidelines:

- 1. The pull request should include tests.
- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
- 3. The pull request should work for Python 2.6, 2.7, 3.3, 3.4 and 3.5, and for PyPy. Check https://travis-ci.org/Aetf/plocate/pull\_requests and make sure that the tests pass for all supported Python versions.

### **Tips**

To run a subset of tests:

\$ python -m unittest tests.test\_plocate

## Indices and tables

- genindex
- modindex
- search