
Jovian

Aakash N S, Siddhant Ujjain

Sep 10, 2019

CONTENTS

1	Getting Started	3
1.1	Installation	3
1.2	Uploading Jupyter Notebooks to Jovian	4
1.3	Reproducing uploaded notebooks	5
1.4	Notebook versioning and diffs	6
1.5	Attaching files and model outputs	7
1.6	Tracking Datasets, Hyperparameters and Metrics	8
1.7	Comparing and Analyzing experiments	9
1.8	Collaborating on Jovian projects	10
1.9	Jovian Pro	10
1.10	Commit	10
1.11	Log Dataset, Hyperparams & Metrics	11
1.12	Command Line Commands	12
1.13	Fastai Callback	13
1.14	Keras Callback	14
1.15	Use Extension to Commit	15
1.16	Enable or Disable	15
	Index	17



Jovian is a platform that helps data scientists and ML engineers:

- Track & reproduce data science projects
- Collaborate easily with friends/colleagues, and
- Automate repetitive tasks in their day-to-day workflow.

GETTING STARTED

Learn more about installing Jovian python library and some of the core features of Jovian.

Run this command in your terminal:

```
pip install jovian -q --upgrade
```

1.1 Installation

The `jovian` python library can be installed using the `pip` package manager. To install `jovian` via terminal or command line, run:

```
pip install jovian --upgrade
```

You can also install the `jovian` library directly within a [Jupyter Notebook](#), by running the following command in a code cell:

```
!pip install jovian --upgrade
```

Caution: If you get a `Permission denied` error, try installing with `sudo` permission (on Linux/Mac).

```
$ sudo pip install jovian --upgrade
```

Another alternative is to try installing with the `--user` flag, but you'll need to ensure that the target directory is added to your system `PATH`.

```
$ pip install jovian --upgrade --user
```

Once the installation is complete, you can start [uploading Jupyter notebooks to Jovian](#).

Configuration (for Jovian Pro users only)

If you are a [Jovian Pro](#) user, run the following commands on the terminal (or command line) to connect the `jovian` library with your company's internal Jovian Pro site:

```
jovian configure
```

You can also do this directly within a Jupyter notebook, by executing the following inside a code cell:

```
import jovian
jovian.configure()
```

The above command prompts for the following information:

1. **Organization ID:** The Organization ID provided by your company for authentication. E.g. if you are accessing Jovian Pro at <https://mycompany.jvn.io>, your organization ID is `mycompany`.
2. **API key:** You'll get the API key when you're logged in to your organization's Jovian Pro site. By clicking on the *API key* button, the key will be copied to clipboard.

Note: You need to run `jovian configure` or `jovian.configure()` only once after installation. Your credentials are cached in the `~/.jovian` directory on your computer. You can run `jovian reset` to clear this configuration.

You can learn more about Jovian Pro [here](#), or start [uploading Jupyter notebooks to Jovian](#) in the next section.

1.2 Uploading Jupyter Notebooks to Jovian

Jovian allows you to upload and share [Jupyter notebooks](#) instantly with a single command, directly within Jupyter notebook. Make sure you've completed the [installation](#) before reading further.

1.2.1 Uploading a Notebook

Step 1: Import `jovian` by running the following command within a Jupyter notebook.

```
import jovian
```

Step 2: After writing some code, running some experiments, training some models and plotting some charts, you can save and commit your Jupyter notebook.

```
jovian.commit()
```

When you run `jovian.commit` for the first time you'll be asked to provide an API key, which you can get from your [Jovian](#) (or Jovian Pro) account.

Here's what `jovian.commit` does:

- It saves and uploads the Jupyter notebook to your Jovian (or Jovian Pro) account.
- It captures and uploads the python virtual environment containing the list of libraries required to run your notebook.
- It returns a link that you can use to view and share your notebook with friends or colleagues.

For more features of `jovian.commit` and API reference visit [Commit](#).

Attention: In certain environments like JupyterLab and password protected notebooks, `jovian` may not be able to detect the notebook filename automatically. In such cases, pass the notebook's name as the `nb_filename` argument to `jovian.commit`.

1.2.2 What are the benefits of uploading to Jovian?

Share the notebooks with ease

Uploaded notebooks can be public/secret. You can get stars from the people who benefit from your notebook. Secret Notebooks (Private) won't be on your public profile but anyone with the link can access it.

Collaborate with teammates/colleagues

Team up and add collaborators. Even they can add their version of notebook to the same project.

Comment on individual code cells

Users can comment on any code cells individually and maintain that thread to have specific discussion about a part of the source code with context.

There are many more benefits follow the pages in this section to know more. You can click `Next ->` button or use the side bar `GETTING STARTED` section.

1.3 Reproducing uploaded notebooks

A uploaded notebook on Jovian can be reproduced in any other machine. Follow the below procedure to do reproduce the notebook in your machine.

1.3.1 Clone

1. Visit the link of the uploaded notebook.
2. Click on the `Clone` button, which copies the clone cli command (along with the notebook_id) to the clipboard.
3. Paste the command in the terminal, in the directory where you want to clone the notebook project and then run the command.

The copied command will be of the the following format

```
jovian clone <notebook_id>
```

1.3.2 Install

Jovian captures the original python environment of the notebook, which make it easier to reproduce the notebook by installing all the required dependencies. The following commands uses `conda` to install all the required packages, make sure that conda is installed.

Once the notebook is cloned, it would have created a folder with the name of the notebook. Move to that directory.

```
cd jovian-demo
```

Then run

```
jovian install
```

The above command prompts for a virtual environment name where it will install all the required packages. By default it will have the original environment name in the square brackets, just click `enter` key to retain the name else specify the environment name.

In this way, Jovian seamlessly ensures the end-to-end reproducibility of your Jupyter notebooks across different operating systems.

Note: You have to own the notebook or have to be a collaborator to commit changes to the same project notebook. If not you can commit any changes made to your profile as a new notebook.

1.3.3 Pull

If changes are made after you have cloned the notebook by any of the collaborator. You can use `pull` to get all those changes.

Move to the cloned directory and run

```
jovian pull
```

Attention: Beware any uncommitted changes will be lost during the process of `jovian.pull`. When you pull the notebook it will be a duplicate of the latest version of the notebook on Jovian.

1.4 Notebook versioning and diffs

1.4.1 Version control

If you're used to creating many duplicate versions of notebooks with slight modifications and long file names. Look no further, Jovian will be your version control for notebooks.

`jovian.commit` records all the versions under same notebook project. So, each change can be a version by author and collaborators which can be easily toggled in the [website](#).

Note: You have to own the notebook or have to be a collaborator to commit changes to the same project notebook. If not you can commit any changes made to your profile as a new notebook.

1.4.2 View Differences

All the versions are comparable, you can view additions, deletions made among any 2 versions of the notebook. Hide/show common part of the code.

How to view the differences?

1. [Commit](#) different version and visit [Jovian](#).
2. Click on `Version` drop down on the right top corner.
3. Click on `Compare Versions`
4. Select any 2 versions with the use of check boxes and click on `View Diff` button.

There are more things to be compared, but first let's add more content to the notebook to understand all the parameters that can be compared. Click on `Next` to follow through.

1.5 Attaching files and model outputs

As seen in the [previous section](#) by committing, source code and environment files are captured & uploaded. More files can be attached to the notebook such as files with helper code, output files/model checkpoints that the notebook is generating.

1.5.1 How to attach these files?

```
jovian.commit(files=[], artifacts=[])
```

1.5.2 What to include in the `files` argument?

The type of files which is required to run the notebook.

- Helper code (.py)
- Some input CSVs

1.5.3 What to include in the `artifacts` argument?

Any type of outputs that the notebook is generating.

- Saved model or weights (.h5, .pkl, .pth)
- Outputs, Submission CSVs
- Images outputs

1.5.4 Where to search for the files after committing?

All the attached files are listed under `Files` Tab.

Files can be:

1. Renamed
2. Downloaded
3. Deleted
4. View Raw
5. Uploaded

1.6 Tracking Datasets, Hyperparameters and Metrics

Spreadsheets is one of the ways to track information & results of multiple ML experiments. However, using spreadsheets can be tiresome and non-intuitive without the context of the code.

Jovian makes it easy for anyone to track information about datasets, hyperparameters and metrics which are associated with each version of your experiment in notebooks. It also displays this information version-by-version of your notebook under a single UI.

These information of a notebook are all added to the `Records` Tab where you can toggle and view each version's log.

```
import jovian
```

1.6.1 Dataset

```
data = {
    'path': '/datasets/mnist',
    'description': '28x28 gray-scale images of handwritten digits'
}
jovian.log_dataset(data)
```

1.6.2 Hyperparameters

```
hyperparams = {
    'arch_name': 'cnn_1',
    'lr': .001
}
jovian.log_hyperparams(hyperparams)
```

1.6.3 Metrics

```
metrics = {
    'epoch': 1,
    'train_loss': .5,
    'val_loss': .3,
    'acc': .94
}
jovian.log_metrics(metrics)
```

1.6.4 Reset

If you're not satisfied with some experiment and want to discard the previously recorded parameters to start a fresh experiment. Use

```
jovian.reset()
```

The input to any of these can be a `python dict`. You can add custom parameters that are related to your experiment and have it record values manually, or automate it to record the values of a variable in a loop. Visit [this](#) page for these logging API reference.

We have callbacks for *keras* and *fastai* to automatically record hyperparams and metrics check it out.

Click `Next` to look at how to compare all of these information of all the versions.

1.7 Comparing and Analyzing experiments

Once you have more than 2 `versions` of a notebook, you will be able to use `Compare Versions` present in the `Version` dropdown on the top right corner.

Here you can observe all types of information about all of your versions.

- Title
- Time of Creation
- Author
- All the parameters logged under dataset.
- All the parameters logged under hyperparameters.
- All the parameters logged under metrics.
- Notes (for author and collaborators add extra notes)

1.7.1 Sort

You can sort any column or a sub-column (For ex: accuracy or any other metric, date of creation etc.) by clicking on the column header.

1.7.2 Show, Hide and Reorder columns

You can create a custom view to analyse & compare your choice of parameters. Click on `Configure` button and then tick on the checkboxes to create a customized view. Click and drag the elements to reorder them based on your preference.

1.7.3 Add notes

You can add notes to summarize the experiment for reference or for collaborators to refer to.

1.7.4 View Diff between specific versions

Select any of the 2 versions by ticking the checkbox next to each version-row of the compare table which can be seen when you hover over any row. Click on `View Diff` button to view the additions and deletion made.

1.7.5 Archive/Delete versions

Select version/versions by ticking the checkbox of the row/rows. This enables both `Archive` and `Delete` ready for the respective actions.

1.7.6 Filter

By default all the archived versions are hidden, you can display them by enabling `Show Archived in Filter` dropdown.

1.8 Collaborating on Jovian projects

Jovian allows you to add collaborators to work with you on a ML Project.

1.8.1 How to add collaborators?

Click on `Share` button of the notebook and add them by their username or email id registered with Jovian.

This will allow the contributors to be able to `commit` changes to the same notebook project. The experiments by all the collaborators will also show up in the `compare table`. tab.

1.8.2 Comment on individual code cells

Users can comment on any code cells individually and maintain that thread to have specific discussion about a part of the source code with context.

1.8.3 Maintain secret notebooks

You may set a notebook as secret to hide it from publically being displayed on your profile. Only collaborators and users having the link to the notebook will be able to view it. You can find the option to `Make Secret` in the settings for each notebook.

1.9 Jovian Pro

Please contact us at `hello@jvn.io`

1.10 Commit

```
jovian.commit(secret=False, nb_filename=None, files=[], capture_env=True, env_type='conda', notebook_id=None, create_new=None, artifacts=[])
```

Commits a Jupyter Notebook with its environment to Jovian.

Saves the checkpoint of the notebook, capture the required dependencies from the python environment and uploads the notebook, env file, additional files like scripts, csv etc. to `https://www.jvn.io`. Capturing the python environment ensures that the notebook can be reproduced and executed easily using the `** {links to reproduce notebooks} **`

Parameters

- **secret** (*bool, optional*) – Create a secret notebook on Jovian, which is only accessible via the link, and is not visible on the owner's public profile. By default, committed notebooks are public and visible on the owner's profile.

- **nb_filename** (*string, optional*) – The filename of the jupyter notebook(including the .ipynb extension). This is detected automatically in most cases, but in certain environments like Jupyter Lab, the detection may fail and the filename needs to be provided using this argument.
- **files** (*array, optional*) – Any additional scripts(.py files), CSVs that are required to run the notebook. These will be available in the files tab on Jovian .
- **capture_env** (*bool, optional*) – If *True*, the Python environment(python version, libraries etc.) are captured and uploaded along with the notebook.
- **env_type** (*string, optional*) – The type of environment to be captured. Allowed options are 'conda' and 'pip'.
- **notebook_id** (*string, optional*) – If you wish to update an existing notebook owned by you, you can use this argument to provide the base64 ID(present in the URL) of an notebook hosted on Jovian . In most cases, this argument is not required, and the library can automatically infer whether you are looking to update an existing notebook or create a new one.
- **create_new** (*bool, optional*) – If set to *True*, doesn't update the existing notebook on Jovian(if one is detected). Instead, it creates a new notebook when commit is called.
- **artifacts** (*array, optional*) – Any outputs files or artifacts generated from the modeling processing. This can include model weights/checkpoints, generated CSVs, images etc.

Attention: Pass notebook's name to nb_filename argument, in certain environments like Jupyter Lab and password protected notebooks sometimes it may fail to detect notebook automatically.

1.11 Log Dataset, Hyperparams & Metrics

`jovian.log_dataset (data, verbose=True)`
Record dataset details for the current experiment

Parameters

- **data** (*dict*) – A python dict or a array of dicts to be recorded as Dataset.
- **verbose** (*bool, optional*) – By default it prints the acknowledgement, you can remove this by setting the argument to *False*.

Example

```
import jovian

data = {
    'path': '/datasets/mnist',
    'description': '28x28 images of handwritten digits (in grayscale)'
}

jovian.log_dataset(data)
```

`jovian.log_hyperparams (data, verbose=True)`
Record hyperparameters for the current experiment

Parameters

- **data** (*dict*) – A python dict or a array of dicts to be recorded as hyperparameters.
- **verbose** (*bool, optional*) – By default it prints the acknowledgement, you can remove this by setting the argument to False.

Example

```
import jovian

hyperparams = {
    'arch_name': 'cnn_1',
    'lr': .001
}
jovian.log_hyperparams(hyperparams)
```

`jovian.log_metrics(data, verbose=True)`
Record metrics for the current experiment

Parameters

- **data** (*dict*) – A python dict or a array of dicts to be recorded as metrics.
- **verbose** (*bool, optional*) – By default it prints the acknowledgement, you can remove this by setting the argument to False.

Example

```
import jovian

metrics = {
    'epoch': 1,
    'train_loss': .5,
    'val_loss': .3,
    'acc': .94
}
jovian.log_metrics(metrics)
```

1.12 Command Line Commands

1.12.1 Initialize

Requests for a API Key for a new user, can find the key at [Jovian](#). By clicking on API key button, key will be copied to the clipboard.

```
$ jovian init
```

1.12.2 Clone a Notebook

Clone a notebook form Jovian, by clicking on the Clone button of a notebook repo the whole clone command will be copied to the clipboard.

```
$ jovian clone {notebook_id}
```


1.12.3 Pull the latest Notebook

Pull the latest version of the notebook, use the command in a cloned repository or from a repository where you have committed to jovian.

```
$ jovian pull
```

Caution: Make sure the changes are committed if needed, pull overwrites the current notebook.

1.12.4 Install the required dependencies

Install all the dependencies required to the the cloned notebook, use the command in a cloned repository.

```
$ jovian install
```

Important: The above command prompts ‘ Please provide a name for the conda environment [{env_name}]: ‘

Press enter to install the dependencies to *env_name* (base env if the content of the square brackets is empty) else provide the env name in the prompt.

1.12.5 Version

Displays the current installed version of jovian library.

```
$ jovian version
```

1.12.6 Enable or Disable Jupyter Notebook Extension

By default, the jovian jupyter extension is enabled.

```
$ jovian enable-ext
```

```
$ jovian disable-ext
```

Note: The changes are observed when the webpage of the notebook is refreshed.

1.13 Fastai Callback

```
class jovian.callbacks.fastai.JovianFastaiCallback(learn: fastai.basic_train.Learner,  
                                                  arch_name: str)
```

Fastai callback to automatically log hyperparameters and metrics.

Parameters

- **learn** (*Learner*) – A learner object reference of your current model.

- **arch_name** (*string*) – A name for the model you’re training.

Example

```
from jovian.callbacks.fastai_callback import FastaiCallback

jvn_cb = FastaiCallback(learn, 'res18')
learn.fit_one_cycle(5, callbacks = jvn_cb)
```

Tutorial

Visit [this](#) for a detailed example on using the keras callback, also visit the *Records* tab to see all the logs of that notebook logged by the callback.

1.14 Keras Callback

class `jovian.callbacks.keras.JovianKerasCallback` (*reset_tracking=True, arch_name="", every_epoch=False, notify=False*)

Keras Callback to log hyperparameters and metrics during model training.

Parameters

- **reset_tracking** (*string, optional*) – Will clear previously tracked hyperparameters & metrics, and start a fresh recording. Defaults to True.
- **arch_name** (*string, optional*) – A name for the model you’re training.
- **every_epoch** (*bool, optional*) – Whether to record losses & metrics for every epoch or just the final loss & metric. Defaults to False.
- **notify** (*bool, optional*) – Whether to send notification on slack when the training ends. Defaults to False.

Example

```
from jovian.callbacks.keras import JovianKerasCallback

# To record logs of every epoch and to notify on slack
jvn_cb = JovianKerasCallback(arch_name='resnet18', every_epoch=True,
↪ notify=True)
model.fit(x_train, y_train, ..., callbacks=[jvn_cb])
```

Tutorial

Visit [this](#) for a detailed example on using the fastai callback, also visit the *Records* tab to see all the logs of that notebook logged by the callback.

1.15 Use Extension to Commit

1.16 Enable or Disable

INDEX

C

`commit()` (*in module jovian*), [10](#)

J

`JovianFastaiCallback` (class *in* `jovian.callbacks.fastai`), [13](#)

`JovianKerasCallback` (class *in* `jovian.callbacks.keras`), [14](#)

L

`log_dataset()` (*in module jovian*), [11](#)

`log_hyperparams()` (*in module jovian*), [11](#)

`log_metrics()` (*in module jovian*), [12](#)