
PSAS Packet Documentation

Release 0.2.5

Nathan Bergey, et. al.

December 24, 2015

1	Data Structure	2
1.1	Message	2
1.2	Data	2
2	Message Definitions	2
2.1	ADIS	2
2.2	BMP1	2
2.3	FCFH	2
2.4	GPS1	2
2.5	GPS2	2
2.6	GPS80	2
2.7	GPS93	2
2.8	GPS94	2
2.9	GPS95	2
2.10	GPS96	2
2.11	GPS97	2
2.12	GPS98	2
2.13	GPS99	2
2.14	LTCH	2
2.15	MPL3	2
2.16	RNHH	2
2.17	RNHP	2
2.18	RNHU	2
2.19	ROLL	2
2.20	SEQE	2
2.21	SEQN	2
2.22	V8A8	2
2.23	VSTE	2
3	psas_packet API	2
3.1	Message Class	2
3.2	Header	2
3.3	Exceptions	2
4	Examples	2
4.1	Send A Telemetry Packet	2
5	psas_packet	5

Contents

CHAPTER 1

Data Structure

1.1 Message

A PSAS Message has a header with an ASCII four character code (e.g., 'ADIS') that identifies it. This is followed by a 6 byte timestamp in nanoseconds. This is always nanosecond since beginning of a program, which is usually the same as boot time for a device. This is followed by two bytes that give the size of the rest of the message. The remainder of the message is a collection of *Data*.

1.2 Data

Data can be almost anything, even other messages. Usually it's a pre-defined set of fixed sized numbers

CHAPTER 2

Message Definitions

These are all the message types pre-defined in psas_packet.messages.MESSAGES

2.1 ADIS

ADIS16405

Format Description:

Field	Type	Size [Bytes]
VCC	uint16_t	2
Gyro_X	int16_t	2
Gyro_Y	int16_t	2
Gyro_Z	int16_t	2
Acc_X	int16_t	2
Acc_Y	int16_t	2
Acc_Z	int16_t	2
Magn_X	int16_t	2
Magn_Y	int16_t	2
Magn_Z	int16_t	2
Temp	int16_t	2

Portland State Aerospace Society (PSAS) is a student aerospace engineering project at Portland State University. We are building ultra-low-cost, open source rockets that feature some of the most sophisticated amateur rocket avionics systems out there today.

In developing our [telemetry](#) system we've had to come up with a tight data storage and transfer technique. However we use this data scheme in many different projects, from the flight computer to various ground stations. This project is developed to have a single place that defines everything.

psas_packet

psas_packet is the reference implementation of our binary message storage and transmission scheme.

D

`decode()` (`psas_packet.messages.Head` method), 2
`decode()` (`psas_packet.messages.Message` method), 2

E

`encode()` (`psas_packet.messages.Head` method), 2
`encode()` (`psas_packet.messages.Message` method), 2

H

`Head` (class in `psas_packet.messages`), 2

M

`Message` (class in `psas_packet.messages`), 2
`MessageSizeError` (class in `psas_packet.messages`), 2

T

`typedef()` (`psas_packet.messages.Message` method), 2