
Pybman Documentation

Release 2019.10.1

Donatus Herre

Oct 01, 2019

Contents

1	Reference	1
1.1	pybman.client module	1
1.2	pybman.data module	1
1.3	pybman.extract module	3
1.4	pybman.inspector module	5
1.5	pybman.local module	6
1.6	pybman.query module	6
1.7	pybman.rest module	7
1.8	pybman.utils module	9
2	Indices and tables	11
	Python Module Index	13
	Index	15

1.1 pybman.client module

```
class pybman.client.Client (secret="")  
    Bases: object  
  
    get_data (ctx_id=None, ou_id=None, pers_id=None, lang_id=None, jour_name=None,  
              misc_query=None)  
  
    update_data (idx, item_data, comment)
```

1.2 pybman.data module

```
class pybman.data.DataSet (data_id, data=None, raw=None)  
    Bases: object  
  
    get_cone_persons ()  
        extract persons' CoNE IDs and associated names  
  
    get_contexts ()  
        extract IDs of records an associated IDs of collection  
  
    get_creators ()  
        extract data of creators from records  
  
    get_creators_data ()  
        extract persons' CoNE IDs and associated records  
  
    get_creators_from_records ()  
        extract creators lists from records  
  
    get_genre_data ()  
        extract genres and associated records
```

get_genre_relationships()
extract genres and associated source genres

get_genres()
extract genres and associated IDs of records

get_item(*item_id*)
extract record with given record ID

get_items_from_year(*year*)
extract IDs of records with given publication year

get_items_from_year_data(*year*)
extract records with given publication year

get_items_released()
extract IDs of records with state 'released' and associated records

get_items_submitted()
extract records with state 'submitted' and associated IDs

get_items_with_external_url()
extract records with external url

get_items_with_genre(*genre*)
extract IDs of records with state 'released' and associated records

get_items_with_identifier_uri()
extract records with identifier uri

get_items_with_source_genre(*source_genre*)
extract records with given source genre

get_journals()
extract publication sources from records with JOURNAL as source genre

get_journals_data()
extract records with JOURNAL as source genre

get_languages()
extract publication languages and associated record IDs

get_languages_data()
extract publication languages and associated records

get_organizations()
extract organizations of creators and associated IDs of records

get_places()
extract publication places and associated IDs of records

get_publishers()
extract publishers and associated IDs of records

get_series()
extract publication source from records with SERIES as source genre

get_source_from_items_with_source_genre(*source_genre*)
extract data of record's source with given source genre

get_source_genres()
extract genres of publication sources and associated record IDs

get_source_genres_data()
extract genres of publication sources and associated records

get_sources_identifiers()
extract identifiers of publication sources and associated record IDs

get_sources_titles()
extract titles of publication sources and associated record IDs

get_titles()
extract titles and associated IDs of records

get_titles_from_source()
extract titles of sources and associated IDs of records

get_years()
extract publication years and associated record IDs

get_years_data()
extract publication years and associated records

1.3 pybman.extract module

data extraction routines

pybman.extract.creators_from_item(item)
extract creators of item

pybman.extract.creators_from_source(source)
extract sources' titles and genres from item

pybman.extract.ctx_from_item(item)
extract identifier of item

pybman.extract.ctx_idx_from_item(item)
extract identifier of item

pybman.extract.data(item)
extract data of item

pybman.extract.date_accepted_from_item(item)
extract date of acceptance from item

pybman.extract.date_created_from_item(item)
extract date of creation from item

pybman.extract.date_from_item(item)
extract date from item

pybman.extract.date_modified_from_item(item)
extract date of modification from item

pybman.extract.date_pubonline_from_item(item)
extract publication date (online) from item

pybman.extract.date_pubprint_from_item(item)
extract publication date (print) from item

pybman.extract.date_submitted_from_item(item)
extract date of submission from item

`pybman.extract.field_from_creator` (*field, creator*)
extract field from creator of item

`pybman.extract.field_from_metadata` (*field, item, value=True*)
extract field from metadata of item

`pybman.extract.field_from_pubinfo` (*field, item*)
extract field from publishing info of item

`pybman.extract.field_in_level` (*field, level*)
true if field is in level, false otherwise

`pybman.extract.genre_from_item` (*item*)
extract genre of item

`pybman.extract.identifiers_from_item` (*item*)
extract values and types of identifiers

`pybman.extract.idx_from_item` (*item*)
extract identifier of item

`pybman.extract.items` (*records*)
iterate items

`pybman.extract.iter_fields` (*field, level*)
iterate over field of level

`pybman.extract.languages_from_item` (*item*)
extract languages of item

`pybman.extract.list_from_level` (*field, level*)
extract list from field in level of item

`pybman.extract.metadata` (*item*)
extract meta data of item

`pybman.extract.organizations_from_item` (*item*)
extract organizations from item

`pybman.extract.organizations_identifier_from_creator` (*creator*)
extract organizations' identifiers from item

`pybman.extract.organizations_name_from_creator` (*creator*)
extract organizations' names from item

`pybman.extract.persons_affiliation_from_creator` (*creator*)
extract persons' affiliations from creator of item

`pybman.extract.persons_from_item` (*item*)
extract persons from item

`pybman.extract.persons_id_from_creator` (*creator*)
extract persons' ID and type of ID from creator of item

`pybman.extract.persons_identifier_from_creator` (*creator*)
extract persons' identifier from creator of item

`pybman.extract.persons_name_from_creator` (*creator*)
extract persons' name from creator of item

`pybman.extract.persons_organizations_from_creator` (*creator*)
extract persons' organizations from creator of item

`pybman.extract.place_from_item(item)`
extract publishing place of item

`pybman.extract.pubinfo_from_item(item)`
extract publishing info of item

`pybman.extract.publisher_from_item(item)`
extract publisher from item

`pybman.extract.role_from_creator(creator)`
extract role from creator of item

`pybman.extract.source_titles(collection)`
extract source titles from records

`pybman.extract.source_titles_genres(collection)`
extract source titles and genres from records

`pybman.extract.sources(item)`
iterate over sources of item

`pybman.extract.sources_identifiers_from_item(item)`
extract values and types of identifiers from item's sources

`pybman.extract.sources_persons_affiliations_from_item(item)`
extract persons affiliations from source of item

`pybman.extract.sources_persons_from_item(item)`
extract sources' creators from item if person

`pybman.extract.sources_persons_id_from_item(item)`
extract persons ID from source of item

`pybman.extract.sources_titles_from_item(item)`
extract sources' titles from item

`pybman.extract.sources_titles_genres_from_item(item)`
extract sources' titles and genres from item

`pybman.extract.title_from_item(item)`
extract title of item

`pybman.extract.titles_from_records(records)`
extract titles from records

`pybman.extract.type_from_creator(creator)`
extract type of creator

`pybman.extract.value_from_level(field, level)`
extract value from field in level of item

1.4 pybman.inspector module

```
class pybman.inspector.Inspector(client, records)
    Bases: object

    change_genre(new_genre, old_genre)

    change_pers_name(old_family_name=None, new_family_name=None, old_given_name=None,
                    new_given_name=None)

    change_source_genre(new_genre, old_genre)
```

```
check_publication_date()
check_publication_titles(clean=False)
check_publication_uri()
check_publication_url()
check_publishers(clean=False)
check_publishers_omission(clean=False)
check_publishing_places(clean=False)
check_publishing_places_omission(clean=False)
check_source_titles(clean=False)
clean_publishers()
clean_publishing_places()
clean_source_titles()
clean_titles()
update_genre(new_genre, old_genre)
update_source_genre(new_genre, old_genre)
```

1.5 pybman.local module

```
class pybman.local.LocalData(base_dir='./data', ous_dir='ous', ctx_dir='ctx', pers_dir='pers',
                             create=False)
    Bases: object
    find_data_path(pattern)
    generate_data_path(data_id)
    get_data(pattern)
    store_data(idx, dict_data)
```

1.6 pybman.query module

```
class pybman.query.AllQuery
    Bases: object
    get_files_query()
    get_locators_query()
class pybman.query.ConeQuery
    Bases: object
class pybman.query.ContextQuery
    Bases: object
    get_item_query(ctx_id)
    get_released_item_query(ctx_id)
```

```
class pybman.query.JournalQuery
    Bases: object

    get_item_query(jour_name)

    get_released_item_query(jour_name)

class pybman.query.LangQuery
    Bases: object

    get_item_query(lang_id)

    get_released_item_query(lang_id)

class pybman.query.OrgUnitQuery
    Bases: object

    get_item_query(ou_id)

    get_item_released_query(ou_id)

class pybman.query.PersQuery
    Bases: object

    get_item_query(cone_id)

    get_item_released_query(cone_id)

class pybman.query.Query
    Bases: object
```

1.7 pybman.rest module

```
class pybman.rest.BaseController(url='https://pure.mpg.de/')
    Bases: object

class pybman.rest.ConeController
    Bases: pybman.rest.BaseController

class pybman.rest.ContextRestController
    Bases: pybman.rest.RestController

    get(ctx_id='ctx_924547')

    get_all()

class pybman.rest.FeedRestController
    Bases: pybman.rest.RestController

    get_recent_oa()

    get_recent_releases()

    get_recent_releases_for_ou()

    get_search_as_feed()

class pybman.rest.ItemRestController(secret='')
    Bases: pybman.rest.LoginRestController

    count_items(query=None)

    release_item(item_id, data, comment)

    revise_item()
```

```
    scroll_items(scroll_id, counter)

    search_items(query=None)

    submit_item()

    update_item(item_id, data)

    withdraw_item()

class pybman.rest.JournalConeController
    Bases: pybman.rest.ConeController

    get_entities()

    get_entity(journal_id='954928372938')

    search_entity(cone_id)

class pybman.rest.LanguageConeController
    Bases: pybman.rest.ConeController

    full_init()

    get_entities()

    get_entity(language_id='deu')

    init()

    search_entity(cone_id)

class pybman.rest.LoginRestController(auth=True, cred="")
    Bases: pybman.rest.RestController

    get_user()

    login()

    logout()

class pybman.rest.OrgUnitRestController
    Bases: pybman.rest.RestController

    child_organizations(ou_id='ou_907574')

    get(ou_id='ou_907574')

    get_all()

    top_level()

class pybman.rest.PersonConeController
    Bases: pybman.rest.ConeController

    full_init()

    get_entities()

    get_entity(person_id='persons32341')

    init()

    ous_graph()

    search_entity(cone_id)

class pybman.rest.RestController
    Bases: pybman.rest.BaseController
```

get_docs()
retrieve api docs of rest interface

1.8 pybman.utils module

`pybman.utils.add_value(d, dkey="", dvalue="")`
`pybman.utils.check_url(url)`
`pybman.utils.clean_string(string)`
`pybman.utils.get_request(url, params=None, headers=None, json_response=True)`
`pybman.utils.post_request(url, params=None, headers=None, data=None, json_res=True)`
`pybman.utils.put_request(url, header, data)`
`pybman.utils.read_csv_with_header(path)`
`pybman.utils.read_json(path)`
`pybman.utils.read_plain_clean(path)`
`pybman.utils.resolve_path(path)`
`pybman.utils.url_exists(url)`
`pybman.utils.url_exists2(url)`
`pybman.utils.write_csv(path, results)`
`pybman.utils.write_json(path, data)`
`pybman.utils.write_list(path, results)`

CHAPTER 2

Indices and tables

- `genindex`
- `modindex`
- `search`

p

- `pybman.client`, 1
- `pybman.data`, 1
- `pybman.extract`, 3
- `pybman.inspector`, 5
- `pybman.local`, 6
- `pybman.query`, 6
- `pybman.rest`, 7
- `pybman.utils`, 9

A

add_value() (in module *pybman.utils*), 9
AllQuery (class in *pybman.query*), 6

B

BaseController (class in *pybman.rest*), 7

C

change_genre() (pybman.inspector.Inspector
method), 5
change_pers_name() (pybman.inspector.Inspector
method), 5
change_source_genre() (pyb-
man.inspector.Inspector method), 5
check_publication_date() (pyb-
man.inspector.Inspector method), 5
check_publication_titles() (pyb-
man.inspector.Inspector method), 6
check_publication_uri() (pyb-
man.inspector.Inspector method), 6
check_publication_url() (pyb-
man.inspector.Inspector method), 6
check_publishers() (pybman.inspector.Inspector
method), 6
check_publishers_omission() (pyb-
man.inspector.Inspector method), 6
check_publishing_places() (pyb-
man.inspector.Inspector method), 6
check_publishing_places_omission() (pyb-
man.inspector.Inspector method), 6
check_source_titles() (pyb-
man.inspector.Inspector method), 6
check_url() (in module *pybman.utils*), 9
child_organizations() (pyb-
man.rest.OrgUnitRestController
method), 8
clean_publishers() (pybman.inspector.Inspector
method), 6

clean_publishing_places() (pyb-
man.inspector.Inspector method), 6
clean_source_titles() (pyb-
man.inspector.Inspector method), 6
clean_string() (in module *pybman.utils*), 9
clean_titles() (pybman.inspector.Inspector
method), 6
Client (class in *pybman.client*), 1
ConeController (class in *pybman.rest*), 7
ConeQuery (class in *pybman.query*), 6
ContextQuery (class in *pybman.query*), 6
ContextRestController (class in *pybman.rest*), 7
count_items() (pybman.rest.ItemRestController
method), 7
creators_from_item() (in module *pyb-
man.extract*), 3
creators_from_source() (in module *pyb-
man.extract*), 3
ctx_from_item() (in module *pybman.extract*), 3
ctx_idx_from_item() (in module *pybman.extract*),
3

D

data() (in module *pybman.extract*), 3
DataSet (class in *pybman.data*), 1
date_accepted_from_item() (in module *pyb-
man.extract*), 3
date_created_from_item() (in module *pyb-
man.extract*), 3
date_from_item() (in module *pybman.extract*), 3
date_modified_from_item() (in module *pyb-
man.extract*), 3
date_pubonline_from_item() (in module *pyb-
man.extract*), 3
date_pubprint_from_item() (in module *pyb-
man.extract*), 3
date_submitted_from_item() (in module *pyb-
man.extract*), 3

F

`FeedRestController` (class in `pybman.rest`), 7
`field_from_creator()` (in module `pybman.extract`), 3
`field_from_metadata()` (in module `pybman.extract`), 4
`field_from_pubinfo()` (in module `pybman.extract`), 4
`field_in_level()` (in module `pybman.extract`), 4
`find_data_path()` (`pybman.local.LocalData` method), 6
`full_init()` (`pybman.rest.LanguageConeController` method), 8
`full_init()` (`pybman.rest.PersonConeController` method), 8

G

`generate_data_path()` (`pybman.local.LocalData` method), 6
`genre_from_item()` (in module `pybman.extract`), 4
`get()` (`pybman.rest.ContextRestController` method), 7
`get()` (`pybman.rest.OrgUnitRestController` method), 8
`get_all()` (`pybman.rest.ContextRestController` method), 7
`get_all()` (`pybman.rest.OrgUnitRestController` method), 8
`get_cone_persons()` (`pybman.data.DataSet` method), 1
`get_contexts()` (`pybman.data.DataSet` method), 1
`get_creators()` (`pybman.data.DataSet` method), 1
`get_creators_data()` (`pybman.data.DataSet` method), 1
`get_creators_from_records()` (`pybman.data.DataSet` method), 1
`get_data()` (`pybman.client.Client` method), 1
`get_data()` (`pybman.local.LocalData` method), 6
`get_docs()` (`pybman.rest.RestController` method), 8
`get_entities()` (`pybman.rest.JournalConeController` method), 8
`get_entities()` (`pybman.rest.LanguageConeController` method), 8
`get_entities()` (`pybman.rest.PersonConeController` method), 8
`get_entity()` (`pybman.rest.JournalConeController` method), 8
`get_entity()` (`pybman.rest.LanguageConeController` method), 8
`get_entity()` (`pybman.rest.PersonConeController` method), 8

`get_files_query()` (`pybman.query.AllQuery` method), 6
`get_genre_data()` (`pybman.data.DataSet` method), 1
`get_genre_relationships()` (`pybman.data.DataSet` method), 1
`get_genres()` (`pybman.data.DataSet` method), 2
`get_item()` (`pybman.data.DataSet` method), 2
`get_item_query()` (`pybman.query.ContextQuery` method), 6
`get_item_query()` (`pybman.query.JournalQuery` method), 7
`get_item_query()` (`pybman.query.LangQuery` method), 7
`get_item_query()` (`pybman.query.OrgUnitQuery` method), 7
`get_item_query()` (`pybman.query.PersQuery` method), 7
`get_item_released_query()` (`pybman.query.OrgUnitQuery` method), 7
`get_item_released_query()` (`pybman.query.PersQuery` method), 7
`get_items_from_year()` (`pybman.data.DataSet` method), 2
`get_items_from_year_data()` (`pybman.data.DataSet` method), 2
`get_items_released()` (`pybman.data.DataSet` method), 2
`get_items_submitted()` (`pybman.data.DataSet` method), 2
`get_items_with_external_url()` (`pybman.data.DataSet` method), 2
`get_items_with_genre()` (`pybman.data.DataSet` method), 2
`get_items_with_identifier_uri()` (`pybman.data.DataSet` method), 2
`get_items_with_source_genre()` (`pybman.data.DataSet` method), 2
`get_journals()` (`pybman.data.DataSet` method), 2
`get_journals_data()` (`pybman.data.DataSet` method), 2
`get_languages()` (`pybman.data.DataSet` method), 2
`get_languages_data()` (`pybman.data.DataSet` method), 2
`get_locators_query()` (`pybman.query.AllQuery` method), 6
`get_organizations()` (`pybman.data.DataSet` method), 2
`get_places()` (`pybman.data.DataSet` method), 2
`get_publishers()` (`pybman.data.DataSet` method), 2
`get_recent_oa()` (`pybman.rest.FeedRestController` method), 7
`get_recent_releases()` (pyb-

man.rest.FeedRestController method), 7
 get_recent_releases_for_ou() (*pybman.rest.FeedRestController method*), 7
 get_released_item_query() (*pybman.query.ContextQuery method*), 6
 get_released_item_query() (*pybman.query.JournalQuery method*), 7
 get_released_item_query() (*pybman.query.LangQuery method*), 7
 get_request() (*in module pybman.utils*), 9
 get_search_as_feed() (*pybman.rest.FeedRestController method*), 7
 get_series() (*pybman.data.DataSet method*), 2
 get_source_from_items_with_source_genre() (*pybman.data.DataSet method*), 2
 get_source_genres() (*pybman.data.DataSet method*), 2
 get_source_genres_data() (*pybman.data.DataSet method*), 2
 get_sources_identifiers() (*pybman.data.DataSet method*), 3
 get_sources_titles() (*pybman.data.DataSet method*), 3
 get_titles() (*pybman.data.DataSet method*), 3
 get_titles_from_source() (*pybman.data.DataSet method*), 3
 get_user() (*pybman.rest.LoginRestController method*), 8
 get_years() (*pybman.data.DataSet method*), 3
 get_years_data() (*pybman.data.DataSet method*), 3

I

identifiers_from_item() (*in module pybman.extract*), 4
 idx_from_item() (*in module pybman.extract*), 4
 init() (*pybman.rest.LanguageConeController method*), 8
 init() (*pybman.rest.PersonConeController method*), 8
 Inspector (*class in pybman.inspector*), 5
 ItemRestController (*class in pybman.rest*), 7
 items() (*in module pybman.extract*), 4
 iter_fields() (*in module pybman.extract*), 4

J

JournalConeController (*class in pybman.rest*), 8
 JournalQuery (*class in pybman.query*), 6

L

LangQuery (*class in pybman.query*), 7
 LanguageConeController (*class in pybman.rest*), 8
 languages_from_item() (*in module pybman.extract*), 4

list_from_level() (*in module pybman.extract*), 4
 LocalData (*class in pybman.local*), 6
 login() (*pybman.rest.LoginRestController method*), 8
 LoginRestController (*class in pybman.rest*), 8
 logout() (*pybman.rest.LoginRestController method*), 8

M

metadata() (*in module pybman.extract*), 4

O

organizations_from_item() (*in module pybman.extract*), 4
 organizations_identifier_from_creator() (*in module pybman.extract*), 4
 organizations_name_from_creator() (*in module pybman.extract*), 4
 OrgUnitQuery (*class in pybman.query*), 7
 OrgUnitRestController (*class in pybman.rest*), 8
 ous_graph() (*pybman.rest.PersonConeController method*), 8

P

PersonConeController (*class in pybman.rest*), 8
 persons_affiliation_from_creator() (*in module pybman.extract*), 4
 persons_from_item() (*in module pybman.extract*), 4
 persons_id_from_creator() (*in module pybman.extract*), 4
 persons_identifier_from_creator() (*in module pybman.extract*), 4
 persons_name_from_creator() (*in module pybman.extract*), 4
 persons_organizations_from_creator() (*in module pybman.extract*), 4
 PersQuery (*class in pybman.query*), 7
 place_from_item() (*in module pybman.extract*), 4
 post_request() (*in module pybman.utils*), 9
 pubinfo_from_item() (*in module pybman.extract*), 5
 publisher_from_item() (*in module pybman.extract*), 5
 put_request() (*in module pybman.utils*), 9
 pybman.client (*module*), 1
 pybman.data (*module*), 1
 pybman.extract (*module*), 3
 pybman.inspector (*module*), 5
 pybman.local (*module*), 6
 pybman.query (*module*), 6
 pybman.rest (*module*), 7
 pybman.utils (*module*), 9

Q

`Query` (class in `pybman.query`), 7

R

`read_csv_with_header()` (in module `pybman.utils`), 9

`read_json()` (in module `pybman.utils`), 9

`read_plain_clean()` (in module `pybman.utils`), 9

`release_item()` (`pybman.rest.ItemRestController` method), 7

`resolve_path()` (in module `pybman.utils`), 9

`RestController` (class in `pybman.rest`), 8

`revise_item()` (`pybman.rest.ItemRestController` method), 7

`role_from_creator()` (in module `pybman.extract`), 5

S

`scroll_items()` (`pybman.rest.ItemRestController` method), 7

`search_entity()` (`pybman.rest.JournalConeController` method), 8

`search_entity()` (`pybman.rest.LanguageConeController` method), 8

`search_entity()` (`pybman.rest.PersonConeController` method), 8

`search_items()` (`pybman.rest.ItemRestController` method), 8

`source_titles()` (in module `pybman.extract`), 5

`source_titles_genres()` (in module `pybman.extract`), 5

`sources()` (in module `pybman.extract`), 5

`sources_identifiers_from_item()` (in module `pybman.extract`), 5

`sources_persons_affiliations_from_item()` (in module `pybman.extract`), 5

`sources_persons_from_item()` (in module `pybman.extract`), 5

`sources_persons_id_from_item()` (in module `pybman.extract`), 5

`sources_titles_from_item()` (in module `pybman.extract`), 5

`sources_titles_genres_from_item()` (in module `pybman.extract`), 5

`store_data()` (`pybman.local.LocalData` method), 6

`submit_item()` (`pybman.rest.ItemRestController` method), 8

T

`title_from_item()` (in module `pybman.extract`), 5

`titles_from_records()` (in module `pybman.extract`), 5

`top_level()` (`pybman.rest.OrgUnitRestController` method), 8

`type_from_creator()` (in module `pybman.extract`), 5

U

`update_data()` (`pybman.client.Client` method), 1

`update_genre()` (`pybman.inspector.Inspector` method), 6

`update_item()` (`pybman.rest.ItemRestController` method), 8

`update_source_genre()` (`pybman.inspector.Inspector` method), 6

`url_exists()` (in module `pybman.utils`), 9

`url_exists2()` (in module `pybman.utils`), 9

V

`value_from_level()` (in module `pybman.extract`), 5

W

`withdraw_item()` (`pybman.rest.ItemRestController` method), 8

`write_csv()` (in module `pybman.utils`), 9

`write_json()` (in module `pybman.utils`), 9

`write_list()` (in module `pybman.utils`), 9