
pyisbn

Release 1.2.1

Jul 31, 2018

Contents

| | | |
|----------|--------------------------------------|-----------|
| 1 | Contents | 3 |
| 1.1 | Installation | 3 |
| 1.2 | API documentation | 4 |
| 1.3 | Frequently Asked Questions | 8 |
| 1.4 | Fun and games | 8 |
| 1.5 | Alternatives | 8 |
| 1.6 | Release HOWTO | 8 |
| 2 | Indices and tables | 11 |
| | Python Module Index | 13 |

pyisbn is a [GPL v3](#) licensed module for working with various book identification numbers. It includes functions for conversion, verification and generation of checksums. It also includes basic classes for representing ISBN (International Standard Book Number) as objects.

Git repository <https://github.com/JNRowe/pyisbn/>

Issue tracker <https://github.com/JNRowe/pyisbn/issues/>

Contributors <https://github.com/JNRowe/pyisbn/contributors/>

CHAPTER 1

Contents

1.1 Installation

You can install `pyisbn` either via PyPI (Python Package Index) or from source.

1.1.1 Using PyPI

To install using pip:

```
$ pip install pyisbn # to install in Python's site-packages  
$ pip install --install-option="--user" pyisbn # to install for a single user
```

To install using easy_install:

```
$ easy_install pyisbn
```

1.1.2 From source

If you have downloaded a source tarball you can install it with the following steps:

```
$ python setup.py build  
# python setup.py install # to install in Python's site-packages  
$ python setup.py install --user # to install for a single user
```

`pyisbn` has no dependencies outside the standard library.

1.2 API documentation

1.2.1 Class based access

Handling ISBNs

The `Isbn` supports SBNs (Standard Book Numbering), ISBN-10 and -13. If you're handling multiple inputs it is easiest to use this class.

`class pyisbn.Isbn(isbn)`

Initialise a new `Isbn` object.

Parameters `isbn (str)` – ISBN string

`calculate_checksum()`

Calculate ISBN checksum.

Returns ISBN checksum value

Return type `str`

`convert(code='978')`

Convert ISBNs between ISBN-10 and ISBN-13.

Parameters `code (str)` – ISBN-13 prefix code

Returns Converted ISBN

Return type `str`

`to_url(site='amazon', country='us')`

Generate a link to an online book site.

Parameters

- `site (str)` – Site to create link to
- `country (str)` – Country specific version of `site`

Returns URL on `site` for book

Return type `str`

Raises

- `SiteError` – Unknown site value
- `CountryError` – Unknown country value

`to_urn()`

Generate a RFC 3187 URN.

RFC 3187 is the commonly accepted way to use ISBNs as uniform resource names.

Returns `RFC 3187` compliant URN

Return type `str`

`validate()`

Validate an ISBN value.

Returns True if ISBN is valid

Return type `bool`

Examples

Validate ISBN

```
>>> book = Isbn('9783540009788')
>>> book.validate()
True
>>> invalid_book = Isbn('0123456654321')
>>> invalid_book.validate()
False
```

Format ISBN

```
>>> book.to_urn()
'URN:ISBN:9783540009788'
>>> book.to_url()
'https://www.amazon.com/s?search-alias=stripbooks&field-isbn=9783540009788'
>>> book.to_url('google')
'https://books.google.com/books?vid=isbn:9783540009788'
```

Handling ISBN-10

```
class pyisbn.Isbn10(isbn)
    Initialise a new Isbn10 object.

    Parameters isbn (str) – ISBN-10 string

    calculate_checksum()
        Calculate ISBN-10 checksum.

        Returns ISBN-10 checksum value

        Return type str

    convert(code='978')
        Convert ISBN-10 to ISBN-13.

        Parameters code (str) – ISBN-13 prefix code

        Returns ISBN-13 string

        Return type str
```

Handling ISBN-13

```
class pyisbn.Isbn13(isbn)
    Initialise a new Isbn13 object.

    Parameters isbn (str) – ISBN-13 string

    calculate_checksum()
        Calculate ISBN-13 checksum.

        Returns ISBN-13 checksum value

        Return type str
```

convert (code=None)

Convert ISBN-13 to ISBN-10.

Parameters `code` – Ignored, only for compatibility with `Isbn`

Returns ISBN-10 string

Return type str

Raises `ValueError` – When ISBN-13 isn't a Bookland “978” ISBN

Handling SBNs

class pyisbn.Sbn(sbn)

Initialise a new `Sbn` object.

Parameters `sbn` (`str`) – SBN string

calculate_checksum()

Calculate SBN checksum.

Returns SBN checksum value

Return type str

convert(code='978')

Convert SBN to ISBN-13.

Parameters `code` (`str`) – ISBN-13 prefix code

Returns ISBN-13 string

Return type str

1.2.2 Exceptions

exception pyisbn.CountryError

Unknown country value.

exception pyisbn.IsbnError

Invalid ISBN string.

exception pyisbn.SiteError

Unknown site value.

1.2.3 Function based access

Additionally the top-level functions are available, if you do not wish to use the classes.

Note: While the layout of this module is a result of it moving from a strictly function-based layout to a class-based layout these functions will not be removed. Backwards compatibility is important, and will be maintained.

Functions for handling ISBNs

`pyisbn.calculate_checksum(isbn)`

Calculate ISBN checksum.

Parameters `isbn (str)` – SBN, ISBN-10 or ISBN-13

Returns Checksum for given ISBN or SBN

Return type str

```
>>> calculate_checksum('978354000978')
'8'
```

`pyisbn.convert(isbn, code='978')`

Convert ISBNs between ISBN-10 and ISBN-13.

Note: No attempt to hyphenate converted ISBNs is made, because the specification requires that *any* hyphenation must be correct but allows ISBNs without hyphenation.

Parameters

- `isbn (str)` – SBN, ISBN-10 or ISBN-13
- `code (str)` – EAN Bookland code

Returns Converted ISBN-10 or ISBN-13

Return type str

Raise: IsbnError: When ISBN-13 isn't convertible to an ISBN-10

```
>>> convert('9783540009788')
'3540009787'
```

`pyisbn.validate(isbn)`

Validate ISBNs.

Warning: Publishers have been known to go to press with broken ISBNs, and therefore validation failures do not completely guarantee an ISBN is incorrectly entered. It should however be noted that it is massively more likely *you* have entered an invalid ISBN than the published ISBN is incorrectly produced. An example of this probability in the real world is that Amazon consider it so unlikely that they refuse to search for invalid published ISBNs.

Parameters `isbn (str)` – SBN, ISBN-10 or ISBN-13

Returns True if ISBN is valid

Return type bool

```
>>> validate('9783540009788')
True
```

1.3 Frequently Asked Questions

1.3.1 Can you release this under a more permissive licence?

I'm sorry, but no.

For pet projects I choose to use reciprocal licences because I like them, not because I'm unaware of their impact.

1.3.2 Can we buy a licence to embed this within a closed source product?

I'm sorry, but no.

This isn't an issue of money, so there is no need to make each other feel uncomfortable with a bidding discussion.

1.4 Fun and games

With ISBN-13 a book can have a valid checksum and have a simple transcription error, if digits with a difference of five are transposed.

Using *The Statistical Mechanics of Financial Markets* as an example, we can see that 9783540009788 is the [given ISBN](#), and is valid. However, 9738540009788 with the third and fourth characters transposed is also valid, yet is incorrect¹.

I'll leave it as an exercise for the reader to figure out how often books with transposable ISBN-13 occur in a given library of n books.

1.5 Alternatives

Before diving in and spitting out this package I looked for alternatives, but back in 2006 there were none to be found. There are, now, a few available and I'll list them here when people point them out. If I have missed something please drop me a [mail](#).

1.5.1 python-stdnum

[python-stdnum](#) by Arthur de Jong is a package to validate identifiers in a huge range of formats, including ISBNs.

1.6 Release HOWTO

1.6.1 Test

Tests can be run via [pytest](#):

```
$ pip3 install -r extra/requirements-test.txt
$ pytest -v tests
```

When preparing a release it is important to check that [pyisbn](#) works with all supported Python versions, and that the documentation for executing them is correct.

¹ This example was chosen to show that sometimes it is still possible to catch during data entry as 973 isn't a valid prefix

1.6.2 Prepare release

With the tests passing, do the following steps:

- Update the version data in `pyisbn/_version.py`
- Update `NEWS.rst` with any user visible changes
- Commit the release notes and version changes
- Create a signed tag for the release
- Push the changes — including the new tag — to the GitHub repository
- Create a new release on GitHub

1.6.3 Update PyPI

Create and upload the new release tarballs to PyPI using `twine`:

```
$ ./setup.py sdist bdist_wheel
$ gpg --detach-sign --armour dist/pyisbn-${version}.tar.gz
$ gpg --detach-sign --armour dist/pyisbn-${version}-*.whl
$ twine upload dist/pyisbn-${version}*
```

Fetch the uploaded tarballs, and check for errors.

You should also test installation from PyPI, to check the experience `pyisbn`'s end users will have.

CHAPTER 2

Indices and tables

- genindex
- modindex
- search

Python Module Index

p

[pyisbn](#), 1

Index

C

calculate_checksum() (in module pyisbn), [7](#)
calculate_checksum() (pyisbn.Isbn method), [4](#)
calculate_checksum() (pyisbn.Isbn10 method), [5](#)
calculate_checksum() (pyisbn.Isbn13 method), [5](#)
calculate_checksum() (pyisbn.Sbn method), [6](#)
convert() (in module pyisbn), [7](#)
convert() (pyisbn.Isbn method), [4](#)
convert() (pyisbn.Isbn10 method), [5](#)
convert() (pyisbn.Isbn13 method), [5](#)
convert() (pyisbn.Sbn method), [6](#)
CountryError, [6](#)

I

Isbn (class in pyisbn), [4](#)
Isbn10 (class in pyisbn), [5](#)
Isbn13 (class in pyisbn), [5](#)
IsbnError, [6](#)

P

pyisbn (module), [1](#)

R

RFC
RFC 3187, [4](#)

S

Sbn (class in pyisbn), [6](#)
SiteError, [6](#)

T

to_url() (pyisbn.Isbn method), [4](#)
to_urn() (pyisbn.Isbn method), [4](#)

V

validate() (in module pyisbn), [7](#)
validate() (pyisbn.Isbn method), [4](#)