

---

# **rstpractice Documentation**

***Release v0.1***

**ronething**

**Dec 02, 2018**



---

## Contents

---

<b>1</b>		<b>1</b>
1.1	H1 . . . . .	1
<b>2</b>	<b>other</b>	<b>3</b>



# CHAPTER 1

---

---

**bold** and *italics*

- A thing.
- Another thing.

or

1. Item 1.
2. Item 2.
3. Item 3.

or

- Some.
- Thing.
- Different.

## 1.1 H1

There should only be one of these per page and this will also – when converting to pdf – be used for the chapters.

### 1.1.1 H2

#### H3

#### H4

COMPLEX TABLE:

Header 1	Header 2	Header 3
body row 1	column 2	column 3
body row 2	Cells may span columns.	
body row 3	Cells may span rows.	<ul style="list-style-type: none"><li>• Cells</li><li>• contain</li><li>• blocks.</li></ul>
body row 4		

SIMPLE TABLE:

Inputs		Output
A	B	A or B
False	False	False
True	False	True
False	True	True
True	True	True

github




Fig. 1: vscode rst preview ext

---

other

---

Here is something I want to talk about:

```
def my_fn(foo, bar=True):  
    """A really useful function.  
  
    Returns None  
    """
```

This is inline if `__name__ == '__main__':`

$$\int_a^b f = \left[ f\left(a + \frac{dx}{2}\right) + f\left(a + dx + \frac{dx}{2}\right) + \left(f\left(a + 2dx + \frac{dx}{2}\right) + \dots \right) dx$$

the `conf.py` script.

rst

Sphinx