

---

# **rtfd-css Documentation**

*Release 1.0*

**Ruslan Baratov**

**Sep 27, 2017**



---

## Contents

---

<b>1</b>	<b>Examples</b>	<b>3</b>
1.1	rtfd-css.css . . . . .	3
1.2	custom.css . . . . .	4
<b>2</b>	<b>Bug</b>	<b>5</b>
2.1	Example 1 . . . . .	5
2.2	Example 1 . . . . .	6



Custom \*.css used in various projects. Usage:

1. Add [this](#) repository as a submodule
2. **Modify conf.py (see patch):**
  - ignore documentation files from `rtfd-css` directory
  - add `rtfd-css/docs/rtfd-css` directory to the static paths
  - load CSS by `add_stylesheet`



### **rtfd-css.css**

CSS defined in `rtfd-css.css` file:

---

#### **Examples on GitHub**

- [Link to the example](#)
- 

---

#### **Stackoverflow**

- [Link to the Stackoverflow](#)
- 

---

#### **CMake documentation**

- [Link to the CMake documentation](#)
- 

---

#### **CMake mailing list**

- [Link to discussion on CMake mailing list](#)
- 

---

#### **Wikipedia**

- [Link to the Wikipedia article](#)
-

## custom.css

Taken from: <https://github.com/Microsoft/Office-Online-Test-Tools-and-Documentation>

---

**Tip:** This is a tip

---

**Warning:** This is a warning

**Danger:** This is dangerous!



Sections render a little bit ugly because bottom properties calculated wrongly.

### Example 1

Should be:

**See also:**

- [Link](#)

**See also:**

- [Link](#)

**See also:**

- [Link](#)

Looks now:

**See also:**

- [Link](#)

---

**Examples on GitHub**

- [Link](#)
- 

**See also:**

- [Link](#)

## Example 1

Should be:

**See also:**

Some text

**See also:**

Some text

**See also:**

Some text

Looks now:

**See also:**

Some text

---

### Examples on GitHub

Some text

---

**See also:**

Some text

Used by:

- <https://docs.hunter.sh>
- <http://cgold.rtfid.io>