
Sphinx

Sphinx

2018åžŧ10æIJL21æUě

```
pip3 install selenium --cscAUAARAAraAAPip install selenium  
aaAlaCfLaCijaCSaCLaCncnLlaAggaEeaLZaAUaCdcaCSaCzaCLaCijaCnaUAUaAeaaRAaAaaATaAdAAC  
aaAzAnacondaaggaCdcaCSaCzaCLaCijaCnaUAUaAeaaADaCNaatARLaArAApython -m pip install  
selenium aaOaUAANaoLaElAANaCCaUAaCNaA;aaZAaCSaAC
```

ãAŞãAqãCLãAÑãCLFirefoxãCSãCĂãCęãCŞãCŃãCijãCŁãAŮãAęãALãADãAŁ;ãAŮãCĞãAEãĂCæñãAñGoogleChromeãCĆã
ãA;ãAZãArãĂAseleniumãCŞãŁãAćãAeãAŁãA;ãAŮãCĞãAEãĂC

ãAĩãĆŃãAğãArãĂAFirefoxãAőWebãČŮãČřãČěãČůãČŠćŃãAaäÿŁãAŠãA;ãAŮãČĜãAĚãĂĆ

[illegible]

During handling of the above exception, another exception occurred:

```

/usr/local/lib/python3.7/site-packages/selenium/webdriver/firefox/webdriver.py in __init__
    162         service_args=service_args,
    163         log_path=service_log_path)
--> 164         self.service.start()
    165
    166         capabilities.update(options.to_capabilities())

```

```

/usr/local/lib/python3.7/site-packages/selenium/webdriver/common/service.py in start(self)
    81         raise WebDriverException(
    82             "'%s' executable needs to be in PATH. %s" % (
---> 83             os.path.basename(self.path), self.start_error_message)

```

WebDriverException: Message: 'geckodriver' executable needs to be in PATH.

Message: 'geckodriver' executable needs to be in PATH.

~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe

~\AppData\Local\Gecko\Profiles\default\bin\geckodriver

~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe

Mac OS X



Windows

Windows\Users\user\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe
 ~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe
 ~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe

[http]

~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe
 ~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe
 ~\AppData\Local\Gecko\Profiles\default\bin\geckodriver.exe

[http]

```

geckodriver --install
In [3]: # Mac
        browser = webdriver.Firefox()

        # Windows
        browser = webdriver.Firefox('geckodriver.exe')

```

Installing Google Chrome

Chrome is available for Windows, Mac, and Linux. Firefox is available for Windows, Mac, and Linux. GeckoDriver is available for Windows, Mac, and Linux. ChromeDriver is available for Windows, Mac, and Linux.

Mac



Windows

Download the ChromeDriver executable from the <https://chromedriver.chromium.org/downloads> page.

[htbp]

ãĖĹçÍÑãAõçŤlãAñã|IJæëñãČŤãCaãCďãČnãAĹãŘÑěŽŮãsd'ãAñ
ãČSç;õãAĎãAçãAŘãAšãAŤãAĎãĂC

chromedriver.exe

[htbp]

