
Scripture Burrito Documentation

Release 1.0.0

SBWG


Feb 06, 2024

CONTENTS

1	Future Development	3
2	Documentation	5
2.1	Introduction	5
2.1.1	Overview	5
2.1.1.1	Scope	5
2.1.1.2	Features	5
2.1.1.3	Concepts	6
2.1.1.4	Goals	6
2.1.2	History	7
2.1.2.1	Putting the U into USFM	7
2.1.2.2	The Paratext Ecosystem	7
2.1.2.3	Every Tribe Every Nation and the Digital Bible Library	7
2.1.2.4	New Media, New Ecosystems	7
2.1.2.5	Building on DBL Metadata	8
2.1.2.6	USFM and USX for Scripture Text	8
2.1.2.7	Early Work	8
2.1.3	Committee	8
2.1.3.1	Current Membership	8
2.1.3.2	Origins	9
2.1.3.3	Relationship to the Copenhagen Alliance	9
2.2	Schema Documentation	9
2.2.1	Overall Design	9
2.2.1.1	Document “Shape” Determined by Type Elements	10
2.2.1.2	Metadata Filename	12
2.2.1.3	Other Burrito Files	12
2.2.1.4	File Encoding	12
2.2.1.5	Flavor-Specific Details in One Known Location	13
2.2.1.6	Publications Inherit Burrito Properties	13
2.2.1.7	Versioning	13
2.2.2	Agencies	14
2.2.3	Agency	14
2.2.4	Common Definitions	15
2.2.5	Confidential	16
2.2.6	Copyright and License Information	17
2.2.7	Meta (Derived)	18
2.2.8	Metadata (Derived)	19
2.2.9	Flavor Details: Glossed Text Stories	20
2.2.10	idAuthorities	20
2.2.11	Identification	21

2.2.12	Ingredient	22
2.2.13	Ingredients	22
2.2.14	Language	23
2.2.15	Languages	23
2.2.16	Localized Name	23
2.2.17	Localized Names	24
2.2.18	Meta Comments	24
2.2.19	Meta Date created	24
2.2.20	Meta Default Language	24
2.2.21	Meta Version	24
2.2.22	Metadata	25
2.2.23	Normalization	25
2.2.24	Numbering System	25
2.2.25	Progress	26
2.2.26	Promotional Statements	26
2.2.27	Recipes	26
2.2.28	Recipe Element	27
2.2.29	Recipe Section	27
2.2.30	Relationship	28
2.2.31	Relationships	29
2.2.32	Role	29
2.2.33	Scope	30
2.2.34	Flavor Details: Audio Translation	31
2.2.35	Flavor Details: Scripture: Braille Publication	31
2.2.36	Flavor Details: Scripture: Sign Language Video Translation	34
2.2.37	Flavor Details: scripture/textTranslation	35
2.2.38	Flavor Details: Scripture: Print Publication	36
2.2.39	Scripture Flavor Type	37
2.2.40	Software and User Info	38
2.2.41	Meta (Source)	38
2.2.42	Metadata (Default)	39
2.2.43	Target Area	40
2.2.44	Target Areas	40
2.2.45	Meta (Template)	40
2.2.46	Metadata (Template)	41
2.2.47	Type	41
2.2.48	UNM49 enum	45
2.2.49	Flavor Details: X-Flavor	46
2.3	Flavors	46
2.3.1	Scripture Flavors	46
2.3.1.1	Scripture Text	46
2.3.1.2	Scripture Audio	49
2.3.1.3	Scripture Sign Language	51
2.3.1.4	Scripture Print	53
2.3.1.5	Scripture Braille	55
2.3.2	Gloss Flavors	57
2.3.2.1	Scriptural Text Stories	57
2.3.3	Parascriptural Flavors	58
2.3.4	Peripheral Flavors	58
2.3.5	Extending Scripture Burrito	58
2.3.5.1	Identify a Need	58
2.3.5.2	Consider Conventions	60
2.3.5.3	Pick the Appropriate FlavorType	60
2.3.5.4	Fork an X-Flavor	62

	2.3.5.5	Circulate it, Use it, Refine it	62
	2.3.5.6	Talk to the Scripture Burrito Working Group	62
2.4	Examples		62
	2.4.1	audioTranslation	62
	2.4.2	embossedBrailleScripture	67
	2.4.3	minimalTemplate	88
	2.4.4	signLanguageVideoTranslation	89
	2.4.5	textStories	118
	2.4.6	textTranslation	134
	2.4.7	textTranslation_derived	189
	2.4.8	typesetScripture	196
	2.4.9	xScripture	199
2.5	Glossary		201
	2.5.1	Scripture Burrito Concepts	201
	2.5.2	Other Terminology	202



After several years of development and testing, we are pleased to announce the availability of **Scripture Burrito 1.0.0** specification! We recommend that developers of Scripture and Scripture-related applications test and adopt this specification for interchanging data with other systems. Out of the box Scripture Burrito is designed to support the following types of data:

- *Scripture Text*
- *Scripture Print* (beta)
- *Scripture Audio* (beta)
- *Scripture Sign Language* (beta)
- *Scripture Braille* (beta)
- *Scriptural Text Stories* (beta)

As interoperability is our primary goal, we are happy to accept proposals for new flavors based on common interchange scenarios. We have provided instructions and examples for *Extending Scripture Burrito* by testing and implementing new flavors (using x- flavors). When multiple implementations can be demonstrated, we will consider adding them as official flavors in new schema releases.

If you learn best by example, see the [minimal flavor examples](#).

This work has been a multi-year collaboration between several organizations, including [American Bible Society](#), [Clear.Bible](#), [Eldarion](#), [Bridge Connectivity Solutions](#), [SIL](#), [unfoldingWord](#), [United Bible Societies](#), and the work has been sponsored by [illumiNations](#).

FUTURE DEVELOPMENT

See future development [milestones here](#). The Scripture Burrito *Committee* invites comments on all aspects of the schema and documentation. Please use [Github Issues](#) or [Github Discussions](#) to provide feedback.

DOCUMENTATION

2.1 Introduction

2.1.1 Overview

Scripture Burrito is a data interchange format for Bible-centric content. Our goal is lossless portability of Scripture-related metadata and data between translation and publication users, applications and ecosystems.

Scripture Burrito is designed to be useful as an archival format. All metadata is human-readable in JSON, which is a widespread format easily consumed by software. Packaging conventions are simple and straightforward. (Our working group does not define the file formats contained in a Burrito. Some file formats used in a Burrito, such as audio files, may rely on standards that will go out of date. We encourage those who use Scripture Burrito as an archival format to consider the formats they are using.)

2.1.1.1 Scope

The scope of the Scripture Burrito specification includes any Bible-centric content and the entire ecosystem, including publication. The intent is not to create new data formats, but rather define a portable way of interchanging existing formats between applications and ecosystems. This necessarily includes existing and future client/server architectures and the attendant need to uniquely identify users, organizations and content.

2.1.1.2 Features

- a single container format to span the entire Scripture life cycle, from translation, through community testing and checking, to publication
- support for canonical and quasi-canonical translations in multiple media (initially text, audio, video, print on demand and braille)
- support for a wide range of resources relating to scripture, such as lexicons, cross-references, translation manuals, and commentaries
- mechanisms for linking related content, both at a burrito-to-burrito and ingredient-to-ingredient level
- identification of people, organizations and content via namespaced ids relating to multiple authenticating servers

2.1.1.3 Concepts

A **burrito** is a wrapper that contains content and metadata. That wrapper may be made available in various digital formats, such as a zip file, an Amazon S3 bucket or a series of API calls. The term “burrito” describes the wrapper, not the distribution mechanism.

The metadata describes the contents of the burrito, including directory structure and ingredients.

Scripture Burritos are grouped into four **flavor types**, depending on its relationship to Scripture:

1. Scripture
2. Gloss - includes narratives, stories, etc.
3. Parascriptural - includes anything indexed by book, chapter, verse that is not Scripture, e.g. commentaries or syntactic notes.
4. Peripheral - any other resource related to Scripture

Burritos exist in a number of **flavors**. Flavors are distinguished by their FlavorType and **reference system**.

A reference system identifies the way that a resource is referenced and navigated. For instance, a resource may use BCV (book, chapter, verse).

Burritos contain **ingredients**. An ingredient is a file-like resource with a mime-type and, optionally, a scope or role.

This specification places no constraints on the file layout used for ingredients but strongly recommends they be placed in a *ingredients/* directory. It is further recommended that application-specific files be placed within a sub-directory under this.

Flavors are typically quite broadly defined. Additional constraints may be added using **conventions**, which are expressed in the metadata using the schema. For example, an audio convention may specify that audio files represent whole chapters of Scripture, or that they are arranged according to a specific hierarchy. Burrito creators should respect any convention they include in the metadata. Burrito consumers may use conventions to decide how or whether to process a burrito. The semantics of no specified conventions is *caveat emptor*, i.e. nothing should be assumed about the content of the burrito beyond what is specified for the burrito flavor.

Variants provide a mechanism for distinguishing source burritos from derived burritos. A source variant is a user modifiable burrito. A derived variant is programmatically derived from a source variant.

2.1.1.4 Goals

1. Scripture Burrito is designed first and foremost for **data interchange** between ecosystems, although creators and consumers may also choose to use some or all of the format internally.
2. Scripture Burrito is a **Bible-lifespan format**. In other words, it is intended to be used from the start of the translation, through checking and community testing, into publication via multiple toolchains, and then through revision processes.
3. Scripture Burrito supports **non-text formats as first-class content**. In other words, the model is not “text plus multimedia”. In some cases text may play a secondary role or even be absent (eg in the case of oral translation or sign-language projects).
4. Scripture Burrito assumes the existence of **ecosystem servers** that provide ids for users, organizations and projects, and stores information to enable that server-hosted context to be discovered.
5. Scripture Burrito is intended to allow **lossless roundtripping of projects between ecosystems**. This depends to some extent on references to ecosystem servers that enable reconnection with different ecosystem-specific contexts.
6. Scripture Burrito supports **Scripture content** (original languages and translations), but also **Scriptural content** (eg glosses) and **Scripture-related content** (eg commentaries, translation manuals).

2.1.2 History

2.1.2.1 Putting the U into USFM

The arrival of affordable microcomputers encouraged many people to develop technology for Bible translation. Standard Formatting Markup (SFM) emerged as a popular, loose format among Bible translators. The basic, backslash-based syntax was used in many different ways, within [United Bible Societies \(UBS\)](#) and beyond.

In 2002 UBS created a working group to produce a clear specification for one SFM dialect that would facilitate the sharing of Scripture content between teams, organizations and technologies. That specification became [Unified Standard Formatting Markup \(USFM\)](#).

2.1.2.2 The Paratext Ecosystem

In parallel with the rise of USFM, the [Paratext](#) Scripture translation tool has gradually become the reference software for Bible translation. Paratext itself is a desktop application, but it is now part of an ecosystem that includes the [Paratext registry](#), as well as an archiving server for project, which enables translation teams to collaborate and to track progress. Various technologies take advantage of this ecosystem, eg [Publishing Assistant](#) and [Glyssen](#).

2.1.2.3 Every Tribe Every Nation and the Digital Bible Library

[Every Tribe Every Nation \(ETEN\)](#) is a global initiative to bring together major stakeholders in Bible translation, with the goal of creating translations of Scripture in every spoken language in the world by 2033. The [Digital Bible Library \(DBL\)](#) is one key component of the ETEN, providing an archiving and licensing platform for Scripture. DBL is oriented toward publication, in contrast to the Paratext translation ecosystem. Text translations are stored as [USX](#) (the XML expression of USFM) and metadata is stored as an XML document. DBL is now part of the publishing toolchain of many organizations including [YouVersion](#) and [Biblesearch](#).

2.1.2.4 New Media, New Ecosystems

Initially, DBL stored text entries which were derived from Paratext projects. Audio recordings were soon added, with their own metadata XML schema. DBL also stores print-oriented entries, typically produced by [Publishing Assistant](#), as well as braille and sign language video entries. Rather than produce and maintain a growing number of schema, DBL adopted a generic metadata model that could be extended to incorporate new types of entry. That generic schema was [DBL Metadata 2.0](#), which was rapidly patched to 2.1 and then 2.2.

While Paratext will continue to upload much of the text content of DBL, uploading of other entry types is now handled by [Nathanael](#), an application developed by the DBL team. Bible text editors such as [Autographa](#) and [translationStudio](#) are being developed to meet the needs of teams with modest language and technology skills. Groups such as [unfoldingWord](#), [Wycliffe Associates](#) and [Faith Comes By Hearing](#) are developing ecosystems for users of their own systems. This is the context within which the ETEN Bible Tools committee identified a need for data exchange formats, leading to Scripture Burrito.

2.1.2.5 Building on DBL Metadata

The ETEN Bible Tools Portability Subcommittee looked at various options and decided to base its work on the “DBL Bundle”, which consists of DBL metadata XML plus resources such as USX or MP3 files. This format has already been shown to work for thousands of entries. The subcommittee also identified areas which required significant work. The DBL origins of the first Scripture Burrito specification are therefore clear, but there are multiple breaking changes.

2.1.2.6 USFM and USX for Scripture Text

Much of the Bible translation world uses USFM, which is familiar to Bible translators, but which requires bespoke parsing tools, and which can be ambiguous in some circumstances. Also, USX contains machine-readable reference information that cannot be represented in USFM at this time. Valid USFM can be round-tripped to USX. USX cannot be round-tripped to USFM without losing the machine-readable references. Invalid USFM may not have an equivalent representation in USX. Paratext currently uses both USFM and USX internally at various points.

For these reasons and more, the current specification supports both USFM and USX. The suggestion is that

- USFM be used for translations in progress, and
- USX be used for valid content, orientated towards publication (incremental or otherwise).

2.1.2.7 Early Work

The 0.1.0 specification was based on an XML schema for metadata with a JSON representation. However, the goal for 0.2.0 was to switch to [JSON Schema](#) as the only representation of the metadata. This transition was completed with the 0.2.0-beta.2 release.

2.1.3 Committee

There is a cross organizational working group that defines the direction of the Scripture Burrito specification. See the [Github Contributors page](#) for a list of everyone that has contributed code or documentation.

2.1.3.1 Current Membership

The working group meets regularly and is now comprised of the following individuals:

- Chuck Barker
- Eric Pyle
- James Tauber (implementing developer)
- Jesse Griffin
- Joel Mathew
- Jonathan Robie
- Tim Steenwyk

2.1.3.2 Origins

The Scripture Burrito specification was started by the ETEN Project Portability Working Group which was formed after meetings in Philadelphia in July 2018 at American Bible Society. The group met several times virtually, culminating in two days of face meetings in Orlando on January 17-18, 2019. That meeting was attended by:

- Han Chung
- Jesse Griffin
- Mark Howe
- Joel Mathew
- Tim Steenwyk
- Benjamin Varghese
- Andi Wu

At the above meeting the Scripture Burrito name was adopted.

2.1.3.3 Relationship to the Copenhagen Alliance

The [Copenhagen Alliance](#) seeks to bring together those with “... a common interest in making biblical language data free and openly accessible to anyone for research, language learning, translation, and other uses.” This partially overlaps with the remit of the Scripture Burrito committee. Several members of the Scripture Burrito committee are also involved in the Copenhagen Alliance in various ways.

The Scripture Burrito committee has focussed on providing a conceptual container, extensive metadata and a mechanism for specifying the type of resources within each flavor of Burrito. Because of its links with DBL and the Paratext ecosystem, the Scripture Burrito standard also inherits widely-used de facto standards for text and audio Bibles. The Copenhagen Alliance is resolutely resource-centered, defining common formats for Scripture-related data where no such format currently exists. These two areas of concern are distinct but related. Scripture Burrito assumes documented standards of the type that the Copenhagen Alliance promotes. True portability of data in Copenhagen Alliance formats requires good metadata and consistent packaging, both of which are Scripture Burrito core concerns.

The Copenhagen Alliance and Scripture Burrito will seek ways to co-operate whenever their work overlaps, notifying each other when such an overlap occurs. While the distinct concerns of each group provide a convenient way to divide responsibilities, it is quite possible that the Scripture Burrito committee may be the first to perceive a need for a particular format, or that the Copenhagen Alliance may identify specific metadata concerns before Scripture Burrito. The aim of both groups is to work together through regular communication, in an atmosphere of mutual respect, so that both groups may better serve the wider Bible translation and publication community.

2.2 Schema Documentation

2.2.1 Overall Design


The design of the DBL Metadata schema has evolved as several curators have made changes to meet new needs. Scripture Burrito metadata largely follows the design philosophy of DBL Metadata v2.2.

2.2.1.1 Document “Shape” Determined by Type Elements


Scripture Burrito flavors are subdivided into four flavorTypes, on the basis of (roughly) how similar to Scripture they are.

- scripture
- gloss
- parascriptural
- peripheral.

The diagram below illustrates the logic behind the four flavorTypes - see also the detailed schema documentation. On a technical level, the more Scripture-like flavorTypes require more metadata, and specific ecosystems, applications and tool chains may only accept certain flavorTypes.



These flavorTypes are then subclassed into various flavors, as illustrated:



2.2.1.2 Metadata Filename

A Scripture Burrito can exist in multiple data formats. When the metadata is written to disk it must be in a file with the name of `metadata.json` at the **root** level of the Burrito.

2.2.1.3 Other Burrito Files

By convention, all files should be in the same directory as `metadata.json` or sub directories thereof. An acceptable exception is large media files that you may not want to distribute with the burrito itself, in which case a URL is acceptable. A burrito is intended to be a snapshot so maintaining external resources is beyond the scope of this specification. If files are references via URL, a client's expectation would be to get the same data each time it hits the provided URL.

2.2.1.4 File Encoding

Files contained in a burrito should be encoded as UTF-8. Note that the [Unicode standard version 5](#) notes the following about using the Byte order mark (BOM):

Use of a BOM is neither required nor recommended for UTF-8, but may be encountered in contexts where UTF-8 data is converted from other encoding forms that use a BOM or where the BOM is used as a UTF-8 signature.

2.2.1.5 Flavor-Specific Details in One Known Location

Most of the schema applies to all flavors of burrito. Flags and enums in the type section toggle various sets of functionality in a generic way. Flavor-specific content is located in

- metadata/type/flavorDetails

2.2.1.6 Publications Inherit Burrito Properties

The identification section contains many Dublin Core-inspired fields that relate to the Burrito as a whole. Similarly-named fields also exist, optionally, within each publication. The fields in the identification section are assumed to apply to the publication unless alternative values are specifically specified within the publication. Duplicate values between the identification and publication sections are legal but discouraged, as human editing tends to result in unintended skew between the previously-identical values.

2.2.1.7 Versioning

The Scripture Burrito specification follows [semantic versioning](#) in general. More specifically:

- in 0.X, we do not make an alpha / beta / release-candidate distinction
- effectively, all 0.X releases are alpha or beta
- planned releases are given a 0.X.0 version
- hot-fix releases to a 0.X (while we're working towards a different planned release) are given a version 0.X.Y (Y > 0)
- we will do alpha / beta / release candidates for 1.0 and beyond

Release Process

Prior to 1.0.0-rc1, there is no formal review process before release. All post-1.0 releases that aren't alpha or beta will go through a release candidate, however.

Post 1.0:

- alphas and betas can be done unilaterally by the release manager
- all release candidates for hot-fixes can be done unilaterally by the release manager but the actual release requires a review period and WG consensus
- all release candidates for normal (.0 / non-hotfix) releases require WG consensus

So for example, the release manager could unilaterally release:

- 0.4.0
- 0.4.1
- 1.0.1-rc1
- 1.1.0-alpha1
- 1.1.0-beta1

But working committee consensus is required for:

- 1.0.0-rc1
- 1.0.0

- 1.0.1
- 1.1.0-rc1
- 1.1.0

Branches

Prior to 1.0, `master` contains the latest release (of any kind) and `develop` (into which feature branches are merged) contains the work towards the next release.

From 1.0 onwards, `master` will contain final releases (i.e. not alpha, beta, or rc).

2.2.2 Agencies

https://burrito.bible/schema/agencies.schema.json	
A list of agencies involved with the contents of the burrito or the work it is derived from.	
type	<i>array</i>
items	<i>Agency</i>
minItems	1

2.2.3 Agency

https://burrito.bible/schema/agency.schema.json	
Describes a particular agency that is involved with or related to the contents of the burrito.	
type	<i>object</i>
properties	
• id	common.schema.json#/definitions/prefixedId
• name	<i>Common Definitions</i>
• abbr	<i>Common Definitions</i>
• url	common.schema.json#/definitions/url
• roles	A list of roles indicating in which respects this agency was involved with the production of this burrito.
	type <i>array</i>
	items
	type <i>string</i>
	enum rightsAdmin, rightsHolder, content, publication, management, finance, qa
	minItems 1
additionalProperties	False

2.2.4 Common Definitions

https://burrito.bible/schema/common.schema.json	
Common definitions for use by other parts of the schema.	
definitions	
• timestamp	<p>type <i>string</i></p> <p>pattern <code>^[12][0-9]{3}(-[01][0-9](-[0123][0-9])?)?\$</code></p>
• url	<p>A valid Uniform Resource Locator.</p> <p>type <i>string</i></p> <p>examples <code>https://example.com</code></p> <p>minLength 1</p> <p>pattern <code>^((http(s)? ftp)://)[^\s]+\$</code></p>
• xToken	<p>User-defined token, prefixed with x-</p> <p>type <i>string</i></p> <p>pattern <code>^x-[a-z][A-Za-z0-9]*\$</code></p>
• idAuthorityLabel	<p>A Label for an ID authority (internal to the document)</p> <p>type <i>string</i></p> <p>pattern <code>^[a-z][a-z0-9\-\-]*[a-z0-9]\$</code></p>
• bareId	<p>Opaque system-specific identifier, without prefix.</p> <p>type <i>string</i></p> <p>pattern <code>^\S+\$</code></p>
• prefixedId	<p>Opaque system-specific identifier, prefixed with the name of the system as declared in idAuthorities.</p> <p>type <i>string</i></p> <p>pattern <code>^[0-9a-zA-Z][0-9a-zA-Z\-\-]{1,31}::\S+\$</code></p>
• revisionString	<p>Opaque system-specific revision identifier.</p> <p>type <i>string</i></p> <p>pattern <code>^[0-9A-Za-z]([0-9A-Za-z_\-\-]{0,62}[0-9A-Za-z])?\$</code></p>
• languageTag	<p>A valid IETF language tag as specified by BCP 47.</p> <p>type <i>string</i></p> <p>minLength 2</p> <p>pattern <code>^(((en-GB-oed i-ami i-bnn i-default i-enochian i-hak i-klingon i-lux i-mingo i-navajo i-pwn i-tao i-tay i-tsu sgn-BE-FR sgn-BE-NL sgn-CH-DE) (art-lojban cel-gaulish no-bok no-nyn zh-guoyu zh-hakka zh-min zh-min-nan zh-xiang)) ((([A-Za-z]{2,3}(-[A-Za-z]{3}(-[A-Za-z]{3}){0,2}))?) [A-Za-z]{4} [A-Za-z]{5,8})-([A-Za-z]{4}))?(-([A-Za-z]{2} [0-9]{3}))?(-([A-Za-z0-9]{5,8} [0-9][A-Za-z0-9]{3}))*(-([0-9A-WY-Za-wy-z](-[A-Za-z0-9]{2,8})+)*(-x(-[A-Za-z0-9]{1,8})+))?) (x(-[A-Za-z0-9]{1,8})+))\$</code></p>
• countryCode	<p>The upper-case ISO 3166-2 code for the country.</p> <p>type <i>string</i></p> <p>maxLength 2</p> <p>minLength 2</p> <p>pattern <code>^[A-Z][A-Z]\$</code></p>
• rodCode	<p>A five-digit code from the Registry of Dialects.</p> <p>type <i>string</i></p> <p>maxLength 5</p> <p>minLength 5</p> <p>pattern <code>^[0-9]{5}\$</code></p>
• trimmedText	<p>A string without surrounding whitespace characters.</p>

continues on next page

2.2.6 Copyright and License Information

https://burrito.bible/schema/copyright.schema.json			
Describes the copyright holders and license terms of the burrito.			
type	<i>object</i>		
properties			
• licenses	The licenses, which state under which terms the burrito may be used, can be specified either as URL or as path to an ingredient.		
type	<i>array</i>		
items	type	<i>object</i>	
	properties		
	• url	common.schema.json#/definitions/url	
	• ingredient	common.schema.json#/definitions/path	
	additionalProperties	False	
	minItems	1	
• publicDo-main	If set to true, the contents of this burrito are in the public domain.		
• shortState-ments	A short statement to explain the copyright / license information to readers		
type	<i>array</i>		
items	type	<i>object</i>	
	properties		
	• statement	type	<i>string</i>
		maxLength	500
	• lang	<i>Common Definitions</i>	
	• mimetype	common.schema.json#/definitions/mimeType	
	additionalProperties	False	
	minItems	1	
additionalProperties	False		
oneOf	type	<i>object</i>	
	properties		
	• publicDo-main	const	True
	type	<i>object</i>	
	type	<i>object</i>	

2.2.7 Meta (Derived)

https://burrito.bible/schema/derived_meta.schema.json		
Information about the Scripture Burrito metadata file.		
type	<i>object</i>	
properties		
• category	const	derived
• dateCreated	<i>Meta Date created</i>	
• version	<i>Meta Version</i>	
• generator	Information about the program and user who generated this burrito. <i>Software and User Info</i>	
• defaultLocale	<i>Meta Default Language</i>	
• normalization	<i>Normalization</i>	
• comments	<i>Meta Comments</i>	
additionalProperties	False	

2.2.8 Metadata (Derived)

https://burrito.bible/schema/derived_metadata.schema.json					
Scripture Burrito derived variant root.					
type	<i>object</i>				
properties					
• format	<table border="1"> <tr> <td>type</td> <td><i>string</i></td> </tr> <tr> <td>enum</td> <td>scripture burrito</td> </tr> </table>	type	<i>string</i>	enum	scripture burrito
type	<i>string</i>				
enum	scripture burrito				
• meta	<i>Meta (Derived)</i>				
• idAuthorities	<i>idAuthorities</i>				
• identification	<i>Identification</i>				
• confidential	<i>Confidential</i>				
• type	<i>Type</i>				
• relationships	<i>Relationships</i>				
• languages	<i>Languages</i>				
• targetAreas	<i>Target Areas</i>				
• agencies	<i>Agencies</i>				
• copyright	<i>Copyright and License Information</i>				
• promotion	<i>Promotional Statements</i>				
• ingredients	<i>Ingredients</i>				
• localizedNames	<i>Localized Names</i>				
• recipe	<i>Recipes</i>				
additionalProperties	False				

2.2.9 Flavor Details: Glossed Text Stories

https://burrito.bible/schema/gloss/text_stories.schema.json		
Schema of flavor field for textStories flavor		
type	<i>object</i>	
properties	<ul style="list-style-type: none"> name const textStories 	
additionalProperties	False	

2.2.10 idAuthorities

https://burrito.bible/schema/id_authorities.schema.json		
Declares one or more identity authorities which may later be referred to using identifier prefixes.		
type	<i>object</i>	
additionalProperties	type	<i>object</i>
	properties	<ul style="list-style-type: none"> id common.schema.json#/definitions/url name <i>Common Definitions</i>
	minProperties	1
minProperties	1	

2.2.11 Identification

https://burrito.bible/schema/identification.schema.json	
Identification section.	
type	<i>object</i>
properties	
• name	<i>Common Definitions</i>
• description	<i>Common Definitions</i>
• abbreviation	<i>Common Definitions</i>
• primary	Contains the primary authority and identification information.
type	<i>object</i>
additionalProperties	type <i>object</i>
maxProperties	1
minProperties	1
• upstream	Contains the upstream authority and identification information.
type	<i>object</i>
additionalProperties	type <i>array</i>
	items type <i>object</i>
	additionalProperties type <i>object</i>
additionalProperties	False
definitions	
• revision-String	type <i>string</i>
pattern	<code>^[0-9A-Za-z]([0-9A-Za-z_!\-]{0,62}[0-9A-Za-z])?\$</code>

2.2.12 Ingredient

https://burrito.bible/schema/ingredient.schema.json	
Describes an individual ingredient, which is a file contained within the burrito.	
type	<i>object</i>
properties	
• size	The number of bytes that this ingredient takes up on disk.
	type <i>integer</i>
	minimum 0
• lang	<i>Common Definitions</i>
• mimeType	common.schema.json#/definitions/mimeType
• checksum	type <i>object</i>
	properties
• md5	type <i>string</i>
	pattern <code>^[a-f0-9]{32}\$</code>
• sha3-256	type <i>string</i>
	pattern <code>^[a-f0-9]{64}\$</code>
• sha3-512	type <i>string</i>
	pattern <code>^[a-f0-9]{128}\$</code>
	additionalProperties False
	maxProperties 2
• scope	<i>Scope</i>
• role	<i>Role</i>
additionalProperties	False

2.2.13 Ingredients

https://burrito.bible/schema/ingredients.schema.json	
Describes the various files contained by the burrito, keyed by the canonical forward-slashed pathname of the file.	
type	<i>object</i>
additionalProperties	<i>Ingredient</i>
minProperties	1

2.2.14 Language

https://burrito.bible/schema/language.schema.json		
Language section.		
type	<i>object</i>	
properties		
• tag	examples	hi es-419
	<i>Common Definitions</i>	
• name	<i>Common Definitions</i>	
• numberingSystem	<i>Numbering System</i>	
• rod	<i>Common Definitions</i>	
• scriptDirection	type	<i>string</i>
	enum	ltr, rtl
additionalProperties	False	

2.2.15 Languages

https://burrito.bible/schema/languages.schema.json	
A list of all the languages of the contents of this burrito.	
type	<i>array</i>
items	<i>Language</i>
minItems	1

2.2.16 Localized Name

https://burrito.bible/schema/localized_name.schema.json	
Contains localized names for books, etc.	
type	<i>object</i>
properties	
• short	<i>Common Definitions</i>
• long	<i>Common Definitions</i>
• abbr	<i>Common Definitions</i>
additionalProperties	False

2.2.17 Localized Names

https://burrito.bible/schema/localized_names.schema.json	
Contains localized names for books, etc.	
type	<i>object</i>
additionalProperties	<i>Localized Name</i>

2.2.18 Meta Comments

https://burrito.bible/schema/meta_comments.schema.json		
Arbitrary text strings attached by users with no effect on the interpretation of the Scripture Burrito.		
type	<i>array</i>	
items	type	<i>string</i>

2.2.19 Meta Date created

https://burrito.bible/schema/meta_date_created.schema.json	
type	<i>string</i>
format	date-time

2.2.20 Meta Default Language

https://burrito.bible/schema/meta_default_language.schema.json	
The BCP47 code of the language that should be displayed, if a default is required, and for which localization is required in all name fields specified for ‘catalog’ validation.	
<i>Common Definitions</i>	

2.2.21 Meta Version

https://burrito.bible/schema/meta_version.schema.json	
Version of the Scripture Burrito specification this file follows.	
type	<i>string</i>
enum	1.0.0

2.2.22 Metadata

https://burrito.bible/schema/metadata.schema.json												
Scripture Burrito root metadata object.												
type	<i>object</i>											
properties	<ul style="list-style-type: none"> meta <table border="1"> <tr> <td>type</td> <td colspan="2"><i>object</i></td> </tr> <tr> <td>properties</td> <td colspan="2"> <ul style="list-style-type: none"> category <table border="1"> <tr> <td>enum</td> <td colspan="2">source, derived, template</td> </tr> </table> </td> </tr> </table> 			type	<i>object</i>		properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>enum</td> <td colspan="2">source, derived, template</td> </tr> </table> 		enum	source, derived, template	
type	<i>object</i>											
properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>enum</td> <td colspan="2">source, derived, template</td> </tr> </table> 		enum	source, derived, template								
enum	source, derived, template											
if	properties	<ul style="list-style-type: none"> meta <table border="1"> <tr> <td>type</td> <td colspan="2"><i>object</i></td> </tr> <tr> <td>properties</td> <td colspan="2"> <ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">source</td> </tr> </table> </td> </tr> </table> 		type	<i>object</i>		properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">source</td> </tr> </table> 		const	source	
type	<i>object</i>											
properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">source</td> </tr> </table> 		const	source								
const	source											
then	<i>Metadata (Default)</i>											
else	if	properties	<ul style="list-style-type: none"> meta <table border="1"> <tr> <td>type</td> <td colspan="2"><i>object</i></td> </tr> <tr> <td>properties</td> <td colspan="2"> <ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">derived</td> </tr> </table> </td> </tr> </table> 	type	<i>object</i>		properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">derived</td> </tr> </table> 		const	derived	
type	<i>object</i>											
properties	<ul style="list-style-type: none"> category <table border="1"> <tr> <td>const</td> <td colspan="2">derived</td> </tr> </table> 		const	derived								
const	derived											
	then	<i>Metadata (Derived)</i>										
	else	<i>Metadata (Template)</i>										

2.2.23 Normalization

https://burrito.bible/schema/normalization.schema.json	
Unicode normalization options. This applies to both ingredients and metadata.	
type	<i>string</i>
enum	NFC, NFD, NFKC, NFKD

2.2.24 Numbering System

https://burrito.bible/schema/numbering_system.schema.json	
Numbering System	
type	<i>string</i>
enum	adlm, ahom, arab, arabext, armn, armnlow, bali, beng, bhks, brah, cakm, cham, cyrl, deva, ethi, finance, fullwide, geor, gong, gonm, grek, greklow, gujr, guru, hanidays, hanidec, hans, hansfin, hant, hantfin, hebr, hmng, hmnp, java, jpan, jpanfin, jpanyear, kali, khmr, knda, lana, lanatham, laoo, latn, lepc, limb, mathbold, mathdbl, mathmono, mathsanb, mathsans, mlym, modi, mong, mroo, mtei, mymr, mymrshan, mymrtlng, native, newa, nkoo, olck, orya, osma, rohg, roman, romanlow, saur, shrd, sind, sinh, sora, sund, takr, talu, taml, tamldec, telu, thai, tirh, tib, traditio, vaii, wara, wcho

2.2.25 Progress

https://burrito.bible/schema/progress.schema.json	
type	<i>object</i>
properties	
<ul style="list-style-type: none"> • dateStarted 	common.schema.json#/definitions/timestamp
<ul style="list-style-type: none"> • dateCompleted 	common.schema.json#/definitions/timestamp
additionalProperties	False
minProperties	1

2.2.26 Promotional Statements

https://burrito.bible/schema/promotion.schema.json	
Contains promotional statements for the burrito.	
type	<i>object</i>
properties	
<ul style="list-style-type: none"> • statementPlain 	<i>Common Definitions</i>
<ul style="list-style-type: none"> • statementRich 	common.schema.json#/definitions/localizedRichText
additionalProperties	False

2.2.27 Recipes

https://burrito.bible/schema/recipe.schema.json			
Scripture Burrito recipes.			
type	<i>array</i>		
items	type	<i>object</i>	
	properties		
	<ul style="list-style-type: none"> • idAuthority 	type	<i>string</i>
	<ul style="list-style-type: none"> • operation 	type	<i>string</i>
	<ul style="list-style-type: none"> • data 	type	<i>object</i>
	additionalProperties	False	
minItems	1		

2.2.28 Recipe Element

https://burrito.bible/schema/recipe_element.schema.json	
Scripture Burrito recipe element.	
type	<i>object</i>
properties	
• type	const element
• nameId	common.schema.json#/definitions/bareId
• ingredient	common.schema.json#/definitions/path
additionalProperties	False

2.2.29 Recipe Section

https://burrito.bible/schema/recipe_section.schema.json	
Scripture Burrito recipe section.	
type	<i>object</i>
properties	
• type	const section
• nameId	common.schema.json#/definitions/bareId
• content	type <i>array</i> items oneOf <i>Recipe Section</i> <i>Recipe Element</i>
additionalProperties	False

2.2.30 Relationship

https://burrito.bible/schema/relationship.schema.json			
Describes a relationship to a different burrito that can be obtained from an indicated server.			
type	<i>object</i>		
properties			
• relationType	type	<i>string</i>	
	enum	source, target, expression, parascriptural, peripheral	
	minLength	1	
• flavor	type	<i>string</i>	
	minLength	1	
	oneOf	enum	textTranslation, audioTranslation, type-setScripture, signLanguageVideoTranslation, embossedBrailleScripture, glossed-TextStory
		pattern	<code>^x-[a-z][A-Za-z0-9]*\$</code>
• id	common.schema.json#/definitions/prefixedId		
• revision	common.schema.json#/definitions/revisionString		
• variant	type	<i>string</i>	
	pattern	<code>^[A-Za-z][A-Za-z0-9_\\-]{0,31}\$</code>	
additionalProperties	False		
oneOf	properties		
	• flavor	type	<i>string</i>
		pattern	<code>^x-[a-z][A-Za-z0-9]*\$</code>
	properties		
	• relationType	const	source
	• flavor	enum	textTranslation, audioTranslation
	properties		
	• relationType	const	target
	• flavor		
	properties		
	• relationType	const	expression
	• flavor	not	const scriptureText

2.2.31 Relationships

https://burrito.bible/schema/relationships.schema.json	
Describes a relationship to another burrito that may be obtained from an indicated server.	
type	<i>array</i>
items	<i>Relationship</i>
minItems	1

2.2.32 Role

https://burrito.bible/schema/role.schema.json	
Roles which may be optionally attached to an ingredient.	
type	<i>string</i>
oneOf	A USX peripheral label, eg “maps”
enum	abbreviations, alphacontents, chron, cnc, contents, cover, foreword, glo, halftitle, imprimatur, lxxquotes, maps, measures, ndx, preface, promo, pubdata, spine, tdx, title
	A role for story-based or video works, eg “teaching”
enum	background, bridge, credits, diagram, gloss, illustration, introduction, scripture, teaching, timing
	A role for PoD-type content, eg “printCover”
enum	body, thumbnail
	a versification file indicating the delta from the org versification
enum	versification
	A role for textTranslation flavored burritos
enum	localedata
	A label for story-type units
pattern	<code>^unit\s.*\S\$</code>
	A label for dictionary-type resources
pattern	<code>^(name sign word concept place)(\s.*\S)?\$</code>
	A role for a full copyright statement
enum	copyrightStatement
	An x-role
pattern	<code>^x-\S.*\S\$</code>

2.2.33 Scope

<https://burrito.bible/schema/scope.schema.json>

Scope specification, used for the whole burrito and for specific ingredients. In both cases it describes the actual content, not future translation goals.

type	<i>object</i>			
additional-Properties	oneOf	type	<i>array</i>	
		items	type	<i>string</i>
			pattern	<code>^[1-9][0-9]*\$ ^[1-9][0-9]*-[1-9][0-9]*\$ ^[1-9][0-9]*:[1-9][0-9]*(-[1-9][0-9]*)? ^[1-9][0-9]*:[1-9][0-9]*-[1-9][0-9]*:[1-9][0-9]*\$</code>
		minItems	1	
		uniqueItems	True	
		type	<i>array</i>	
		maxItems	0	
minProperties	1			

2.2.34 Flavor Details: Audio Translation

https://burrito.bible/schema/scripture/audio_translation.schema.json			
Schema of flavor field of scripture/audioTranslation flavor			
type	<i>object</i>		
properties			
• name	const	audioTranslation	
• performance	type	<i>array</i>	
	items	type	<i>string</i>
		enum	singleVoice, multipleVoice, reading, drama, withMusic, withEffects, withHeadings
• formats	uniqueItems	True	
	type	<i>object</i>	
	additionalProperties	#/definitions/format	
• conventions	type	<i>object</i>	
	additionalProperties	type	<i>string</i>
		pattern	^\d+[.]\d+([\.]*)?\$
additionalProperties	False		
definitions			
• format	type	<i>object</i>	
	properties		
	• compression	type	<i>string</i>
		enum	mp3, wav
	• trackConfiguration	type	<i>string</i>
		enum	1/0 (Mono), Dual mono, 2/0 (Stereo), 5.1 Surround
	• bitRate	type	<i>integer</i>
	• bitDepth	type	<i>integer</i>
	• samplingRate	type	<i>integer</i>
	• timingDir	../common.schema.json#/definitions/path	
additionalProperties	False		

2.2.35 Flavor Details: Scripture: Braille Publication

https://burrito.bible/schema/scripture/embossed_braille_scripture.schema.json			
Schema of flavor field for scripture/brailleScripturePublication flavor			
type	<i>object</i>		
properties			
• name	type	<i>string</i>	
	const	embossedBrailleScripture	

continues on next page

Table 2 – continued from previous page

• isContracted	type	<i>boolean</i>	
• processor	type	<i>object</i>	
	properties		
	• name	type	<i>string</i>
		const	libLouis
	• version	type	<i>string</i>
	• table	type	<i>object</i>
		properties	
		• src	type <i>string</i>
		• name	type <i>string</i>
		additionalProperties	False
• hyphenation-Dictionary	additionalProperties	False	
	type	<i>object</i>	
	properties		
	• src	type	<i>string</i>
	• name	type	<i>string</i>
• numberSign	additionalProperties	False	
	type	<i>object</i>	
	properties		
	• character	type	<i>string</i>
		pattern	([-])*
• continuous-Poetry	• useInMargin	type	<i>boolean</i>
	additionalProperties	False	
	type	<i>object</i>	
	properties		
	• lineIndicatorSpaced	type	<i>string</i>
	enum	never, always, sometimes	
• startIndicator	type	<i>string</i>	
	pattern	([-])*	
• lineIndicator	type	<i>string</i>	
	pattern	([-])*	
• endIndicator	type	<i>string</i>	
	pattern	([-])*	
• content	additionalProperties	False	
	type	<i>object</i>	
	properties		
	• chapterNumberStyle	type	<i>string</i>
	enum	upper, lower	

continues on next page

Table 2 – continued from previous page

		type	<i>boolean</i>
	• chapter-Head-ingsNumberFirst		
		type	<i>boolean</i>
	• versedParagraphs		
		type	<i>string</i>
	• verseSeparator	pattern	<i>([-])*</i>
		type	<i>boolean</i>
	• includeIntros		
	• footnotes	type	<i>object</i>
		properties	
		• callerSymbol	type <i>string</i> pattern <i>([-])*</i>
		additionalProperties	False
	• character-Styles	type	<i>object</i>
		properties	
		• callerSymbol	type <i>string</i> pattern <i>([-])*</i>
		additionalProperties	False
	• crossReferences	type	<i>object</i>
		properties	
		• emphasized-Word	type <i>string</i> pattern <i>([-])*</i>
		• emphasized-PassageStart	type <i>string</i> pattern <i>([-])*</i>
		• emphasized-PassageEnd	type <i>string</i> pattern <i>([-])*</i>
		additionalProperties	False
		minProperties	1
		additionalProperties	False
• page		type	<i>object</i>
		properties	
	• charsPer-Line	type	<i>number</i>
		multipleOf	1.0
		minimum	1
	• linesPerPage	type	<i>number</i>
		multipleOf	1.0
		minimum	1
	• default-Margin-Width	type	<i>number</i>
		multipleOf	1.0
		minimum	1
		type	<i>boolean</i>
	• versoLast-LineBlank		

continues on next page

Table 2 – continued from previous page

	• carryLines	type	<i>number</i>
		multipleOf	1.0
		minimum	1
	additionalProperties	False	
• conventions	type	<i>object</i>	
	additionalProperties	type	<i>string</i>
		pattern	$\wedge d+[\.]d+([\.]+)??$
additionalProperties	False		

2.2.36 Flavor Details: Scripture: Sign Language Video Translation

https://burrito.bible/schema/scripture/sign_language_video_translation.schema.json			
Schema of flavor field for signLanguageVideoTranslation flavor			
type	<i>object</i>		
properties			
• name	type	<i>string</i>	
	const	signLanguageVideoTranslation	
	type	<i>boolean</i>	
• contentBy-Chapter			
• formats	type	<i>object</i>	
	additionalProperties	#/definitions/format	
	minProperties	1	
• conventions	type	<i>object</i>	
	additionalProperties	type	<i>string</i>
		pattern	$\wedge d+[\.]d+([\.]+)??$
additionalProperties	False		
definitions			
• format	type	<i>object</i>	
	properties		
	• container	type	<i>string</i>
		enum	mp4, mpg
	• videoStream	type	<i>object</i>
		properties	
		• bitRate	type <i>integer</i>
		• frameRate	type <i>integer</i>
		• screenResolution	type <i>string</i>
		pattern	$\wedge d+x\d+?$
		additionalProperties	False
	• audioStream	type	<i>object</i>
		properties	
		• compression	type <i>string</i>
		enum	mp3, wav
		• trackConfiguration	type <i>string</i>

continues on next page

Table 3 – continued from previous page

	enum	1/0 (Mono), Dual mono, 2/0 (Stereo), 5.1 Surround
• bitRate	type	<i>integer</i>
• bitDepth	type	<i>integer</i>
• samplingRate	type	<i>integer</i>
additionalProperties	False	
additionalProperties	False	

2.2.37 Flavor Details: scripture/textTranslation

https://burrito.bible/schema/scripture/text_translation.schema.json		
Schema of flavor field for textTranslation flavor		
type	<i>object</i>	
properties		
• name	type	<i>string</i>
	const	textTranslation
• projectType	type	<i>string</i>
	enum	standard, daughter, studyBible, studyBibleAdditions, backTranslation, auxiliary, transliterationManual, transliterationWithEncoder
• translationType	type	<i>string</i>
	enum	firstTranslation, newTranslation, revision, studyOrHelpMaterial
• audience	type	<i>string</i>
	enum	basic, common, common-literary, literary, liturgical, children
• usfmVersion	type	<i>string</i>
	pattern	^\d+\.\d+(\. \.)?\$
• conventions	type	<i>object</i>
	additionalProperties	type <i>string</i>
		pattern ^\d+[\.\d+(\. \.)]?\$
additionalProperties	False	

2.2.38 Flavor Details: Scripture: Print Publication

https://burrito.bible/schema/scripture/typeset_scripture.schema.json	
Schema of flavor field for scripture/printPublication flavor	
type	<i>object</i>
properties	
• name	type <i>string</i> const typesetScripture
• contentType	type <i>string</i> const pdf
• pod	type <i>boolean</i>
• pageCount	type <i>integer</i> minimum 0
• width	#/definitions/measurementString
• height	#/definitions/measurementString
• scale	#/definitions/percentageString
• orientation	#/definitions/orientation
• colorSpace	#/definitions/colorSpace
• edgeSpace	type <i>object</i> properties • top #/definitions/measurementString • bottom #/definitions/measurementString • inside #/definitions/measurementString • outside #/definitions/measurementString
• fonts	additionalProperties False type <i>array</i> items type <i>string</i>
• conventions	type <i>object</i> additionalProperties type <i>string</i> pattern $\backslash d + [.] \backslash d + ([.] +) ? $$
additionalProperties	False
definitions	

continues on next page

Table 4 – continued from previous page

• measurementString	type	<i>string</i>
	pattern	<code>^[1-9][0-9]{0,4}mm\$</code>
• percentageString	type	<i>string</i>
	pattern	<code>[1-9][0-9]{1,3}%</code>
• orientation	type	<i>string</i>
	enum	portrait, landscape
• colorSpace	type	<i>string</i>
	enum	cmyk, rgb

2.2.39 Scripture Flavor Type

https://burrito.bible/schema/scripture_flavor_type.schema.json			
type	<i>object</i>		
properties			
• flavorType	type	<i>object</i>	
	properties		
	• name	type	<i>string</i>
		const	scripture
	• flavor	type	<i>object</i>
		oneOf	scripture/text_translation.schema.json scripture/audio_translation.schema.json scripture/print_publication.schema.json scripture/braille_scripture_publication.schema.json scripture/sign_language_video_translation.schema.json <i>Flavor Details: X-Flavor</i>
	• bookScope	book_scope.schema.json	
	additionalProperties	False	
additionalProperties	False		

2.2.40 Software and User Info

https://burrito.bible/schema/software_and_user_info.schema.json	
type	<i>object</i>
properties	
• softwareName	The name of the program used. type <i>string</i>
• softwareVersion	The version of the program used. type <i>string</i>
• userId	A system-specific user identifier. common.schema.json#/definitions/prefixedId
• userName	The user's full name, if known. type <i>string</i>
additionalProperties	False

2.2.41 Meta (Source)

https://burrito.bible/schema/source_meta.schema.json	
Information about the Scripture Burrito metadata file (source).	
type	<i>object</i>
properties	
• category	const <i>source</i>
• dateCreated	<i>Meta Date created</i>
• version	<i>Meta Version</i>
• generator	Information about the program and user who generated this burrito. <i>Software and User Info</i>
• defaultLocale	<i>Meta Default Language</i>
• normalization	<i>Normalization</i>
• comments	<i>Meta Comments</i>
additionalProperties	False

2.2.42 Metadata (Default)

https://burrito.bible/schema/source_metadata.schema.json	
Scripture Burrito source kinda-variant root.	
type	<i>object</i>
properties	
• format	type <i>string</i> enum scripture burrito
• meta	<i>Meta (Source)</i>
• idAuthorities	<i>idAuthorities</i>
• identification	<i>Identification</i>
• confidential	<i>Confidential</i>
• type	<i>Type</i>
• relationships	<i>Relationships</i>
• languages	<i>Languages</i>
• targetAreas	<i>Target Areas</i>
• agencies	<i>Agencies</i>
• copyright	<i>Copyright and License Information</i>
• ingredients	<i>Ingredients</i>
• localizedNames	<i>Localized Names</i>
• progress	<i>Progress</i>
additionalProperties	False
allOf	copyright_constraints.schema.json

2.2.43 Target Area

https://burrito.bible/schema/target_area.schema.json		
An area that is a primary target audience of this burrito.		
type	<i>object</i>	
properties		
• code	oneOf	com-mon.schema.json#/definitions/countryCode <i>UNM49 enum</i>
• name	<i>Common Definitions</i>	
additionalProperties	False	

2.2.44 Target Areas

https://burrito.bible/schema/target_areas.schema.json	
A list of areas of the primary target audience of this burrito.	
type	<i>array</i>
items	<i>Target Area</i>
minItems	1

2.2.45 Meta (Template)

https://burrito.bible/schema/template_meta.schema.json		
Information about the Scripture Burrito metadata file.		
type	<i>object</i>	
properties		
• category	const	template
• templateName	<i>Common Definitions</i>	
• dateCreated	<i>Meta Date created</i>	
• version	<i>Meta Version</i>	
• generator	Information about the program and user who generated this burrito. <i>Software and User Info</i>	
• defaultLocale	<i>Meta Default Language</i>	
• normalization	<i>Normalization</i>	
• comments	<i>Meta Comments</i>	
additionalProperties	False	

2.2.46 Metadata (Template)

https://burrito.bible/schema/template_metadata.schema.json	
Scripture Burrito Template root.	
type	<i>object</i>
properties	
• format	type <i>string</i> enum <i>scripture burrito</i>
• meta	<i>Meta (Template)</i>
• idAuthorities	<i>idAuthorities</i>
• identification	<i>Identification</i>
• confidential	<i>Confidential</i>
• type	<i>Type</i>
• relationships	<i>Relationships</i>
• languages	<i>Languages</i>
• targetAreas	<i>Target Areas</i>
• agencies	<i>Agencies</i>
• copyright	<i>Copyright and License Information</i>
• ingredients	<i>Ingredients</i>
• localizedNames	<i>Localized Names</i>
additionalProperties	False
allOf	copyright_constraints.schema.json

2.2.47 Type

https://burrito.bible/schema/type.schema.json	
Contains properties describing the burrito flavor type.	
type	<i>object</i>
properties	
• type	<i>object</i>
flavorProperties	
flavorType	

continues on next page

Table 5 – continued from previous page

	enum	scripture, gloss, parascriptural, peripheral
	•	
	na	
if	properties	
	•	type <i>object</i>
	fla	properties
	vor	const scripture
	•	
	na	
then	properties	
	•	type <i>object</i>
	fla	properties
	vor	Type
	•	type <i>string</i>
	na	const scripture
	•	type <i>object</i>
	fla	properties
	vor	• type <i>string</i>
		nameOf enum textTranslation, audioTranslation, typesetScripture, embossedBrailleScripture, signLanguageVideoTranslation
		pattern ^x-
		<i>Scope</i>
	•	
	cu	
	rer	
	addi-	False
	tional-	
	Proper-	
	ties	
if	properties	
	•	type <i>object</i>
	fla	properties
	vor	Type
	•	type <i>object</i>
	fla	properties
	vor	const textTranslation
	•	
	na	
then	properties	
	•	type <i>object</i>
	fla	properties
	vor	scripture/text_translation.schema.json
	•	
	fla	
	vor	
else	if	properties
	•	type <i>object</i>
	fla	properties
	vor	Type

continues on next page

Table 5 – continued from previous page

		<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	voi	const audioTranslation
		<ul style="list-style-type: none"> naI
then	properties	
	<ul style="list-style-type: none"> type <i>object</i> 	
	fla-	properties
	voi	scripture/audio_translation.schema.json
		<ul style="list-style-type: none"> fla- voi
else	if	properties
		<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	vorType	<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	voi	const typesetScripture
		<ul style="list-style-type: none"> naI
then	properties	
	<ul style="list-style-type: none"> type <i>object</i> 	
	fla-	properties
	voi	scripture/typeset_scripture.schema.json
		<ul style="list-style-type: none"> fla- voi
else	if	properties
		<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	vorType	<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	voi	const embossedBrailleScripture
		<ul style="list-style-type: none"> naI
then	properties	
	<ul style="list-style-type: none"> type <i>object</i> 	
	fla-	properties
	voi	scripture/embossed_braille_scripture.schema.json
		<ul style="list-style-type: none"> fla- voi
else	if	properties
		<ul style="list-style-type: none"> type <i>object</i>
	fla-	properties
	vorType	<ul style="list-style-type: none"> type <i>object</i>

fla- continues on next page
vor

Table 5 – continued from previous page

					properties			
							const	sign- Lan- guageV- ideo- Trans- lation
						•	nar	
	then	properties				•	type	<i>object</i>
		fla-	properties					
		vor				•	scrip- ture/sign_language_video_translation.schema.json	
							fla-	
							vor	
	else	properties				•	type	<i>object</i>
		fla-	properties					
		vor						<i>Flavor Details: X-Flavor</i>
						•	fla-	
							vor	
else	if	properties				•	type	<i>object</i>
		fla-	properties					
		vor					const	gloss
						•	nar	
	then	properties				•	type	<i>object</i>
		fla-	properties					
		vor	Type			•	type	<i>string</i>
							na	const
								gloss
						•	type	<i>object</i>
			fla-	oneOf				gloss/text_stories.schema.json
			vor					<i>Flavor Details: X-Flavor</i>
								<i>Scope</i>
						•	cu	
							rer	
			addi-	False				
			tional-					
			Proper-					
			ties					
	else	if	properties			•	type	<i>object</i>
			fla-	properties				
			vor	Type				

continues on next page

Table 5 – continued from previous page

		const	parascriptural
		•	
		na	
then	properties		
	•	type	<i>object</i>
	fla	properties	
	vorType	•	type <i>string</i>
		na	const parascriptural
		•	type <i>object</i>
		fla	
		voi	oneOf <i>Flavor Details: X-Flavor</i>
			<i>Scope</i>
		•	
		cur	
		ren	
		addi-	False
		tional-	
		Proper-	
		ties	
else	properties		
	•	type	<i>object</i>
	fla	properties	
	vorType	•	type <i>string</i>
		na	const peripheral
		•	type <i>object</i>
		fla	
		voi	oneOf <i>Flavor Details: X-Flavor</i>
			<i>Scope</i>
		•	
		cur	
		ren	
		addi-	False
		tional-	
		Proper-	
		ties	

2.2.48 UNM49 enum

<https://burrito.bible/schema/unm49.schema.json>

UNM49 region code enum

type *string*

enum 001, 002, 003, 005, 009, 011, 013, 014, 015, 017, 018, 019, 021, 024, 029, 030, 034, 035, 039, 053, 054, 057, 061, 142, 143, 145, 150, 151, 154, 155, 202, 419, 496, 554, 591, 756, 830

2.2.49 Flavor Details: X-Flavor

https://burrito.bible/schema/x_flavor.schema.json		
Schema of flavor field for xFlavor		
type	<i>object</i>	
properties		
• name	type	<i>string</i>
	pattern	<code>^x-[a-z][a-zA-Z0-9]*\$</code>
additionalProperties	True	

2.3 Flavors

2.3.1 Scripture Flavors

2.3.1.1 Scripture Text

Status

The Scripture Text flavor is based on the Digital Bible Library’s text entry type, which was in turn based on Paratext’s project format. As of August 2019, DBL “text bundles” have been used to represent over 2300 translation projects in over 1500 languages. These bundles are consumed by many publisher-facing tool chains, including YouVersion and Global.Bible.

This flavor is intended for use with any Scripture text, whether they be original language texts or translations.

The vast majority of text entries in DBL were uploaded by Paratext. Each entry includes

- a “release” section which provides one USX file per book plus a few files in other formats
- a “source” section, only visible to the entry owner, which contains a dump of the Paratext project in a zip file.

The Scripture Burrito scriptureText flavor follows this approach, but (conceptually) unpacks the source zip file to make source content easier to catalog and to use.

Content

Derived from DBL “source”

- One USFM file per Paratext “book” (ie canonical book, but also frontmatter, backmatter, etc)
- BookNames.xml (???)
- CheckingStatus.xml (???)
- CommentTags.xml (???)
- ErrorDenials.xml (???)
- hyphenatedWords.txt (???)
- ProjectProgress.xml (???)
- ProjectUpdates.xml (???)
- ProjectUserAccess.xml (???)

- Settings.xml (???)
- SpellingStatus.xml (???)
- TermRenderings.xml (???)
- custom.sty - a stylesheet for rendering SFM according to user preferences
- custom.json - the content of Paratext's custom.vrs file, rendered as JSON as for the peripheralVersification flavor
- *.ldml files (???)
- license.json (???)

Derived from DBL “release”

- One USX file per Paratext “book” (ie canonical book, but also frontmatter, backmatter, etc)
- *.ldml (???)
- styles.xml - a stylesheet for rendering SFM according to user preferences
- versification.json - the equivalent of DBL's versification.vrs file, which is a consolidated versification scheme for the translation based on the “org” versification scheme.
- optionally, fonts

Metadata Flavor Details

projectType

This is one of

- standard
- daughter
- studyBible
- studyBibleAdditions
- backTranslation
- auxiliary
- transliterationManual
- transliterationWithEncoder

translationType

This is one of

- First
- New
- Revision
- Study / Help Material

audience

This is one of

- Basic
- Common
- Common - Literary
- Literary
- Liturgical
- Children

usfmVersion

The schema version of USFM and/or USX in the burrito (currently expected to be v3.0)

Conventions

usxDirs

With DBL metadata 2.x, Paratext uploads USX organized into one directory per publication, named USX_<n> (where n is, eg, “1” if the publication id is “p1”) This structure means that identical USX files may be stored multiple times and, even in DBL metadata 2.x, publication ids are not necessarily numeric.

With DBL metadata 2.x, USX filenames have the form XYZ.usx, where XYZ is an upper case Paratext book code. Only canonical books are included in the USX.

When present, this convention confirms that the historical DBL structure has been respected. When absent, this structure may or may not be partially or fully respected. (The structure is not strictly required because the metadata provides locations and roles of resources explicitly, but some tool chains have relied on the well-known directory structure.)

usxRefs

Paratext provides references within USX in a language-independent, machine-friendly format, via parsing based on many settings within Paratext. This feature has proved extremely useful for producing ePubs, web pages and for other applications where references are treated as hyperlinks.

When present, this convention confirms that machine-readable references has been provided in the USX. When absent, machine-readable references may or may not be present.

typesetAsVersedParagraphs

This convention informs consumers of the burrito, in a production context, that the content should be formatted with each verse or verse range as a separate paragraph, regardless of the position of paragraph breaks in the USX. The absence of this convention implies that consumers should respect the USX paragraph breaks.

2.3.1.2 Scripture Audio

Status

This flavor is in **beta** and we are actively seeking feedback.

History

The Scripture Audio flavor is based on the Digital Bible Library's audio entry type. As of August 2019, DBL "audio bundles" have been used to represent over 1100 audio projects in over 750 languages. These bundles are consumed by many publisher-facing tool chains, including YouVersion and Megavoice.

Initially, audio was uploaded to DBL via Paratext. Recently, this feature has been removed from Paratext in favour of Nathanael, a desktop application maintained by DBL which facilitates non-text uploads and downloads. A significant number of DBL audio entries were created via a batch import from Faith Comes By Hearing's Digital Bible Platform.

Content

DBL stores one mp3 file per chapter. An option to store "source" wav files has recently been added.

Metadata Flavor Details

translationType

This is one of

- First
- New
- Revision
- Study / Help Material

audience

This is one of

- Basic
- Common
- Common - Literary
- Literary
- Liturgical
- Children

dramatization

This is one of

- Dramatized
- Non-Dramatized
- Single-Voice

timingDir

This optional element provides a path to the “directory” containing timing files.

Source properties

An optional source element provides the following information:

- compression (mp3 or wav)
- track configuration
- optionally, the bit rate
- optionally, the bit depth
- optionally, the sampling rate

Production properties

An optional production element provides similar information to the source element, for the production files.

Conventions

contentResourcesByChapter

If present, this confirms that all audio files correspond to exactly one chapter. If absent, each audio file may correspond to a section or a non-contiguous selection of verses. This latter scenario is particularly important for story-based projects.

bookDirs

The de facto DBL structure of audio entries was defined by the original Paratext audio uploader. There is one “directory” per book, where each directory contains one “file” per chapter, with names derived from Paratext book names. When present, this convention confirms that the historical DBL structure has been respected. When absent, this structure may or may not be partially or fully respected. (The structure is not strictly required because the metadata provides locations and roles of resources explicitly, but some tool chains have relied on the well-known directory structure.)

2.3.1.3 Scripture Sign Language

Status

This flavor is in **beta** and we are actively seeking feedback.

History

The Scripture Sign Language flavor is based on the Digital Bible Library's video entry type. This DBL type was initially imagined as a catch-all solution for Scripture-related video. In practice, all video in DBL to date has been for sign language projects. Scripture Burrito treats sign language projects as a first-class flavor, in order to address issues specific to sign language.

For publication of these entries - as for other entry types - it is crucial to have metadata that enables website or app creators to assemble the components in a meaningful way without understanding the sign language itself. As a first attempt to support this, Scripture Burrito supports sign language-specific roles for signs, concepts and places, which are illustrated in the example document.

At present there are no plans to include source files for sign language, since these are potentially huge and are typically managed within proprietary software.

Content

- mp4 files for canonical and peripheral material.

Metadata Flavor Details

translationType

This is one of

- First
- New
- Revision
- Study / Help Material

audience

This is one of

- Basic
- Common
- Common - Literary
- Literary
- Liturgical
- Children

container

This element has the value “MP4”.

timingDir

This optional element provides a path to the “directory” containing timing files.

videoStream

This element contains:

- a codec element
- the bit rate
- the frameRate
- the screen resolution

audioStream

This optional source element provides the following information about the audio stream within the container:

- compression (mp3 or wav)
- track configuration
- optionally, the bit rate
- optionally, the bit depth
- optionally, the sampling rate

subtitleStream

This optional element is currently empty pending input as to the parameters of subtitle streams.

Conventions

contentResourcesByChapter

If present, this confirms that all canonical video files correspond to exactly one chapter. If absent, each video file may correspond to a section or a non-contiguous selection of verses. This latter scenario is particularly important for story-based projects.

bookDirs

The de facto DBL structure for video is based on that of audio entries. There is one “directory” per book, where each directory contains one “file” per chapter, with names derived from Paratext book names. When present, this convention confirms that the historical DBL structure has been respected. When absent, this structure may or may not be partially or fully respected. (The structure is not strictly required because the metadata provides locations and roles of resources explicitly, but some tool chains have relied on the well-known directory structure.)

rolesInUris

This is an emerging Nathanael convention whereby the role of file is encoded in the filenames. (This enables Nathanael to set up roles without any UX.) When present, this convention confirms that this naming scheme has been respected. When absent, the naming scheme may or may not have been fully or partially respected.

2.3.1.4 Scripture Print

Status

This flavor is in **beta** and we are actively seeking feedback.

History

The Scripture Print flavor is based on the Digital Bible Library’s print entry type, which was initially developed as a way to archive projects generated by Publishing Assistant, and to make such projects available through industry standard print on demand vendors. The metadata has been through several iterations, in discussion with POD vendors.

POD assumes a fixed page layout that must conform to various printing requirements. PDFs are ideal for this, but do not allow text to be “reflowed” for novel publishing scenarios. Scripture Burrito therefore adds a variant, based on InDesign Tagged Text, that allows publishers to use fully marked-up text within containers of their choice.

The “source” section of print flavors requires more work. In DBL, print entries follow Paratext-created text entries, providing the entire source as a zip file. This is opaque, and should be replaced with a more transparent and intentional resource structure, as for Scripture Burrito’s scriptureText flavor.

Content

PDF Variant

- A PDF containing the body of the published work, with a scopeOrRole of “printBody”
- A PDF containing the cover of the published work, with the scopeOrRole of “printCover”
- optionally, a JPEG containing a thumbnail for online POD scenarios, with a scopeOrRole of “printThumbnail”

Tagged Text Variant

- An InDesign Tagged Text (.indd) file with a scopeOrRole of “printFlowable”.

Metadata Flavor Details

PDF Variant

- a contentType element with the value “pdf”
- a pod element containing a boolean value
- pageCount element containing an integer value
- a width element containing a value such as “210mm”
- a height element containing a value such as “297mm”
- a scale element containing a value such as “100%”
- an orientation element containing “portrait” or “landscape”
- a color element containing “RGB” or “CMYK”
- an edgeSpace element
- optionally, a thumbnail element
- optionally, a fonts element

The edgeSpace element, when present, contains top, bottom, left and right elements, each of which contains a value like “5mm”.

The thumbnail element, when present, contains width, height and color elements.

The fonts element, when present, contains one or more font element. The element encloses the name of the font, while the type attribute is one of

- OpenType
- Bitmap
- TrueType
- Type1
- Other

Tagged Text Variant

- a contentType element with the value “inDesignTaggedText”
- a pod element with the value “false”
- optionally, a fonts element as for the PDF variant

Conventions

PDF Variant

paLegacy

The presence of this convention confirms that the ingredients are structured according to DBL's legacy structure, ideal

- the content in release/Inside.pdf
- the printable cover in release/Cover.pdf
- optionally, a thumbnail in release/CoverThumbnail.jpg

The absence of this convention means that nothing may be assumed about the name or location of any resources. (This should not matter to Scripture Burrito tool chains which should use the scopeOrRole fields to determine semantics.)

Tagged Text Variant

None

2.3.1.5 Scripture Braille

Status

This flavor is in **beta** and we are actively seeking feedback.

History

The Scripture Text flavor is based on the Digital Bible Library's text entry type. DBL developed the metadata and content formats in close collaboration with Compass Braille (<https://www.compassbraille.org/>), a British registered charity that has produced most of the braille editions of United Bible Societies texts.

The metadata format closely reflects Compass Braille's current tool chain, to a point where that metadata can be used to generate a braille entry from a DBL text entry. The next step is to consult with other braille Bible stakeholders in order to incorporate their needs.

Content

- Ready-to-emboss braille volumes in Portable Embosser Format, an XML vocabulary (<http://pef-format.org/>) based on braille unicode.
- Source files in Bible Braille Markup (BBM), which is PEF plus namespaced extensions which are intended to permit last-resort reflowing of PEF.

Metadata Flavor Details

The following description gives a high-level overview. Further details can be seen in the example document and the schema.

isContracted

This element contains a boolean which denotes whether the braille transliteration includes contractions.

brailleConvertor

This element describes the transliteration engine used. It is always liblouis (<http://liblouis.org/>) in the case of Compass.

hyphenationDictionary

This element describes the hyphenation dictionary used. Compass uses the Open Office format for hyphenation dictionaries.

numberSign

This element describes the way numbers are rendered, in the body of the text and in navigational aids.

continuousPoetry

This optional element describes how poetry sections should be formatted.

content

This element describes which non-canonical content should be included.

page

This element describes the physical page layout.

Conventions

None.

2.3.2 Gloss Flavors

A gloss is a *Document “Shape” Determined by Type Elements* that retells, abbreviates, augments and/or reorganizes Scriptural content in a way that can still be mapped to scripture.

2.3.2.1 Scriptural Text Stories

Status

This flavor is in **beta** and we are actively seeking feedback.

History

The Scriptural Text Stories flavor is based on the [Resource Container Book](#) format. This specification was developed in 2016 from a need to represent unfoldingWord® Open Bible Stories in multiple languages. However, it was designed to be flexible enough to represent just about any chapter based resource. The Resource Container format is in use by nearly a dozen software tools developed by unfoldingWord, Bridge Connectivity Services, Wycliffe Associates, and others. As of September 2019, more than 500 Open Bible Stories projects are currently using this format as seen on the [Door43 Content Service](#).

This flavor retells stories from the Bible in a way that can be linked to the passages of scripture that they come from.

Content

This content of this flavor uses a plain text Markdown format for representing the project. Each file in the `content` directory represents a single chapter. By convention, the files are numbered and sorted numerically except for two special files, `front.md` and `back.md`. The `front.md` should always be presented first and is intended to provide typical front matter information for the book. Similarly, the `back.md` is intended for back matter information and should be presented last.

The H1 tag in each file is the title or heading of that particular chapter.

```
content/  
  |-front.md  
  |-01.md  
  |-02.md  
  |-03.md  
  ...  
  |-back.md
```

Each file should use Markdown formatting and images or videos should be linked to with Markdown image links.

Metadata Flavor Details

- a `storyVersion` element containing the version of story represented by the burrito content.
- a `scopeOrRole` element should be included for each story to indicate which part(s) of the canon the story is based on.

Conventions

None

Example

For an example, see the `glossed_text_story_document` metadata document.

2.3.3 Parascriptural Flavors

A parascriptural flavor is a *Document “Shape” Determined by Type Elements* that is not scripture but is relating to it in some way such that it can still be mapped to scripture via some versification scheme.

2.3.4 Peripheral Flavors

A peripheral flavor is a *Document “Shape” Determined by Type Elements* that is not scripture and does not track with Scripture via a versification scheme, but which is still useful within the Bible-publishing community.

2.3.5 Extending Scripture Burrito

2.3.5.1 Identify a Need

“Every good work of software starts by scratching a developer’s personal itch.” Eric Raymond

The first scripture flavors of burrito are based on standards used by the Digital Bible Library. These standards were developed - sometimes in haste! - to meet specific needs. In the case of text, there was a need to make translation projects from Paratext available to a wider publishing community, with digital publishing as a major concern. In the case of audio, there was a desire to be able to “mash up” text and related audio within one application or website, all via the same licensing and distribution model.

All these standards have evolved over time within DBL, and the Scripture Burrito standards which replace them will no doubt continue to evolve, as they are used in new ways and stretched in new directions. This process can appear messy, but it has the advantage of keeping standards rooted in the reality of what people need in practice (rather than what someone thinks people might need or ought to need in theory). Benevolent and self-aware pragmatism can lead to rapid and efficient solutions to the problems that matter.

The zeroth step is therefore to identify a concrete, unaddressed Bible translation or publication-related challenge that would be easier to solve with standards-based data portability.

Concrete

“We should be able to share all our data” is not concrete - someone would have to define “all”, which would make for a very long list, and it would probably never be long enough to satisfy everyone.

“We need a way to represent Print on Demand projects that can be generated by a variety of tools, and which can be consumed by major global POD vendors” is much more concrete, and is the basis of the Scripture print flavor.

Unaddressed

ie:

- Is there an existing flavor to do what you want, or something close to what you want?
- Are there elements of a good future flavor that are already in widespread use, and which could be included in the new flavor?
- Is anyone else trying to come up with a flavor to do what you want? (Consider asking the Scripture Burrito Working Group.)

Bible Translation or Publication-Related

Unless we keep the “Scripture” in “Scripture Burrito”, we are likely to end up trying to represent pretty much anything that a computer can process. The `flavorType` mechanism, discussed in more detail below, defines four distances from Hebrew and Greek texts. There is an important fifth category which contains most of the world’s data. Scripture Burrito can’t solve problems in that category, even if doing so might be helpful for Bible scholars or typesetters. So, for example, there is a need to represent specific classes of Scripture-related video projects, but Scripture Burrito is not about inventing new ways to handle “video in general”.

Making Things Easier

All other things being equal, data portability is always a great idea. In practice, standards have a cost and impose constraints, and these considerations need to be weighted against the promised benefits of standards in any given domain.

Standards often work well

- in domains that are relatively mature
- where there are multiple stakeholders
- where most of the experimentation with data representations has already happened
- where the standards are at some distance from user interfaces and workflows

Premature attempts to standardize can lock everyone into unsuitable solutions and prevent innovation. Or, less dramatically, such standards are simply ignored. Official Scripture Burrito flavors should formalize consensus that already exists, or is within easy reach. However, the `x-` mechanism provides one way to experiment with burritos without creating a formal standard.

2.3.5.2 Consider Conventions


In some cases, an existing flavor may be almost what is needed, except for some niggling details. Conventions provide a mechanism for describing such details, without creating a new flavor, and without relaxing the flavor constraints in the direction of “anything goes”.

The `contentResourcesByChapter` convention for Scripture audio is a good example of this approach. Much Scripture audio is recorded in one-chapter chunks, and many consumers of Scripture audio have a workflow and/or user interface that relies on this. Not all audio conforms to this pattern, and this audio needs storing too. But including this non-conforming audio with no metadata would tend to break per-chapter tool chains and user interfaces. The `contentResourcesByChapter` convention can be used to show when the consumer can expect per-chapter audio. Consumers can then choose to treat other audio differently, or not to process it, or something else, but they know what to expect, and, regardless of the answer, they only need to deal with one flavor for Scripture audio.

Conventions should generally be easier to negotiate than new flavors. Also, there is an `x-` mechanism for conventions to allow informal experimentation.

2.3.5.3 Pick the Appropriate FlavorType

Scripture Burrito flavors are subdivided into four `flavorTypes`, on the basis of (roughly) how similar to Scripture they are. The diagram below illustrates the logic behind the four `flavorTypes` - see also the detailed schema documentation. On a technical level, the more Scripture-like `flavorTypes` require more metadata, and specific ecosystems, applications and tool chains may only accept certain `flavorTypes`.



2.3.5.4 Fork an X-Flavor

The easiest way to assemble valid Scripture Burrito is to start with the example closest to your use case. Assuming the `flavorType` is correct, almost all the metadata should “just work”. The exception is

```
/burritoMetadata/type/flavorDetails
```

which is where flavor-specific information is stored. For experimenting with this part of the specification while keeping everything else valid, set the flavor to something beginning with “x-”. The schema will then allow most well-formed JSON within `flavorDetails`.

(This task will be much less painful with a schema-aware editor that validates after each keystroke. See the [Real Time Editing](#) section of the README for help on this.)

2.3.5.5 Circulate it, Use it, Refine it

No amount of design work will guarantee that your proposal actually works, for you and for others. X-flavors should be relatively easy for burrito-aware technology to exchange. Share your proposal with others, encourage them to try to use your data and to try encoding their own. Listen to suggestions of other ways of doing things, and see if they can be addressed in your proposal. Ideally, try to get another organization to implement tools that use your proposal, as that’s a great way to find out where the proposal needs to be more precise.

2.3.5.6 Talk to the Scripture Burrito Working Group

When you’re ready, send a proposal to the Scripture Burrito Working group, including

- Why the Bible translation and publishing world needs this flavor
- Who has been involved in discussion and development to detailed
- What code has been written to use this burrito
- Outstanding issues
- Example burritos

The next steps will depend on many factors. The working group may ask for more details, or for you to work with them on those details. Resource-related issues may be directed to the Copenhagen Alliance. All this takes time, but the aim is to end up with robust standards that will serve the Bible translation and publication community for years to come.

2.4 Examples

The following links provide examples of each of the defined *Flavors*.

2.4.1 audioTranslation

```
{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "source",
    "generator": {
      "softwareName": "DBLImport",
```

(continues on next page)

(continued from previous page)

```

    "softwareVersion": "0.0.0",
    "userName": "Eric Pyle"
  },
  "defaultLocale": "en",
  "dateCreated": "2018-03-15T19:38:40.762935+00:00",
  "comments": [
    "Updated with working audio files for GEN 1-3 and MAT 1-3, test browser open on ↵
↵ success"
  ]
},
"authorities": {
  "db1": {
    "id": "https://thedigitalbiblelibrary.org",
    "name": {
      "en": "The Digital Bible Library"
    }
  }
},
"identification": {
  "primary": {
    "db1": {
      "6e0d81a24efbb679": {
        "revision": "9",
        "timestamp": "2018-03-15T19:38:40.762935+00:00"
      }
    }
  }
},
"name": {
  "en": "TEST Audio Bible - Local"
},
"description": {
  "en": "TEST Audio Bible - Description"
},
"abbreviation": {
  "en": "DBLTD"
}
},
"languages": [
  {
    "tag": "en",
    "name": {
      "en": "English"
    }
  }
],
"type": {
  "flavorType": {
    "name": "scripture",
    "flavor": {
      "name": "audioTranslation",
      "performance": ["multipleVoice", "drama", "withMusic"],
      "formats": {

```

(continues on next page)

(continued from previous page)

```
    "format1": {
      "compression": "mp3",
      "trackConfiguration": "2/0 (Stereo)",
      "bitRate": 128000,
      "bitDepth": 16,
      "samplingRate": 44100
    }
  },
  "currentScope": {
    "GEN": [],
    "MAT": []
  }
},
"confidential": true,
"agencies": [
  {
    "id": "dbl::54650cfa5117ad690fb05fb6",
    "roles": ["rightsHolder"],
    "url": "http://thedigitalbiblelibrary.org",
    "name": {
      "en": "Organization for DBL Testing"
    },
    "abbr": {
      "en": "TEST"
    }
  },
  {
    "id": "dbl::54650ce75117ad68c4c49e91",
    "roles": ["content", "publication", "management", "finance", "qa"],
    "name": {
      "en": "Test Creator"
    }
  },
  {
    "id": "dbl::54650ce85117ad68c4c49e99",
    "roles": ["content", "publication", "management", "finance", "qa"],
    "name": {
      "en": "Test Publisher"
    }
  }
],
"targetAreas": [
  {
    "code": "US",
    "name": {
      "en": "United States"
    }
  }
],
"localizedNames": {
```

(continues on next page)

(continued from previous page)

```

"book-gen": {
  "abbr": {
    "en": "Gn"
  },
  "short": {
    "en": "Genesis"
  },
  "long": {
    "en": "Genesis"
  }
},
"book-mat": {
  "abbr": {
    "en": "Mt"
  },
  "short": {
    "en": "Matthew"
  },
  "long": {
    "en": "The Gospel according to Matthew"
  }
},
"ingredients": {
  "release/audio/GEN/GEN_001.mp3": {
    "checksum": {
      "md5": "b5fd441feb7eed02c68dca3d8dbbfe80"
    },
    "mimeType": "audio/mpeg",
    "size": 10168353,
    "scope": {
      "GEN": ["1"]
    }
  },
  "release/audio/GEN/GEN_002.mp3": {
    "checksum": {
      "md5": "d8737c9c4339b95ab0c876a6867415af"
    },
    "mimeType": "audio/mpeg",
    "size": 7977633,
    "scope": {
      "GEN": ["2"]
    }
  },
  "release/audio/GEN/GEN_003.mp3": {
    "checksum": {
      "md5": "e5d4e332ac7070a66915ce2f898f85f6"
    },
    "mimeType": "audio/mpeg",
    "size": 9992673,
    "scope": {
      "GEN": ["3"]
    }
  }
}

```

(continues on next page)

```
    }
  },
  "release/audio/MAT/MAT_001.mp3": {
    "checksum": {
      "md5": "48e2d311b4de8a61b1f311ddb2be970f"
    },
    "mimeType": "audio/mpeg",
    "size": 8399073,
    "scope": {
      "MAT": ["1"]
    }
  },
  "release/audio/MAT/MAT_002.mp3": {
    "checksum": {
      "md5": "f5fad0278058706de82fdcc800da83ff"
    },
    "mimeType": "audio/mpeg",
    "size": 10095393,
    "scope": {
      "MAT": ["2"]
    }
  },
  "release/audio/MAT/MAT_003.mp3": {
    "checksum": {
      "md5": "8019d42da92d9ad42be0e0c75ef4fddb"
    },
    "mimeType": "audio/mpeg",
    "size": 6794913,
    "scope": {
      "MAT": ["3"]
    }
  }
},
"copyright": {
  "shortStatements": [{
    "statement": "<p>Test Copyright. All rights reserved.</p>",
    "mimetype": "text/html",
    "lang": "en"
  }]
}
```

2.4.2 embossedBrailleScripture

```
{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "source",
    "generator": {
      "softwareName": "DBLImport",
      "softwareVersion": "0.0.0",
      "userName": "Jake Kyle"
    },
    "defaultLocale": "en",
    "dateCreated": "2019-07-17T08:00:56.467963+00:00",
    "comments": ["Braille test"]
  },
  "idAuthorities": {
    "dbl": {
      "id": "https://thedigitalbiblelibrary.org",
      "name": {
        "en": "The Digital Bible Library"
      }
    }
  },
  "identification": {
    "primary": {
      "dbl": {
        "865ab834004f4186": {
          "revision": "3",
          "timestamp": "2019-07-17T08:00:56.467963+00:00"
        }
      }
    },
    "name": {
      "en": "WEBBE Braille"
    },
    "description": {
      "en": "British/International spelling edition of the World English Bible in Braille
↪"
    },
    "abbreviation": {
      "en": "WEBBEBRL"
    }
  },
  "languages": [
    {
      "tag": "en",
      "name": {
        "en": "English"
      }
    }
  ],
  "relationships": [
```

(continues on next page)

(continued from previous page)

```

{
  "relationType": "source",
  "flavor": "textTranslation",
  "id": "dbl::7142879509583d59",
  "revision": "9",
  "variant": "p4"
}
],
"type": {
  "flavorType": {
    "name": "scripture",
    "flavor": {
      "name": "embossedBrailleScripture",
      "isContracted": true,
      "processor": {
        "name": "libLouis",
        "table": {
          "src": "en-ueb-g2.ctb",
          "name": "Unified English Braille Grade 2"
        }
      },
      "version": "3.9.0"
    },
    "numberSign": {
      "character": "",
      "useInMargin": false
    },
    "content": {
      "chapterNumberStyle": "upper",
      "chapterHeadingsNumberFirst": false,
      "versedParagraphs": false,
      "verseSeparator": "",
      "includeIntros": true
    },
    "page": {
      "charsPerLine": 36,
      "linesPerPage": 28,
      "defaultMarginWidth": 3,
      "versoLastLineBlank": false,
      "carryLines": 2
    }
  },
  "currentScope": {
    "JHN": []
  }
}
},
"confidential": true,
"agencies": [
  {
    "id": "dbl::b78a0b882a8a372c837d68b7",
    "roles": ["rightsHolder", "content", "publication", "finance", "qa"],
    "url": "https://www.compassbraille.org/",

```

(continues on next page)

(continued from previous page)

```

    "name": {
      "en": "Compass Braille"
    },
    "abbr": {
      "en": "CB"
    }
  },
  {
    "id": "dbl::545d2cb0ae307afa44b390fc",
    "roles": ["content", "publication", "management", "finance", "qa"],
    "name": {
      "en": "eBible.org"
    }
  }
],
"targetAreas": [
  {
    "code": "GB",
    "name": {
      "en": "United Kingdom"
    }
  }
],
"localizedNames": {
  "i18n-contents": {
    "short": {
      "en": "Contents"
    }
  },
  "i18n-psalm": {
    "short": {
      "en": "Psalm"
    }
  },
  "i18n-chapter": {
    "short": {
      "en": "Chapter"
    }
  },
  "i18n-chapters": {
    "short": {
      "en": "Chapters"
    }
  },
  "i18n-braille_producer_statement": {
    "short": {
      "en": "Produced in Braille by Compass Braille UK"
    }
  },
  "book-gen": {
    "abbr": {
      "en": "Genesis"
    }
  }
}

```

(continues on next page)

(continued from previous page)

```
    },
    "short": {
      "en": "Genesis"
    },
    "long": {
      "en": "The First Book of Moses, Commonly Called Genesis"
    }
  },
  "book-exo": {
    "abbr": {
      "en": "Exodus"
    },
    "short": {
      "en": "Exodus"
    },
    "long": {
      "en": "The Second Book of Mosis, Commonly Called Exodus"
    }
  },
  "book-lev": {
    "abbr": {
      "en": "Leviticus"
    },
    "short": {
      "en": "Leviticus"
    },
    "long": {
      "en": "The Third Book of Mosis, Commonly Called Leviticus"
    }
  },
  "book-num": {
    "abbr": {
      "en": "Numbers"
    },
    "short": {
      "en": "Numbers"
    },
    "long": {
      "en": "The Fourth Book of Moses, Commonly Called Numbers"
    }
  },
  "book-deu": {
    "abbr": {
      "en": "Deuteronomy"
    },
    "short": {
      "en": "Deuteronomy"
    },
    "long": {
      "en": "The Fifth Book of Moses, Commonly Called Deuteronomy"
    }
  },
},
```

(continues on next page)

(continued from previous page)

```
"book-jos": {
  "abbr": {
    "en": "Joshua"
  },
  "short": {
    "en": "Joshua"
  },
  "long": {
    "en": "The Book of Joshua"
  }
},
"book-jdg": {
  "abbr": {
    "en": "Judges"
  },
  "short": {
    "en": "Judges"
  },
  "long": {
    "en": "The Book of Judges"
  }
},
"book-rut": {
  "abbr": {
    "en": "Ruth"
  },
  "short": {
    "en": "Ruth"
  },
  "long": {
    "en": "The Book of Ruth"
  }
},
"book-1sa": {
  "abbr": {
    "en": "1 Samuel"
  },
  "short": {
    "en": "1 Samuel"
  },
  "long": {
    "en": "The First Book of Samuel"
  }
},
"book-2sa": {
  "abbr": {
    "en": "2 Samuel"
  },
  "short": {
    "en": "2 Samuel"
  },
  "long": {
```

(continues on next page)

(continued from previous page)

```
    "en": "The Second Book of Samuel"
  }
},
"book-1ki": {
  "abbr": {
    "en": "1 Kings"
  },
  "short": {
    "en": "1 Kings"
  },
  "long": {
    "en": "The First Book of Kings"
  }
},
"book-2ki": {
  "abbr": {
    "en": "2 Kings"
  },
  "short": {
    "en": "2 Kings"
  },
  "long": {
    "en": "The Second Book of Kings"
  }
},
"book-1ch": {
  "abbr": {
    "en": "1 Chronicles"
  },
  "short": {
    "en": "1 Chronicles"
  },
  "long": {
    "en": "The First Book of Chronicles"
  }
},
"book-2ch": {
  "abbr": {
    "en": "2 Chronicles"
  },
  "short": {
    "en": "2 Chronicles"
  },
  "long": {
    "en": "The Second Book of Chronicles"
  }
},
"book-ezr": {
  "abbr": {
    "en": "Ezra"
  },
  "short": {
```

(continues on next page)

(continued from previous page)

```

    "en": "Ezra"
  },
  "long": {
    "en": "The Book of Ezra"
  }
},
"book-neh": {
  "abbr": {
    "en": "Nehemiah"
  },
  "short": {
    "en": "Nehemiah"
  },
  "long": {
    "en": "The Book of Nehemiah"
  }
},
"book-est": {
  "abbr": {
    "en": "Esther"
  },
  "short": {
    "en": "Esther"
  },
  "long": {
    "en": "The Book of Esther"
  }
},
"book-job": {
  "abbr": {
    "en": "Job"
  },
  "short": {
    "en": "Job"
  },
  "long": {
    "en": "The Book of Job"
  }
},
"book-psa": {
  "abbr": {
    "en": "Psalm"
  },
  "short": {
    "en": "Psalms"
  },
  "long": {
    "en": "The Psalms"
  }
},
"book-pro": {
  "abbr": {

```

(continues on next page)

(continued from previous page)

```
    "en": "Proverbs"
  },
  "short": {
    "en": "Proverbs"
  },
  "long": {
    "en": "The Proverbs"
  }
},
"book-ecc": {
  "abbr": {
    "en": "Ecclesiastes"
  },
  "short": {
    "en": "Ecclesiastes"
  },
  "long": {
    "en": "Ecclesiastes or, The Preacher"
  }
},
"book-sng": {
  "abbr": {
    "en": "Song of Solomon"
  },
  "short": {
    "en": "Song of Solomon"
  },
  "long": {
    "en": "The Song of Solomon"
  }
},
"book-isa": {
  "abbr": {
    "en": "Isaiah"
  },
  "short": {
    "en": "Isaiah"
  },
  "long": {
    "en": "The Book of Isaiah"
  }
},
"book-jer": {
  "abbr": {
    "en": "Jeremiah"
  },
  "short": {
    "en": "Jeremiah"
  },
  "long": {
    "en": "The Book of Jeremiah"
  }
}
```

(continues on next page)

(continued from previous page)

```
},
"book-lam": {
  "abbr": {
    "en": "Lamentations"
  },
  "short": {
    "en": "Lamentations"
  },
  "long": {
    "en": "The Lamentations of Jeremiah"
  }
},
"book-ezk": {
  "abbr": {
    "en": "Ezekiel"
  },
  "short": {
    "en": "Ezekiel"
  },
  "long": {
    "en": "The Book of Ezekiel"
  }
},
"book-dan": {
  "abbr": {
    "en": "Daniel"
  },
  "short": {
    "en": "Daniel"
  },
  "long": {
    "en": "The Book of Daniel"
  }
},
"book-hos": {
  "abbr": {
    "en": "Hosea"
  },
  "short": {
    "en": "Hosea"
  },
  "long": {
    "en": "The Book of Hosea"
  }
},
"book-jol": {
  "abbr": {
    "en": "Joel"
  },
  "short": {
    "en": "Joel"
  },
}
```

(continues on next page)

(continued from previous page)

```
"long": {
  "en": "The Book of Joel"
},
"book-amo": {
  "abbr": {
    "en": "Amos"
  },
  "short": {
    "en": "Amos"
  },
  "long": {
    "en": "The Book of Amos"
  },
},
"book-oba": {
  "abbr": {
    "en": "Obadiah"
  },
  "short": {
    "en": "Obadiah"
  },
  "long": {
    "en": "The Book of Obadiah"
  },
},
"book-jon": {
  "abbr": {
    "en": "Jonah"
  },
  "short": {
    "en": "Jonah"
  },
  "long": {
    "en": "The Book of Jonah"
  },
},
"book-mic": {
  "abbr": {
    "en": "Micah"
  },
  "short": {
    "en": "Micah"
  },
  "long": {
    "en": "The Book of Micah"
  },
},
"book-nam": {
  "abbr": {
    "en": "Nahum"
  },
},
```

(continues on next page)

(continued from previous page)

```
"short": {
  "en": "Nahum"
},
"long": {
  "en": "The Book of Nahum"
}
},
"book-hab": {
  "abbr": {
    "en": "Habakkuk"
  },
  "short": {
    "en": "Habakkuk"
  },
  "long": {
    "en": "The Book of Habakkuk"
  }
},
"book-zep": {
  "abbr": {
    "en": "Zephaniah"
  },
  "short": {
    "en": "Zephaniah"
  },
  "long": {
    "en": "The Book of Zephaniah"
  }
},
"book-hag": {
  "abbr": {
    "en": "Haggai"
  },
  "short": {
    "en": "Haggai"
  },
  "long": {
    "en": "The Book of Haggai"
  }
},
"book-zec": {
  "abbr": {
    "en": "Zechariah"
  },
  "short": {
    "en": "Zechariah"
  },
  "long": {
    "en": "The Book of Zechariah"
  }
},
"book-mal": {
```

(continues on next page)

(continued from previous page)

```
"abbr": {
  "en": "Malachi"
},
"short": {
  "en": "Malachi"
},
"long": {
  "en": "The Book of Malachi"
}
},
"book-mat": {
  "abbr": {
    "en": "Matthew"
  },
  "short": {
    "en": "Matthew"
  },
  "long": {
    "en": "The Good News According to Matthew"
  }
},
"book-mrk": {
  "abbr": {
    "en": "Mark"
  },
  "short": {
    "en": "Mark"
  },
  "long": {
    "en": "The Good News According to Mark"
  }
},
"book-luk": {
  "abbr": {
    "en": "Luke"
  },
  "short": {
    "en": "Luke"
  },
  "long": {
    "en": "The Good News According to Luke"
  }
},
"book-jhn": {
  "abbr": {
    "en": "John"
  },
  "short": {
    "en": "John"
  },
  "long": {
    "en": "The Good News According to John"
  }
}
```

(continues on next page)

(continued from previous page)

```

    }
  },
  "book-act": {
    "abbr": {
      "en": "Acts"
    },
    "short": {
      "en": "Acts"
    },
    "long": {
      "en": "The Acts of the Apostles"
    }
  },
  "book-rom": {
    "abbr": {
      "en": "Romans"
    },
    "short": {
      "en": "Romans"
    },
    "long": {
      "en": "Paul's Letter to the Romans"
    }
  },
  "book-1co": {
    "abbr": {
      "en": "1 Corinthians"
    },
    "short": {
      "en": "1 Corinthians"
    },
    "long": {
      "en": "Paul's First Letter to the Corinthians"
    }
  },
  "book-2co": {
    "abbr": {
      "en": "2 Corinthians"
    },
    "short": {
      "en": "2 Corinthians"
    },
    "long": {
      "en": "Paul's Second Letter to the Corinthians"
    }
  },
  "book-gal": {
    "abbr": {
      "en": "Galatians"
    },
    "short": {
      "en": "Galatians"
    }
  }
}

```

(continues on next page)

(continued from previous page)

```
    },
    "long": {
      "en": "Paul's Letter to the Galatians"
    }
  },
  "book-eph": {
    "abbr": {
      "en": "Ephesians"
    },
    "short": {
      "en": "Ephesians"
    },
    "long": {
      "en": "Paul's Letter to the Ephesians"
    }
  },
  "book-php": {
    "abbr": {
      "en": "Philippians"
    },
    "short": {
      "en": "Philippians"
    },
    "long": {
      "en": "Paul's Letter to the Philippians"
    }
  },
  "book-col": {
    "abbr": {
      "en": "Colossians"
    },
    "short": {
      "en": "Colossians"
    },
    "long": {
      "en": "Paul's Letter to the Colossians"
    }
  },
  "book-1th": {
    "abbr": {
      "en": "1 Thessalonians"
    },
    "short": {
      "en": "1 Thessalonians"
    },
    "long": {
      "en": "Paul's First Letter to the Thessalonians"
    }
  },
  "book-2th": {
    "abbr": {
      "en": "2 Thessalonians"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```

    },
    "short": {
      "en": "2 Thessalonians"
    },
    "long": {
      "en": "Paul's Second Letter to the Thessalonians"
    }
  },
  "book-1ti": {
    "abbr": {
      "en": "1 Timothy"
    },
    "short": {
      "en": "1 Timothy"
    },
    "long": {
      "en": "Paul's First Letter to Timothy"
    }
  },
  "book-2ti": {
    "abbr": {
      "en": "2 Timothy"
    },
    "short": {
      "en": "2 Timothy"
    },
    "long": {
      "en": "Paul's Second Letter to Timothy"
    }
  },
  "book-tit": {
    "abbr": {
      "en": "Titus"
    },
    "short": {
      "en": "Titus"
    },
    "long": {
      "en": "Paul's Letter to Titus"
    }
  },
  "book-phm": {
    "abbr": {
      "en": "Philemon"
    },
    "short": {
      "en": "Philemon"
    },
    "long": {
      "en": "Paul's Letter to Philemon"
    }
  },
},

```

(continues on next page)

(continued from previous page)

```
"book-heb": {
  "abbr": {
    "en": "Hebrews"
  },
  "short": {
    "en": "Hebrews"
  },
  "long": {
    "en": "The Letter to the Hebrews"
  }
},
"book-jas": {
  "abbr": {
    "en": "James"
  },
  "short": {
    "en": "James"
  },
  "long": {
    "en": "The Letter from James"
  }
},
"book-1pe": {
  "abbr": {
    "en": "1 Peter"
  },
  "short": {
    "en": "1 Peter"
  },
  "long": {
    "en": "Peter's First Letter"
  }
},
"book-2pe": {
  "abbr": {
    "en": "2 Peter"
  },
  "short": {
    "en": "2 Peter"
  },
  "long": {
    "en": "Peter's Second Letter"
  }
},
"book-1jn": {
  "abbr": {
    "en": "1 John"
  },
  "short": {
    "en": "1 John"
  },
  "long": {
```

(continues on next page)

(continued from previous page)

```

    "en": "John's First Letter"
  }
},
"book-2jn": {
  "abbr": {
    "en": "2 John"
  },
  "short": {
    "en": "2 John"
  },
  "long": {
    "en": "John's Second Letter"
  }
},
"book-3jn": {
  "abbr": {
    "en": "3 John"
  },
  "short": {
    "en": "3 John"
  },
  "long": {
    "en": "John's Third Letter"
  }
},
"book-jud": {
  "abbr": {
    "en": "Jude"
  },
  "short": {
    "en": "Jude"
  },
  "long": {
    "en": "The Letter from Jude"
  }
},
"book-rev": {
  "abbr": {
    "en": "Revelation"
  },
  "short": {
    "en": "Revelation"
  },
  "long": {
    "en": "The Revelation to John"
  }
},
"book-tob": {
  "abbr": {
    "en": "Tobit"
  },
  "short": {

```

(continues on next page)

(continued from previous page)

```
    "en": "Tobit"
  },
  "long": {
    "en": "Tobit"
  }
},
"book-jdt": {
  "abbr": {
    "en": "Judith"
  },
  "short": {
    "en": "Judith"
  },
  "long": {
    "en": "Judith"
  }
},
"book-esg": {
  "abbr": {
    "en": "ESG"
  },
  "short": {
    "en": "Esther (Greek)"
  },
  "long": {
    "en": "Esther (Greek)"
  }
},
"book-wis": {
  "abbr": {
    "en": "Wisdom"
  },
  "short": {
    "en": "Wisdom of Solomon"
  },
  "long": {
    "en": "The Wisdom of Solomon"
  }
},
"book-sir": {
  "abbr": {
    "en": "Sirach"
  },
  "short": {
    "en": "Sirach"
  },
  "long": {
    "en": "The Wisdom of Jesus the Son of Sirach, or Ecclesiasticus"
  }
},
"book-bar": {
  "abbr": {
```

(continues on next page)

(continued from previous page)

```

    "en": "Baruch"
  },
  "short": {
    "en": "Baruch"
  },
  "long": {
    "en": "Baruch"
  }
},
"book-1ma": {
  "abbr": {
    "en": "1Ma"
  },
  "short": {
    "en": "1 Maccabees"
  },
  "long": {
    "en": "The First Book of the Maccabees"
  }
},
"book-2ma": {
  "abbr": {
    "en": "2Ma"
  },
  "short": {
    "en": "2 Maccabees"
  },
  "long": {
    "en": "The Second Book of the Maccabees"
  }
},
"book-3ma": {
  "abbr": {
    "en": "3Ma"
  },
  "short": {
    "en": "3 Maccabees"
  },
  "long": {
    "en": "The Third Book of the Maccabees"
  }
},
"book-4ma": {
  "abbr": {
    "en": "4Ma"
  },
  "short": {
    "en": "4 Maccabees"
  },
  "long": {
    "en": "The Fourth Book of the Maccabees"
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"book-1es": {
  "abbr": {
    "en": "1Es"
  },
  "short": {
    "en": "1 Esdras"
  },
  "long": {
    "en": "1 Esdras"
  }
},
"book-2es": {
  "abbr": {
    "en": "2Es"
  },
  "short": {
    "en": "2 Esdras"
  },
  "long": {
    "en": "2 Esdras"
  }
},
"book-man": {
  "abbr": {
    "en": "Man"
  },
  "short": {
    "en": "Prayer of Manasses"
  },
  "long": {
    "en": "The Prayer of Manasses King of Judah when He was Held Captive in Babylon"
  }
},
"book-ps2": {
  "abbr": {
    "en": "Ps151"
  },
  "short": {
    "en": "Psalm 151"
  },
  "long": {
    "en": "Psalm 151"
  }
},
"book-dag": {
  "abbr": {
    "en": "DanielG"
  },
  "short": {
    "en": "Daniel (Greek)"
  },
},
```

(continues on next page)

(continued from previous page)

```

    "long": {
      "en": "The Book of Daniel with Greek Portions"
    }
  },
  "section-jhn": {
    "abbr": {
      "en": ""
    },
    "short": {
      "en": "John"
    },
    "long": {
      "en": "The Good News According to John"
    }
  },
  "section-jhn_1": {
    "abbr": {
      "en": " "
    },
    "short": {
      "en": "John 1"
    },
    "long": {
      "en": "The Good News According to John Chapters 1"
    }
  },
  "section-jhn_1-1": {
    "abbr": {
      "en": " "
    },
    "short": {
      "en": "John 1-1"
    },
    "long": {
      "en": "The Good News According to John Chapters 1-1"
    }
  },
  "section-jhn_2-2": {
    "abbr": {
      "en": " "
    },
    "short": {
      "en": "John 2-2"
    },
    "long": {
      "en": "The Good News According to John Chapters 2-2"
    }
  }
},
"ingredients": {
  "processing_resources/styles/stylesheet.xml": {
    "checksum": {

```

(continues on next page)

(continued from previous page)

```

    "md5": "5e94b21782928836d83e5af9b271a125"
  },
  "mimeType": "text/xml",
  "size": 13900
},
"source/BBM/JHN_1-1.bbm": {
  "checksum": {
    "md5": "7a4d35451e31dc9fb8a553e08ea8fa92"
  },
  "mimeType": "text/xml",
  "size": 33906
},
"release/PEF/JHN_1-1.pef": {
  "checksum": {
    "md5": "f00a9ed7f2aa146e2ff6a50cb12fa820"
  },
  "mimeType": "text/xml",
  "size": 21261,
  "scope": {
    "JHN": ["1-1"]
  }
}
},
"copyright": {
  "shortStatements": [{
    "statement": "<p><strong>PUBLIC DOMAIN</strong>. \"World English Bible\" is a  

↳ trademark of <a href=\"https://eBible.org\">eBible.org</a>.</p>",
    "mimetype": "text/html",
    "lang": "en"
  }]
}
}

```

2.4.3 minimalTemplate

```

{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "template",
    "templateName": {
      "en": "A Minimal and Frankly Pointless Template"
    },
    "defaultLocale": "en",
    "dateCreated": "2018-02-15T22:33:50.875547+00:00"
  },
  "copyright": {
    "shortStatements": [{
      "statement": "<p>Test Copyright. All rights reserved.</p>",
      "mimetype": "text/html",

```

(continues on next page)

(continued from previous page)

```

    "lang": "en"
  }]
}
}

```

2.4.4 signLanguageVideoTranslation

```

{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "source",
    "generator": {
      "softwareName": "DBLImport",
      "softwareVersion": "0.0.0",
      "userName": "Elbert Boot"
    },
    "defaultLocale": "en",
    "dateCreated": "2019-12-10T15:44:10.641544+00:00",
    "comments": ["First submit updated metadata and mpg files"]
  },
  "idAuthorities": {
    "dbl": {
      "id": "https://thedigitalbiblelibrary.org",
      "name": {
        "en": "The Digital Bible Library"
      }
    }
  },
  "identification": {
    "primary": {
      "dbl": {
        "acce3721073e44da": {
          "revision": "2",
          "timestamp": "2019-12-10T15:44:10.641544+00:00"
        }
      }
    }
  },
  "name": {
    "en": "The Gospel of Luke in French Sign Language",
    "lsf": "L'Evangile de Luc en langue des signes française"
  },
  "description": {
    "en": "The French Bible publishes the first translation of a major historical and
    ↪ cultural work - Luke's Gospel - in French sign language.",
    "lsf": "L'Alliance biblique française met à disposition du public sourd,
    ↪ malentendant et entendant la première traduction d'un texte majeure du patrimoine de l
    ↪ humanité - l'Evangile de Luc - en langue des signes."
  }
},
}

```

(continues on next page)

(continued from previous page)

```
"languages": [
  {
    "tag": "lsf",
    "name": {
      "en": "French Sign Language",
      "lsf": "langue des signes française"
    }
  }
],
"type": {
  "flavorType": {
    "name": "scripture",
    "flavor": {
      "name": "signLanguageVideoTranslation",
      "contentByChapter": false,
      "formats": {
        "format1": {
          "container": "mpg",
          "videoStream": {
            "bitRate": 5674,
            "frameRate": 25,
            "screenResolution": "720x576"
          }
        }
      }
    }
  },
  "currentScope": {
    "LUK": []
  }
},
"confidential": true,
"agencies": [
  {
    "id": "dbl::54650cdf5117ad687c9b5189",
    "roles": [
      "rightsHolder",
      "content",
      "publication",
      "management",
      "finance",
      "qa"
    ],
    "url": "http://www.alliancebiblique.fr",
    "name": {
      "en": "French Bible Society"
    },
    "abbr": {
      "en": "ABF"
    }
  }
],
```

(continues on next page)

(continued from previous page)

```

"targetAreas": [
  {
    "code": "FR",
    "name": {
      "en": "France",
      "lsf": "France"
    }
  }
],
"localizedNames": {
  "book-luk": {
    "short": {
      "en": "Luc"
    }
  },
  "peripherals": {
    "short": {
      "en": "définitions"
    }
  },
  "name-abraham": {
    "short": {
      "en": "Abraham"
    }
  },
  "name-david": {
    "short": {
      "en": "David"
    }
  },
  "name-elijah": {
    "short": {
      "en": "Elie"
    }
  },
  "name-herod-antipas": {
    "short": {
      "en": "Hérode Antipas"
    }
  },
  "name-isaac": {
    "short": {
      "en": "Isaac"
    }
  },
  "name-isaiah": {
    "short": {
      "en": "Esaïe"
    }
  },
  "name-jacob": {
    "short": {

```

(continues on next page)

(continued from previous page)

```
    "en": "Jacob"
  }
},
"name-james": {
  "short": {
    "en": "Jacques"
  }
},
"name-john": {
  "short": {
    "en": "Jean"
  }
},
"name-john-the-baptist": {
  "short": {
    "en": "Jean-Baptiste"
  }
},
"name-joseph": {
  "short": {
    "en": "Joseph"
  }
},
"name-luke": {
  "short": {
    "en": "Luc"
  }
},
"name-mary": {
  "short": {
    "en": "Marie"
  }
},
"name-moses": {
  "short": {
    "en": "Moïse"
  }
},
"name-peter": {
  "short": {
    "en": "Pierre"
  }
},
"name-pilate": {
  "short": {
    "en": "Pilate"
  }
},
"name-simon-of-cyrene": {
  "short": {
    "en": "Simon de Cyrène"
  }
}
```

(continues on next page)

(continued from previous page)

```

},
"name-simon-peter": {
  "short": {
    "en": "Simon-Pierre"
  }
},
"name-simon-the-pharisee": {
  "short": {
    "en": "Simon le Pharisien"
  }
},
"name-simon-the-zealot": {
  "short": {
    "en": "Simon le nationaliste"
  }
},
"name-solomon": {
  "short": {
    "en": "Salomon"
  }
},
"name-zachariah": {
  "short": {
    "en": "Zakarie"
  }
},
"place-bethany": {
  "short": {
    "en": "Béthanie"
  }
},
"place-capernaum": {
  "short": {
    "en": "Capernaüm"
  }
},
"place-galilee": {
  "short": {
    "en": "Galilée"
  }
},
"place-golgotha": {
  "short": {
    "en": "Lieu du crâne"
  }
},
"place-israel": {
  "short": {
    "en": "Israël"
  }
},
"place-jericho": {

```

(continues on next page)

(continued from previous page)

```
"short": {
  "en": "Jéricho"
},
"place-jerusalem": {
  "short": {
    "en": "Jérusalem"
  }
},
"place-jordan": {
  "short": {
    "en": "Jourdain"
  }
},
"place-judea": {
  "short": {
    "en": "Judée"
  }
},
"place-lake-galilee": {
  "short": {
    "en": "Lac de Galilée"
  }
},
"place-rome": {
  "short": {
    "en": "Rome"
  }
},
"place-samaria": {
  "short": {
    "en": "Samarie"
  }
},
"place-syria": {
  "short": {
    "en": "Syrie"
  }
},
"sign-angel": {
  "short": {
    "en": "ange"
  }
},
"sign-apostles": {
  "short": {
    "en": "apôtres"
  }
},
"sign-baptism": {
  "short": {
    "en": "baptême"
  }
}
```

(continues on next page)

(continued from previous page)

```
    }
  },
  "sign-criminal": {
    "short": {
      "en": "criminel"
    }
  },
  "sign-disciple": {
    "short": {
      "en": "disciple"
    }
  },
  "sign-elders": {
    "short": {
      "en": "anciens"
    }
  },
  "sign-evil-spirit": {
    "short": {
      "en": "esprit mauvais"
    }
  },
  "sign-faith": {
    "short": {
      "en": "foi"
    }
  },
  "sign-fast": {
    "short": {
      "en": "jeûne"
    }
  },
  "sign-glory": {
    "short": {
      "en": "gloire"
    }
  },
  "sign-god": {
    "short": {
      "en": "Dieu"
    }
  },
  "sign-heal": {
    "short": {
      "en": "guérir"
    }
  },
  "sign-high-priest": {
    "short": {
      "en": "grand-prêtre"
    }
  },
  },
```

(continues on next page)

(continued from previous page)

```
"sign-holy": {
  "short": {
    "en": "saint"
  }
},
"sign-holy-of-holies": {
  "short": {
    "en": "lieu saint"
  }
},
"sign-holy-spirit": {
  "short": {
    "en": "Saint-Esprit"
  }
},
"sign-it-is-written": {
  "short": {
    "en": "il est écrit"
  }
},
"sign-judas-iscariot": {
  "short": {
    "en": "Judas Iscariote"
  }
},
"sign-just": {
  "short": {
    "en": "juste"
  }
},
"sign-kingdom-of-god": {
  "short": {
    "en": "Royaume de Dieu"
  }
},
"sign-lord": {
  "short": {
    "en": "Seigneur"
  }
},
"sign-messiah": {
  "short": {
    "en": "messie"
  }
},
"sign-parable": {
  "short": {
    "en": "parabole"
  }
},
"sign-paradise": {
  "short": {
```

(continues on next page)

(continued from previous page)

```
    "en": "paradis"
  }
},
"sign-passover": {
  "short": {
    "en": "pâque"
  }
},
"sign-pharisee": {
  "short": {
    "en": "pharisien"
  }
},
"sign-place-of-the-dead": {
  "short": {
    "en": "lieu des morts"
  }
},
"sign-power": {
  "short": {
    "en": "puissance"
  }
},
"sign-prayer": {
  "short": {
    "en": "prière"
  }
},
"sign-priest": {
  "short": {
    "en": "prêtre"
  }
},
"sign-prophet": {
  "short": {
    "en": "prophète"
  }
},
"sign-psalm": {
  "short": {
    "en": "psaume"
  }
},
"sign-religious-court": {
  "short": {
    "en": "tribunal religieux"
  }
},
"sign-repent": {
  "short": {
    "en": "changer de vie"
  }
}
```

(continues on next page)

(continued from previous page)

```
},
"sign-sabbath": {
  "short": {
    "en": "sabbat"
  }
},
"sign-sacrifice": {
  "short": {
    "en": "sacrifice"
  }
},
"sign-satan": {
  "short": {
    "en": "satan"
  }
},
"sign-signs": {
  "short": {
    "en": "signes"
  }
},
"sign-sin": {
  "short": {
    "en": "péché"
  }
},
"sign-synagoge": {
  "short": {
    "en": "synagoge"
  }
},
"sign-tax-collector": {
  "short": {
    "en": "employé des impôts"
  }
},
"sign-teacher-of-the-law": {
  "short": {
    "en": "maître de la loi"
  }
},
"sign-temple": {
  "short": {
    "en": "temple"
  }
},
"sign-trials": {
  "short": {
    "en": "epreuves"
  }
},
"sign-unleavened-bread": {
```

(continues on next page)

(continued from previous page)

```

    "short": {
      "en": "pain sans levain"
    }
  },
  "sign-witness": {
    "short": {
      "en": "témoin"
    }
  },
  "sign-worship": {
    "short": {
      "en": "adorer"
    }
  },
  "place-nazareth": {
    "short": {
      "en": "place-nazareth"
    }
  },
  "sign-sadducee": {
    "short": {
      "en": "sign-sadducee"
    }
  },
  "sign-son-of-man": {
    "short": {
      "en": "sign-son-of-man"
    }
  },
  "place_mount_of_olives": {
    "short": {
      "en": "Mont des Oliviers"
    }
  },
  "place_bethlehem": {
    "short": {
      "en": "Bethléem"
    }
  },
  "place-bethlehem": {
    "short": {
      "en": "place-bethlehem"
    }
  },
  "sign-synagogue": {
    "short": {
      "en": "sign-synagogue"
    }
  },
  "place-mount-of-olives": {
    "short": {
      "en": "place-mount-of-olives"
    }
  }

```

(continues on next page)

(continued from previous page)

```
    }
  },
  "name-judas-iscariot": {
    "short": {
      "en": "name-judas-iscariot"
    }
  }
},
"ingredients": {
  "LUK/LUK_1.mpg": {
    "checksum": {
      "md5": "7dab7a93adec806503d73c769d92ebd5"
    },
    "mimeType": "video/mpeg",
    "size": 767246336,
    "scope": {
      "LUK": ["1"]
    }
  },
  "LUK/LUK_10.mpg": {
    "checksum": {
      "md5": "beb1bbd2b493ff276e66e484f853d4ab"
    },
    "mimeType": "video/mpeg",
    "size": 677756928,
    "scope": {
      "LUK": ["10"]
    }
  },
  "LUK/LUK_11.mpg": {
    "checksum": {
      "md5": "33dcac94bec5bf81373c270923fe2e6f"
    },
    "mimeType": "video/mpeg",
    "size": 691744768,
    "scope": {
      "LUK": ["11"]
    }
  },
  "LUK/LUK_12.mpg": {
    "checksum": {
      "md5": "d68cdff970d927f2f5317a1df7015bb6"
    },
    "mimeType": "video/mpeg",
    "size": 845115392,
    "scope": {
      "LUK": ["12"]
    }
  },
  "LUK/LUK_13.mpg": {
    "checksum": {
      "md5": "1762d737fb2ef9db9c759166e9b048af"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 452595712,
    "scope": {
      "LUK": ["13"]
    }
  },
  "LUK/LUK_14.mpg": {
    "checksum": {
      "md5": "c8d3fcb9453b11485543a9ffd6b7638a"
    },
    "mimeType": "video/mpeg",
    "size": 382185472,
    "scope": {
      "LUK": ["14"]
    }
  },
  "LUK/LUK_15.mpg": {
    "checksum": {
      "md5": "0ae745fa10c5493aa2b41e571c43195c"
    },
    "mimeType": "video/mpeg",
    "size": 361775104,
    "scope": {
      "LUK": ["15"]
    }
  },
  "LUK/LUK_16.mpg": {
    "checksum": {
      "md5": "b404efcb5d9d88d0752dd072046572fb"
    },
    "mimeType": "video/mpeg",
    "size": 346812416,
    "scope": {
      "LUK": ["16"]
    }
  },
  "LUK/LUK_17.mpg": {
    "checksum": {
      "md5": "862493ebdf08c994c88d6fcb751af5fa"
    },
    "mimeType": "video/mpeg",
    "size": 235720704,
    "scope": {
      "LUK": ["17"]
    }
  },
  "LUK/LUK_18.mpg": {
    "checksum": {
      "md5": "97fed2faca23e5bb4e117769f2cbce62"
    },
    "mimeType": "video/mpeg",

```

(continues on next page)

(continued from previous page)

```
"size": 294641664,
"scope": {
  "LUK": ["18"]
},
"LUK/LUK_19.mpg": {
  "checksum": {
    "md5": "947affbb135467b4a68963b4430f4686"
  },
  "mimeType": "video/mpeg",
  "size": 533256192,
  "scope": {
    "LUK": ["19"]
  }
},
"LUK/LUK_2.mpg": {
  "checksum": {
    "md5": "14b9976297390c06c0669b20dc31a362"
  },
  "mimeType": "video/mpeg",
  "size": 405985280,
  "scope": {
    "LUK": ["2"]
  }
},
"LUK/LUK_20.mpg": {
  "checksum": {
    "md5": "364f32bcf594ddfe16000c9c17a03763"
  },
  "mimeType": "video/mpeg",
  "size": 670695424,
  "scope": {
    "LUK": ["20"]
  }
},
"LUK/LUK_21.mpg": {
  "checksum": {
    "md5": "9116d43371b3c93c69ceb95446f8de4a"
  },
  "mimeType": "video/mpeg",
  "size": 428699648,
  "scope": {
    "LUK": ["21"]
  }
},
"LUK/LUK_22.mpg": {
  "checksum": {
    "md5": "50290549a23d9760b6dbc88f45e3cd7a"
  },
  "mimeType": "video/mpeg",
  "size": 766781440,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "LUK": ["22"]
  }
},
"LUK/LUK_23.mpg": {
  "checksum": {
    "md5": "3e743c48b8cf1e578c7cd68b8c3a0260"
  },
  "mimeType": "video/mpeg",
  "size": 450291712,
  "scope": {
    "LUK": ["23"]
  }
},
"LUK/LUK_24.mpg": {
  "checksum": {
    "md5": "db1c7c2e70aab3e660e0bab161bb4e4f"
  },
  "mimeType": "video/mpeg",
  "size": 374806528,
  "scope": {
    "LUK": ["24"]
  }
},
"LUK/LUK_3.mpg": {
  "checksum": {
    "md5": "32ade75aa88f4c8d5fa07105b8a4f335"
  },
  "mimeType": "video/mpeg",
  "size": 328286208,
  "scope": {
    "LUK": ["3"]
  }
},
"LUK/LUK_4.mpg": {
  "checksum": {
    "md5": "3732c8f361ba6c2d64225f5e39d21c19"
  },
  "mimeType": "video/mpeg",
  "size": 420724736,
  "scope": {
    "LUK": ["4"]
  }
},
"LUK/LUK_5.mpg": {
  "checksum": {
    "md5": "f379fd33ca0eddfbf9c719b09c6f1f89"
  },
  "mimeType": "video/mpeg",
  "size": 425531392,
  "scope": {
    "LUK": ["5"]
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"LUK/LUK_6.mpg": {
  "checksum": {
    "md5": "196a5ebbdd65b1adc52b5a3341da95a0"
  },
  "mimeType": "video/mpeg",
  "size": 621789184,
  "scope": {
    "LUK": ["6"]
  }
},
"LUK/LUK_7.mpg": {
  "checksum": {
    "md5": "c9e2eaedf84c49dbcc30e4ba2f41f6e3"
  },
  "mimeType": "video/mpeg",
  "size": 454045696,
  "scope": {
    "LUK": ["7"]
  }
},
"LUK/LUK_8.mpg": {
  "checksum": {
    "md5": "dbfe25c34128808b378213ce721b763c"
  },
  "mimeType": "video/mpeg",
  "size": 483084288,
  "scope": {
    "LUK": ["8"]
  }
},
"LUK/LUK_9.mpg": {
  "checksum": {
    "md5": "dab67061322170681d8963c6c89cf34e"
  },
  "mimeType": "video/mpeg",
  "size": 797745152,
  "scope": {
    "LUK": ["9"]
  }
},
"peripherals/name_abraham.mpg": {
  "checksum": {
    "md5": "491c4b36cf8b35e220223997f2e6abf7"
  },
  "mimeType": "video/mpeg",
  "size": 56926208,
  "role": "name abraham"
},
"peripherals/name_david.mpg": {
  "checksum": {
    "md5": "909954a0aef4f626a289a1e70e5f500e"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 77905920,
    "role": "name david"
  },
  "peripherals/name_elijah.mpg": {
    "checksum": {
      "md5": "31e633b718a163b811faac90d3129980"
    },
    "mimeType": "video/mpeg",
    "size": 55296000,
    "role": "name elijah"
  },
  "peripherals/name_isaac.mpg": {
    "checksum": {
      "md5": "77a88b78297e2bb4fc5bddd923bcffa6"
    },
    "mimeType": "video/mpeg",
    "size": 32305152,
    "role": "name isaac"
  },
  "peripherals/name_isaiah.mpg": {
    "checksum": {
      "md5": "662a6a791019cc461751e4f8e85bc0e5"
    },
    "mimeType": "video/mpeg",
    "size": 37173248,
    "role": "name isaiah"
  },
  "peripherals/name_jacob.mpg": {
    "checksum": {
      "md5": "9f8d69d79d20480490538de8b5e42e92"
    },
    "mimeType": "video/mpeg",
    "size": 40900608,
    "role": "name jacob"
  },
  "peripherals/name_james.mpg": {
    "checksum": {
      "md5": "c82e3dfc7a5cb08f4477884bf4a77fbe"
    },
    "mimeType": "video/mpeg",
    "size": 29980672,
    "role": "name james"
  },
  "peripherals/name_john.mpg": {
    "checksum": {
      "md5": "3744c2d22c014d3516a2afb96edbad2f"
    },
    "mimeType": "video/mpeg",
    "size": 48386048,
    "role": "name john"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/name_john_the_baptist.mpg": {
  "checksum": {
    "md5": "b4798093ed01380080bae1455fa08140"
  },
  "mimeType": "video/mpeg",
  "size": 61243392,
  "role": "name john the baptist"
},
"peripherals/name_joseph.mpg": {
  "checksum": {
    "md5": "d45ce3ee578d316d931cb22bf7f1b59f"
  },
  "mimeType": "video/mpeg",
  "size": 31930368,
  "role": "name joseph"
},
"peripherals/name_luke.mpg": {
  "checksum": {
    "md5": "d01eb10407ce60540087a1573ec9e299"
  },
  "mimeType": "video/mpeg",
  "size": 35180544,
  "role": "name luke"
},
"peripherals/name_mary.mpg": {
  "checksum": {
    "md5": "fd814ecb8e17c3101ecf8bf99e36b223"
  },
  "mimeType": "video/mpeg",
  "size": 25053184,
  "role": "name mary"
},
"peripherals/name_moses.mpg": {
  "checksum": {
    "md5": "c07bfe585d16427692aa08e8f617db55"
  },
  "mimeType": "video/mpeg",
  "size": 80588800,
  "role": "name moses"
},
"peripherals/name_peter.mpg": {
  "checksum": {
    "md5": "17cab40ef2b4781d3ad7cb0307ceae8f"
  },
  "mimeType": "video/mpeg",
  "size": 58148864,
  "role": "name peter"
},
"peripherals/name_pilate.mpg": {
  "checksum": {
    "md5": "31c1b349ac13a74128af8383f8c2e897"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 37996544,
    "role": "name pilate"
  },
  "peripherals/name_simon_of_cyrene.mpg": {
    "checksum": {
      "md5": "90307f35b5d374c53b4307b26178d935"
    },
    "mimeType": "video/mpeg",
    "size": 15691776,
    "role": "name simon of cyrene"
  },
  "peripherals/name_simon_peter.mpg": {
    "checksum": {
      "md5": "12e19a06066feffd06ce68b9755be50a"
    },
    "mimeType": "video/mpeg",
    "size": 19087360,
    "role": "name simon peter"
  },
  "peripherals/name_simon_the_pharisee.mpg": {
    "checksum": {
      "md5": "eca4437f2e901830f30e563a663d639b"
    },
    "mimeType": "video/mpeg",
    "size": 22628352,
    "role": "name simon the pharisee"
  },
  "peripherals/name_solomon.mpg": {
    "checksum": {
      "md5": "3ab9507a0a09235437dd674edb9d1142"
    },
    "mimeType": "video/mpeg",
    "size": 32319488,
    "role": "name solomon"
  },
  "peripherals/name_zachariah.mpg": {
    "checksum": {
      "md5": "2721035de4b8ba787f4ee2a7505503df"
    },
    "mimeType": "video/mpeg",
    "size": 37787648,
    "role": "name zachariah"
  },
  "peripherals/place_bethany.mpg": {
    "checksum": {
      "md5": "85ce55991ccf434c3871784f078b7700"
    },
    "mimeType": "video/mpeg",
    "size": 44494848,
    "role": "place bethany"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/place_bethlehem.mpg": {
  "checksum": {
    "md5": "bd9b38293d2fba08cb169a125449ab08"
  },
  "mimeType": "video/mpeg",
  "size": 30347264,
  "role": "place bethlehem"
},
"peripherals/place_capernaum.mpg": {
  "checksum": {
    "md5": "faa0a0d40923c831337135ef0af9d47a"
  },
  "mimeType": "video/mpeg",
  "size": 44597248,
  "role": "place capernaum"
},
"peripherals/place_galilee.mpg": {
  "checksum": {
    "md5": "7176bdb9f628eb91aadebc84f46d626"
  },
  "mimeType": "video/mpeg",
  "size": 41617408,
  "role": "place galilee"
},
"peripherals/place_golgotha.mpg": {
  "checksum": {
    "md5": "a0adfe2a9809b709fa0be59e9cb30e4c"
  },
  "mimeType": "video/mpeg",
  "size": 26079232,
  "role": "place golgotha"
},
"peripherals/place_israel.mpg": {
  "checksum": {
    "md5": "239aceb8ae37e41c0eef35aeda833cd5"
  },
  "mimeType": "video/mpeg",
  "size": 58177536,
  "role": "place israel"
},
"peripherals/place_jericho.mpg": {
  "checksum": {
    "md5": "0693509e999c4ece7cce723302b87012"
  },
  "mimeType": "video/mpeg",
  "size": 85198848,
  "role": "place jericho"
},
"peripherals/place_jerusalem.mpg": {
  "checksum": {
    "md5": "f595a1dcc71331fef1972114d0246f46"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 82214912,
    "role": "place jerusalem"
  },
  "peripherals/place_jordan.mpg": {
    "checksum": {
      "md5": "9add04dc0a41b1822d280c56bf65f5fb"
    },
    "mimeType": "video/mpeg",
    "size": 53258240,
    "role": "place jordan"
  },
  "peripherals/place_judea.mpg": {
    "checksum": {
      "md5": "b91164a9c09cee1fda1cc84a570d5093"
    },
    "mimeType": "video/mpeg",
    "size": 25188352,
    "role": "place judea"
  },
  "peripherals/place_lake_galilee.mpg": {
    "checksum": {
      "md5": "9aced138e2269f12ab759a567a7ea2ce"
    },
    "mimeType": "video/mpeg",
    "size": 40411136,
    "role": "place lake galilee"
  },
  "peripherals/place_nazareth.mpg": {
    "checksum": {
      "md5": "a87f89b3e4333d0b06c5f31e7eea4f48"
    },
    "mimeType": "video/mpeg",
    "size": 32593920,
    "role": "place nazareth"
  },
  "peripherals/place_rome.mpg": {
    "checksum": {
      "md5": "c4e7ab4e9d1d2d672c87f5f9b383f708"
    },
    "mimeType": "video/mpeg",
    "size": 65169408,
    "role": "place rome"
  },
  "peripherals/place_samaria.mpg": {
    "checksum": {
      "md5": "458390237b49d6a77a708efe9225a164"
    },
    "mimeType": "video/mpeg",
    "size": 36900864,
    "role": "place samaria"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/place_syria.mpg": {
  "checksum": {
    "md5": "c8722b744ee5f26b89e71b07d18150d7"
  },
  "mimeType": "video/mpeg",
  "size": 14800896,
  "role": "place syria"
},
"peripherals/sign_angel.mpg": {
  "checksum": {
    "md5": "82fd1be82ab0f85ec6258b3fecf61409"
  },
  "mimeType": "video/mpeg",
  "size": 42999808,
  "role": "sign angel"
},
"peripherals/sign_apostles.mpg": {
  "checksum": {
    "md5": "d9775a94285a606178f84c13519d456e"
  },
  "mimeType": "video/mpeg",
  "size": 23207936,
  "role": "sign apostles"
},
"peripherals/sign_baptism.mpg": {
  "checksum": {
    "md5": "127e82ed006adecd5598ed604776750c"
  },
  "mimeType": "video/mpeg",
  "size": 36792320,
  "role": "sign baptism"
},
"peripherals/sign_criminal.mpg": {
  "checksum": {
    "md5": "c2630f690b3f160db6f9f1fff254c804"
  },
  "mimeType": "video/mpeg",
  "size": 17829888,
  "role": "sign criminal"
},
"peripherals/sign_disciple.mpg": {
  "checksum": {
    "md5": "b3cd7144afedac8d68d2a440fe7a3efc"
  },
  "mimeType": "video/mpeg",
  "size": 25438208,
  "role": "sign disciple"
},
"peripherals/sign_elders.mpg": {
  "checksum": {
    "md5": "1f311441b33ec99b31e3da07b0e66386"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 35620864,
    "role": "sign elders"
  },
  "peripherals/sign_evil_spirit.mpg": {
    "checksum": {
      "md5": "97ff7bc8ddf5f1bfc15069d4addff05b"
    },
    "mimeType": "video/mpeg",
    "size": 43327488,
    "role": "sign evil spirit"
  },
  "peripherals/sign_faith.mpg": {
    "checksum": {
      "md5": "abac355134704a1df2e316089000426f"
    },
    "mimeType": "video/mpeg",
    "size": 21458944,
    "role": "sign faith"
  },
  "peripherals/sign_fast.mpg": {
    "checksum": {
      "md5": "4c12062db9eeef71af67eab6f9baa803"
    },
    "mimeType": "video/mpeg",
    "size": 26636288,
    "role": "sign fast"
  },
  "peripherals/sign_glory.mpg": {
    "checksum": {
      "md5": "bdb0a54d4c9a740a6590f5a158d15e93"
    },
    "mimeType": "video/mpeg",
    "size": 38803456,
    "role": "sign glory"
  },
  "peripherals/sign_god.mpg": {
    "checksum": {
      "md5": "32a75f9ac104fc6f82734bf88ba54be4"
    },
    "mimeType": "video/mpeg",
    "size": 15271936,
    "role": "sign god"
  },
  "peripherals/sign_heal.mpg": {
    "checksum": {
      "md5": "bdde68a0e17acc3266f3f52e512a0864"
    },
    "mimeType": "video/mpeg",
    "size": 21985280,
    "role": "sign heal"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/sign_high_priest.mpg": {
  "checksum": {
    "md5": "f305051c2c319d741714eb05eb3d9124"
  },
  "mimeType": "video/mpeg",
  "size": 42448896,
  "role": "sign high priest"
},
"peripherals/sign_holy.mpg": {
  "checksum": {
    "md5": "33571ce7c5738949d18f376d2bfd7163"
  },
  "mimeType": "video/mpeg",
  "size": 24786944,
  "role": "sign holy"
},
"peripherals/sign_holy_of_holies.mpg": {
  "checksum": {
    "md5": "cb738cd25757026afce4fcea7b33601f"
  },
  "mimeType": "video/mpeg",
  "size": 50044928,
  "role": "sign holy of holies"
},
"peripherals/sign_holy_spirit.mpg": {
  "checksum": {
    "md5": "6a19a3c5d1f8338bc6f2c407ea221732"
  },
  "mimeType": "video/mpeg",
  "size": 56870912,
  "role": "sign holy spirit"
},
"peripherals/sign_it_is_written.mpg": {
  "checksum": {
    "md5": "f7045611c3889dccf2c49d6412d4251f"
  },
  "mimeType": "video/mpeg",
  "size": 46737408,
  "role": "sign it is written"
},
"peripherals/sign_judas_iscariot.mpg": {
  "checksum": {
    "md5": "2eb97e307132d4a18e2fac5ee120d30a"
  },
  "mimeType": "video/mpeg",
  "size": 15056896,
  "role": "sign judas iscariot"
},
"peripherals/sign_just.mpg": {
  "checksum": {
    "md5": "ae8bd6f8707c418507c1ce7dbf8c1da7"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 20887552,
    "role": "sign just"
  },
  "peripherals/sign_kingdom_of_god.mpg": {
    "checksum": {
      "md5": "d452841df0ab9a9cfb7de07826b72c87"
    },
    "mimeType": "video/mpeg",
    "size": 54034432,
    "role": "sign kingdom of god"
  },
  "peripherals/sign_lord.mpg": {
    "checksum": {
      "md5": "03ccb062630a3170f6f2193e61a9ab34"
    },
    "mimeType": "video/mpeg",
    "size": 28862464,
    "role": "sign lord"
  },
  "peripherals/sign_messiah.mpg": {
    "checksum": {
      "md5": "ba4279a3b89bb698ebe52752ad087050"
    },
    "mimeType": "video/mpeg",
    "size": 46202880,
    "role": "sign messiah"
  },
  "peripherals/sign_parable.mpg": {
    "checksum": {
      "md5": "763e4b5b0bfee53f44679a280c0a4c3e"
    },
    "mimeType": "video/mpeg",
    "size": 37951488,
    "role": "sign parable"
  },
  "peripherals/sign_paradise.mpg": {
    "checksum": {
      "md5": "bb2ccd86e97c0f324eb9d8c5a4bed601"
    },
    "mimeType": "video/mpeg",
    "size": 45776896,
    "role": "sign paradise"
  },
  "peripherals/sign_passover.mpg": {
    "checksum": {
      "md5": "f8f21a74298cb96af11a842b198870f4"
    },
    "mimeType": "video/mpeg",
    "size": 36655104,
    "role": "sign passover"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/sign_pharisee.mpg": {
  "checksum": {
    "md5": "ac50e0be4cd61504583f066b94904791"
  },
  "mimeType": "video/mpeg",
  "size": 25556992,
  "role": "sign pharisee"
},
"peripherals/sign_place_of_the_dead.mpg": {
  "checksum": {
    "md5": "79eeca8ae12e83c6554b2397625db55c"
  },
  "mimeType": "video/mpeg",
  "size": 28377088,
  "role": "sign place of the dead"
},
"peripherals/sign_power.mpg": {
  "checksum": {
    "md5": "6bb2cbd330f0d8087bd42b8caefcbb8"
  },
  "mimeType": "video/mpeg",
  "size": 33218560,
  "role": "sign power"
},
"peripherals/sign_prayer.mpg": {
  "checksum": {
    "md5": "d41e4f844edbe1ce765ae536dc637320"
  },
  "mimeType": "video/mpeg",
  "size": 35221504,
  "role": "sign prayer"
},
"peripherals/sign_priest.mpg": {
  "checksum": {
    "md5": "f1d8c277d3a1e537d7f1903193f22523"
  },
  "mimeType": "video/mpeg",
  "size": 33314816,
  "role": "sign priest"
},
"peripherals/sign_prophet.mpg": {
  "checksum": {
    "md5": "9aaa92c6b58170f59e2bb2ee596c38d5"
  },
  "mimeType": "video/mpeg",
  "size": 19259392,
  "role": "sign prophet"
},
"peripherals/sign_psalms.mpg": {
  "checksum": {
    "md5": "bd19a6ca24d7d1e80f8e04fbbb45ba0"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 25135104,
    "role": "sign psalm"
  },
  "peripherals/sign_religious_court.mpg": {
    "checksum": {
      "md5": "20584df446ad0db65a3db3db2efe7314"
    },
    "mimeType": "video/mpeg",
    "size": 18485248,
    "role": "sign religious court"
  },
  "peripherals/sign_repent.mpg": {
    "checksum": {
      "md5": "1db8c41e39df0288761c60b4578feef1"
    },
    "mimeType": "video/mpeg",
    "size": 36974592,
    "role": "sign repent"
  },
  "peripherals/sign_sabbath.mpg": {
    "checksum": {
      "md5": "5812bc0c0ccd5f6c1eb6244d4e580fcd"
    },
    "mimeType": "video/mpeg",
    "size": 24498176,
    "role": "sign sabbath"
  },
  "peripherals/sign_sacrifice.mpg": {
    "checksum": {
      "md5": "a26078cc5492d07ac43c5917745f8439"
    },
    "mimeType": "video/mpeg",
    "size": 43833344,
    "role": "sign sacrifice"
  },
  "peripherals/sign_saducee.mpg": {
    "checksum": {
      "md5": "138900443f3debebdcd9143d5d1014a8"
    },
    "mimeType": "video/mpeg",
    "size": 24694784,
    "role": "sign saducee"
  },
  "peripherals/sign_satan.mpg": {
    "checksum": {
      "md5": "5eaccf72fa6443beefcfe67f58e73c3d"
    },
    "mimeType": "video/mpeg",
    "size": 52015104,
    "role": "sign satan"
  }

```

(continues on next page)

(continued from previous page)

```
},
"peripherals/sign_signs.mpg": {
  "checksum": {
    "md5": "5f135122347425730da03a7931784dbd"
  },
  "mimeType": "video/mpeg",
  "size": 31711232,
  "role": "sign signs"
},
"peripherals/sign_sin.mpg": {
  "checksum": {
    "md5": "2c3d7184a3eab5337da19c37bfb968ab"
  },
  "mimeType": "video/mpeg",
  "size": 50993152,
  "role": "sign sin"
},
"peripherals/sign_son_of_man.mpg": {
  "checksum": {
    "md5": "3643a2d132996cc674ad45d569762d31"
  },
  "mimeType": "video/mpeg",
  "size": 32585728,
  "role": "sign son of man"
},
"peripherals/sign_synagogue.mpg": {
  "checksum": {
    "md5": "60d3a5c9ff1f09cdc6255a01ee3931d7"
  },
  "mimeType": "video/mpeg",
  "size": 35840000,
  "role": "sign synagogue"
},
"peripherals/sign_tax_collector.mpg": {
  "checksum": {
    "md5": "5073fedcae0d3563362669c818264981"
  },
  "mimeType": "video/mpeg",
  "size": 47554560,
  "role": "sign tax collector"
},
"peripherals/sign_teacher_of_the_law.mpg": {
  "checksum": {
    "md5": "173614e73ec376cc86f68c83ac740570"
  },
  "mimeType": "video/mpeg",
  "size": 27045888,
  "role": "sign teacher of the law"
},
"peripherals/sign_temple.mpg": {
  "checksum": {
    "md5": "6d413678760cb8f3114d3c3cec769ff6"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "video/mpeg",
    "size": 62490624,
    "role": "sign temple"
  },
  "peripherals/sign_trials.mpg": {
    "checksum": {
      "md5": "03c73588396da44261d969ae010d5bd0"
    },
    "mimeType": "video/mpeg",
    "size": 42924032,
    "role": "sign trials"
  },
  "peripherals/sign_unleavened_bread.mpg": {
    "checksum": {
      "md5": "28b658ad4fc86e997d07cc4a02e9e336"
    },
    "mimeType": "video/mpeg",
    "size": 25559040,
    "role": "sign unleavened bread"
  },
  "peripherals/sign_witness.mpg": {
    "checksum": {
      "md5": "020a71163160b5a5b12bf8bcea46c47c"
    },
    "mimeType": "video/mpeg",
    "size": 41312256,
    "role": "sign witness"
  },
  "peripherals/sign_worship.mpg": {
    "checksum": {
      "md5": "00c7c5215ca896462ce65bc485c37bf2"
    },
    "mimeType": "video/mpeg",
    "size": 23441408,
    "role": "sign worship"
  },
  "peripherals/name_simon_the_zealot.mpg": {
    "checksum": {
      "md5": "3316c8c276ca86a52fcaa653717e3e86"
    },
    "mimeType": "video/mpeg",
    "size": 19740672,
    "role": "name simon the zealot"
  },
  "peripherals/place_mount_of_olives.mpg": {
    "checksum": {
      "md5": "cf10bc95c432ea2a201eec9f214772fd"
    },
    "mimeType": "video/mpeg",
    "size": 32270336,
    "role": "place mount of olives"
  }

```

(continues on next page)

(continued from previous page)

```

    },
    "peripherals/name_herod_antipas.mpg": {
      "checksum": {
        "md5": "ceb7d70a2b1c9796c364e75ddaa4d613"
      },
      "mimeType": "video/mpeg",
      "size": 34500608,
      "role": "name herod antipas"
    },
    "peripherals/name_judas_iscariot.mpg": {
      "checksum": {
        "md5": "2eb97e307132d4a18e2fac5ee120d30a"
      },
      "mimeType": "video/mpeg",
      "size": 15056896,
      "role": "name judas iscarriot"
    }
  },
  "copyright": {
    "shortStatements": [{
      "statement": "@ 2019, L'Alliance biblique française",
      "lang": "lsf"
    }]
  }
}

```

2.4.5 textStories

```

{
  "format": "scripture burrito",
  "meta": {
    "category": "source",
    "version": "1.0.0",
    "dateCreated": "2020-03-31T09:04:10.3+02:00",
    "generator": {
      "softwareName": "SB01Import",
      "softwareVersion": "0.0.0"
    },
    "comments": ["Version 4"],
    "defaultLocale": "en"
  },
  "idAuthorities": {
    "dcs": {
      "id": "https://git.door43.org"
    }
  },
  "identification": {
    "name": {
      "en": "unfoldingWord® Open Bible Stories"
    }
  },
}

```

(continues on next page)

(continued from previous page)

```

"abbreviation": {
  "en": "ENOBS"
},
"description": {
  "en": "unrestricted visual Bible stories"
},
"primary": {
  "dcs": {
    "unfoldingword:en_obs": {
      "revision": "94263a75308f91567c3c77ba862d53cbf6c80378",
      "timestamp": "2020-03-31T09:04:10.3+02:00"
    }
  }
},
},
"confidential": true,
"type": {
  "flavorType": {
    "name": "gloss",
    "flavor": {
      "name": "textStories"
    }
  },
  "currentScope": {
    "GEN": [
      "1-2",
      "3",
      "6-8",
      "11-15",
      "16-22",
      "24:1-25:26",
      "25:27-35:29",
      "37-50",
      "3:15",
      "12:1-3",
      "1-3",
      "6",
      "14",
      "22"
    ],
    "EXO": [
      "1-4",
      "5-10",
      "11:1-12:32",
      "12:33-15:21",
      "19-34",
      "16-17",
      "12",
      "20"
    ],
    "NUM": ["10-14", "20", "27"],
    "DEU": ["34", "18:15"],
    "JOS": ["1-24"],

```

(continues on next page)

(continued from previous page)

```

"JDG": ["1-3", "6-8"],
"1SA": ["1-10", "10", "15-19", "24", "31"],
"2SA": ["5", "7", "11-12"],
"1KI": ["1-6", "11-12", "16-18"],
"2KI": ["5", "17", "24-25"],
"JER": ["38", "31"],
"2CH": ["36"],
"EZR": ["1-10"],
"NEH": ["1-13"],
"ISA": ["59:16", "7:14", "9:1-7", "35:3-5", "61", "53", "50:6"],
"DAN": ["7"],
"MAL": ["4:5"],
"MIC": ["5:2"],
"PSA": ["22:18", "35:19", "69:4", "41:9", "16:10-11"],
"ZEC": ["11:12-13"],
"LUK": [
    "1",
    "2",
    "3:1-23",
    "4:1-13",
    "4:14-30",
    "38-44",
    "10:25-37",
    "18:18-30",
    "9:10-17",
    "8:26-39",
    "8:42-48",
    "8:4-15",
    "13:18-21",
    "18:9-14",
    "15:11-32",
    "9:28-36",
    "22:1-53",
    "22:54-23:25",
    "23:26-56",
    "24:1-12",
    "24:13-53"
],
"MAT": [
    "1",
    "3",
    "4:1-11",
    "4:12-25",
    "19:16-30",
    "18:21-35",
    "14:13-21",
    "14:22-33",
    "8:28-34",
    "9:20-22",
    "13:1-8",
    "18-23",
    "13:31-33",

```

(continues on next page)

(continued from previous page)

```
"44-46",
"17:1-9",
"26:14-56",
"26:57-27:26",
"27:27-61",
"27:62-28:15",
"28:16-20",
"24:14",
"28:18",
"13:24-30",
"13:36-42",
"22:13"
],
"MRK": [
  "1:9-11",
  "1:12-13",
  "1:14-15",
  "35-39",
  "3:13-21",
  "10:17-31",
  "6:31-44",
  "6:45-52",
  "5:1-20",
  "5:24-34",
  "4:1-8",
  "13-20",
  "4:30-32",
  "9:2-8",
  "14:10-50",
  "14:53-15:15",
  "15:16-47",
  "16:1-11",
  "16:12-20",
  "16:16"
],
"JHN": [
  "6:5-15",
  "6:16-21",
  "11:1-46",
  "12:6",
  "18:1-11",
  "18:12-19:16",
  "19:17-42",
  "20:1-18",
  "20:19-23",
  "3:16",
  "15:20",
  "16:33"
],
"ACT": [
  "1:1-11",
  "2",
```

(continues on next page)

(continued from previous page)

```

    "3:1-4:22",
    "6:8-8:5",
    "8:26-40",
    "8:3",
    "9:1-31",
    "11:19-26",
    "13:1-3",
    "16:11-40"
  ],
  "HEB": ["3:1-6", "4:14-5:10", "7:1-8:13", "9:11-10:18"],
  "REV": ["2:1", "2:10", "20:10", "21:1-22:21"],
  "ROM": ["3:21-26", "5:1-11"],
  "COL": ["1:13-14"],
  "2CO": ["5:17-21"],
  "1JN": ["1:5-10"],
  "1TH": ["4:13-5:11"],
  "JAS": ["1:12"]
}
},
"languages": [
  {
    "tag": "en",
    "name": {
      "en": "English"
    }
  }
],
"targetAreas": [
  {
    "name": {
      "en": "United States of America"
    },
    "code": "US"
  }
],
"agencies": [
  {
    "id": "dcs::unfoldingword",
    "url": "https://www.unfoldingword.org",
    "name": {
      "en": "unfoldingWord"
    },
    "roles": [
      "rightsHolder",
      "content",
      "publication",
      "management",
      "finance",
      "qa"
    ]
  },
  {
    "abbr": {

```

(continues on next page)

(continued from previous page)

```

    "en": "uW"
  }
}
],
"copyright": {
  "shortStatements": [{
    "statement": "Copyright © 2019 by unfoldingWord"
  }]
},
"ingredients": {
  "LICENSE.md": {
    "mimeType": "text/markdown",
    "checksum": {
      "md5": "7ccb0854d960c013e56608daa28e03ae"
    },
    "size": 1644
  },
  "content/01.md": {
    "mimeType": "text/markdown",
    "checksum": {
      "md5": "39e81428079f566e96a10827b1f57df5"
    },
    "size": 4398,
    "scope": {
      "GEN": ["1-2"]
    }
  },
  "content/02.md": {
    "mimeType": "text/markdown",
    "checksum": {
      "md5": "a80540afea3591b6414c7a6d337348d2"
    },
    "size": 3685,
    "scope": {
      "GEN": ["3"]
    }
  },
  "content/03.md": {
    "mimeType": "text/markdown",
    "checksum": {
      "md5": "fc6101f665da97002862cafed784de95"
    },
    "size": 4643,
    "scope": {
      "GEN": ["6-8"]
    }
  },
  "content/04.md": {
    "mimeType": "text/markdown",
    "checksum": {
      "md5": "17ccaa819af588bd1830168c4dc73008"
    },

```

(continues on next page)

(continued from previous page)

```
"size": 3111,
"scope": {
  "GEN": ["11-15"]
},
},
"content/05.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "aa93ae1514903e4762c41a4799bded1e"
  },
  "size": 3190,
  "scope": {
    "GEN": ["16-22"]
  }
},
"content/06.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "a472c547a96f8969c268eb47062cd221"
  },
  "size": 1930,
  "scope": {
    "GEN": ["24:1-25:26"]
  }
},
"content/07.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "4b8f9a9bb0db9cd3e1f9ac314e5f2fec"
  },
  "size": 2773,
  "scope": {
    "GEN": ["25:27-35:29"]
  }
},
"content/08.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "31890f93882d9bb33a38e54b8a052cd4"
  },
  "size": 4021,
  "scope": {
    "GEN": ["37-50"]
  }
},
"content/09.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "ef11865205f3dac31d6ebd74859df859"
  },
  "size": 4075,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "EXO": ["1-4"]
  }
},
"content/10.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "6351fc1873ff37adb5a64d28aaed7b3f"
  },
  "size": 3127,
  "scope": {
    "EXO": ["5-10"]
  }
},
"content/11.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "0aa0b5d47463a09275946dcb69c6418b"
  },
  "size": 2176,
  "scope": {
    "EXO": ["11:1-12:32"]
  }
},
"content/12.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "8f068bb39642226608ad71c0880ee1fd"
  },
  "size": 4033,
  "scope": {
    "EXO": ["12:33-15:21"]
  }
},
"content/13.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "866e301050f63db4c03f0102f9e2a99e"
  },
  "size": 5005,
  "scope": {
    "EXO": ["19-34"]
  }
},
"content/14.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "69a1342da0c221a0ed115ec074db4079"
  },
  "size": 5562,
  "scope": {
    "EXO": ["16-17"],
    "NUM": ["10-14", "20", "27"],

```

(continues on next page)

(continued from previous page)

```
    "DEU": ["34"]
  }
},
"content/15.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "ca3baee2d1bfa63d908e2e760b10a638"
  },
  "size": 4513,
  "scope": {
    "JOS": ["1-24"]
  }
},
"content/16.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "4428acfae6759887aa9c09fd7f6018f8"
  },
  "size": 6786,
  "scope": {
    "JDG": ["1-3", "6-8"],
    "1SA": ["1-10"]
  }
},
"content/17.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "20a38a37f8728021824f41cb2dad8a08"
  },
  "size": 5657,
  "scope": {
    "1SA": ["10", "15-19", "24", "31"],
    "2SA": ["5", "7", "11-12"]
  }
},
"content/18.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "c9662bbcdbbfbc6837d183827a4e6b62"
  },
  "size": 3878,
  "scope": {
    "1KI": ["1-6", "11-12"]
  }
},
"content/19.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "84235401870e3d6535d2ff2645ffa7f6"
  },
  "size": 6625,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "1KI": ["16-18"],
    "2KI": ["5"],
    "JER": ["38"]
  }
},
"content/20.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "f0e84e54d7f12667082642dd8a960f21"
  },
  "size": 4428,
  "scope": {
    "2KI": ["17", "24-25"],
    "2CH": ["36"],
    "EZR": ["1-10"],
    "NEH": ["1-13"]
  }
},
"content/21.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "8605b00d4108d814fee5b8bcfe72ea9a"
  },
  "size": 5781,
  "scope": {
    "GEN": ["3:15", "12:1-3"],
    "DEU": ["18:15"],
    "2SA": ["7"],
    "JER": ["31"],
    "ISA": ["59:16", "7:14", "9:1-7", "35:3-5", "61", "53", "50:6"],
    "DAN": ["7"],
    "MAL": ["4:5"],
    "MIC": ["5:2"],
    "PSA": ["22:18", "35:19", "69:4", "41:9", "16:10-11"],
    "ZEC": ["11:12-13"]
  }
},
"content/22.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "0b1e7247f77b72208bfda33be83683a8"
  },
  "size": 2690,
  "scope": {
    "LUK": ["1"]
  }
},
"content/23.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "571077fc664ffb076428755896e544a7"
  },

```

(continues on next page)

(continued from previous page)

```
"size": 3468,
"scope": {
  "MAT": ["1"],
  "LUK": ["2"]
}
},
"content/24.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "1b45c927f704eabe9f135cdfbc48cd"
  },
  "size": 2620,
  "scope": {
    "MAT": ["3"],
    "MRK": ["1:9-11"],
    "LUK": ["3:1-23"]
  }
},
"content/25.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "5f5f9c220805cae0b0abf1d8a63f9b66"
  },
  "size": 1951,
  "scope": {
    "MAT": ["4:1-11"],
    "MRK": ["1:12-13"],
    "LUK": ["4:1-13"]
  }
},
"content/26.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "55f5e9b9bcc73f11696925b87b5c4cf7"
  },
  "size": 3495,
  "scope": {
    "MAT": ["4:12-25"],
    "MRK": ["1:14-15", "35-39", "3:13-21"],
    "LUK": ["4:14-30", "38-44"]
  }
},
"content/27.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "eb55700953c0d59b1dc8b3cefb5bf887"
  },
  "size": 3028,
  "scope": {
    "LUK": ["10:25-37"]
  }
},
},
```

(continues on next page)

(continued from previous page)

```

"content/28.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "fac5f8e09a83be6bb3ac094cccfa0e88"
  },
  "size": 2655,
  "scope": {
    "MAT": ["19:16-30"],
    "MRK": ["10:17-31"],
    "LUK": ["18:18-30"]
  }
},
"content/29.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "c5b79dd268d4b1ef89adb0dfea8c39f8"
  },
  "size": 2384,
  "scope": {
    "MAT": ["18:21-35"]
  }
},
"content/30.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "a7a5cfb0f51374b5a11868a46de54670"
  },
  "size": 2502,
  "scope": {
    "MAT": ["14:13-21"],
    "MRK": ["6:31-44"],
    "LUK": ["9:10-17"],
    "JHN": ["6:5-15"]
  }
},
"content/31.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "1bb93b0b3e253a5526e7d182588383f3"
  },
  "size": 2313,
  "scope": {
    "MAT": ["14:22-33"],
    "MRK": ["6:45-52"],
    "JHN": ["6:16-21"]
  }
},
"content/32.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "07190449c5cf01ed0871a84d4752f90c"
  },

```

(continues on next page)

(continued from previous page)

```
"size": 4293,
"scope": {
  "MAT": ["8:28-34", "9:20-22"],
  "MRK": ["5:1-20", "5:24-34"],
  "LUK": ["8:26-39", "8:42-48"]
},
},
"content/33.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "a326a9334f697a282d02880d0f6e2eb9"
  },
  "size": 2766,
  "scope": {
    "MAT": ["13:1-8", "18-23"],
    "MRK": ["4:1-8", "13-20"],
    "LUK": ["8:4-15"]
  }
},
},
"content/34.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "4b220de9bb40ca55bcc93e271266c293"
  },
  "size": 2875,
  "scope": {
    "MAT": ["13:31-33", "44-46"],
    "MRK": ["4:30-32"],
    "LUK": ["13:18-21", "18:9-14"]
  }
},
},
"content/35.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "5e41ff2898098b9ff1cec9ecfc30f29d"
  },
  "size": 3638,
  "scope": {
    "LUK": ["15:11-32"]
  }
},
},
"content/36.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "d981f3aa3b4ae51a3250240ce908c653"
  },
  "size": 1933,
  "scope": {
    "MAT": ["17:1-9"],
    "MRK": ["9:2-8"],
    "LUK": ["9:28-36"]
  }
}
```

(continues on next page)

(continued from previous page)

```

},
"content/37.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "0b997eb1b60f2216a12e93a4f117c13b"
  },
  "size": 3382,
  "scope": {
    "JHN": ["11:1-46"]
  }
},
"content/38.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "1db355a0f75a4e35a786f18f5dede91a"
  },
  "size": 4992,
  "scope": {
    "MAT": ["26:14-56"],
    "MRK": ["14:10-50"],
    "LUK": ["22:1-53"],
    "JHN": ["12:6", "18:1-11"]
  }
},
"content/39.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "e96748e2901af86a2ff9ae0ff01474c2"
  },
  "size": 3864,
  "scope": {
    "MAT": ["26:57-27:26"],
    "MRK": ["14:53-15:15"],
    "LUK": ["22:54-23:25"],
    "JHN": ["18:12-19:16"]
  }
},
"content/40.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "6ffa1e657edbd93b250c578e94706ce2"
  },
  "size": 2952,
  "scope": {
    "MAT": ["27:27-61"],
    "MRK": ["15:16-47"],
    "LUK": ["23:26-56"],
    "JHN": ["19:17-42"]
  }
},
"content/41.md": {
  "mimeType": "text/markdown",

```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "10962702e8421cc15acebdb1bbdf6a39"
},
"size": 2515,
"scope": {
  "MAT": ["27:62-28:15"],
  "MRK": ["16:1-11"],
  "LUK": ["24:1-12"],
  "JHN": ["20:1-18"]
}
},
"content/42.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "ff6d7bf182430ec23e4fae1eb1962704"
  },
  "size": 4350,
  "scope": {
    "MAT": ["28:16-20"],
    "MRK": ["16:12-20"],
    "LUK": ["24:13-53"],
    "JHN": ["20:19-23"],
    "ACT": ["1:1-11"]
  }
},
"content/43.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "fd1dfc9f92944f8a5f407f6fa772a243"
  },
  "size": 3904,
  "scope": {
    "ACT": ["2"]
  }
},
"content/44.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "834e091cc7a8fb88e35e503c211be1ff"
  },
  "size": 2890,
  "scope": {
    "ACT": ["3:1-4:22"]
  }
},
"content/45.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "affbd3eb32ac61aff553e66ba38e81cb"
  },
  "size": 4598,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "ACT": ["6:8-8:5", "8:26-40"]
  }
},
"content/46.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "4fb1899be870bdd3921a65c183db698a"
  },
  "size": 4026,
  "scope": {
    "ACT": ["8:3", "9:1-31", "11:19-26", "13:1-3"]
  }
},
"content/47.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "9c6dac4664f8016851a065f8cb8729d5"
  },
  "size": 4244,
  "scope": {
    "ACT": ["16:11-40"]
  }
},
"content/48.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "de7945b281df514778aa0a6ff67a1b08"
  },
  "size": 4926,
  "scope": {
    "GEN": ["1-3", "6", "14", "22"],
    "EXO": ["12", "20"],
    "2SA": ["7"],
    "HEB": ["3:1-6", "4:14-5:10", "7:1-8:13", "9:11-10:18"],
    "REV": ["21"]
  }
},
"content/49.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "5b754c297de6eeb82372d40f4cc9c16f"
  },
  "size": 5677,
  "scope": {
    "ROM": ["3:21-26", "5:1-11"],
    "JHN": ["3:16"],
    "MRK": ["16:16"],
    "COL": ["1:13-14"],
    "2CO": ["5:17-21"],
    "1JN": ["1:5-10"]
  }
},

```

(continues on next page)

(continued from previous page)

```

"content/50.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "277af7764af1bfc89302f21d5ff40e98"
  },
  "size": 5942,
  "scope": {
    "MAT": ["24:14", "28:18", "13:24-30", "13:36-42", "22:13"],
    "JHN": ["15:20", "16:33"],
    "REV": ["2:10", "20:10", "21:1-22:21"],
    "1TH": ["4:13-5:11"],
    "JAS": ["1:12"]
  }
},
"content/back.md": {
  "mimeType": "text/markdown",
  "checksum": {
    "md5": "18f7b1630de0d761ce4572a6e158c3ad"
  },
  "size": 909,
  "role": "pubdata"
},
"content/front.md": {
  "mimeType": "text/plain",
  "checksum": {
    "md5": "2de95f95a36868c91e0eb3c66671e007"
  },
  "size": 35,
  "role": "title"
}
}
}

```

2.4.6 textTranslation

```

{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "source",
    "generator": {
      "softwareName": "DBLImport",
      "softwareVersion": "0.0.0",
      "userName": "Jeff Klassen"
    },
    "defaultLocale": "en",
    "dateCreated": "2018-02-15T22:33:50.875547+00:00",
    "normalization": "NFC",
    "comments": ["Testing dbLChanges.txt"]
  },
}

```

(continues on next page)

(continued from previous page)

```

"idAuthorities": {
  "dbl": {
    "id": "https://thedigitalbiblelibrary.org",
    "name": {
      "en": "The Digital Bible Library"
    }
  }
},
"identification": {
  "primary": {
    "dbl": {
      "2880c78491b2f8ce": {
        "revision": "91",
        "timestamp": "2018-02-15T22:33:50.875547+00:00"
      }
    }
  },
  "name": {
    "en": "DBL Test Version with DC Local"
  },
  "description": {
    "en": "English: DBL Test Version with DC Local New Testament"
  },
  "abbreviation": {
    "en": "DBLTD"
  }
},
"languages": [
  {
    "tag": "en",
    "name": {
      "en": "English"
    }
  }
],
"type": {
  "flavorType": {
    "name": "scripture",
    "flavor": {
      "name": "textTranslation",
      "usfmVersion": "3.0",
      "translationType": "revision",
      "audience": "common",
      "projectType": "standard"
    }
  },
  "currentScope": {
    "GEN": [],
    "EXO": [],
    "LEV": [],
    "NUM": [],
    "DEU": [],
    "JOS": [],

```

(continues on next page)

(continued from previous page)

"JDG": [],
"RUT": [],
"1SA": [],
"2SA": [],
"1KI": [],
"2KI": [],
"1CH": [],
"2CH": [],
"EZR": [],
"NEH": [],
"EST": [],
"JOB": [],
"PSA": [],
"PRO": [],
"ECC": [],
"SNG": [],
"ISA": [],
"JER": [],
"LAM": [],
"EZK": [],
"DAN": [],
"HOS": [],
"JOL": [],
"AMO": [],
"OBA": [],
"JON": [],
"MIC": [],
"NAM": [],
"HAB": [],
"ZEP": [],
"HAG": [],
"ZEC": [],
"MAL": [],
"1ES": [],
"2ES": [],
"TOB": [],
"JDT": [],
"ESG": [],
"WIS": [],
"SIR": [],
"BAR": [],
"LJE": [],
"S3Y": [],
"SUS": [],
"BEL": [],
"MAN": [],
"1MA": [],
"2MA": [],
"MAT": [],
"MRK": [],
"LUK": [],
"JHN": [],

(continues on next page)

(continued from previous page)

```

    "ACT": [],
    "ROM": [],
    "1CO": [],
    "2CO": [],
    "GAL": [],
    "EPH": [],
    "PHP": [],
    "COL": [],
    "1TH": [],
    "2TH": [],
    "1TI": [],
    "2TI": [],
    "TIT": [],
    "PHM": [],
    "HEB": [],
    "JAS": [],
    "1PE": [],
    "2PE": [],
    "1JN": [],
    "2JN": [],
    "3JN": [],
    "JUD": [],
    "REV": []
  }
}
},
"confidential": true,
"agencies": [
  {
    "id": "dbl::54650cfa5117ad690fb05fb6",
    "roles": ["rightsHolder"],
    "url": "http://thedigitalbiblelibrary.org",
    "name": {
      "en": "DBL Testing"
    },
    "abbr": {
      "en": "TEST"
    }
  },
  {
    "id": "dbl::545d2cb0c1fbcec540df3e8d",
    "roles": ["rightsHolder"],
    "url": "http://www.dblipc.org",
    "name": {
      "en": "Example Intellectual Property Contributor"
    },
    "abbr": {
      "en": "EIPC"
    }
  },
  {
    "id": "dbl::54650cd05117ad67b3826e99",

```

(continues on next page)

(continued from previous page)

```
    "roles": ["content", "publication", "management", "finance", "qa"],
    "name": {
      "en": "American Bible Society"
    }
  },
],
"targetAreas": [
  {
    "code": "US",
    "name": {
      "en": "The United States of America"
    }
  }
],
"localizedNames": {
  "book-gen": {
    "abbr": {
      "en": "Gn"
    },
    "short": {
      "en": "Genesis"
    },
    "long": {
      "en": "Genesis"
    }
  },
  "book-exo": {
    "abbr": {
      "en": "Ex"
    },
    "short": {
      "en": "Exodus"
    },
    "long": {
      "en": "Exodus"
    }
  },
  "book-lev": {
    "abbr": {
      "en": "Lv"
    },
    "short": {
      "en": "Leviticus"
    },
    "long": {
      "en": "Leviticus"
    }
  },
  "book-num": {
    "abbr": {
      "en": "Nu"
    },

```

(continues on next page)

(continued from previous page)

```
"short": {
  "en": "Numbers"
},
"long": {
  "en": "Numbers"
}
},
"book-deu": {
  "abbr": {
    "en": "Dt"
  },
  "short": {
    "en": "Deuteronomy"
  },
  "long": {
    "en": "Deuteronomy"
  }
},
"book-jos": {
  "abbr": {
    "en": "Js"
  },
  "short": {
    "en": "Joshua"
  },
  "long": {
    "en": "The Book of Joshua"
  }
},
"book-jdg": {
  "abbr": {
    "en": "Jg"
  },
  "short": {
    "en": "Judges"
  },
  "long": {
    "en": "The Book of Judges"
  }
},
"book-rut": {
  "abbr": {
    "en": "Ru"
  },
  "short": {
    "en": "Ruth"
  },
  "long": {
    "en": "The Book of Ruth"
  }
},
"book-1sa": {
```

(continues on next page)

(continued from previous page)

```
"abbr": {
  "en": "1 S"
},
"short": {
  "en": "1 Samuel"
},
"long": {
  "en": "The First Book of Samuel"
}
},
"book-2sa": {
  "abbr": {
    "en": "2 S"
  },
  "short": {
    "en": "2 Samuel"
  },
  "long": {
    "en": "The Second Book of Samuel"
  }
},
"book-1ki": {
  "abbr": {
    "en": "1 K"
  },
  "short": {
    "en": "1 Kings"
  },
  "long": {
    "en": "The First Book of Kings"
  }
},
"book-2ki": {
  "abbr": {
    "en": "2 K"
  },
  "short": {
    "en": "2 Kings"
  },
  "long": {
    "en": "The Second Book of Kings"
  }
},
"book-1ch": {
  "abbr": {
    "en": "1 Ch"
  },
  "short": {
    "en": "1 Chronicles"
  },
  "long": {
    "en": "The First Book of Chronicles"
  }
}
```

(continues on next page)

(continued from previous page)

```
    }
  },
  "book-2ch": {
    "abbr": {
      "en": "2 Ch"
    },
    "short": {
      "en": "2 Chronicles"
    },
    "long": {
      "en": "The Second Book of Chronicles"
    }
  },
  "book-ezr": {
    "abbr": {
      "en": "Ezra"
    },
    "short": {
      "en": "Ezra"
    },
    "long": {
      "en": "The Book of Ezra"
    }
  },
  "book-neh": {
    "abbr": {
      "en": "Ne"
    },
    "short": {
      "en": "Nehemiah"
    },
    "long": {
      "en": "The Book of Nehemiah"
    }
  },
  "book-est": {
    "abbr": {
      "en": "Es"
    },
    "short": {
      "en": "Esther"
    },
    "long": {
      "en": "The Book of Esther"
    }
  },
  "book-job": {
    "abbr": {
      "en": "Job"
    },
    "short": {
      "en": "Job"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```
    },
    "long": {
      "en": "The Book of Job"
    }
  },
  "book-psa": {
    "abbr": {
      "en": "Ps"
    },
    "short": {
      "en": "Psalms"
    },
    "long": {
      "en": "Psalms"
    }
  },
  "book-pro": {
    "abbr": {
      "en": "Pr"
    },
    "short": {
      "en": "Proverbs"
    },
    "long": {
      "en": "Proverbs"
    }
  },
  "book-ecc": {
    "abbr": {
      "en": "Ec"
    },
    "short": {
      "en": "Ecclesiastes"
    },
    "long": {
      "en": "Ecclesiastes"
    }
  },
  "book-sng": {
    "abbr": {
      "en": "Sgs"
    },
    "short": {
      "en": "Song of Songs"
    },
    "long": {
      "en": "Song of Songs"
    }
  },
  "book-isa": {
    "abbr": {
      "en": "Is"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```
    },
    "short": {
      "en": "Isaiah"
    },
    "long": {
      "en": "The Book of Isaiah"
    }
  },
  "book-jer": {
    "abbr": {
      "en": "Jr"
    },
    "short": {
      "en": "Jeremiah"
    },
    "long": {
      "en": "The Book of Jeremiah"
    }
  },
  "book-lam": {
    "abbr": {
      "en": "Lm"
    },
    "short": {
      "en": "Lamentations"
    },
    "long": {
      "en": "Lamentations"
    }
  },
  "book-ezk": {
    "abbr": {
      "en": "Ez"
    },
    "short": {
      "en": "Ezekiel"
    },
    "long": {
      "en": "The Book of Ezekiel"
    }
  },
  "book-dan": {
    "abbr": {
      "en": "Dn"
    },
    "short": {
      "en": "Daniel"
    },
    "long": {
      "en": "The Book of Daniel"
    }
  },
}
```

(continues on next page)

(continued from previous page)

```
"book-hos": {
  "abbr": {
    "en": "Ho"
  },
  "short": {
    "en": "Hosea"
  },
  "long": {
    "en": "The Book of Hosea"
  }
},
"book-jol": {
  "abbr": {
    "en": "Jl"
  },
  "short": {
    "en": "Joel"
  },
  "long": {
    "en": "The Book of Joel"
  }
},
"book-amo": {
  "abbr": {
    "en": "Am"
  },
  "short": {
    "en": "Amos"
  },
  "long": {
    "en": "The Book of Amos"
  }
},
"book-oba": {
  "abbr": {
    "en": "Ob"
  },
  "short": {
    "en": "Obadiah"
  },
  "long": {
    "en": "The Book of Obadiah"
  }
},
"book-jon": {
  "abbr": {
    "en": "Jon"
  },
  "short": {
    "en": "Jonah"
  },
  "long": {
```

(continues on next page)

(continued from previous page)

```
    "en": "The Book of Jonah"
  },
  "book-mic": {
    "abbr": {
      "en": "Mic"
    },
    "short": {
      "en": "Micah"
    },
    "long": {
      "en": "The Book of Micah"
    }
  },
  "book-nam": {
    "abbr": {
      "en": "Nh"
    },
    "short": {
      "en": "Nahum"
    },
    "long": {
      "en": "The Book of Nahum"
    }
  },
  "book-hab": {
    "abbr": {
      "en": "Hb"
    },
    "short": {
      "en": "Habakkuk"
    },
    "long": {
      "en": "The Book of Habakkuk"
    }
  },
  "book-zep": {
    "abbr": {
      "en": "Zep"
    },
    "short": {
      "en": "Zephaniah"
    },
    "long": {
      "en": "The Book of Zephaniah"
    }
  },
  "book-hag": {
    "abbr": {
      "en": "Hg"
    },
    "short": {
```

(continues on next page)

(continued from previous page)

```
    "en": "Haggai"
  },
  "long": {
    "en": "The Book of Haggai"
  }
},
"book-zec": {
  "abbr": {
    "en": "Zec"
  },
  "short": {
    "en": "Zechariah"
  },
  "long": {
    "en": "The Book of Zechariah"
  }
},
"book-mal": {
  "abbr": {
    "en": "Ml"
  },
  "short": {
    "en": "Malachi"
  },
  "long": {
    "en": "The Book of Malachi"
  }
},
"book-mat": {
  "abbr": {
    "en": "Mt"
  },
  "short": {
    "en": "Matthew"
  },
  "long": {
    "en": "The Gospel according to Matthew"
  }
},
"book-mrk": {
  "abbr": {
    "en": "Mk"
  },
  "short": {
    "en": "Mark"
  },
  "long": {
    "en": "The Gospel according to Mark"
  }
},
"book-luk": {
  "abbr": {
```

(continues on next page)

(continued from previous page)

```

    "en": "Lk"
  },
  "short": {
    "en": "Luke"
  },
  "long": {
    "en": "The Gospel according to Luke"
  }
},
"book-jhn": {
  "abbr": {
    "en": "Jn"
  },
  "short": {
    "en": "John"
  },
  "long": {
    "en": "The Gospel according to John"
  }
},
"book-act": {
  "abbr": {
    "en": "Ac"
  },
  "short": {
    "en": "Acts"
  },
  "long": {
    "en": "The Acts of the Apostles"
  }
},
"book-rom": {
  "abbr": {
    "en": "Ro"
  },
  "short": {
    "en": "Romans"
  },
  "long": {
    "en": "Paul's Letter to the Romans"
  }
},
"book-1co": {
  "abbr": {
    "en": "1 Co"
  },
  "short": {
    "en": "1 Corinthians"
  },
  "long": {
    "en": "Paul's First Letter to the Corinthians"
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"book-2co": {
  "abbr": {
    "en": "2 Co"
  },
  "short": {
    "en": "2 Corinthians"
  },
  "long": {
    "en": "Paul's Second Letter to the Corinthians"
  }
},
"book-gal": {
  "abbr": {
    "en": "Ga"
  },
  "short": {
    "en": "Galatians"
  },
  "long": {
    "en": "Paul's Letter to the Galatians"
  }
},
"book-eph": {
  "abbr": {
    "en": "Eph"
  },
  "short": {
    "en": "Ephesians"
  },
  "long": {
    "en": "Paul's Letter to the Ephesians"
  }
},
"book-php": {
  "abbr": {
    "en": "Phil"
  },
  "short": {
    "en": "Philippians"
  },
  "long": {
    "en": "Paul's Letter to the Philippians"
  }
},
"book-col": {
  "abbr": {
    "en": "Col"
  },
  "short": {
    "en": "Colossians"
  },
}
```

(continues on next page)

(continued from previous page)

```
"long": {
  "en": "Paul's Letter to the Colossians"
},
"book-1th": {
  "abbr": {
    "en": "1 Th"
  },
  "short": {
    "en": "1 Thessalonians"
  },
  "long": {
    "en": "Paul's First Letter to the Thessalonians"
  }
},
"book-2th": {
  "abbr": {
    "en": "2 Th"
  },
  "short": {
    "en": "2 Thessalonians"
  },
  "long": {
    "en": "Paul's Second Letter to the Thessalonians"
  }
},
"book-1ti": {
  "abbr": {
    "en": "1 Ti"
  },
  "short": {
    "en": "1 Timothy"
  },
  "long": {
    "en": "Paul's First Letter to Timothy"
  }
},
"book-2ti": {
  "abbr": {
    "en": "2 Ti"
  },
  "short": {
    "en": "2 Timothy"
  },
  "long": {
    "en": "Paul's Second Letter to Timothy"
  }
},
"book-tit": {
  "abbr": {
    "en": "Titus"
  },

```

(continues on next page)

(continued from previous page)

```
"short": {
  "en": "Titus"
},
"long": {
  "en": "Paul's Letter to Titus"
}
},
"book-phm": {
  "abbr": {
    "en": "Phm"
  },
  "short": {
    "en": "Philemon"
  },
  "long": {
    "en": "Paul's Letter to Philemon"
  }
},
"book-heb": {
  "abbr": {
    "en": "He"
  },
  "short": {
    "en": "Hebrews"
  },
  "long": {
    "en": "The Letter to the Hebrews"
  }
},
"book-jas": {
  "abbr": {
    "en": "Jas"
  },
  "short": {
    "en": "James"
  },
  "long": {
    "en": "The Letter from James"
  }
},
"book-1pe": {
  "abbr": {
    "en": "1 P"
  },
  "short": {
    "en": "1 Peter"
  },
  "long": {
    "en": "The First Letter from Peter"
  }
},
"book-2pe": {
```

(continues on next page)

(continued from previous page)

```

    "abbr": {
      "en": "2 P"
    },
    "short": {
      "en": "2 Peter"
    },
    "long": {
      "en": "The Second Letter from Peter"
    }
  },
  "book-1jn": {
    "abbr": {
      "en": "1 Jn"
    },
    "short": {
      "en": "1 John"
    },
    "long": {
      "en": "The First Letter of John"
    }
  },
  "book-2jn": {
    "abbr": {
      "en": "2 Jn"
    },
    "short": {
      "en": "2 John"
    },
    "long": {
      "en": "The Second Letter of John"
    }
  },
  "book-3jn": {
    "abbr": {
      "en": "3 Jn"
    },
    "short": {
      "en": "3 John"
    },
    "long": {
      "en": "The Third Letter of John"
    }
  },
  "book-jud": {
    "abbr": {
      "en": "Jd"
    },
    "short": {
      "en": "Jude"
    },
    "long": {
      "en": "The Letter from Jude"
    }
  }

```

(continues on next page)

```
    }
  },
  "book-rev": {
    "abbr": {
      "en": "Rev"
    },
    "short": {
      "en": "Revelation"
    },
    "long": {
      "en": "The Revelation to John"
    }
  },
  "book-tob": {
    "abbr": {
      "en": "Tb"
    },
    "short": {
      "en": "Tobit"
    },
    "long": {
      "en": "The Book of Tobit"
    }
  },
  "book-jdt": {
    "abbr": {
      "en": "Jdt"
    },
    "short": {
      "en": "Judith"
    },
    "long": {
      "en": "The Book of Judith"
    }
  },
  "book-esg": {
    "abbr": {
      "en": "Gk Est"
    },
    "short": {
      "en": "Esther (Greek)"
    },
    "long": {
      "en": "The Book of Esther"
    }
  },
  "book-wis": {
    "abbr": {
      "en": "Ws"
    },
    "short": {
      "en": "The Wisdom of Solomon"
```

(continues on next page)

(continued from previous page)

```
    },
    "long": {
      "en": "The Wisdom of Solomon"
    }
  },
  "book-sir": {
    "abbr": {
      "en": "Si"
    },
    "short": {
      "en": "Sirach"
    },
    "long": {
      "en": "Sirach the Wisdom of Jesus, Son of Sirach"
    }
  },
  "book-bar": {
    "abbr": {
      "en": "Ba"
    },
    "short": {
      "en": "Baruch"
    },
    "long": {
      "en": "The Book of Baruch"
    }
  },
  "book-lje": {
    "abbr": {
      "en": "Let Jer"
    },
    "short": {
      "en": "Letter of Jeremiah"
    },
    "long": {
      "en": "Letter of Jeremiah"
    }
  },
  "book-s3y": {
    "abbr": {
      "en": "S of 3 Y"
    },
    "short": {
      "en": "Song of Three Young Men"
    },
    "long": {
      "en": "The Prayer of Azariah and The Song of Three Young Men"
    }
  },
  "book-sus": {
    "abbr": {
      "en": "Su"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```
    },
    "short": {
      "en": "Susanna"
    },
    "long": {
      "en": "The Book of Susanna"
    }
  },
  "book-bel": {
    "abbr": {
      "en": "Bel"
    },
    "short": {
      "en": "Bel and the Dragon"
    },
    "long": {
      "en": "Bel and the Dragon"
    }
  },
  "book-1ma": {
    "abbr": {
      "en": "1 Macc"
    },
    "short": {
      "en": "1 Maccabees"
    },
    "long": {
      "en": "The First Book of the Maccabees"
    }
  },
  "book-2ma": {
    "abbr": {
      "en": "2 Macc"
    },
    "short": {
      "en": "2 Maccabees"
    },
    "long": {
      "en": "The Second Book of the Maccabees"
    }
  },
  "book-1es": {
    "abbr": {
      "en": "1 Esd"
    },
    "short": {
      "en": "1 Esdras"
    },
    "long": {
      "en": "The First Book of Esdras"
    }
  },
  },
```

(continues on next page)

(continued from previous page)

```

"book-2es": {
  "abbr": {
    "en": "2 Esd"
  },
  "short": {
    "en": "2 Esdras"
  },
  "long": {
    "en": "The Second Book of Esdras"
  }
},
"book-man": {
  "abbr": {
    "en": "Man"
  },
  "short": {
    "en": "The Prayer of Manasseh"
  },
  "long": {
    "en": "The Prayer of Manasseh"
  }
},
"ingredients": {
  "release/English.lds": {
    "checksum": {
      "md5": "d18bbee39a1bc150decaac420c7f59da"
    },
    "mimeType": "application/octet-stream",
    "size": 1032
  },
  "release/USX_1/1CH.usx": {
    "checksum": {
      "md5": "136d4d61af63b710d34de856ef1ad6b6"
    },
    "mimeType": "application/xml",
    "size": 176306,
    "scope": {
      "1CH": []
    }
  },
  "release/USX_1/1CO.usx": {
    "checksum": {
      "md5": "2c813c3605b6ca635d11304313861640"
    },
    "mimeType": "application/xml",
    "size": 100448,
    "scope": {
      "1CO": []
    }
  },
  "release/USX_1/1ES.usx": {

```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "e7fb03e6aa0a3fc8ec139a683a896df1"
},
"mimeType": "application/xml",
"size": 99599,
"scope": {
  "1ES": []
}
},
"release/USX_1/1JN.usx": {
  "checksum": {
    "md5": "093688dccc8ee51f42ef05371de6783a"
  },
  "mimeType": "application/xml",
  "size": 23815,
  "scope": {
    "1JN": []
  }
},
"release/USX_1/1KI.usx": {
  "checksum": {
    "md5": "0389c841ff2c066fb26491d7bb6b1806"
  },
  "mimeType": "application/xml",
  "size": 190702,
  "scope": {
    "1KI": []
  }
},
"release/USX_1/1MA.usx": {
  "checksum": {
    "md5": "0b70a56cc1e95b2172b45a238dcaf221"
  },
  "mimeType": "application/xml",
  "size": 178782,
  "scope": {
    "1MA": []
  }
},
"release/USX_1/1PE.usx": {
  "checksum": {
    "md5": "ea3896f4cd83230b404d8f3cff8932db"
  },
  "mimeType": "application/xml",
  "size": 29960,
  "scope": {
    "1PE": []
  }
},
"release/USX_1/1SA.usx": {
  "checksum": {
    "md5": "fc68a25a4d24f6ab5c6faa5836734217"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "application/xml",
    "size": 198590,
    "scope": {
      "1SA": []
    }
  },
  "release/USX_1/1TH.usx": {
    "checksum": {
      "md5": "18887ad473d7fd9375cdade3e8d71224"
    },
    "mimeType": "application/xml",
    "size": 20658,
    "scope": {
      "1TH": []
    }
  },
  "release/USX_1/1TI.usx": {
    "checksum": {
      "md5": "1fcfd718b2430d7844dcafa420e9fea3"
    },
    "mimeType": "application/xml",
    "size": 25822,
    "scope": {
      "1TI": []
    }
  },
  "release/USX_1/2CH.usx": {
    "checksum": {
      "md5": "5c4f2b14edb8495ad6e59f4befc87a4d"
    },
    "mimeType": "application/xml",
    "size": 209434,
    "scope": {
      "2CH": []
    }
  },
  "release/USX_1/2CO.usx": {
    "checksum": {
      "md5": "0f7803f94d57dbdcf91b99c6557e0ca"
    },
    "mimeType": "application/xml",
    "size": 58102,
    "scope": {
      "2CO": []
    }
  },
  "release/USX_1/2ES.usx": {
    "checksum": {
      "md5": "d9245883818292bb4aaa704a3223bd85"
    },
    "mimeType": "application/xml",

```

(continues on next page)

(continued from previous page)

```
"size": 181124,
"scope": {
  "2ES": []
}
},
"release/USX_1/2JN.usx": {
  "checksum": {
    "md5": "e082751b40c515b2a89f7a04e029e03f"
  },
  "mimeType": "application/xml",
  "size": 4822,
  "scope": {
    "2JN": []
  }
}
},
"release/USX_1/2KI.usx": {
  "checksum": {
    "md5": "1b454780784302a648a6fe6d72700db7"
  },
  "mimeType": "application/xml",
  "size": 187672,
  "scope": {
    "2KI": []
  }
}
},
"release/USX_1/2MA.usx": {
  "checksum": {
    "md5": "a52c3f07bc782f9a52eaae6aae16aa50"
  },
  "mimeType": "application/xml",
  "size": 127215,
  "scope": {
    "2MA": []
  }
}
},
"release/USX_1/2PE.usx": {
  "checksum": {
    "md5": "87fafd4f00f56014add388b08e7d2e29"
  },
  "mimeType": "application/xml",
  "size": 17473,
  "scope": {
    "2PE": []
  }
}
},
"release/USX_1/2SA.usx": {
  "checksum": {
    "md5": "1ba446b75bffe31a7b25a9574c20537a"
  },
  "mimeType": "application/xml",
  "size": 171070,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "2SA": []
  }
},
"release/USX_1/2TH.usx": {
  "checksum": {
    "md5": "64236beea136ce68411d3da10ed7efc2"
  },
  "mimeType": "application/xml",
  "size": 12050,
  "scope": {
    "2TH": []
  }
},
"release/USX_1/2TI.usx": {
  "checksum": {
    "md5": "3b1059b21cda98d010dd0484404aa495"
  },
  "mimeType": "application/xml",
  "size": 20930,
  "scope": {
    "2TI": []
  }
},
"release/USX_1/3JN.usx": {
  "checksum": {
    "md5": "0cd043cfe60e4f8b0289e7b45db8d439"
  },
  "mimeType": "application/xml",
  "size": 4159,
  "scope": {
    "3JN": []
  }
},
"release/USX_1/ACT.usx": {
  "checksum": {
    "md5": "e7eda8bb0493ba305f9832f6f80414e9"
  },
  "mimeType": "application/xml",
  "size": 224986,
  "scope": {
    "ACT": []
  }
},
"release/USX_1/AMO.usx": {
  "checksum": {
    "md5": "e0238c660704a64f1a0d2d083bf20a0f"
  },
  "mimeType": "application/xml",
  "size": 41632,
  "scope": {
    "AMO": []
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"release/USX_1/BAR.usx": {
  "checksum": {
    "md5": "0a0aca1b8f6f8bf2aa5a2cf11deca296"
  },
  "mimeType": "application/xml",
  "size": 27128,
  "scope": {
    "BAR": []
  }
},
"release/USX_1/BEL.usx": {
  "checksum": {
    "md5": "e2de7bd3b09e43700ef0a601dfaab012"
  },
  "mimeType": "application/xml",
  "size": 10713,
  "scope": {
    "BEL": []
  }
},
"release/USX_1/COL.usx": {
  "checksum": {
    "md5": "c87f77db9845c824a08a4d3f4149a238"
  },
  "mimeType": "application/xml",
  "size": 28497,
  "scope": {
    "COL": []
  }
},
"release/USX_1/DAN.usx": {
  "checksum": {
    "md5": "f8282b033b89939d9f128e58e5cae8f8"
  },
  "mimeType": "application/xml",
  "size": 92486,
  "scope": {
    "DAN": []
  }
},
"release/USX_1/DEU.usx": {
  "checksum": {
    "md5": "e909d5ab7e046da33b7e99f678ffa01c"
  },
  "mimeType": "application/xml",
  "size": 243359,
  "scope": {
    "DEU": []
  }
},
"release/USX_1/ECC.usx": {
```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "7b2f021e83205e205476748c1342825c"
},
"mimeType": "application/xml",
"size": 45751,
"scope": {
  "ECC": []
}
},
"release/USX_1/EPH.usx": {
  "checksum": {
    "md5": "0177473ef01e6ed8bc980f1ad0a68521"
  },
  "mimeType": "application/xml",
  "size": 37580,
  "scope": {
    "EPH": []
  }
},
"release/USX_1/ESG.usx": {
  "checksum": {
    "md5": "32560b753eb371e2b94969b9adf41e35"
  },
  "mimeType": "application/xml",
  "size": 65115,
  "scope": {
    "ESG": []
  }
},
"release/USX_1/EST.usx": {
  "checksum": {
    "md5": "836603e1660928159f08459f3f73d826"
  },
  "mimeType": "application/xml",
  "size": 41166,
  "scope": {
    "EST": []
  }
},
"release/USX_1/EXO.usx": {
  "checksum": {
    "md5": "c2b1cd7046aa41bffa4e2a7b270ca2dba"
  },
  "mimeType": "application/xml",
  "size": 260164,
  "scope": {
    "EXO": []
  }
},
"release/USX_1/EZK.usx": {
  "checksum": {
    "md5": "126df2b99d062d730b553f20aa3fd03f"
```

(continues on next page)

(continued from previous page)

```
    },
    "mimeType": "application/xml",
    "size": 311558,
    "scope": {
      "EZK": []
    }
  },
  "release/USX_1/EZR.usx": {
    "checksum": {
      "md5": "142ef46d49d8fff0e367d82372af1cf7"
    },
    "mimeType": "application/xml",
    "size": 60319,
    "scope": {
      "EZR": []
    }
  },
  "release/USX_1/GAL.usx": {
    "checksum": {
      "md5": "dfc69c99a2b49a38caae2ce53d59b4db"
    },
    "mimeType": "application/xml",
    "size": 36274,
    "scope": {
      "GAL": []
    }
  },
  "release/USX_1/GEN.usx": {
    "checksum": {
      "md5": "820ca3f5d04214e17753b6d669145a43"
    },
    "mimeType": "application/xml",
    "size": 311707,
    "scope": {
      "GEN": []
    }
  },
  "release/USX_1/HAB.usx": {
    "checksum": {
      "md5": "411180440459cfc6be4116eb61fb27f5"
    },
    "mimeType": "application/xml",
    "size": 18279,
    "scope": {
      "HAB": []
    }
  },
  "release/USX_1/HAG.usx": {
    "checksum": {
      "md5": "9a2819af36aca8cc4031ed3e92f2923e"
    },
    "mimeType": "application/xml",
```

(continues on next page)

(continued from previous page)

```

    "size": 10656,
    "scope": {
      "HAG": []
    }
  },
  "release/USX_1/HEB.usx": {
    "checksum": {
      "md5": "0462930622f97bd93ea31f085d65f0e8"
    },
    "mimeType": "application/xml",
    "size": 89412,
    "scope": {
      "HEB": []
    }
  },
  "release/USX_1/HOS.usx": {
    "checksum": {
      "md5": "5dcf273e1b07835fe333ed2905649cc3"
    },
    "mimeType": "application/xml",
    "size": 61635,
    "scope": {
      "HOS": []
    }
  },
  "release/USX_1/ISA.usx": {
    "checksum": {
      "md5": "37620479552a733a08679b269a9295b7"
    },
    "mimeType": "application/xml",
    "size": 364149,
    "scope": {
      "ISA": []
    }
  },
  "release/USX_1/JAS.usx": {
    "checksum": {
      "md5": "3711c545db320378aa14b0be8b45f407"
    },
    "mimeType": "application/xml",
    "size": 28084,
    "scope": {
      "JAS": []
    }
  },
  "release/USX_1/JDG.usx": {
    "checksum": {
      "md5": "79311ae0930201de701fe6191dd01e86"
    },
    "mimeType": "application/xml",
    "size": 143299,
    "scope": {

```

(continues on next page)

(continued from previous page)

```
    "JDG": []
  }
},
"release/USX_1/JDT.usx": {
  "checksum": {
    "md5": "2a2d7ea7468ff69183c3ea2c67d467f8"
  },
  "mimeType": "application/xml",
  "size": 79951,
  "scope": {
    "JDT": []
  }
},
"release/USX_1/JER.usx": {
  "checksum": {
    "md5": "898cc35eb6e001881f14cf2cb2cd2592"
  },
  "mimeType": "application/xml",
  "size": 360115,
  "scope": {
    "JER": []
  }
},
"release/USX_1/JHN.usx": {
  "checksum": {
    "md5": "4a137aedc83d51ab1fe215e115e12c99"
  },
  "mimeType": "application/xml",
  "size": 182919,
  "scope": {
    "JHN": []
  }
},
"release/USX_1/JOB.usx": {
  "checksum": {
    "md5": "a4cc623278baf1e6689ce087c6e5e72e"
  },
  "mimeType": "application/xml",
  "size": 214024,
  "scope": {
    "JOB": []
  }
},
"release/USX_1/JOL.usx": {
  "checksum": {
    "md5": "b4ded276bb912773579e3b4948586c69"
  },
  "mimeType": "application/xml",
  "size": 26505,
  "scope": {
    "JOL": []
  }
}
```

(continues on next page)

(continued from previous page)

```

},
"release/USX_1/JON.usx": {
  "checksum": {
    "md5": "6e1e35579a232da28d62b70aaf91d727"
  },
  "mimeType": "application/xml",
  "size": 14135,
  "scope": {
    "JON": []
  }
},
"release/USX_1/JOS.usx": {
  "checksum": {
    "md5": "cdc3f652b25fc8985040fb9d2241481c"
  },
  "mimeType": "application/xml",
  "size": 138980,
  "scope": {
    "JOS": []
  }
},
"release/USX_1/JUD.usx": {
  "checksum": {
    "md5": "06ead0123f73acc6685813eb9837f2ad"
  },
  "mimeType": "application/xml",
  "size": 9610,
  "scope": {
    "JUD": []
  }
},
"release/USX_1/LAM.usx": {
  "checksum": {
    "md5": "f9264f9521beacf9f4d7079192ff131f"
  },
  "mimeType": "application/xml",
  "size": 36462,
  "scope": {
    "LAM": []
  }
},
"release/USX_1/LEV.usx": {
  "checksum": {
    "md5": "8a47ab808fbefba05682e8144f1309ad"
  },
  "mimeType": "application/xml",
  "size": 177107,
  "scope": {
    "LEV": []
  }
},
"release/USX_1/LJE.usx": {

```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "0283285b59eff6ee2b3db1f35a867691"
},
"mimeType": "application/xml",
"size": 13977,
"scope": {
  "LJE": []
}
},
"release/USX_1/LUK.usx": {
  "checksum": {
    "md5": "897a1837fd5b2d93fbc32aac568b331"
  },
  "mimeType": "application/xml",
  "size": 260086,
  "scope": {
    "LUK": []
  }
},
"release/USX_1/MAL.usx": {
  "checksum": {
    "md5": "f86c8bd3e7ee76af435a06056b9605a6"
  },
  "mimeType": "application/xml",
  "size": 17553,
  "scope": {
    "MAL": []
  }
},
"release/USX_1/MAN.usx": {
  "checksum": {
    "md5": "1ba6638ef06eaa4c0163a02a42ac15b9"
  },
  "mimeType": "application/xml",
  "size": 5808,
  "scope": {
    "MAN": []
  }
},
"release/USX_1/MAT.usx": {
  "checksum": {
    "md5": "7b83fe339a1bc524ae3d9ada7aff4186"
  },
  "mimeType": "application/xml",
  "size": 266875,
  "scope": {
    "MAT": []
  }
},
"release/USX_1/MIC.usx": {
  "checksum": {
    "md5": "15a8caa343ff2b668532f30b02e495bb"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "application/xml",
    "size": 33130,
    "scope": {
      "MIC": []
    }
  },
  "release/USX_1/MRK.usx": {
    "checksum": {
      "md5": "0f9e75f4ed50a1feaaf0dd9ecb968bde"
    },
    "mimeType": "application/xml",
    "size": 162874,
    "scope": {
      "MRK": []
    }
  },
  "release/USX_1/NAM.usx": {
    "checksum": {
      "md5": "86a41385a531f128eef1bb9245fff027"
    },
    "mimeType": "application/xml",
    "size": 14819,
    "scope": {
      "NAM": []
    }
  },
  "release/USX_1/NEH.usx": {
    "checksum": {
      "md5": "8f577d0da563a93a5d279caf8bacac6c6"
    },
    "mimeType": "application/xml",
    "size": 100788,
    "scope": {
      "NEH": []
    }
  },
  "release/USX_1/NUM.usx": {
    "checksum": {
      "md5": "81aadb6fac6749315b9b4c240447ffd4"
    },
    "mimeType": "application/xml",
    "size": 230071,
    "scope": {
      "NUM": []
    }
  },
  "release/USX_1/OBA.usx": {
    "checksum": {
      "md5": "ee76f9e80c2bf5f99a2da72b108f2e38"
    },
    "mimeType": "application/xml",

```

(continues on next page)

(continued from previous page)

```
"size": 8947,
"scope": {
  "OBA": []
}
},
"release/USX_1/PHM.usx": {
  "checksum": {
    "md5": "1030fe6116460b61bb29a3abdf0df1cc"
  },
  "mimeType": "application/xml",
  "size": 7504,
  "scope": {
    "PHM": []
  }
}
},
"release/USX_1/PHP.usx": {
  "checksum": {
    "md5": "2c3763984030ec3cb0ce94ab8502d515"
  },
  "mimeType": "application/xml",
  "size": 24961,
  "scope": {
    "PHP": []
  }
}
},
"release/USX_1/PRO.usx": {
  "checksum": {
    "md5": "48e0e1cfec0f6c86f4fb5bdbe0cdd333"
  },
  "mimeType": "application/xml",
  "size": 158251,
  "scope": {
    "PRO": []
  }
}
},
"release/USX_1/PSA.usx": {
  "checksum": {
    "md5": "7e3f20fd4d0d3e94219e1adcebdbf262"
  },
  "mimeType": "application/xml",
  "size": 597508,
  "scope": {
    "PSA": []
  }
}
},
"release/USX_1/REV.usx": {
  "checksum": {
    "md5": "f5ff45ef52f08eae0bc8b8d35e2febda"
  },
  "mimeType": "application/xml",
  "size": 134309,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "REV": []
  }
},
"release/USX_1/ROM.usx": {
  "checksum": {
    "md5": "85ced74ff92a73f29f092f7a8220440c"
  },
  "mimeType": "application/xml",
  "size": 108247,
  "scope": {
    "ROM": []
  }
},
"release/USX_1/RUT.usx": {
  "checksum": {
    "md5": "5c7feee9efb03d6436e3529d4a25f2ec"
  },
  "mimeType": "application/xml",
  "size": 22155,
  "scope": {
    "RUT": []
  }
},
"release/USX_1/S3Y.usx": {
  "checksum": {
    "md5": "a2d67e850ad7b0f25a4501d1fe67e9d7"
  },
  "mimeType": "application/xml",
  "size": 13771,
  "scope": {
    "S3Y": []
  }
},
"release/USX_1/SIR.usx": {
  "checksum": {
    "md5": "596d4f75dc62b8b85e54693ddb7131e4"
  },
  "mimeType": "application/xml",
  "size": 287139,
  "scope": {
    "SIR": []
  }
},
"release/USX_1/SNG.usx": {
  "checksum": {
    "md5": "b0b4acedf36fa1e500333bd581251b0b"
  },
  "mimeType": "application/xml",
  "size": 34712,
  "scope": {
    "SNG": []
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"release/USX_1/SUS.usx": {
  "checksum": {
    "md5": "7783da45b44589afd5e1158f2d1a16b1"
  },
  "mimeType": "application/xml",
  "size": 12919,
  "scope": {
    "SUS": []
  }
},
"release/USX_1/TIT.usx": {
  "checksum": {
    "md5": "89c37b6dd156cb216bc65915f6396819"
  },
  "mimeType": "application/xml",
  "size": 12051,
  "scope": {
    "TIT": []
  }
},
"release/USX_1/TOB.usx": {
  "checksum": {
    "md5": "51fc65136758435dee68af6d82a25beb"
  },
  "mimeType": "application/xml",
  "size": 78703,
  "scope": {
    "TOB": []
  }
},
"release/USX_1/WIS.usx": {
  "checksum": {
    "md5": "f4d8e05c54feb7cd345fddf51623d4e1"
  },
  "mimeType": "application/xml",
  "size": 89023,
  "scope": {
    "WIS": []
  }
},
"release/USX_1/ZEC.usx": {
  "checksum": {
    "md5": "859e12c8137087ab09c9bee974414dd8"
  },
  "mimeType": "application/xml",
  "size": 59758,
  "scope": {
    "ZEC": []
  }
},
"release/USX_1/ZEP.usx": {
```

(continues on next page)

(continued from previous page)

```

"checksum": {
  "md5": "38c865947663ed5f4e4bf3071c4d951d"
},
"mimeType": "application/xml",
"size": 19491,
"scope": {
  "ZEP": []
}
},
"release/USX_2/1CH.usx": {
  "checksum": {
    "md5": "136d4d61af63b710d34de856ef1ad6b6"
  },
  "mimeType": "application/xml",
  "size": 176306,
  "scope": {
    "1CH": []
  }
},
"release/USX_2/1CO.usx": {
  "checksum": {
    "md5": "2c813c3605b6ca635d11304313861640"
  },
  "mimeType": "application/xml",
  "size": 100448,
  "scope": {
    "1CO": []
  }
},
"release/USX_2/1JN.usx": {
  "checksum": {
    "md5": "093688dccc8ee51f42ef05371de6783a"
  },
  "mimeType": "application/xml",
  "size": 23815,
  "scope": {
    "1JN": []
  }
},
"release/USX_2/1KI.usx": {
  "checksum": {
    "md5": "0389c841ff2c066fb26491d7bb6b1806"
  },
  "mimeType": "application/xml",
  "size": 190702,
  "scope": {
    "1KI": []
  }
},
"release/USX_2/1PE.usx": {
  "checksum": {
    "md5": "ea3896f4cd83230b404d8f3cff8932db"
  }
}

```

(continues on next page)

(continued from previous page)

```
    },
    "mimeType": "application/xml",
    "size": 29960,
    "scope": {
      "1PE": []
    }
  },
  "release/USX_2/1SA.usx": {
    "checksum": {
      "md5": "fc68a25a4d24f6ab5c6faa5836734217"
    },
    "mimeType": "application/xml",
    "size": 198590,
    "scope": {
      "1SA": []
    }
  },
  "release/USX_2/1TH.usx": {
    "checksum": {
      "md5": "18887ad473d7fd9375cdade3e8d71224"
    },
    "mimeType": "application/xml",
    "size": 20658,
    "scope": {
      "1TH": []
    }
  },
  "release/USX_2/1TI.usx": {
    "checksum": {
      "md5": "1fcfd718b2430d7844dcafa420e9fea3"
    },
    "mimeType": "application/xml",
    "size": 25822,
    "scope": {
      "1TI": []
    }
  },
  "release/USX_2/2CH.usx": {
    "checksum": {
      "md5": "5c4f2b14edb8495ad6e59f4befc87a4d"
    },
    "mimeType": "application/xml",
    "size": 209434,
    "scope": {
      "2CH": []
    }
  },
  "release/USX_2/2CO.usx": {
    "checksum": {
      "md5": "0f7803f94d57dbdcf91b99c6557e0ca"
    },
    "mimeType": "application/xml",
```

(continues on next page)

(continued from previous page)

```

    "size": 58102,
    "scope": {
      "2C0": []
    }
  },
  "release/USX_2/2JN.usx": {
    "checksum": {
      "md5": "e082751b40c515b2a89f7a04e029e03f"
    },
    "mimeType": "application/xml",
    "size": 4822,
    "scope": {
      "2JN": []
    }
  },
  "release/USX_2/2KI.usx": {
    "checksum": {
      "md5": "1b454780784302a648a6fe6d72700db7"
    },
    "mimeType": "application/xml",
    "size": 187672,
    "scope": {
      "2KI": []
    }
  },
  "release/USX_2/2PE.usx": {
    "checksum": {
      "md5": "87fafd4f00f56014add388b08e7d2e29"
    },
    "mimeType": "application/xml",
    "size": 17473,
    "scope": {
      "2PE": []
    }
  },
  "release/USX_2/2SA.usx": {
    "checksum": {
      "md5": "1ba446b75bffe31a7b25a9574c20537a"
    },
    "mimeType": "application/xml",
    "size": 171070,
    "scope": {
      "2SA": []
    }
  },
  "release/USX_2/2TH.usx": {
    "checksum": {
      "md5": "64236beea136ce68411d3da10ed7efc2"
    },
    "mimeType": "application/xml",
    "size": 12050,
    "scope": {

```

(continues on next page)

(continued from previous page)

```
    "2TH": []
  }
},
"release/USX_2/2TI.usx": {
  "checksum": {
    "md5": "3b1059b21cda98d010dd0484404aa495"
  },
  "mimeType": "application/xml",
  "size": 20930,
  "scope": {
    "2TI": []
  }
},
"release/USX_2/3JN.usx": {
  "checksum": {
    "md5": "0cd043cfe60e4f8b0289e7b45db8d439"
  },
  "mimeType": "application/xml",
  "size": 4159,
  "scope": {
    "3JN": []
  }
},
"release/USX_2/ACT.usx": {
  "checksum": {
    "md5": "e7eda8bb0493ba305f9832f6f80414e9"
  },
  "mimeType": "application/xml",
  "size": 224986,
  "scope": {
    "ACT": []
  }
},
"release/USX_2/AMO.usx": {
  "checksum": {
    "md5": "e0238c660704a64f1a0d2d083bf20a0f"
  },
  "mimeType": "application/xml",
  "size": 41632,
  "scope": {
    "AMO": []
  }
},
"release/USX_2/COL.usx": {
  "checksum": {
    "md5": "c87f77db9845c824a08a4d3f4149a238"
  },
  "mimeType": "application/xml",
  "size": 28497,
  "scope": {
    "COL": []
  }
}
```

(continues on next page)

(continued from previous page)

```

},
"release/USX_2/DAN.usx": {
  "checksum": {
    "md5": "f8282b033b89939d9f128e58e5cae8f8"
  },
  "mimeType": "application/xml",
  "size": 92486,
  "scope": {
    "DAN": []
  }
},
"release/USX_2/DEU.usx": {
  "checksum": {
    "md5": "e909d5ab7e046da33b7e99f678ffa01c"
  },
  "mimeType": "application/xml",
  "size": 243359,
  "scope": {
    "DEU": []
  }
},
"release/USX_2/ECC.usx": {
  "checksum": {
    "md5": "7b2f021e83205e205476748c1342825c"
  },
  "mimeType": "application/xml",
  "size": 45751,
  "scope": {
    "ECC": []
  }
},
"release/USX_2/EPH.usx": {
  "checksum": {
    "md5": "0177473ef01e6ed8bc980f1ad0a68521"
  },
  "mimeType": "application/xml",
  "size": 37580,
  "scope": {
    "EPH": []
  }
},
"release/USX_2/EST.usx": {
  "checksum": {
    "md5": "836603e1660928159f08459f3f73d826"
  },
  "mimeType": "application/xml",
  "size": 41166,
  "scope": {
    "EST": []
  }
},
"release/USX_2/EXO.usx": {

```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "c2b1cd7046aa41bff4e2a7b270ca2dba"
},
"mimeType": "application/xml",
"size": 260164,
"scope": {
  "EXO": []
}
},
"release/USX_2/EZK.usx": {
  "checksum": {
    "md5": "126df2b99d062d730b553f20aa3fd03f"
  },
  "mimeType": "application/xml",
  "size": 311558,
  "scope": {
    "EZK": []
  }
},
"release/USX_2/EZR.usx": {
  "checksum": {
    "md5": "142ef46d49d8fff0e367d82372af1cf7"
  },
  "mimeType": "application/xml",
  "size": 60319,
  "scope": {
    "EZR": []
  }
},
"release/USX_2/GAL.usx": {
  "checksum": {
    "md5": "dfc69c99a2b49a38caae2ce53d59b4db"
  },
  "mimeType": "application/xml",
  "size": 36274,
  "scope": {
    "GAL": []
  }
},
"release/USX_2/GEN.usx": {
  "checksum": {
    "md5": "820ca3f5d04214e17753b6d669145a43"
  },
  "mimeType": "application/xml",
  "size": 311707,
  "scope": {
    "GEN": []
  }
},
"release/USX_2/HAB.usx": {
  "checksum": {
    "md5": "411180440459cfc6be4116eb61fb27f5"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "application/xml",
    "size": 18279,
    "scope": {
      "HAB": []
    }
  },
  "release/USX_2/HAG.usx": {
    "checksum": {
      "md5": "9a2819af36aca8cc4031ed3e92f2923e"
    },
    "mimeType": "application/xml",
    "size": 10656,
    "scope": {
      "HAG": []
    }
  },
  "release/USX_2/HEB.usx": {
    "checksum": {
      "md5": "0462930622f97bd93ea31f085d65f0e8"
    },
    "mimeType": "application/xml",
    "size": 89412,
    "scope": {
      "HEB": []
    }
  },
  "release/USX_2/HOS.usx": {
    "checksum": {
      "md5": "5dcf273e1b07835fe333ed2905649cc3"
    },
    "mimeType": "application/xml",
    "size": 61635,
    "scope": {
      "HOS": []
    }
  },
  "release/USX_2/ISA.usx": {
    "checksum": {
      "md5": "37620479552a733a08679b269a9295b7"
    },
    "mimeType": "application/xml",
    "size": 364149,
    "scope": {
      "ISA": []
    }
  },
  "release/USX_2/JAS.usx": {
    "checksum": {
      "md5": "3711c545db320378aa14b0be8b45f407"
    },
    "mimeType": "application/xml",

```

(continues on next page)

(continued from previous page)

```
"size": 28084,
"scope": {
  "JAS": []
},
},
"release/USX_2/JDG.usx": {
  "checksum": {
    "md5": "79311ae0930201de701fe6191dd01e86"
  },
  "mimeType": "application/xml",
  "size": 143299,
  "scope": {
    "JDG": []
  }
},
},
"release/USX_2/JER.usx": {
  "checksum": {
    "md5": "898cc35eb6e001881f14cf2cb2cd2592"
  },
  "mimeType": "application/xml",
  "size": 360115,
  "scope": {
    "JER": []
  }
},
},
"release/USX_2/JHN.usx": {
  "checksum": {
    "md5": "4a137aedc83d51ab1fe215e115e12c99"
  },
  "mimeType": "application/xml",
  "size": 182919,
  "scope": {
    "JHN": []
  }
},
},
"release/USX_2/JOB.usx": {
  "checksum": {
    "md5": "a4cc623278baf1e6689ce087c6e5e72e"
  },
  "mimeType": "application/xml",
  "size": 214024,
  "scope": {
    "JOB": []
  }
},
},
"release/USX_2/JOL.usx": {
  "checksum": {
    "md5": "b4ded276bb912773579e3b4948586c69"
  },
  "mimeType": "application/xml",
  "size": 26505,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "JOL": []
  }
},
"release/USX_2/JON.usx": {
  "checksum": {
    "md5": "6e1e35579a232da28d62b70aaf91d727"
  },
  "mimeType": "application/xml",
  "size": 14135,
  "scope": {
    "JON": []
  }
},
"release/USX_2/JOS.usx": {
  "checksum": {
    "md5": "cdc3f652b25fc8985040fb9d2241481c"
  },
  "mimeType": "application/xml",
  "size": 138980,
  "scope": {
    "JOS": []
  }
},
"release/USX_2/JUD.usx": {
  "checksum": {
    "md5": "06ead0123f73acc6685813eb9837f2ad"
  },
  "mimeType": "application/xml",
  "size": 9610,
  "scope": {
    "JUD": []
  }
},
"release/USX_2/LAM.usx": {
  "checksum": {
    "md5": "f9264f9521beacf9f4d7079192ff131f"
  },
  "mimeType": "application/xml",
  "size": 36462,
  "scope": {
    "LAM": []
  }
},
"release/USX_2/LEV.usx": {
  "checksum": {
    "md5": "8a47ab808fbefba05682e8144f1309ad"
  },
  "mimeType": "application/xml",
  "size": 177107,
  "scope": {
    "LEV": []
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"release/USX_2/LUK.usx": {
  "checksum": {
    "md5": "897a1837fd5b2d93fbc32aac568b331"
  },
  "mimeType": "application/xml",
  "size": 260086,
  "scope": {
    "LUK": []
  }
},
"release/USX_2/MAL.usx": {
  "checksum": {
    "md5": "f86c8bd3e7ee76af435a06056b9605a6"
  },
  "mimeType": "application/xml",
  "size": 17553,
  "scope": {
    "MAL": []
  }
},
"release/USX_2/MAT.usx": {
  "checksum": {
    "md5": "7b83fe339a1bc524ae3d9ada7aff4186"
  },
  "mimeType": "application/xml",
  "size": 266875,
  "scope": {
    "MAT": []
  }
},
"release/USX_2/MIC.usx": {
  "checksum": {
    "md5": "15a8caa343ff2b668532f30b02e495bb"
  },
  "mimeType": "application/xml",
  "size": 33130,
  "scope": {
    "MIC": []
  }
},
"release/USX_2/MRK.usx": {
  "checksum": {
    "md5": "0f9e75f4ed50a1feaaf0dd9ecb968bde"
  },
  "mimeType": "application/xml",
  "size": 162874,
  "scope": {
    "MRK": []
  }
},
"release/USX_2/NAM.usx": {
```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "86a41385a531f128eef1bb9245fff027"
},
"mimeType": "application/xml",
"size": 14819,
"scope": {
  "NAM": []
}
},
"release/USX_2/NEH.usx": {
  "checksum": {
    "md5": "8f577d0da563a93a5d279caf8baca6c6"
  },
  "mimeType": "application/xml",
  "size": 100788,
  "scope": {
    "NEH": []
  }
},
"release/USX_2/NUM.usx": {
  "checksum": {
    "md5": "81aadb6fac6749315b9b4c240447ffd4"
  },
  "mimeType": "application/xml",
  "size": 230071,
  "scope": {
    "NUM": []
  }
},
"release/USX_2/OBA.usx": {
  "checksum": {
    "md5": "ee76f9e80c2bf5f99a2da72b108f2e38"
  },
  "mimeType": "application/xml",
  "size": 8947,
  "scope": {
    "OBA": []
  }
},
"release/USX_2/PHM.usx": {
  "checksum": {
    "md5": "1030fe6116460b61bb29a3abdf0df1cc"
  },
  "mimeType": "application/xml",
  "size": 7504,
  "scope": {
    "PHM": []
  }
},
"release/USX_2/PHP.usx": {
  "checksum": {
    "md5": "2c3763984030ec3cb0ce94ab8502d515"
```

(continues on next page)

(continued from previous page)

```
    },
    "mimeType": "application/xml",
    "size": 24961,
    "scope": {
      "PHP": []
    }
  },
  "release/USX_2/PRO.usx": {
    "checksum": {
      "md5": "48e0e1cfec0f6c86f4fb5bdbe0cdd333"
    },
    "mimeType": "application/xml",
    "size": 158251,
    "scope": {
      "PRO": []
    }
  },
  "release/USX_2/PSA.usx": {
    "checksum": {
      "md5": "7e3f20fd4d0d3e94219e1adcebdbf262"
    },
    "mimeType": "application/xml",
    "size": 597508,
    "scope": {
      "PSA": []
    }
  },
  "release/USX_2/REV.usx": {
    "checksum": {
      "md5": "f5ff45ef52f08eae0bc8b8d35e2febda"
    },
    "mimeType": "application/xml",
    "size": 134309,
    "scope": {
      "REV": []
    }
  },
  "release/USX_2/ROM.usx": {
    "checksum": {
      "md5": "85ced74ff92a73f29f092f7a8220440c"
    },
    "mimeType": "application/xml",
    "size": 108247,
    "scope": {
      "ROM": []
    }
  },
  "release/USX_2/RUT.usx": {
    "checksum": {
      "md5": "5c7feee9efb03d6436e3529d4a25f2ec"
    },
    "mimeType": "application/xml",
```

(continues on next page)

(continued from previous page)

```

    "size": 22155,
    "scope": {
      "RUT": []
    }
  },
  "release/USX_2/SNG.usx": {
    "checksum": {
      "md5": "b0b4acedf36fa1e500333bd581251b0b"
    },
    "mimeType": "application/xml",
    "size": 34712,
    "scope": {
      "SNG": []
    }
  },
  "release/USX_2/TIT.usx": {
    "checksum": {
      "md5": "89c37b6dd156cb216bc65915f6396819"
    },
    "mimeType": "application/xml",
    "size": 12051,
    "scope": {
      "TIT": []
    }
  },
  "release/USX_2/ZEC.usx": {
    "checksum": {
      "md5": "859e12c8137087ab09c9bee974414dd8"
    },
    "mimeType": "application/xml",
    "size": 59758,
    "scope": {
      "ZEC": []
    }
  },
  "release/USX_2/ZEP.usx": {
    "checksum": {
      "md5": "38c865947663ed5f4e4bf3071c4d951d"
    },
    "mimeType": "application/xml",
    "size": 19491,
    "scope": {
      "ZEP": []
    }
  },
  "release/USX_3/1CO.usx": {
    "checksum": {
      "md5": "2c813c3605b6ca635d11304313861640"
    },
    "mimeType": "application/xml",
    "size": 100448,
    "scope": {

```

(continues on next page)

(continued from previous page)

```
    "1CO": []
  }
},
"release/USX_3/1JN.usx": {
  "checksum": {
    "md5": "093688dccc8ee51f42ef05371de6783a"
  },
  "mimeType": "application/xml",
  "size": 23815,
  "scope": {
    "1JN": []
  }
},
"release/USX_3/1PE.usx": {
  "checksum": {
    "md5": "ea3896f4cd83230b404d8f3cff8932db"
  },
  "mimeType": "application/xml",
  "size": 29960,
  "scope": {
    "1PE": []
  }
},
"release/USX_3/1TH.usx": {
  "checksum": {
    "md5": "18887ad473d7fd9375cdade3e8d71224"
  },
  "mimeType": "application/xml",
  "size": 20658,
  "scope": {
    "1TH": []
  }
},
"release/USX_3/1TI.usx": {
  "checksum": {
    "md5": "1fcfd718b2430d7844dcafa420e9fea3"
  },
  "mimeType": "application/xml",
  "size": 25822,
  "scope": {
    "1TI": []
  }
},
"release/USX_3/2CO.usx": {
  "checksum": {
    "md5": "0f7803f94d57dbdcf91b99c6557e0ca"
  },
  "mimeType": "application/xml",
  "size": 58102,
  "scope": {
    "2CO": []
  }
}
```

(continues on next page)

(continued from previous page)

```

},
"release/USX_3/2JN.usx": {
  "checksum": {
    "md5": "e082751b40c515b2a89f7a04e029e03f"
  },
  "mimeType": "application/xml",
  "size": 4822,
  "scope": {
    "2JN": []
  }
},
"release/USX_3/2PE.usx": {
  "checksum": {
    "md5": "87fafd4f00f56014add388b08e7d2e29"
  },
  "mimeType": "application/xml",
  "size": 17473,
  "scope": {
    "2PE": []
  }
},
"release/USX_3/2TH.usx": {
  "checksum": {
    "md5": "64236beea136ce68411d3da10ed7efc2"
  },
  "mimeType": "application/xml",
  "size": 12050,
  "scope": {
    "2TH": []
  }
},
"release/USX_3/2TI.usx": {
  "checksum": {
    "md5": "3b1059b21cda98d010dd0484404aa495"
  },
  "mimeType": "application/xml",
  "size": 20930,
  "scope": {
    "2TI": []
  }
},
"release/USX_3/3JN.usx": {
  "checksum": {
    "md5": "0cd043cfe60e4f8b0289e7b45db8d439"
  },
  "mimeType": "application/xml",
  "size": 4159,
  "scope": {
    "3JN": []
  }
},
"release/USX_3/ACT.usx": {

```

(continues on next page)

(continued from previous page)

```
"checksum": {
  "md5": "e7eda8bb0493ba305f9832f6f80414e9"
},
"mimeType": "application/xml",
"size": 224986,
"scope": {
  "ACT": []
}
},
"release/USX_3/COL.usx": {
  "checksum": {
    "md5": "c87f77db9845c824a08a4d3f4149a238"
  },
  "mimeType": "application/xml",
  "size": 28497,
  "scope": {
    "COL": []
  }
},
"release/USX_3/EPH.usx": {
  "checksum": {
    "md5": "0177473ef01e6ed8bc980f1ad0a68521"
  },
  "mimeType": "application/xml",
  "size": 37580,
  "scope": {
    "EPH": []
  }
},
"release/USX_3/GAL.usx": {
  "checksum": {
    "md5": "dfc69c99a2b49a38caae2ce53d59b4db"
  },
  "mimeType": "application/xml",
  "size": 36274,
  "scope": {
    "GAL": []
  }
},
"release/USX_3/HEB.usx": {
  "checksum": {
    "md5": "0462930622f97bd93ea31f085d65f0e8"
  },
  "mimeType": "application/xml",
  "size": 89412,
  "scope": {
    "HEB": []
  }
},
"release/USX_3/JAS.usx": {
  "checksum": {
    "md5": "3711c545db320378aa14b0be8b45f407"
```

(continues on next page)

(continued from previous page)

```

    },
    "mimeType": "application/xml",
    "size": 28084,
    "scope": {
      "JAS": []
    }
  },
  "release/USX_3/JHN.usx": {
    "checksum": {
      "md5": "4a137aedc83d51ab1fe215e115e12c99"
    },
    "mimeType": "application/xml",
    "size": 182919,
    "scope": {
      "JHN": []
    }
  },
  "release/USX_3/JUD.usx": {
    "checksum": {
      "md5": "06ead0123f73acc6685813eb9837f2ad"
    },
    "mimeType": "application/xml",
    "size": 9610,
    "scope": {
      "JUD": []
    }
  },
  "release/USX_3/LUK.usx": {
    "checksum": {
      "md5": "897a1837fd5b2d93fbc32aac568b331"
    },
    "mimeType": "application/xml",
    "size": 260086,
    "scope": {
      "LUK": []
    }
  },
  "release/USX_3/MAT.usx": {
    "checksum": {
      "md5": "7b83fe339a1bc524ae3d9ada7aff4186"
    },
    "mimeType": "application/xml",
    "size": 266875,
    "scope": {
      "MAT": []
    }
  },
  "release/USX_3/MRK.usx": {
    "checksum": {
      "md5": "0f9e75f4ed50a1feaaf0dd9ecb968bde"
    },
    "mimeType": "application/xml",

```

(continues on next page)

(continued from previous page)

```
"size": 162874,
"scope": {
  "MRK": []
}
},
"release/USX_3/PHM.usx": {
  "checksum": {
    "md5": "1030fe6116460b61bb29a3abdf0df1cc"
  },
  "mimeType": "application/xml",
  "size": 7504,
  "scope": {
    "PHM": []
  }
},
"release/USX_3/PHP.usx": {
  "checksum": {
    "md5": "2c3763984030ec3cb0ce94ab8502d515"
  },
  "mimeType": "application/xml",
  "size": 24961,
  "scope": {
    "PHP": []
  }
},
"release/USX_3/REV.usx": {
  "checksum": {
    "md5": "f5ff45ef52f08eae0bc8b8d35e2febda"
  },
  "mimeType": "application/xml",
  "size": 134309,
  "scope": {
    "REV": []
  }
},
"release/USX_3/ROM.usx": {
  "checksum": {
    "md5": "85ced74ff92a73f29f092f7a8220440c"
  },
  "mimeType": "application/xml",
  "size": 108247,
  "scope": {
    "ROM": []
  }
},
"release/USX_3/TIT.usx": {
  "checksum": {
    "md5": "89c37b6dd156cb216bc65915f6396819"
  },
  "mimeType": "application/xml",
  "size": 12051,
  "scope": {
```

(continues on next page)

(continued from previous page)

```

    "TIT": []
  },
  "release/eng_en.ldml": {
    "checksum": {
      "md5": "ccb9e8ad79b308b7e19a05c0a53f5523"
    },
    "mimeType": "application/xml",
    "size": 2840
  },
  "release/styles.xml": {
    "checksum": {
      "md5": "e00a89c1847307a345ea9c3d0946321c"
    },
    "mimeType": "application/xml",
    "size": 82781
  },
  "release/versification.vrs": {
    "checksum": {
      "md5": "eb38c438b44651425898b0bcfd7217e8"
    },
    "mimeType": "text/plain",
    "size": 13845
  }
},
"copyright": {
  "shortStatements": [{
    "statement": "<p>Good News Translation (Today's English Version, Second Edition) ©
↵1992 American Bible Society. All rights reserved.</p>",
    "mimetype": "text/html",
    "lang": "en"
  }]
}
}

```

2.4.7 textTranslation_derived

```

{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "derived",
    "dateCreated": "2019-02-19T01:02:03+01:00",
    "generator": {
      "softwareName": "Burrito Factory",
      "softwareVersion": "0.1",
      "userName": "Jane Doe"
    },
    "defaultLocale": "en",
    "comments": ["Experimenting with i18n", "Fixed canon before upload. ~Josh"]
  }
}

```

(continues on next page)

(continued from previous page)

```

},
"authorities": {
  "db1": {
    "id": "https://thedigitalbiblelibrary.org",
    "name": {
      "en": "The Digital Bible Library"
    }
  },
  "agmt": {
    "id": "http://registry.autographamt.com",
    "name": {
      "en": "Autographa"
    }
  },
  "x-atl": {
    "id": "http://atlantisbibleconsortium.net"
  }
},
"identification": {
  "primary": {
    "db1": {
      "0123456789abcdef": {
        "revision": "23",
        "timestamp": "2019-02-18T01:02:03+01:00"
      }
    }
  },
  "upstream": {
    "gbc": [
      {
        "55df02965117ad3f2201309b": {
          "revision": "2",
          "timestamp": "2019-02-17T01:02:03+01:00"
        }
      }
    ],
    "paratext": [
      {
        "2d5220a02a7aac6bcc2831ae262e9aaca5e1abd": {
          "revision": "5",
          "timestamp": "2019-02-16T01:02:03+01:00"
        }
      }
    ]
  },
  "name": {
    "en": "Excerpts from a Scripture Burrito Demo Text Bible",
    "fr": "Des morceaux d'une Cr\u00eape mexicaine biblique surdimensionn\u00e9e (d\u00e9monstration)"
  },
  "description": {
    "en": "Extracts of A Demonstration Scripture Burrito containing Text, like

```

(continues on next page)

(continued from previous page)

```

↪Paratext Might One Day Produce"
  },
  "abbreviation": {
    "en": "DSB",
    "fr": "CMBS"
  }
},
"confidential": true,
"type": {
  "flavorType": {
    "name": "scripture",
    "currentScope": {
      "GEN": [],
      "EXO": ["1", "3-12", "13:4", "14:3-8", "15:8-16:2"],
      "LEV": ["2-3"],
      "MAT": ["1", "5", "7-11"]
    },
  },
  "flavor": {
    "name": "textTranslation",
    "projectType": "standard",
    "audience": "common",
    "translationType": "newTranslation",
    "usfmVersion": "3.1.rc49"
  }
}
},
"relationships": [
  {
    "relationType": "expression",
    "flavor": "textTranslation",
    "id": "dbl::fedcba9876543210:2"
  },
  {
    "relationType": "expression",
    "flavor": "glossedTextStory",
    "id": "x-atl::gl47"
  },
  {
    "relationType": "parascriptural",
    "flavor": "x-wordAlignment",
    "id": "agmt::irvmal-4-wh"
  }
],
"languages": [
  {
    "tag": "en",
    "name": {
      "en": "English",
      "de": "Englisch",
      "fr": "anglais"
    },
    "numberingSystem": "latn"
  }
]

```

(continues on next page)

(continued from previous page)

```

    }
  ],
  "targetAreas": [
    {
      "code": "NL",
      "name": {
        "nl": "Nederland",
        "kl": "Pukkitsormiut",
        "la": "Batavia",
        "ru": "\u041d\u0438\u0434\u0435\u0440\u043b\u0430\u043d\u0434\u0434\u0442"
      }
    }
  ],
  "agencies": [
    {
      "id": "dbl::23",
      "name": {
        "en": "Burritos R Us Inc"
      },
      "abbr": {
        "en": "BRU"
      },
      "url": "https://burritos-r-us.org",
      "roles": [
        "rightsHolder",
        "rightsAdmin",
        "content",
        "finance",
        "management",
        "publication",
        "qa"
      ]
    },
    {
      "id": "dbl::29",
      "name": {
        "en": "We Manage Burritos"
      },
      "roles": ["qa"]
    }
  ],
  "copyright": {
    "shortStatements": [{
      "statement": "\u00a9 Burritos R Us 2019.",
      "mimetype": "text/plain"
    },
    {
      "statement": "\u00a9 Burritos R Us 2019. Tous droits r\u00e9serv\u00e9s.",
      "mimetype": "text/plain",
      "lang": "fr"
    }
  ],
  {

```

(continues on next page)

(continued from previous page)

```

    "statement": "<p><b>\u00a9 Burritos R Us 2019.</b></p><p><i>Tous droits r\
↪\u00e9serv\u00e9s.</i></p>",
    "mimetype": "text/html",
    "lang": "fr"
  }]
},
"ingredients": {
  "release/text/USX_1/OTINT.usx": {
    "checksum": {
      "md5": "0123456789abcdef0123456789abcdef"
    },
    "mimeType": "text/x-usx+xml",
    "scope": {
      "GEN": [],
      "EXO": [],
      "LEV": []
    },
    "role": "introduction",
    "size": 1234
  },
  "release/text/USX_1/GEN.usx": {
    "checksum": {
      "md5": "0123456789abcdef0123456789abcdef"
    },
    "mimeType": "text/x-usx+xml",
    "scope": {
      "GEN": []
    },
    "size": 1234
  },
  "release/text/USX_1/EXO.usx": {
    "checksum": {
      "md5": "0123456789abcdef0123456789abcdef"
    },
    "mimeType": "text/x-usx+xml",
    "scope": {
      "EXO": ["1-12"]
    },
    "size": 1234
  },
  "release/text/USX_1/LEV.usx": {
    "checksum": {
      "md5": "0123456789abcdef0123456789abcdef"
    },
    "mimeType": "text/x-usx+xml",
    "scope": {
      "LEV": ["2:3-3:7"]
    },
    "size": 1234
  },
  "release/text/USX_1/INTNT.usx": {
    "checksum": {

```

(continues on next page)

(continued from previous page)

```

    "md5": "0123456789abcdef0123456789abcdef"
  },
  "mimeType": "text/x-usx+xml",
  "scope": {
    "MAT": []
  },
  "role": "introduction",
  "size": 1234
},
"release/text/USX_1/INTMAT.usx": {
  "checksum": {
    "md5": "0123456789abcdef0123456789abcdef"
  },
  "mimeType": "text/x-usx+xml",
  "scope": {
    "MAT": ["1"]
  },
  "role": "introduction",
  "size": 1234
},
"release/text/USX_1/MAT.usx": {
  "checksum": {
    "md5": "0123456789abcdef0123456789abcdef"
  },
  "mimeType": "text/x-usx+xml",
  "scope": {
    "MAT": ["1:3", "1:5", "1:7-11"]
  },
  "size": 1234
},
"unknownAdditive.foo": {
  "mimeType": "application/octet-stream",
  "size": 99
}
},
"localizedNames": {
  "book-gen": {
    "abbr": {
      "fr": "Gn"
    },
    "short": {
      "fr": "Gen\u00e8se"
    },
    "long": {
      "fr": "La Gen\u00e8se"
    }
  },
  "book-exo": {
    "abbr": {
      "fr": "Ex"
    },
    "short": {

```

(continues on next page)

(continued from previous page)

```

    "fr": "Exode"
  },
  "long": {
    "fr": "L\u2019Exode"
  }
},
"book-lev": {
  "abbr": {
    "fr": "Lv"
  },
  "short": {
    "fr": "L\u00e9vitique"
  },
  "long": {
    "fr": "Le L\u00e9vitique"
  }
},
"book-mat": {
  "abbr": {
    "fr": "Mt"
  },
  "short": {
    "en": "Matthew",
    "fr": "Matthieu"
  },
  "long": {
    "fr": "Evangile selon Matthieu"
  }
},
"intot": {
  "short": {
    "fr": "A propos de l'Ancien Testament"
  }
},
"intnt": {
  "short": {
    "fr": "A propos du Nouveau Testament"
  }
},
"intmat": {
  "short": {
    "fr": "A propos de Matthieu"
  }
}
},
"recipe": [
  {
    "idAuthority": "dbl",
    "operation": "apply_license_agreement",
    "data": {
      "license_agreement": "https://thedigitalbiblelibrary.org/license_agreement/nnnn"
    }
  }
]

```

(continues on next page)

(continued from previous page)

```

    }
  ]
}

```

2.4.8 typesetScripture

```

{
  "format": "scripture burrito",
  "meta": {
    "version": "1.0.0",
    "category": "source",
    "generator": {
      "softwareName": "DBLImport",
      "softwareVersion": "0.0.0",
      "userName": "Bev Cope"
    },
    "defaultLocale": "en",
    "dateCreated": "2018-12-08T12:36:12.329486+00:00",
    "comments": ["Looking for FrontCover.JPG"]
  },
  "idAuthorities": {
    "dbl": {
      "id": "https://thedigitalbiblelibrary.org",
      "name": {
        "en": "The Digital Bible Library"
      }
    }
  },
  "identification": {
    "primary": {
      "dbl": {
        "7f3540fe4b0576d7": {
          "revision": "1",
          "timestamp": "2018-12-08T12:36:12.329486+00:00"
        }
      }
    }
  },
  "name": {
    "en": "DBL Test Version with DC Local"
  },
  "description": {
    "en": "English: DBL Test Version with DC Local New Testament"
  },
  "abbreviation": {
    "en": "DBLTD"
  }
},
"languages": [
  {
    "tag": "en",

```

(continues on next page)

(continued from previous page)

```

    "name": {
      "en": "English"
    }
  },
  "type": {
    "flavorType": {
      "name": "scripture",
      "flavor": {
        "name": "typesetScripture",
        "contentType": "pdf",
        "pod": true,
        "pageCount": 193,
        "height": "210mm",
        "width": "140mm",
        "scale": "100%",
        "colorSpace": "cmyk",
        "edgeSpace": {
          "top": "5mm",
          "bottom": "9mm",
          "inside": "13mm",
          "outside": "9mm"
        },
        "fonts": [
          "Times New Roman Regular",
          "Times New Roman BoldBold",
          "Times New Roman ItalicItalic",
          "Segoe UI Symbol Regular"
        ]
      },
      "currentScope": {
        "JHN": []
      }
    },
    "confidential": true,
    "agencies": [
      {
        "id": "dbl::54650cfa5117ad690fb05fb6",
        "roles": ["rightsHolder"],
        "url": "http://thedigitalbiblelibrary.org",
        "name": {
          "en": "DBL Testing"
        },
        "abbr": {
          "en": "TEST"
        }
      },
      {
        "id": "dbl::545d2cb0c1fbcec540df3e8d",
        "roles": ["rightsHolder"],
        "url": "http://www.dblipc.org",

```

(continues on next page)

(continued from previous page)

```
    "name": {
      "en": "Example Intellectual Property Contributor"
    },
    "abbr": {
      "en": "EIPC"
    }
  },
  {
    "id": "dbl::54650cd05117ad67b3826e99",
    "roles": ["content", "publication", "management", "qa"],
    "name": {
      "en": "American Bible Society"
    }
  }
],
"targetAreas": [
  {
    "code": "US",
    "name": {
      "en": "United States"
    }
  }
],
"ingredients": {
  "release/Inside.pdf": {
    "checksum": {
      "md5": "ea6cf3aaab5e87d4844a839f55712a2b"
    },
    "mimeType": "application/pdf",
    "size": 21742731,
    "role": "body"
  },
  "release/Cover.pdf": {
    "checksum": {
      "md5": "4f885b5395c57b623982fe1db37efbb1"
    },
    "mimeType": "application/pdf",
    "size": 69141,
    "role": "cover"
  },
  "release/FrontCover.jpg": {
    "checksum": {
      "md5": "92b271f5d83ad1cc574276dd1d898854"
    },
    "mimeType": "image/jpeg",
    "size": 15323,
    "role": "cover"
  },
  "source/zzzPADBL_2018POD_Source.zip": {
    "checksum": {
      "md5": "c7b53b012f49a06dc9c32a17cb5b77be"
    }
  }
},
```

(continues on next page)

(continued from previous page)

```

    "mimeType": "application/zip",
    "size": 46147024
  },
  "copyright": {
    "shortStatements": [{
      "statement": "<p>Good News Translation (Today's English Version, Second Edition) ©_
↪1992 American Bible Society. All rights reserved.</p>",
      "mimetype": "text/html",
      "lang": "en"
    }]
  }
}

```

2.4.9 xScripture

```

{
  "format": "scripture burrito",
  "meta": {
    "category": "source",
    "version": "1.0.0",
    "dateCreated": "2020-03-31T09:04:10.3+02:00",
    "generator": {
      "softwareName": "SB01Import",
      "softwareVersion": "0.0.0"
    },
    "comments": ["This is fuuuuuuuun!"],
    "defaultLocale": "en"
  },
  "idAuthorities": {
    "paint-store": {
      "id": "http://localhost:8080"
    }
  },
  "identification": {
    "name": {
      "en": "My First Fingerpainted Bible"
    },
    "description": {
      "en": "Someone said we needed digital Bibles and I thought I could use my digits_
↪to... oh, never mind"
    }
  },
  "primary": {
    "paint-store": {
      "0123456789abcdef": {
        "revision": "1",
        "timestamp": "2020-03-31T09:04:10.3+02:00"
      }
    }
  }
}

```

(continues on next page)

(continued from previous page)

```
},
"confidential": true,
"type": {
  "flavorType": {
    "name": "scripture",
    "flavor": {
      "name": "x-scriptureFingerPainting",
      "foo": "baa"
    },
  },
  "currentScope": {
    "JHN": ["3:16"]
  }
}
},
"relationships": [
  {
    "id": "paint-store::color_my_bible_beautiful",
    "flavor": "x-colorByNumbers",
    "relationType": "peripheral",
    "revision": "first_draft"
  }
],
"languages": [
  {
    "tag": "en",
    "name": {
      "en": "English"
    }
  }
],
"targetAreas": [
  {
    "name": {
      "en": "United States of America"
    },
    "code": "US"
  }
],
"ingredients": {
  "myPainting.png": {
    "mimeType": "image/png",
    "checksum": {
      "md5": "01234567012345670123456701234567"
    },
    "size": 1234,
    "scope": {
      "JHN": ["3:16"]
    }
  }
},
"copyright": {
  "shortStatements": [{
```

(continues on next page)

(continued from previous page)

```
"statement": "<p>Test Copyright. All rights reserved.</p>",
"mimetype": "text/html",
"lang": "en"
}]
}
}
```

2.5 Glossary

2.5.1 Scripture Burrito Concepts

A **burrito** is a wrapper that contains content and metadata. That wrapper may be made available in various digital formats, such as a zip file, an Amazon S3 bucket or a series of API calls. The term “burrito” describes the wrapper, not the distribution mechanism.

The metadata describes the contents of the burrito, including directory structure and ingredients.

Scripture Burritos are grouped into four **flavor types**, depending on its relationship to Scripture:

1. Scripture
2. Gloss - includes narratives, stories, etc.
3. Parascriptural - includes anything indexed by book, chapter, verse that is not Scripture, e.g. commentaries or syntactic notes.
4. Peripheral - any other resource related to Scripture

Burritos exist in a number of **flavors**. Flavors are distinguished by their FlavorType and **reference system**.

A reference system identifies the way that a resource is referenced and navigated. For instance, a resource may use BCV (book, chapter, verse).

Burritos contain **ingredients**. An ingredient is a file-like resource with a mime-type and, optionally, a scope or role.

This specification places no constraints on the file layout used for ingredients but strongly recommends they be placed in a *ingredients/* directory. It is further recommended that application-specific files be placed within a sub-directory under this.

Flavors are typically quite broadly defined. Additional constraints may be added using **conventions**, which are expressed in the metadata using the schema. For example, an audio convention may specify that audio files represent whole chapters of Scripture, or that they are arranged according to a specific hierarchy. Burrito creators should respect any convention they include in the metadata. Burrito consumers may use conventions to decide how or whether to process a burrito. The semantics of no specified conventions is *caveat emptor*, i.e. nothing should be assumed about the content of the burrito beyond what is specified for the burrito flavor.

Variants provide a mechanism for distinguishing source burritos from derived burritos. A source variant is a user modifiable burrito. A derived variant is programmatically derived from a source variant.

2.5.2 Other Terminology

USFM stands for Unified Standard Format Markers.

USX stands for Unified Scripture XML