
SdePy Package Documentation

Release 1.0.0

MC

Jul 03, 2018

I	Getting Started	1
1	SdePy	3
1.1	Start here	3
1.2	License	3
2	Quick Guide	5
2.1	Install and import	5
2.2	How to state an SDE	5
2.3	How to integrate an SDE	5
2.4	How to handle the integration output	7
2.5	Example - Stochastic Runge-Kutta	10
2.6	Example - Fokker-Planck Equation	11
2.7	Example - Basket Lookback Option	12
II	API Documentation	13
3	Overview	15
4	Infrastructure	17
4.1	sdepy.process	17
4.2	sdepy.montecarlo	24
5	Stochasticity Sources	29
5.1	sdepy.source	30
5.2	sdepy.wiener_source	30
5.3	sdepy.poisson_source	32
5.4	sdepy.cpoisson_source	32
5.5	sdepy.odd_wiener_source	34
5.6	sdepy.even_poisson_source	34
5.7	sdepy.even_cpoisson_source	35
5.8	sdepy.true_source	35
5.9	sdepy.true_wiener_source	36
5.10	sdepy.true_poisson_source	37
5.11	sdepy.true_cpoisson_source	38
5.12	sdepy.norm_rv	39
5.13	sdepy.uniform_rv	39
5.14	sdepy.exp_rv	39
5.15	sdepy.double_exp_rv	39
5.16	sdepy.rvmap	40

6	SDE Integration Framework	41
6.1	sdepy.paths_generator	41
6.2	sdepy.integrator	46
6.3	sdepy.SDE	48
6.4	sdepy.SDEs	54
6.5	sdepy.integrate	56
7	Stochastic Processes	57
7.1	sdepy.wiener_process	58
7.2	sdepy.lognorm_process	58
7.3	sdepy.ornstein_uhlenbeck_process	59
7.4	sdepy.hull_white_process	60
7.5	sdepy.hull_white_1factor_process	61
7.6	sdepy.cox_ingersoll_ross_process	61
7.7	sdepy.full_heston_process	62
7.8	sdepy.heston_process	63
7.9	sdepy.jumpdiff_process	63
7.10	sdepy.merton_jumpdiff_process	65
7.11	sdepy.kou_jumpdiff_process	65
7.12	sdepy.wiener_SDE	65
7.13	sdepy.lognorm_SDE	66
7.14	sdepy.ornstein_uhlenbeck_SDE	66
7.15	sdepy.hull_white_SDE	67
7.16	sdepy.cox_ingersoll_ross_SDE	67
7.17	sdepy.full_heston_SDE	67
7.18	sdepy.heston_SDE	68
7.19	sdepy.jumpdiff_SDE	68
7.20	sdepy.merton_jumpdiff_SDE	68
7.21	sdepy.kou_jumpdiff_SDE	69
8	Analytical Results	71
8.1	sdepy.wiener_mean	73
8.2	sdepy.wiener_var	74
8.3	sdepy.wiener_std	74
8.4	sdepy.wiener_pdf	75
8.5	sdepy.wiener_cdf	75
8.6	sdepy.wiener_chf	75
8.7	sdepy.lognorm_mean	76
8.8	sdepy.lognorm_var	76
8.9	sdepy.lognorm_std	76
8.10	sdepy.lognorm_pdf	77
8.11	sdepy.lognorm_cdf	77
8.12	sdepy.lognorm_log_chf	77
8.13	sdepy.oruh_mean	78
8.14	sdepy.oruh_var	78
8.15	sdepy.oruh_std	78
8.16	sdepy.oruh_pdf	79
8.17	sdepy.oruh_cdf	79
8.18	sdepy.hw2f_mean	79
8.19	sdepy.hw2f_var	80
8.20	sdepy.hw2f_std	80
8.21	sdepy.hw2f_pdf	80
8.22	sdepy.hw2f_cdf	81
8.23	sdepy.cir_mean	81
8.24	sdepy.cir_var	81
8.25	sdepy.cir_std	82
8.26	sdepy.cir_pdf	82
8.27	sdepy.heston_log_mean	82

8.28	sdepy.heston_log_var	83
8.29	sdepy.heston_log_std	83
8.30	sdepy.heston_log_pdf	83
8.31	sdepy.heston_log_chf	84
8.32	sdepy.mjd_log_pdf	84
8.33	sdepy.mjd_log_chf	85
8.34	sdepy.kou_mean	85
8.35	sdepy.kou_log_pdf	85
8.36	sdepy.kou_log_chf	86
8.37	sdepy.bsd1d2	86
8.38	sdepy.bscall	87
8.39	sdepy.bscall_delta	87
8.40	sdepy.bsput	88
8.41	sdepy.bsput_delta	88
9	Shortcuts	89
9.1	sdepy.kfunc	90
9.2	sdepy.iskfunc	91
	Bibliography	93
	Python Module Index	95

Part I

Getting Started

The SdePy package provides tools to state and numerically integrate Ito Stochastic Differential Equations (SDEs), including equations with time-dependent parameters, time-dependent correlations, and stochastic jumps, and to compute with, and extract statistics from, their realized paths.

Several preset processes are provided, including lognormal, Ornstein-Uhlenbeck, Hull-White n-factor, Heston, and jump-diffusion processes.

Computations are fully vectorized across paths, via NumPy and SciPy, making live sessions with 100000 paths reasonably fluent on single cpu hardware.

This package came out of practical need, so expect a flexible tool that gets real-life things done. On the other hand, not every part of it is clean and polished, so expect rough edges, and the occasional bug (please report!).

Developers are committed to the stability of the public API, here again out of practical need to safeguard dependencies.

1.1 Start here

- [Installation](#): `pip install sdepy`
- [Quick Guide](#) (as code)
- [Documentation](#) (as pdf)
- [Source](#)
- [License](#)
- [Bug Reports](#)

1.2 License

Copyright (c) 2018, Maurizio Cipollina

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This package reuses the compatibly licensed files listed below.

File: `sdepy/doc/_templates/autosummary/class.rst` License: 3-clause BSD

For details, see `sdepy/doc/_templates/autosummary/LICENSE.txt`

2.1 Install and import

Install using `pip install sdepy`, or copy the package source code in a directory in your Python path.

Import as

```
>>> import sdepy
>>> from sdepy import * # safe and handy for interactive sessions
>>> import numpy as np
>>> import scipy
>>> import matplotlib.pyplot as plt # optional, if plots are needed
```

2.2 How to state an SDE

Here follows a bare-bone definition of a Stochastic Differential Equation (SDE), in this case a Ornstein-Uhlenbeck process:

```
>>> @integrate
... def my_process(t, x, theta=1., k=1., sigma=1.):
...     return {'dt': k*(theta - x), 'dw': sigma}
```

This represents the SDE $dX = k(\theta - X)dt + \sigma dW(t)$, where `theta`, `k` and `sigma` are parameters and $dW(t)$ are Wiener process increments. A further `'dn'` or `'dj'` entry in the returned dictionary would allow for Poisson or compound Poisson jumps.

A number of preset processes are provided, including lognormal processes, Hull-White n -factor processes, Heston processes, and jump-diffusion processes.

2.3 How to integrate an SDE

Now `my_process` is a class, a subclass of the cooperating SDE and integrator classes:

```
>>> issubclass(my_process, integrator), issubclass(my_process, SDE)
(True, True)
```

It is to be instantiated with a number of parameters, including the SDE parameters `theta`, `k` and `sigma`; its instances are callable, given a timeline they will integrate and return the process along it. Decorating `my_process` with `kunfc` allows for more concise handling of parameters:

```
>>> myp = kfunc(my_process)
>>> iskfunc(myp)
True
```

It is best explained by examples:

1. **Scalar process** in 100000 paths, with default parameters, computed at 5 time points, using 100 steps in between:

```
>>> coarse_timeline = (0., 0.25, 0.5, 0.75, 1.0)
>>> np.random.seed(1) # make doctests predictable
>>> x = my_process(x0=1, paths=100*1000,
...               steps=100)(coarse_timeline)
>>> x.shape
(5, 100000)
```

2. **Vector process** with three components and **correlated Wiener increments** (same parameters, paths, timeline and steps as above):

```
>>> corr = ((1, .2, -.3), (.2, 1, .1), (-.3, .1, 1))
>>> x = my_process(x0=1, vshape=3, corr=corr,
...               paths=100*1000, steps=100)(coarse_timeline)
>>> x.shape
(5, 3, 100000)
```

3. Vector process with **time-dependent parameters and correlations**, computed on a fine-grained timeline and 10000 paths, using one integration step for each point in the timeline (no steps parameter):

```
>>> timeline = np.linspace(0., 1., 101)
>>> corr = lambda t: ((1, .2, -.1*t), (.2, 1, .1), (-.1*t, .1, 1))
>>> theta, k, sigma = (lambda t: 2-t, lambda t: 2/(t+1), lambda t: np.sin(t/2))
>>> x = my_process(x0=1, vshape=3, corr=corr,
...               theta=theta, k=k, sigma=sigma, paths=10*1000)(timeline)
>>> x.shape
(101, 3, 10000)
>>> gr = plt.plot(timeline, x[:, 0, :4]) # inspect a few paths
>>> plt.show(gr)
```

4. A scalar process with **path-dependent initial conditions and parameters**, integrated **backwards** (`i0=-1`):

```
>>> x0 = np.random.random(10*1000)
>>> sigma = 1 + np.random.random(10*1000)
>>> x = my_process(x0=x0, sigma=sigma, paths=10*1000,
...               i0=-1)(timeline)
>>> x.shape
(101, 10000)
>>> (x[-1, :] == x0).all()
True
```

5. A scalar process computed on a **10 x 15 grid of parameters** `sigma` and `k` (note that the shape of the initial conditions and of each parameter should be broadcastable to the values of the process across paths, i.e. to shape `vshape + (paths,)`):

```
>>> sigma = np.linspace(0., 1., 10).reshape(10, 1, 1)
>>> k = np.linspace(1., 2., 15).reshape(1, 15, 1)
>>> x = my_process(x0=1, theta=2, k=k, sigma=sigma, vshape=(10, 15),
...               paths=10*1000)(coarse_timeline)
```

(continues on next page)

(continued from previous page)

```
>>> x.shape
(5, 10, 15, 10000)
>>> gr = plt.plot(coarse_timeline, x[:, 5, ::2, :].mean(axis=-1))
>>> plt.show()
```

In the example above, set `steps=100` to go from inaccurate and fast, to meaningful and slow (the plot illustrates the k -dependence of average process values).

6. Processes generated using **integration results as stochasticity sources** (mind using consistent `vshape` and `paths`, and synchronizing timelines):

```
>>> my_dw = integrate(lambda t, x: {'dw': 1}) (vshape=1, paths=10000) (timeline)
>>> p = myp(dw=my_dw, vshape=3, paths=10000,
...         x0=1, sigma=((1,), (2,), (3,))) # using myp = kfunc(my_process)
>>> x = p(timeline)
>>> x.shape
(101, 3, 10000)
```

Now, `x1, x2, x3 = x[:, 0], x[:, 1], x[:, 2]` have different `sigma`, but share the same `dw` increments, as can be seen plotting a path:

```
>>> k = 0 # path to be plotted
>>> gr = plt.plot(timeline, x[:, :, k])
>>> plt.show()
```

If more integrations steps are needed between points in the output timeline, use `steps` to keep the integration timeline consistent with the one of `my_dw`:

```
>>> x = p(coarse_timeline, steps=timeline)
>>> x.shape
(5, 3, 10000)
```

7. Using **stochasticity sources with memory** (mind using consistent `vshape` and `paths`):

```
>>> my_dw = true_wiener_source(paths=10000)
>>> p = myp(x0=1, k=1, sigma=1, dw=my_dw, paths=10000)

>>> t1 = np.linspace(0., 1., 30)
>>> t2 = np.linspace(0., 1., 100)
>>> t3 = t = np.linspace(0., 1., 300)
>>> x1, x2, x3 = p(t1), p(t2), p(t3)
>>> y1, y2, y3 = p(t, theta=1.5), p(t, theta=1.75), p(t, theta=2)
```

These processes share the same underlying Wiener increments: `x1, x2, x3` illustrate SDE integration convergence as steps become smaller, and `y1, y2, y3` illustrate how `k` affects paths, all else being equal:

```
>>> i = 0 # path to be plotted
>>> gr = plt.plot(t, x1(t)[:, i], t, x2(t)[:, i], t, x3(t)[:, i])
>>> gr = plt.plot(t, y1[:, i], t3, y2[:, i], t3, y3[:, i])
>>> plt.show()
```

2.4 How to handle the integration output

SDE integrators return process instances, a subclass of `np.ndarray` with a timeline stored in the `t` attribute (note the shape of `x`, repeatedly used in the examples below):

```
>>> coarse_timeline = (0., 0.25, 0.5, 0.75, 1.0)
>>> timeline = np.linspace(0., 1., 101)
```

(continues on next page)

(continued from previous page)

```
>>> x = my_process(x0=1, vshape=3, paths=1000)(timeline)
>>> x.shape
(101, 3, 1000)
```

`x` is a process instance, based on the given timeline:

```
>>> type(x)
<class 'sdepy.infrastructure.process'>
>>> np.isclose(timeline, x.t).all()
True
```

Whenever possible, a process will store references, not copies, of timeline and values. In fact,

```
>>> timeline is x.t
True
```

The first axis is reserved for the timeline, the last for paths, and axes in the middle match the shape of process values:

```
>>> x.shape == x.t.shape + x.vshape + (x.paths,)
True
```

Calling processes interpolates in time (the result is an array, not a process):

```
>>> y = x(coarse_timeline)

>>> y.shape
(5, 3, 1000)

>>> type(y)
<class 'numpy.ndarray'>
```

All array methods, including indexing, work as usual (no overriding), and return NumPy arrays:

```
>>> type(x[0])
<class 'numpy.ndarray'>
>>> type(x.mean(axis=0))
<class 'numpy.ndarray'>
```

You can slice processes along time, values and paths with special indexing:

```
>>> y = x['t', ::2] # time indexing
>>> y.shape
(51, 3, 1000)
>>> y = x['v', 0] # values indexing
>>> y.shape
(101, 1000)
>>> y = x['p', :10] # paths indexing
>>> y.shape
(101, 3, 10)
```

The output of a special indexing operation is a process:

```
>>> isinstance(y, process)
True
```

Smart indexing is allowed. To select paths that cross `x=0` at some point and for some component, use:

```
>>> i_negative = x.min(axis=(0, 1)) < 0
>>> y = x['p', i_negative]
```

(continues on next page)

(continued from previous page)

```
>>> y.shape == (101, 3, i_negative.sum())
True
```

You can do algebra with processes that either share the same timeline, or are constant (a process with a one-point timeline is assumed to be constant), and either have the same number of paths, or are deterministic (with one path):

```
>>> x_const = x['t', 0] # a constant process
>>> x_one_path = x['p', 0] # a process with one path

>>> y = np.exp(x) - x_const
>>> z = np.maximum(x, x_one_path)

>>> isinstance(y, process), isinstance(z, process)
(True, True)
```

When integrating SDEs, the SDE parameters and/or stochasticity sources accept processes as valid values (mind using deterministic processes, or synchronizing the number of paths, and make sure that the shape of values do broadcast together). To use a realization of `my_process` as the volatility of a 3-component lognormal process, do as follows:

```
>>> stochastic_vol = my_process(x0=1, paths=10*1000)(timeline)
>>> stochastic_vol_x = lognorm_process(x0=1, vshape=3, paths=10*1000,
...     mu=0, sigma=stochastic_vol)(timeline)
```

Processes have specialized methods, and may be analyzed, and their statistics cumulated across multiple runs, using the `montecarlo` class. Some examples follow:

1. Cumulative probability distribution function at $t=0.5$ of the process values of x across paths:

```
>>> cdf = x.cdf(0.5, x=np.linspace(-2, 2, 100)) # an array
```

2. Characteristic function at $t=0.5$ of the same distribution:

```
>>> chf = x.chf(0.5, u=np.linspace(-2, 2, 100)) # an array
```

3. Standard deviation across paths:

```
>>> std = x.pstd() # a one-path process
>>> std.shape
(101, 3, 1)
```

4. Maximum value reached along the timeline:

```
>>> xmax = x.tmax() # a constant process
>>> xmax.shape
(1, 3, 1000)
```

5. A linearly interpolated, or Gaussian kernel estimate (default) of the probability distribution function (pdf) and its cumulated values (cdf) across paths, at a given time point, may be obtained using the `montecarlo` class:

```
>>> y = x(1)[0] # 0-th component of x at time t=1
>>> a = montecarlo(y, bins=30)
>>> ygrid = np.linspace(y.min(), y.max(), 200)
>>> gr = plt.plot(ygrid, a.pdf(ygrid), ygrid, a.cdf(ygrid))
>>> gr = plt.plot(ygrid, a.pdf(ygrid, method='interp', kind='nearest'))
>>> plt.show()
```

6. A `montecarlo` instance can be used to cumulate the results of multiple simulations, across multiple components of process values:

```

>>> p = my_process(x0=1, vshape=3, paths=10*1000)
>>> a = montecarlo(bins=100) # empty montecarlo instance
>>> for _ in range(10):
...     x = p(timeline) # run simulation
...     a.update(x(1)) # cumulate x values at t=1
>>> a.paths
100000
>>> gr = plt.plot(ygrid, a[0].pdf(ygrid), ygrid, a[0].cdf(ygrid))
>>> gr = plt.plot(ygrid, a[0].pdf(ygrid, method='interp', kind='nearest'))
>>> plt.show()

```

2.5 Example - Stochastic Runge-Kutta

Minimal implementation of a basic stochastic Runge-Kutta integration, scheme, as a subclass of `integrator` (the `A` and `dZ` methods below are the standardized way in which equations are exposed to integrators):

```

>>> from numpy import sqrt
>>> class my_integrator(integrator):
...     def next(self):
...         t, new_t = self.itervars['sw']
...         x, new_x = self.itervars['xw']
...         dt = new_t - t
...         A, dZ = self.A(t, x), self.dZ(t, dt)
...         a, b, dw = A['dt'], A['dw'], dZ['dw']
...         b1 = self.A(t, x + a*dt + b*sqrt(dt))['dw']
...         new_x[...] = x + a*dt + b*dw + (b1 - b)/2 * (dw**2 - dt)/sqrt(dt)

```

SDE of a lognormal process, as a subclass of `SDE`, and classes that integrate it with the default integration method (`p1`) and via `my_integrator` (`p2`):

```

>>> class my_SDE(SDE):
...     def sde(self, t, x): return {'dt': 0, 'dw': x}
>>> class p1(my_SDE, integrator): pass
>>> class p2(my_SDE, my_integrator): pass

```

Comparison of integration errors, as the integration from $t=0$ to $t=1$ is carried out with an increasing number of steps:

```

>>> np.random.seed(1)
>>> args = dict(dw=true_wiener_source(paths=100), paths=100, x0=10)
>>> timeline = (0, 1)
>>> steps = np.array((2, 3, 5, 10, 20, 30, 50, 100,
...                  200, 300, 500, 1000, 2000, 3000))
>>> exact = lognorm_process(mu=0, sigma=1, **args)(timeline)[-1].mean()
>>> errors = np.abs(np.array([
...     [p1(**args, steps=s)(timeline)[-1].mean()/exact - 1,
...     p2(**args, steps=s)(timeline)[-1].mean()/exact - 1]
...     for s in steps]))
>>> ax = plt.axes(label=0); ax.set_xscale('log'); ax.set_yscale('log')
>>> gr = ax.plot(steps, errors)
>>> plt.show()
>>> print('euler error: {:.2e}\n rk error: {:.2e}'.format(errors[-1,0], errors[-
↪1,1]))
euler error: 1.70e-03
rk error: 8.80e-06

```

2.6 Example - Fokker-Planck Equation

Monte Carlo integration of partial differential equations, illustrated in the simplest example of the heat equation $\text{diff}(u, t) - k \cdot \text{diff}(u, x, 2) == 0$, for the function $u(x, t)$, i.e. the Fokker-Planck equation for the SDE $dx(t) = \sqrt{2 \cdot k} \cdot dW(t)$. Initial conditions at $t=t_0$, two examples:

1. $u(x, t_0) = 1$ for $lb < x < hb$ and 0 otherwise,
2. $u(x, t_0) = \sin(x)$.

Setup:

```
>>> from numpy import exp, sin
>>> from scipy.special import erf
>>> from scipy.integrate import quad
>>> np.random.seed(1)
>>> k = .5
>>> x0, x1 = 0, 10;
>>> t0, t1 = 0, 1
>>> lb, hb = 4, 6
```

Exact green function and solutions, to be checked against results:

```
>>> def green_exact(y, s, x, t):
...     return exp(-(x - y)**2/(4*k*(t - s)))/sqrt(4*np.pi*k*(t - s))
>>> def u1_exact(x, t):
...     return (erf((x - lb)/2/sqrt(k*(t - t0))) - erf((x - hb)/2/sqrt(k*(t - t0))))/2
>>> def u2_exact(x, t):
...     return exp(-k*(t - t0))*sin(x)
```

Realization of the needed stochastic process, by backward integration from a grid of final values of x at $t=t_1$, using the preset `wiener_process` class (the `steps` keyword is added as a reminder of the setup needed for less-than-trivial equations, it does not actually make a difference here):

```
>>> xgrid = np.linspace(x0, x1, 51)
>>> tgrid = np.linspace(t0, t1, 5)
>>> xp = wiener_process(paths=10000,
...                     sigma=sqrt(2*k), steps=100,
...                     vshape=xgrid.shape, x0=xgrid[...], np.newaxis],
...                     i0=-1)(timeline=tgrid)
```

Computation of the green function and of the solution $u(x, t_1)$ (note the liberal use of `scipy.integrate.quad` below, enabled by the smoothness of the Gaussian kernel estimate `a[i, j].pdf`):

```
>>> a = montecarlo(xp, bins=100)
>>> def green(y, i, j):
...     """green function from (y=y, s=tgrid[i]) to (x=xgrid[j], t=t1)"""
...     return a[i, j].pdf(y)
>>> u1, u2 = np.empty(51), np.empty(51)
>>> for j in range(51):
...     u1[j] = quad(lambda y: green(y, 0, j), lb, hb)[0]
...     u2[j] = quad(lambda y: sin(y)*green(y, 0, j), -np.inf, np.inf)[0]
```

Comparison against exact values:

```
>>> y = np.linspace(x0, x1, 500)
>>> for i, j in ((1, 20), (2, 30), (3, 40)):
...     gr = plt.plot(y, green(y, i, j),
...                   y, green_exact(y, tgrid[i], xgrid[j], t1), ':')
>>> plt.show()
>>> gr = plt.plot(xgrid, u1, y, u1_exact(y, t1), ':')
```

(continues on next page)

(continued from previous page)

```
>>> gr = plt.plot(xgrid, u2, y, u2_exact(y, t1), ':')
>>> plt.show()
>>> print('u1 error: {:.2e}\nu2 error: {:.2e}'.format(
...     np.abs(u1 - u1_exact(xgrid, t1)).mean(),
...     np.abs(u2 - u2_exact(xgrid, t1)).mean()))
u1 error: 2.49e-03
u2 error: 5.51e-03
```

2.7 Example - Basket Lookback Option

Take a basket of 4 financial securities, with risk-neutral probabilities following lognormal processes in the Black-Scholes framework. Correlations, dividend yields and term structure of volatility (will be linearly interpolated) are given below:

```
>>> corr = [
...     [1, 0.50, 0.37, 0.35],
...     [0.50, 1, 0.47, 0.46],
...     [0.37, 0.47, 1, 0.19],
...     [0.35, 0.46, 0.19, 1]]

>>> dividend_yield = process(c=(0.20, 4.40, 0., 4.80))/100
>>> riskfree = 0 # to keep it simple

>>> vol_timepoints = (0.1, 0.2, 0.5, 1, 2, 3)
>>> vol = np.array([
...     [0.40, 0.38, 0.30, 0.28, 0.27, 0.27],
...     [0.31, 0.29, 0.22, 0.16, 0.18, 0.21],
...     [0.24, 0.22, 0.19, 0.19, 0.21, 0.22],
...     [0.35, 0.31, 0.21, 0.18, 0.19, 0.19]])
>>> sigma = process(t=vol_timepoints, v=vol.T)
>>> sigma.shape
(6, 4, 1)
```

The prices of the securities at the end of each quarter for the next 2 years, simulated across 50000 independent paths and their antithetics (odd_wiener_source is used), are:

```
>>> maturity = 2
>>> timeline = np.linspace(0, maturity, 4*maturity + 1)
>>> p = lognorm_process(x0=100, corr=corr, dw=odd_wiener_source,
...                     mu=(riskfree - dividend_yield),
...                     sigma=sigma,
...                     vshape=4, paths=100*1000, steps=maturity*250)
>>> np.random.seed(1)
>>> x = p(timeline)
>>> x.shape
(9, 4, 100000)
```

A call option knocks in if any of the securities reaches a price below 80 at any quarter (starting from 100), and pays the lookback maximum attained by the basket (equally weighted), minus 105, if positive. Its price is:

```
>>> x_worst = x.min(axis=1)
>>> x_mean = x.mean(axis=1)
>>> down_and_in_paths = (x_worst.min(axis=0) < 80)
>>> lookback_x_mean = x_mean.max(axis=0)
>>> payoff = np.maximum(0, lookback_x_mean - 105)
>>> payoff[np.logical_not(down_and_in_paths)] = 0
>>> a = montecarlo(payoff, use='even')
>>> print(a)
4.997 +/- 0.027
```

Part II

API Documentation

Overview

This package provides tools to state and numerically integrate Ito Stochastic Differential Equations (SDEs), including equations with time-dependent parameters, time-dependent correlations, and stochastic jumps, and to compute with, and extract statistics from, their realized paths.

Package contents:

1. A set of tools to ease computations with stochastic processes, as obtained from numerical integration of the corresponding SDE, is provided via the `process` and `montecarlo` classes (see *Infrastructure*):
 - The `process` class, a subclass of `numpy.ndarray` representing a sequence of values in time, realized in one or several paths. Algebraic manipulations and `ufunc` computations are supported for instances that share the same timeline, or are constant, and comply with `numpy` broadcasting rules. Interpolation along the timeline is supported via callability of `process` instances. Process-specific functionalities, such as averaging and indexing along time or across paths, are delegated to process-specific methods, attributes and properties (no overriding of `numpy.ndarray` operations).
 - The `montecarlo` class, as an aid to cumulate the results of several Monte Carlo simulations of a given stochastic variable, and to extract summary estimates for its probability distribution function and statistics.
2. Numerical realizations of the differentials commonly found as stochasticity sources in SDEs, are provided via the `source` class and its subclasses, with or without memory of formerly invoked realizations (see *Stochasticity Sources*).
3. A general framework for stochastic step by step simulations, and for numerical SDE integration, is provided via the `paths_generator` class, and its cooperating subclasses `integrator`, `SDE` and `SDEs` (see *SDE Integration Framework*). The full API allows for extensive customization of preprocessing, post-processing, stochasticity sources instantiation and handling, integration algorithms etc. The `integrate` decorator provides a simple and concise interface to handle standard use cases, via Euler-Maruyama integration.
4. Several preset stochastic processes are provided, including lognormal, Ornstein-Uhlenbeck, Hull-White n -factor, Heston, and jump-diffusion processes (see *Stochastic Processes*). Each process consists of a process generator class, a subclass of `integrator` and `SDE`, named with a `_process` suffix, and a definition of the underlying SDE, a subclass of `SDE` or `SDEs`, named with a `_SDE` suffix.
5. Several analytical results relating to the preset stochastic processes are made available, as a general reference and for testing purposes (see *Analytical Results*). They are limited to the case of constant process parameters, and with some further limitations on the parameters' domains. Function arguments are consistent with those of the corresponding processes. Suffixes `_pdf`, `_cdf` and `_chf` stand respectively for

probability distribution function, cumulative probability distribution function, and characteristic function. Black-Scholes formulae for the valuation of call and put options have been included (with prefix `bs`).

6. As an aid to interactive and notebook sessions, shortcuts are provided for stochasticity sources and pre-set processes (see [Shortcuts](#)). Shortcuts have been wrapped as “kfuncs”, objects with managed keyword arguments that simplify interactive workflow when frequent parameters tuning operations are needed (see `kfunc` decorator documentation). Analytical results are wrapped as kfuncs as well.

For all sources and processes, values can take any shape, scalar or multidimensional. Correlated multivariate stochasticity sources are supported. Poisson jumps are supported, and may be compounded with any random variable supported by `scipy.stats`. Time-varying process parameters (correlations, intensity of Poisson processes, volatilities etc.) are allowed whenever applicable. `process` instances act as valid stochasticity source realizations (as does any callable object complying with a `source` protocol), and may be passed as a source specification when computing the realization of a given process.

Computations are fully vectorized across paths, providing an efficient infrastructure for simulating a large number of process realizations. Less so, for large number of time steps: integrating 100 time steps across one million paths takes seconds, one million time steps across 100 paths takes minutes.

<code>process([t, x, v, c, dtype])</code>	Array representation of a process (a subclass of <code>numpy.ndarray</code>).
<code>montecarlo([sample, axis, bins, range, use, ...])</code>	Summary statistics of Monte Carlo simulations.

4.1 sdepy.process

class `sdepy.process` (*t=0., *, x=None, v=None, c=None, dtype=None*)

Array representation of a process (a subclass of `numpy.ndarray`).

If `p` is a process instance, `p[i, ..., k]` is the value that the k -th path of the represented process takes at time `p.t[i]`. The first and last indexes of `p` are reserved for the timeline and paths respectively. A process should contain no less than 1 time point and 1 path. Zero or more middle indexes refer to the values that the process takes at each given time and path.

If `p` has N time points, `paths` is its number of paths and `vshape` is the shape of its values at any given time point and path, then `p.shape` is $(N,) + \text{vshape} + (\text{paths},)$. N , `vshape`, `paths` are inferred at instantiation from the shape of `t` and `x`, `v` or `c` parameters.

Parameters

- t** [array-like] Timeline of the process, as a one dimensional array with shape $(N,)$, in increasing order. Defaults to 0.
- x** [array-like, optional] Values of the process along the timeline and across paths. Should broadcast to $(N,) + \text{vshape} + (\text{paths},)$. The shapes of `t` and of the first index of `x` must match. One and only one of `x`, `v`, `c` must be provided upon process creation, as a keyword argument.
- v** [array-like, optional] Values of a deterministic process along the timeline. Should broadcast to $(N,) + \text{vshape}$. The shapes of `t` and of the first index of `v` must match.
- c** [array-like, optional] Value of a constant, single-path process, with shape `vshape`. Each time point of the resulting process contains a copy of `c`.
- dtype** [data-type, optional] Data-type of the values of the process. `x`, `v` or `c` will be converted to `dtype` if need be.

Notes

A reference and not a copy of `t`, `x`, `v`, `c` is stored if possible.

A process is a subclass of `numpy.ndarray`, where its values as an array are the process values along the timeline and across paths. All `numpy.ndarray` methods, attributes and properties are guaranteed to act upon such values, as would those of the parent class. Such no-overriding commitment is intended to safeguard predictability of array operations on process instances; process-specific functionalities are delegated to process-specific methods, attributes and properties.

A process with a single time point is assumed to be constant.

Processes have the `__array_priority__` attribute set to 1.0 by default. Ufuncs acting on a process, or on a process and an array, or on different processes sharing the same timeline, or on different processes one of which is constant, return a process with the timeline of the original process(es) passed as a reference. Ufuncs calls on different processes fail if non constant processes do not share the same timeline (interpolation should be handled explicitly), or in case broadcasting rules would result in mixing time, values and/or paths axes.

Let `p` be a process instance. Standard numpy indexing acts on the process values and returns `numpy.ndarray` instances: in fact, `p[i]` is equivalent to `p.x[i]`, i.e. the same as `p.view(numpy.ndarray)[i]`. Process-specific indexing is addressed via the following syntax, where `i` can be an integer, a multi-index or smart indexing reference consistent with the process shape:

- `p['t', i]` : timeline indexing, roughly equivalent to `process(t=p.t[i], x=p.x[i, ..., :])`
- `p['v', i]` : values indexing, roughly equivalent to `process(t=p.t, x=p.x[:, i, :])`
- `p['p', i]` : paths indexing, roughly equivalent to `process(t=p.t, x=p.x[:, ..., i])`

Attributes

x Process values, viewed as a `numpy.ndarray`.

paths Number of paths of the process (coincides with the size of the last dimension of the process).

vshape Shape of the values of the process.

tx Timeline of the process, reshaped to be broadcastable to the process values and paths across time.

dt Process timeline increments, as returned by `numpy.diff`.

dtx Process timeline increments, as returned by `numpy.diff`, reshaped to be broadcastable to the process values.

t [array] Stores the timeline of the process.

interp_kind [str] Stores the default interpolation kind, passed upon interpolation (`interp` and `__call__` methods) to `scipy.interpolate.interp1d` unless a specific kind is provided. Defaults to 'linear'.

Methods

<code>interp(*[, kind])</code>	Interpolation in time of the process values.
<code>__call__(s[, ds, kind])</code>	Interpolation in time of process values or increments.
<code>__getitem__(key)</code>	See documentation of the process class.

Continued on next page

Table 2 – continued from previous page

<code>rebase(t, *, kind)</code>	Change the process timeline to <code>t</code> , using interpolation.
<code>shapeas(vshape_or_process)</code>	Reshape process values according to the given target shape.
<code>pcopy(**args)</code>	Copy timeline and values of the process (<code>args</code> are passed to <code>numpy.ndarray.copy</code>).
<code>xcopy(**args)</code>	Copy values of the process, share timeline (<code>args</code> are passed to <code>numpy.ndarray.copy</code>).
<code>tcopy(**args)</code>	Copy timeline of the process, share values.
<code>pmin([out])</code>	One path process exposing for each time point the minimum process value attained across paths.
<code>pmax([out])</code>	One path process exposing for each time point the maximum process value attained across paths.
<code>psum([dtype, out])</code>	One path process exposing for each time point the sum of process values across paths.
<code>pmean([dtype, out])</code>	One path process exposing for each time point the mean of process values across paths.
<code>pvar([dtype, out, ddof])</code>	One path process exposing for each time point the variance of process values across paths.
<code>pstd([dtype, out, ddof])</code>	One path process exposing for each time point the standard deviation of process values across paths.
<code>tmin([out])</code>	Constant process exposing for each path the minimum process value attained along time.
<code>tmax([out])</code>	Constant process exposing for each path the maximum process value attained along time.
<code>tsum([dtype, out])</code>	Constant process exposing for each path the sum of process values along time.
<code>tmean([dtype, out])</code>	Constant process exposing for each path the mean of process values along time.
<code>tvar([dtype, out, ddof])</code>	Constant process exposing for each path the variance of process values along time.
<code>tstd([dtype, out, ddof])</code>	Constant process exposing for each path the standard deviation of process values along time.
<code>tdiff([dt_exp, fwd])</code>	Process increments along the timeline, optionally weighted by time increments.
<code>tder()</code>	Forward looking derivative of the given process, linearly interpolated between time points.
<code>tint()</code>	Integral of the given process, linearly interpolated between time points.
<code>chf([t, u])</code>	Characteristic function of the probability distribution of process values.
<code>cdf([t, x])</code>	Cumulative probability distribution function of process values.

4.1.1 sdepy.process.interp

`process.interp(*, kind=None)`

Interpolation in time of the process values.

Returns a callable `f`, as returned by `scipy.interpolate.interpld`, such that `f(s)` approximates the value of the process at time point `s`. `f` refers to the process timeline and values, without storing copies. `s` may be of any shape.

Parameters

kind [string] An interpolation kind as accepted by `scipy.interpolate.interpld`. If `None`, defaults to the `interp_kind` class attribute.

Returns

f [callable] **f**, as returned by `scipy.interpolate.interp1d`, such that `f(s)` approximates the value of the process at time point `s`. `f` refers to the process timeline and values, without storing copies.

`s` may be of any shape: if `p` is a process instance, `p.interp()(s).shape == s.shape + p.vshape + (p.paths,)`.

In case `p` has a single time point, interpolation is not handled via `scipy.interpolate.interp1d`; the process is assumed to be constant in time, and `f` is a function object behaving accordingly.

See also:

`process.__call__`

Notes

The process is extrapolated as constant outside the timeline boundaries.

If `p` is a process instance, `p.interp(s)` is an array, not a process. If an interpolated process is needed, it should be explicitly created using `q = process(s, x=p(s))`, or its shorthand `q = p.rebase(s)`.

4.1.2 sdepy.process.__call__

`process.__call__(s, ds=None, *, kind=None)`

Interpolation in time of process values or increments.

If `p` is a process instance and `f = p.interp(kind)`:

- `p(s)` returns `f(s)`,
- `p(s, ds)` returns `f(s + ds) - f(s)`.

See also:

`process.interp`

4.1.3 sdepy.process.rebase

`process.rebase(t, *, kind=None)`

Change the process timeline to `t`, using interpolation.

A new process is returned with timeline `t` and values set to the calling process values, interpolated at `t` using `process.interp` with the given interpolation kind.

If `t` is a scalar, a constant process is returned.

4.1.4 sdepy.process.shapeas

`process.shapeas(vshape_or_process)`

Reshape process values according to the given target shape.

Returns a process pointing to the same data as the calling process, adding new 1-dimensional axes, or removing existing 1-dimensional axes to the left of the first dimension of process values, as needed to make the returned process broadcastable to a process with values of the given shape.

To achieve broadcastability the unaffected dimensions, including the shape of the timeline and the number of paths, have to be compatible.

Raises

ValueError [if requested to remove a non 1-dimensional axis]

4.1.5 sdepy.process.pcopy

`process.pcopy(**args)`

Copy timeline and values of the process (args are passed to `numpy.ndarray.copy`).

4.1.6 sdepy.process.xcopy

`process.xcopy(**args)`

Copy values of the process, share timeline (args are passed to `numpy.ndarray.copy`).

4.1.7 sdepy.process.tcopy

`process.tcopy(**args)`

Copy timeline of the process, share values. (args are passed to `numpy.ndarray.copy`).

4.1.8 sdepy.process.pmin

`process.pmin(out=None)`

One path process exposing for each time point the minimum process value attained across paths.

4.1.9 sdepy.process.pmax

`process.pmax(out=None)`

One path process exposing for each time point the maximum process value attained across paths.

4.1.10 sdepy.process.psum

`process.psum(dtype=None, out=None)`

One path process exposing for each time point the sum of process values across paths.

4.1.11 sdepy.process.pmean

`process.pmean(dtype=None, out=None)`

One path process exposing for each time point the mean of process values across paths.

4.1.12 sdepy.process.pvar

`process.pvar(dtype=None, out=None, ddof=0)`

One path process exposing for each time point the variance of process values across paths.

4.1.13 sdepy.process.pstd

`process.pstd(dtype=None, out=None, ddof=0)`

One path process exposing for each time point the standard deviation of process values across paths.

4.1.14 sdepy.process.tmin

`process.tmin(out=None)`

Constant process exposing for each path the minimum process value attained along time.

4.1.15 sdepy.process.tmax

`process.tmax(out=None)`

Constant process exposing for each path the maximum process value attained along time.

4.1.16 sdepy.process.tsum

`process.tsum(dtype=None, out=None)`

Constant process exposing for each path the sum of process values along time.

4.1.17 sdepy.process.tmean

`process.tmean(dtype=None, out=None)`

Constant process exposing for each path the mean of process values along time.

4.1.18 sdepy.process.tvar

`process.tvar(dtype=None, out=None, ddof=0)`

Constant process exposing for each path the variance of process values along time.

4.1.19 sdepy.process.tstd

`process.tstd(dtype=None, out=None, ddof=0)`

Constant process exposing for each path the standard deviation of process values along time.

4.1.20 sdepy.process.tdiff

`process.tdiff(dt_exp=0, fwd=True)`

Process increments along the timeline, optionally weighted by time increments.

Parameters

dt_exp [int or float, optional] Exponent applied to time increment weights. If 0, returns process increments. If 1, approximates a time derivative. If 0.5, approximates realized volatility.

fwd [bool, optional] If True, the differences are forward-looking

Returns

q [process] If *p* is a process shaped $(N,) + p.vshape + (p.paths,)$, with timeline *t*, `p.tdiff(dt_exp, fwd)` returns a process *q*, shaped $(N-1,) + p.vshape + (p.paths,)$ with values

$$q[i] = (p[i+1] - p[i]) / (t[i+1] - t[i]) ** dt_exp$$

If *fwd* evaluates to *True*, *q*[*i*] is assigned to time point *t*[*i*] (*q* stores at *t*[*i*] the increments of *p* looking forwards) or to *t*[*i*+1] otherwise (increments looking backwards).

See also:

[*tder*](#), [*tint*](#)

Notes

if `p` is a process instance realizing a solution of the SDE $dp(t) = \sigma(t) * dw(t)$ across several paths, then

```
p.tdiff(dt_exp=0.5).pstd()
```

is a 1-path process that estimates $\sigma(t)$.

4.1.21 sdepy.process.tder

`process.tder()`

Forward looking derivative of the given process, linearly interpolated between time points.

Shorthand for `p.tdiff(dt_exp=1)`.

See also:

`tdiff`, `tint`

Notes

`p.tder().tint()` equals, within rounding errors, `p['t', :-1] - p['t', 0]`

4.1.22 sdepy.process.tint

`process.tint()`

Integral of the given process, linearly interpolated between time points.

See also:

`tdiff`, `tder`

Notes

`p.tin().tder()` equals, within rounding errors, `p['t', :-1]`

4.1.23 sdepy.process.chf

`process.chf(t=None, u=None)`

Characteristic function of the probability distribution of process values.

`p.chf(t, u)` estimates the characteristic function of interpolated process values $p(t)$ at time(s) `t`. `p.chf(u)` is a shorthand for `p.chf(p.t, u)` (no interpolation).

Parameters

t [array-like, optional] Time points at which to compute the characteristic function. If omitted or `None`, the entire process timeline is used.

u [array-like, mandatory] Values at which to evaluate the characteristic function.

Returns

array Returns an array, with shape `t.shape + u.shape + vshape`, where `vshape` is the shape of values of the calling process `p`, containing the average across paths of $\exp(1j * u * p(t))$.

4.1.24 sdepy.process.cdf

`process.cdf(t=None, x=None)`

Cumulative probability distribution function of process values.

`p.cdf(t, x)` estimates the cumulative probability distribution function of interpolated process values `p(t)` at time(s) `t`. `p.cdf(x)` is a shorthand for `p.cdf(p.t, x)` (no interpolation).

Parameters

t [array-like, optional] Time points along the process timeline. If omitted or `None`, the entire process timeline is used.

x [array-like, mandatory] Values at which to evaluate the cumulative probability distribution function.

Returns

array Returns an array, with shape `t.shape + x.shape + vshape`, where `vshape` is the shape of the values of the calling process `p`, containing the average across paths of `1 if p(t) <= x else 0`.

4.2 sdepy.montecarlo

`class sdepy.montecarlo(sample=None, axis=-1, bins=100, range=None, use='all', dtype=None, ctype=<class 'numpy.int64'>)`

Summary statistics of Monte Carlo simulations.

Compute, store and cumulate results of Monte Carlo simulations across multiple runs. Cumulated results include mean, standard deviation, standard error, skewness, kurtosis, and 1d-histograms of the distribution of outcomes. Probability distribution function estimates are provided, based on the cumulated histograms.

Parameters

sample [array-like, optional] Initial data set to be summarized. If `None`, an empty instance is provided, initialized with the given parameters.

axis [integer, optional] Axis of the given `sample` enumerating single data points (paths, or different realizations of a simulated process or event). Defaults to the last axis of the `sample`.

use [{`'all'`, `'even'`, `'odd'`}, optional] If `'all'` (default), the data set is processed as is. If `'even'` or `'odd'`, the `sample x` is assumed to consist of antithetic values along the specified axis, assumed of even size `2*N`, where `x[0]`, `x[1]`, ... is antithetic respectively to `x[N]`, `x[N+1]`, Summary operations are then applied to a sample of size `N` consisting of the half-sum (`'even'`) or half-difference (`'odd'`) of antithetic values.

bins [array-like, or int, or str, optional] Bins used to evaluate the counts' cumulated distribution are computed, against the first data set encountered, according to the `bins` parameter:

- If `int` or `str`, it dictates the number of bins or their determination method, as passed to `numpy.histogram` when processing the first sample.
- If `array-like`, overrides `range`, setting explicit bins' boundaries, so that `bins[i][j]` is the lower bound of the `j`-th bin used for the distribution of the `i`-th component of data points.
- If `None`, no distribution data will be computed.

Defaults to 100.

range [(float, float) or `None`, optional] Bins range specification, as passed to `numpy.histogram`.

dtype [data-type, optional] Data type used for cumulating moments. If `None`, the data-type of the first sample is used, if of float kind, or `float` otherwise.

ctype [data-type, optional] Data type used for cumulating histogram counts. Defaults to `numpy.int64`.

Notes

The shape of cumulated statistics is set as the shape of the data points of the first data set processed (shape of the first `sample` after summarizing along the `paths` axis). When cumulating subsequent samples, broadcasting rules apply.

Indexing can be used to access single values or slices of the stored data. Given a `montecarlo` instance `a`, `a[i]` is a new instance referencing statistics of the `i`-th component of data summarized in `a` (no copying).

The first data set encountered fixes the histogram bins. Points of subsequent data sets that fall outside the bins, while properly taken into account in summary statistics (mean, standard error etc.), are ignored when building cumulated histograms and probability distribution functions. Their number is accounted for in the `outpaths` property and `outerr` method.

Histograms and distributions, and the related `outpaths` and `outerr`, must be invoked on single-valued `montecarlo` instances. For multiple valued simulations, use indexing to select the value to be addressed (e.g. `a[i].histogram()`).

Attributes

paths Number of cumulated sample data points (0 for an empty instance).

vshape Shape of cumulated sample data points.

shape Shape of cumulated sample data set, rearranged with averaging axis as last axis.

outpaths Data points fallen outside of the bins' boundaries.

m Shortcut for the `mean` method.

s Shortcut for the `std` method.

e Shortcut for the `stderr` method.

stats Dictionary of cumulated statistics.

h Shortcut for the `histogram` method.

dh Shortcut for the `density_histogram` method.

Methods

<code>update(sample[, axis])</code>	Add the given sample to the <code>montecarlo</code> simulation.
<code>mean()</code>	Mean of cumulated sample data points.
<code>var()</code>	Variance of cumulated sample data points.
<code>std()</code>	Standard deviation of cumulated sample data points.
<code>skew()</code>	Skewness of cumulated sample data points.
<code>kurtosis()</code>	Kurtosis of cumulated sample data points.
<code>stderr()</code>	Standard error of the mean of cumulated sample data points.
<code>histogram()</code>	Distribution of the cumulated sample data, as a counts histogram.
<code>density_histogram()</code>	Distribution of the cumulated sample data, as a normalized counts histogram.

Continued on next page

Table 3 – continued from previous page

<code>pdf(x[, method, bandwidth, kind])</code>	Normalized sample probability density function, evaluated at <code>x</code> .
<code>cdf(x[, method, bandwidth, kind])</code>	Cumulative sample probability density function, evaluated at <code>x</code> .
<code>outerr()</code>	Fraction of cumulated data points fallen outside of the bins' boundaries.

4.2.1 `sdepy.montecarlo.update`

`montecarlo.update(sample, axis=-1)`

Add the given sample to the montecarlo simulation.

Combines the given sample data with summary statistics obtained (if any) from former samples to which the `montecarlo` instance was exposed at instantiation and at previous calls to this method. Updates cumulated statistics and histograms accordingly.

Parameters

sample [array-like] Data set to be summarized.

axis [integer, optional] Axis of the given `sample` enumerating single data points (paths, or different realizations of a simulated process or event). Defaults to the last axis of the sample.

4.2.2 `sdepy.montecarlo.mean`

`montecarlo.mean()`

Mean of cumulated sample data points.

4.2.3 `sdepy.montecarlo.var`

`montecarlo.var()`

Variance of cumulated sample data points.

4.2.4 `sdepy.montecarlo.std`

`montecarlo.std()`

Standard deviation of cumulated sample data points.

4.2.5 `sdepy.montecarlo.skew`

`montecarlo.skew()`

Skewness of cumulated sample data points.

4.2.6 `sdepy.montecarlo.kurtosis`

`montecarlo.kurtosis()`

Kurtosis of cumulated sample data points.

4.2.7 sdepy.montecarlo.stderr

`montecarlo.stderr()`

Standard error of the mean of cumulated sample data points.

`a.stderr()` equals `a.std()/sqrt(a.paths - 1)`.

4.2.8 sdepy.montecarlo.histogram

`montecarlo.histogram()`

Distribution of the cumulated sample data, as a counts histogram.

Returns a `(counts, bins)` tuple of arrays representing the one-dimensional histogram data of the distribution of cumulated samples (as returned by `numpy.histogram`).

4.2.9 sdepy.montecarlo.density_histogram

`montecarlo.density_histogram()`

Distribution of the cumulated sample data, as a normalized counts histogram.

Returns a `(counts, bins)` tuple of arrays representing the one-dimensional density histogram data of the distribution of cumulated samples (as returned by `numpy.histogram`, the sum of the counts times the bins' widths is 1).

May systematically over-estimate the probability distribution within the bins' boundaries if part of the cumulated samples data (accounted for in the `outpaths` property and `outerr` method) fall outside.

4.2.10 sdepy.montecarlo.pdf

`montecarlo.pdf(x, method='gaussian_kde', bandwidth=1.0, kind='linear')`

Normalized sample probability density function, evaluated at `x`.

Parameters

x [array-like] Values at which to evaluate the pdf.

method [{`'gaussian_kde'`, `'interp'`}] Specifies the method used to estimate the pdf value. One of: `'gaussian_kde'` (default), smooth Gaussian kernel density estimate of the probability density function; `'interp'`, interpolation of density histogram values, of the given `kind`.

bandwidth [float] The bandwidth of Gaussian kernels is set to `bandwidth` times each bin width.

kind [str] Interpolation kind for the `'interp'` method, passed to `scipy.interpolate.intepld`.

Returns

array An estimate of the sample probability density function of the cumulated sample data, at the given `'x'` values, according to the stated method.

Notes

For the `'gaussian_kde'` method, kernels are computed at bins midpoints, weighted according to the density histogram counts, using in each bin a bandwidth set to `bandwidth` times the bin width. The resulting pdf:

- Has support on the real line.
- Integrates exactly to 1.

- May not closely track the density histogram counts.

For the ‘interp’ method, the pdf evaluates to the density histogram counts at each bin midpoint, and to 0 at the bins boundaries and outside. The resulting pdf:

- Has support within the bins boundaries.
- Is intended to track the density histogram counts.
- Integrates close to, but not exactly equal to, 1.

May systematically overestimate the probability distribution within the bins’ boundaries if part of the cumulated samples data (accounted for in the `outpaths` property and `outerr` method) fall above or below the bins boundaries.

4.2.11 `sdepy.montecarlo.cdf`

`montecarlo.cdf(x, method='gaussian_kde', bandwidth=1.0, kind='linear')`

Cumulative sample probability density function, evaluated at `x`.

See pdf method documentation.

Notes

For the ‘gaussian_kde’ method, the integral of the Gaussian kernels is expressed in terms of `scipy.special.erf`, and coincides with the integral of the pdf computed with the same method.

For the ‘interp’ method, the cdf evaluates as follows:

- At bin endpoints, to the cumulated density histogram values weighed by the bins width.
- Below the bins boundaries, to 0.
- Above the bins boundaries, to 1.

It is close to, but not exactly equal to, the integral of the pdf computed with the same method.

4.2.12 `sdepy.montecarlo.outerr`

`montecarlo.outerr()`

Fraction of cumulated data points fallen outside of the bins’ boundaries.

Stochasticity Sources

<i>source</i> (*[, paths, vshape, dtype])	Base class for stochasticity sources.
<i>wiener_source</i> (*[, paths, vshape, dtype, ...])	dw, a source of standard Wiener process (Brownian motion) increments.
<i>poisson_source</i> (*[, paths, vshape, dtype, lam])	dn, a source of Poisson process increments.
<i>cpoisson_source</i> (*[, paths, vshape, dtype, ...])	dj, a source of compound Poisson process increments (jumps).
<i>odd_wiener_source</i> (*[, paths, vshape])	dw, a source of standard Wiener process (Brownian motion) increments with antithetic paths exposing opposite increments (averages exactly to 0 across paths).
<i>even_poisson_source</i> (*[, paths, vshape])	dn, a source of Poisson process increments with antithetic paths exposing identical increments.
<i>even_cpoisson_source</i> (*[, paths, vshape])	dj, a source of compound Poisson process increments (jumps) with antithetic paths exposing identical increments.
<i>true_source</i> (*[, paths, vshape, dtype, rtol, ...])	Base class for stochasticity sources with memory.
<i>true_wiener_source</i> (*[, paths, vshape, ...])	dw, source of standard Wiener process (brownian motion) increments with memory.
<i>true_poisson_source</i> (*[, paths, vshape, ...])	dn, a source of Poisson process increments with memory.
<i>true_cpoisson_source</i> (*[, paths, vshape, ...])	dj, a source of compound Poisson process increments (jumps) with memory.
<i>norm_rv</i> ([a, b])	Normal distribution with mean a and standard deviation b, possibly time-dependent.
<i>uniform_rv</i> ([a, b])	Uniform distribution between a and b, possibly time-dependent.
<i>exp_rv</i> ([a])	Exponential distribution with scale a, possibly time-dependent.
<i>double_exp_rv</i> ([a, b, pa])	Double exponential distribution, with scale a with probability pa, and -b with probability (1 - pa), possibly time-dependent.
<i>rvmap</i> (f, y)	Map f to random variates of distribution y, possibly time-dependent.

5.1 sdepy.source

class `sdepy.source` (*, *paths*=1, *vshape*=(), *dtype*=None)

Base class for stochasticity sources.

Parameters

paths [int] Number of paths (last dimension) of the source realizations.

vshape [tuple of int] Shape of source values.

dtype [data-type] Data type of source values. Defaults to `None`.

Returns

array Once instantiated as `dz`, `dz(t, dt)` returns a random realization of the stochasticity source increments from time `t` to time `t + dt`, with shape `(t + dt).shape + vshape + (paths,)`. For sources with memory (`true_source` class and subclasses), `dz(t)` returns the realized value at time `t` of the source process, according to initial conditions set at instantiation. The definition of source specific parameters, and computation of actual source realizations, are delegated to subclasses. Defaults to an array of `numpy.nan`.

Notes

Any callable object `dz(t, dt)`, with attributes `paths` and `vshape`, returning arrays broadcastable to shape `t_shape + vshape + (paths,)`, where `t_shape` is the shape of `t` and/or `dt`, complies with the `source` protocol. Such object may be passed to any of the process realization classes, to be used as a stochasticity source in integrating or computing the relevant SDE solution. `process` instances, in particular, may be used as stochasticity sources.

When calling `dz(t, dt)`, `t` and/or `dt` can take any shape.

Attributes

size Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.

t Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__call__(t[, dt])</code>	Realization of stochasticity source values or increments.
--------------------------------	---

5.1.1 sdepy.source.__call__

`source.__call__(t, dt=None)`

Realization of stochasticity source values or increments.

5.2 sdepy.wiener_source

class `sdepy.wiener_source` (*, *paths*=1, *vshape*=(), *dtype*=None, *corr*=None, *rho*=None)

`dw`, a source of standard Wiener process (Brownian motion) increments.

Parameters

paths [int] Number of paths (last dimension) of the source realizations.

vshape [tuple of int] Shape of source values.

dtype [data-type] Data type of source values. Defaults to `None`.

corr [array-like, or callable, or `None`] Correlation matrix of the standard Wiener process increments, possibly time-dependent, or `None` for no correlations, or for correlations specified by the `rho` parameter. If not `None`, overrides `rho`. If `corr` is a square matrix of shape (M, M) , or callable with `corr(t)` evaluating to such matrix, the last dimension of the source values must be of size M (`vshape[-1] == M`), and increments along the last axis of the source values will be correlated accordingly.

rho [array-like, or callable, or `None`] Correlations of the standard Wiener process increments, possibly time-dependent, or `None` for no correlations. If `rho` is scalar, or callable with `rho(t)` evaluating to a scalar, $M=2$ is assumed, and `corr=((1, rho), (rho, 1))`. If `rho` is a vector of shape $(K,)$, or a callable with `rho(t)` evaluating to such vector, $M=2*K$ is assumed, and the M source values along the last `vshape` dimension are correlated so that `rho[i]` correlates the i -th and $K+i$ -th values, other correlations being zero (`corr = array((I, R), (R, I))` where $I = \text{numpy.eye}(K)$ and $R = \text{numpy.diag}(\text{rho})$).

Returns

array Once instantiated as `dw`, `dw(t, dt)` returns a random realization of standard Wiener process increments from time t to time $t + dt$, with shape $(t + dt) \cdot \text{shape} + \text{vshape} + (\text{paths},)$. The increments are normal variates with mean 0, either independent with standard deviation `sqrt(dt)`, or correlated with covariance matrix `corr*dt`, or `corr(t + dt/2)*dt` (the latter approximates the integral of `corr(t)` from t to $t + dt$).

See also:

[`source`](#)

Notes

Realizations across different t and/or dt array elements, and/or across different paths, and/or along axes of the source values other than the last axis of `vshape`, are independent. `corr` should be a correlation matrix with unit diagonal elements and off-diagonal correlation coefficients, not a covariance matrix.

`corr` and `rho` values with a trailing one-dimensional paths axis are accepted, of shape $(M, M, 1)$ or $(M/2, 1)$ respectively. This last axis is ignored: this allows for deterministic process instances (single path processes) to be passed as valid `corr` or `rho` values. Path dependent `corr` and `rho` are not supported.

For time-dependent correlations, `dw(t, dt)` approximates the increments of a process $w(t)$ obeying the SDE $dw(t) = \text{corr}(t) * dz(t)$, where $z(t)$ are standard uncorrelated Wiener processes.

Attributes

corr [array, or callable] Stores the correlation matrix used computing increments. May expose either a reference to `corr`, if provided explicitly, or an appropriate object, in case `rho` was specified.

Methods

<code>__call__(t, dt)</code>	See <code>wiener_source</code> class documentation.
------------------------------	---

5.2.1 `sdepy.wiener_source.__call__`

`wiener_source.__call__(t, dt)`
See `wiener_source` class documentation.

5.3 sdepy.poisson_source

class `sdepy.poisson_source` (*, *paths*=1, *vshape*=(), *dtype*=<class 'int'>, *lam*=1.0)
dn, a source of Poisson process increments.

Parameters

- paths** [int] Number of paths (last dimension) of the source realizations.
- vshape** [tuple of int] Shape of source values.
- dtype** [data-type] Data type of source values. Defaults to `int`.
- lam** [array-like, or callable] Intensity of the Poisson process, possibly time-dependent. Should be an array of non-negative values, broadcastable to shape `vshape + (paths,)`, or a callable with `lam(t)` evaluating to such array.

Returns

- array** Once instantiated as `dn`, `dn(t, dt)` returns a random realization of Poisson process increments from time `t` to time `t + dt`, with shape `(t + dt).shape + vshape + (paths,)`. The increments are independent Poisson variates with mean `lam*dt`, or `lam(t + dt/2)*dt` (the latter approximates the integral of `lam(t)` from `t` to `t + dt`).

See also:

[`source`](#)

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__call__(t, dt)</code>	See <code>poisson_source</code> class documentation.
------------------------------	--

5.3.1 sdepy.poisson_source.__call__

`poisson_source.__call__(t, dt)`
See `poisson_source` class documentation.

5.4 sdepy.cpoisson_source

class `sdepy.cpoisson_source` (*, *paths*=1, *vshape*=(), *dtype*=None, *dn*=None, *ptype*=<class 'int'>, *lam*=1.0, *y*=None)
dj, a source of compound Poisson process increments (jumps).

Parameters

- paths** [int] Number of paths (last dimension) of the source realizations.
- vshape** [tuple of int] Shape of source values.
- dtype** [data-type] Data type of source values. Defaults to `None`.
- dn** [source or source class, optional] If given, `dn` is used as the underlying source of Poisson process increments, overriding the `ptype` and `lam` parameters.

ptype [data-type] Data type of Poisson process increments. Defaults to `int`.

lam [array-like, or callable] Intensity of the underlying Poisson process, possibly time-dependent. See `poisson_source` class documentation.

y [distribution, or callable, or None] Distribution of random variates to be compounded with the Poisson process increments, possibly time-dependent. May be any `scipy.stats` distribution instance, or any object exposing an `rvs(shape)` method to generate independent random variates of the given shape, or a callable with `y(t)` evaluating to such object. The following preset distributions may be specified, possibly with time-varying parameters:

- `y=norm_rv(a, b)` - normal distribution with mean `a` and standard deviation `b`.
- `y=uniform_rv(a, b)` - uniform distribution between `a` and `b`.
- `y=exp_rv(a)` - exponential distribution with scale `a`.
- `y=double_exp_rv(a, b, pa)` - double exponential distribution, with scale `a` with probability `pa`, and `-b` with probability `1 - pa`.

where `a`, `b`, `pa` are array-like with values in the appropriate domains, broadcastable to a shape `vshape + (paths,)`, or callables with `a(t)`, `b(t)`, `pa(t)` evaluating to such arrays. If `None`, defaults to `uniform_rv(a=0, b=1)`.

Returns

array Once instantiated as `dj`, `dj(t, dt)` returns a random realization of compound Poisson process increments from time `t` to time `t + dt`, with shape `(t + dt).shape + vshape + (paths,)`. The increments are independent compound Poisson variates, consisting of the sum of `N` independent `y` or `y(t + dt/2)` variates, where `N` is a Poisson variate with mean `lam*dt`, or `lam(t + dt/2)*dt` (approximates each variate being taken from `y` at the time of the corresponding Poisson process event).

See also:

`poisson_source`, `source`, `norm_rv`, `uniform_rv`, `exp_rv`, `double_exp_rv`, `rvmap`

Notes

Preset distributions `norm_rv`, `uniform_rv`, `exp_rv`, `double_exp_rv` behave as follows:

- If all parameters are array-like, return an object with an `rvs` method as described above, and with methods `mean`, `std`, `var`, `exp_mean` with signature `()`, returning the mean, standard deviation, variance and mean of the exponential of the random variate.
- If any parameter is callable, returns a callable `y` such that `y(t)` evaluates to the corresponding distribution with parameter values at time `t`.

To compound the Poisson process increments with a function `f(z)`, or time-dependent function `f(t, z)`, of a given random variate `z`, one can pass `y=rvmap(f, z)` to `compound_poisson`.

[ToDo: make a note on martingale correction using `exp_mean`]

Attributes

y [distribution, or callable] Stores the distribution used computing the Poisson process increments.

dn_value [array of int] After each realization, this attribute stores the underlying Poisson process increments.

y_value [list of array] After each realization, this attribute stores the underlying `y` random variates.

Methods

`__call__(t, dt)`See `cpoisson_source` class documentation.

5.4.1 `sdepy.cpoisson_source.__call__`

`cpoisson_source.__call__(t, dt)`See `cpoisson_source` class documentation.

5.5 `sdepy.odd_wiener_source`

class `sdepy.odd_wiener_source` (*, *paths*=2, *vshape*=(), ***args*)`dw`, a source of standard Wiener process (Brownian motion) increments with antithetic paths exposing opposite increments (averages exactly to 0 across paths).

Once instantiated as `dw` with `paths=2*K` paths, `x = dw(t, dt)` consists of leading `K` paths with independent increments, and trailing `K` paths consisting of a copy of the leading paths with sign reversed (`x[..., i] == -x[..., K + i]`).

See also:*wiener_source*

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__call__</code>	
-----------------------	--

5.6 `sdepy.even_poisson_source`

class `sdepy.even_poisson_source` (*, *paths*=2, *vshape*=(), ***args*)`dn`, a source of Poisson process increments with antithetic paths exposing identical increments.

Once instantiated as `dn` with `paths=2*K` paths, `x = dn(t, dt)` consists of leading `K` paths with independent increments, and trailing `K` paths consisting of a copy of the leading paths: (`x[..., i] == x[..., K + i]`). Intended to be used together with `odd_wiener_source` to generate antithetic paths in jump-diffusion processes.

See also:*source, poisson_source*

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__call__</code>	
-----------------------	--

5.7 sdepy.even_cpoisson_source

class `sdepy.even_cpoisson_source` (*, *paths*=2, *vshape*=(), ***args*)

`dj`, a source of compound Poisson process increments (jumps) with antithetic paths exposing identical increments.

Once instantiated as `dj` with `paths=2*K` paths, `x = dj(t, dt)` consists of leading `K` paths with independent increments, and trailing `K` paths consisting of a copy of the leading paths: `x[... , i]` equals `x[... , K + i]`. Intended to be used together with `odd_wiener_source` to generate antithetic paths in jump-diffusion processes.

See also:

`source`, `cpoisson_source`

Attributes

size Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.

t Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__call__</code>	
-----------------------	--

5.8 sdepy.true_source

class `sdepy.true_source` (*, *paths*=1, *vshape*=(), *dtype*=None, *rtol*='max', *t0*=0.0, *z0*=0.0)

Base class for stochasticity sources with memory.

Parameters

paths, vshape, dtype See `source` class documentation.

rtol [float, or 'max'] relative tolerance used in assessing the coincidence of `t` with the time of a previously stored realization of the source. If set to `max`, the resolution of the `float` type is used.

t0, z0 [array-like] `z0` is the initial value of the source at time `t0`.

Returns

array Once instantiated as `dz`, `dz(t)` returns the realized value at time `t` of the source process, such that `dz(t0) = z0`, with shape `(t + dt).shape + vshape + (paths,)`, as specified by subclasses. `dz(t, dt)` returns `dz(t + dt) - dz(t)`. New values of `dz(t)` should follow a probability distribution conditional on values realized in previous calls. Defaults to an array of `numpy.nan`.

See also:

`source`

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

<code>__getitem__(index)</code>	Reference to a sub-array or element of the source values sharing the same memory of past realizations.
<code>new_inside(z1, z2, t1, t2, s)</code>	Generate a new process increment, at a time s between those of formerly realized values.
<code>new_outside(z, t, s)</code>	Generate a new process increment, at a time s above or below those of formerly realized values.

5.8.1 `sdepy.true_source.new_inside`

`true_source.new_inside(z1, z2, t1, t2, s)`

Generate a new process increment, at a time s between those of formerly realized values.

Parameters

- z1, z2** [array] Formerly realized values of the source at times $t1$, $t2$ respectively.
- t1, t2** [float] $t1$, $t2$ are the times of former realizations closest to s , with $t1 < s < t2$.

Returns

- array** Value of the source at s , conditional on formerly realized value $z1$ at $t1$ and $z2$ at $t2$. Should be defined by subclasses. Defaults to an array of `numpy.nan`.

5.8.2 `sdepy.true_source.new_outside`

`true_source.new_outside(z, t, s)`

Generate a new process increment, at a time s above or below those of formerly realized values.

Parameters

- z** [array] Formerly realized value of the source at time t .
- t, s** [float] t is the highest (lowest) time of former realizations, and s is above (below) t .

Returns

- array** Value of the source at s , conditional on formerly realized value z at t . Should be defined by subclasses. Defaults to an array of `numpy.nan`.

5.9 `sdepy.true_wiener_source`

class `sdepy.true_wiener_source` (*, *paths=1*, *vshape=()*, *dtype=None*, *corr=None*, *rho=None*, *rtol='max'*, *t0=0.0*, *z0=0.0*)

dw, source of standard Wiener process (brownian motion) increments with memory.

Parameters

paths, vshape, dtype, corr, rho

See `wiener_source` class documentation.

rtol, t0, z0 See `true_source` class documentation.

Returns

array Once instantiated as `dw`, `dw(t)` returns `z0` plus a realization of the standard Wiener process increment from time `t0` to `t`, and `dw(t, dt)` returns `dw(t + dt) - dw(t)`. The returned values follow a probability distribution conditional on values realized in previous calls.

Notes

For time-dependent correlations the result is approximate, mind running a first evaluation on a sequence of consecutive closely spaced time points in the region of interest.

Attributes

size Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.

t Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

See source and true_source methods.

5.10 sdepy.true_poisson_source

class `sdepy.true_poisson_source` (*, *paths=1*, *vshape=()*, *dtype=<class 'int'>*, *lam=1.0*, *rtol='max'*, *t0=0.0*, *z0=0*)
`dn`, a source of Poisson process increments with memory.

Parameters

paths, vshape, dtype, lam See `poisson_source` class documentation.

rtol, t0, z0 See `true_source` class documentation.

Returns

array Once instantiated as `dn`, `dn(t)` returns `z0` plus a realization of Poisson process increments from time `t0` to `t`, and `dn(t, dt)` returns `dn(t + dt) - dn(t)`. The returned values follow a probability distribution conditional on the realized values in previous calls.

See also:

`source`, `poisson_source`, `true_source`

Notes

For time-dependent intensity `lam(t)` the result is approximate, mind running a first evaluation on a sequence of consecutive closely spaced time points in the region of interest.

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

See “source“ and “true_source“ methods.	
---	--

5.11 sdepy.true_cpoisson_source

```
class sdepy.true_cpoisson_source (*, paths=1, vshape=(), dtype=None, rtol='max', t0=0.0,
                                z0=0.0, dn=None, ptype=<class 'int'>, lam=1.0,
                                y=None)
```

`dj`, a source of compound Poisson process increments (jumps) with memory.

Parameters

paths, vshape, dtype, dn, ptype, lam, y See `cpoisson_source` class documentation.

rtol, t0, z0 See `true_source` class documentation.

Returns

array Once instantiated as `dj`, `dj(t)` returns `z0` plus a realization of compound Poisson process increments from time `t0` to `t`, and `dj(t, dt)` returns `dj(t + dt) - dj(t)`. The returned values follow a probability distribution conditional on the realized values in previous calls.

See also:

`source`, `cpoisson_source`, `true_source`

Notes

For time-dependent intensity $\text{lam}(t)$ and compounding random variable $y(t)$ the result is approximate, mind running a first evaluation on a sequence of consecutive closely spaced time points in the region of interest.

Attributes

- size** Returns the number of stored scalar values from previous evaluations, or 0 for sources without memory.
- t** Returns a copy of the time points at which source values have been stored from previous evaluations, as an array, or an empty array for sources without memory.

Methods

See “source“ and “true_source“ methods.	
---	--

5.12 sdepy.norm_rv

`sdepy.norm_rv(a=0, b=1)`

Normal distribution with mean a and standard deviation b , possibly time-dependent.

Wraps `scipy.stats.norm(loc=a, scale=b)`.

See also:

[*cpoisson_source*](#)

5.13 sdepy.uniform_rv

`sdepy.uniform_rv(a=0, b=1)`

Uniform distribution between a and b , possibly time-dependent.

Wraps `scipy.stats.uniform(loc=a, scale=b-a)`.

See also:

[*cpoisson_source*](#)

5.14 sdepy.exp_rv

`sdepy.exp_rv(a=1)`

Exponential distribution with scale a , possibly time-dependent.

Wraps `scipy.stats.expon(scale=a)`. The probability distribution function is:

- if $a > 0$, $\text{pdf}(x) = a \cdot \exp(-a \cdot x)$, with support in $[0, \infty)$
- if $a < 0$, $\text{pdf}(x) = -a \cdot \exp(a \cdot x)$, with support in $(-\infty, 0]$

See also:

[*cpoisson_source*](#)

5.15 sdepy.double_exp_rv

`sdepy.double_exp_rv(a=1, b=1, pa=0.5)`

Double exponential distribution, with scale a with probability pa , and $-b$ with probability $(1 - pa)$, possibly time-dependent.

Double exponential distribution, with probability distribution

- for x in $[0, \infty)$, $\text{pdf}(x) = pa \cdot \exp(-a \cdot x) \cdot a$
- for x in $(-\infty, 0]$, $\text{pdf}(x) = (1 - pa) \cdot \exp(b \cdot x) \cdot b$

where a and b are positive and pa is in $[0, 1]$.

See also:

[*cpoisson_source*](#)

5.16 sdepy.rvmap

`sdepy.rvmap(f, y)`

Map `f` to random variates of distribution `y`, possibly time-dependent.

Parameters

f [callable] Callable with signature `f(y)`, or `f(t, y)` or `f(s, y)`, to be mapped to the random variates of `y` or `y(t)`

y [distribution, or callable] Distribution, possibly time-dependent, as accepted by `cpoisson_source`.

Returns

new_y [Distribution, or callable] An object with and `rvs(shape)` method, or a callable with `new_y(t)` evaluating to such object, as accepted by `cpoisson_source`. `new_y.rvs(shape)`, or `new_y(t).rvs(shape)`, returns `f(y.rvs(shape))`, or `f([t,] y(t).rvs(shape))`.

See also:

`cpoisson_source`, `norm_rv`, `uniform_rv`, `exp_rv`, `double_exp_rv`

Notes

`new_y` does not provide any `mean`, `std`, `var`, `exp_mean` method.

To be recognized as time-dependent, `f` should have its first parameter named `t` or `s`.

SDE Integration Framework

<code>paths_generator(*[, paths, xshape, wshape, ...])</code>	Step by step generation of stochastic simulations across multiple paths, intended for subclassing.
<code>integrator(*[, paths, xshape, wshape, ...])</code>	Step by step numerical integration of Ito Stochastic Differential Equations (SDEs), intended for subclassing.
<code>SDE(*[, paths, vshape, dtype, steps, i0, ...])</code>	Class representation of a user defined Stochastic Differential Equation (SDE), intended for subclassing.
<code>SDEs(*[, paths, vshape, dtype, steps, i0, ...])</code>	Class representation of a user defined system of Stochastic Differential Equations (SDEs), intended for subclassing.
<code>integrate([sde, q, sources, log, addaxis])</code>	Decorator for Ito Stochastic Differential Equation (SDE) integration.

6.1 sdepy.paths_generator

class `sdepy.paths_generator` (*, *paths=1*, *xshape=()*, *wshape=()*, *dtype=None*, *steps=None*, *i0=0*, *info=None*, *getinfo=True*)

Step by step generation of stochastic simulations across multiple paths, intended for subclassing.

Given a number of requested paths, shapes and output timeline, encapsulates the low level tasks of memory allocation and step by step iteration along the timeline.

The definition of the target iteration steps (`pace` method), initialization (`begin` method), computation of next step (`next` method), storing results at points on the requested timeline (`store` method), cleaning up (`end` method) and evaluation of a final result to be returned (`exit` method), are delegated to subclasses.

Instances are callables with signature (`timeline`) that iterate subclass methods along the given timeline, using the configuration set out at instantiation.

Parameters

paths [int] Size of last axis of the allocated arrays (number of paths of the simulation).

xshape [int or tuple of int] Shape of values that will be stored at each point of the output timeline.

wshape [int or tuple of int] Shape of working space used for step by step iteration.

dtype [data-type] Data-type of the output and working space.

steps [iterable, or int, or None] Specification of the time points to be touched during the simulation (as defined by the `pace` method). Default behaviour is:

- if `None`, the simulated steps coincide with the timeline;
- if `int`, the simulated steps touch all timeline points, as well as `steps` equally spaced points between the minimum and maximum point in the timeline;
- if iterable, the simulated steps touch all timeline points, as well as all values in `steps` between the minimum and maximum points in the timeline.

i0 [int] Index along the timeline at which the simulation starts. The timeline is assumed to be in ascending order. The simulation is performed backwards from `timeline[i0]` to `timeline[0]`, and forwards from `timeline[i0]` to `timeline[-1]`.

info [dict, or None] Diagnostic information about the simulation is stored in this dictionary and is accessible as the `info` attribute. If `None`, a new empty dict is used.

getinfo [bool] If `True` (default), records basic information in the `info` attribute about the last performed simulation (if the simulation is both backwards and forwards, the information pertains to the forwards part only). Used by subclasses to enable/disable diagnostic info generation.

Returns

simulation results Once instantiated as `p, p(timeline)` runs the simulation along the given timeline, based on parameters of instantiation, returning results as determined by subclass methods. Defaults to `(tt, xx)` where `tt` is a reference to `timeline` and `xx` is an array of `numpy.nan` of the requested shape.

See also:

`integrator`, `SDE`, `SDEs`

Notes

All initialization parameters are stored as attributes of the same name, and may be accessed by subclasses.

During the simulation, a `itervars` attribute is present, pointing to a dictionary that contains the following items, to be used by subclass methods (double letters refer to values along the entire timeline, single letters refer to single time points):

- `steps_tt`: an array of all time points to be touched by the simulation. It consolidates the output timeline and the time points to be touched, as specified by `steps`.
- `tt`: the output timeline.
- `xx`: simulation output, an array of shape `tt.shape + xshape + (paths,)`. `xx[i]` is the simulated value at time `tt[i]`.
- `sw`: working space for time points, an array of shape `(depth,)`.
- `xw`: working space for paths generation, an array of objects of shape `(depth,)`, where each of `xw[k]` is an array of shape `wshape + (paths,)`.
- `reverse`: `True` if the simulation runs backwards, `False` otherwise. If `True`, `steps_tt` and `tt` are in descending order.
- `i`: such that `tt[i]` is the next point along the timeline that will be reached (when invoking `next`), or the point that was just reached (when invoking `store`).

Note that:

- `sw` and `xw` are rolled at each iteration: subclass methods should not rely on storing references to their elements across iterations.

- `xw[k][...] = value` broadcasts `value` into the allocated memory of `xw[k]` (this is usually what you want), `xw[k] = value` stores `value`, as an object, in `xw[k]` (avoid).
- `xx` and `xw[k]` are initialized to arrays filled with `numpy.nan`.

Attributes

depth [int] Number of time points to be stored in the working space. Defaults to 2.

Methods

<code>__call__(timeline)</code>	Run the simulation along the given timeline.
<code>pace(timeline)</code>	Target integration steps for the current integration.
<code>begin()</code>	Set initial conditions.
<code>next()</code>	Numerical simulation step.
<code>store(i, k)</code>	Store the current integration step into the integration output.
<code>end()</code>	End of iteration optional tasks.
<code>exit(tt, xx)</code>	Final tasks and construction of the output value(s).

6.1.1 sdepy.paths_generator.__call__

`paths_generator.__call__(timeline)`

Run the simulation along the given timeline.

Parameters

timeline [array-like] A one dimensional array of strictly increasing numbers, defining the timeline of the simulation.

Returns

Simulation results, as specified by subclass methods.

6.1.2 sdepy.paths_generator.pace

`paths_generator.pace(timeline)`

Target integration steps for the current integration.

Parameters

timeline [array] Requested simulation timeline, cast as an array of float data-type.

Returns

array Target time points to be touched during the simulation (typically, more thinly spaced than the output time points in `timeline`, based on the `steps` parameter), to be merged with `timeline`.

May be overridden by subclasses. For default behaviour, see `paths_generator` class documentation.

6.1.3 sdepy.paths_generator.begin

`paths_generator.begin()`

Set initial conditions.

Given the time points `sw[0], ..., sw[depth - 2]`, should define and store in the working space the corresponding initial values `xw[0], ..., xw[depth - 2]`. Note that when `begin`

gets called, `sw[depth - 1]` and `xw[depth - 1]` are undefined and will be respectively set, and computed, at the first iteration.

Notes

It is called once for each backwards and forwards simulation, after memory allocation and before starting the iteration along the time points in `steps_tt`.

Outline of expected code for `depth=2`:

```
# access itervars
iv = self.itervars
sw, xw = iv['sw'], iv['xw']

# this is the initial time, taken from the
# simulation timeline
t0 = sw[0]
assert t0 == iv['steps_tt'][0] == iv['tt'][0]

# store the initial condition
xw[0][...] = 1.
```

Must be provided by subclasses.

6.1.4 sdepy.paths_generator.next

`paths_generator.next()`

Numerical simulation step.

Given the points `sw[0], ..., sw[depth - 2]` and the corresponding values `xw[0], ..., xw[depth - 2]`, should:

1. Optionally modify the target next time point `sw[depth - 1]`, to a value between `sw[depth - 2]` and `sw[depth - 1]` (this allows for adaptive time steps, with the constraint of touching all point specified by the output timeline and the `steps` parameter).
2. Compute the corresponding value `xw[depth - 1]`

Notes

It is called once per iteration step.

Outline of expected code for `depth=2`:

```
# access itervars
iv = self.itervars
sw, xw = iv['sw'], iv['xw']

# get starting values, and time step to be taken
s0, x0 = sw[0], xw[0]
ds = sw[1] - sw[0]

# compute and store the next step
xw[1][...] = x0 + ds
```

Must be provided by subclasses.

6.1.5 sdepy.paths_generator.store

`paths_generator.store(i, k)`

Store the current integration step into the integration output.

Should take the *k*-th value in the working space *xw*, transform it if need be, and store it as the output *xx[i]* at the output time point *tt[i]*.

Parameters

i [int] Index of the output timeline point to set as output.

k [int] Index of the working space point to use as input.

Notes

It is called initially to store the initial values that belong to the output timeline, among those put into the working space by `begin`, and later during the iteration, each time the simulation touches a point on the output timeline.

Outline of expected code for `xshape == wshape` and an exponentiation transformation:

```
# access itervars
iv = self.itervars
sw, xw = iv['sw'], iv['xw']
xx = iv['xx']

# this is the current time, also found
# along the output timeline
s = sw[k]
assert s == iv['tt'][i]

# transform and store
np.exp(xw[k], out=xx[i])
```

Must be provided by subclasses.

6.1.6 sdepy.paths_generator.end

`paths_generator.end()`

End of iteration optional tasks.

It is called once for each backwards and forwards simulation, once the final point in the output timeline has been reached and the simulation ends.

After it is called, `itervars` are deleted.

May be provided by subclasses.

6.1.7 sdepy.paths_generator.exit

`paths_generator.exit(tt, xx)`

Final tasks and construction of the output value(s).

Parameters

tt [array] Output timeline. It is the timeline passed to the `__call__` method, cast as an array, with its original data-type (if the data-type is of integer kind, the simulation is carried out using floats).

xx [array] Output values along the timeline, as computed by `next` and stored by `store` methods.

Notes

It is called once, after backwards and/or forwards simulations have been completed, and its return value is returned.

Default implementation:

```
return tt, xx
```

May be provided by subclasses.

6.2 sdepy.integrator

```
class sdepy.integrator(*, paths=1, xshape=(), wshape=(), dtype=None, steps=None, i0=0,
                        info=None, getinfo=True, method='euler')
```

Step by step numerical integration of Ito Stochastic Differential Equations (SDEs), intended for subclassing.

For usage, see the `SDE` class documentation.

This class encapsulates SDE integration methods, and cooperates with the `SDE` class, that should always have precedence in method resolution order. As long as the respective APIs are complied with, a new integrator stated as an `integrator` subclass will interoperate with existing SDEs (as described by `SDE` subclasses), and a new `SDE` will interoperate with existing integrators.

Parameters

paths, xshape, wshape, dtype, steps, i0, info, getinfo See `paths_generator` class documentation.

method [string] Integration method. Defaults to 'euler', for the Euler-Maruyama method (at present, this single method is supported). It is stored as an attribute of the same name.

Returns

process Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, returning the resulting process as determined by the cooperating `SDE` subclass and the chosen integration method. Defaults to a process of `numpy.nan` along the given timeline.

See also:

`paths_generator`, `SDE`, `SDEs`

Notes

The equation to be integrated is exposed to the integration algorithm in a standardized form, via methods `A` and `dZ` delegated to a cooperating `SDE` class. The latter should take care of equation parameters, initial conditions, expected paths and shapes, and should instantiate all necessary stochasticity sources.

The integration method is exposed as the `next` method to the `paths_generator` parent class.

If the `getinfo` attribute is set to `True`, at each integration step the following items are added to the `itervals` dictionary, made available to subclasses to track the integration progress:

- `last_t`: starting time point of the last integration step.
- `last_dt`: time increment of the last integration step.
- `last_x`: starting value of the process, at time `last_t`.
- `last_A`: dictionary of the last computed values of the SDE terms, at time `last_t`.

- `last_dZ`: dictionary of the last realized SDE stochasticity source values, cumulated in the interval from `last_t` to `last_t + last_dt`.
- `new_x`: computed value of the process, at time `last_t + last_dt`.

This becomes relevant in case the output timeline is coarse (e.g. just the initial and final time) but diagnostic information is needed about all integration steps performed (e.g., to track how often the process has changed sign, or to count the number of realized jumps).

Methods

<code>A(t, x)</code>	Value of the SDE terms at time <code>t</code> and process value <code>x</code> .
<code>dZ(t, dt)</code>	Value of the SDE differentials at time <code>t</code> , for time increment <code>dt</code> .
<code>next()</code>	Perform an integration step with the requested method.
<code>euler_next()</code>	Euler-Maruyama integration step.

6.2.1 sdepy.integrator.A

`integrator.A(t, x)`

Value of the SDE terms at time `t` and process value `x`.

Example of expected code for the SDE $dx = (1 - x)dt + 2dw(t)$:

```
return {
    'dt': (1 - x),
    'dw': 2
}
```

The SDE class takes care of casting user-specified equations into this format.

6.2.2 sdepy.integrator.dZ

`integrator.dZ(t, dt)`

Value of the SDE differentials at time `t`, for time increment `dt`.

Example of expected code for the SDE $dx = (1 - x)dt + 2dw(t)$, where `x` has two components:

```
shape = (2, self.paths)
return {
    'dt': dt,
    'dw': wiener_source(vshape=2, paths=self.paths)(0, dt)
}
```

The SDE class takes care of instantiating user-specified stochasticity sources and casting them into this format.

6.2.3 sdepy.integrator.next

`integrator.next()`

Perform an integration step with the requested method.

6.2.4 sdepy.integrator.euler_next

`integrator.euler_next()`
Euler-Maruyama integration step.

6.3 sdepy.SDE

class `sdepy.SDE` (*, *paths=1*, *vshape=()*, *dtype=None*, *steps=None*, *i0=0*, *info=None*, *getinfo=True*, *method='euler'*, ***args*)

Class representation of a user defined Stochastic Differential Equation (SDE), intended for subclassing.

This class aims to provide an easy to use and flexible interface, allowing to specify user-defined SDEs and expose them in a standardized form to the cooperating `integrator` class (the latter should always follow in method resolution order). A minimal definition of an Ornstein-Uhlenbeck process is as follows:

```
>>> from sdepy import SDE, integrator
>>> class my_process(SDE, integrator):
...     def sde(self, t, x, theta=1., k=1., sigma=1.):
...         return {'dt': k*(theta - x), 'dw': sigma}
```

An SDE is stated as a dictionary, containing for each differential the value of the corresponding coefficient:

```
dx = f(t, x)*dt + g(t, x)*dw + h(t, x)*dj
```

translates to:

```
{'dt': f(t, x), 'dw': g(t, x), 'dj': h(t, x)}
```

Instances are callables with signature `(timeline)` that integrate the SDE along the given timeline, using the configuration set out in the instantiation parameters:

```
>>> P = my_process(x0=1, sigma=0.5, paths=100*1000, steps=100)
>>> x = P(timeline=(0., 0.5, 1.))
>>> x.shape
(3, 100000)
```

Subclasses can specify or customize: the equation and its parameters (`sde` method), initial conditions and preprocessing (`init` method and `log` attribute), shape of the values to be computed and stored (`shapes` method), stochastic differentials appearing in the equation (`sources` attribute) and their parameters and initialization (methods `source_dt`, `source_dw`, `source_dn`, `source_dj`, or any custom `source_{id}` method for a corresponding differential '`{id}`' declared in `sources` and used as a key in `sde` return values), optional non array-like parameters (`more` method), how to store results at points on the requested timeline (`let` method), and postprocessing (`result` method and `log` attribute).

Parameters

paths [int] Number of paths of the process.

vshape [int or tuple of int] Shape of the values of the process.

dtype [data-type, optional] Data-type of the process. Defaults to the numpy default.

steps [iterable, or int, or None] Specification of the time points to be touched during integration (as accepted by a cooperating `integrator` class). Default behaviour is:

- if `None`, the simulated steps coincide with the timeline;
- if `int`, the simulated steps touch all timeline points, as well as `steps` equally spaced points between the minimum and maximum point in the timeline;
- if `iterable`, the simulated steps touch all timeline points, as well as all values in `steps` between the minimum and maximum points in the timeline.

i0 [int] Index along the timeline at which the integration starts. The timeline is assumed to be in ascending order. Initial conditions are set at `timeline[i0]`, the integration is performed backwards from `timeline[i0]` to `timeline[0]`, and forwards from `timeline[i0]` to `timeline[-1]`.

info [dict, optional] Diagnostic information about the integration is stored in this dictionary and is accessible as the `info` attribute. Defaults to a new empty dict.

getinfo [bool] If True, subclass methods `info_begin`, `info_next`, `info_store`, `info_end` are invoked during integration. Defaults to True.

method [str] Integration method, as accepted by the `integrator` cooperating class.

****args** [SDE-specific parameters] SDE parameters and initial conditions, as implied by the signature of `sde`, `init` and `more` methods, and stochasticity sources parameters, as implied by the signature of `source_{id}` methods. Each keyword should be used once (e.g. `corr`, a `source_dw` parameter, cannot be used as the name of a SDE parameter).

Returns

process Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process as defined by subclass methods. Defaults to a process of `numpy.nan` along the given timeline.

See also:

`paths_generator`, `integrator`, `SDEs`

Notes

Custom stochastic differentials used in the SDE should be recognized, and treated appropriately, by the chosen integration method. This may require customization of the `next` method of the `integrator` class.

All named initialization parameters (`paths`, `steps` etc.) are stored as attributes.

Notes on SDE-specific parameters:

- `init` parameters are converted to arrays via `np.asarray`.
- `sde` and `source` quantitative parameters may be array-like, or time dependent with signature `(t)`.
- both are converted to arrays via `np.asarray`, and for both, their constant value, or values at each time point, should be broadcastable to a shape `wshape + (paths,)`.
- `more` parameters undergo no further initialization, before being made available to the `shapes` and `more` methods.

If `getinfo` is True, the invoked `info` subclass methods may initialize and cumulate diagnostic information in items of the `info` dictionary, based on read-only access of the internal variables set during integration by `paths_generator` and `integrator` cooperating classes, as exposed in the `itervars` attribute.

Attributes

sources [set or dict] As a class attribute, holds the names of the differentials `'dz'` expected to appear in the equation. As an instance attribute, `sources['dz']` is an object, complying with the `source` protocol, that instantiates the differential `'dz'` used during integration. `sources['dz'](t, dt)` is computed at every step for each `'dz'` in `sources`, as required by the chosen integration method.

args [dict] Stores parameters passed as `**args` upon initialization of the SDE.

log [bool] If True, the natural logarithm of the initial values set by the `init` method is taken as the initial value of the integration, and the result of the integration is exponentiated

back before serving it to the `result` method. The `sde` should expose the appropriate equation for integrating the logarithm of the intended process.

Methods

<code>sde(t, x)</code>	Stochastic Differential Equation (SDE) to be integrated.
<code>shapes(vshape)</code>	Shape of the values to be computed and stored upon integration of the SDE.
<code>source_dt()</code>	Setup a source of deterministic increments, to be used as 'dt' during integration.
<code>source_dw([dw, corr, rho])</code>	Setup a source of standard Wiener process (Brownian motion) increments, to be used as 'dw' during integration.
<code>source_dn([dn, ptype, lam])</code>	Setup a source of Poisson process increments, to be used as 'dn' during integration.
<code>source_dj([dj, dn, ptype, lam, y])</code>	Set up a source of compound Poisson process increments (jumps), to be used as 'dj' during integration.
<code>more()</code>	Further optional non array parameters, and initializations.
<code>init(t, out_x[, x0])</code>	Set initial conditions for SDE integration.
<code>let(t, out_x, x)</code>	Store the value of the integrated process at time point <code>t</code> belonging to the requested output timeline.
<code>result(tt, xx)</code>	Compute the integration output.
<code>info_begin()</code>	Optional diagnostic information logging function, called before the integration begins.
<code>info_next()</code>	Optional diagnostic information logging function, called after each integration step.
<code>info_store()</code>	Optional diagnostic information logging function, called after each invocation of the <code>let</code> method.
<code>info_end()</code>	Optional diagnostic information logging function, called after the integration has been completed.

6.3.1 sdepy.SDE.sde

`SDE.sde(t, x)`

Stochastic Differential Equation (SDE) to be integrated.

Parameters

t [float] Time point at which the SDE should be evaluated.

x [array] Values that the stochastic process takes at time `t`.

sde_args [zero or more arrays, as keyword arguments] SDE parameters, as implied by the `sde` method signature. Passed upon instantiation of the `SDE` class as possibly time-dependent array-like, these parameters are served to the `sde` method once evaluated at `t` and converted to arrays via `np.asarray`.

Returns

sde_terms [dict of arrays] Contains, for each differential stated in the `source` attribute, the value of the corresponding coefficient in the represented SDE.

Notes

`x` should be treated as read-only.

6.3.2 sdepy.SDE.shapes

`SDE.shapes` (*vshape*)

Shape of the values to be computed and stored upon integration of the SDE.

Parameters

vshape [int or tuple of int] Shape of the values of the integration result, as requested upon instantiation of SDE.

Returns

vshape [int or tuple of int] Confirms or overrides the given *vshape*.

xshape [int or tuple of int] Shape of the values stored during integration at the output time points. `out_x` array passed to the `let` method has shape `xshape + (paths,)`. Defaults to *vshape*.

wshape [int or tuple of int] Shape of the working space used during integration. `x` values passed to the `sde` and `let` methods have shape `wshape + (paths,)`. Defaults to *vshape*.

Notes

`xshape` and `wshape` are passed to the parent `paths_generator` class.

`hull_white_SDE` and `heston_SDE` classes illustrate use cases for different values of *vshape*, *xshape* and/or *wshape*.

6.3.3 sdepy.SDE.source_dt

`SDE.source_dt` ()

Setup a source of deterministic increments, to be used as ‘dt’ during integration.

Returns

An object “z” complying with the “source” protocol,
such that “z(t, dt) == dt”.

6.3.4 sdepy.SDE.source_dw

`SDE.source_dw` (*dw=None*, *corr=None*, *rho=None*)

Setup a source of standard Wiener process (Brownian motion) increments, to be used as ‘dw’ during integration.

Parameters

dw [source, or source subclass, or None] If an object complying with the `source` protocol, it is returned (`corr` and `rho` are ignored). If a source subclass, it is instantiated with the given parameters, and returned. If `None`, a new instance of `wiener_source` is returned, with the given parameters.

corr, rho [see `wiener_source` documentation]

Returns

An object complying with the “source” protocol,

instantiating the requested stochasticity source.

The shape of source values is set to “wshape”.

See also:

`wiener_source`

6.3.5 sdepy.SDE.source_dn

`SDE.source_dn` (*dn=None*, *ptype=<class 'int'>*, *lam=1.0*)

Setup a source of Poisson process increments, to be used as ‘dn’ during integration.

Parameters

dn [source, or source subclass, or None] If an object complying with the `source` protocol, it is returned (`ptype` and `lam` are ignored). If a source subclass, it is instantiated with the given parameters, and returned. If None, a new instance of `poisson_source` is returned, with the given parameters.

ptype, lam [see `poisson_source` documentation]

Returns

An object complying with the “source” protocol,

instantiating the requested stochasticity source.

The shape of source values is set to “wshape”.

See also:

`poisson_source`

6.3.6 sdepy.SDE.source_dj

`SDE.source_dj` (*dj=None*, *dn=None*, *ptype=<class 'int'>*, *lam=1.0*, *y=None*)

Set up a source of compound Poisson process increments (jumps), to be used as ‘dj’ during integration.

Parameters

dj [source, or source subclass, or None] If an object complying with the `source` protocol, it is returned (`ptype`, `lam` and `y` are ignored). If a source subclass, it is instantiated with the given parameters, and returned. If None, a new instance of `cpoisson_source` is returned, with the given parameters.

ptype, lam, y [see `cpoisson_source` documentation]

Returns

An object complying with the “source” protocol,

instantiating the requested stochasticity source.

The shape of source values is set to “wshape”.

See also:

`cpoisson_source`

6.3.7 sdepy.SDE.more

`SDE.more` ()

Further optional non array parameters, and initializations.

Parameters

more_args [zero or more keyword arguments] Further, possibly non array-like, SDE parameters, as implied by the `more` method signature. Passed upon instantiation of the SDE class, are served to the `more` method and made available to other methods as items in the `args` attribute.

Notes

The `factors` parameter of `hull_white_SDE` illustrates a use case for the `more` method.

6.3.8 sdepy.SDE.init

`SDE.init` (*t*, *out_x*, *x0*=1.0)

Set initial conditions for SDE integration.

Parameters

t [float] Time point at which initial conditions should be imposed.

out_x [array] Array, shaped `wshape + (paths,)`, where initial conditions are to be stored.

init_args [zero or more arrays, as keyword arguments] Initialization parameters, as implied by the `init` method signature. Passed upon instantiation of the SDE class as array-like, these parameters are served to the `init` method converted to arrays via `np.asarray`.

Notes

The default implementation has a single `x0` parameter, and sets `out_x[...] = x0`.

6.3.9 sdepy.SDE.let

`SDE.let` (*t*, *out_x*, *x*)

Store the value of the integrated process at time point *t* belonging to the requested output timeline.

Parameters

t [float] Time point to which the integration result *x* refers.

out_x [array] Array, shaped `xshape + (paths,)`, where the result *x* is to be stored.

x [array] Integration result at time *t*, shaped `wshape + (paths,)`

Notes

The default implementation sets `out_x[...] = x`.

In case `xshape != wshape`, this method should operate as needed in order to store in `out_x` a value broadcastable to its shape (e.g. it might store in `out_x` only some of the components of *x*).

x should be treated as read-only.

6.3.10 sdepy.SDE.result

`SDE.result` (*tt*, *xx*)

Compute the integration output.

Parameters

tt [array] Output integration timeline.

xx [array] Integration result, shaped `tt.shape + xshape + (paths,)`.

Returns

result Final result, returned to the user.

Notes

The default implementation returns `sdepy.process(t=tt, x=xx)`. In case `vshape != xshape`, this method should operate as needed in order to return a process with values shaped as `vshape` (e.g. it might return a function of the components of `xx`).

6.3.11 sdepy.SDE.info_begin

`SDE.info_begin()`

Optional diagnostic information logging function, called before the integration begins.

6.3.12 sdepy.SDE.info_next

`SDE.info_next()`

Optional diagnostic information logging function, called after each integration step.

6.3.13 sdepy.SDE.info_store

`SDE.info_store()`

Optional diagnostic information logging function, called after each invocation of the `let` method.

6.3.14 sdepy.SDE.info_end

`SDE.info_end()`

Optional diagnostic information logging function, called after the integration has been completed.

6.4 sdepy.SDEs

class `sdepy.SDEs`(**, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, get_info=True, method='euler', **args*)

Class representation of a user defined system of Stochastic Differential Equations (SDEs), intended for subclassing.

The parent SDE class represents a single SDE, scalar or multidimensional: by an appropriate choice of the `vshape` parameter, and composition of equation values, it suffices to describe any system of SDEs.

Its `SDEs` subclass is added for convenience of representation: it allows to state each equation separately and to retrieve separate processes as a result. The number of equations must be stated as the `q` attribute. The `vshape` parameter is taken as the common shape of values in each equation in the system.

A minimal definition of a lognormal process x with stochastic volatility y is as follows:

```
>>> from sdepy import SDEs, integrator
>>> class my_process(SDEs, integrator):
...     q = 2
...     def sde(self, t, x, y, mu=0., sigma=1., xi=1.):
...         return ({'dt': mu*x, 'dw': y*x},
```

(continues on next page)

(continued from previous page)

```

...             {'dt': 0,      'dw': xi*y})

>>> P = my_process(x0=(1., 2.), xi=0.5, vshape=5,
...               paths=100*1000, steps=100, )
>>> x, y = P(timeline=(0., 0.5, 1.))
>>> x.shape, y.shape
((3, 5, 100000), (3, 5, 100000))

```

See also:*SDE, integrator, paths_generator***Notes**

By default, the stochasticity sources of each component equation are realized independently, even if represented in the `sde` output by the same key ('`dw`' in the example above).

The way stochasticity sources are instantiated and dispatched to each equation, and how correlations of the Wiener source are set via the `corr` parameter, depend on the value of the `addaxis` attribute:

- If `True`, source values have shape `vshape + (q,)`, and the `[kk, i]` component of source values is dispatched to the `kk` component of equation `i` (`kk` is a multiindex spanning shape `vshape`). If given, `corr` must be of shape `(q, q)` and correlates corresponding components across equations.
- If `addaxis` is `False` (default) and `N` is the size of the last axis of `vshape`, the values of the sources have shape `vshape[:-1] + (N*q,)`, and the `[kk, i*N + h]` component of the source values is dispatched to the `[kk, h]` component of equation `i` (`kk` is a multiindex spanning shape `vshape[:-1]`, and `h` is in range(`N`)). If given, `corr` must be of shape `(N*q, N*q)`, and correlates all last components of all equations to each other.

After instantiation, stochasticity sources and correlation matrices may be inspected as follows:

```

>>> P = my_process(vshape=(), rho=0.5)
>>> P.sources['dw'].vshape
(2,)
>>> P.sources['dw'].corr.shape
(2, 2)
>>> P.sources['dw'].corr[0, 1]
0.5

```

Attributes

q [int] Number of equations.

addaxis [bool] Affects the internal representation of the equations: if `True`, a last axis of size `q` is added to `vshape`, if `False`, components are stacked onto the last axis of `vshape`. Defaults to `False`. It is forced to `True` if the process components have scalar values.

Methods

<i>pack(xs)</i>	Packs the given arrays (one per equation) into a single array.
<i>unpack(X)</i>	Unpacks the given array into multiple arrays (one per equation).

6.4.1 sdepy.SDEs.pack

`SDEs.pack(xs)`

Packs the given arrays (one per equation) into a single array.

Parameters

xs [list of arrays] List of `self.q` arrays to be packed according to the `addaxis` attribute setting.

Returns

X [array] Array packing the given `xs` along its second-last dimension (the last dimension enumerates paths).

6.4.2 sdepy.SDEs.unpack

`SDEs.unpack(X)`

Unpacks the given array into multiple arrays (one per equation).

Parameters

X [array] Array with a last dimension enumerating paths, and a second last dimension to be unpacked according to the `addaxis` attribute setting.

Returns

x, y, ... [list of arrays] List of `self.q` arrays, unpacking the given `X`.

6.5 sdepy.integrate

`sdepy.integrate(sde=None, *, q=None, sources=None, log=False, addaxis=False)`

Decorator for Ito Stochastic Differential Equation (SDE) integration.

Decorates a function representing the SDE or SDEs into the corresponding integrator (a subclass of `SDE` or `SDEs` and of `integrator`).

Parameters

sde [function] Function to be wrapped. Its signature and values should be as expected for the `sde` method of the `SDE` or `SDEs` classes.

q [int] Number of equations. If `None`, attempts a test evaluation of `sde` to find out.

sources [set] Stochasticity sources used in the equation. If `None`, attempts a test evaluation of `sde` to find out.

log [bool] Sets the `log` attribute for the wrapping class.

addaxis [bool] Sets the `addaxis` attribute for the wrapping class.

Examples

```
>>> from sdepy import integrate
>>> @integrate
... def my_process(t, x, theta=1., k=1., sigma=1.):
...     return {'dt': k*(theta - x), 'dw': sigma}
```

```
>>> P = my_process(x0=1, sigma=0.5, paths=100*1000, steps=100)
>>> x = P(timeline=(0., 0.5, 1.))
>>> x.shape
(3, 100000)
```

Stochastic Processes

<code>wiener_process([paths, vshape, dtype, ...])</code>	Wiener process (Brownian motion) with drift.
<code>lognorm_process([paths, vshape, dtype, ...])</code>	Lognormal process.
<code>ornstein_uhlenbeck_process([paths, vshape, ...])</code>	Ornstein-Uhlenbeck process (mean-reverting Brownian motion).
<code>hull_white_process([paths, vshape, dtype, ...])</code>	F-factors Hull-White process (sum of F correlated mean-reverting Brownian motions).
<code>hull_white_1factor_process([paths, vshape, ...])</code>	1-factor Hull-White process (F=1 Hull-White process with F-index collapsed to a scalar).
<code>cox_ingersoll_ross_process([paths, vshape, ...])</code>	Cox-Ingersoll-Ross mean reverting process.
<code>full_heston_process([paths, vshape, dtype, ...])</code>	Heston stochastic volatility process (returns both process and volatility).
<code>heston_process([paths, vshape, dtype, ...])</code>	Heston stochastic volatility process (stores and returns process only).
<code>jumpdiff_process([paths, vshape, dtype, ...])</code>	Jump-diffusion process (lognormal process with compound Poisson logarithmic jumps).
<code>merton_jumpdiff_process([paths, vshape, ...])</code>	Merton jump-diffusion process (jump-diffusion process with normal jump size distribution).
<code>kou_jumpdiff_process([paths, vshape, dtype, ...])</code>	Double exponential (Kou) jump-diffusion process (jump-diffusion process with double exponential jump size distribution).
<code>wiener_SDE(*[, paths, vshape, dtype, steps, ...])</code>	SDE for a Wiener process (Brownian motion) with drift.
<code>lognorm_SDE(*[, paths, vshape, dtype, ...])</code>	SDE for a lognormal process with drift.
<code>ornstein_uhlenbeck_SDE(*[, paths, vshape, ...])</code>	SDE for an Ornstein-Uhlenbeck process.
<code>hull_white_SDE(*[, paths, vshape, dtype, ...])</code>	SDE for an F-factors Hull White process.
<code>cox_ingersoll_ross_SDE(*[, paths, vshape, ...])</code>	SDE for a Cox-Ingersoll-Ross mean reverting process.
<code>full_heston_SDE(*[, paths, vshape, dtype, ...])</code>	SDE for a Heston stochastic volatility process.
<code>heston_SDE(*[, paths, vshape, dtype, steps, ...])</code>	SDE for a Heston stochastic volatility process.
<code>jumpdiff_SDE(*[, paths, vshape, dtype, ...])</code>	SDE for a jump-diffusion process (lognormal process with compound Poisson logarithmic jumps).
<code>merton_jumpdiff_SDE(*[, paths, vshape, ...])</code>	SDE for a Merton jump-diffusion process.

Continued on next page

Table 1 – continued from previous page

<code>kou_jumpdiff_SDE(*[, paths, vshape, dtype, ...])</code>	SDE for a double exponential (Kou) jump-diffusion process.
---	--

7.1 sdepy.wiener_process

class `sdepy.wiener_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=0., mu=0., sigma=1., dw=None, corr=None, rho=None*)

Wiener process (Brownian motion) with drift.

Generates a process $x(t)$ that solves the following SDE:

$$dx(t) = \mu(t)dt + \sigma(t)dw(t, dt)$$

where $dw(t, dt)$ are standard Wiener process increments with correlation matrix specified by `corr(t)` or `rho(t)`. `x0`, SDE parameters and $dw(t, dt)$ should broadcast to `vshape + (paths,)`.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

mu, sigma [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

Returns

x [process] Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process.

See also:

`SDE`, `SDE.source_dw`, `wiener_source`, `wiener_SDE`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.2 sdepy.lognorm_process

class `sdepy.lognorm_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=1., mu=0., sigma=1., dw=None, corr=None, rho=None*)

Lognormal process.

Generates a process $x(t)$ that solves the following SDE:

$$dx(t) = \mu(t) * x(t) * dt + \sigma(t) * x(t) * dw(t, dt)$$

where $dw(t, dt)$ are standard Wiener process increments with correlation matrix specified by `corr(t)` or `rho(t)`. `x0`, SDE parameters and $dw(t, dt)$ should broadcast to `vshape + (paths,)`. `x0` should be positive.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

mu, sigma [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

Returns

x [process] Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process.

See also:

`SDE`, `SDE.source_dw`, `wiener_source`, `wiener_SDE`

Notes

$x(t)$ is obtained via Euler-Maruyama numerical integration of the following equivalent SDE for $a(t) = \log(x(t))$:

$$da(t) = (\mu(t) - \sigma(t)^2/2)dt + \sigma(t)dw(t, dt)$$

Attributes

See SDE class documentation.

Methods

See SDE class documentation.

7.3 sdepy.ornstein_uhlenbeck_process

```
class sdepy.ornstein_uhlenbeck_process (paths=1,          vshape=(),          dtype=None,
                                         steps=None, i0=0, info=None, getinfo=True,
                                         method='euler', x0=0., theta=0., k=1.,
                                         sigma=1., dw=None, corr=None, rho=None)
```

Ornstein-Uhlenbeck process (mean-reverting Brownian motion).

Generates a process $x(t)$ that solves the following SDE:

$$dx(t) = k(t)(\theta(t) - x(t))dt + \sigma(t)dw(t, dt)$$

where $dw(t, dt)$ are standard Wiener process increments with correlation matrix specified by `corr(t)` or `rho(t)`. `x0`, SDE parameters and `dw(t, dt)` should broadcast to `vshape + (paths,)`.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

theta, k, sigma [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

Returns

x [process] Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process.

See also:

`SDE`, `SDE.source_dw`, `wiener_source`, `ornstein_uhlenbeck_SDE`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.4 sdepy.hull_white_process

```
class sdepy.hull_white_process (paths=1, vshape=(), dtype=None, steps=None, i0=0,
                               info=None, getinfo=True, method='euler', factors=1,
                               x0=0., theta=0., k=1., sigma=1., dw=None, corr=None,
                               rho=None)
```

F-factors Hull-White process (sum of F correlated mean-reverting Brownian motions).

Generates a process $x(t)$ that solves the following SDE:

$\begin{aligned} x(t) &= y_1(t) + \dots + y_F(t) \\ dy_i(t) &= k_i(t) * (theta_i(t) - y_i(t)) * dt + \\ &\quad + sigma_i(t) * dw_i(t, dt) \end{aligned}$
--

where $dw_i(t, dt)$ are standard Wiener process increments with correlations $dw_i(t, dt) * dw_j(t, dt) = corr(t)[i, j]$. x_0 , SDE parameters and $dw(t, dt)$ should broadcast to $vshape + (factors, paths)$.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

theta, k, sigma [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

See also:

`SDE`, `SDE.source_dw`, `wiener_source`, `hull_white_SDE`,
`ornstein_uhlenbeck_process`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.5 sdepy.hull_white_1factor_process

class `sdepy.hull_white_1factor_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=0., theta=0., k=1., sigma=1., dw=None, corr=None, rho=None*)

1-factor Hull-White process (F=1 Hull-White process with F-index collapsed to a scalar). See `hull_white_process` class documentation.

See also:

`hull_white_process`, `ornstein_uhlenbeck_process`

Notes

Class added for naming convenience. Differs from a `hull_white_process` with `factors=1` in that the last index of the process parameters has not been reserved to enumerate factors, and no `factors` parameter is present. Synonymous with `ornstein_uhlenbeck_process`.

Attributes

See SDE class documentation.

Methods

See SDE class documentation.

7.6 sdepy.cox_ingersoll_ross_process

class `sdepy.cox_ingersoll_ross_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=1., theta=1., k=1., xi=1., dw=None, corr=None, rho=None*)

Cox-Ingersoll-Ross mean reverting process.

Generates a process $x(t)$ that solves the following SDE:

$$dx(t) = k(t) * (theta(t) - x(t)) * dt + xi(t) * sqrt(x(t)) * dw(t, dt)$$

where $dw(t, dt)$ are standard Wiener process increments with correlation matrix specified by `corr(t)` or `rho(t)`. `x0`, SDE parameters and $dw(t, dt)$ should broadcast to $vshape + (paths,)$. `x0`, `theta`, `k` should be positive.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

theta, k, xi [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

Returns

x [process] Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process.

See also:

[*SDE*](#), [*SDE.source_dw*](#), [*wiener_source*](#), [*cox_ingersoll_ross_SDE*](#)

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.7 sdepy.full_heston_process

```
class sdepy.full_heston_process(paths=1, vshape=(), dtype=None, steps=None, i0=0,  
                                info=None, getinfo=True, method='euler', x0=1., mu=0.,  
                                sigma=1., y0=1., theta=1., k=1., xi=1., dw=None,  
                                corr=None, rho=None)
```

Heston stochastic volatility process (returns both process and volatility).

Generates processes $x(t)$ and an $y(t)$ that solve the following SDEs:

$\begin{aligned} dx(t) &= \mu(t) * x(t) * dt + \sigma(t) * x(t) * \sqrt{y(t)} * dw_x(t, dt), \\ dy(t) &= k(t) * (\theta(t) - y(t)) * dt + \xi(t) * \sqrt{y(t)} * dw_y(t, dt) \end{aligned}$

where, if $N = vshape[-1]$ is the size of the last dimension of $x(t)$, $y(t)$, and $dw(t, dt)$ are standard Wiener process increments with shape $vshape + (2*N, paths)$:

$\begin{aligned} dw(t)[..., i, :] * dw(t)[..., j, :] &= corr(t)[..., i, j] * dt \\ dw_x(t) &= dw(t)[..., :N, :], \\ dw_y(t) &= dw(t)[..., N:, :], \end{aligned}$
--

$x0$ and SDE parameters should broadcast to $vshape + (paths,)$. $dw(t, dt)$ should broadcast to $vshape[:-1] + (2*vshape[-1], paths)$. $x0$, $y0$, θ , k should be positive.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0, y0 [array-like] Initial conditions for $x(t)$ and $y(t)$ processes respectively.

mu, sigma, theta, k, xi [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See [*SDE.source_dw*](#) documentation.

Returns

x, y [processes] Once instantiated as `p, p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting processes.

See also:

[*SDE*](#), [*SDE.source_dw*](#), [*wiener_source*](#), [*full_heston_SDE*](#)

Notes

$x(t)$, $y(t)$ are obtained via Euler-Maruyama numerical integration of the above SDE for $y(t)$ and of the following equivalent SDE for $a(t) = \log(x(t))$, handling negative values of $y(t)$ via the full truncation algorithm [1]:

$$da(t) = (\mu(t) - y(t) \cdot \sigma(t)^{2/2}) \cdot dt + \sqrt{y(t)} \cdot dw_x(t)$$

References

[1]

Attributes

See SDE class documentation.

Methods

See SDE class documentation.

7.8 sdepy.heston_process

class `sdepy.heston_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=1., mu=0., sigma=1., y0=1., theta=1., k=1., xi=1., dw=None, corr=None, rho=None*)

Heston stochastic volatility process (stores and returns process only).

Generates a process as in `full_heston_process` (see its documentation), storing and returning the $x(t)$ component only.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0, mu, sigma, y0, theta, k, xi, dw, corr, rho See `full_heston_process` class documentation.

Returns

x [process] Once instantiated as `p`, `p(timeline)` performs the integration along the given timeline, based on parameters of instantiation, and returns the resulting process.

See also:

`full_heston_process`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.

7.9 sdepy.jumpdiff_process

class `sdepy.jumpdiff_process` (*paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', x0=1., mu=0., sigma=1., dw=None, corr=None, rho=None, dj=None, dn=None, ptype=int, lam=1., y=None*)

Jump-diffusion process (lognormal process with compound Poisson logarithmic jumps).

Generates a process $x(t)$ that solves the following SDE (see [1]):

$$dx(t) = \mu(t) * x(t) * dt + \sigma(t) * x(t) * dw(t, dt) + x(t) * dj(t, dt)$$

where $dw(t, dt)$ are standard Wiener process increments with correlation matrix specified by `corr(t)` or `rho(t)`, and $dj(t, dt)$ are increments of a Poisson process with intensity $\lambda(t)$, compounded with random variates distributed as $\exp(y(t)) - 1$.

Parameters

paths, vshape, dtype, steps, i0, info, getinfo, method See SDE class documentation.

x0 [array-like] Initial condition.

mu, sigma [array-like, or callable] SDE parameters.

dw, corr, rho Specification of stochasticity source of Wiener process increments. See `SDE.source_dw` documentation.

dj, dn, ptype, lam, y Specification of stochasticity source of compound Poisson process increments. See `SDE.source_dj` documentation.

See also:

`SDE`, `SDE.source_dw`, `SDE.source_dj`, `wiener_source`, `cpoisson_source`, `jumpdiff_SDE`

Notes

The drift of the mean value $x_mean(t)$ of $x(t)$ is $\mu(t) + \nu(t)$, i.e. $dx_mean(t)/dt = x_mean(t) * (\mu(t) + \nu(t))$, where:

$$\begin{aligned} \nu(t) &= \lambda(t) * (y_exp_mean(t) - 1) \\ y_exp_mean(t) &= \text{average of } \exp(y(t)) \end{aligned}$$

$x(t)$ is obtained via Euler-Maruyama numerical integration of the following equivalent SDE for $a(t) = \log(x(t))$:

$$da(t) = (\mu(t) - \sigma(t)^2/2) * dt + x(t) * \sigma(t) * dw(t, dt) + x(t) * dh(t, dt)$$

where $dh(t, dt)$ are increments of a Poisson process with intensity $\lambda(t)$ compounded with random variates distributed as $y(t)$.

References

[1]

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.10 sdepy.merton_jumpdiff_process

```
class sdepy.merton_jumpdiff_process (paths=1, vshape=(), dtype=None, steps=None,
                                     i0=0, info=None, getinfo=True, method='euler',
                                     x0=1., mu=0., sigma=1., dw=None, corr=None,
                                     rho=None, dj=None, dn=None, ptype=int, lam=1.,
                                     a=0., b=1.)
```

Merton jump-diffusion process (jump-diffusion process with normal jump size distribution).

Same as `jumpdiff_process`, where the `y` parameter is specialized to `norm_rv(a, b)`, a normal variate with mean $a(t)$ and standard deviation $b(t)$.

See also:

`jumpdiff_process`, `norm_rv`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.11 sdepy.kou_jumpdiff_process

```
class sdepy.kou_jumpdiff_process (paths=1, vshape=(), dtype=None, steps=None, i0=0,
                                   info=None, getinfo=True, method='euler', x0=1.,
                                   mu=0., sigma=1., dw=None, corr=None, rho=None,
                                   dj=None, dn=None, ptype=int, lam=1., a=0.5, b=0.5,
                                   pa=0.5)
```

Double exponential (Kou) jump-diffusion process (jump-diffusion process with double exponential jump size distribution).

Same as `jumpdiff_process`, where the `y` parameter is specialized to `double_exp_rv(a, b, pa)`, a double exponential variate with scale $a(t)$ with probability $pa(t)$, and $-b(t)$ with probability $(1 - pa(t))$.

See also:

`jumpdiff_process`, `double_exp_rv`

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.12 sdepy.wiener_SDE

```
class sdepy.wiener_SDE (*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, get-
                        info=True, method='euler', **args)
```

SDE for a Wiener process (Brownian motion) with drift.

See also:

wiener_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.13 sdepy.lognorm_SDE

class `sdepy.lognorm_SDE` (*, *paths=1*, *vshape=()*, *dtype=None*, *steps=None*, *i0=0*, *info=None*,
getinfo=True, *method='euler'*, ***args*)
 SDE for a lognormal process with drift.

See also:

lognorm_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.14 sdepy.ornstein_uhlenbeck_SDE

class `sdepy.ornstein_uhlenbeck_SDE` (*, *paths=1*, *vshape=()*, *dtype=None*, *steps=None*,
i0=0, *info=None*, *getinfo=True*, *method='euler'*,
 ***args*)

SDE for an Ornstein-Uhlenbeck process.

See also:

ornstein_uhlenbeck_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.15 sdepy.hull_white_SDE

class sdepy.hull_white_SDE(*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for an F-factors Hull White process.

See also:

hull_white_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.16 sdepy.cox_ingersoll_ross_SDE

class sdepy.cox_ingersoll_ross_SDE(*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for a Cox-Ingersoll-Ross mean reverting process.

See also:

cox_ingersoll_ross_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.17 sdepy.full_heston_SDE

class sdepy.full_heston_SDE(*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for a Heston stochastic volatility process.

See also:

full_heston_process, heston_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.18 sdepy.heston_SDE

class sdepy.heston_SDE (*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for a Heston stochastic volatility process.

See also:

heston_process, full_heston_process, full_heston_SDE

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.19 sdepy.jumpdiff_SDE

class sdepy.jumpdiff_SDE (*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for a jump-diffusion process (lognormal process with compound Poisson logarithmic jumps).

See also:

jumpdiff_process

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.20 sdepy.merton_jumpdiff_SDE

class sdepy.merton_jumpdiff_SDE (*, paths=1, vshape=(), dtype=None, steps=None, i0=0, info=None, getinfo=True, method='euler', **args)
SDE for a Merton jump-diffusion process.

See also:

merton_jumpdiff_process, jumpdiff_SDE

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

7.21 sdepy.kou_jumpdiff_SDE

class sdepy.kou_jumpdiff_SDE(*, paths=1, vshape=(), dtype=None, steps=None, i0=0,
info=None, getinfo=True, method='euler', **args)

SDE for a double exponential (Kou) jump-diffusion process.

See also:

kou_jumpdiff_process, jumpdiff_SDE

Attributes

See SDE class documentation.

Methods

See SDE class documentation.	
------------------------------	--

Analytical Results

<code>wiener_mean(t, *, x0, mu, sigma)</code>	Mean of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters.
<code>wiener_var(t, *, x0, mu, sigma)</code>	Variance of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters.
<code>wiener_std(t, *, x0, mu, sigma)</code>	Standard deviation of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters.
<code>wiener_pdf(t, x, *, x0, mu, sigma)</code>	Probability distribution function of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters, evaluated at x .
<code>wiener_cdf(t, x, *, x0, mu, sigma)</code>	Cumulative probability distribution function of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters, evaluated at x .
<code>wiener_chf(t, u, *, x0, mu, sigma)</code>	Characteristic function of the probability distribution of values at time t of a Wiener process (as per the <code>wiener_process</code> class) with time-independent parameters, evaluated at u .
<code>lognorm_mean(t, *, x0, mu, sigma)</code>	Mean of values at time t of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters.
<code>lognorm_var(t, *, x0, mu, sigma)</code>	Variance of values at time t of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters.
<code>lognorm_std(t, *, x0, mu, sigma)</code>	Standard deviation of values at time t of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters.
<code>lognorm_pdf(t, x, *, x0, mu, sigma)</code>	Probability distribution function of values at time t of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters, evaluated at x .

Continued on next page

Table 1 – continued from previous page

<code>lognorm_cdf(t, x, *, x0, mu, sigma)</code>	Cumulative probability distribution function of values at time t of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters, evaluated at x .
<code>lognorm_log_chf(t, u, *, x0, mu, sigma)</code>	Characteristic function of the probability distribution of values at time t of the logarithm of a lognormal process (as per the <code>lognorm_process</code> class) with time-independent parameters, evaluated at u .
<code>oruh_mean(t, *, x0, theta, k, sigma)</code>	Mean of values at time t of an Ornstein-Uhlenbeck process (as per the <code>ornstein_uhlenbeck_process</code> class) with time-independent parameters.
<code>oruh_var(t, *, x0, theta, k, sigma)</code>	Variance of values at time t of an Ornstein-Uhlenbeck process (as per the <code>ornstein_uhlenbeck_process</code> class) with time-independent parameters.
<code>oruh_std(t, *, x0, theta, k, sigma)</code>	Standard deviation of values at time t of an Ornstein-Uhlenbeck process (as per the <code>ornstein_uhlenbeck_process</code> class) with time-independent parameters.
<code>oruh_pdf(t, x, *, x0, theta, k, sigma)</code>	Probability distribution function of values at time t of an Ornstein-Uhlenbeck process (as per the <code>ornstein_uhlenbeck_process</code> class) with time-independent parameters, evaluated at x .
<code>oruh_cdf(t, x, *, x0, theta, k, sigma)</code>	Cumulative probability distribution function of values at time t of an Ornstein-Uhlenbeck process (as per the <code>ornstein_uhlenbeck_process</code> class) with time-independent parameters, evaluated at x .
<code>hw2f_mean(t, *, x0, theta, k, sigma, rho)</code>	Mean of values at time t of a Hull-White 2-factors process (as per the <code>hull_white_process</code> class) with time-independent parameters.
<code>hw2f_var(t, *, x0, theta, k, sigma, rho)</code>	Variance of values at time t of a Hull-White 2-factors process (as per the <code>hull_white_process</code> class) with time-independent parameters.
<code>hw2f_std(t, *, x0, theta, k, sigma, rho)</code>	Standard deviation of values at time t of a Hull-White 2-factors process (as per the <code>hull_white_process</code> class) with time-independent parameters.
<code>hw2f_pdf(t, x, *, x0, theta, k, sigma, rho)</code>	Probability distribution function of values at time t of a Hull-White 2-factors process (as per the <code>hull_white_process</code> class) with time-independent parameters, evaluated at x .
<code>hw2f_cdf(**args)</code>	Cumulative probability distribution function of values at time t of a Hull-White 2-factors process (as per the <code>hull_white_process</code> class) with time-independent parameters, evaluated at x .
<code>cir_mean(t, *, x0, theta, k, xi)</code>	Mean of values at time t of a Cox-Ingersoll-Ross process (as per the <code>cox_ingersoll_ross_process</code> class) with time-independent parameters.
<code>cir_var(t, *, x0, theta, k, xi)</code>	Variance of values at time t of a Cox-Ingersoll-Ross process (as per the <code>cox_ingersoll_ross_process</code> class) with time-independent parameters.
<code>cir_std(t, *, x0, theta, k, xi)</code>	Standard deviation of values at time t of a Cox-Ingersoll-Ross process (as per the <code>cox_ingersoll_ross_process</code> class) with time-independent parameters.

Continued on next page

Table 1 – continued from previous page

<code>cir_pdf(t, x, *[x0, theta, k, xi])</code>	Probability distribution function of values at time t of a Cox-Ingersoll-Ross process (as per the <code>cox_ingersoll_ross_process</code> class) with time-independent parameters, evaluated at x .
<code>heston_log_mean(t, *[x0, mu, sigma, y0, ...])</code>	Mean of the logarithm of values at time t of a Heston process (as per the <code>full_heston_process</code> class) with time-independent parameters.
<code>heston_log_var(**args)</code>	Variance of the logarithm of values at time t of a Heston process (as per the <code>full_heston_process</code> class) with time-independent parameters.
<code>heston_log_std(t, *[x0, mu, sigma, y0, ...])</code>	Standard deviation of the logarithm of values at time t of a Heston process (as per the <code>full_heston_process</code> class) with time-independent parameters.
<code>heston_log_pdf(t, logx, *[x0, mu, sigma, ...])</code>	Probability distribution function of values at time t of the logarithm of a Heston process, (as per the <code>full_heston_process</code> class) with time-independent parameters, evaluated at $\log x$.
<code>heston_log_chf(t, u, *[x0, mu, sigma, y0, ...])</code>	Characteristic function of the probability distribution of values at time t of the logarithm of a Heston process (as per the <code>full_heston_process</code> class), with time-independent parameters, evaluated at u .
<code>mjd_log_pdf(t, logx, *[x0, mu, sigma, ...])</code>	Probability distribution function of values at time t of the logarithm of a Merton jump-diffusion process (as per the <code>merton_jumpdiff_process</code> class), with time-independent parameters, evaluated at $\log x$.
<code>mjd_log_chf(t, u, *[x0, mu, sigma, lam, a, b])</code>	Characteristic function of the probability distribution of values at time t of the logarithm of a Merton jump-diffusion process (as per the <code>merton_jumpdiff_process</code> class), with time-independent parameters, evaluated at u .
<code>kou_mean(t, *[x0, mu, sigma, lam, a, b, pa])</code>	Mean of values at time t of a double exponential (Kou) jump-diffusion process (as per the <code>kou_jumpdiff_process</code> class) with time-independent parameters.
<code>kou_log_pdf(t, logx, *[x0, mu, sigma, ...])</code>	Probability distribution function of values at time t of the logarithm of a double-exponential (Kou) jump-diffusion process (as per the <code>kou_jumpdiff_process</code> class), with time-independent parameters, evaluated at $\log x$.
<code>kou_log_chf(t, u, *[x0, mu, sigma, lam, ...])</code>	Characteristic function of the probability distribution of values at time t of the logarithm of a Kou jump-diffusion process, (as per the <code>kou_jumpdiff_process</code> class) with time-independent parameters, evaluated at u .
<code>bsd1d2(k, t, *[x0, r, q, sigma])</code>	Black-Scholes $d1$ and $d2$ coefficients.
<code>bscall(k, t, *[x0, r, q, sigma])</code>	Black-Scholes call option value.
<code>bscall_delta(k, t, *[x0, r, q, sigma])</code>	Black-Scholes call option delta.
<code>bsput(k, t, *[x0, r, q, sigma])</code>	Black-Scholes put option value.
<code>bsput_delta(k, t, *[x0, r, q, sigma])</code>	Black-Scholes put option delta.

8.1 sdepy.wiener_mean

class `sdepy.wiener_mean` ($t, *, x0=0., mu=0., sigma=1.$)

Mean of values at time t of a Wiener process (as per the `wiener_process` class) with time-independent parameters.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.2 sdepy.wiener_var

class sdepy.wiener_var(*t, *, x0=0., mu=0., sigma=1.*)

Variance of values at time *t* of a Wiener process (as per the *wiener_process* class) with time-independent parameters.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.3 sdepy.wiener_std

class sdepy.wiener_std(*t, *, x0=0., mu=0., sigma=1.*)

Standard deviation of values at time *t* of a Wiener process (as per the *wiener_process* class) with time-independent parameters.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.4 sdepy.wiener_pdf

class sdepy.wiener_pdf (*t, x, *, x0=0., mu=0., sigma=1.*)

Probability distribution function of values at time *t* of a Wiener process (as per the wiener_process class) with time-independent parameters, evaluated at *x*.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.5 sdepy.wiener_cdf

class sdepy.wiener_cdf (*t, x, *, x0=0., mu=0., sigma=1.*)

Cumulative probability distribution function of values at time *t* of a Wiener process (as per the wiener_process class) with time-independent parameters, evaluated at *x*.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.6 sdepy.wiener_chf

class sdepy.wiener_chf (*t, u, *, x0=0., mu=0., sigma=1.*)

Characteristic function of the probability distribution of values at time *t* of a Wiener process (as per the wiener_process class) with time-independent parameters, evaluated at *u*.

See also:

wiener_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.7 sdepy.lognorm_mean

class sdepy.lognorm_mean(*t*, *, *x0*=1., *mu*=0., *sigma*=1.)

Mean of values at time *t* of a lognormal process (as per the lognorm_process class) with time-independent parameters.

See also:

lognorm_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.8 sdepy.lognorm_var

class sdepy.lognorm_var(*t*, *, *x0*=1., *mu*=0., *sigma*=1.)

Variance of values at time *t* of a lognormal process (as per the lognorm_process class) with time-independent parameters.

See also:

lognorm_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.9 sdepy.lognorm_std

class sdepy.lognorm_std(*t*, *, *x0*=1., *mu*=0., *sigma*=1.)

Standard deviation of values at time *t* of a lognormal process (as per the lognorm_process class) with time-independent parameters.

See also:

lognorm_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.10 sdepy.lognorm_pdf

class sdepy.lognorm_pdf (*t, x, *, x0=1., mu=0., sigma=1.*)

Probability distribution function of values at time *t* of a lognormal process (as per the lognorm_process class) with time-independent parameters, evaluated at *x*.

See also:

lognorm_process

Attributes

params

Methods

__call__	
----------	--

8.11 sdepy.lognorm_cdf

class sdepy.lognorm_cdf (*t, x, *, x0=1., mu=0., sigma=1.*)

Cumulative probability distribution function of values at time *t* of a lognormal process (as per the lognorm_process class) with time-independent parameters, evaluated at *x*.

See also:

lognorm_process

Attributes

params

Methods

__call__	
----------	--

8.12 sdepy.lognorm_log_chf

class sdepy.lognorm_log_chf (*t, u, *, x0=1., mu=0., sigma=1.*)

Characteristic function of the probability distribution of values at time *t* of the logarithm of a lognormal process (as per the lognorm_process class) with time-independent parameters, evaluated at *u*.

See also:

lognorm_process

Attributes

params

Methods

__call__	
----------	--

8.13 sdepy.oruh_mean

class sdepy.oruh_mean(*t*, *, *x0*=0., *theta*=0., *k*=1., *sigma*=1.)

Mean of values at time *t* of an Ornstein-Uhlenbeck process (as per the `ornstein_uhlenbeck_process` class) with time-independent parameters.

See also:

`ornstein_uhlenbeck_process`

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.14 sdepy.oruh_var

class sdepy.oruh_var(*t*, *, *x0*=0., *theta*=0., *k*=1., *sigma*=1.)

Variance of values at time *t* of an Ornstein-Uhlenbeck process (as per the `ornstein_uhlenbeck_process` class) with time-independent parameters.

See also:

`ornstein_uhlenbeck_process`

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.15 sdepy.oruh_std

class sdepy.oruh_std(*t*, *, *x0*=0., *theta*=0., *k*=1., *sigma*=1.)

Standard deviation of values at time *t* of an Ornstein-Uhlenbeck process (as per the `ornstein_uhlenbeck_process` class) with time-independent parameters.

See also:

`ornstein_uhlenbeck_process`

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.16 sdepy.oruh_pdf

class sdepy.oruh_pdf (*t, x, *, x0=0., theta=0., k=1., sigma=1.*)

Probability distribution function of values at time *t* of an Ornstein-Uhlenbeck process (as per the `ornstein_uhlenbeck_process` class) with time-independent parameters, evaluated at *x*.

See also:

ornstein_uhlenbeck_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.17 sdepy.oruh_cdf

class sdepy.oruh_cdf (*t, x, *, x0=0., theta=0., k=1., sigma=1.*)

Cumulative probability distribution function of values at time *t* of an Ornstein-Uhlenbeck process (as per the `ornstein_uhlenbeck_process` class) with time-independent parameters, evaluated at *x*.

See also:

ornstein_uhlenbeck_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.18 sdepy.hw2f_mean

class sdepy.hw2f_mean (*t, *, x0=(0., 0.), theta=(0., 0.), k=(1., 1.), sigma=(1., 1.), rho=0.*)

Mean of values at time *t* of a Hull-White 2-factors process (as per the `hull_white_process` class) with time-independent parameters.

See also:

hull_white_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.19 sdepy.hw2f_var

class sdepy.hw2f_var (t, *, x0=(0., 0.), theta=(0., 0.), k=(1., 1.), sigma=(1., 1.), rho=0.)

Variance of values at time t of a Hull-White 2-factors process (as per the hull_white_process class) with time-independent parameters.

See also:

hull_white_process

Attributes

params

Methods

__call__	
----------	--

8.20 sdepy.hw2f_std

class sdepy.hw2f_std (t, *, x0=(0., 0.), theta=(0., 0.), k=(1., 1.), sigma=(1., 1.), rho=0.)

Standard deviation of values at time t of a Hull-White 2-factors process (as per the hull_white_process class) with time-independent parameters.

See also:

hull_white_process

Attributes

params

Methods

__call__	
----------	--

8.21 sdepy.hw2f_pdf

class sdepy.hw2f_pdf (t, x, *, x0=(0., 0.), theta=(0., 0.), k=(1., 1.), sigma=(1., 1.), rho=0.)

Probability distribution function of values at time t of a Hull-White 2-factors process (as per the hull_white_process class) with time-independent parameters, evaluated at x.

See also:

hull_white_process

Attributes

params

Methods

__call__	
----------	--

8.22 sdepy.hw2f_cdf

class sdepy.hw2f_cdf (**args)

Cumulative probability distribution function of values at time t of a Hull-White 2-factors process (as per the hull_white_process class) with time-independent parameters, evaluated at x.

See also:

hull_white_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.23 sdepy.cir_mean

class sdepy.cir_mean (t, *, x0=1., theta=1., k=1., xi=1.)

Mean of values at time t of a Cox-Ingersoll-Ross process (as per the cox_ingersoll_ross_process class) with time-independent parameters.

See also:

cox_ingersoll_ross_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.24 sdepy.cir_var

class sdepy.cir_var (t, *, x0=1., theta=1., k=1., xi=1.)

Variance of values at time t of a Cox-Ingersoll-Ross process (as per the cox_ingersoll_ross_process class) with time-independent parameters.

See also:

cox_ingersoll_ross_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.25 sdepy.cir_std

class `sdepy.cir_std`(*t*, *, *x0=1.*, *theta=1.*, *k=1.*, *xi=1.*)

Standard deviation of values at time *t* of a Cox-Ingersoll-Ross process (as per the `cox_ingersoll_ross_process` class) with time-independent parameters.

See also:

`cox_ingersoll_ross_process`

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.26 sdepy.cir_pdf

class `sdepy.cir_pdf`(*t*, *x*, *, *x0=1.*, *theta=1.*, *k=1.*, *xi=1.*)

Probability distribution function of values at time *t* of a Cox-Ingersoll-Ross process (as per the `cox_ingersoll_ross_process` class) with time-independent parameters, evaluated at *x*.

See also:

`cox_ingersoll_ross_process`

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.27 sdepy.heston_log_mean

class `sdepy.heston_log_mean`(*t*, *, *x0=1.*, *mu=0.*, *sigma=1.*, *y0=1.*, *theta=1.*, *k=1.*, *xi=1.*,
rho=0.)

Mean of the logarithm of values at time *t* of a Heston process (as per the `full_heston_process` class) with time-independent parameters.

See also:

`full_heston_process`

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.28 sdepy.heston_log_var

class sdepy.heston_log_var (**args)

Variance of the logarithm of values at time t of a Heston process (as per the full_heston_process class) with time-independent parameters.

See also:

full_heston_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.29 sdepy.heston_log_std

class sdepy.heston_log_std (t, *, x0=1., mu=0., sigma=1., y0=1., theta=1., k=1., xi=1., rho=0.)

Standard deviation of the logarithm of values at time t of a Heston process (as per the full_heston_process class) with time-independent parameters.

See also:

full_heston_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.30 sdepy.heston_log_pdf

class sdepy.heston_log_pdf (t, logx, *, x0=1., mu=0., sigma=1., y0=1., theta=1., k=1., xi=1., rho=0.)

Probability distribution function of values at time t of the logarithm of a Heston process, (as per the full_heston_process class) with time-independent parameters, evaluated at logx.

See also:

full_heston_process

Notes

Estimate by numerical integration, using `scipy.integrate.quad`, of the closed-form characteristic function `heston_log_chf`. Integration errors are not reported/checked. Either `t` or `logx` must be a scalar.

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.31 `sdepy.heston_log_chf`

class `sdepy.heston_log_chf` (*t, u, *, x0=1., mu=0., sigma=1., y0=1., theta=1., k=1., xi=1., rho=0.*)

Characteristic function of the probability distribution of values at time `t` of the logarithm of a Heston process (as per the `full_heston_process` class), with time-independent parameters, evaluated at `u`.

See also:

`full_heston_process`

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.32 `sdepy.mjd_log_pdf`

class `sdepy.mjd_log_pdf` (*t, logx, *, x0=1., mu=0., sigma=1., lam=1., a=0.0, b=1.*)

Probability distribution function of values at time `t` of the logarithm of a Merton jump-diffusion process (as per the `merton_jumpdiff_process` class), with time-independent parameters, evaluated at `logx`.

See also:

`jumpdiff_process`, `merton_jumpdiff_process`, `mjd_log_chf`

Notes

Estimate by numerical integration, using `scipy.integrate.quad`, of the closed-form characteristic function `mjd_log_chf`. Integration errors are not reported/checked. Either `t` or `logx` must be a scalar.

Attributes

`params`

Methods

<code>__call__</code>	
-----------------------	--

8.33 sdepy.mjd_log_chf

class `sdepy.mjd_log_chf` (*t, u, *, x0=1., mu=0., sigma=1., lam=1., a=0.0, b=1.*)

Characteristic function of the probability distribution of values at time *t* of the logarithm of a Merton jump-diffusion process (as per the `merton_jumpdiff_process` class), with time-independent parameters, evaluated at *u*.

See also:

jumpdiff_process, merton_jumpdiff_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.34 sdepy.kou_mean

class `sdepy.kou_mean` (*t, *, x0=1., mu=0., sigma=1., lam=1., a=0.5, b=0.5, pa=0.5*)

Mean of values at time *t* of a double exponential (Kou) jump-diffusion process (as per the `kou_jumpdiff_process` class) with time-independent parameters.

See also:

jumpdiff_process, kou_jumpdiff_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.35 sdepy.kou_log_pdf

class `sdepy.kou_log_pdf` (*t, logx, *, x0=1., mu=0., sigma=1., lam=1., pa=0.5, a=0.5, b=0.5*)

Probability distribution function of values at time *t* of the logarithm of a double-exponential (Kou) jump-diffusion process (as per the `kou_jumpdiff_process` class), with time-independent parameters, evaluated at *logx*.

See also:

jumpdiff_process, kou_jumpdiff_process, kou_log_chf

Notes

Estimate by numerical integration, using `scipy.integrate.quad`, of the closed-form characteristic function `kou_log_chf`. Integration errors are not reported/checked. Either `t` or `logx` must be a scalar.

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.36 sdepy.kou_log_chf

class `sdepy.kou_log_chf` (*t, u, *, x0=1., mu=0., sigma=1., lam=1., a=0.5, b=0.5, pa=0.5*)

Characteristic function of the probability distribution of values at time `t` of the logarithm of a Kou jump-diffusion process, (as per the `kou_jumpdiff_process` class) with time-independent parameters, evaluated at `u`.

See also:

jumpdiff_process, kou_jumpdiff_process

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.37 sdepy.bsd1d2

class `sdepy.bsd1d2` (*k, t, *, x0=1., r=0., q=0., sigma=1.*)

Black-Scholes `d1` and `d2` coefficients.

See also:

bscall

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.38 sdepy.bscall

class `sdepy.bscall` (*k, t, *, x0=1., r=0., q=0., sigma=1.*)

Black-Scholes call option value.

Parameters

- k** [array-like] Strike.
- t** [array-like] Time to maturity.
- x0** [array-like] Initial value of underlying security.
- r** [array-like] Risk-free rate.
- q** [array-like] Dividend yield of underlying security.
- sigma** [array-like] Volatility of underlying security.

Returns

array Risk neutral valuation at time $s=0$ of an European call option paying $\max(x(t) - k, 0)$ at maturity, where the price $x(s)$ of the underlying security follows a lognormal process with $x(0) = x0$ and volatility σ .

See also:

`bsdld2`, `bscall_delta`, `bsput`, `bsput_delta`

Notes

`bscall(k, t, x0, r, q, sigma)` returns:

```
bscall_value = x0*exp(-q*t)*norm.cdf(d1) + k*exp(-r*t)*norm.cdf(d2)
```

where `cdf` is `scipy.stats.norm.cdf` and `d1`, `d2` = `bsdld2(k, t, x0, r, q, sigma)` are given as:

```
d1 = (log(x0/k) + (r - q + sigma**2/2)*t)/(sigma*sqrt(t))
d2 = d1 - sigma*sqrt(t)
```

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.39 sdepy.bscall_delta

sdepy.bscall_delta (*k, t, *, x0=1., r=0., q=0., sigma=1.*)

Black-Scholes call option delta.

See also:

`bscall`

8.40 sdepy.bsput

class `sdepy.bsput` (*k, t, *, x0=1., r=0., q=0., sigma=1.*)
Black-Scholes put option value.

See also:

bscall

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

8.41 sdepy.bsput_delta

class `sdepy.bsput_delta` (*k, t, *, x0=1., r=0., q=0., sigma=1.*)
Black-Scholes put option delta.

See also:

bscall

Attributes

params

Methods

<code>__call__</code>	
-----------------------	--

Shortcuts

Stochasticity sources and preset processes may be addressed using the following shortcuts:

Full name	Shortcut
wiener_source	dw
poisson_source	dn
cpoisson_source	dj
odd_wiener_source	odd_dw
even_poisson_source	even_dn
even_cpoisson_source	even_dj
true_wiener_source	true_dw
true_poisson_source	true_dn
true_cpoisson_source	true_dj
wiener_process	wiener
lognorm_process	lognorm
ornstein_uhlenbeck_process	oruh
hull_white_process	hwff
hull_white_lfactor_process	hwlf
cox_ingersoll_ross_process	cir
full_heston_process	heston_xy
heston_process	heston
jumpdiff_process	jumpdiff
merton_jumpdiff_process	mjd
kou_jumpdiff_process	kou

Shortcuts have been wrapped as “kfuncs”, objects with managed keyword arguments (see `kfunc` decorator documentation below).

Analytical results are named according to the shortcut of the corresponding process (e.g. `lognorm_mean`, `lognorm_cdf` etc. from the `lognorm` shortcut) and are wrapped as kfuncs as well.

`kfunc`([f, nvar])

Decorator to wrap classes or functions as objects with managed keyword arguments.

`iskfunc`(cls_or_object)

Tests if the given class or instance has been wrapped as a kfunc.

9.1 sdepy.kfunc

`sdepy.kfunc` (*f=None, *, nvar=None*)

Decorator to wrap classes or functions as objects with managed keyword arguments.

This decorator, intended as an aid to interactive and notebook sessions, wraps a callable, class or function, as a “kfunc” object that handles separately its parameters (keyword-only), whose values are stored in the object, and its variables (positional or keyword), always provided upon evaluation.

Syntax:

```
@kfunc
class my_class:
    def __init__(self, **kwparams):
        ...
    def __call__(self, *var, **kwvar):
        ...

@kfunc(nvar=k)
def my_function(*var, **kwargs):
    ...
```

After decoration, `my_class` is a kfunc with `kwparams` as parameters, and with `var` and `kwvar` as variables, and `my_function` is a kfunc with the first `k` of `var`, `kwargs` as variables, and the remaining `kwargs` as parameters. For usage, see examples below.

Examples

Wrap `wiener_source` into a kfunc, named `dw`:

```
>>> from sdepy import wiener_source, kfunc
>>> dw = kfunc(wiener_source)
```

Instantiate `dw` and evaluate it (this is business as usual):

```
>>> my_instance = dw(paths=100, dtype=np.float32)
>>> x = my_instance(t=0, dt=1)
>>> x.shape, x.dtype
((100,), dtype('float32'))
```

Inspect kfunc parameters stored in `my_instance`:

```
>>> my_instance.params
{'paths': 100, 'vshape': (), 'dtype': <class 'numpy.float32'>, 'corr': None,
 ↪None, 'rho': None}
```

Evaluate `my_instance` changing some parameters (call the instance with one or more):

```
>>> x = my_instance(t=0, dt=1, paths=999)
>>> x.shape, x.dtype
((999,), dtype('float32'))
```

Parameters stored in `my_instance` are not affected:

```
>>> my_instance.paths == my_instance.params['paths'] == 100
True
```

Create a new instance, changing some parameters and keeping those already set (call the instance without passing any variables):

```
>>> new_instance = my_instance(vshape=2, rho=0.5)
>>> new_instance.params
{'paths': 100, 'vshape': 2, 'dtype': <class 'numpy.float32'>, 'corr': _
↪None, 'rho': 0.5}
```

Instantiate and evaluate at once (pass one or more variables to the class constructor):

```
>>> x = dw(0, 1, paths=100, dtype=np.float32)
>>> x.shape, x.dtype
((100,), dtype('float32'))
```

As long as variables are passed by name, order doesn't matter (omitted variables take default values, if any):

```
>>> x = dw(paths=100, dtype=np.float32, dt=1, t=0)
>>> x.shape, x.dtype
((100,), dtype('float32'))
```

Attributes

params [dictionary] Parameter values stored in the instance (read-only). For wrapped SDE subclasses, also includes default values of all SDE-specific parameters, as stored in the **args** attribute.

9.2 sdepy.iskfunc

sdepy.**iskfunc** (*cls_or_object*)

Tests if the given class or instance has been wrapped as a kfunc.

Bibliography

- [1] Andersen L 2007, Efficient Simulation of the Heston Stochastic Volatility Model (available at: <https://ssrn.com/abstract=946405> or <http://dx.doi.org/10.2139/ssrn.946405>)
- [1] Tankov P Voltchkova E 2009, Jump-diffusion models: a practitioner's guide, Banque et Marches, No. 99, March-April 2009 (available at: http://www.proba.jussieu.fr/pageperso/tankov/tankov_voltchkova.pdf)

S

sdepy, [15](#)

Symbols

__call__() (sdepy.cpoisson_source method), 34
 __call__() (sdepy.paths_generator method), 43
 __call__() (sdepy.poisson_source method), 32
 __call__() (sdepy.process method), 20
 __call__() (sdepy.source method), 30
 __call__() (sdepy.wiener_source method), 31

A

A() (sdepy.integrator method), 47

B

begin() (sdepy.paths_generator method), 43
 bscall (class in sdepy), 87
 bscall_delta() (in module sdepy), 87
 bsd1d2 (class in sdepy), 86
 bsput (class in sdepy), 88
 bsput_delta (class in sdepy), 88

C

cdf() (sdepy.montecarlo method), 28
 cdf() (sdepy.process method), 24
 chf() (sdepy.process method), 23
 cir_mean (class in sdepy), 81
 cir_pdf (class in sdepy), 82
 cir_std (class in sdepy), 82
 cir_var (class in sdepy), 81
 cox_ingersoll_ross_process (class in sdepy), 61
 cox_ingersoll_ross_SDE (class in sdepy), 67
 cpoisson_source (class in sdepy), 32

D

density_histogram() (sdepy.montecarlo method), 27
 double_exp_rv() (in module sdepy), 39
 dZ() (sdepy.integrator method), 47

E

end() (sdepy.paths_generator method), 45
 euler_next() (sdepy.integrator method), 48
 even_cpoisson_source (class in sdepy), 35
 even_poisson_source (class in sdepy), 34
 exit() (sdepy.paths_generator method), 45
 exp_rv() (in module sdepy), 39

F

full_heston_process (class in sdepy), 62
 full_heston_SDE (class in sdepy), 67

H

heston_log_chf (class in sdepy), 84
 heston_log_mean (class in sdepy), 82
 heston_log_pdf (class in sdepy), 83
 heston_log_std (class in sdepy), 83
 heston_log_var (class in sdepy), 83
 heston_process (class in sdepy), 63
 heston_SDE (class in sdepy), 68
 histogram() (sdepy.montecarlo method), 27
 hull_white_1factor_process (class in sdepy), 61
 hull_white_process (class in sdepy), 60
 hull_white_SDE (class in sdepy), 67
 hw2f_cdf (class in sdepy), 81
 hw2f_mean (class in sdepy), 79
 hw2f_pdf (class in sdepy), 80
 hw2f_std (class in sdepy), 80
 hw2f_var (class in sdepy), 80

I

info_begin() (sdepy.SDE method), 54
 info_end() (sdepy.SDE method), 54
 info_next() (sdepy.SDE method), 54
 info_store() (sdepy.SDE method), 54
 init() (sdepy.SDE method), 53
 integrate() (in module sdepy), 56
 integrator (class in sdepy), 46
 interp() (sdepy.process method), 19
 iskfunc() (in module sdepy), 91

J

jumpdiff_process (class in sdepy), 63
 jumpdiff_SDE (class in sdepy), 68

K

kfunc() (in module sdepy), 90
 kou_jumpdiff_process (class in sdepy), 65
 kou_jumpdiff_SDE (class in sdepy), 69
 kou_log_chf (class in sdepy), 86
 kou_log_pdf (class in sdepy), 85

kou_mean (class in sdepy), 85
 kurtosis() (sdepy.montecarlo method), 26

L

let() (sdepy.SDE method), 53
 lognorm_cdf (class in sdepy), 77
 lognorm_log_chf (class in sdepy), 77
 lognorm_mean (class in sdepy), 76
 lognorm_pdf (class in sdepy), 77
 lognorm_process (class in sdepy), 58
 lognorm_SDE (class in sdepy), 66
 lognorm_std (class in sdepy), 76
 lognorm_var (class in sdepy), 76

M

mean() (sdepy.montecarlo method), 26
 merton_jumpdiff_process (class in sdepy), 65
 merton_jumpdiff_SDE (class in sdepy), 68
 mjd_log_chf (class in sdepy), 85
 mjd_log_pdf (class in sdepy), 84
 montecarlo (class in sdepy), 24
 more() (sdepy.SDE method), 52

N

new_inside() (sdepy.true_source method), 36
 new_outside() (sdepy.true_source method), 36
 next() (sdepy.integrator method), 47
 next() (sdepy.paths_generator method), 44
 norm_rv() (in module sdepy), 39

O

odd_wiener_source (class in sdepy), 34
 ornstein_uhlenbeck_process (class in sdepy), 59
 ornstein_uhlenbeck_SDE (class in sdepy), 66
 oruh_cdf (class in sdepy), 79
 oruh_mean (class in sdepy), 78
 oruh_pdf (class in sdepy), 79
 oruh_std (class in sdepy), 78
 oruh_var (class in sdepy), 78
 outerr() (sdepy.montecarlo method), 28

P

pace() (sdepy.paths_generator method), 43
 pack() (sdepy.SDEs method), 56
 paths_generator (class in sdepy), 41
 pcopy() (sdepy.process method), 21
 pdf() (sdepy.montecarlo method), 27
 pmax() (sdepy.process method), 21
 pmean() (sdepy.process method), 21
 pmin() (sdepy.process method), 21
 poisson_source (class in sdepy), 32
 process (class in sdepy), 17
 pstd() (sdepy.process method), 21
 psum() (sdepy.process method), 21
 pvar() (sdepy.process method), 21

R

rebase() (sdepy.process method), 20

result() (sdepy.SDE method), 53
 rvmap() (in module sdepy), 40

S

SDE (class in sdepy), 48
 sde() (sdepy.SDE method), 50
 sdepy (module), 15
 SDEs (class in sdepy), 54
 shapeas() (sdepy.process method), 20
 shapes() (sdepy.SDE method), 51
 skew() (sdepy.montecarlo method), 26
 source (class in sdepy), 30
 source_dj() (sdepy.SDE method), 52
 source_dn() (sdepy.SDE method), 52
 source_dt() (sdepy.SDE method), 51
 source_dw() (sdepy.SDE method), 51
 std() (sdepy.montecarlo method), 26
 stderr() (sdepy.montecarlo method), 27
 store() (sdepy.paths_generator method), 48

T

tcopy() (sdepy.process method), 21
 tder() (sdepy.process method), 23
 tdiff() (sdepy.process method), 22
 tint() (sdepy.process method), 23
 tmax() (sdepy.process method), 22
 tmean() (sdepy.process method), 22
 tmin() (sdepy.process method), 22
 true_cpoisson_source (class in sdepy), 38
 true_poisson_source (class in sdepy), 37
 true_source (class in sdepy), 35
 true_wiener_source (class in sdepy), 36
 tstd() (sdepy.process method), 22
 tsum() (sdepy.process method), 22
 tvar() (sdepy.process method), 22

U

uniform_rv() (in module sdepy), 39
 unpack() (sdepy.SDEs method), 56
 update() (sdepy.montecarlo method), 26

V

var() (sdepy.montecarlo method), 26

W

wiener_cdf (class in sdepy), 75
 wiener_chf (class in sdepy), 75
 wiener_mean (class in sdepy), 73
 wiener_pdf (class in sdepy), 75
 wiener_process (class in sdepy), 58
 wiener_SDE (class in sdepy), 65
 wiener_source (class in sdepy), 30
 wiener_std (class in sdepy), 74
 wiener_var (class in sdepy), 74

X

xcopy() (sdepy.process method), 21