
sphinx-test-reports Documentation

Release 1.0.2

team useblocks

Mar 10, 2023

CONTENTS

1	Introduction	3
2	Content	5
2.1	Installation	5
2.2	Directives	5
2.3	Configuration	41
2.4	Filtering Test Data	44
2.5	Dynamic functions	46
2.6	Examples	49
2.7	Support	1955
2.8	Changelog	1955
3	Sphinx-Needs Ecosystem	1959
3.1	Other Sphinx extensions	1961
4	Motivation	1963

Sphinx-Test-Reports shows test results inside [Sphinx](#) documentations.

It provides the following features:

- *test-file*: Documents all test cases from a junit-based xml file.
- *test-suite*: Documents a specific test-suite and its test-cases.
- *test-case*: Documents a single test-case from a given file and suite.
- *test-report*: Creates a report from a test file, including tables and more for analysis.
- *test-results*: Creates a simple table of test cases inside a given file.
- *test-env*: Documents the used test-environment. Based on [tox-envreport](#).

INTRODUCTION

A single documented test-case looks like this:

Test-Case: **test_add_source_parser** *TC_F7984*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_add_source_parser
case_name: test_add_source_parser
classname: None
time: 0.009029150009155273
result: passed

Custom Message: The result is **passed** with an execution time of **0.009029150009155273**.
Now follows automatically generated output like system-out, messages and text of the test-case.
System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/add_source_parser
# outdir: /tmp/add_source_parser/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Take a look into our *pytest example* to see the complete result of all Sphinx tests (1154 test cases!).

The objects created by **Sphinx-Test-Reports** are based on **Sphinx-Needs**. So all features for filtering, sorting and showing data is supported.

As example, here is a shorten list of tests results from the Sphinx-pytest example:

ID	Title	Result
<i>RE- PORT_0EA_049F6</i>	test_insert_similar	passed
<i>RE- PORT_0EA_140FB</i>	test_rstdim_to_latexdim	passed
<i>RE- PORT_0EA_57BA7</i>	test_theme_api	failure
<i>RE- PORT_0EA_734D6</i>	test_build	passed
<i>RE- PORT_0EA_73FAE</i>	test_build_latex_doc[lualatex-howto]	failure
<i>RE- PORT_0EA_8F625</i>	test_generate	passed
<i>RE- PORT_0EA_EB670</i>	test_texinfo	skipped

CONTENT

2.1 Installation

Install Sphinx-Test-Report via `pip install sphinx-test-reports`.

After that the extension must to be added to the `conf.py` file:

```
extensions = ['sphinx_needs',  
             'sphinxcontrib.test_reports',  
             'sphinxcontrib.plantuml']
```

Please note, Sphinx-Test-Report is based on the [Sphinx-needs extension](#). Therefore it must also be added to the extensions list!

And same for [PlantUML](#), which is important to render flowcharts for filtered test-cases.

More details can be find in the [installation-guide](#) of Sphinx-Needs.

2.2 Directives

2.2.1 test-file

`test_file` loads the data from a given file path in `file`.

Usage

```
.. test-file:: My Test Data  
   :file: my_test_data.xml  
   :id: TESTFILE_1
```

The following options can be set:

- **id**: Unique id for the test file. If not given, generated from title.
- **file**: file path to test file. If relative, the location of `conf.py` folder is taken as base-folder.
- **status**: A status as string.
- **tags**: A comma-separated list of strings.
- **links**: A comma-separated list of IDs to other documented `test_files` / `needs-objects`.
- **collapse**: If set to “TRUE”, meta data is collapsed. Can also be set to “FALSE”.

- **auto_suites**: If set (no value!), all contained suites will get documented (like using `test-suite`).
- **auto_cases**: If set (no value!), all contained cases will get documented (like using `test-cases`). Must be used together with `auto_suites`!

`test_file` creates a need of type `Test-File` and adds the following options automatically:

- **suites**: Amount of found suites in test file.
- **cases**: Amount of found cases in test file.
- **passed**: Amount of passed test cases.
- **skipped**: Amount of skipped test cases.
- **failed**: Amount of failed test cases.
- **errors**: Amount of test cases which have errors during tet execution.

These options can also be used to *filter for certain Test-Files*.

Autogenerated suites and cases

By using the options `auto_suites` or `auto_cases` Sphinx-Test-Report will documented all found suites/cases in the given test-file.

So it will create sphinx-needs-objects, like you would manually use the directives `test-suite` or `test-case`.

It uses the ID of `test_file` as prefix for the IDs of the suites and cases. Their ID will be hash-value based on their title. So a suite ID may look like `TESTFILE1_E2A5` and a case ID `TESTFILE1_E2A5_F39A`.

These IDs should be stable between different sphinx builds, as long as their title of suites / cases does not change.

All other options like `tags`, `links`, `status` are copied from `test-file` directive to the autogenerated `test-suite` and `test-case` directives.

`links` will also contain links to the parent objects, e.g. a `test-case` has links to the `test_suite` and also to the `test-file`.

Example

Basics

```
.. test-file:: common xml test data
:file: ../tests/doc_test/utils/xml_data.xml
:id: TESTFILE_1

This test_file has very common data.
Some options are net set, therefore their value is ``-1``

.. test-file:: pytest test data
:file: ../tests/doc_test/utils/pytest_data.xml
:id: TESTFILE_2
:links: TESTFILE_1

This test_file was created by `pytest <https://docs.pytest.org/en/latest/>`.

.. test-file:: nose test data
```

(continues on next page)

(continued from previous page)

```

:file: ../tests/doc_test/utils/nose_data.xml
:id: TESTFILE_3
:links: TESTFILE_1
:status: open
:tags: pytest, data, awesome
:collapse: FALSE

```

This test_file was created by ``nosetest <https://nose.readthedocs.io/en/latest/>`_.`

``collapse`` was set to False, therefore we see its data directly.

Also ``status`` and ``tags`` are set.

Test-File: **common xml test data** *TESTFILE_1*

```

delete: False
jinja_content: False
file: ../tests/doc_test/utils/xml_data.xml
suites: 1
cases: 3
passed: 3
skipped: -1
failed: -1
errors: -1

```

links incoming: *TESTFILE_2, TESTFILE_3*

This test_file has very common data. Some options are not set, therefore their value is -1

Test-File: pytest test data <i>TESTFILE_2</i>
<p>delete: False jinja_content: False file: ../tests/doc_test/utils/pytest_data.xml suites: 1 cases: 10 passed: 0 skipped: 10 failed: 0 errors: 0</p> <p>links outgoing: <i>TESTFILE_1</i> links incoming: <i>TESTSUITE_1</i></p>
This test_file was created by pytest .

Test-File: nose test data <i>TESTFILE_3</i>
<p>status: open tags: pytest, data, awesome delete: False jinja_content: False file: ../tests/doc_test/utils/nose_data.xml suites: 1 cases: 5 passed: 5 skipped: 0 failed: 0 errors: 0</p> <p>links outgoing: <i>TESTFILE_1</i></p>
<p>This test_file was created by nosetest. collapse was set to False, therefor we see its data directly. Also status and tags are set.</p>

Autogenerated suite

```
.. test-file:: pytest test data
   :file: ../tests/doc_test/utils/pytest_data.xml
   :id: TESTFILE_AUTO1
   :auto_suites:
   :collapse: FALSE
   :tags: auto
```

Test-File: **pytest test data** *TESTFILE_AUTO1*

tags: auto
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_data.xml
suites: 1
cases: 10
passed: 0
skipped: 10
failed: 0
errors: 0

links incoming: *TESTFILE_AUTO1_OEA*

Test-Suite: **pytest** *TESTFILE_AUTO1_OEA*

tags: auto
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_data.xml
suite: pytest
cases: 10
passed: 0
skipped: 10
failed: 0
errors: 0

links outgoing: *TESTFILE_AUTO1*

Autogenerated suite and cases

```
.. test-file:: pytest test data
   :file: ../tests/doc_test/utils/pytest_data.xml
   :id: TESTFILE_AUTO2
   :auto_suites:
   :auto_cases:
   :tags: auto
```

Test-File: **pytest** test data *TESTFILE_AUTO2*

tags: auto
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_data.xml
suites: 1
cases: 10
passed: 0
skipped: 10
failed: 0
errors: 0

links incoming: *TESTFILE_AUTO2_0EA*, *TESTFILE_AUTO2_0EA_D962E*, *TESTFILE_AUTO2_0EA_BCA04*,
TESTFILE_AUTO2_0EA_5B0AB, *TESTFILE_AUTO2_0EA_17650*, *TESTFILE_AUTO2_0EA_44574*,
TESTFILE_AUTO2_0EA_52AB6, *TESTFILE_AUTO2_0EA_03B18*, *TESTFILE_AUTO2_0EA_D9167*,
TESTFILE_AUTO2_0EA_8E5DB, *TESTFILE_AUTO2_0EA_E5144*

Test-Suite: **pytest** *TESTFILE_AUTO2_0EA*

tags: auto
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_data.xml
suite: pytest
cases: 10
passed: 0
skipped: 10
failed: 0
errors: 0

links outgoing: *TESTFILE_AUTO2*

links incoming: *TESTFILE_AUTO2_0EA_D962E*, *TESTFILE_AUTO2_0EA_BCA04*,
TESTFILE_AUTO2_0EA_5B0AB, *TESTFILE_AUTO2_0EA_17650*, *TESTFILE_AUTO2_0EA_44574*,
TESTFILE_AUTO2_0EA_52AB6, *TESTFILE_AUTO2_0EA_03B18*, *TESTFILE_AUTO2_0EA_D9167*,
TESTFILE_AUTO2_0EA_8E5DB, *TESTFILE_AUTO2_0EA_E5144*

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_D962E*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: setup
time: 0.000252246856689
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0e950>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_BCA04*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: docs.conf
time: 0.000167846679688
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0ea10>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_5B0AB*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.__init__
time: 0.000164031982422
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497450>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_17650*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.__init__
time: 0.000192880630493
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497c10>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_44574*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.junitparser
time: 0.00017786026001
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2350>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_52AB6*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.test_reports
time: 0.000218152999878
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2a50>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_03B18*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.__init__
time: 0.000204801559448
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2cd0>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_D9167*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.test_env
time: 0.000218868255615
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae250>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_8E5DB*

tags: auto
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.test_report
time: 0.000199317932129
result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae950>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *TESTFILE_AUTO2_0EA_E5144*

tags: auto
 style: tr_skipped
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utlils/pytest_data.xml
 suite: pytest
 case: FLAKE8
 case_name: FLAKE8
 classname: sphinxcontrib.test_reports.directives.test_results
 time: 0.00019097328186
 result: skipped

links outgoing: *TESTFILE_AUTO2*, *TESTFILE_AUTO2_0EA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
 ↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84bf090>

Message:

file(s) previously passed FLAKE8 checks

2.2.2 test-suite

test-suite loads the data from a given file path in file for a specified suite.

Usage

```
.. test-suite:: My Test Suite
   :file: my_test_data.xml
   :suite: my_tested_suite
   :id: TESTSUITE_1
```

The following options can be set:

- **id**: Unique id for the test file. If not given, generated from title.
- **file**: file path to test file. If relative, the location of `conf.py` folder is taken as base-folder.
- **suite**: Name of the suite.
- **status**: A status as string.
- **tags**: A comma-separated list of strings.
- **links**: A comma-separated list of IDs to other documented test_files / needs-objects.

- **collapse**: If set to “TRUE”, meta data is collapsed. Can also be set to “FALSE”.

test-suite creates a need of type Test-Suite and adds the following options automatically:

- **cases**: Amount of found cases in test file.
- **passed**: Amount of passed test cases.
- **skipped**: Amount of skipped test cases.
- **failed**: Amount of failed test cases.
- **errors**: Amount of test cases which have errors during tet execution.
- **time**: Needed time for running all test cases in suite.

These options can also be used to *filter for certain Test-Files*.

Example

<pre>.. test-suite:: Flake8 results during pytest-run :file: ../tests/doc_test/utils/pytest_data.xml :suite: pytest :id: TESTSUITE_1 A test suite, containing the results of the suite ooly.</pre>

Test-Suite: Flake8 results during pytest-run <i>TESTSUITE_1</i>
<pre>delete: False jinja_content: False file: ../tests/doc_test/utils/pytest_data.xml suite: pytest cases: 10 passed: 0 skipped: 10 failed: 0 errors: 0 links outgoing: <i>TESTFILE_2</i> links incoming: <i>TESTCASE_1</i></pre>
A test suite, containing the results of the suite only.

2.2.3 test-case

test-case loads the data from a given file path in file for a specified test case.

Usage

```
.. test-case:: My Test Suite
   :file: my_test_data.xml
   :suite: my_tested_suite
   :case: my_case
   :classname: my_test_class
   :id: TESTCASE_1
```

The following options can be set:

- **id**: Unique id for the test file. If not given, generated from title.
- **file**: file path to test file. If relative, the location of `conf.py` folder is taken as base-folder.
- **suite**: Name of the suite.
- **case**: Name of the case.
- **classname**: Name of the test class, which contains the case.
- **status**: A status as string.
- **tags**: A comma-separated list of strings.
- **links**: A comma-separated list of IDs to other documented test_files / needs-objects.
- **collapse**: If set to “TRUE”, meta data is collapsed. Can also be set to “FALSE”.

As different test-frameworks handle the values for test-name and test-classname differently, it is allowed to specify only case or classname. It depends on the loaded test-data, if this results in a unique test-case or if it selects only the first found test case. The best case is to always try to specify both values, `case` and `classname`.

test-suite creates a need of type Test-Suite and adds the following options automatically:

- **result**: Result of the test case run. E.g passed or failed.
- **time**: Needed time for running the test case

These options can also be used to *filter for certain Test-Files*.

Example

```
.. test-case:: Flake8 test case
   :id: TESTCASE_1
   :file: ../tests/doc_test/utils/pytest_data.xml
   :suite: pytest
   :classname: sphinxcontrib.test_reports.test_reports
   :case: FLAKE8
   :links: TESTSUITE_1

   A pytest test case.

.. test-case:: nose test case
```

(continues on next page)

(continued from previous page)

```
:file: ../tests/doc_test/utils/nose_data.xml
:suite: nosetests
:classname: test_empty_doc
:id: TESTCASE_2
```

A nosetest test case.

Test-Case: **Flake8 test case** *TESTCASE_1*

style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.test_reports
time: 0.000218152999878
result: skipped

links outgoing: *TESTSUITE_1*

A pytest test case.

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2a50>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **nose test case** *TESTCASE_2*

```

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: None
case_name: test_doc_build_html
classname: test_empty_doc
time: 0.108
result: passed

```

A nosetest test case.

2.2.4 test-report

`test-report` generate a complete report including test-cases, tables and statistics for a given test-file.

```

.. test-report:: My Report
   :id: REPORT
   :file: ../tests/doc_test/utils/pytest_sphinx_data_short.xml

```

The following options must be set:

- **id**: An unique id. Will be used as prefix for all created objects.
- **file**: File path to the test file.

Optional options are:

- **tags**: comma separated list of tags. Will be set to all created test objects.
- **links**: comma separated list of links. Will be set to all created test objects.

Example

Used code:

```

.. test-report:: My Report
   :id: REPORT
   :file: ../tests/doc_test/utils/pytest_sphinx_data_short.xml
   :tags: my_report, awesome
   :links: SPEC_001

.. spec:: Example specification
   :id: SPEC_001

```

(continues on next page)

(continued from previous page)

Used as simple link target. See Sphinx-Needs for details.

Result:

Test file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utis/pytest_sphinx

Template used: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/envs/latest/lib/python3.7/site-packages/sphinxcontrib/test_reports/directives/test_report_template.txt

Statistics

Test suites: 1

Test cases: 7

Failed test cases: 2

Skipped test cases: 1

Test cases:

ID	Title	Result
RE-PORT_0EA_049F6	test_insert_similar	passed
RE-PORT_0EA_140FB	test_rstdim_to_latexdim	passed
RE-PORT_0EA_57BA7	test_theme_api	failure
RE-PORT_0EA_734D6	test_build	passed
RE-PORT_0EA_73FAE	test_build_latex_doc[lualatex-howto]	failure
RE-PORT_0EA_8F625	test_generate	passed
RE-PORT_0EA_EB670	test_texinfo	skipped

Failed test cases:

ID	Title	Result
RE-PORT_0EA_57BA7	test_theme_api	failure
RE-PORT_0EA_73FAE	test_build_latex_doc[lualatex-howto]	failure

Skipped test cases:

ID	Title	Result
RE-PORT_0EA_EB670	test_texinfo	skipped

Imported data

Test-File: **My Report** *REPORT*

tags: my_report, awesome, REPORT

delete: False

jinja_content: False

file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utis/pytest_sphinx_data_short.xml

suites: 1

cases: 7

passed: 4

skipped: 1

failed: 2

errors: 0

links outgoing: *SPEC_001*

links incoming: *REPORT_0EA*, *REPORT_0EA_049F6*, *REPORT_0EA_734D6*, *REPORT_0EA_140FB*, *REPORT_0EA_8F625*, *REPORT_0EA_57BA7*, *REPORT_0EA_73FAE*, *REPORT_0EA_EB670*

[‘This file contains a subset of executed tests for Sphinx.’]

Test-Suite: **pytest** *REPORT_0EA*

tags: my_report, awesome, REPORT

delete: False

jinja_content: False

file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utis/pytest_sphinx_data_short.xml

suite: pytest

cases: 7

passed: 4

skipped: 1

failed: 2

errors: 0

links outgoing: *SPEC_001*, *REPORT*

links incoming: *REPORT_0EA_049F6*, *REPORT_0EA_734D6*, *REPORT_0EA_140FB*, *REPORT_0EA_8F625*, *REPORT_0EA_57BA7*, *REPORT_0EA_73FAE*, *REPORT_0EA_EB670*

Test-Case: **test_insert_similar** *REPORT_0EA_049F6*

tags: my_report, awesome, REPORT

style: tr_passed

delete: False

jinja_content: False

file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utils/pytest_sphinx_data_short.xml

suite: pytest

case: test_insert_similar

case_name: test_insert_similar

classname: tests.test_versioning

time: 0.02409982681274414

result: passed

links outgoing: *SPEC_001*, *REPORT*, *REPORT_0EA*

Test-Case: **test_build** *REPORT_0EA_734D6*

tags: my_report, awesome, REPORT
 style: tr_passed
 delete: False
 jinja_content: False
 file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utils/pytest_sphinx_data_short.xml
 suite: pytest
 case: test_build
 case_name: test_build
 classname: tests.test_websupport
 time: 0.3648707866668701
 result: passed

links outgoing: *SPEC_001*, *REPORT*, *REPORT_0EA*

System-out:

```
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [websupport]#x1B[39;49;00m: targets for 1 source files that are out_
↳ of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
```

Test-Case: **test_rstdim_to_latexdim** *REPORT_0EA_140FB*

tags: my_report, awesome, REPORT
style: tr_passed
delete: False
jinja_content: False
file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utils/pytest_sphinx_data_short.xml
suite: pytest
case: test_rstdim_to_latexdim
case_name: test_rstdim_to_latexdim
classname: tests.test_writer_latex
time: 0.0007483959197998047
result: passed

links outgoing: *SPEC_001*, *REPORT*, *REPORT_0EA*

Test-Case: **test_generate** *REPORT_0EA_8F625*

tags: my_report, awesome, REPORT
style: tr_passed
delete: False
jinja_content: False
file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utils/pytest_sphinx_data_short.xml
suite: pytest
case: test_generate
case_name: test_generate
classname: tests.py35.test_autodoc_py35
time: 0.3316631317138672
result: passed

links outgoing: *SPEC_001*, *REPORT*, *REPORT_0EA*

Test-Case: **test_theme_api** *REPORT_0EA_57BA7*

tags: my_report, awesome, REPORT
 style: tr_failure
 delete: False
 jinja_content: False
 file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utis/pytest_sphinx_data_short.xml
 suite: pytest
 case: test_theme_api
 case_name: test_theme_api
 classname: tests.test_theming
 time: 0.01364278793334961
 result: failure

links outgoing: *SPEC_001*, *REPORT*, *REPORT_0EA*

Text:

```
app = <SphinxTestApp buildname='html'>, status = <_io.StringIO
object at 0x7ff4b6c574c8>, warning = <_io.StringIO object at 0x7ff4b6c57798>
```

```
@pytest.mark.sphinx(
    confoverrides={'html_theme': 'ziptheme',
                  'html_theme_options.testopt': 'foo'})
def test_theme_api(app, status, warning):
    E Extra items in the left set:
    E 'alabaster'
    E Use -v to get the full diff
```

```
tests/test_theming.py:26: AssertionError
```

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
# warning:
```

Test-Case: `test_build_latex_doc[lualatex-howto]` *REPORT_OEA_73FAE*

tags: my_report, awesome, REPORT
style: tr_failure
delete: False
jinja_content: False
file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utis/pytest_sphinx_data_short.xml
suite: pytest
case: test_build_latex_doc[lualatex-howto]
case_name: test_build_latex_doc
case_parameter: lualatex-howto
classname: tests.test_build_latex
time: 0.9610209465026855
result: failure

links outgoing: *SPEC_001*, *REPORT*, *REPORT_OEA*

Text:

```
app = <SphinxTestApp buildname='latex'>, status = <_io.StringIO object at 0x7ff4c662a438>, warning = <_io.StringIO object at 0x7ff4c662a678>
engine = 'lualatex', docclass = 'howto'
```

```
@skip_if_requested
@skip_if_stylefiles_notfound
print(stdout)
print(stderr)
> assert False, '%s exited with return code %s' % (
app.config.latex_engine, p.returncode)
E AssertionError: lualatex exited with return code 1
E assert False
```

tests/test_build_latex.py:86: AssertionError

System-out:

```
b"This is LuaTeX, Version 1.0.4 (TeX Live 2017/Debian) \n restricted system commands
enabled.\n(./lualatex/SphinxTests.tex\nLaTeX2e <2017-04-15>\n[\\directlua]:1: module
↪ 'luaotfload-main'
not found:\n\tno field package.preload['luaotfload-main']\n\t[kpse lua searcher] file.
↪ not found:
#x1B[31m/tmp/root/contents.txt:10: WARNING: extensions is already assigned section.
↪ numbers (nested numbered
toctree?)#x1B[39;49;00m
#x1B[31m/tmp/root/robots.txt: WARNING: document isn't included in any toctree#x1B[39;
↪ 49;00m
```

Test-Case: **test_texinfo** *REPORT_OEA_EB670*

tags: my_report, awesome, REPORT
 style: tr_skipped
 delete: False
 jinja_content: False
 file: /home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/./tests/doc_test/utils/pytest_sphinx_data_short.xml
 suite: pytest
 case: test_texinfo
 case_name: test_texinfo
 classname: tests.test_build_texinfo
 time: 0.6067860126495361
 result: skipped

links outgoing: *SPEC_001*, *REPORT*, *REPORT_OEA*

Text:

```
/home/daniel/workspace/sphinx/sphinx/tests/test_build_texinfo.py:61: <py._xmlgen.raw_
↳object at
0x7ff4c6fc0978>
```

Message:

<Skipped instance>

System-out:

```
# testroot: root
# builder: texinfo
# srcdir: /tmp/root
# outdir: /tmp/root/_build/texinfo
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
```

Template

The following rst-code is used to generate the report.

```
**Test file**: {file}

**Template used**: {template_path}

**Statistics**

| Test suites: :need_count:`'{id}' in tags and type=='{suite_need}'`
| Test cases: :need_count:`'{id}' in tags and type=='{case_need}'`
```

(continues on next page)

(continued from previous page)

```
| Failed test cases: :need_count: `{id}' in tags and 'failure' == result and type=='
↪{case_need}`
| Skipped test cases: :need_count: `{id}' in tags and 'skipped' == result and type=='
↪{case_need}`

**Test cases**:

.. needtable::
  :filter: `{id}' in tags and type == '{case_need}'
  :columns: id, title, result
  :style_row: tr_[[copy('result')]]

**Failed test cases**:

.. needtable::
  :filter: `{id}' in tags and 'failure' == result
  :columns: id, title, result
  :style_row: tr_[[copy('result')]]

**Skipped test cases**:

.. needtable::
  :filter: `{id}' in tags and 'skipped' == result
  :columns: id, title, result
  :style_row: tr_[[copy('result')]]

**Imported data**

.. {file_type}:: {title}
  :id: {id}{links_string}
  :tags: {tags}
  :file: {file}
  :auto_suites:
  :auto_cases:

  {content}

Template
-----
The following rst-code is used to generate the report.

.. literalinclude:: ../../sphinxcontrib/test_reports/directives/test_report_template.txt
  :language: rst
```

Specification: **Example specification** *SPEC_001*

links incoming: *REPORT*, *REPORT_0EA*, *REPORT_0EA_049F6*, *REPORT_0EA_734D6*,
REPORT_0EA_140FB, *REPORT_0EA_8F625*, *REPORT_0EA_57BA7*, *REPORT_0EA_73FAE*,
REPORT_0EA_EB670

Used as simple link target. See Sphinx-Needs for details.

2.2.5 test-results

This directive adds a results table of a given junit xml file to the current page.

```
.. test-results:: my/path/to/test.xml
```

2.2.6 unknown

Tests: 3, Failures: -1, Errors: -1, Skips: -1

Time: -1.0

class	name	status	reason
foo1	ASuccessfulTest	passed	
foo2	AnotherSuccessfulTest	passed	
foo3	AFailingTest	failure	details about failure

2.2.7 pytest

Tests: 10, Failures: 0, Errors: 0, Skips: 10

Time: 0.054

class	name	status	reason
setup	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0e950>
docs.conf	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0ea10>
sphinxcontrib.__init__	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497450>
sphinxcontrib.test_reports.__init__	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497c10>
sphinxcontrib.test_reports.junitparser	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2350>
sphinxcontrib.test_reports.test_reports	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2a50>
sphinxcontrib.test_reports.directives.__init__	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2cd0>
sphinxcontrib.test_reports.directives.test_env	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae250>
sphinxcontrib.test_reports.directives.test_report	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae950>
sphinxcontrib.test_reports.directives.test_results	FLAKE8	skipped	file(s) previously passed FLAKE8 checks /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84bf090>

2.2.8 nosetests

Tests: 5, Failures: 0, Errors: 0, Skips: 0

Time: -1.0

class	name	status	reason
test_basic_doc	test_doc_build_html	passed	
test_dummy	test_dummy	passed	
test_empty_doc	test_doc_build_html	passed	
test_junit_parser	test_init_parser	passed	
test_junit_parser	test_xml_object	passed	

Note

Each test framework, like pytest or nosetest, generates a little different junit-xml file with more or less data. If a specific data is not available in the given xml-file, sphinx-test-reports fills the information with **unknown** for strings or -1 for numbers.

2.2.9 test-env

Adds a table with information about the used test environment. This can be operating system, used python version, installed package and much more.

This information needs to be provided via json-file. Currently **sphinx-test-reports** supports the output of **tox-env-report** only.

tox based workflow

1. Use **tox** for running your tests on different environments.
2. Install **tox-env-report**.
3. Run your tests with tox
4. Locate generated file **tox-envreport.json** in your **.tox** folder
5. Use this file like **.. test-env:: ../.tox/tox-envreport.json**

Options

- *data*
- *env*
- *raw*

data

Use `:data:` to define which data shall be printed out.

`:data:` must contain a comma separated list and the requested data is the element key, which got stored in the related dictionary of the requested environment.

Sub-keys like `python.version` are currently not supported.

Example

```
.. test-env:: ../tox/tox-envreport.json
   :data: hostname, python, toxversion
```

Example of supported parameters (if using `tox-env-report`):

- name
- host
- installed_packages
- path
- platform
- reportversion
- setup
- test
- toxversion

env

Prints out only the data of the given environment. `:env:` must be a comma separated list of environment names.

The give name should exist in the given `json`-file.

Example

```
.. test-env:: ../tox/tox-envreport.json
   :env: py27, py35, flake8
```

raw

`:raw:` is a flag and if it is set, the output is a text interpretation of the json data.

Other options like `:data:` and `:env:` can still be used to filter the output.

Example

```
.. test-env:: ../tox/tox-envreport.json
   :raw:
```

Examples

Default output

```
.. test-env: my/path/to/tox-envreport-short.json
   :env: py27
   :data: name, host, installed_packages
```

py27

Variable	Data
host	user_abc
installed_packages	["arrow==0.10.0", "atomicwrites==1.2.1"]
name	py35

Raw output

```
.. test-env: my/path/to/tox-envreport-short.json
   :raw:
   :env: py27
   :data: name, host, installed_packages
```

py27

```
{
  "host": "user_abc",
  "installed_packages": [
    "arrow==0.10.0",
    "atomicwrites==1.2.1"
  ],
```

(continues on next page)

(continued from previous page)

```
"name": "py35"
}
```

2.3 Configuration

The following options can be set inside the `conf.py` file of your Sphinx project.

- *tr_rootdir*
- *tr_file*
- *tr_suite*
- *tr_case*
- *tr_report_template*
- *tr_suite_id_length*
- *tr_case_id_length*
 - *tr_import_encoding*

2.3.1 tr_rootdir

`tr_rootdir` takes a path, which is used as *root dir* for all provided file paths in other directives.

By default `tr_rootdir` contains the configuration folder of your Sphinx project (The one with `conf.py` in it).

2.3.2 tr_file

`tr_file` allows to specify a custom directive name and need-configuration for `test-file`.

Instead of using `.. test-file::` you may want to use `.. test-path::`.

It may get also important to solve directive name conflicts with other Sphinx extensions.

By default `tr_file` is set to:

```
['test-file', 'testfile', 'Test-File', 'TF_', '#ffffff', 'node']
```

All of the following arguments must be set:

1. **directive name**
2. **need directive name**
3. **need print name**
4. **need id prefix**
5. **need collor**
6. **need plantuml style**

The parameters **2-6** are used to configure the underlying Sphinx-needs. See its [documentation about needs_types](#) for more details.

2.3.3 tr_suite

`tr_suite` allows to specify a custom directive name and need-configuration for `test-suite`.

Instead of using `.. test-suite::` you may want to use `.. test-container::`.

By default `tr_suite` is set to:

```
['test-suite', 'testsuite', 'Test-Suite', 'TS_', '#cccccc', 'node']
```

Please read *tr_file* for more details.

2.3.4 tr_case

`tr_case` allows to specify a custom directive name and need-configuration for `test-case`.

Instead of using `.. test-case::` you may want to use `.. test-run::`.

By default `tr_case` is set to:

```
['test-case', 'testcase', 'Test-Case', 'TC_', '#999999', 'node']
```

Please read *tr_file* for more details.

2.3.5 tr_report_template

`tr_report_template` allows to specify a custom template for testcase visualisation. Provide a relative path (from `conf.py`) or provide an absolute path to your template.

A simple example with a scrambled order:

```
**Test file**: {file}

**Template used**: {template_path}

**Imported data**

.. {file_type}:: {title}
   :id: {id}{links_string}
   :tags: {tags}
   :file: {file}
   :auto_suites:
   :auto_cases:

   {content}

**Test cases**:

.. needtable::
   :filter: '{id}' in tags and type == '{case_need}'
   :columns: id, title, result
   :style_row: tr_{{copy('result')}}
```

(continues on next page)

(continued from previous page)

```

**Failed test cases**:

.. needtable::
   :filter: '{id}' in tags and 'failure' == result
   :columns: id, title, result
   :style_row: tr_[[copy('result')]]

**Skipped test cases**:

.. needtable::
   :filter: '{id}' in tags and 'skipped' == result
   :columns: id, title, result
   :style_row: tr_[[copy('result')]]

**Statistics**

| Test suites: :need_count: '{id}' in tags and type=='{suite_need}'`
| Test cases: :need_count: '{id}' in tags and type=='{case_need}'`
| Failed test cases: :need_count: '{id}' in tags and 'failure' == result and type=='
↳ {case_need}'`
| Skipped test cases: :need_count: '{id}' in tags and 'skipped' == result and type=='
↳ {case_need}'`

Template
-----
The following rst-code is used to generate the report.

.. literalinclude:: ../custom_test_report_template.txt
   :language: rst

```

2.3.6 tr_suite_id_length

New in version 1.0.1.

Defines the length of the calculated ID for test suites.

This may be needed, if a junit-xml files contains many test suites.

Default: **3**

2.3.7 tr_case_id_length

New in version 1.0.1.

Defines the length of the calculated ID for test cases.

This may be needed, if a junit-xml files contains many test cases.

Default: **5**

tr_import_encoding

New in version 1.0.3.

Defines the encoding for imported files, e.g. in custom templates.

Default: **utf8**

2.4 Filtering Test Data

You can filter the documented test-data by using the directives [needlist](#), [needtable](#) and [needflow](#).

These filter functions and others are provided by the Sphinx extension [Sphinx-Needs](#). Take a look to figure out what else is possible to customize your way of working with test cases.

Contents

- *Filterable data*
- *needtable - A table for all tests*
- *needlist - A simple list*
- *needflow - Flow charts of linked test data*

2.4.1 Filterable data

Sphinx-Test-Reports adds the following data to a sphinx-need-configuration:

- **Types**
 - test-file
 - test_suite
 - test_case
- **Options**
 - **file**: Test file path.
 - **suite**: Test suite name.
 - **case**: Test case name.
 - **suites**: Amount of test suites found inside a test file.
 - **cases**: Amount of test cases found inside a test file.
 - **passed**: Amount of passed test cases.
 - **skipped**: Amount of skipped test cases.
 - **errors**: Amount of test cases with errors during execution.
 - **failed**: Amount of failed test cases.

Not all options are set for all created needs. E.g. `test_file` doesn't include `case`, as it is not related to a single test case.

The filtering possibilities are really powerful, so take a look into [Filtering needs](#) to figure out how to get most out of your test data.

2.4.2 needtable - A table for all tests

`needtable` provides a feature-rich table of the needed test data.

Use it like:

```
.. needtable::
   :types: Test-File
   :columns: id, file, suites, cases, passed
```

We set `types` to `test_file` to document needs-objects from this type only. `Sphinx-Test-Reports` provides also `test_suite` and `test_case`.

With `columns` we can specify which data of a `test_file` we want to see.

Example

ID	File	Suites	Cases	Passed
CASPERJS_001	../tests/doc_test/utills/casperjs.xml	5	241	241
NOSE01	../tests/doc_test/utills/nose_data.xml	1	5	5
PYTEST01	../tests/doc_test/utills/pytest_data.xml	1	10	0
REPORT	/home/docs/checkouts/readthedocs.org/user_builds/sphinx-test-reports/checkouts/latest/docs/..../tests/doc_test/utills/pytest_sphinx_data_short.xml	1	4	4
SPHINX	../tests/doc_test/utills/pytest_sphinx_data.xml	1	1152	1146
TESTFILE_1	../tests/doc_test/utills/xml_data.xml	1	3	3
TESTFILE_2	../tests/doc_test/utills/pytest_data.xml	1	10	0
TESTFILE_3	../tests/doc_test/utills/nose_data.xml	1	5	5
TESTFILE_AUTO1	../tests/doc_test/utills/pytest_data.xml	1	10	0
TESTFILE_AUTO2	../tests/doc_test/utills/pytest_data.xml	1	10	0

2.4.3 needlist - A simple list

`needlist` provides a simple list of the filtered test-needs.

The filter possibilities are the same as for [needtable](#) and [needflow](#).

Usage:

```
.. needlist::
   :types: Test-File
   :filter: cases.isdigit() and int(cases) > 4
```

`filter` supports complex-filter operations by using a Python-statement. In this case, we check that the `cases` value contains a number and this number must be bigger as 4.

Take a look into the [Filter string section](#) of the `Sphinx-Needs` documentations for more details and ideas how to use it.

Example

TESTFILE_2: pytest test data

TESTFILE_3: nose test data

TESTFILE_AUTO1: pytest test data

TESTFILE_AUTO2: pytest test data

REPORT: My Report

CASPERJS_001: CasperJs tests - Multi test suites

PYTEST01: Pytest Test File

NOSE01: Nosetests Test File

SPHINX: pytest Sphinx data

2.4.4 needflow - Flow charts of linked test data

needflow draws a picture of the filtered need-objects and their connections/links.

Note

This features needs the installed and configured sphinx-extension [sphinxcontrib-plantuml](#).

Usage:

```
.. needflow::
  :types: Test-File, Test-Suite, Test-Case
  :filter: len(links) > 0 or len(links_back) > 0
```

The used `:filter:` allows needs only, if they have an outgoing or incoming link.

Example

2.5 Dynamic functions

Sphinx-Test-Reports provides dynamic functions for Sphinx-Needs.

Read chapter [Dynamic function](#) from Sphinx-Needs documentation to know how to use them.

2.5.1 tr_link

Links a need (e.g testcase) automatically to other needs, which have a specific value in a given option.

Usage:

```
.. test-case:: My test case
  :id: TESTCASE_1
  :file: my_test_file.xml
  :suite: pytest
  :classname: sphinxcontrib.test_reports.test_reports
  :case: FLAKE8
  :links: [[tr_link("source_option", "target_option")]]
```

`tr_link` needs the following arguments:

- **source_option:** Name of an option of the test-need, which is used for comparison. E.g. `classname`.
- **target_option:** Name of an option of all other needs, which is used for comparison. E.g. `title`.

The function reads the `target_option` from the need, where it is used. Then it goes through **all** other needs and checks if the value of their `source_option` is equal to the `target_option`. If this is the case, their IDs get stored and finally returned.

Example:

```
.. spec:: sphinxcontrib.test_reports.test_reports
   :id: TESTSPEC_001
   :status: open
   :tags: example, link_example

   This specification specifies the test case ``sphinxcontrib.test_reports.test_
   ↪reports``.

.. test-case:: Flake8 test case
   :id: TESTLINK_1
   :file: ../tests/doc_test/utils/pytest_data.xml
   :suite: pytest
   :classname: sphinxcontrib.test_reports.test_reports
   :case: FLAKE8
   :tags: example, link_example
   :links: [[tr_link('classname', 'title')]]

   A simple test case.
   We will set a link to the need, which has our classname as title.

.. needflow::
   :tags: link_example
```

Specification: `sphinxcontrib.test_reports.test_reports` *TESTSPEC_001*

status: open

tags: example, link_example

links incoming: *TESTLINK_1*

This specification specifies the test case `sphinxcontrib.test_reports.test_reports`.

Test-Case: **Flake8 test case** *TESTLINK_1*

tags: example, link_example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.test_reports
time: 0.000218152999878
result: skipped

links outgoing: *TESTSPEC_001*


A simple test case. We will set a link to the need, which has our classname as title.

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2a50>

Message:

file(s) previously passed FLAKE8 checks



2.6 Examples

Contents

- *Importing*
 - *pytests*
 - * *pytest junit file*
 - * *Autogenerated documentation*
 - *nosetests*
 - * *nosetests junit file*
 - * *Autogenerated documentation*
- *Filtering*
 - *Tables*
 - * *Tags must include pytest*
 - * *Must be defined on this page*
 - *Flows*
 - * *Related to specific id*
 - * *All test-files and suites*
- *Test framework related examples*

2.6.1 Importing

pytests

pytest junit file

```
<testsuite errors="0" failures="0" name="pytest" skips="10" tests="10" time="0.054">
  <testcase classname="setup" file="setup.py" line="-1" name="FLAKE8" time="0.
↳000252246856689">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
      /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
↳python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
↳0x7fd5a8a0e950>
    </skipped>
  </testcase>
  <testcase classname="docs.conf" file="docs/conf.py" line="-1" name="FLAKE8" time="0.
↳000167846679688">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
      /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
↳python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
↳0x7fd5a8a0ea10>
    </skipped>
```

(continues on next page)

(continued from previous page)

```

</testcase>
<testcase classname="sphinxcontrib.__init__" file="sphinxcontrib/__init__.py" line="-
→1" name="FLAKE8" time="0.000164031982422">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a8497450>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.__init__" file="sphinxcontrib/test_
→reports/__init__.py" line="-1" name="FLAKE8" time="0.000192880630493">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a8497c10>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.junitparser" file="sphinxcontrib/
→test_reports/junitparser.py" line="-1" name="FLAKE8" time="0.00017786026001">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a84a2350>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.test_reports" file="sphinxcontrib/
→test_reports/test_reports.py" line="-1" name="FLAKE8" time="0.000218152999878">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a84a2a50>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.directives.__init__" file=
→"sphinxcontrib/test_reports/directives/__init__.py" line="-1" name="FLAKE8" time="0.
→000204801559448">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a84a2cd0>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.directives.test_env" file=
→"sphinxcontrib/test_reports/directives/test_env.py" line="-1" name="FLAKE8" time="0.
→000218868255615">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
        /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
→python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
→0x7fd5a84ae250>
    </skipped>
</testcase>
<testcase classname="sphinxcontrib.test_reports.directives.test_report" file=

```

(continues on next page)

(continued from previous page)

```

↪ "sphinxcontrib/test_reports/directives/test_report.py" line="-1" name="FLAKE8" time="0.
↪ 000199317932129">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
      /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
↪ python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
↪ 0x7fd5a84ae950>
    </skipped>
  </testcase>
  <testcase classname="sphinxcontrib.test_reports.directives.test_results" file=
↪ "sphinxcontrib/test_reports/directives/test_results.py" line="-1" name="FLAKE8" time=
↪ "0.00019097328186">
    <skipped message="file(s) previously passed FLAKE8 checks" type="pytest.skip">
      /home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/
↪ python2.7/site-packages/pytest_flake8.py:106: &lt;py._xmlgen.raw object at_
↪ 0x7fd5a84bf090>
    </skipped>
  </testcase>
</testsuite>

```

Autogenerated documentation

```

.. test-file:: Pytest Test File
   :id: PYTEST01
   :tags: pytest, example
   :file: ../tests/doc_test/utils/pytest_data.xml
   :auto_suites:
   :auto_cases:

```

Test-File: **Pytest Test File** *PYTEST01*

tags: pytest, example

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_data.xml

suites: 1

cases: 10

passed: 0

skipped: 10

failed: 0

errors: 0

links incoming: *PYTEST01_OEA*, *PYTEST01_OEA_D962E*, *PYTEST01_OEA_BCA04*, *PYTEST01_OEA_5B0AB*, *PYTEST01_OEA_17650*, *PYTEST01_OEA_44574*, *PYTEST01_OEA_52AB6*, *PYTEST01_OEA_03B18*, *PYTEST01_OEA_D9167*, *PYTEST01_OEA_8E5DB*, *PYTEST01_OEA_E5144*

Test-Suite: **pytest** *PYTEST01_OEA*

tags: pytest, example

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_data.xml

suite: pytest

cases: 10

passed: 0

skipped: 10

failed: 0

errors: 0

links outgoing: *PYTEST01*

links incoming: *PYTEST01_OEA_D962E*, *PYTEST01_OEA_BCA04*, *PYTEST01_OEA_5B0AB*, *PYTEST01_OEA_17650*, *PYTEST01_OEA_44574*, *PYTEST01_OEA_52AB6*, *PYTEST01_OEA_03B18*, *PYTEST01_OEA_D9167*, *PYTEST01_OEA_8E5DB*, *PYTEST01_OEA_E5144*

Test-Case: **FLAKE8** *PYTEST01_OEA_D962E*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: setup
time: 0.000252246856689
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0e950>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_BCA04*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: docs.conf
time: 0.000167846679688
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8a0ea10>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_5B0AB*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.__init__
time: 0.000164031982422
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497450>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_17650*

tags: pytest, example
 style: tr_skipped
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_data.xml
 suite: pytest
 case: FLAKE8
 case_name: FLAKE8
 classname: sphinxcontrib.test_reports.__init__
 time: 0.000192880630493
 result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
 ↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a8497c10>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_44574*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.junitparser
time: 0.00017786026001
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2350>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_52AB6*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.test_reports
time: 0.000218152999878
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2a50>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_03B18*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.__init__
time: 0.000204801559448
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84a2cd0>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_D9167*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.test_env
time: 0.000218868255615
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae250>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_8E5DB*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.test_report
time: 0.000199317932129
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.
↪7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84ae950>

Message:

file(s) previously passed FLAKE8 checks

Test-Case: **FLAKE8** *PYTEST01_OEA_E5144*

tags: pytest, example
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_data.xml
suite: pytest
case: FLAKE8
case_name: FLAKE8
classname: sphinxcontrib.test_reports.directives.test_results
time: 0.00019097328186
result: skipped

links outgoing: *PYTEST01*, *PYTEST01_OEA*

Text:

/home/daniel/workspace/sphinx/sphinx-test-reports/.tox/py27-sphinx15/local/lib/python2.7/site-packages/pytest_flake8.py:106: <py._xmlgen.raw object at 0x7fd5a84bf090>

Message:

file(s) previously passed FLAKE8 checks

nosetests

nosetests junit file

```
<testsuite name="nosetests" tests="5" errors="0" failures="0" skip="0">
  <testcase classname="test_basic_doc" name="test_doc_build_html" time="0.283"/>
  <testcase classname="test_dummy" name="test_dummy" time="0.000"/>
  <testcase classname="test_empty_doc" name="test_doc_build_html" time="0.108"/>
  <testcase classname="test_junit_parser" name="test_init_parser" time="0.001"/>
  <testcase classname="test_junit_parser" name="test_xml_object" time="0.001"/>
</testsuite>
```

Autogenerated documentation

```
.. test-file:: Nosetests Test File
   :id: NOSE01
   :tags: nose, example
   :file: ../tests/doc_test/utils/nose_data.xml
   :auto_suites:
   :auto_cases:
```

Test-File: **Nosetests Test File** *NOSE01*

tags: nose, example
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suites: 1
cases: 5
passed: 5
skipped: 0
failed: 0
errors: 0

links incoming: *NOSE01_ED0*, *NOSE01_ED0_9DB1E*, *NOSE01_ED0_53735*, *NOSE01_ED0_AA5A7*,
NOSE01_ED0_DBF95, *NOSE01_ED0_0D304*

Test-Suite: **nosetests** *NOSE01_ED0*

tags: nose, example
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
cases: 5
passed: 5
skipped: 0
failed: 0
errors: 0

links outgoing: *NOSE01*

links incoming: *NOSE01_ED0_9DB1E*, *NOSE01_ED0_53735*, *NOSE01_ED0_AA5A7*, *NOSE01_ED0_DBF95*, *NOSE01_ED0_0D304*

Test-Case: **test_doc_build_html** *NOSE01_ED0_9DB1E*

tags: nose, example
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: test_doc_build_html
case_name: test_doc_build_html
classname: test_basic_doc
time: 0.283
result: passed

links outgoing: *NOSE01*, *NOSE01_ED0*

Test-Case: **test_dummy** *NOSE01_ED0_53735*

tags: nose, example
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: test_dummy
case_name: test_dummy
classname: test_dummy
time: 0.0
result: passed

links outgoing: *NOSE01*, *NOSE01_ED0*

Test-Case: **test_doc_build_html** *NOSE01_ED0_AA5A7*

tags: nose, example
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: test_doc_build_html
case_name: test_doc_build_html
classname: test_empty_doc
time: 0.108
result: passed

links outgoing: *NOSE01*, *NOSE01_ED0*

Test-Case: **test_init_parser** *NOSE01_ED0_DBF95*

tags: nose, example
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: test_init_parser
case_name: test_init_parser
classname: test_junit_parser
time: 0.001
result: passed

links outgoing: *NOSE01*, *NOSE01_ED0*

Test-Case: **test_xml_object** *NOSE01_ED0_0D304*

tags: nose, example
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/nose_data.xml
suite: nosetests
case: test_xml_object
case_name: test_xml_object
classname: test_junit_parser
time: 0.001
result: passed

links outgoing: *NOSE01*, *NOSE01_ED0*

2.6.2 Filtering

Tables

Tags must include pytest

```
.. needtable::
   :tags: pytest
   :columns: id, title, result, time, tags
```

ID	Title	Result	Time	Tags
<i>PYTEST01</i>	Pytest Test File			pytest; exam- ple
<i>PYTEST01_OEA</i>	pytest			pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000204801559448	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000192880630493	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000177860260017	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000218152999878	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000164031982422	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000199317932126	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000167846679688	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000218868255616	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000252246856680	pytest; exam- ple
<i>PYTEST01_OEA</i>	FLAKE8	skipped	0.000190973281866	pytest; exam- ple
<i>TESTFILE_3</i>	nose test data			pytest; data; awesome

Must be defined on this page

This checks if the filtered needs (test-files, test-suites, test-cases) got defined inside a section called “Importing”.


```
.. needtable::
   :filter: 'Importing' in sections
   :columns: id, title, result, time, tags
```

ID	Title	Result	Time	Tags
<i>NOSE01</i>	Nosetests Test File			nose; example
<i>NOSE01_ED01</i>	nosetests			nose; example
<i>NOSE01_ED01_0001</i>	test_xml_object	passed	0.001	nose; example
<i>NOSE01_ED01_0002</i>	test_dummy	passed	0.0	nose; example
<i>NOSE01_ED01_0003</i>	test/doc_build_html	passed	0.283	nose; example
<i>NOSE01_ED01_0004</i>	test/doc_build_html	passed	0.108	nose; example
<i>NOSE01_ED01_0005</i>	test/unit_parser	passed	0.001	nose; example
<i>PYTEST01</i>	Pytest Test File			pytest; example
<i>PYTEST01_OEA001</i>	pytest			pytest; example
<i>PYTEST01_OEA002</i>	FLAKE8	skipped	0.000204801559448	pytest; example
<i>PYTEST01_OEA003</i>	FLAKE8	skipped	0.000192880630490	pytest; example
<i>PYTEST01_OEA004</i>	FLAKE8	skipped	0.000177860260011	pytest; example
<i>PYTEST01_OEA005</i>	FLAKE8	skipped	0.000218152999878	pytest; example
<i>PYTEST01_OEA006</i>	FLAKE8	skipped	0.000164031982422	pytest; example
<i>PYTEST01_OEA007</i>	FLAKE8	skipped	0.000199317932120	pytest; example
<i>PYTEST01_OEA008</i>	FLAKE8	skipped	0.000167846679688	pytest; example
<i>PYTEST01_OEA009</i>	FLAKE8	skipped	0.000218868255616	pytest; example
<i>PYTEST01_OEA010</i>	FLAKE8	skipped	0.000252246856680	pytest; example
<i>PYTEST01_OEA011</i>	FLAKE8	skipped	0.00019097328186	pytest; example

Flows

Related to specific id

```
.. needflow::
   :filter: id == 'PYTEST01' or 'PYTEST01' in links
```





All test-files and suites

This shows all testfiles and testsuites, which are defined somewhere in the overall documentation.

Please note to search for `testfile` and `testsuite` (no “-”), as this are the names of the need-objects Sphinx-Test-Reports creates when using the directives `test-file` or `test-suite`.

```
.. needflow::
   :types: testfile, testsuite
   :filter: 'Examples' in sections
```



2.6.3 Test framework related examples

pytest

The data is coming from a pytest-run on the tests of the sphinx project.

Test suites: 1
 Test cases: 1152
 Failed test cases: 4
 Skipped test cases: 2

Failed test cases:

ID	Title	Result
SPHINX_OEA_57BA7	test_theme_api	failure
SPHINX_OEA_73FAE	test_build_latex_doc[lualatex-howto]	failure
SPHINX_OEA_8508E	test_imgmath_png	failure
SPHINX_OEA_9A9C9	test_build_latex_doc[lualatex-manual]	failure

Skipped test cases:

ID	Title	Result
SPHINX_OEA_EB670	test_texinfo	skipped
SPHINX_OEA_F94F9	test_docutils_source_link_with_nonascii_file	skipped

Imported data

Test-File: **pytest Sphinx data** *SPHINX*

tags: pytest_sphinx

delete: False

jinja_content: False

file: ../tests/doc_test/utills/pytest_sphinx_data.xml

suites: 1

cases: 1152

passed: 1146

skipped: 2

failed: 4

errors: 0

links incoming: *SPHINX_OEA*, *SPHINX_OEA_A83AD*, *SPHINX_OEA_6AE8C*, *SPHINX_OEA_4384A*, *SPHINX_OEA_A4929*, *SPHINX_OEA_02EC6*, *SPHINX_OEA_C5A54*, *SPHINX_OEA_2BC5B*, *SPHINX_OEA_87754*, *SPHINX_OEA_EC35C*, *SPHINX_OEA_270EE*, *SPHINX_OEA_7561B*, *SPHINX_OEA_D7416*, *SPHINX_OEA_94A80*, *SPHINX_OEA_58693*, *SPHINX_OEA_E5DD2*, *SPHINX_OEA_7D685*, *SPHINX_OEA_99CA9*, *SPHINX_OEA_03546*, *SPHINX_OEA_DCD9C*, *SPHINX_OEA_4441B*, *SPHINX_OEA_44A0F*, *SPHINX_OEA_83450*, *SPHINX_OEA_731E4*, *SPHINX_OEA_28209*, *SPHINX_OEA_EF3EB*, *SPHINX_OEA_F10FF*, *SPHINX_OEA_A9516*, *SPHINX_OEA_5D1DF*, *SPHINX_OEA_38B84*, *SPHINX_OEA_97870*, *SPHINX_OEA_9EE4F*, *SPHINX_OEA_2BD6D*, *SPHINX_OEA_613C0*, *SPHINX_OEA_5E260*, *SPHINX_OEA_75501*, *SPHINX_OEA_1E279*, *SPHINX_OEA_C0BC7*, *SPHINX_OEA_75E2D*, *SPHINX_OEA_CFBA7*, *SPHINX_OEA_26926*, *SPHINX_OEA_9CCB4*, *SPHINX_OEA_D2E7E*, *SPHINX_OEA_1C1EC*, *SPHINX_OEA_FAE62*, *SPHINX_OEA_C5011*, *SPHINX_OEA_66E76*, *SPHINX_OEA_DF146*, *SPHINX_OEA_46BAA*, *SPHINX_OEA_E1DE8*, *SPHINX_OEA_DF92F*, *SPHINX_OEA_5D5DB*, *SPHINX_OEA_A5339*, *SPHINX_OEA_BF09C*, *SPHINX_OEA_1FB7B*, *SPHINX_OEA_81C01*, *SPHINX_OEA_6CAAE*, *SPHINX_OEA_107D9*, *SPHINX_OEA_86869*, *SPHINX_OEA_A10E3*, *SPHINX_OEA_09495*, *SPHINX_OEA_A067D*, *SPHINX_OEA_B202C*, *SPHINX_OEA_46029*, *SPHINX_OEA_264DD*, *SPHINX_OEA_CB5B2*, *SPHINX_OEA_3CE85*, *SPHINX_OEA_8E4BE*, *SPHINX_OEA_AF599*, *SPHINX_OEA_9B248*, *SPHINX_OEA_AF58C*, *SPHINX_OEA_25E18*, *SPHINX_OEA_AB371*, *SPHINX_OEA_B5F30*, *SPHINX_OEA_EAEA5*, *SPHINX_OEA_3F7B5*, *SPHINX_OEA_2CBF5*, *SPHINX_OEA_0D2B9*, *SPHINX_OEA_7CE0F*, *SPHINX_OEA_6CFEC*, *SPHINX_OEA_A9B3D*, *SPHINX_OEA_2E5CA*, *SPHINX_OEA_DCB9D*, *SPHINX_OEA_534BF*, *SPHINX_OEA_0C36C*, *SPHINX_OEA_7AFA0*, *SPHINX_OEA_8E922*, *SPHINX_OEA_FFB1F*, *SPHINX_OEA_F98CE*, *SPHINX_OEA_83004*, *SPHINX_OEA_39CDE*, *SPHINX_OEA_04CCD*, *SPHINX_OEA_5F369*, *SPHINX_OEA_2AB2C*, *SPHINX_OEA_CC3B1*, *SPHINX_OEA_65264*, *SPHINX_OEA_EA18C*, *SPHINX_OEA_C8325*, *SPHINX_OEA_B2B9E*, *SPHINX_OEA_B71ED*, *SPHINX_OEA_2D59B*, *SPHINX_OEA_72CA1*, *SPHINX_OEA_9A225*, *SPHINX_OEA_18921*, *SPHINX_OEA_A95E8*, *SPHINX_OEA_22610*, *SPHINX_OEA_2ADE5*, *SPHINX_OEA_1FABE*, *SPHINX_OEA_3F943*, *SPHINX_OEA_8246C*, *SPHINX_OEA_D5C9C*, *SPHINX_OEA_45C49*, *SPHINX_OEA_547EF*, *SPHINX_OEA_D0F3D*, *SPHINX_OEA_EA1AB*, *SPHINX_OEA_ACD2D*, *SPHINX_OEA_BCFBB*, *SPHINX_OEA_6B289*, *SPHINX_OEA_F6809*, *SPHINX_OEA_E53E6*, *SPHINX_OEA_D786D*, *SPHINX_OEA_F8375*, *SPHINX_OEA_2811A*, *SPHINX_OEA_D5334*, *SPHINX_OEA_D9AD2*, *SPHINX_OEA_1C082*, *SPHINX_OEA_D5EA2*, *SPHINX_OEA_9CBD2*, *SPHINX_OEA_1CEF5*, *SPHINX_OEA_8E0E3*, *SPHINX_OEA_EFF89*, *SPHINX_OEA_F39CD*, *SPHINX_OEA_949E6*, *SPHINX_OEA_A6D4F*, *SPHINX_OEA_BCF85*, *SPHINX_OEA_A960C*, *SPHINX_OEA_4C572*, *SPHINX_OEA_39087*, *SPHINX_OEA_B53D0*, *SPHINX_OEA_FAB5A*, *SPHINX_OEA_DBDAD*, *SPHINX_OEA_F4E06*, *SPHINX_OEA_8C6A0*, *SPHINX_OEA_F143C*, *SPHINX_OEA_31D38*, *SPHINX_OEA_77525*, *SPHINX_OEA_98E8C*, *SPHINX_OEA_27858*, *SPHINX_OEA_D4919*, *SPHINX_OEA_93217*, *SPHINX_OEA_F9445*, *SPHINX_OEA_C10A6*, *SPHINX_OEA_4B96A*, *SPHINX_OEA_56AEF*, *SPHINX_OEA_9D54B*, *SPHINX_OEA_B07E6*.

Test-Suite: **pytest** *SPHINX_OEA*

tags: **pytest_sphinx**

delete: **False**

jinja_content: **False**

file: **../tests/doc_test/utills/pytest_sphinx_data.xml**

suite: **pytest**

cases: **1152**

passed: **1146**

skipped: **2**

failed: **4**

errors: **0**

links outgoing: *SPHINX*

links incoming: *SPHINX_OEA_A83AD, SPHINX_OEA_6AE8C, SPHINX_OEA_4384A, SPHINX_OEA_A4929, SPHINX_OEA_02EC6, SPHINX_OEA_C5A54, SPHINX_OEA_2BC5B, SPHINX_OEA_87754, SPHINX_OEA_EC35C, SPHINX_OEA_270EE, SPHINX_OEA_7561B, SPHINX_OEA_D7416, SPHINX_OEA_94A80, SPHINX_OEA_58693, SPHINX_OEA_E5DD2, SPHINX_OEA_7D685, SPHINX_OEA_99CA9, SPHINX_OEA_03546, SPHINX_OEA_DCD9C, SPHINX_OEA_4441B, SPHINX_OEA_44A0F, SPHINX_OEA_83450, SPHINX_OEA_731E4, SPHINX_OEA_28209, SPHINX_OEA_EF3EB, SPHINX_OEA_F10FF, SPHINX_OEA_A9516, SPHINX_OEA_5D1DF, SPHINX_OEA_38B84, SPHINX_OEA_97870, SPHINX_OEA_9EE4F, SPHINX_OEA_2BD6D, SPHINX_OEA_613C0, SPHINX_OEA_5E260, SPHINX_OEA_75501, SPHINX_OEA_1E279, SPHINX_OEA_C0BC7, SPHINX_OEA_75E2D, SPHINX_OEA_CFBA7, SPHINX_OEA_26926, SPHINX_OEA_9CCB4, SPHINX_OEA_D2E7E, SPHINX_OEA_1C1EC, SPHINX_OEA_FAE62, SPHINX_OEA_C5011, SPHINX_OEA_66E76, SPHINX_OEA_DF146, SPHINX_OEA_46BAA, SPHINX_OEA_E1DE8, SPHINX_OEA_DF92F, SPHINX_OEA_5D5DB, SPHINX_OEA_A5339, SPHINX_OEA_BF09C, SPHINX_OEA_1FBB7, SPHINX_OEA_81C01, SPHINX_OEA_6CAAE, SPHINX_OEA_107D9, SPHINX_OEA_86869, SPHINX_OEA_A10E3, SPHINX_OEA_09495, SPHINX_OEA_A067D, SPHINX_OEA_B202C, SPHINX_OEA_46029, SPHINX_OEA_264DD, SPHINX_OEA_CB5B2, SPHINX_OEA_3CE85, SPHINX_OEA_8E4BE, SPHINX_OEA_AF599, SPHINX_OEA_9B248, SPHINX_OEA_AF58C, SPHINX_OEA_25E18, SPHINX_OEA_AB371, SPHINX_OEA_B5F30, SPHINX_OEA_EAEA5, SPHINX_OEA_3F7B5, SPHINX_OEA_2CBF5, SPHINX_OEA_0D2B9, SPHINX_OEA_7CE0F, SPHINX_OEA_6CFEC, SPHINX_OEA_A9B3D, SPHINX_OEA_2E5CA, SPHINX_OEA_DCBDB, SPHINX_OEA_534BF, SPHINX_OEA_0C36C, SPHINX_OEA_7AFA0, SPHINX_OEA_8E922, SPHINX_OEA_FFB1F, SPHINX_OEA_F98CE, SPHINX_OEA_83004, SPHINX_OEA_39CDE, SPHINX_OEA_04CCD, SPHINX_OEA_5F369, SPHINX_OEA_2AB2C, SPHINX_OEA_CC3B1, SPHINX_OEA_65264, SPHINX_OEA_EA18C, SPHINX_OEA_C8325, SPHINX_OEA_B2B9E, SPHINX_OEA_B71ED, SPHINX_OEA_2D59B, SPHINX_OEA_72CA1, SPHINX_OEA_9A225, SPHINX_OEA_18921, SPHINX_OEA_A95E8, SPHINX_OEA_22610, SPHINX_OEA_2ADE5, SPHINX_OEA_1FABE, SPHINX_OEA_3F943, SPHINX_OEA_8246C, SPHINX_OEA_D5C9C, SPHINX_OEA_45C49, SPHINX_OEA_547EF, SPHINX_OEA_D0F3D, SPHINX_OEA_EA1AB, SPHINX_OEA_ACD2D, SPHINX_OEA_BCFBB, SPHINX_OEA_6B289, SPHINX_OEA_F6809, SPHINX_OEA_E53E6, SPHINX_OEA_D786D, SPHINX_OEA_F8375, SPHINX_OEA_2811A, SPHINX_OEA_D5334, SPHINX_OEA_D9AD2, SPHINX_OEA_1C082, SPHINX_OEA_D5EA2, SPHINX_OEA_9CBD2, SPHINX_OEA_1CEF5, SPHINX_OEA_8E0E3, SPHINX_OEA_EFF89, SPHINX_OEA_F39CD, SPHINX_OEA_949E6, SPHINX_OEA_A6D4F, SPHINX_OEA_BCF85, SPHINX_OEA_A960C, SPHINX_OEA_4C572, SPHINX_OEA_39087, SPHINX_OEA_B53D0, SPHINX_OEA_FAB5A, SPHINX_OEA_DBDAD, SPHINX_OEA_F4E06, SPHINX_OEA_8C6A0, SPHINX_OEA_F143C, SPHINX_OEA_31D38, SPHINX_OEA_77525, SPHINX_OEA_98E8C, SPHINX_OEA_27858, SPHINX_OEA_D4919, SPHINX_OEA_93217, SPHINX_OEA_F9445, SPHINX_OEA_C10A6, SPHINX_OEA_4B96A, SPHINX_OEA_56AEE, SPHINX_OEA_9D54B, SPHINX_OEA_B07F6, SPHINX_OEA_9F4E4, SPHINX_OEA_1148D, SPHINX_OEA_465ED, SPHINX_OEA_777EE, SPHINX_OEA_77684,*

Test-Case: **test_html_translator** *SPHINX_OEA_A83AD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_translator
case_name: test_html_translator
classname: tests.test_api_translator
time: 0.03638720512390137
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: `test_html_with_set_translator_for_html_ SPHINX_OEA_6AE8C`

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_with_set_translator_for_html_
 case_name: test_html_with_set_translator_for_html_
 classname: tests.test_api_translator
 time: 0.010183572769165039
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_singlehtml_set_translator_for_singlehtml** *SPHINX_OEA_4384A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_singlehtml_set_translator_for_singlehtml
case_name: test_singlehtml_set_translator_for_singlehtml
classname: tests.test_api_translator
time: 0.009295225143432617
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```


Test-Case: **test_pickle_set_translator_for_pickle** *SPHINX_OEA_A4929*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_pickle_set_translator_for_pickle
 case_name: test_pickle_set_translator_for_pickle
 classname: tests.test_api_translator
 time: 0.009723424911499023
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: pickle
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/pickle
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: `test_json_set_translator_for_json` *SPHINX_OEA_02EC6*

tags: `pytest_sphinx`
style: `tr_passed`
delete: `False`
jinja_content: `False`
file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
suite: `pytest`
case: `test_json_set_translator_for_json`
case_name: `test_json_set_translator_for_json`
classname: `tests.test_api_translator`
time: `0.009474515914916992`
result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: json
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/json
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_latex** *SPHINX_OEA_C5A54*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_with_set_translator_for_latex
 case_name: test_html_with_set_translator_for_latex
 classname: tests.test_api_translator
 time: 0.007782697677612305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_man** *SPHINX_OEA_2BC5B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_with_set_translator_for_man
case_name: test_html_with_set_translator_for_man
classname: tests.test_api_translator
time: 0.008483648300170898
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: man
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/man
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_texinfo** *SPHINX_OEA_87754*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_with_set_translator_for_texinfo
 case_name: test_html_with_set_translator_for_texinfo
 classname: tests.test_api_translator
 time: 0.007939577102661133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: texinfo
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/texinfo
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_text** *SPHINX_OEA_EC35C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_with_set_translator_for_text
case_name: test_html_with_set_translator_for_text
classname: tests.test_api_translator
time: 0.00888514518737793
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_xml** *SPHINX_OEA_270EE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_with_set_translator_for_xml
 case_name: test_html_with_set_translator_for_xml
 classname: tests.test_api_translator
 time: 0.008044242858886719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_html_with_set_translator_for_pseudoxml** *SPHINX_OEA_7561B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_with_set_translator_for_pseudoxml
case_name: test_html_with_set_translator_for_pseudoxml
classname: tests.test_api_translator
time: 0.00818490982055664
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: pseudoxml
# srcdir: /tmp/api-set-translator
# outdir: /tmp/api-set-translator/_build/pseudoxml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mChange of translator for the dirhtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the singlehtml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pickle builder.#x1B[39;49;00m
#x1B[01mChange of translator for the json builder.#x1B[39;49;00m
#x1B[01mChange of translator for the latex builder.#x1B[39;49;00m
#x1B[01mChange of translator for the man builder.#x1B[39;49;00m
#x1B[01mChange of translator for the texinfo builder.#x1B[39;49;00m
#x1B[01mChange of translator for the text builder.#x1B[39;49;00m
#x1B[01mChange of translator for the websupport builder.#x1B[39;49;00m
#x1B[01mChange of translator for the xml builder.#x1B[39;49;00m
#x1B[01mChange of translator for the pseudoxml builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```


Test-Case: **test_simple** *SPHINX_OEA_D7416*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_simple
 case_name: test_simple
 classname: tests.test_apidoc
 time: 0.09227848052978516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```

Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/autodoc_fodder.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/autodoc_missing_imports.
→rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/conf.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/ext.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/parsermod.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_simple0/out/make.bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 6 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m6 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mautodoc_fodder#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc_missing_imports#x1B[39;
→49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mconf#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mparsermod#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mautodoc_fodder#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mautodoc_missing_imports#x1B[39;
→49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mconf#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 83%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mparsermod#x1B[39;49;00m
#x1B[01mbuild succeeded, 4 warnings.#x1B[39;49;00m
#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_simple0/out/autodoc_fodder.rst:4:

```


Test-Case: **test_pep_0420_enabled** *SPHINX_OEA_94A80*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_pep_0420_enabled
 case_name: test_pep_0420_enabled
 classname: tests.test_apidoc
 time: 0.04998016357421875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```

Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/a.b.c.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/a.b.x.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/make.bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 3 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35ma.b.c#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35ma.b.x#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32ma.b.c#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32ma.b.x#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m

#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/a.b.c.
↳rst:10: (WARNING/2)
autodoc: failed to import module 'a.b.c.d'; the following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
↳in
import_object
__import__(self.modname)

```

ModuleNotFoundError: No module named 'a'#x1B[39;49;00m

Chapter 2. Content

```

#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_pep_0420_enabled0/out/a.b.c.
↳rst:19: (WARNING/2)

```

```

autodoc: failed to import module 'a.b.c'; the following exception was raised:
Traceback (most recent call last):

```

Test-Case: **test_pep_0420_disabled** *SPHINX_OEA_58693*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_pep_0420_disabled
 case_name: test_pep_0420_disabled
 classname: tests.test_apidoc
 time: 0.02971673011779785
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled0/out/make.bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_pep_0420_disabled_top_level_verify** *SPHINX_OEA_E5DD2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_pep_0420_disabled_top_level_verify
 case_name: test_pep_0420_disabled_top_level_verify
 classname: tests.test_apidoc
 time: 0.06372880935668945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/c.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/conf.
↳py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/index.
↳rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/
↳Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/make.
↳bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/c.
↳rst:10: (WARNING/2)
autodoc: failed to import module 'c.d'; the following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
↳in
import object
```

2.6. in Examples (self.modname)

ModuleNotFoundError: No module named 'c'#x1B[39;49;00m

```
#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_pep_0420_disabled_top_level_verify/out/c.
↳rst:19: (WARNING/2)
autodoc: failed to import module 'c.d'; the following exception was raised:
```


Test-Case: **test_trailing_underscore** *SPHINX_OEA_7D685*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_trailing_underscore
 case_name: test_trailing_underscore
 classname: tests.test_apidoc
 time: 0.0428159236907959
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```

Creating file /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/package_.
↳rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/make.bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mpackage_#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mpackage_#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/package_.
↳rst:10: (WARNING/2)
autodoc: failed to import module 'package_.module_'; the following exception was_
↳raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
↳in
import_object
__import__(self.modname)
ModuleNotFoundError: No module named 'package_'#x1B[39;49;00m
#x1B[31mWARNING: /tmp/pytest-of-daniel/pytest-1/test_trailing_underscore0/out/package_93
↳rst:19: (WARNING/2)
autodoc: failed to import module 'package_'; the following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
↳in
import_object
__import__(self.modname)
ModuleNotFoundError: No module named 'package_'#x1B[39;49;00m

```

2.6. Examples

Test-Case: **test_multibyte_parameters** *SPHINX_OEA_99CA9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_multibyte_parameters
 case_name: test_multibyte_parameters
 classname: tests.test_apidoc
 time: 0.08845353126525879
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```

Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/autodoc_
↳ fodder.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/autodoc_
↳ missing_imports.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/conf.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/ext.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/parsermod.
↳ rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_multibyte_parameters0/out/make.bat.
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 6 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m6 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mautodoc_fodder#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc_missing_imports#x1B[39;
↳ 49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mconf#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mparsermod#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mautodoc_fodder#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mautodoc_missing_imports#x1B[39;
↳ 49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mconf#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 83%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mparsermod#x1B[39;49;00m
#x1B[01mbuild succeeded. 4 warnings. #x1B[39;49;00m

```

Test-Case: **test_extension_parsed** *SPHINX_OEA_03546*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_extension_parsed
case_name: test_extension_parsed
classname: tests.test_apidoc
time: 0.01439523696899414
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/autodoc_fodder.
↳rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/autodoc_
↳missing_imports.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/conf.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/ext.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/parsermod.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/conf.py.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/index.rst.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/Makefile.
Creating file /tmp/pytest-of-daniel/pytest-1/test_extension_parsed0/out/make.bat.
```

Test-Case: **test_events** *SPHINX_OEA_DCD9C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_events
case_name: test_events
classname: tests.test_application
time: 0.012205123901367188
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_emit_with_nonascii_name_node** *SPHINX_OEA_4441B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_emit_with_nonascii_name_node
case_name: test_emit_with_nonascii_name_node
classname: tests.test_application
time: 0.011512994766235352
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_extensions** *SPHINX_OEA_44A0F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_extensions
 case_name: test_extensions
 classname: tests.test_application
 time: 0.011389970779418945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: extension 'shutil' has no setup() function; is it really a Sphinx
↪extension
module?#x1B[39;49;00m
```

Test-Case: **test_extension_in_blacklist** *SPHINX_OEA_83450*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_extension_in_blacklist
case_name: test_extension_in_blacklist
classname: tests.test_application
time: 0.011548995971679688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: the extension 'sphinxjp.themecore' was already merged with Sphinx_
↪since version
1.2; this extension is ignored.#x1B[39;49;00m
```


Test-Case: **test_domain_override** *SPHINX_OEA_731E4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_domain_override
case_name: test_domain_override
classname: tests.test_application
time: 0.011213302612304688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_add_source_parser** *SPHINX_OEA_28209*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_add_source_parser
case_name: test_add_source_parser
classname: tests.test_application
time: 0.009029150009155273
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/add_source_parser
# outdir: /tmp/add_source_parser/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```

Test-Case: **test_parse_name** *SPHINX_OEA_EF3EB*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_sphinx_data.xml

suite: pytest

case: test_parse_name

case_name: test_parse_name

classname: tests.test_autodoc

time: 0.010725736618041992

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_format_signature** *SPHINX_OEA_F10FF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_format_signature
case_name: test_format_signature
classname: tests.test_autodoc
time: 0.0017042160034179688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
(a, b, c=1, **d)
(a, b, c, d)
(a, b, c=1, **d) -> None
(a='\n')

(a, b=None)
(a, b=None)
(a, b) -> X
(a1, a2, kw1=True, kw2=False)
(a1, a2, kw1=True, kw2=False)
(b, *c)
(a)
(*c)
(d='\n')

42
(b, c)
(b, c=42)
(b, *c)
(b, c=42, *d, **e)
```


Test-Case: **test_get_doc** *SPHINX_0EA_A9516*

```
tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_doc
case_name: test_get_doc
classname: tests.test_autodoc
time: 0.0020880699157714844
result: passed
```

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

[illegible]

Test-Case: **test_docstring_processing** *SPHINX_OEA_5D1DF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_docstring_processing
case_name: test_docstring_processing
classname: tests.test_autodoc
time: 0.0009214878082275391
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_docstring_property_processing** *SPHINX_OEA_38B84*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_docstring_property_processing
case_name: test_docstring_property_processing
classname: tests.test_autodoc
time: 0.11258697509765625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_new_documenter** *SPHINX_OEA_97870*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_new_documenter
case_name: test_new_documenter
classname: tests.test_autodoc
time: 0.0011818408966064453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_attrgetter_using** *SPHINX_OEA_9EE4F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_attrgetter_using
case_name: test_attrgetter_using
classname: tests.test_autodoc
time: 0.008727550506591797
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_generate** *SPHINX_OEA_2BD6D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_generate
case_name: test_generate
classname: tests.test_autodoc
time: 0.2658364772796631
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_type_hints** *SPHINX_OEA_613C0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_type_hints
case_name: test_type_hints
classname: tests.test_autodoc
time: 0.0036008358001708984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all[dirhtml]** [SPHINX_OEA_5E260](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[dirhtml]
case_name: test_build_all
case_parameter: dirhtml
classname: tests.test_build
time: 0.7826638221740723
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[singlehtml]** [SPHINX_OEA_75501](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[singlehtml]
case_name: test_build_all
case_parameter: singlehtml
classname: tests.test_build
time: 0.6106002330780029
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[latex]** [SPHINX_OEA_1E279](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[latex]
case_name: test_build_all
case_parameter: latex
classname: tests.test_build
time: 0.7755365371704102
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[teinfo]** [SPHINX_OEA_C0BC7](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[teinfo]
case_name: test_build_all
case_parameter: teinfo
classname: tests.test_build
time: 0.7602190971374512
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[pickle]** *SPHINX_0EA_75E2D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[pickle]
case_name: test_build_all
case_parameter: pickle
classname: tests.test_build
time: 0.4258577823638916
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_build_all[json]** *SPHINX_0EA_CFBA7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[json]
case_name: test_build_all
case_parameter: json
classname: tests.test_build
time: 0.4273710250854492
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_build_all**[text] *SPHINX_OEA_26926*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[text]
case_name: test_build_all
case_parameter: text
classname: tests.test_build
time: 0.4706156253814697
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all**[htmlhelp] *SPHINX_OEA_9CCB4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[htmlhelp]
case_name: test_build_all
case_parameter: htmlhelp
classname: tests.test_build
time: 0.5356452465057373
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all[qthelp]** *SPHINX_OEA_D2E7E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[qthelp]
case_name: test_build_all
case_parameter: qthelp
classname: tests.test_build
time: 0.4825551509857178
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all[epub]** *SPHINX_OEA_1C1EC*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[epub]
case_name: test_build_all
case_parameter: epub
classname: tests.test_build
time: 0.8766837120056152
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all**[applehelp] [SPHINX_OEA_FAE62](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[applehelp]
case_name: test_build_all
case_parameter: applehelp
classname: tests.test_build
time: 0.47493863105773926
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all**[changes] [SPHINX_OEA_C5011](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[changes]
case_name: test_build_all
case_parameter: changes
classname: tests.test_build
time: 0.34392595291137695
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[xml]** [SPHINX_OEA_66E76](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[xml]
case_name: test_build_all
case_parameter: xml
classname: tests.test_build
time: 0.4552931785583496
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all[pseudoxml]** [SPHINX_OEA_DF146](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[pseudoxml]
case_name: test_build_all
case_parameter: pseudoxml
classname: tests.test_build
time: 0.6170427799224854
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_build_all**[man] *SPHINX_OEA_46BAA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[man]
case_name: test_build_all
case_parameter: man
classname: tests.test_build
time: 0.7384607791900635
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_all**[linkcheck] *SPHINX_OEA_E1DE8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_all[linkcheck]
case_name: test_build_all
case_parameter: linkcheck
classname: tests.test_build
time: 0.714827299118042
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_master_doc_not_found** *SPHINX_OEA_DF92F*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_sphinx_data.xml

suite: pytest

case: test_master_doc_not_found

case_name: test_master_doc_not_found

classname: tests.test_build

time: 0.00712275505065918

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_circular_toctree** *SPHINX_OEA_5D5DB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_circular_toctree
 case_name: test_circular_toctree
 classname: tests.test_build
 time: 0.0215609073638916
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/circular
# outdir: /tmp/circular/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [text]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msub#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msub#x1B[39;49;00m

# warning:
#x1B[31m/tmp/circular/sub.rst: WARNING: circular toctree references detected,
↳ignoring: sub <- contents
<- sub#x1B[39;49;00m
#x1B[31m/tmp/circular/contents.rst: WARNING: circular toctree references detected,
↳ignoring: contents <-
sub <- contents#x1B[39;49;00m
```

Test-Case: **test_numbered_circular_toc**tree *SPHINX_OEA_A5339*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numbered_circular_toc
case_name: test_numbered_circular_toc
classname: tests.test_build
time: 0.020546674728393555
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/numbered-circular
# outdir: /tmp/numbered-circular/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [text]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msub#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msub#x1B[39;49;00m

# warning:
#x1B[31m/tmp/numbered-circular/sub.rst:1: WARNING: contents is already assigned,
↳section numbers (nested
numbered toctree?)#x1B[39;49;00m
#x1B[31m/tmp/numbered-circular/sub.rst: WARNING: circular toctree references detected,
↳ignoring: sub <-
contents <- sub#x1B[39;49;00m
#x1B[31m/tmp/numbered-circular/contents.rst: WARNING: circular toctree references,
↳detected, ignoring:
contents <- sub <- contents#x1B[39;49;00m
```

Test-Case: **test_image_glob** *SPHINX_OEA_BF09C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_image_glob
 case_name: test_image_glob
 classname: tests.test_build
 time: 0.47242236137390137
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/images
# outdir: /tmp/images/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/index#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/index#x1B[39;49;00m

# warning:
#x1B[31m/tmp/images/subdir/index.rst: WARNING: document isn't included in any toctree
↪#x1B[39;49;00m
#x1B[31mWARNING: Could not fetch remote image: http://example.com/NOT_EXIST.PNG [404]
↪#x1B[39;49;00m
```


Test-Case: **test_applehelp_output** *SPHINX_OEA_1FBB7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_applehelp_output
 case_name: test_applehelp_output
 classname: tests.test_build_applehelp
 time: 0.14132475852966309
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: applehelp
# srcdir: /tmp/applehelp_output
# outdir: /tmp/applehelp_output/_build/applehelp
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [applehelp]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mcopying localized files... #x1B[39;49;00mdone
#x1B[01mwriting Info.plist... #x1B[39;49;00mdone
#x1B[01mbuilding access page...#x1B[39;49;00mdone
#x1B[01mgenerating help index... #x1B[39;49;00mskipping

# warning:
#x1B[31mWARNING: you will need to index this help book with:
/usr/bin/hiutil -Cf
/tmp/applehelp_output/_build/applehelp/Python.help/Contents/Resources/en.lproj/search.
↪helpindex
/tmp/applehelp_output/_build/applehelp/Python.help/Contents/Resources/en.lproj -a -s↪
↪en -l en#x1B[39;49;00m
```


Test-Case: **test_build_epub** *SPHINX_OEA_81C01*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_epub
 case_name: test_build_epub
 classname: tests.test_build_epub
 time: 0.10410189628601074
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: epub
# srcdir: /tmp/basic
# outdir: /tmp/basic/_build/epub
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [epub]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
writing mimetype file...
writing META-INF/container.xml file...
writing content.opf file...
writing nav.xhtml file...
writing toc.ncx file...
writing Python.epub file...
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

# warning:
#x1B[31mWARNING: conf value "epub_copyright" (or "copyright")should not be empty for
EPUB3#x1B[39;49;00m
#x1B[31mWARNING: conf value "version" should not be empty for EPUB3#x1B[39;49;00m
```


Test-Case: **test_epub_cover** *SPHINX_OEA_6CAAE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_epub_cover
 case_name: test_epub_cover
 classname: tests.test_build_epub
 time: 0.20567703247070312
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: epub
# srcdir: /tmp/footnotes
# outdir: /tmp/footnotes/_build/epub
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [epub]#x1B[39;49;00m: targets for 3 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
writing mimetype file...
writing META-INF/container.xml file...
writing content.opf file...
writing nav.xhtml file...
writing toc.ncx file...
writing Python.epub file...
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31mWARNING: conf value "epub_copyright" (or "copyright")should not be empty for
EPUB3#x1B[39;49;00m
#x1B[31mWARNING: conf value "copyright" should not be empty for EPUB3#x1B[39;49;00m
```


Test-Case: **test_nested_toc** *SPHINX_OEA_I07D9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_nested_toc
 case_name: test_nested_toc
 classname: tests.test_build_epub
 time: 0.2231893539428711
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: epub
# srcdir: /tmp/toctree
# outdir: /tmp/toctree/_build/epub
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [epub]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
```

2.6.1 Examples
 writing META-INF/container.xml file...
 writing content.opf file...
 writing nav.xhtml file...
 writing toc-px file...

Test-Case: **test_epub_writing_mode** *SPHINX_OEA_86869*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_epub_writing_mode
 case_name: test_epub_writing_mode
 classname: tests.test_build_epub
 time: 0.09776973724365234
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: epub
# srcdir: /tmp/basic
# outdir: /tmp/basic/_build/epub
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [epub]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [epub]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
writing mimetype file...
writing META-INF/container.xml file...
writing content.opf file...
writing nav.xhtml file...
writing toc.ncx file...
writing Python.epub file...
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

2.6. Examples
 #x1B[531mWARNING: conf value "epub_copyright" (or "copyright")should not be empty for 131
 EPUB3#x1B[39;49;00m
 #x1B[31mWARNING: conf value "version" should not be empty for EPUB3#x1B[39;49;00m

Test-Case: **test_build_gettext** *SPHINX_OEA_A10E3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_gettext
 case_name: test_build_gettext
 classname: tests.test_build_gettext
 time: 0.882028341293335
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: gettext
# srcdir: /tmp/root-gettext
# outdir: /tmp/root-gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 3 template files
#x1B[01mreading templates... #x1B[39;49;00m[ 33%]
#x1B[35m/tmp/root-gettext/_templates/customsb.html#x1B[39;49;00m
#x1B[01mreading templates... #x1B[39;49;00m[ 66%]
#x1B[35m/tmp/root-gettext/_templates/contentssb.html#x1B[39;49;00m
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/root-gettext/_templates/layout.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m17 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 5%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 11%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 17%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 23%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 29%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 35%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 47%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 70%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 82%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 88%] #x1B[35mrobots#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 94%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m133
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mrendering documents... #x1B[39;49;00mdone
```


Test-Case: **test_msgfmt** *SPHINX_OEA_09495*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_msgfmt
 case_name: test_msgfmt
 classname: tests.test_build_gettext
 time: 0.7064650058746338
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: gettext
# srcdir: /tmp/root-gettext
# outdir: /tmp/root-gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 3 template files
#x1B[01mreading templates... #x1B[39;49;00m[ 33%]
#x1B[35m/tmp/root-gettext/_templates/customsb.html#x1B[39;49;00m
#x1B[01mreading templates... #x1B[39;49;00m[ 66%]
#x1B[35m/tmp/root-gettext/_templates/contentssb.html#x1B[39;49;00m
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/root-gettext/_templates/layout.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 5%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 11%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 17%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 23%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 29%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 35%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 41%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 47%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 52%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 58%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 64%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 70%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 76%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 82%] #x1B[32methenent#x1B[39;49;00m
```


Test-Case: **test_gettext_index_entries** *SPHINX_OEA_A067D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_index_entries
 case_name: test_gettext_index_entries
 classname: tests.test_build_gettext
 time: 0.301285982131958
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: gettext
# srcdir: /tmp/gettext
# outdir: /tmp/gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%] #x1B[35m/tmp/gettext/_templates/
↳index.html#x1B[39;49;00m
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_python_domain#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[84%] #x1B[35mseealso#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[88%] #x1B[35msubdir/contents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[92%] #x1B[35mtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[96%] #x1B[35mtoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35m__init__#x1B[39;49;00m
```


Test-Case: `test_gettext_disable_index_entries` *SPHINX_OEA_B202C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_disable_index_entries
 case_name: test_gettext_disable_index_entries
 classname: tests.test_build_gettext
 time: 0.2419114112854004
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: gettext
# srcdir: /tmp/gettext
# outdir: /tmp/gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%] #x1B[35m/tmp/gettext/_templates/
↳index.html#x1B[39;49;00m
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 25 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
```

2.6. Examples

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 84%] #x1B[35mseealso#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 88%] #x1B[35mtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 92%] #x1B[35mtoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 96%] #x1B[35municode_literals#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mutils#x1B[39;49;00m
```


Test-Case: **test_gettext_template** *SPHINX_OEA_46029*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_template
 case_name: test_gettext_template
 classname: tests.test_build_gettext
 time: 0.2778658866882324
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: gettext
# srcdir: /tmp/gettext
# outdir: /tmp/gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%] #x1B[35m/tmp/gettext/_templates/
↳index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 25 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;00m
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 84%] #x1B[35mpages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 88%] #x1B[35mtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 92%] #x1B[35mtoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 96%] #x1B[35mutils#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mutils_inconsistency#x1B[39;49;00m
↳00m
```

2.6. Examples

```
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 84%] #x1B[35mpages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 88%] #x1B[35mtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 92%] #x1B[35mtoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 96%] #x1B[35mutils#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mutils_inconsistency#x1B[39;49;00m
↳00m
```


Test-Case: **test_html_warnings** *SPHINX_OEA_264DD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_warnings
 case_name: test_html_warnings
 classname: tests.test_build_html
 time: 0.15220928192138672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/warnings
# outdir: /tmp/warnings/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mundecodable#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mundecodable#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33msvgimg.svg#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 10 warnings.#x1B[39;49;00m

# warning:
#x1B[31m/tmp/warnings/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:
↳WARNING: Explicit markup
ends without a blank line; unexpected unindent.#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:19: WARNING: Encoding 'utf-8-sig' used for reading
```

2.6. Examples

```
'/tmp/warnings/wrongenc.inc' seems to be wrong, try giving an :encoding: option#x1B[39;
↳49;00m
#x1B[31m/tmp/warnings/index.rst:11: WARNING: image file not readable: foo.png#x1B[39;
↳49;00m
```


Test-Case: **test_static_output** *SPHINX_OEA_CB5B2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_static_output
 case_name: test_static_output
 classname: tests.test_build_html
 time: 1.6761691570281982
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[images.html-expect0] *SPHINX_OEA_3CE5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[images.html-expect0]
 case_name: test_html_output
 case_parameter: images.html-expect0
 classname: tests.test_build_html
 time: 0.03217482566833496
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output**[images.html-expect2] *SPHINX_OEA_AF599*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[images.html-expect2]
 case_name: test_html_output
 case_parameter: images.html-expect2
 classname: tests.test_build_html
 time: 0.012170076370239258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *test_html_output*... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output**[images.html-expect3] *SPHINX_OEA_9B248*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[images.html-expect3]
 case_name: test_html_output
 case_parameter: images.html-expect3
 classname: tests.test_build_html
 time: 0.011073827743530273
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9B248* 153

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[images.html-expect4] *SPHINX_OEA_AF58C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[images.html-expect4]
 case_name: test_html_output
 case_parameter: images.html-expect4
 classname: tests.test_build_html
 time: 0.012489795684814453
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output**[subdir/images.html-expect5] *SPHINX_OEA_25E18*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/images.html-expect5]
 case_name: test_html_output
 case_parameter: subdir/images.html-expect5
 classname: tests.test_build_html
 time: 0.029903650283813477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_25E18* 157

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[subdir/images.html-expect6] *SPHINX_OEA_AB371*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/images.html-expect6]
 case_name: test_html_output
 case_parameter: subdir/images.html-expect6
 classname: tests.test_build_html
 time: 0.012680768966674805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_AB371* **159**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[subdir/includes.html-expect7] *SPHINX_OEA_B5F30*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/includes.html-expect7]
 case_name: test_html_output
 case_parameter: subdir/includes.html-expect7
 classname: tests.test_build_html
 time: 0.030851364135742188
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output**[subdir/includes.html-expect8] *SPHINX_OEA_EAEA5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/includes.html-expect8]
 case_name: test_html_output
 case_parameter: subdir/includes.html-expect8
 classname: tests.test_build_html
 time: 0.012386560440063477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_EAEA5* **163**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[subdir/includes.html-expect10]** *SPHINX_OEA_2CBF5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/includes.html-expect10]
 case_name: test_html_output
 case_parameter: subdir/includes.html-expect10
 classname: tests.test_build_html
 time: 0.012411117553710938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2CBF5* 167

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[subdir/includes.html-expect11]** *SPHINX_OEA_OD2B9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[subdir/includes.html-expect11]
 case_name: test_html_output
 case_parameter: subdir/includes.html-expect11
 classname: tests.test_build_html
 time: 0.012031793594360352
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_OD2B9* 169

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect12]** *SPHINX_OEA_7CE0F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect12]
 case_name: test_html_output
 case_parameter: includes.html-expect12
 classname: tests.test_build_html
 time: 0.03950929641723633
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_7CE0F* 171

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect13]** *SPHINX_OEA_6CFEC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect13]
 case_name: test_html_output
 case_parameter: includes.html-expect13
 classname: tests.test_build_html
 time: 0.01199650764465332
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_6CFEC* 173

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect14]** *SPHINX_OEA_A9B3D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect14]
 case_name: test_html_output
 case_parameter: includes.html-expect14
 classname: tests.test_build_html
 time: 0.01123189926147461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[includes.html-expect15]** *SPHINX_OEA_2E5CA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect15]
 case_name: test_html_output
 case_parameter: includes.html-expect15
 classname: tests.test_build_html
 time: 0.01184701919555664
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2E5CA* 177

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect16]** *SPHINX_OEA_DCB09*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect16]
 case_name: test_html_output
 case_parameter: includes.html-expect16
 classname: tests.test_build_html
 time: 0.011751413345336914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_DCB09* 179

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect18]** *SPHINX_OEA_OC36C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect18]
 case_name: test_html_output
 case_parameter: includes.html-expect18
 classname: tests.test_build_html
 time: 0.011122703552246094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[includes.html-expect19]** *SPHINX_OEA_7AFA0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect19]
 case_name: test_html_output
 case_parameter: includes.html-expect19
 classname: tests.test_build_html
 time: 0.01160740852355957
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_7AFA0* 185

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect20]** *SPHINX_OEA_8E922*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect20]
 case_name: test_html_output
 case_parameter: includes.html-expect20
 classname: tests.test_build_html
 time: 0.05375981330871582
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *test_html_output[includes.html-expect20]* *SPHINX_OEA_8E922*

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect21]** *SPHINX_OEA_FFB1F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect21]
 case_name: test_html_output
 case_parameter: includes.html-expect21
 classname: tests.test_build_html
 time: 0.011385202407836914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_FFB1F* 189

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect22]** *SPHINX_OEA_F98CE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect22]
 case_name: test_html_output
 case_parameter: includes.html-expect22
 classname: tests.test_build_html
 time: 0.012241601943969727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[includes.html-expect23]** *SPHINX_OEA_83004*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect23]
 case_name: test_html_output
 case_parameter: includes.html-expect23
 classname: tests.test_build_html
 time: 0.01180720329284668
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_83004* 193

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[includes.html-expect24]** *SPHINX_OEA_39CDE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect24]
 case_name: test_html_output
 case_parameter: includes.html-expect24
 classname: tests.test_build_html
 time: 0.01272130012512207
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *enging output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[includes.html-expect25]** *SPHINX_OEA_04CCD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[includes.html-expect25]
 case_name: test_html_output
 case_parameter: includes.html-expect25
 classname: tests.test_build_html
 time: 0.011789798736572266
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_04CCD* 197

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[autodoc.html-expect26]** *SPHINX_OEA_5F369*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[autodoc.html-expect26]
 case_name: test_html_output
 case_parameter: autodoc.html-expect26
 classname: tests.test_build_html
 time: 0.04979228973388672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_5F369* **199**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[autodoc.html-expect27] *SPHINX_OEA_2AB2C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[autodoc.html-expect27]
 case_name: test_html_output
 case_parameter: autodoc.html-expect27
 classname: tests.test_build_html
 time: 0.012720823287963867
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[autodoc.html-expect28]** *SPHINX_OEA_CC3B1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[autodoc.html-expect28]
 case_name: test_html_output
 case_parameter: autodoc.html-expect28
 classname: tests.test_build_html
 time: 0.011421442031860352
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_CC3B1* **203**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[extapi.html-expect29]** *SPHINX_0EA_65264*

```
tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_output[extapi.html-expect29]
case_name: test_html_output
case_parameter: extapi.html-expect29
classname: tests.test_build_html
time: 0.0310516357421875
result: passed
```

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples	output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting	output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting	output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting	output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[extapi.html-expect30]** *SPHINX_OEA_EA18C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[extapi.html-expect30]
 case_name: test_html_output
 case_parameter: extapi.html-expect30
 classname: tests.test_build_html
 time: 0.012532711029052734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_EA18C* 207

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect31]** *SPHINX_OEA_C8325*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect31]
 case_name: test_html_output
 case_parameter: markup.html-expect31
 classname: tests.test_build_html
 time: 0.061501264572143555
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C8325* 209

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect34]** *SPHINX_OEA_2D59B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect34]
 case_name: test_html_output
 case_parameter: markup.html-expect34
 classname: tests.test_build_html
 time: 0.011062383651733398
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2D59B* 215

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect35]** *SPHINX_OEA_72CA1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect35]
 case_name: test_html_output
 case_parameter: markup.html-expect35
 classname: tests.test_build_html
 time: 0.011462211608886719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_72CA1* 217

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect36]** *SPHINX_OEA_9A225*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect36]
 case_name: test_html_output
 case_parameter: markup.html-expect36
 classname: tests.test_build_html
 time: 0.01219487190246582
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9A225* 219

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect37]** *SPHINX_OEA_18921*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect37]
 case_name: test_html_output
 case_parameter: markup.html-expect37
 classname: tests.test_build_html
 time: 0.012045145034790039
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_18921* 221

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect38]** *SPHINX_OEA_A95E8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect38]
 case_name: test_html_output
 case_parameter: markup.html-expect38
 classname: tests.test_build_html
 time: 0.011121273040771484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A95E8* 223

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect39]** *SPHINX_OEA_22610*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect39]
 case_name: test_html_output
 case_parameter: markup.html-expect39
 classname: tests.test_build_html
 time: 0.05375862121582031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_22610* 225

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect40]** *SPHINX_OEA_2ADE5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect40]
 case_name: test_html_output
 case_parameter: markup.html-expect40
 classname: tests.test_build_html
 time: 0.011698007583618164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2ADE5* 227

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect42]** *SPHINX_OEA_3F943*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect42]
 case_name: test_html_output
 case_parameter: markup.html-expect42
 classname: tests.test_build_html
 time: 0.011644124984741211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_3F943* 231

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect43]** *SPHINX_OEA_8246C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect43]
 case_name: test_html_output
 case_parameter: markup.html-expect43
 classname: tests.test_build_html
 time: 0.011932849884033203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_8246C* 233

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect44]** *SPHINX_OEA_D5C9C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect44]
 case_name: test_html_output
 case_parameter: markup.html-expect44
 classname: tests.test_build_html
 time: 0.012560129165649414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *engaging output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[markup.html-expect45]** *SPHINX_OEA_45C49*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect45]
 case_name: test_html_output
 case_parameter: markup.html-expect45
 classname: tests.test_build_html
 time: 0.011966466903686523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_45C49* 237

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect47]** *SPHINX_OEA_D0F3D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect47]
 case_name: test_html_output
 case_parameter: markup.html-expect47
 classname: tests.test_build_html
 time: 0.011983394622802734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D0F3D* 241

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect48]** *SPHINX_OEA_EAIAB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect48]
 case_name: test_html_output
 case_parameter: markup.html-expect48
 classname: tests.test_build_html
 time: 0.012355327606201172
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_EAIAB* 243

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect49]** *SPHINX_OEA_ACD2D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect49]
 case_name: test_html_output
 case_parameter: markup.html-expect49
 classname: tests.test_build_html
 time: 0.01150369644165039
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_ACD2D* 245

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: `test_html_output[markup.html-expect50]` *SPHINX_OEA_BCFBB*

```
tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_output[markup.html-expect50]
case_name: test_html_output
case_parameter: markup.html-expect50
classname: tests.test_build_html
time: 0.013074874877929688
result: passed
```

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6 Examples

```
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
```

```
#x1B[01mwriting output... #x1B[39:49:00m[ 18%] #x1B[32mcontents#x1B[39:49:00m
```

```
#x1B[Q1mwriting output... #x1B[39:49:00m[ 25%] #x1B[32mextapi#x1B[39:49:00m
```


Test-Case: **test_html_output[markup.html-expect51]** *SPHINX_OEA_6B289*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect51]
 case_name: test_html_output
 case_parameter: markup.html-expect51
 classname: tests.test_build_html
 time: 0.011831045150756836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_6B289*

249

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect52]** *SPHINX_OEA_F6809*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect52]
 case_name: test_html_output
 case_parameter: markup.html-expect52
 classname: tests.test_build_html
 time: 0.013385295867919922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F6809* 251

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect53]** *SPHINX_OEA_E53E6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect53]
 case_name: test_html_output
 case_parameter: markup.html-expect53
 classname: tests.test_build_html
 time: 0.011745691299438477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_E53E6* 253

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect54]** *SPHINX_OEA_D786D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect54]
 case_name: test_html_output
 case_parameter: markup.html-expect54
 classname: tests.test_build_html
 time: 0.012912988662719727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D786D* 255

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect55]** *SPHINX_OEA_F8375*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect55]
 case_name: test_html_output
 case_parameter: markup.html-expect55
 classname: tests.test_build_html
 time: 0.012015581130981445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *test_html_output[markup.html-expect55]* *SPHINX_OEA_F8375*

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect56]** *SPHINX_OEA_2811A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect56]
 case_name: test_html_output
 case_parameter: markup.html-expect56
 classname: tests.test_build_html
 time: 0.012433528900146484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2811A* 259

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect57]** *SPHINX_OEA_D5334*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect57]
 case_name: test_html_output
 case_parameter: markup.html-expect57
 classname: tests.test_build_html
 time: 0.01253199577331543
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D5334* 261

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect58]** *SPHINX_OEA_D9AD2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect58]
 case_name: test_html_output
 case_parameter: markup.html-expect58
 classname: tests.test_build_html
 time: 0.011346817016601562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D9AD2* 263

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect59]** *SPHINX_OEA_IC082*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect59]
 case_name: test_html_output
 case_parameter: markup.html-expect59
 classname: tests.test_build_html
 time: 0.012699127197265625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_IC082* 265

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect60]** *SPHINX_OEA_D5EA2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect60]
 case_name: test_html_output
 case_parameter: markup.html-expect60
 classname: tests.test_build_html
 time: 0.011528730392456055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D5EA2* 267

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect61]** *SPHINX_OEA_9CBD2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect61]
 case_name: test_html_output
 case_parameter: markup.html-expect61
 classname: tests.test_build_html
 time: 0.012637853622436523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9CBD2* 269

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect62]** *SPHINX_OEA_1CEF5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect62]
 case_name: test_html_output
 case_parameter: markup.html-expect62
 classname: tests.test_build_html
 time: 0.010834932327270508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_1CEF5* 271

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect63]** *SPHINX_OEA_8E0E3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect63]
 case_name: test_html_output
 case_parameter: markup.html-expect63
 classname: tests.test_build_html
 time: 0.053436279296875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_8E0E3* 273

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect64]** *SPHINX_OEA_EFF89*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect64]
 case_name: test_html_output
 case_parameter: markup.html-expect64
 classname: tests.test_build_html
 time: 0.011638402938842773
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_EFF89* 275

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect65]** *SPHINX_OEA_F39CD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect65]
 case_name: test_html_output
 case_parameter: markup.html-expect65
 classname: tests.test_build_html
 time: 0.012055158615112305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F39CD* 277

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect66]** *SPHINX_OEA_949E6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect66]
 case_name: test_html_output
 case_parameter: markup.html-expect66
 classname: tests.test_build_html
 time: 0.01120901107788086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_949E6* 279

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect68]** *SPHINX_OEA_BCF85*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect68]
 case_name: test_html_output
 case_parameter: markup.html-expect68
 classname: tests.test_build_html
 time: 0.012042045593261719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_BCF85* 283

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect69]** *SPHINX_OEA_A960C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect69]
 case_name: test_html_output
 case_parameter: markup.html-expect69
 classname: tests.test_build_html
 time: 0.012041091918945312
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A960C* 285

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect70]** *SPHINX_OEA_4C572*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect70]
 case_name: test_html_output
 case_parameter: markup.html-expect70
 classname: tests.test_build_html
 time: 0.011612892150878906
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_4C572* 287

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect71]** *SPHINX_OEA_39087*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect71]
 case_name: test_html_output
 case_parameter: markup.html-expect71
 classname: tests.test_build_html
 time: 0.01285409927368164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_39087* 289

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect72]** *SPHINX_OEA_B53D0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect72]
 case_name: test_html_output
 case_parameter: markup.html-expect72
 classname: tests.test_build_html
 time: 0.01113128662109375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B53D0* 291

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect73]** *SPHINX_OEA_FAB5A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect73]
 case_name: test_html_output
 case_parameter: markup.html-expect73
 classname: tests.test_build_html
 time: 0.012617826461791992
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_FAB5A* 293

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect74]** *SPHINX_OEA_DBDAD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect74]
 case_name: test_html_output
 case_parameter: markup.html-expect74
 classname: tests.test_build_html
 time: 0.011647701263427734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[markup.html-expect75]** *SPHINX_OEA_F4E06*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect75]
 case_name: test_html_output
 case_parameter: markup.html-expect75
 classname: tests.test_build_html
 time: 0.012506484985351562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F4E06* 297

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect76]** *SPHINX_OEA_8C6A0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect76]
 case_name: test_html_output
 case_parameter: markup.html-expect76
 classname: tests.test_build_html
 time: 0.011567354202270508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_8C6A0* 299

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect77]** *SPHINX_OEA_F143C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect77]
 case_name: test_html_output
 case_parameter: markup.html-expect77
 classname: tests.test_build_html
 time: 0.011036396026611328
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F143C* 301

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect78]** *SPHINX_OEA_31D38*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect78]
 case_name: test_html_output
 case_parameter: markup.html-expect78
 classname: tests.test_build_html
 time: 0.013717889785766602
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_31D38* **303**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect79]** *SPHINX_OEA_77525*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect79]
 case_name: test_html_output
 case_parameter: markup.html-expect79
 classname: tests.test_build_html
 time: 0.01122307774047852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_77525* **305**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect80]** *SPHINX_OEA_98E8C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect80]
 case_name: test_html_output
 case_parameter: markup.html-expect80
 classname: tests.test_build_html
 time: 0.01241922378540039
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_98E8C* 307

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect81]** *SPHINX_OEA_27858*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect81]
 case_name: test_html_output
 case_parameter: markup.html-expect81
 classname: tests.test_build_html
 time: 0.013560771942138672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_27858* 309

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect82]** *SPHINX_OEA_D4919*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect82]
 case_name: test_html_output
 case_parameter: markup.html-expect82
 classname: tests.test_build_html
 time: 0.012767314910888672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D4919* 311

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect83]** *SPHINX_OEA_93217*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect83]
 case_name: test_html_output
 case_parameter: markup.html-expect83
 classname: tests.test_build_html
 time: 0.011363744735717773
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_93217* 313

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect84]** *SPHINX_OEA_F9445*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect84]
 case_name: test_html_output
 case_parameter: markup.html-expect84
 classname: tests.test_build_html
 time: 0.011650323867797852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F9445* 315

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[markup.html-expect85]** *SPHINX_OEA_C10A6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[markup.html-expect85]
 case_name: test_html_output
 case_parameter: markup.html-expect85
 classname: tests.test_build_html
 time: 0.011958837509155273
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C10A6* 317

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect86]** *SPHINX_OEA_4B96A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect86]
 case_name: test_html_output
 case_parameter: objects.html-expect86
 classname: tests.test_build_html
 time: 0.09962773323059082
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_4B96A* **319**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[objects.html-expect87] *SPHINX_OEA_56AEE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect87]
 case_name: test_html_output
 case_parameter: objects.html-expect87
 classname: tests.test_build_html
 time: 0.01166653631176758
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_56AEE* 321

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect88]** *SPHINX_OEA_9D54B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect88]
 case_name: test_html_output
 case_parameter: objects.html-expect88
 classname: tests.test_build_html
 time: 0.011705160140991211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9D54B* 323

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect89]** *SPHINX_OEA_B07F6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect89]
 case_name: test_html_output
 case_parameter: objects.html-expect89
 classname: tests.test_build_html
 time: 0.01233911514282266
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B07F6* **325**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect90]** *SPHINX_OEA_9F4E4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect90]
 case_name: test_html_output
 case_parameter: objects.html-expect90
 classname: tests.test_build_html
 time: 0.011304378509521484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9F4E4* 327

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect91]** *SPHINX_OEA_1148D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect91]
 case_name: test_html_output
 case_parameter: objects.html-expect91
 classname: tests.test_build_html
 time: 0.01267862319946289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_1148D* **329**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect92]** *SPHINX_OEA_465ED*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect92]
 case_name: test_html_output
 case_parameter: objects.html-expect92
 classname: tests.test_build_html
 time: 0.01185297966003418
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_465ED* 331

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect93]** *SPHINX_OEA_777EE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect93]
 case_name: test_html_output
 case_parameter: objects.html-expect93
 classname: tests.test_build_html
 time: 0.012874364852905273
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_777EE* **333**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect94]** *SPHINX_OEA_77684*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect94]
 case_name: test_html_output
 case_parameter: objects.html-expect94
 classname: tests.test_build_html
 time: 0.012067794799804688
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_77684* **335**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect95]** *SPHINX_OEA_F2E03*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect95]
 case_name: test_html_output
 case_parameter: objects.html-expect95
 classname: tests.test_build_html
 time: 0.011525154113769531
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F2E03* **337**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect96]** *SPHINX_OEA_9A8B7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect96]
 case_name: test_html_output
 case_parameter: objects.html-expect96
 classname: tests.test_build_html
 time: 0.013000249862670898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9A8B7* 339

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect97]** *SPHINX_OEA_63955*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect97]
 case_name: test_html_output
 case_parameter: objects.html-expect97
 classname: tests.test_build_html
 time: 0.011512041091918945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_63955* 341

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect98]** *SPHINX_OEA_OCF88*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect98]
 case_name: test_html_output
 case_parameter: objects.html-expect98
 classname: tests.test_build_html
 time: 0.012603044509887695
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_OCF88* 343

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect99]** *SPHINX_OEA_A5E84*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect99]
 case_name: test_html_output
 case_parameter: objects.html-expect99
 classname: tests.test_build_html
 time: 0.012047290802001953
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A5E84* 345

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect100]** *SPHINX_OEA_OFF1F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect100]
 case_name: test_html_output
 case_parameter: objects.html-expect100
 classname: tests.test_build_html
 time: 0.013664722442626953
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_OFF1F* 347

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect101]** *SPHINX_OEA_23CF7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect101]
 case_name: test_html_output
 case_parameter: objects.html-expect101
 classname: tests.test_build_html
 time: 0.011271476745605469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_23CF7* 349

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect102]** *SPHINX_OEA_C7371*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect102]
 case_name: test_html_output
 case_parameter: objects.html-expect102
 classname: tests.test_build_html
 time: 0.012905359268188477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C7371* 351

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect103]** *SPHINX_OEA_5636C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect103]
 case_name: test_html_output
 case_parameter: objects.html-expect103
 classname: tests.test_build_html
 time: 0.011776924133300781
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_5636C* 353

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect104]** *SPHINX_OEA_B1A40*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_output[objects.html-expect104]
case_name: test_html_output
case_parameter: objects.html-expect104
classname: tests.test_build_html
time: 0.012159347534179688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *Building output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[objects.html-expect105]** *SPHINX_OEA_24583*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect105]
 case_name: test_html_output
 case_parameter: objects.html-expect105
 classname: tests.test_build_html
 time: 0.010907649993896484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_24583* 357

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect107]** *SPHINX_OEA_D6B47*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect107]
 case_name: test_html_output
 case_parameter: objects.html-expect107
 classname: tests.test_build_html
 time: 0.011144876480102539
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D6B47* 361

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect108]** *SPHINX_OEA_3A060*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect108]
 case_name: test_html_output
 case_parameter: objects.html-expect108
 classname: tests.test_build_html
 time: 0.012156486511230469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_3A060* 363

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect109]** *SPHINX_OEA_AD299*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect109]
 case_name: test_html_output
 case_parameter: objects.html-expect109
 classname: tests.test_build_html
 time: 0.05817413330078125
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_AD299* 365

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect110]** *SPHINX_OEA_313FB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect110]
 case_name: test_html_output
 case_parameter: objects.html-expect110
 classname: tests.test_build_html
 time: 0.011942863464355469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_313FB* 367

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect111]** *SPHINX_OEA_A3D3F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect111]
 case_name: test_html_output
 case_parameter: objects.html-expect111
 classname: tests.test_build_html
 time: 0.01281285285949707
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A3D3F* 369

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect112]** *SPHINX_OEA_DBE84*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect112]
 case_name: test_html_output
 case_parameter: objects.html-expect112
 classname: tests.test_build_html
 time: 0.011852741241455078
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_DBE84* 371

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect113]** *SPHINX_OEA_65AD4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect113]
 case_name: test_html_output
 case_parameter: objects.html-expect113
 classname: tests.test_build_html
 time: 0.012133121490478516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_65AD4* 373

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect114]** *SPHINX_OEA_73480*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect114]
 case_name: test_html_output
 case_parameter: objects.html-expect114
 classname: tests.test_build_html
 time: 0.01119089126586914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_73480* 375

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect115]** *SPHINX_OEA_BC4CE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect115]
 case_name: test_html_output
 case_parameter: objects.html-expect115
 classname: tests.test_build_html
 time: 0.012175559997558594
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_BC4CE* 377

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect116]** *SPHINX_OEA_43DB9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect116]
 case_name: test_html_output
 case_parameter: objects.html-expect116
 classname: tests.test_build_html
 time: 0.012368917465209961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_43DB9* 379

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect117]** *SPHINX_OEA_B2459*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect117]
 case_name: test_html_output
 case_parameter: objects.html-expect117
 classname: tests.test_build_html
 time: 0.012366056442260742
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B2459* 381

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect118]** *SPHINX_OEA_69A07*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect118]
 case_name: test_html_output
 case_parameter: objects.html-expect118
 classname: tests.test_build_html
 time: 0.010812759399414062
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_69A07* 383

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect119]** *SPHINX_OEA_050F8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect119]
 case_name: test_html_output
 case_parameter: objects.html-expect119
 classname: tests.test_build_html
 time: 0.01374197006225586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_050F8* 385

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect120]** *SPHINX_OEA_20726*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect120]
 case_name: test_html_output
 case_parameter: objects.html-expect120
 classname: tests.test_build_html
 time: 0.012413740158081055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_20726* 387

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect121]** *SPHINX_OEA_B585D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect121]
 case_name: test_html_output
 case_parameter: objects.html-expect121
 classname: tests.test_build_html
 time: 0.014772653579711914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B585D* 389

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect122]** *SPHINX_OEA_8F77F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect122]
 case_name: test_html_output
 case_parameter: objects.html-expect122
 classname: tests.test_build_html
 time: 0.014219999313354492
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_8F77F* 391

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect123]** *SPHINX_OEA_AA14C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect123]
 case_name: test_html_output
 case_parameter: objects.html-expect123
 classname: tests.test_build_html
 time: 0.013792753219604492
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_AA14C* 393

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect124]** *SPHINX_OEA_80896*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect124]
 case_name: test_html_output
 case_parameter: objects.html-expect124
 classname: tests.test_build_html
 time: 0.012547492980957031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_80896* **395**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect125]** *SPHINX_OEA_E5380*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect125]
 case_name: test_html_output
 case_parameter: objects.html-expect125
 classname: tests.test_build_html
 time: 0.013631820678710938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_E5380* 397

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect126]** *SPHINX_OEA_A0933*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect126]
 case_name: test_html_output
 case_parameter: objects.html-expect126
 classname: tests.test_build_html
 time: 0.01257944107055664
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A0933* 399

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect127]** *SPHINX_OEA_2BB11*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect127]
 case_name: test_html_output
 case_parameter: objects.html-expect127
 classname: tests.test_build_html
 time: 0.014606952667236328
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2BB11* **401**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect128]** *SPHINX_OEA_349CC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect128]
 case_name: test_html_output
 case_parameter: objects.html-expect128
 classname: tests.test_build_html
 time: 0.012216567993164062
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_349CC* 403

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect129]** *SPHINX_OEA_B9399*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect129]
 case_name: test_html_output
 case_parameter: objects.html-expect129
 classname: tests.test_build_html
 time: 0.014117717742919922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B9399* **405**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect130]** *SPHINX_OEA_OE949*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect130]
 case_name: test_html_output
 case_parameter: objects.html-expect130
 classname: tests.test_build_html
 time: 0.01172184944152832
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_OE949* 407

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[objects.html-expect131]** *SPHINX_OEA_511C4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[objects.html-expect131]
 case_name: test_html_output
 case_parameter: objects.html-expect131
 classname: tests.test_build_html
 time: 0.05362701416015625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_511C4* **409**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect132]** *SPHINX_OEA_442A3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect132]
 case_name: test_html_output
 case_parameter: contents.html-expect132
 classname: tests.test_build_html
 time: 0.03296971321105957
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_442A3* 411

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect133]** *SPHINX_OEA_88DDD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect133]
 case_name: test_html_output
 case_parameter: contents.html-expect133
 classname: tests.test_build_html
 time: 0.011017322540283203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_88DDD* 413

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect134]** *SPHINX_OEA_94975*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect134]
 case_name: test_html_output
 case_parameter: contents.html-expect134
 classname: tests.test_build_html
 time: 0.012567520141601562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_94975* 415

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect135]** *SPHINX_OEA_B968E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect135]
 case_name: test_html_output
 case_parameter: contents.html-expect135
 classname: tests.test_build_html
 time: 0.011179208755493164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_B968E* 417

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect136]** *SPHINX_OEA_96220*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect136]
 case_name: test_html_output
 case_parameter: contents.html-expect136
 classname: tests.test_build_html
 time: 0.01184535026550293
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_96220* 419

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect137]** *SPHINX_OEA_26A0F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect137]
 case_name: test_html_output
 case_parameter: contents.html-expect137
 classname: tests.test_build_html
 time: 0.011100053787231445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_26A0F* 421

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect138]** *SPHINX_OEA_C531F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect138]
 case_name: test_html_output
 case_parameter: contents.html-expect138
 classname: tests.test_build_html
 time: 0.012993097305297852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C531F* 423

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect139]** *SPHINX_OEA_9F4F8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect139]
 case_name: test_html_output
 case_parameter: contents.html-expect139
 classname: tests.test_build_html
 time: 0.011497735977172852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_9F4F8* 425

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect140]** *SPHINX_OEA_67395*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect140]
 case_name: test_html_output
 case_parameter: contents.html-expect140
 classname: tests.test_build_html
 time: 0.012388229370117188
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_67395* 427

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect141]** *SPHINX_OEA_99174*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect141]
 case_name: test_html_output
 case_parameter: contents.html-expect141
 classname: tests.test_build_html
 time: 0.012001276016235352
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_99174* 429

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect142]** *SPHINX_OEA_C7CB4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect142]
 case_name: test_html_output
 case_parameter: contents.html-expect142
 classname: tests.test_build_html
 time: 0.012757062911987305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C7CB4* **431**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect143]** *SPHINX_OEA_E975D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect143]
 case_name: test_html_output
 case_parameter: contents.html-expect143
 classname: tests.test_build_html
 time: 0.012471199035644531
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_E975D* **433**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect144]** *SPHINX_OEA_7CD03*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect144]
 case_name: test_html_output
 case_parameter: contents.html-expect144
 classname: tests.test_build_html
 time: 0.011582136154174805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_7CD03* **435**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect145]** *SPHINX_OEA_5FE97*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect145]
 case_name: test_html_output
 case_parameter: contents.html-expect145
 classname: tests.test_build_html
 time: 0.012953758239746094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_5FE97* 437

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect146]** *SPHINX_OEA_DB564*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect146]
 case_name: test_html_output
 case_parameter: contents.html-expect146
 classname: tests.test_build_html
 time: 0.011377811431884766
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_DB564* 439

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect147]** *SPHINX_OEA_53DF2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect147]
 case_name: test_html_output
 case_parameter: contents.html-expect147
 classname: tests.test_build_html
 time: 0.01260066032409668
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_53DF2* 441

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect148]** *SPHINX_OEA_81F4E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect148]
 case_name: test_html_output
 case_parameter: contents.html-expect148
 classname: tests.test_build_html
 time: 0.013079643249511719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_81F4E* **443**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[contents.html-expect149]** *SPHINX_OEA_A97C6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[contents.html-expect149]
 case_name: test_html_output
 case_parameter: contents.html-expect149
 classname: tests.test_build_html
 time: 0.013002395629882812
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A97C6* 445

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[bom.html-expect150]** *SPHINX_OEA_20174*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[bom.html-expect150]
 case_name: test_html_output
 case_parameter: bom.html-expect150
 classname: tests.test_build_html
 time: 0.030365705490112305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *test_html_output*... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output[extensions.html-expect151]** *SPHINX_OEA_38ABC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[extensions.html-expect151]
 case_name: test_html_output
 case_parameter: extensions.html-expect151
 classname: tests.test_build_html
 time: 0.03294491767883301
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_38ABC* 449

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output**[extensions.html-expect152] *SPHINX_OEA_87360*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[extensions.html-expect152]
 case_name: test_html_output
 case_parameter: extensions.html-expect152
 classname: tests.test_build_html
 time: 0.05713224411010742
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html_output**[extensions.html-expect153] *SPHINX_OEA_AB2B6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[extensions.html-expect153]
 case_name: test_html_output
 case_parameter: extensions.html-expect153
 classname: tests.test_build_html
 time: 0.011567115783691406
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_AB2B6* 453

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[_static/statictmpl.html-expect154]** *SPHINX_OEA_2F1E5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[_static/statictmpl.html-expect154]
 case_name: test_html_output
 case_parameter: _static/statictmpl.html-expect154
 classname: tests.test_build_html
 time: 0.01263737678527832
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_2F1E5* **455**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[genindex.html-expect155]** *SPHINX_OEA_C4B04*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[genindex.html-expect155]
 case_name: test_html_output
 case_parameter: genindex.html-expect155
 classname: tests.test_build_html
 time: 0.053225040435791016
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C4B04* **457**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[genindex.html-expect157]** *SPHINX_OEA_619E5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[genindex.html-expect157]
 case_name: test_html_output
 case_parameter: genindex.html-expect157
 classname: tests.test_build_html
 time: 0.012563705444335938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_619E5* 461

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[genindex.html-expect158]** *SPHINX_OEA_C9B82*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[genindex.html-expect158]
 case_name: test_html_output
 case_parameter: genindex.html-expect158
 classname: tests.test_build_html
 time: 0.012027978897094727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_C9B82* 463

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[genindex.html-expect159]** *SPHINX_OEA_43428*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[genindex.html-expect159]
 case_name: test_html_output
 case_parameter: genindex.html-expect159
 classname: tests.test_build_html
 time: 0.013634681701660156
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_43428* 465

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect160]** *SPHINX_OEA_A068E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect160]
 case_name: test_html_output
 case_parameter: footnote.html-expect160
 classname: tests.test_build_html
 time: 0.03730654716491699
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_A068E* 467

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect161]** *SPHINX_OEA_3B965*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect161]
 case_name: test_html_output
 case_parameter: footnote.html-expect161
 classname: tests.test_build_html
 time: 0.01289677619934082
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_3B965* 469

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect162]** *SPHINX_OEA_OD282*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect162]
 case_name: test_html_output
 case_parameter: footnote.html-expect162
 classname: tests.test_build_html
 time: 0.011227607727050781
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_OD282* 471

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect163]** *SPHINX_OEA_47663*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect163]
 case_name: test_html_output
 case_parameter: footnote.html-expect163
 classname: tests.test_build_html
 time: 0.012696504592895508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_47663*

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect164]** *SPHINX_OEA_1BD1F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect164]
 case_name: test_html_output
 case_parameter: footnote.html-expect164
 classname: tests.test_build_html
 time: 0.011992931365966797
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_1BD1F* 475

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect165]** *SPHINX_OEA_D5C90*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect165]
 case_name: test_html_output
 case_parameter: footnote.html-expect165
 classname: tests.test_build_html
 time: 0.012323617935180664
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_D5C90* 477

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect166]** *SPHINX_OEA_155BD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect166]
 case_name: test_html_output
 case_parameter: footnote.html-expect166
 classname: tests.test_build_html
 time: 0.012015342712402344
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_155BD* 479

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect167]** *SPHINX_OEA_13223*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect167]
 case_name: test_html_output
 case_parameter: footnote.html-expect167
 classname: tests.test_build_html
 time: 0.012743234634399414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_13223* 481

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect168]** *SPHINX_OEA_FE38D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect168]
 case_name: test_html_output
 case_parameter: footnote.html-expect168
 classname: tests.test_build_html
 time: 0.01207280158996582
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_FE38D* 483

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect169]** *SPHINX_OEA_4506C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect169]
 case_name: test_html_output
 case_parameter: footnote.html-expect169
 classname: tests.test_build_html
 time: 0.012776374816894531
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_4506C* 485

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect170]** *SPHINX_OEA_45A63*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect170]
 case_name: test_html_output
 case_parameter: footnote.html-expect170
 classname: tests.test_build_html
 time: 0.011058807373046875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_45A63*

SPHINX_OEA_45A63

SPHINX_OEA_45A63

SPHINX_OEA_45A63

SPHINX_OEA_45A63

Test-Case: **test_html_output[footnote.html-expect171]** *SPHINX_OEA_89476*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect171]
 case_name: test_html_output
 case_parameter: footnote.html-expect171
 classname: tests.test_build_html
 time: 0.01259303092956543
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_89476* 489

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect172]** *SPHINX_OEA_F6D8E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect172]
 case_name: test_html_output
 case_parameter: footnote.html-expect172
 classname: tests.test_build_html
 time: 0.011468887329101562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_F6D8E* 491

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect173]** *SPHINX_OEA_DC58F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect173]
 case_name: test_html_output
 case_parameter: footnote.html-expect173
 classname: tests.test_build_html
 time: 0.05668997764587402
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_DC58F* 493

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[footnote.html-expect174]** *SPHINX_OEA_462AA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[footnote.html-expect174]
 case_name: test_html_output
 case_parameter: footnote.html-expect174
 classname: tests.test_build_html
 time: 0.011714935302734375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_462AA* 495

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[otherext.html-expect175]** *SPHINX_OEA_FE7F7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[otherext.html-expect175]
 case_name: test_html_output
 case_parameter: otherext.html-expect175
 classname: tests.test_build_html
 time: 0.0302278995513916
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_FE7F7* **497**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html_output[otherext.html-expect176]** *SPHINX_OEA_29799*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_output[otherext.html-expect176]
 case_name: test_html_output
 case_parameter: otherext.html-expect176
 classname: tests.test_build_html
 time: 0.01294469833740234
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_output
# outdir: /tmp/test_build_html_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *SPHINX_OEA_29799*

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```

Test-Case: **test_html_translator** *SPHINX_OEA_491BF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_translator
case_name: test_html_translator
classname: tests.test_build_html
time: 0.13702034950256348
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/build-html-translator
# outdir: /tmp/build-html-translator/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mChange of translator for the html builder.#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_tocdepth[index.html-expect0]** *SPHINX_OEA_9C1F0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[index.html-expect0]
 case_name: test_tocdepth
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.19471955299377441
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_tocdepth[index.html-expect1]** *SPHINX_OEA_C303D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[index.html-expect1]
case_name: test_tocdepth
case_parameter: index.html-expect1
classname: tests.test_build_html
time: 0.00825810432434082
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[index.html-expect2]** *SPHINX_OEA_C16A6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[index.html-expect2]
case_name: test_tocdepth
case_parameter: index.html-expect2
classname: tests.test_build_html
time: 0.007917165756225586
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[index.html-expect3]** *SPHINX_OEA_79A9I*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[index.html-expect3]
case_name: test_tocdepth
case_parameter: index.html-expect3
classname: tests.test_build_html
time: 0.008430004119873047
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect4]** *SPHINX_OEA_1BEE2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect4]
 case_name: test_tocdepth
 case_parameter: foo.html-expect4
 classname: tests.test_build_html
 time: 0.04004621505737305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect5]** *SPHINX_OEA_E0105*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect5]
 case_name: test_tocdepth
 case_parameter: foo.html-expect5
 classname: tests.test_build_html
 time: 0.008026599884033203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect6]** *SPHINX_OEA_956D6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect6]
 case_name: test_tocdepth
 case_parameter: foo.html-expect6
 classname: tests.test_build_html
 time: 0.00747370719909668
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect7]** *SPHINX_OEA_4644C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[foo.html-expect7]
case_name: test_tocdepth
case_parameter: foo.html-expect7
classname: tests.test_build_html
time: 0.008176565170288086
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect8]** *SPHINX_OEA_348EB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect8]
 case_name: test_tocdepth
 case_parameter: foo.html-expect8
 classname: tests.test_build_html
 time: 0.007633686065673828
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect9]** *SPHINX_OEA_A2DDC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect9]
 case_name: test_tocdepth
 case_parameter: foo.html-expect9
 classname: tests.test_build_html
 time: 0.007918357849121094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect10]** *SPHINX_OEA_60599*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[foo.html-expect10]
case_name: test_tocdepth
case_parameter: foo.html-expect10
classname: tests.test_build_html
time: 0.009476184844970703
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect11]** *SPHINX_OEA_3C430*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[foo.html-expect11]
case_name: test_tocdepth
case_parameter: foo.html-expect11
classname: tests.test_build_html
time: 0.00741267204284668
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[foo.html-expect12]** *SPHINX_OEA_FCA0F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[foo.html-expect12]
 case_name: test_tocdepth
 case_parameter: foo.html-expect12
 classname: tests.test_build_html
 time: 0.00753331184387207
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect13]** *SPHINX_OEA_690CE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect13]
 case_name: test_tocdepth
 case_parameter: bar.html-expect13
 classname: tests.test_build_html
 time: 0.037697792053222656
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect14]** *SPHINX_OEA_36757*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect14]
 case_name: test_tocdepth
 case_parameter: bar.html-expect14
 classname: tests.test_build_html
 time: 0.009016275405883789
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect15]** *SPHINX_OEA_47E65*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect15]
 case_name: test_tocdepth
 case_parameter: bar.html-expect15
 classname: tests.test_build_html
 time: 0.007760524749755859
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect16]** *SPHINX_OEA_73FCB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect16]
 case_name: test_tocdepth
 case_parameter: bar.html-expect16
 classname: tests.test_build_html
 time: 0.00829315185546875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect17]** *SPHINX_OEA_8BBF7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect17]
 case_name: test_tocdepth
 case_parameter: bar.html-expect17
 classname: tests.test_build_html
 time: 0.007487297058105469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect18]** *SPHINX_OEA_195AA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect18]
 case_name: test_tocdepth
 case_parameter: bar.html-expect18
 classname: tests.test_build_html
 time: 0.007558345794677734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect19]** *SPHINX_OEA_47E75*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect19]
 case_name: test_tocdepth
 case_parameter: bar.html-expect19
 classname: tests.test_build_html
 time: 0.00751495361328125
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[bar.html-expect20]** *SPHINX_OEA_E532D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth[bar.html-expect20]
 case_name: test_tocdepth
 case_parameter: bar.html-expect20
 classname: tests.test_build_html
 time: 0.00747990608215332
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth[baz.html-expect21]** *SPHINX_OEA_D7055*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth[baz.html-expect21]
case_name: test_tocdepth
case_parameter: baz.html-expect21
classname: tests.test_build_html
time: 0.03803563117980957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: `test_tocdepth_singlehtml[index.html-expect0]` *SPHINX_OEA_45297*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect0]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect0
classname: tests.test_build_html
time: 0.11829924583435059
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [singlehtml]#x1B[39;49;00m: all documents
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01massembling single document... #x1B[39;49;00m#x1B[32mfoo#x1B[39;49;00m
↪#x1B[32mbar#x1B[39;49;00m
#x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting... #x1B[39;49;00mdone
#x1B[01mwriting additional files...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
```

546#x1B[01mwriting additional pages...#x1B[39;49;00m search

Chapter 2. Content

```
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect1]** *SPHINX_OEA_C84C1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect1]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.007863998413085938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect2]** *SPHINX_OEA_5E118*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect2]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.008256673812866211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect3]** *SPHINX_OEA_235F6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect3]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.007443904876708984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect4]** *SPHINX_OEA_64303*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect4]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.008521795272827148
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect5]** *SPHINX_OEA_49608*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect5]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect5
 classname: tests.test_build_html
 time: 0.0508115291595459
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect6]** *SPHINX_OEA_3E686*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect6]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.007840156555175781
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect7]** *SPHINX_OEA_FAB8E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect7]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.00828409194946289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect8]** *SPHINX_OEA_6C14C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect8]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect8
classname: tests.test_build_html
time: 0.008422136306762695
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect9]** *SPHINX_OEA_931CF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect9]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.008016824722290039
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect10]** *SPHINX_OEA_7D9BB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_tocdepth_singlehtml[index.html-expect10]
 case_name: test_tocdepth_singlehtml
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.008063316345214844
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: `test_tocdepth_singlehtml[index.html-expect11]` *SPHINX_OEA_6C439*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect11]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect11
classname: tests.test_build_html
time: 0.008705377578735352
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect12]** *SPHINX_OEA_5E2ED*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect12]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect12
classname: tests.test_build_html
time: 0.008247852325439453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect13]** *SPHINX_OEA_FA18B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect13]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect13
classname: tests.test_build_html
time: 0.007648944854736328
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_tocdepth_singlehtml[index.html-expect14]** *SPHINX_OEA_68C6C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_tocdepth_singlehtml[index.html-expect14]
case_name: test_tocdepth_singlehtml
case_parameter: index.html-expect14
classname: tests.test_build_html
time: 0.00782155990600586
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_tocdepth
# outdir: /tmp/test_build_html_tocdepth/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```


Test-Case: **test_numfig_disabled_warn** *SPHINX_OEA_8CF49*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_disabled_warn
case_name: test_numfig_disabled_warn
classname: tests.test_build_html
time: 0.21360158920288086
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

warning:

576#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled. **Chapter 2. Content**
↳:numref: is
ignored.#x1B[39;49;00m
#x1B[31m/tmp/test_build_html_numfig/index.rst:48: WARNING: numfig is disabled.↳

Test-Case: **test_numfig_disabled**[index.html-expect0] *SPHINX_OEA_CD898*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect0]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.044094085693359375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled[index.html-expect1]** *SPHINX_OEA_B2AEE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect1]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.007912874221801758
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled[index.html-expect2]** *SPHINX_OEA_58669*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect2]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.008743762969970703
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect3] *SPHINX_OEA_F7BFE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect3]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.008150339126586914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled[index.html-expect4]** *SPHINX_OEA_8A9AD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect4]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.008072853088378906
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect5] *SPHINX_OEA_8EC72*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect5]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect5
 classname: tests.test_build_html
 time: 0.008166790008544922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect6] *SPHINX_OEA_3EA04*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect6]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.00756525993347168
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect7] *SPHINX_OEA_404AC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect7]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.007726430892944336
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect8] *SPHINX_OEA_D1C9D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect8]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect8
 classname: tests.test_build_html
 time: 0.007359504699707031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled[index.html-expect9]** *SPHINX_OEA_ACB2A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect9]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.00965428352355957
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect10] *SPHINX_OEA_2D92D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect10]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.007916927337646484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect11] *SPHINX_OEA_CCA47*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect11]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.007685661315917969
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[index.html-expect12] *SPHINX_OEA_5DCF6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[index.html-expect12]
 case_name: test_numfig_disabled
 case_parameter: index.html-expect12
 classname: tests.test_build_html
 time: 0.008203268051147461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[foo.html-expect13] *SPHINX_OEA_8BD7C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[foo.html-expect13]
 case_name: test_numfig_disabled
 case_parameter: foo.html-expect13
 classname: tests.test_build_html
 time: 0.04518866539001465
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[foo.html-expect14] *SPHINX_0EA_3C9CB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[foo.html-expect14]
 case_name: test_numfig_disabled
 case_parameter: foo.html-expect14
 classname: tests.test_build_html
 time: 0.007699728012084961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[foo.html-expect15] *SPHINX_OEA_72815*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_disabled[foo.html-expect15]
case_name: test_numfig_disabled
case_parameter: foo.html-expect15
classname: tests.test_build_html
time: 0.008226156234741211
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[bar.html-expect16] *SPHINX_OEA_DF55D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[bar.html-expect16]
 case_name: test_numfig_disabled
 case_parameter: bar.html-expect16
 classname: tests.test_build_html
 time: 0.04294729232788086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[bar.html-expect17] *SPHINX_OEA_DIAD4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[bar.html-expect17]
 case_name: test_numfig_disabled
 case_parameter: bar.html-expect17
 classname: tests.test_build_html
 time: 0.009061336517333984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[bar.html-expect18] *SPHINX_OEA_499FA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[bar.html-expect18]
 case_name: test_numfig_disabled
 case_parameter: bar.html-expect18
 classname: tests.test_build_html
 time: 0.007980108261108398
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[baz.html-expect19] *SPHINX_OEA_37767*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[baz.html-expect19]
 case_name: test_numfig_disabled
 case_parameter: baz.html-expect19
 classname: tests.test_build_html
 time: 0.03806281089782715
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[baz.html-expect20] *SPHINX_OEA_92166*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[baz.html-expect20]
 case_name: test_numfig_disabled
 case_parameter: baz.html-expect20
 classname: tests.test_build_html
 time: 0.007866144180297852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_disabled**[baz.html-expect21] *SPHINX_OEA_B6B83*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_disabled[baz.html-expect21]
 case_name: test_numfig_disabled
 case_parameter: baz.html-expect21
 classname: tests.test_build_html
 time: 0.008813858032226562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig
# outdir: /tmp/test_build_html_numfig/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 13 warnings.#x1B[39;49;00m
```

```
# warning:
#x1B[31m/tmp/test_build_html_numfig/index.rst:47: WARNING: numfig is disabled.
↪:numref: is
```


Test-Case: **test_numfig_without_numbered_toctree_warn** *SPHINX_OEA_325C5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree_warn
case_name: test_numfig_without_numbered_toctree_warn
classname: tests.test_build_html
time: 0.38720703125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree_warn
# outdir: /tmp/test_numfig_without_numbered_toctree_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 1 changed, 0 removed
```


Test-Case: `test_numfig_without_numbered_toctree[index.html-expect0]` *SPHINX_OEA_5E3E6*

tags: `pytest_sphinx`
style: `tr_passed`
delete: `False`
jinja_content: `False`
file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
suite: `pytest`
case: `test_numfig_without_numbered_toctree[index.html-expect0]`
case_name: `test_numfig_without_numbered_toctree`
case_parameter: `index.html-expect0`
classname: `tests.test_build_html`
time: `0.25879383087158203`
result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 6 warnings.#x1B[39;49;00m
```

624warning:

Chapter 2. Content

```
#x1B[31m/tmp/test_numfig_without_numbered_toctree/index.rst:53: WARNING: no number is
↪assigned for section:
foo#x1B[39;49;00m
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect1]** *SPHINX_OEA_4648E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect1]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect1
classname: tests.test_build_html
time: 0.00863504409790039
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect2]** *SPHINX_OEA_4BA4B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect2]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect2
classname: tests.test_build_html
time: 0.03958320617675781
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect3]** *SPHINX_OEA_46F7E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect3]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect3
classname: tests.test_build_html
time: 0.009099721908569336
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect4]** *SPHINX_0EA_2D5CF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect4]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect4
classname: tests.test_build_html
time: 0.008879423141479492
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_numfig_without_numbered_toctree[index.html-expect5]** *SPHINX_OEA_5D5C5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect5]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect5
classname: tests.test_build_html
time: 0.009003400802612305
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect6]** *SPHINX_OEA_93D86*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect6]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect6
classname: tests.test_build_html
time: 0.03837132453918457
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect7]** *SPHINX_OEA_21AFB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect7]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect7
classname: tests.test_build_html
time: 0.02554011344909668
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect8]** *SPHINX_OEA_28E28*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect8]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect8
classname: tests.test_build_html
time: 0.011871576309204102
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect9]** *SPHINX_OEA_575D4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[index.html-expect9]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.008567333221435547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect10]** *SPHINX_OEA_F6FDC*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect10]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect10
classname: tests.test_build_html
time: 0.03780722618103027
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect11]** *SPHINX_OEA_FFFE4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[index.html-expect11]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.025830745697021484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect12]** *SPHINX_OEA_4C32F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect12]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect12
classname: tests.test_build_html
time: 0.01224660873413086
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_numfig_without_numbered_toctree[index.html-expect13]** *SPHINX_OEA_DD58B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect13]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect13
classname: tests.test_build_html
time: 0.01096653938293457
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect14]** *SPHINX_OEA_BBDE4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[index.html-expect14]
case_name: test_numfig_without_numbered_toctree
case_parameter: index.html-expect14
classname: tests.test_build_html
time: 0.032512664794921875
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[index.html-expect15]** *SPHINX_OEA_B5C5C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[index.html-expect15]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: index.html-expect15
 classname: tests.test_build_html
 time: 0.008200407028198242
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect16] *SPHINX_OEA_ADC00*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect16]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect16
classname: tests.test_build_html
time: 0.04512619972229004
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect17] *SPHINX_OEA_D270F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect17]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect17
classname: tests.test_build_html
time: 0.049405574798583984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect18] *SPHINX_OEA_937B6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect18]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect18
classname: tests.test_build_html
time: 0.008206367492675781
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect19] *SPHINX_OEA_7C5A4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[foo.html-expect19]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: foo.html-expect19
 classname: tests.test_build_html
 time: 0.008094310760498047
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect20] *SPHINX_OEA_807E3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect20]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect20
classname: tests.test_build_html
time: 0.008546113967895508
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect21] *SPHINX_OEA_FE1F3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect21]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect21
classname: tests.test_build_html
time: 0.03556680679321289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect22] *SPHINX_OEA_4EEEEB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect22]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect22
classname: tests.test_build_html
time: 0.009125709533691406
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect23] *SPHINX_OEA_55E28*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect23]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect23
classname: tests.test_build_html
time: 0.009298563003540039
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[foo.html-expect24]** *SPHINX_OEA_FE432*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect24]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect24
classname: tests.test_build_html
time: 0.007948160171508789
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect25] *SPHINX_OEA_106CD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect25]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect25
classname: tests.test_build_html
time: 0.03851914405822754
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect26] *SPHINX_OEA_95333*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect26]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect26
classname: tests.test_build_html
time: 0.02830362319946289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[foo.html-expect27] *SPHINX_OEA_BECAF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[foo.html-expect27]
case_name: test_numfig_without_numbered_toctree
case_parameter: foo.html-expect27
classname: tests.test_build_html
time: 0.012044429779052734
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect28]** *SPHINX_OEA_5B04C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect28]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect28
classname: tests.test_build_html
time: 0.0462794303894043
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect29]** *SPHINX_OEA_I2ABE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect29]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect29
classname: tests.test_build_html
time: 0.00842428207397461
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect30]** *SPHINX_OEA_A23E0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect30]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect30
classname: tests.test_build_html
time: 0.007700204849243164
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect31]** *SPHINX_OEA_69EA1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[bar.html-expect31]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: bar.html-expect31
 classname: tests.test_build_html
 time: 0.008374691009521484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect32]** *SPHINX_OEA_7EDC7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect32]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect32
classname: tests.test_build_html
time: 0.03541684150695801
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[bar.html-expect33] *SPHINX_OEA_5498C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect33]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect33
classname: tests.test_build_html
time: 0.008771896362304688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect34]** *SPHINX_OEA_BE7CE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect34]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect34
classname: tests.test_build_html
time: 0.009343147277832031
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect35]** *SPHINX_OEA_246D8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[bar.html-expect35]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: bar.html-expect35
 classname: tests.test_build_html
 time: 0.007842779159545898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree[bar.html-expect36]** *SPHINX_OEA_7C83C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[bar.html-expect36]
case_name: test_numfig_without_numbered_toctree
case_parameter: bar.html-expect36
classname: tests.test_build_html
time: 0.03821921348571777
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_numfig_without_numbered_toctree**[baz.html-expect37] *SPHINX_OEA_22D1C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[baz.html-expect37]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: baz.html-expect37
 classname: tests.test_build_html
 time: 0.05096149444580078
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[baz.html-expect38] *SPHINX_OEA_1A8D7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_numfig_without_numbered_toctree[baz.html-expect38]
case_name: test_numfig_without_numbered_toctree
case_parameter: baz.html-expect38
classname: tests.test_build_html
time: 0.009330272674560547
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_numfig_without_numbered_toctree**[baz.html-expect39] *SPHINX_OEA_FC249*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_without_numbered_toctree[baz.html-expect39]
 case_name: test_numfig_without_numbered_toctree
 case_parameter: baz.html-expect39
 classname: tests.test_build_html
 time: 0.00832509994506836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_numfig_without_numbered_toctree
# outdir: /tmp/test_numfig_without_numbered_toctree/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: `test_numfig_with_numbered_toctree_warn` *SPHINX_OEA_612E5*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree_warn`
 case_name: `test_numfig_with_numbered_toctree_warn`
 classname: `tests.test_build_html`
 time: `0.24144530296325684`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

warning:

2.6. Examples `/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned. 665`

↳ for section:

`index#x1B[39;49;00m`

`#x1B[31m/tmp/test_build_html_numfig_on/index.rst:56: WARNING: invalid numfig_format: 665`

Test-Case: `test_numfig_with_numbered_toctree[index.html-expect0]` *SPHINX_OEA_8A4BE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect0]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.04622650146484375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect1]** *SPHINX_OEA_A6EAE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect1]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.00824427604675293
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect2]** *SPHINX_OEA_647E3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect2]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.008464813232421875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect3]** *SPHINX_OEA_6F550*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect3]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.009167194366455078
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect4]** *SPHINX_OEA_BA423*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect4]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.008802652359008789
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect5]** *SPHINX_OEA_DB410*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect5]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect5
 classname: tests.test_build_html
 time: 0.008778572082519531
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect6]** *SPHINX_OEA_25144*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect6]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.008528709411621094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect7]** *SPHINX_OEA_13183*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect7]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.01004648208618164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect8]** *SPHINX_OEA_3F41E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect8]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect8
 classname: tests.test_build_html
 time: 0.009095430374145508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect9]** *SPHINX_OEA_F21BD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect9]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.009056806564331055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect10]** *SPHINX_OEA_E8F52*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect10]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.008209943771362305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect11]** *SPHINX_OEA_19E32*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect11]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.008449316024780273
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect12]** *SPHINX_OEA_17132*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect12]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect12
 classname: tests.test_build_html
 time: 0.008567094802856445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect13]** *SPHINX_OEA_EF556*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect13]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect13
 classname: tests.test_build_html
 time: 0.007859945297241211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect14]** *SPHINX_OEA_OD711*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect14]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect14
 classname: tests.test_build_html
 time: 0.010186910629272461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[index.html-expect15]** *SPHINX_OEA_99750*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[index.html-expect15]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: index.html-expect15
 classname: tests.test_build_html
 time: 0.007813453674316406
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[foo.html-expect16] *SPHINX_OEA_9FBFD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[foo.html-expect16]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: foo.html-expect16
 classname: tests.test_build_html
 time: 0.045656442642211914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect17]` *SPHINX_OEA_4EFCB*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect17]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect17`
 classname: `tests.test_build_html`
 time: `0.00819706916809082`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toc`[foo.html-expect18] *SPHINX_OEA_586CA*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toc`[foo.html-expect18]
 case_name: `test_numfig_with_numbered_toc`
 case_parameter: `foo.html-expect18`
 classname: `tests.test_build_html`
 time: `0.05165982246398926`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect19]` *SPHINX_OEA_0B100*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[foo.html-expect19]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: foo.html-expect19
 classname: tests.test_build_html
 time: 0.007947444915771484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect20]` *SPHINX_OEA_20F0B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect20]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect20`
 classname: `tests.test_build_html`
 time: `0.007714509963989258`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect21]` *SPHINX_OEA_C9C06*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[foo.html-expect21]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: foo.html-expect21
 classname: tests.test_build_html
 time: 0.007839441299438477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect22]` *SPHINX_OEA_493E3*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect22]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect22`
 classname: `tests.test_build_html`
 time: `0.008013486862182617`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[foo.html-expect23] *SPHINX_OEA_9CB5A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[foo.html-expect23]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: foo.html-expect23
 classname: tests.test_build_html
 time: 0.008800029754638672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect24]` *SPHINX_OEA_9D3A7*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect24]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect24`
 classname: `tests.test_build_html`
 time: `0.009199857711791992`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree[foo.html-expect25]** *SPHINX_OEA_254BB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[foo.html-expect25]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: foo.html-expect25
 classname: tests.test_build_html
 time: 0.007752180099487305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect26]` *SPHINX_OEA_DA479*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect26]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect26`
 classname: `tests.test_build_html`
 time: `0.00812530517578125`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[foo.html-expect27]` *SPHINX_OEA_36C55*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[foo.html-expect27]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `foo.html-expect27`
 classname: `tests.test_build_html`
 time: `0.007555723190307617`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[bar.html-expect28] *SPHINX_OEA_46E93*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[bar.html-expect28]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: bar.html-expect28
 classname: tests.test_build_html
 time: 0.044115543365478516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect29]` *SPHINX_OEA_6872F*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect29]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect29`
 classname: `tests.test_build_html`
 time: `0.008464813232421875`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect30]` *SPHINX_OEA_2413B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect30]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect30`
 classname: `tests.test_build_html`
 time: `0.007689714431762695`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect31]` *SPHINX_OEA_65C4A*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect31]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect31`
 classname: `tests.test_build_html`
 time: `0.008349895477294922`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect32]` *SPHINX_OEA_D734D*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect32]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect32`
 classname: `tests.test_build_html`
 time: `0.007919073104858398`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect33]` *SPHINX_OEA_E7417*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect33]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect33`
 classname: `tests.test_build_html`
 time: `0.007842063903808594`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect34]` *SPHINX_OEA_5925C*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[bar.html-expect34]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `bar.html-expect34`
 classname: `tests.test_build_html`
 time: `0.00972890853881836`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[bar.html-expect35]` *SPHINX_OEA_7EB4E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[bar.html-expect35]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: bar.html-expect35
 classname: tests.test_build_html
 time: 0.007902860641479492
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[bar.html-expect36] *SPHINX_OEA_333EE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[bar.html-expect36]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: bar.html-expect36
 classname: tests.test_build_html
 time: 0.008020877838134766
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[baz.html-expect37] *SPHINX_OEA_23315*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[baz.html-expect37]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: baz.html-expect37
 classname: tests.test_build_html
 time: 0.03995656967163086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: **test_numfig_with_numbered_toctree**[baz.html-expect38] *SPHINX_OEA_B82BC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_numbered_toctree[baz.html-expect38]
 case_name: test_numfig_with_numbered_toctree
 case_parameter: baz.html-expect38
 classname: tests.test_build_html
 time: 0.008171319961547852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_numbered_toctree[baz.html-expect39]` *SPHINX_OEA_8791F*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_numbered_toctree[baz.html-expect39]`
 case_name: `test_numfig_with_numbered_toctree`
 case_parameter: `baz.html-expect39`
 classname: `tests.test_build_html`
 time: `0.009276628494262695`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_prefix_warn` *SPHINX_OEA_B86B2*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utlils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix_warn`
 case_name: `test_numfig_with_prefix_warn`
 classname: `tests.test_build_html`
 time: `0.22711944580078125`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m

# warning:
```

2.6. Examples `test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is assigned for section:` **747**

```
index#x1B[39;49;00m
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:56: WARNING: invalid numfig_
```


Test-Case: `test_numfig_with_prefix[index.html-expect0]` *SPHINX_OEA_9B37C*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect0]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect0`
 classname: `tests.test_build_html`
 time: `0.04561972618103027`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect1]` *SPHINX_OEA_E68AE*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect1]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect1`
 classname: `tests.test_build_html`
 time: `0.008157968521118164`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect2]` *SPHINX_OEA_20088*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect2]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect2`
 classname: `tests.test_build_html`
 time: `0.008399724960327148`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect3]` *SPHINX_OEA_BE114*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect3]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.007708549499511719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect4]` *SPHINX_OEA_D3678*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect4]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect4`
 classname: `tests.test_build_html`
 time: `0.008456230163574219`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect5]` *SPHINX_OEA_8E445*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect5]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect5`
 classname: `tests.test_build_html`
 time: `0.008128881454467773`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect6]` *SPHINX_OEA_96532*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect6]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect6`
 classname: `tests.test_build_html`
 time: `0.007885217666625977`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect7]` *SPHINX_OEA_808C9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect7]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.009406089782714844
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect8]` *SPHINX_OEA_OEC49*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect8]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect8`
 classname: `tests.test_build_html`
 time: `0.008438825607299805`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect9]` *SPHINX_OEA_8B105*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect9]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.007735490798950195
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix[index.html-expect10]** *SPHINX_OEA_A23DF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect10]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.007897138595581055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect11]` *SPHINX_OEA_93A32*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect11]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.00764775276184082
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix[index.html-expect12]** *SPHINX_OEA_83553*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect12]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect12
 classname: tests.test_build_html
 time: 0.007951974868774414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[index.html-expect13]` *SPHINX_OEA_OADA3*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[index.html-expect13]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `index.html-expect13`
 classname: `tests.test_build_html`
 time: `0.0077419281005859375`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix[index.html-expect14]** *SPHINX_OEA_1906D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect14]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect14
 classname: tests.test_build_html
 time: 0.010567665100097656
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix[index.html-expect15]** *SPHINX_OEA_7473F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[index.html-expect15]
 case_name: test_numfig_with_prefix
 case_parameter: index.html-expect15
 classname: tests.test_build_html
 time: 0.008390188217163086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect16]` *SPHINX_OEA_09A11*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect16]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect16`
 classname: `tests.test_build_html`
 time: `0.044823408126831055`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expected17]` *SPHINX_OEA_E3649*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expected17]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expected17`
 classname: `tests.test_build_html`
 time: `0.007850170135498047`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect18]` *SPHINX_OEA_2145B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect18]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect18`
 classname: `tests.test_build_html`
 time: `0.05172133445739746`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect19]` *SPHINX_OEA_1A36B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect19]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect19`
 classname: `tests.test_build_html`
 time: `0.008032560348510742`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect20]` *SPHINX_OEA_09ADE*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect20]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect20`
 classname: `tests.test_build_html`
 time: `0.008119821548461914`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect21]` *SPHINX_OEA_75FF0*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect21]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect21`
 classname: `tests.test_build_html`
 time: `0.007716178894042969`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect22]` *SPHINX_OEA_F21D4*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect22]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect22`
 classname: `tests.test_build_html`
 time: `0.007838249206542969`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect23]` *SPHINX_OEA_22BA3*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect23]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect23`
 classname: `tests.test_build_html`
 time: `0.007740974426269531`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix**[foo.html-expect24] *SPHINX_OEA_54F35*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[foo.html-expect24]
 case_name: test_numfig_with_prefix
 case_parameter: foo.html-expect24
 classname: tests.test_build_html
 time: 0.009024620056152344
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect25]` *SPHINX_OEA_47463*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect25]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect25`
 classname: `tests.test_build_html`
 time: `0.008428812026977539`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect26]` *SPHINX_OEA_BF53A*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect26]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect26`
 classname: `tests.test_build_html`
 time: `0.00796198844909668`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[foo.html-expect27]` *SPHINX_OEA_06BBF*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[foo.html-expect27]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `foo.html-expect27`
 classname: `tests.test_build_html`
 time: `0.007681608200073242`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect28]` *SPHINX_OEA_7A05E*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect28]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect28`
 classname: `tests.test_build_html`
 time: `0.04590630531311035`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect29]` *SPHINX_OEA_BE616*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect29]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect29`
 classname: `tests.test_build_html`
 time: `0.00866842269897461`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect30]` *SPHINX_OEA_C4072*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect30]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect30`
 classname: `tests.test_build_html`
 time: `0.008831262588500977`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect31]` *SPHINX_OEA_33D2D*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect31]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect31`
 classname: `tests.test_build_html`
 time: `0.008148908615112305`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect32]` *SPHINX_OEA_77750*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect32]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect32`
 classname: `tests.test_build_html`
 time: `0.007730722427368164`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect33]` *SPHINX_OEA_9DFCC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[bar.html-expect33]
 case_name: test_numfig_with_prefix
 case_parameter: bar.html-expect33
 classname: tests.test_build_html
 time: 0.007856130599975586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect34]` *SPHINX_OEA_070C5*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect34]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect34`
 classname: `tests.test_build_html`
 time: `0.009351015090942383`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect35]` *SPHINX_OEA_E56A5*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect35]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect35`
 classname: `tests.test_build_html`
 time: `0.008417606353759766`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[bar.html-expect36]` *SPHINX_OEA_8836B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[bar.html-expect36]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `bar.html-expect36`
 classname: `tests.test_build_html`
 time: `0.007885217666625977`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[baz.html-expect37]` *SPHINX_OEA_93AB6*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[baz.html-expect37]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `baz.html-expect37`
 classname: `tests.test_build_html`
 time: `0.03846144676208496`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_prefix**[baz.html-expect38] *SPHINX_OEA_51650*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_prefix[baz.html-expect38]
 case_name: test_numfig_with_prefix
 case_parameter: baz.html-expect38
 classname: tests.test_build_html
 time: 0.008179903030395508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_prefix[baz.html-expect39]` *SPHINX_OEA_D6B37*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_prefix[baz.html-expect39]`
 case_name: `test_numfig_with_prefix`
 case_parameter: `baz.html-expect39`
 classname: `tests.test_build_html`
 time: `0.009055614471435547`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_format_warn
# outdir: /tmp/test_build_html_numfig_format_warn/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_format_warn/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth_warn` *SPHINX_OEA_C0348*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_secnum_depth_warn`
 case_name: `test_numfig_with_secnum_depth_warn`
 classname: `tests.test_build_html`
 time: `0.22531700134277344`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m

# warning:
```

2.6. Examples `../tests/doc_test/utis/pytest_sphinx_data.xml`
 ↳ assigned for section:

```
index#x1B[39;49;00m
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:56: WARNING: invalid numfig_
format:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect0]` *SPHINX_OEA_DE445*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect0]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.04273557662963867
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect1]` *SPHINX_OEA_88307*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect1]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.008524656295776367
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect2]` *SPHINX_0EA_54F34*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect2]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.008011102676391602
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned to section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect3]` *SPHINX_0EA_80E3F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect3]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.008501291275024414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect4]` *SPHINX_OEA_422EE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect4]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.007706403732299805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect5]` *SPHINX_OEA_24B9A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect5]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect5
 classname: tests.test_build_html
 time: 0.007434368133544922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect6]` *SPHINX_OEA_1A89E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect6]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.00751185417175293
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect7]` *SPHINX_OEA_35650*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect7]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.007923364639282227
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect8]` *SPHINX_OEA_FCCD7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect8]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect8
 classname: tests.test_build_html
 time: 0.009666681289672852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[index.html-expect9]` *SPHINX_OEA_B794D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect9]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.007877111434936523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect10]** *SPHINX_OEA_B03D4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect10]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.007627010345458984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect11]** *SPHINX_OEA_4BC44*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect11]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.008636236190795898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect12]** *SPHINX_OEA_54287*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect12]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect12
 classname: tests.test_build_html
 time: 0.008671045303344727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect13]** *SPHINX_OEA_22990*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect13]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect13
 classname: tests.test_build_html
 time: 0.008423089981079102
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect14]** *SPHINX_OEA_3A762*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect14]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect14
 classname: tests.test_build_html
 time: 0.007840156555175781
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[index.html-expect15]** *SPHINX_OEA_BE76E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[index.html-expect15]
 case_name: test_numfig_with_secnum_depth
 case_parameter: index.html-expect15
 classname: tests.test_build_html
 time: 0.009282350540161133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth**[foo.html-expect16] *SPHINX_OEA_99B2E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect16]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect16
 classname: tests.test_build_html
 time: 0.044599056243896484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[foo.html-expect17]` *SPHINX_OEA_8C41C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect17]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect17
 classname: tests.test_build_html
 time: 0.00782465934753418
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect18]** *SPHINX_OEA_F31E8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect18]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect18
 classname: tests.test_build_html
 time: 0.008990287780761719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect19]** *SPHINX_OEA_BE7C4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect19]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect19
 classname: tests.test_build_html
 time: 0.051680803298950195
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect20]** *SPHINX_OEA_39C9E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect20]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect20
 classname: tests.test_build_html
 time: 0.007725715637207031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect21]** *SPHINX_OEA_EF339*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect21]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect21
 classname: tests.test_build_html
 time: 0.007706165313720703
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect22]** *SPHINX_OEA_384E8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect22]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect22
 classname: tests.test_build_html
 time: 0.00744318962097168
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect23]** *SPHINX_OEA_5F00A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect23]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect23
 classname: tests.test_build_html
 time: 0.0077364444732666016
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect24]** *SPHINX_OEA_C48FB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect24]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect24
 classname: tests.test_build_html
 time: 0.007895946502685547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect25]** *SPHINX_OEA_86A11*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect25]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect25
 classname: tests.test_build_html
 time: 0.009658575057983398
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect26]** *SPHINX_OEA_29790*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect26]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect26
 classname: tests.test_build_html
 time: 0.007782459259033203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[foo.html-expect27]** *SPHINX_OEA_4451A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[foo.html-expect27]
 case_name: test_numfig_with_secnum_depth
 case_parameter: foo.html-expect27
 classname: tests.test_build_html
 time: 0.007869958877563477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect28]` *SPHINX_OEA_30D3B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect28]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect28
 classname: tests.test_build_html
 time: 0.04281425476074219
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect29]` *SPHINX_OEA_9CAF2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect29]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect29
 classname: tests.test_build_html
 time: 0.00937342643737793
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect30]` *SPHINX_OEA_9CC39*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect30]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect30
 classname: tests.test_build_html
 time: 0.008602619171142578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[bar.html-expect31]** *SPHINX_OEA_8C8B0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect31]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect31
 classname: tests.test_build_html
 time: 0.007642507553100586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[bar.html-expect32]** *SPHINX_OEA_B6821*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect32]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect32
 classname: tests.test_build_html
 time: 0.007563352584838867
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect33]` *SPHINX_OEA_0D93B*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_secnum_depth[bar.html-expect33]`
 case_name: `test_numfig_with_secnum_depth`
 case_parameter: `bar.html-expect33`
 classname: `tests.test_build_html`
 time: `0.008388280868530273`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect34]` *SPHINX_OEA_87EC8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect34]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect34
 classname: tests.test_build_html
 time: 0.008044242858886719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect35]` *SPHINX_OEA_454F9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect35]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect35
 classname: tests.test_build_html
 time: 0.00931549072265625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[bar.html-expect36]` *SPHINX_OEA_DC8EC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[bar.html-expect36]
 case_name: test_numfig_with_secnum_depth
 case_parameter: bar.html-expect36
 classname: tests.test_build_html
 time: 0.007869720458984375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth[baz.html-expect37]** *SPHINX_OEA_45F18*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[baz.html-expect37]
 case_name: test_numfig_with_secnum_depth
 case_parameter: baz.html-expect37
 classname: tests.test_build_html
 time: 0.03914141654968262
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_secnum_depth[baz.html-expect38]` *SPHINX_OEA_B842E*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_secnum_depth[baz.html-expect38]`
 case_name: `test_numfig_with_secnum_depth`
 case_parameter: `baz.html-expect38`
 classname: `tests.test_build_html`
 time: `0.007795095443725586`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: **test_numfig_with_secnum_depth**[baz.html-expect39] *SPHINX_OEA_E5A0E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_secnum_depth[baz.html-expect39]
 case_name: test_numfig_with_secnum_depth
 case_parameter: baz.html-expect39
 classname: tests.test_build_html
 time: 0.00894474983215332
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html_numfig_depth_2
# outdir: /tmp/test_build_html_numfig_depth_2/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_depth_2/index.rst:55: WARNING: no number is_
↪assigned for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect0]` *SPHINX_OEA_70B28*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect0]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.16080904006958008
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [singlehtml]#x1B[39;49;00m: all documents
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01massembling single document... #x1B[39;49;00m#x1B[32mfoo#x1B[39;49;00m
↪#x1B[32mbar#x1B[39;49;00m
#x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting... #x1B[39;49;00mdone
#x1B[01mwriting additional files...#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
9;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
```

2.6 Examples
 #x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
 #x1B[01mcopying static files... #x1B[39;49;00mdone
 #x1B[01mcopying extra files... #x1B[39;49;00mdone
 #x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone

Test-Case: `test_numfig_with_singlehtml[index.html-expect1]` *SPHINX_OEA_30254*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect1]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.008496284484863281
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect2]` *SPHINX_OEA_C4BC1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect2]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.008294820785522461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect3]` *SPHINX_OEA_88DCF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect3]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.007727384567260742
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect4]` *SPHINX_OEA_4971F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect4]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.007643461227416992
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect5]` *SPHINX_OEA_8605A*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_singlehtml[index.html-expect5]`
 case_name: `test_numfig_with_singlehtml`
 case_parameter: `index.html-expect5`
 classname: `tests.test_build_html`
 time: `0.007827997207641602`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect6]` *SPHINX_OEA_90821*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect6]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.008030891418457031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect7]` *SPHINX_OEA_22543*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect7]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.009193897247314453
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect8]` *SPHINX_OEA_ACCB6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect8]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect8
 classname: tests.test_build_html
 time: 0.007955312728881836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect9]` *SPHINX_OEA_C2081*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect9]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.00768733024597168
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect10]` *SPHINX_OEA_FF9B3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect10]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect10
 classname: tests.test_build_html
 time: 0.007764339447021484
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect11]` *SPHINX_OEA_71351*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect11]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect11
 classname: tests.test_build_html
 time: 0.008037805557250977
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect12]` *SPHINX_OEA_57C11*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect12]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect12
 classname: tests.test_build_html
 time: 0.007683753967285156
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect13]` *SPHINX_OEA_3B8D9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect13]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect13
 classname: tests.test_build_html
 time: 0.008333444595336914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect14]` *SPHINX_OEA_0FC77*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect14]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect14
 classname: tests.test_build_html
 time: 0.009335041046142578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect15]` *SPHINX_OEA_A4298*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect15]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect15
 classname: tests.test_build_html
 time: 0.00796198844909668
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect16]` *SPHINX_OEA_17DE4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect16]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect16
 classname: tests.test_build_html
 time: 0.007567167282104492
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect17]` *SPHINX_OEA_52F20*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect17]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect17
 classname: tests.test_build_html
 time: 0.007621049880981445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect18]` *SPHINX_OEA_17B58*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect18]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect18
 classname: tests.test_build_html
 time: 0.008351325988769531
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪ for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect19]` *SPHINX_OEA_E46E8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect19]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect19
 classname: tests.test_build_html
 time: 0.00792384147644043
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect20]` *SPHINX_OEA_FC8A9*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utils/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_numfig_with_singlehtml[index.html-expect20]`
 case_name: `test_numfig_with_singlehtml`
 case_parameter: `index.html-expect20`
 classname: `tests.test_build_html`
 time: `0.007598161697387695`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect21]` *SPHINX_OEA_29C90*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect21]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect21
 classname: tests.test_build_html
 time: 0.009472846984863281
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

953

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect22]` *SPHINX_OEA_F794B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect22]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect22
 classname: tests.test_build_html
 time: 0.00752568244934082
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect23]` *SPHINX_OEA_1982D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect23]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect23
 classname: tests.test_build_html
 time: 0.008853673934936523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect24]` *SPHINX_OEA_1600B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect24]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect24
 classname: tests.test_build_html
 time: 0.008112192153930664
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect25]` *SPHINX_OEA_1F8C3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect25]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect25
 classname: tests.test_build_html
 time: 0.007945775985717773
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect26]` *SPHINX_OEA_AA6E2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect26]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect26
 classname: tests.test_build_html
 time: 0.007780313491821289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect27]` *SPHINX_OEA_AE9A6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect27]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect27
 classname: tests.test_build_html
 time: 0.007400035858154297
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect28]` *SPHINX_OEA_E198E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect28]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect28
 classname: tests.test_build_html
 time: 0.010539054870605469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect29]` *SPHINX_OEA_7E021*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect29]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect29
 classname: tests.test_build_html
 time: 0.007593631744384766
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect30]` *SPHINX_OEA_C3935*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect30]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect30
 classname: tests.test_build_html
 time: 0.00774073600769043
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect31]` *SPHINX_OEA_184DB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect31]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect31
 classname: tests.test_build_html
 time: 0.007355690002441406
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect32]` *SPHINX_OEA_D9CE4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect32]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect32
 classname: tests.test_build_html
 time: 0.00803685188293457
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect33]` *SPHINX_OEA_7CED2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect33]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect33
 classname: tests.test_build_html
 time: 0.008375406265258789
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect34]` *SPHINX_OEA_A21E7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect34]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect34
 classname: tests.test_build_html
 time: 0.007753133773803711
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect35]` *SPHINX_OEA_109BA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect35]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect35
 classname: tests.test_build_html
 time: 0.009590864181518555
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect36]` *SPHINX_OEA_OBA0A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect36]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect36
 classname: tests.test_build_html
 time: 0.0075304508209228516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

983

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect37]` *SPHINX_OEA_A7FEI*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect37]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect37
 classname: tests.test_build_html
 time: 0.007558345794677734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect38]` *SPHINX_OEA_2717E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect38]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect38
 classname: tests.test_build_html
 time: 0.008541584014892578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```


Test-Case: `test_numfig_with_singlehtml[index.html-expect39]` *SPHINX_OEA_73E91*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_numfig_with_singlehtml[index.html-expect39]
 case_name: test_numfig_with_singlehtml
 case_parameter: index.html-expect39
 classname: tests.test_build_html
 time: 0.0077610015869140625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/test_build_html_numfig_on
# outdir: /tmp/test_build_html_numfig_on/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 4 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded, 3 warnings.#x1B[39;49;00m
```

2.6. Examples

```
# warning:
#x1B[31m/tmp/test_build_html_numfig_on/index.rst:55: WARNING: no number is assigned_
↪for section:
```

Test-Case: **test_enumerable_node[index.html-expect0]** *SPHINX_OEA_4C5FB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect0]
 case_name: test_enumerable_node
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.22316813468933105
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect1]** *SPHINX_OEA_BDE25*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect1]
 case_name: test_enumerable_node
 case_parameter: index.html-expect1
 classname: tests.test_build_html
 time: 0.011862516403198242
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect2]** *SPHINX_OEA_56AA9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_enumerable_node[index.html-expect2]
case_name: test_enumerable_node
case_parameter: index.html-expect2
classname: tests.test_build_html
time: 0.012146234512329102
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect3]** *SPHINX_OEA_62D71*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect3]
 case_name: test_enumerable_node
 case_parameter: index.html-expect3
 classname: tests.test_build_html
 time: 0.012603521347045898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect4]** *SPHINX_OEA_A9154*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_enumerable_node[index.html-expect4]
case_name: test_enumerable_node
case_parameter: index.html-expect4
classname: tests.test_build_html
time: 0.011655092239379883
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect5]** *SPHINX_OEA_OCA0C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect5]
 case_name: test_enumerable_node
 case_parameter: index.html-expect5
 classname: tests.test_build_html
 time: 0.011325836181640625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect6]** *SPHINX_OEA_50E0D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_enumerable_node[index.html-expect6]
case_name: test_enumerable_node
case_parameter: index.html-expect6
classname: tests.test_build_html
time: 0.01378488540649414
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_enumerable_node**[index.html-expect7] *SPHINX_OEA_7474C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect7]
 case_name: test_enumerable_node
 case_parameter: index.html-expect7
 classname: tests.test_build_html
 time: 0.011986255645751953
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect8]** *SPHINX_OEA_AA7A7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_enumerable_node[index.html-expect8]
case_name: test_enumerable_node
case_parameter: index.html-expect8
classname: tests.test_build_html
time: 0.011710643768310547
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_enumerable_node[index.html-expect9]** *SPHINX_OEA_73728*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_enumerable_node[index.html-expect9]
 case_name: test_enumerable_node
 case_parameter: index.html-expect9
 classname: tests.test_build_html
 time: 0.011339426040649414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test_enumerable_node
# outdir: /tmp/test_enumerable_node/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_html_assets** *SPHINX_OEA_6761E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_assets
case_name: test_html_assets
classname: tests.test_build_html
time: 0.13645267486572266
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/html_assets
# outdir: /tmp/html_assets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```


Test-Case: `test_html_sourcelink_suffix` *SPHINX_OEA_8EDDF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_sourcelink_suffix
case_name: test_html_sourcelink_suffix
classname: tests.test_build_html
time: 1.661104679107666
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
1002#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00mChapter 2. Content
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
```


Test-Case: **test_html_entity** *SPHINX_OEA_F418C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_entity
 case_name: test_html_entity
 classname: tests.test_build_html
 time: 0.12004232406616211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/html_entity
# outdir: /tmp/html_entity/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: /tmp/html_entity/index.rst:9: (ERROR/3) Error in "list-table"
↪directive:
invalid option block.

.. list-table::
:header-rows: 1
- * un
*
* trois#x1B[39;49;00m
```


Test-Case: **test_html_inventory** *SPHINX_OEA_67E26*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_inventory
 case_name: test_html_inventory
 classname: tests.test_build_html
 time: 0.13026905059814453
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/basic
# outdir: /tmp/basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_html_raw_directive** *SPHINX_OEA_1A1ED*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_raw_directive
case_name: test_html_raw_directive
classname: tests.test_build_html
time: 0.13917088508605957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/directives-raw
# outdir: /tmp/directives-raw/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect0]** *SPHINX_OEA_31243*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_alternate_stylesheets[index.html-expect0]
 case_name: test_alternate_stylesheets
 case_parameter: index.html-expect0
 classname: tests.test_build_html
 time: 0.19991207122802734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect1]** *SPHINX_OEA_OBB75*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_alternate_stylesheets[index.html-expect1]
case_name: test_alternate_stylesheets
case_parameter: index.html-expect1
classname: tests.test_build_html
time: 0.010346651077270508
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect2]** *SPHINX_OEA_67DC4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_alternate_stylesheets[index.html-expect2]
 case_name: test_alternate_stylesheets
 case_parameter: index.html-expect2
 classname: tests.test_build_html
 time: 0.011729717254638672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect3]** *SPHINX_OEA_CAF3F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_alternate_stylesheets[index.html-expect3]
case_name: test_alternate_stylesheets
case_parameter: index.html-expect3
classname: tests.test_build_html
time: 0.010646581649780273
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect4]** *SPHINX_OEA_3555D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_alternate_stylesheets[index.html-expect4]
 case_name: test_alternate_stylesheets
 case_parameter: index.html-expect4
 classname: tests.test_build_html
 time: 0.010237693786621094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect5]** *SPHINX_OEA_FF5B0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_alternate_stylesheets[index.html-expect5]
case_name: test_alternate_stylesheets
case_parameter: index.html-expect5
classname: tests.test_build_html
time: 0.010014057159423828
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_alternate_stylesheets[index.html-expect6]** *SPHINX_OEA_A3D80*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_alternate_stylesheets[index.html-expect6]
 case_name: test_alternate_stylesheets
 case_parameter: index.html-expect6
 classname: tests.test_build_html
 time: 0.010941267013549805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_alternate_stylesheets[index.html-expect7]** *SPHINX_OEA_C4C3E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_alternate_stylesheets[index.html-expect7]
case_name: test_alternate_stylesheets
case_parameter: index.html-expect7
classname: tests.test_build_html
time: 0.01030588150024414
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/stylesheets
# outdir: /tmp/stylesheets/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_html_remote_images** *SPHINX_OEA_1A6F9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_remote_images
 case_name: test_html_remote_images
 classname: tests.test_build_html
 time: 0.15204143524169922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/images
# outdir: /tmp/images/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/index#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying images... #x1B[39;49;00m[ 20%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 40%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 60%] #x1B[33mtestimäge.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 80%] #x1B[33msubdir/rimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33msubdir/svgimg.svg#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_html5_output**[images.html-expect0] *SPHINX_OEA_66F8A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[images.html-expect0]
 case_name: test_html5_output
 case_parameter: images.html-expect0
 classname: tests.test_build_html5
 time: 1.692394495010376
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
```

2.6.1 Examples *engaging output... #x1B[39;49;00m[6%] #x1B[32mautodoc#x1B[39;49;00m*

1017

#x1B[01mwriting output... #x1B[39;49;00m[12%] #x1B[32mbom#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[18%] #x1B[32mcontents#x1B[39;49;00m

#x1B[01mwriting output... #x1B[39;49;00m[25%] #x1B[32mextapi#x1B[39;49;00m

Test-Case: **test_html5_output**[images.html-expect1] *SPHINX_OEA_FCF53*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[images.html-expect1]
 case_name: test_html5_output
 case_parameter: images.html-expect1
 classname: tests.test_build_html5
 time: 0.011759757995605469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1019

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[images.html-expect2]** *SPHINX_OEA_43191*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[images.html-expect2]
 case_name: test_html5_output
 case_parameter: images.html-expect2
 classname: tests.test_build_html5
 time: 0.013068199157714844
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1021

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output**[images.html-expect3] *SPHINX_OEA_EC92F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[images.html-expect3]
 case_name: test_html5_output
 case_parameter: images.html-expect3
 classname: tests.test_build_html5
 time: 0.0599970817565918
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1023

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output**[images.html-expect4] *SPHINX_OEA_64CDA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[images.html-expect4]
 case_name: test_html5_output
 case_parameter: images.html-expect4
 classname: tests.test_build_html5
 time: 0.011357307434082031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1025

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/images.html-expect5]** *SPHINX_OEA_23675*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/images.html-expect5]
 case_name: test_html5_output
 case_parameter: subdir/images.html-expect5
 classname: tests.test_build_html5
 time: 0.055520057678222656
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1027

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/images.html-expect6]** *SPHINX_OEA_1E46F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/images.html-expect6]
 case_name: test_html5_output
 case_parameter: subdir/images.html-expect6
 classname: tests.test_build_html5
 time: 0.011485099792480469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/images.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1029

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/includes.html-expected7]** *SPHINX_OEA_5F314*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/includes.html-expected7]
 case_name: test_html5_output
 case_parameter: subdir/includes.html-expected7
 classname: tests.test_build_html5
 time: 0.055170297622680664
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1031

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/includes.html-expected8]** *SPHINX_OEA_A6565*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/includes.html-expected8]
 case_name: test_html5_output
 case_parameter: subdir/includes.html-expected8
 classname: tests.test_build_html5
 time: 0.012155294418334961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1033

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/includes.html-expected9]** *SPHINX_OEA_8B124*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/includes.html-expected9]
 case_name: test_html5_output
 case_parameter: subdir/includes.html-expected9
 classname: tests.test_build_html5
 time: 0.011664628982543945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1035

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/includes.html-expect10]** *SPHINX_OEA_6B0B1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/includes.html-expect10]
 case_name: test_html5_output
 case_parameter: subdir/includes.html-expect10
 classname: tests.test_build_html5
 time: 0.012400388717651367
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1037

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[subdir/includes.html-expect11]** *SPHINX_OEA_242E3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[subdir/includes.html-expect11]
 case_name: test_html5_output
 case_parameter: subdir/includes.html-expect11
 classname: tests.test_build_html5
 time: 0.010903120040893555
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/subdir/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1039

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect12]** *SPHINX_OEA_4D057*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect12]
 case_name: test_html5_output
 case_parameter: includes.html-expect12
 classname: tests.test_build_html5
 time: 0.06396627426147461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1041

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect13]** *SPHINX_OEA_03252*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect13]
 case_name: test_html5_output
 case_parameter: includes.html-expect13
 classname: tests.test_build_html5
 time: 0.011906862258911133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1043

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expected14]** *SPHINX_OEA_OCB30*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expected14]
 case_name: test_html5_output
 case_parameter: includes.html-expected14
 classname: tests.test_build_html5
 time: 0.010659933090209961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1045

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expected15]** *SPHINX_OEA_07CF1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expected15]
 case_name: test_html5_output
 case_parameter: includes.html-expected15
 classname: tests.test_build_html5
 time: 0.012939453125
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1047

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expected16]** *SPHINX_OEA_99016*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expected16]
 case_name: test_html5_output
 case_parameter: includes.html-expected16
 classname: tests.test_build_html5
 time: 0.01122307774047852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1049

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect17]** *SPHINX_OEA_9DECA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect17]
 case_name: test_html5_output
 case_parameter: includes.html-expect17
 classname: tests.test_build_html5
 time: 0.012109041213989258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1051

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect18]** *SPHINX_OEA_FCB88*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect18]
 case_name: test_html5_output
 case_parameter: includes.html-expect18
 classname: tests.test_build_html5
 time: 0.01163339614868164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1053

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect19]** *SPHINX_OEA_557F3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect19]
 case_name: test_html5_output
 case_parameter: includes.html-expect19
 classname: tests.test_build_html5
 time: 0.013349294662475586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1055

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect20]** *SPHINX_OEA_CA9F4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect20]
 case_name: test_html5_output
 case_parameter: includes.html-expect20
 classname: tests.test_build_html5
 time: 0.01140284538269043
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1057

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect21]** *SPHINX_OEA_DBDCF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect21]
 case_name: test_html5_output
 case_parameter: includes.html-expect21
 classname: tests.test_build_html5
 time: 0.012263298034667969
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1059

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect22]** *SPHINX_OEA_5856A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect22]
 case_name: test_html5_output
 case_parameter: includes.html-expect22
 classname: tests.test_build_html5
 time: 0.06239485740661621
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1061

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect23]** *SPHINX_OEA_C928F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect23]
 case_name: test_html5_output
 case_parameter: includes.html-expect23
 classname: tests.test_build_html5
 time: 0.011501789093017578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1063

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect24]** *SPHINX_OEA_13097*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect24]
 case_name: test_html5_output
 case_parameter: includes.html-expect24
 classname: tests.test_build_html5
 time: 0.011806726455688477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1065

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[includes.html-expect25]** *SPHINX_OEA_03FBE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[includes.html-expect25]
 case_name: test_html5_output
 case_parameter: includes.html-expect25
 classname: tests.test_build_html5
 time: 0.012404918670654297
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/includes.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```

1067

Test-Case: **test_html5_output[autodoc.html-expect26]** *SPHINX_OEA_419AC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[autodoc.html-expect26]
 case_name: test_html5_output
 case_parameter: autodoc.html-expect26
 classname: tests.test_build_html5
 time: 0.07322239875793457
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/autodoc.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1069

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[autodoc.html-expect27]** *SPHINX_OEA_D1910*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[autodoc.html-expect27]
 case_name: test_html5_output
 case_parameter: autodoc.html-expect27
 classname: tests.test_build_html5
 time: 0.011853218078613281
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/autodoc.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1071

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[autodoc.html-expect28]** *SPHINX_OEA_D2015*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[autodoc.html-expect28]
 case_name: test_html5_output
 case_parameter: autodoc.html-expect28
 classname: tests.test_build_html5
 time: 0.012570619583129883
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/autodoc.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1073

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[extapi.html-expect29]** *SPHINX_OEA_E9DF3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[extapi.html-expect29]
 case_name: test_html5_output
 case_parameter: extapi.html-expect29
 classname: tests.test_build_html5
 time: 0.054377079010009766
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/extapi.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1075

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output**[extapi.html-expect30] *SPHINX_OEA_4F5CD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[extapi.html-expect30]
 case_name: test_html5_output
 case_parameter: extapi.html-expect30
 classname: tests.test_build_html5
 time: 0.011924266815185547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/extapi.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1077

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect31]** *SPHINX_OEA_E29F2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect31]
 case_name: test_html5_output
 case_parameter: markup.html-expect31
 classname: tests.test_build_html5
 time: 0.08877897262573242
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1079

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect32]** *SPHINX_OEA_9695D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect32]
 case_name: test_html5_output
 case_parameter: markup.html-expect32
 classname: tests.test_build_html5
 time: 0.011403560638427734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1081

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect33]** *SPHINX_OEA_963D7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect33]
 case_name: test_html5_output
 case_parameter: markup.html-expect33
 classname: tests.test_build_html5
 time: 0.011816740036010742
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1083

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect34]** *SPHINX_OEA_A26E3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect34]
 case_name: test_html5_output
 case_parameter: markup.html-expect34
 classname: tests.test_build_html5
 time: 0.012079238891601562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1085

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect35]** *SPHINX_OEA_75048*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect35]
 case_name: test_html5_output
 case_parameter: markup.html-expect35
 classname: tests.test_build_html5
 time: 0.011933088302612305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1087

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect36]** *SPHINX_OEA_EBD52*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect36]
 case_name: test_html5_output
 case_parameter: markup.html-expect36
 classname: tests.test_build_html5
 time: 0.011226654052734375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1089

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect37]** *SPHINX_OEA_87135*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect37]
 case_name: test_html5_output
 case_parameter: markup.html-expect37
 classname: tests.test_build_html5
 time: 0.012425422668457031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1091

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect38]** *SPHINX_OEA_F56DF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect38]
 case_name: test_html5_output
 case_parameter: markup.html-expect38
 classname: tests.test_build_html5
 time: 0.011131763458251953
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1093

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect39]** *SPHINX_OEA_D5CFA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect39]
 case_name: test_html5_output
 case_parameter: markup.html-expect39
 classname: tests.test_build_html5
 time: 0.06264519691467285
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1095

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect40]** *SPHINX_OEA_24E74*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect40]
 case_name: test_html5_output
 case_parameter: markup.html-expect40
 classname: tests.test_build_html5
 time: 0.011778116226196289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1097

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect41]** *SPHINX_OEA_A3919*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect41]
 case_name: test_html5_output
 case_parameter: markup.html-expect41
 classname: tests.test_build_html5
 time: 0.012250661849975586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1099

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect42]** *SPHINX_OEA_75AF6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect42]
 case_name: test_html5_output
 case_parameter: markup.html-expect42
 classname: tests.test_build_html5
 time: 0.011322259902954102
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1101

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect43]** *SPHINX_OEA_B3112*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect43]
 case_name: test_html5_output
 case_parameter: markup.html-expect43
 classname: tests.test_build_html5
 time: 0.011539936065673828
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1103

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect44]** *SPHINX_OEA_F987A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect44]
 case_name: test_html5_output
 case_parameter: markup.html-expect44
 classname: tests.test_build_html5
 time: 0.013167142868041992
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1105

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect45]** *SPHINX_OEA_1A154*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect45]
 case_name: test_html5_output
 case_parameter: markup.html-expect45
 classname: tests.test_build_html5
 time: 0.011502742767333984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1107

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect46]** *SPHINX_OEA_10EE1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect46]
 case_name: test_html5_output
 case_parameter: markup.html-expect46
 classname: tests.test_build_html5
 time: 0.01309514045715332
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1109

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect47]** *SPHINX_OEA_18CDC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect47]
 case_name: test_html5_output
 case_parameter: markup.html-expect47
 classname: tests.test_build_html5
 time: 0.011697530746459961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1111

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect48]** *SPHINX_OEA_9E951*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect48]
 case_name: test_html5_output
 case_parameter: markup.html-expect48
 classname: tests.test_build_html5
 time: 0.01285552978515625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1113

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect49]** *SPHINX_OEA_CE77D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect49]
 case_name: test_html5_output
 case_parameter: markup.html-expect49
 classname: tests.test_build_html5
 time: 0.011865377426147461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1115

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect50]** *SPHINX_OEA_3BDDb*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect50]
 case_name: test_html5_output
 case_parameter: markup.html-expect50
 classname: tests.test_build_html5
 time: 0.012839794158935547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1117

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect51]** *SPHINX_OEA_6EF47*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect51]
 case_name: test_html5_output
 case_parameter: markup.html-expect51
 classname: tests.test_build_html5
 time: 0.01198124885559082
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1119

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect52]** *SPHINX_OEA_48E66*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect52]
 case_name: test_html5_output
 case_parameter: markup.html-expect52
 classname: tests.test_build_html5
 time: 0.012970924377441406
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1121

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect53]** *SPHINX_OEA_73295*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect53]
 case_name: test_html5_output
 case_parameter: markup.html-expect53
 classname: tests.test_build_html5
 time: 0.01166677474975586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1123

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect54]** *SPHINX_OEA_67710*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect54]
 case_name: test_html5_output
 case_parameter: markup.html-expect54
 classname: tests.test_build_html5
 time: 0.012976884841918945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1125

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect55]** *SPHINX_OEA_90D59*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect55]
 case_name: test_html5_output
 case_parameter: markup.html-expect55
 classname: tests.test_build_html5
 time: 0.011430740356445312
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1127

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect56]** *SPHINX_OEA_50D4B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect56]
 case_name: test_html5_output
 case_parameter: markup.html-expect56
 classname: tests.test_build_html5
 time: 0.012680768966674805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1129

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect57]** *SPHINX_OEA_F5714*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect57]
 case_name: test_html5_output
 case_parameter: markup.html-expect57
 classname: tests.test_build_html5
 time: 0.011925697326660156
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1131

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect58]** *SPHINX_OEA_62478*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect58]
 case_name: test_html5_output
 case_parameter: markup.html-expect58
 classname: tests.test_build_html5
 time: 0.013110160827636719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1133

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect59]** *SPHINX_OEA_F227D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect59]
 case_name: test_html5_output
 case_parameter: markup.html-expect59
 classname: tests.test_build_html5
 time: 0.011597156524658203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1135

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect60]** *SPHINX_OEA_24ABF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect60]
 case_name: test_html5_output
 case_parameter: markup.html-expect60
 classname: tests.test_build_html5
 time: 0.01140904426574707
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1137

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect61]** *SPHINX_OEA_3D05D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect61]
 case_name: test_html5_output
 case_parameter: markup.html-expect61
 classname: tests.test_build_html5
 time: 0.01371145248413086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1139

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect62]** *SPHINX_OEA_32805*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect62]
 case_name: test_html5_output
 case_parameter: markup.html-expect62
 classname: tests.test_build_html5
 time: 0.011266231536865234
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1141

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect63]** *SPHINX_OEA_B2003*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect63]
 case_name: test_html5_output
 case_parameter: markup.html-expect63
 classname: tests.test_build_html5
 time: 0.06115889549255371
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1143

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect64]** *SPHINX_OEA_BE5A9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect64]
 case_name: test_html5_output
 case_parameter: markup.html-expect64
 classname: tests.test_build_html5
 time: 0.011877059936523438
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1145

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect65]** *SPHINX_OEA_54F1C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect65]
 case_name: test_html5_output
 case_parameter: markup.html-expect65
 classname: tests.test_build_html5
 time: 0.012301921844482422
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1147

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect66]** *SPHINX_OEA_EBEE4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect66]
 case_name: test_html5_output
 case_parameter: markup.html-expect66
 classname: tests.test_build_html5
 time: 0.011546611785888672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1149

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect67]** *SPHINX_OEA_FOFDC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect67]
 case_name: test_html5_output
 case_parameter: markup.html-expect67
 classname: tests.test_build_html5
 time: 0.012786388397216797
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1151

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect68]** *SPHINX_OEA_0CBB8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect68]
 case_name: test_html5_output
 case_parameter: markup.html-expect68
 classname: tests.test_build_html5
 time: 0.011737346649169922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1153

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect69]** *SPHINX_OEA_AD8FF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect69]
 case_name: test_html5_output
 case_parameter: markup.html-expect69
 classname: tests.test_build_html5
 time: 0.012144804000854492
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1155

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect70]** *SPHINX_OEA_49C69*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect70]
 case_name: test_html5_output
 case_parameter: markup.html-expect70
 classname: tests.test_build_html5
 time: 0.012209892272949219
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1157

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect71]** *SPHINX_OEA_5F5A0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect71]
 case_name: test_html5_output
 case_parameter: markup.html-expect71
 classname: tests.test_build_html5
 time: 0.013252496719360352
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1159

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect72]** *SPHINX_OEA_E93A7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect72]
 case_name: test_html5_output
 case_parameter: markup.html-expect72
 classname: tests.test_build_html5
 time: 0.01164555549621582
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1161

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect73]** *SPHINX_OEA_A48B7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect73]
 case_name: test_html5_output
 case_parameter: markup.html-expect73
 classname: tests.test_build_html5
 time: 0.012711763381958008
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1163

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect74]** *SPHINX_OEA_4DE9A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect74]
 case_name: test_html5_output
 case_parameter: markup.html-expect74
 classname: tests.test_build_html5
 time: 0.012449502944946289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1165

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect75]** *SPHINX_OEA_69069*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect75]
 case_name: test_html5_output
 case_parameter: markup.html-expect75
 classname: tests.test_build_html5
 time: 0.013097047805786133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1167

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect76]** *SPHINX_OEA_0A422*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect76]
 case_name: test_html5_output
 case_parameter: markup.html-expect76
 classname: tests.test_build_html5
 time: 0.011715412139892578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1169

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect77]** *SPHINX_OEA_B23B6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect77]
 case_name: test_html5_output
 case_parameter: markup.html-expect77
 classname: tests.test_build_html5
 time: 0.01150655746459961
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1171

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect78]** *SPHINX_OEA_ACB7E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect78]
 case_name: test_html5_output
 case_parameter: markup.html-expect78
 classname: tests.test_build_html5
 time: 0.013173818588256836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1173

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[markup.html-expect79]** *SPHINX_OEA_101FB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[markup.html-expect79]
 case_name: test_html5_output
 case_parameter: markup.html-expect79
 classname: tests.test_build_html5
 time: 0.01171875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/markup.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1175

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect80]** *SPHINX_OEA_5A851*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect80]
 case_name: test_html5_output
 case_parameter: objects.html-expect80
 classname: tests.test_build_html5
 time: 0.08356428146362305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1177

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect81]** *SPHINX_OEA_70665*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect81]
 case_name: test_html5_output
 case_parameter: objects.html-expect81
 classname: tests.test_build_html5
 time: 0.011201858520507812
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1179

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect82]** *SPHINX_OEA_432D2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect82]
 case_name: test_html5_output
 case_parameter: objects.html-expect82
 classname: tests.test_build_html5
 time: 0.012652873992919922
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1181

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect83]** *SPHINX_OEA_BB1E8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect83]
 case_name: test_html5_output
 case_parameter: objects.html-expect83
 classname: tests.test_build_html5
 time: 0.011701583862304688
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1183

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect84]** *SPHINX_OEA_565ED*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect84]
 case_name: test_html5_output
 case_parameter: objects.html-expect84
 classname: tests.test_build_html5
 time: 0.06401896476745605
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1185

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect85]** *SPHINX_OEA_8CCF9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect85]
 case_name: test_html5_output
 case_parameter: objects.html-expect85
 classname: tests.test_build_html5
 time: 0.012097358703613281
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1187

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect86]** *SPHINX_OEA_D0176*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect86]
 case_name: test_html5_output
 case_parameter: objects.html-expect86
 classname: tests.test_build_html5
 time: 0.011965751647949219
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1189

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect87]** *SPHINX_OEA_493C1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect87]
 case_name: test_html5_output
 case_parameter: objects.html-expect87
 classname: tests.test_build_html5
 time: 0.011445999145507812
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1191

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect88]** *SPHINX_OEA_13B61*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect88]
 case_name: test_html5_output
 case_parameter: objects.html-expect88
 classname: tests.test_build_html5
 time: 0.012437582015991211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1193

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect89]** *SPHINX_OEA_537F6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect89]
 case_name: test_html5_output
 case_parameter: objects.html-expect89
 classname: tests.test_build_html5
 time: 0.012557506561279297
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1195

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect90]** *SPHINX_OEA_693D3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect90]
 case_name: test_html5_output
 case_parameter: objects.html-expect90
 classname: tests.test_build_html5
 time: 0.01275491714477539
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1197

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect91]** *SPHINX_OEA_2F9DA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect91]
 case_name: test_html5_output
 case_parameter: objects.html-expect91
 classname: tests.test_build_html5
 time: 0.012104272842407227
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1199

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect92]** *SPHINX_OEA_F6396*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect92]
 case_name: test_html5_output
 case_parameter: objects.html-expect92
 classname: tests.test_build_html5
 time: 0.013161897659301758
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1201

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect93]** *SPHINX_OEA_2EA96*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect93]
 case_name: test_html5_output
 case_parameter: objects.html-expect93
 classname: tests.test_build_html5
 time: 0.011619329452514648
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1203

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect94]** *SPHINX_OEA_68DCB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect94]
 case_name: test_html5_output
 case_parameter: objects.html-expect94
 classname: tests.test_build_html5
 time: 0.011703968048095703
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1205

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect95]** *SPHINX_OEA_C7DEA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect95]
 case_name: test_html5_output
 case_parameter: objects.html-expect95
 classname: tests.test_build_html5
 time: 0.014089584350585938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1207

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect96]** *SPHINX_OEA_098C7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect96]
 case_name: test_html5_output
 case_parameter: objects.html-expect96
 classname: tests.test_build_html5
 time: 0.011720895767211914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1209

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect97]** *SPHINX_OEA_BD43C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect97]
 case_name: test_html5_output
 case_parameter: objects.html-expect97
 classname: tests.test_build_html5
 time: 0.01268911361694336
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1211

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect98]** *SPHINX_OEA_BA838*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect98]
 case_name: test_html5_output
 case_parameter: objects.html-expect98
 classname: tests.test_build_html5
 time: 0.011975526809692383
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1213

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect99]** *SPHINX_OEA_0A2B6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect99]
 case_name: test_html5_output
 case_parameter: objects.html-expect99
 classname: tests.test_build_html5
 time: 0.013523101806640625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1215

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect100]** *SPHINX_OEA_8B2CD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect100]
 case_name: test_html5_output
 case_parameter: objects.html-expect100
 classname: tests.test_build_html5
 time: 0.012327432632446289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1217

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect101]** *SPHINX_OEA_5D53B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect101]
 case_name: test_html5_output
 case_parameter: objects.html-expect101
 classname: tests.test_build_html5
 time: 0.012742996215820312
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1219

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect102]** *SPHINX_OEA_0816A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect102]
 case_name: test_html5_output
 case_parameter: objects.html-expect102
 classname: tests.test_build_html5
 time: 0.012023687362670898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1221

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect103]** *SPHINX_OEA_34E09*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect103]
 case_name: test_html5_output
 case_parameter: objects.html-expect103
 classname: tests.test_build_html5
 time: 0.01313018798828125
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1223

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect104]** *SPHINX_OEA_F0151*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect104]
 case_name: test_html5_output
 case_parameter: objects.html-expect104
 classname: tests.test_build_html5
 time: 0.011583805084228516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1225

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect105]** *SPHINX_OEA_AB804*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect105]
 case_name: test_html5_output
 case_parameter: objects.html-expect105
 classname: tests.test_build_html5
 time: 0.013079166412353516
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1227

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect106]** *SPHINX_OEA_7325A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect106]
 case_name: test_html5_output
 case_parameter: objects.html-expect106
 classname: tests.test_build_html5
 time: 0.011874198913574219
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1229

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect107]** *SPHINX_OEA_26F4B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect107]
 case_name: test_html5_output
 case_parameter: objects.html-expect107
 classname: tests.test_build_html5
 time: 0.012797355651855469
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1231

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect108]** *SPHINX_OEA_DB2B5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect108]
 case_name: test_html5_output
 case_parameter: objects.html-expect108
 classname: tests.test_build_html5
 time: 0.06314635276794434
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1233

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect109]** *SPHINX_OEA_FE478*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect109]
 case_name: test_html5_output
 case_parameter: objects.html-expect109
 classname: tests.test_build_html5
 time: 0.011777877807617188
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1235

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect110]** *SPHINX_OEA_20942*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect110]
 case_name: test_html5_output
 case_parameter: objects.html-expect110
 classname: tests.test_build_html5
 time: 0.012041330337524414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1237

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect111]** *SPHINX_OEA_6307B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect111]
 case_name: test_html5_output
 case_parameter: objects.html-expect111
 classname: tests.test_build_html5
 time: 0.011357307434082031
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1239

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect112]** *SPHINX_OEA_660DE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect112]
 case_name: test_html5_output
 case_parameter: objects.html-expect112
 classname: tests.test_build_html5
 time: 0.012967824935913086
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1241

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect113]** *SPHINX_OEA_88E35*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect113]
 case_name: test_html5_output
 case_parameter: objects.html-expect113
 classname: tests.test_build_html5
 time: 0.011527061462402344
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1243

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect114]** *SPHINX_OEA_7130C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect114]
 case_name: test_html5_output
 case_parameter: objects.html-expect114
 classname: tests.test_build_html5
 time: 0.012090206146240234
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1245

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect115]** *SPHINX_OEA_317AC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect115]
 case_name: test_html5_output
 case_parameter: objects.html-expect115
 classname: tests.test_build_html5
 time: 0.012656688690185547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1247

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect116]** *SPHINX_OEA_79A5D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect116]
 case_name: test_html5_output
 case_parameter: objects.html-expect116
 classname: tests.test_build_html5
 time: 0.012308359146118164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1249

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect117]** *SPHINX_OEA_4FF02*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect117]
 case_name: test_html5_output
 case_parameter: objects.html-expect117
 classname: tests.test_build_html5
 time: 0.011320352554321289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1251

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect118]** *SPHINX_OEA_30895*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect118]
 case_name: test_html5_output
 case_parameter: objects.html-expect118
 classname: tests.test_build_html5
 time: 0.013688802719116211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1253

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect119]** *SPHINX_OEA_7BD70*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect119]
 case_name: test_html5_output
 case_parameter: objects.html-expect119
 classname: tests.test_build_html5
 time: 0.011598587036132812
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1255

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect120]** *SPHINX_OEA_47F29*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect120]
 case_name: test_html5_output
 case_parameter: objects.html-expect120
 classname: tests.test_build_html5
 time: 0.012625932693481445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1257

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect121]** *SPHINX_OEA_7B9EA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect121]
 case_name: test_html5_output
 case_parameter: objects.html-expect121
 classname: tests.test_build_html5
 time: 0.01161336898803711
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1259

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect122]** *SPHINX_OEA_85FF3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect122]
 case_name: test_html5_output
 case_parameter: objects.html-expect122
 classname: tests.test_build_html5
 time: 0.012243509292602539
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1261

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect123]** *SPHINX_OEA_4DC7A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect123]
 case_name: test_html5_output
 case_parameter: objects.html-expect123
 classname: tests.test_build_html5
 time: 0.011435270309448242
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1263

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect124]** *SPHINX_OEA_1B9F7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect124]
 case_name: test_html5_output
 case_parameter: objects.html-expect124
 classname: tests.test_build_html5
 time: 0.012715578079223633
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1265

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[objects.html-expect125]** *SPHINX_OEA_AFEFC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[objects.html-expect125]
 case_name: test_html5_output
 case_parameter: objects.html-expect125
 classname: tests.test_build_html5
 time: 0.011468172073364258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/objects.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1267

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect126]** *SPHINX_OEA_EAA99*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect126]
 case_name: test_html5_output
 case_parameter: contents.html-expect126
 classname: tests.test_build_html5
 time: 0.055272817611694336
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1269

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect127]** *SPHINX_OEA_96E5F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect127]
 case_name: test_html5_output
 case_parameter: contents.html-expect127
 classname: tests.test_build_html5
 time: 0.011153936386108398
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1271

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect128]** *SPHINX_OEA_EFDE8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect128]
 case_name: test_html5_output
 case_parameter: contents.html-expect128
 classname: tests.test_build_html5
 time: 0.012319326400756836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1273

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect129]** *SPHINX_OEA_A1E82*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect129]
 case_name: test_html5_output
 case_parameter: contents.html-expect129
 classname: tests.test_build_html5
 time: 0.06278133392333984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1275

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect130]** *SPHINX_OEA_1199D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect130]
 case_name: test_html5_output
 case_parameter: contents.html-expect130
 classname: tests.test_build_html5
 time: 0.012014150619506836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1277

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect131]** *SPHINX_OEA_E89B4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect131]
 case_name: test_html5_output
 case_parameter: contents.html-expect131
 classname: tests.test_build_html5
 time: 0.012897253036499023
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1279

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect132]** *SPHINX_OEA_DB73D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect132]
 case_name: test_html5_output
 case_parameter: contents.html-expect132
 classname: tests.test_build_html5
 time: 0.011474370956420898
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1281

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect133]** *SPHINX_OEA_E5F46*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect133]
 case_name: test_html5_output
 case_parameter: contents.html-expect133
 classname: tests.test_build_html5
 time: 0.01253533633422852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1283

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect134]** *SPHINX_OEA_B0951*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect134]
 case_name: test_html5_output
 case_parameter: contents.html-expect134
 classname: tests.test_build_html5
 time: 0.011979103088378906
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1285

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect135]** *SPHINX_OEA_59694*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect135]
 case_name: test_html5_output
 case_parameter: contents.html-expect135
 classname: tests.test_build_html5
 time: 0.012225151062011719
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1287

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect136]** *SPHINX_OEA_77047*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect136]
 case_name: test_html5_output
 case_parameter: contents.html-expect136
 classname: tests.test_build_html5
 time: 0.011603355407714844
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1289

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect137]** *SPHINX_OEA_962BB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect137]
 case_name: test_html5_output
 case_parameter: contents.html-expect137
 classname: tests.test_build_html5
 time: 0.012614011764526367
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1291

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect138]** *SPHINX_OEA_00782*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect138]
 case_name: test_html5_output
 case_parameter: contents.html-expect138
 classname: tests.test_build_html5
 time: 0.011348247528076172
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1293

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect139]** *SPHINX_OEA_66025*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect139]
 case_name: test_html5_output
 case_parameter: contents.html-expect139
 classname: tests.test_build_html5
 time: 0.012709379196166992
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1295

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect140]** *SPHINX_OEA_61BAA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect140]
 case_name: test_html5_output
 case_parameter: contents.html-expect140
 classname: tests.test_build_html5
 time: 0.011261224746704102
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1297

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect141]** *SPHINX_OEA_9F0AB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect141]
 case_name: test_html5_output
 case_parameter: contents.html-expect141
 classname: tests.test_build_html5
 time: 0.013076543807983398
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1299

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect142]** *SPHINX_OEA_2C876*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect142]
 case_name: test_html5_output
 case_parameter: contents.html-expect142
 classname: tests.test_build_html5
 time: 0.011286735534667969
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1301

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[contents.html-expect143]** *SPHINX_OEA_2A3AB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[contents.html-expect143]
 case_name: test_html5_output
 case_parameter: contents.html-expect143
 classname: tests.test_build_html5
 time: 0.012073516845703125
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/contents.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1303

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[bom.html-expect144]** *SPHINX_OEA_95C1B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[bom.html-expect144]
 case_name: test_html5_output
 case_parameter: bom.html-expect144
 classname: tests.test_build_html5
 time: 0.054938554763793945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/bom.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1305

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[extensions.html-expect145]** *SPHINX_OEA_2319D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[extensions.html-expect145]
 case_name: test_html5_output
 case_parameter: extensions.html-expect145
 classname: tests.test_build_html5
 time: 0.05500912666320801
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/extensions.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1307

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[extensions.html-expect146]** *SPHINX_OEA_E8AE4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[extensions.html-expect146]
 case_name: test_html5_output
 case_parameter: extensions.html-expect146
 classname: tests.test_build_html5
 time: 0.011818408966064453
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/extensions.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1309

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[extensions.html-expect147]** *SPHINX_OEA_978BD*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[extensions.html-expect147]
 case_name: test_html5_output
 case_parameter: extensions.html-expect147
 classname: tests.test_build_html5
 time: 0.010744571685791016
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/extensions.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1311

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[_static/statictmpl.html-expect148]** *SPHINX_OEA_6EECO*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[_static/statictmpl.html-expect148]
 case_name: test_html5_output
 case_parameter: _static/statictmpl.html-expect148
 classname: tests.test_build_html5
 time: 0.06703758239746094
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/_static/statictmpl.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1313

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[genindex.html-expect149]** *SPHINX_OEA_D7DF1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[genindex.html-expect149]
 case_name: test_html5_output
 case_parameter: genindex.html-expect149
 classname: tests.test_build_html5
 time: 0.07548403739929199
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/genindex.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1315

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[genindex.html-expect150]** *SPHINX_OEA_CA3B8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[genindex.html-expect150]
 case_name: test_html5_output
 case_parameter: genindex.html-expect150
 classname: tests.test_build_html5
 time: 0.01192474365234375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/genindex.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1317

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[genindex.html-expect151]** *SPHINX_OEA_E3983*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[genindex.html-expect151]
 case_name: test_html5_output
 case_parameter: genindex.html-expect151
 classname: tests.test_build_html5
 time: 0.011685848236083984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/genindex.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1319

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[genindex.html-expect152]** *SPHINX_OEA_2B92E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[genindex.html-expect152]
 case_name: test_html5_output
 case_parameter: genindex.html-expect152
 classname: tests.test_build_html5
 time: 0.012596368789672852
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/genindex.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1321

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[genindex.html-expect153]** *SPHINX_OEA_A03B8*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[genindex.html-expect153]
 case_name: test_html5_output
 case_parameter: genindex.html-expect153
 classname: tests.test_build_html5
 time: 0.012482166290283203
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/genindex.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1323

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect154]** *SPHINX_OEA_05C79*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect154]
 case_name: test_html5_output
 case_parameter: footnote.html-expect154
 classname: tests.test_build_html5
 time: 0.05956149101257324
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1325

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect155]** *SPHINX_OEA_B702F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect155]
 case_name: test_html5_output
 case_parameter: footnote.html-expect155
 classname: tests.test_build_html5
 time: 0.011774778366088867
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1327

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect156]** *SPHINX_OEA_67577*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect156]
 case_name: test_html5_output
 case_parameter: footnote.html-expect156
 classname: tests.test_build_html5
 time: 0.012262105941772461
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1329

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect157]** *SPHINX_OEA_B39C3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect157]
 case_name: test_html5_output
 case_parameter: footnote.html-expect157
 classname: tests.test_build_html5
 time: 0.012787103652954102
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1331

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect158]** *SPHINX_OEA_3896F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect158]
 case_name: test_html5_output
 case_parameter: footnote.html-expect158
 classname: tests.test_build_html5
 time: 0.012118816375732422
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1333

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect159]** *SPHINX_OEA_1F8C2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect159]
 case_name: test_html5_output
 case_parameter: footnote.html-expect159
 classname: tests.test_build_html5
 time: 0.013822793960571289
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1335

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect160]** *SPHINX_OEA_91829*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect160]
 case_name: test_html5_output
 case_parameter: footnote.html-expect160
 classname: tests.test_build_html5
 time: 0.011635065078735352
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1337

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect161]** *SPHINX_OEA_85FBC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect161]
 case_name: test_html5_output
 case_parameter: footnote.html-expect161
 classname: tests.test_build_html5
 time: 0.012394189834594727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1339

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 30%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mmarkup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 72%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 78%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 84%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 90%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 96%] #x1B[32msubdir/includes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mwriting output... #x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect162]** *SPHINX_OEA_2832A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect162]
 case_name: test_html5_output
 case_parameter: footnote.html-expect162
 classname: tests.test_build_html5
 time: 0.01139378547668457
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1341

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect163]** *SPHINX_OEA_93422*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect163]
 case_name: test_html5_output
 case_parameter: footnote.html-expect163
 classname: tests.test_build_html5
 time: 0.01221704483032266
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1343

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect164]** *SPHINX_OEA_84330*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect164]
 case_name: test_html5_output
 case_parameter: footnote.html-expect164
 classname: tests.test_build_html5
 time: 0.012613534927368164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1345

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect165]** *SPHINX_OEA_4DC66*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect165]
 case_name: test_html5_output
 case_parameter: footnote.html-expect165
 classname: tests.test_build_html5
 time: 0.011536836624145508
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1347

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect166]** *SPHINX_OEA_95F39*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect166]
 case_name: test_html5_output
 case_parameter: footnote.html-expect166
 classname: tests.test_build_html5
 time: 0.013126611709594727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1349

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect167]** *SPHINX_OEA_7C793*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect167]
 case_name: test_html5_output
 case_parameter: footnote.html-expect167
 classname: tests.test_build_html5
 time: 0.011290788650512695
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1351

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output[footnote.html-expect168]** *SPHINX_OEA_7F5B2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[footnote.html-expect168]
 case_name: test_html5_output
 case_parameter: footnote.html-expect168
 classname: tests.test_build_html5
 time: 0.06567764282226562
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/footnote.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1353

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
```


Test-Case: **test_html5_output**[otherext.html-expect169] *SPHINX_OEA_0A285*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[otherext.html-expect169]
 case_name: test_html5_output
 case_parameter: otherext.html-expect169
 classname: tests.test_build_html5
 time: 0.05576682090759277
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/otherext.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mmarkup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mmetadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1355

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mmetadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_html5_output[otherext.html-expect170]** *SPHINX_OEA_6A251*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html5_output[otherext.html-expect170]
 case_name: test_html5_output
 case_parameter: otherext.html-expect170
 classname: tests.test_build_html5
 time: 0.01438140869140625
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
/tmp/test_build_html5_output/_build/html/otherext.html
# testroot: root
# builder: html
# srcdir: /tmp/test_build_html5_output
# outdir: /tmp/test_build_html5_output/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 16 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m16 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 6%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 18%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mextapi#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 31%] #x1B[35mextensions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 43%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35mlists#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35markup#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35math#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35metadata#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 81%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35motherext#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 93%] #x1B[35msubdir/images#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/includes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
```

2.6.1 Examples Comparing documents... #x1B[39;49;00mdone

1357

```
#x1B[01mwriting output... #x1B[39;49;00m[ 6%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mbom#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 18%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mextapi#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 31%] #x1B[32mextensions#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mfootnote#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 43%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlists#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32markup#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 68%] #x1B[32math#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32metadata#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 81%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32motherext#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 93%] #x1B[32msubdir/images#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/includes#x1B[39;49;00m
```


Test-Case: **test_build_latex_doc**[**pdflatex-howto**] *SPHINX_OEA_4863F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[pdflatex-howto]
 case_name: test_build_latex_doc
 case_parameter: pdflatex-howto
 classname: tests.test_build_latex
 time: 1.3177618980407715
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mrobots#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
```

2.6.1 Examples

```
#x1B[33mhttps://www.python.org/static/img/python-logo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
```


Test-Case: **test_build_latex_doc**[pdflatex-manual] *SPHINX_OEA_7E87C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[pdflatex-manual]
 case_name: test_build_latex_doc
 case_parameter: pdflatex-manual
 classname: tests.test_build_latex
 time: 0.96640944480896
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
```

2.6.1 Examples: [//www.python.org/static/img/python-logo.png](http://www.python.org/static/img/python-logo.png)#x1B[39;49;00m

1361

```
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
```


Test-Case: **test_build_latex_doc**[lualatex-howto] *SPHINX_OEA_73FAE*

tags: pytest_sphinx
 style: tr_failure
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[lualatex-howto]
 case_name: test_build_latex_doc
 case_parameter: lualatex-howto
 classname: tests.test_build_latex
 time: 0.9610209465026855
 result: failure

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

```
app = <SphinxTestApp buildname='latex'>, status = <_io.StringIO object at
0x7ff4c662a438>, warning = <_io.StringIO object at 0x7ff4c662a678>
engine = 'lualatex', docclass = 'howto'

@skip_if_requested
@skip_if_stylefiles_notfound
@pytest.mark.parametrize(
    "engine,docclass",
    product(LATEX_ENGINES, DOCCLASSES),
)
@pytest.mark.sphinx('latex')
def test_build_latex_doc(app, status, warning, engine, docclass):
    app.config.latex_engine = engine
    app.config.latex_documents[0] = app.config.latex_documents[0][:4] + (docclass,)

    LaTeXTranslator.ignore_missing_images = True
    app.builder.build_all()

    # file from latex_additional_files
    assert (app.outdir / 'svgimg.svg').isfile()

    > compile_latex_document(app)

tests/test_build_latex.py:123:
-----
→ -----
-----

app = <SphinxTestApp buildname='latex'>

def compile_latex_document(app):
```

2.6. Examples to run latex over it

```
with cd(app.outdir):
    try:
        ensuredir(app.config.latex_engine)
        # keep a copy of latex file for this engine in case test fails
```


Test-Case: **test_build_latex_doc**[lualatex-manual] *SPHINX_OEA_9A9C9*

tags: pytest_sphinx
 style: tr_failure
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[lualatex-manual]
 case_name: test_build_latex_doc
 case_parameter: lualatex-manual
 classname: tests.test_build_latex
 time: 0.7106523513793945
 result: failure

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

```
app = <SphinxTestApp buildname='latex'>, status = <_io.StringIO object at
0x7ff4c662a1f8>, warning = <_io.StringIO object at 0x7ff4c662adc8>
engine = 'lualatex', docclass = 'manual'

@skip_if_requested
@skip_if_stylefiles_notfound
@pytest.mark.parametrize(
    "engine,docclass",
    product(LATEX_ENGINES, DOCCLASSES),
)
@pytest.mark.sphinx('latex')
def test_build_latex_doc(app, status, warning, engine, docclass):
    app.config.latex_engine = engine
    app.config.latex_documents[0] = app.config.latex_documents[0][:4] + (docclass,)

    LaTeXTranslator.ignore_missing_images = True
    app.builder.build_all()

    # file from latex_additional_files
    assert (app.outdir / 'svgimg.svg').isfile()

    > compile_latex_document(app)

tests/test_build_latex.py:123:
-----
→ -----
-----

app = <SphinxTestApp buildname='latex'>

def compile_latex_document(app):
```

2.6. Examples to run latex over it

```
with cd(app.outdir):
    try:
        ensuredir(app.config.latex_engine)
        # keep a copy of latex file for this engine in case test fails
```


Test-Case: **test_build_latex_doc[xelatex-howto]** *SPHINX_OEA_C318E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[xelatex-howto]
 case_name: test_build_latex_doc
 case_parameter: xelatex-howto
 classname: tests.test_build_latex
 time: 1.6748626232147217
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
```

2.6.1 Examples: [//www.python.org/static/img/python-logo.png](http://www.python.org/static/img/python-logo.png)#x1B[39;49;00m

1367

```
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
```


Test-Case: **test_build_latex_doc**[xelatex-manual] *SPHINX_OEA_35C5A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_latex_doc[xelatex-manual]
 case_name: test_build_latex_doc
 case_parameter: xelatex-manual
 classname: tests.test_build_latex
 time: 1.5902760028839111
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
```

2.6.1 Examples: [//www.python.org/static/img/python-logo.png](http://www.python.org/static/img/python-logo.png)#x1B[39;49;00m

1369

```
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
```


Test-Case: **test_writer** *SPHINX_OEA_3BB11*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_writer
case_name: test_writer
classname: tests.test_build_latex
time: 0.7632617950439453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
#x1B[33mhttps://www.python.org/static/img/python-logo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m1371
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 88%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[32m /root/.img.png#x1B[39;49;00m
```


Test-Case: **test_latex_warnings** *SPHINX_OEA_CD5C4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_warnings
 case_name: test_latex_warnings
 classname: tests.test_build_latex
 time: 0.10774397850036621
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/warnings
# outdir: /tmp/warnings/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mundecodable#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing test.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
#x1B[31m/tmp/warnings/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:↵
↵WARNING: Explicit markup
ends without a blank line; unexpected unindent.#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:19: WARNING: Encoding 'utf-8-sig' used for reading↵
↵included file
'/tmp/warnings/wrongenc.inc' seems to be wrong, try giving an :encoding: option#x1B[39;
↵49;00m
#x1B[31m/tmp/warnings/index.rst:11: WARNING: image file not readable: foo.png#x1B[39;
↵49;00m
#x1B[31m/tmp/warnings/index.rst:24: WARNING: download file not readable:
/tmp/warnings/nonexisting.png#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:27: WARNING: invalid single index entry "#x1B[39;49;00m
#x1B[31m/tmp/warnings/undecodable.rst:3: WARNING: undecodable source characters,↵
↵replacing with "?":
b'here: >>>\xbbb<<<'#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:41: WARNING: unknown option: &option"#x1B[39;49;00m
```


Test-Case: **test_latex_title** *SPHINX_OEA_8DBD2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_title
 case_name: test_latex_title
 classname: tests.test_build_latex
 time: 0.02263164520263672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{report}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionenglish{\renewcommand{\tablename}{Table}}
\addto\captionenglish{\renewcommand{\literalblockname}{Listing}}
```

2.6. Examples

1375

```
\addto\captionenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_title_after_admonitions** *SPHINX_OEA_22532*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_title_after_admonitions
 case_name: test_latex_title_after_admonitions
 classname: tests.test_build_latex
 time: 0.028702259063720703
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{report}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

2.6. Examples

1377

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_numref** *SPHINX_OEA_76F6A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numref
 case_name: test_numref
 classname: tests.test_build_latex
 time: 0.14101791381835938
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionenglish{\renewcommand{\tablename}{Table}}
\addto\captionenglish{\renewcommand{\literalblockname}{Listing}}
```

2.6. Examples

1379

```
\addto\captionenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_numref_with_prefix1** *SPHINX_OEA_6AEA1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numref_with_prefix1
 case_name: test_numref_with_prefix1
 classname: tests.test_build_latex
 time: 0.13997554779052734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionenglish{\renewcommand{\figurename}{Figure:}}
\addto\captionenglish{\renewcommand{\tablename}{Tab\_\_}}
\addto\captionenglish{\renewcommand{\literalblockname}{Code-}}
```

2.6. Examples

1381

```
\addto\captionenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_numref_with_prefix2** *SPHINX_OEA_FA3ED*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_numref_with_prefix2
 case_name: test_numref_with_prefix2
 classname: tests.test_build_latex
 time: 0.1881392002105713
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Figure:}}
\makeatletter
\def\fnun@figure{\figurename\thefigure.}
```

```
\addto\captionsenglish{\renewcommand{\tablename}{Tab\_\_}}
\makeatletter
\def\fnun@table{\tablename\thetable:}
\makeatother
```


Test-Case: `test_numref_with_language_ja` *SPHINX_OEA_71E41*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_numref_with_language_ja
case_name: test_numref_with_language_ja
classname: tests.test_build_latex
time: 0.14752817153930664
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{jsbook}
\documentclass[letterpaper,10pt,dvipdfmx]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}

\usepackage{times}

\usepackage{sphinx}

\usepackage[dvipdfm]{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\renewcommand{\figurename}{}
\renewcommand{\tablename}{}
\renewcommand{\literalblockname}{}

\renewcommand{\literalblockcontinuedname}{continued from previous page}
\renewcommand{\literalblockcontinuesname}{continues on next page}
```


Test-Case: **test_latex_add_latex_package** *SPHINX_OEA_04FEB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_add_latex_package
case_name: test_latex_add_latex_package
classname: tests.test_build_latex
time: 0.612189769744873
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
#x1B[33mhttps://www.python.org/static/img/python-logo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m1387
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 88%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[32m /root/.img.png#x1B[39;49;00m
```


Test-Case: **test_babel_with_no_language_settings** *SPHINX_OEA_69823*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_babel_with_no_language_settings
 case_name: test_babel_with_no_language_settings
 classname: tests.test_build_latex
 time: 0.034056901931762695
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\addto\captionsenglish{\renewcommand{\contentsname}{Table of content}}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table.}}
```

2.6. Examples

1389

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
page}}
```


Test-Case: **test_babel_with_language_de** *SPHINX_OEA_FF43A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_babel_with_language_de
 case_name: test_babel_with_language_de
 classname: tests.test_build_latex
 time: 0.039818525314331055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,ngerman]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage{Sonny}{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\addto\captionsngerman{\renewcommand{\contentsname}{Table of content}}

\addto\captionsngerman{\renewcommand{\figurename}{Fig.}}
\addto\captionsngerman{\renewcommand{\tablename}{Table.}}
```

2.6. Examples

1391

```
\addto\captionsngerman{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsngerman{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_babel_with_language_ru** *SPHINX_OEA_82417*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_babel_with_language_ru
 case_name: test_babel_with_language_ru
 classname: tests.test_build_latex
 time: 0.04105424880981445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,russian]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}

\usepackage{Sonny}{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\addto\captionsrussian{\renewcommand{\contentsname}{Table of content}}

\addto\captionsrussian{\renewcommand{\figurename}{Fig.}}
\addto\captionsrussian{\renewcommand{\tablename}{Table.}}
```

2.6. Examples

1393

```
\addto\captionsrussian{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsrussian{\renewcommand{\literalblockcontinuesname}{continues on next_
page??}}
```


Test-Case: **test_babel_with_language_tr** *SPHINX_OEA_2BDEB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_babel_with_language_tr
 case_name: test_babel_with_language_tr
 classname: tests.test_build_latex
 time: 0.041443586349487305
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,turkish]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage{Sonny}{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\addto\captionsturkish{\renewcommand{\contentsname}{Table of content}}

\addto\captionsturkish{\renewcommand{\figurename}{Fig.}}
\addto\captionsturkish{\renewcommand{\tablename}{Table.}}
```

2.6. Examples

1395

```
\addto\captionsturkish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsturkish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: `test_babel_with_language_ja` [SPHINX_OEA_6C899](#)

tags: `pytest_sphinx`
style: `tr_passed`
delete: `False`
jinja_content: `False`
file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
suite: `pytest`
case: `test_babel_with_language_ja`
case_name: `test_babel_with_language_ja`
classname: `tests.test_build_latex`
time: `0.03304290771484375`
result: `passed`

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{jsbook}
\documentclass[letterpaper,10pt,dvipdfmx]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}

\usepackage{times}

\usepackage{sphinx}

\usepackage[dvipdfm]{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\renewcommand{\contentsname}{Table of content}

\renewcommand{\figurename}{Fig.}
\renewcommand{\tablename}{Table.}

\renewcommand{\literalblockcontinuedname}{continued from previous page}
\renewcommand{\literalblockcontinuesname}{continues on next page}
```


Test-Case: **test_babel_with_unknown_language** *SPHINX_OEA_11246*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_babel_with_unknown_language
 case_name: test_babel_with_unknown_language
 classname: tests.test_build_latex
 time: 0.039133310317993164
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage{Sonny}{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}
\addto\captionsenglish{\renewcommand{\contentsname}{Table of content}}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table.}}
```

2.6. Examples

1399

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
page??}}
```

```

#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 88%] #x1B[33mring.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33m../root/img.png#x1B[39;49;00m
#x1B[01mcopying TeX support files...#x1B[39;49;00m
#x1B[01mcopying additional files...#x1B[39;49;00m svgimg.svg
done

Test-Case: test_footnote SPHINX_OEA_C6385
# warning:
#x1B[31mWARNING: /tmp/root/autodoc.txt:6: (WARNING/2) autodoc: failed to import module
↳ 'util'; the
following exception was raised:
tags: pytest_sphinx
↳ traceback (most recent call last):
style: tr_passed
file: "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
↳ del: False
↳ importobj=False
file: imports/doc/test/autodoc/pytest_sphinx_data.xml
ModuleNotFoundError: No module named 'util'#x1B[39;49;00m
suite: pytest
#x1B[31m/tmp/root/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:
case: test_footnote
↳ WARNING: Explicit markup ends
case name: test_footnote
without a blank line; unexpected unindent.#x1B[39;49;00m
class name: tests/test_build_latex
#x1B[31m/tmp/root/images.txt:9: WARNING: image file not readable: foo.png#x1B[39;49;00m
#x1B[31m/tmp/root/includes.txt:4: WARNING: download file not readable:
/tmp/root/nonexisting.png#x1B[39;49;00m
#x1B[31m/tmp/root/contents.txt:10: WARNING: extensions is already assigned section
numbers (nested numbered
links outgoing: SPHINX, SPHINX_OEA
toctree?)#x1B[39;49;00m
#x1B[31m/tmp/root/robots.txt: WARNING: document isn't included in any toctree#x1B[39;
System-out.
↳ 49;00m

```


Test-Case: **test_reference_in_caption_and_codeblock_in_footnote** *SPHINX_OEA_45725*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_reference_in_caption_and_codeblock_in_footnote
case_name: test_reference_in_caption_and_codeblock_in_footnote
classname: tests.test_build_latex
time: 0.18491363525390625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table}}
\addto\captionsenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_show_urls_is_inline** [SPHINX_OEA_33572](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_show_urls_is_inline
case_name: test_latex_show_urls_is_inline
classname: tests.test_build_latex
time: 0.049581289291381836
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_show_urls_is_footnote** *SPHINX_OEA_DD9C6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_show_urls_is_footnote
case_name: test_latex_show_urls_is_footnote
classname: tests.test_build_latex
time: 0.06420516967773438
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_show_urls_is_no** *SPHINX_OEA_7D413*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_show_urls_is_no
case_name: test_latex_show_urls_is_no
classname: tests.test_build_latex
time: 0.04832577705383301
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table}}
\addto\captionsenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next
↪page}}
```


Test-Case: **test_image_in_section** *SPHINX_OEA_F26F2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_image_in_section
case_name: test_image_in_section
classname: tests.test_build_latex
time: 0.029928207397460938
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```


Test-Case: **test_latex_logo_if_not_found** *SPHINX_OEA_3ABF3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_logo_if_not_found
case_name: test_latex_logo_if_not_found
classname: tests.test_build_latex
time: 0.6225850582122803
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/root
# outdir: /tmp/root/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.tex...#x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↪00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 11%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 22%] #x1B[33msubdir/img.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 33%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 44%]
#x1B[33mhttps://www.python.org/static/img/python-logo.png#x1B[39;49;00m
1412#x1B[01mcopying images... #x1B[39;49;00m[ 55%] #x1B[33msubdir/simg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 66%] #x1B[33msvgimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 77%] #x1B[33mimg.foo.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 88%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33m /root/.img.png#x1B[39;49;00m
```


Test-Case: **test_toctree_maxdepth_manual** *SPHINX_OEA_6F26A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_toctree_maxdepth_manual
case_name: test_toctree_maxdepth_manual
classname: tests.test_build_latex
time: 0.04717731475830078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_toc**tree_maxdepth_howto *SPHINX_OEA_6CFA6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_toc

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{article}
\documentclass[letterpaper,10pt,english]{sphinxhowto}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionenglish{\renewcommand{\tablename}{Table}}
\addto\captionenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionenglish{\renewcommand{\literalblockcontinuedname}{continued from_
previous page}}
\addto\captionenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
page}}
```


Test-Case: **test_toctree_not_found** *SPHINX_OEA_851CA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_toctree_not_found
case_name: test_toctree_not_found
classname: tests.test_build_latex
time: 0.04668116569519043
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next
↪page}}
```


Test-Case: **test_toctree_without_maxdepth** *SPHINX_OEA_9416E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_toctree_without_maxdepth
case_name: test_toctree_without_maxdepth
classname: tests.test_build_latex
time: 0.04419898986816406
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_toctree_with_deeper_maxdepth** *SPHINX_OEA_52E37*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_toctree_with_deeper_maxdepth
case_name: test_toctree_with_deeper_maxdepth
classname: tests.test_build_latex
time: 0.11048436164855957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_toplevel_sectioning_is_None** *SPHINX_OEA_8E05C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_toplevel_sectioning_is_None
case_name: test_latex_toplevel_sectioning_is_None
classname: tests.test_build_latex
time: 0.046334266662597656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table}}
\addto\captionsenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next
↪page}}
```


Test-Case: **test_latex_toplevel_sectioning_is_part** *SPHINX_OEA_I8EB3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_toplevel_sectioning_is_part
case_name: test_latex_toplevel_sectioning_is_part
classname: tests.test_build_latex
time: 0.02418375015258789
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionseenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionseenglish{\renewcommand{\tablename}{Table}}
\addto\captionseenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionseenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionseenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_latex_toplevel_sectioning_is_chapter** *SPHINX_OEA_9344F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_toplevel_sectioning_is_chapter
case_name: test_latex_toplevel_sectioning_is_chapter
classname: tests.test_build_latex
time: 0.023220300674438477
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table}}
\addto\captionsenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next
↪page}}
```


Test-Case: **test_latex_toplevel_sectioning_is_section** *SPHINX_OEA_00D86*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_toplevel_sectioning_is_section
case_name: test_latex_toplevel_sectioning_is_section
classname: tests.test_build_latex
time: 0.02326512336730957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{report}
\documentclass[letterpaper,10pt,english]{sphinxmanual}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionsenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionsenglish{\renewcommand{\tablename}{Table}}
\addto\captionsenglish{\renewcommand{\literalblockname}{Listing}}
```

```
\addto\captionsenglish{\renewcommand{\literalblockcontinuedname}{continued from_
↪previous page}}
\addto\captionsenglish{\renewcommand{\literalblockcontinuesname}{continues on next_
↪page}}
```


Test-Case: **test_maxlistdepth_at_ten** *SPHINX_OEA_E242F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_maxlistdepth_at_ten
case_name: test_maxlistdepth_at_ten
classname: tests.test_build_latex
time: 0.17005538940429688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
%% Generated by Sphinx.
\def\sphinxdocclass{article}
\documentclass[letterpaper,10pt,english]{sphinxhowto}
\ifdefined\pdfpxdimen
\let\sphinxpxdimen\pdfpxdimen\else\newdimen\sphinxpxdimen
\fi \sphinxpxdimen=.75bp\relax

\usepackage[utf8]{inputenc}
\ifdefined\DeclareUnicodeCharacter
\ifdefined\DeclareUnicodeCharacterAsOptional\else
\DeclareUnicodeCharacter{00A0}{\nobreakspace}
\fi\fi
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{amsmath,amssymb,amstext}
\usepackage{babel}
\usepackage{times}
\usepackage[Bjarne]{fncychap}
\usepackage[,maxlistdepth=10]{sphinx}

\usepackage{geometry}

% Include hyperref last.
\usepackage{hyperref}
% Fix anchor placement for figures with captions.
\usepackage{hypcap}% it must be loaded after hyperref.
% Set up styles of URL: it should be placed after hyperref.
\urlstyle{same}

\addto\captionenglish{\renewcommand{\figurename}{Fig.}}
\addto\captionenglish{\renewcommand{\tablename}{Table}}
\addto\captionenglish{\renewcommand{\literalblockname}{Listing}}
```

Test-Case: **test_latex_table_tabulars** *SPHINX_OEA_7BEDC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_table_tabulars
 case_name: test_latex_table_tabulars
 classname: tests.test_build_latex
 time: 0.23836469650268555
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/test_latex_table
# outdir: /tmp/test_latex_table/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mcomplex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mlongtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtabular#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mtabular#x1B[39;49;00m
#x1B[32mlongtable#x1B[39;49;00m #x1B[32mcomplex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_latex_table_longtable** *SPHINX_OEA_260D2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_table_longtable
case_name: test_latex_table_longtable
classname: tests.test_build_latex
time: 0.1820383071899414
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/test_latex_table
# outdir: /tmp/test_latex_table/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mtabular#x1B[39;49;00m
#x1B[32mlongtable#x1B[39;49;00m #x1B[32mcomplex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done
[ 75%] #x1B[35mlongtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtabular#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mtabular#x1B[39;49;00m
#x1B[32mlongtable#x1B[39;49;00m #x1B[32mcomplex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_latex_table_complex_tables** *SPHINX_OEA_FAF49*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_table_complex_tables
 case_name: test_latex_table_complex_tables
 classname: tests.test_build_latex
 time: 0.12584924697875977
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/test_latex_table
# outdir: /tmp/test_latex_table/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mtabular#x1B[39;49;00m
#x1B[32mlongtable#x1B[39;49;00m #x1B[32mcomplex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done
[ 75%] #x1B[35mlongtable#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtabular#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mtabular#x1B[39;49;00m
#x1B[32mlongtable#x1B[39;49;00m #x1B[32mcomplex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_latex_raw_directive** *SPHINX_OEA_3D8A1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex_raw_directive
case_name: test_latex_raw_directive
classname: tests.test_build_latex
time: 0.021814346313476562
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directives-raw
# outdir: /tmp/directives-raw/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```


Test-Case: **test_latex_remote_images** *SPHINX_OEA_4650F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_latex_remote_images
 case_name: test_latex_remote_images
 classname: tests.test_build_latex
 time: 0.3958582878112793
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/images
# outdir: /tmp/images/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[ 25%] #x1B[33mrimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 50%] #x1B[33mimg.pdf#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 75%] #x1B[33mtestimäe.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[100%]
#x1B[33mhttps://www.python.org/static/img/python-logo.png#x1B[39;49;00m
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
#x1B[31mWARNING: Could not fetch remote image: http://example.com/NOT_EXIST.PNG [404]
↪#x1B[39;49;00m
```


Test-Case: **test_defaults** *SPHINX_OEA_B6847*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_defaults
 case_name: test_defaults
 classname: tests.test_build_linkcheck
 time: 0.6136364936828613
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
links.txt:11: [broken] http://example.com/#top: Anchor 'top' not found

# testroot: root
# builder: linkcheck
# srcdir: /tmp/linkcheck
# outdir: /tmp/linkcheck/_build/linkcheck
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [linkcheck]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mlinks#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mlinks#x1B[39;49;00m
(line 11) #x1B[31;01mbroken #x1B[39;49;00mhttp://example.com/#top#x1B[31;01m - Anchor
↳ 'top' not
found#x1B[39;49;00m
(line 10) #x1B[32mok #x1B[39;49;00mhttp://example.com#!bar
(line 9) #x1B[32mok #x1B[39;49;00mhttp://example.com#!bar
(line 3) #x1B[32mok #x1B[39;49;00mhttps://www.w3.org/TR/2006/REC-xml-names-20060816/
↳ #defaulting

# warning:
#x1B[31m/tmp/linkcheck/links.txt:9: WARNING: Duplicate explicit target name: "example_
↳ bar invalid".#x1B[39;49;00m
#x1B[31m/tmp/linkcheck/links.txt:9: WARNING: Duplicate explicit target name: "example_
↳ bar invalid".#x1B[39;49;00m
#x1B[31m/tmp/linkcheck/links.txt:5: WARNING: Unknown target name: "http://www.sphinx-
↳ doc.org/en/1.4.8/tutorial.html#install-sphinx".#x1B[39;49;00m
```

Test-Case: **test_anchors_ignored** *SPHINX_OEA_D29C1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_anchors_ignored
 case_name: test_anchors_ignored
 classname: tests.test_build_linkcheck
 time: 0.6705882549285889
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: linkcheck
# srcdir: /tmp/linkcheck
# outdir: /tmp/linkcheck/_build/linkcheck
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [linkcheck]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mlinks#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mlinks#x1B[39;49;00m
(line 9) #x1B[32mok #x1B[39;49;00mhttp://example.com/#!bar
(line 11) #x1B[32mok #x1B[39;49;00mhttp://example.com/#top
(line 10) #x1B[32mok #x1B[39;49;00mhttp://example.com#!bar
(line 3) #x1B[32mok #x1B[39;49;00mhttps://www.w3.org/TR/2006/REC-xml-names-20060816/
↪#defaulting

# warning:
#x1B[31m/tmp/linkcheck/links.txt:9: WARNING: Duplicate explicit target name: "example_
↪bar invalid".#x1B[39;49;00m
#x1B[31m/tmp/linkcheck/links.txt:9: WARNING: Duplicate explicit target name: "example_
↪bar invalid".#x1B[39;49;00m
#x1B[31m/tmp/linkcheck/links.txt:5: WARNING: Unknown target name: "http://www.sphinx-
↪doc.org/en/1.4.8/tutorial.html#install-sphinx".#x1B[39;49;00m
```


Test-Case: **test_all** *SPHINX_OEA_4E207*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_all
case_name: test_all
classname: tests.test_build_manpage
time: 0.7521090507507324
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: man
# srcdir: /tmp/root
# outdir: /tmp/root/_build/man
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [man]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mwriting... #x1B[39;49;00m#x1B[32mSphinxTests.1#x1B[39;49;00m { #x1B[32mextapi
↪#x1B[39;49;00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↪includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↪00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↪#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m }

# warning:
#x1B[31mWARNING: /tmp/root/autodoc.txt:6: (WARNING/2) autodoc: failed to import module
↪'util'; the
following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
```

```
import_object
__import__(self.modname)
ModuleNotFoundError: No module named 'util'#x1B[39;49;00m
#x1B[31m/tmp/root/autodoc.txt:6: (WARNING/2) autodoc: failed to import module
↪'util'; the
following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,
```


Test-Case: **test_texinfo_warnings** *SPHINX_OEA_0FC9F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_texinfo_warnings
case_name: test_texinfo_warnings
classname: tests.test_build_texinfo
time: 0.03704643249511719
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: texinfo
# srcdir: /tmp/warnings
# outdir: /tmp/warnings/_build/texinfo
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [texinfo]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mundecodable#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing python.texi... #x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying Texinfo support files... #x1B[39;49;00m/tmp/warnings/_build/texinfo/
↳ Makefile done

# warning:
#x1B[31m/tmp/warnings/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:↳
↳ WARNING: Explicit markup
ends without a blank line; unexpected unindent.#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:19: WARNING: Encoding 'utf-8-sig' used for reading↳
↳ included file
'/tmp/warnings/wrongenc.inc' seems to be wrong, try giving an :encoding: option#x1B[39;
↳ 49;00m
#x1B[31m/tmp/warnings/index.rst:11: WARNING: image file not readable: foo.png#x1B[39;
↳ 49;00m
#x1B[31m/tmp/warnings/index.rst:24: WARNING: download file not readable:
/tmp/warnings/nonexisting.png#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:27: WARNING: invalid single index entry "#x1B[39;49;00m
144#x1B[31m/tmp/warnings/undecodable.rst:3: WARNING: undecodable source clChapter 2. ↳ Content
↳ replacing with "?":
b'here: >>>\xbbb<<<'#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:41: WARNING: unknown option: &option#x1B[39;49;00m
#x1B[31m/tmp/warnings/index.rst:45: WARNING: citation not found: missing#x1B[39;49;00m
```


Test-Case: **test_texinfo** *SPHINX_OEA_EB670*

tags: pytest_sphinx
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_texinfo
case_name: test_texinfo
classname: tests.test_build_texinfo
time: 0.6067860126495361
result: skipped

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

```
/home/daniel/workspace/sphinx/sphinx/tests/test_build_texinfo.py:61: <py._xmlgen.raw_
↳object at
0x7ff4c6fc0978>
```

Message:

<Skipped instance>

System-out:

```
# testroot: root
# builder: texinfo
# srcdir: /tmp/root
# outdir: /tmp/root/_build/texinfo
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [texinfo]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing SphinxTests.texi... #x1B[32mcontents#x1B[39;49;00m #x1B[32mextapi#x1B[39;49;
↳00m
#x1B[32mimages#x1B[39;49;00m #x1B[32msubdir/images#x1B[39;49;00m #x1B[32msubdir/
↳includes#x1B[39;49;00m
#x1B[32mincludes#x1B[39;49;00m #x1B[32mmarkup#x1B[39;49;00m #x1B[32mobjects#x1B[39;49;
↳00m
#x1B[32mbom#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m #x1B[32mautodoc#x1B[39;49;00m
#x1B[32mmetadata#x1B[39;49;00m #x1B[32mextensions#x1B[39;49;00m #x1B[32mfootnote
↳#x1B[39;49;00m
#x1B[32mlists#x1B[39;49;00m #x1B[32motherext#x1B[39;49;00m
```

1446olving references...

Chapter 2. Content

writing... done

```
#x1B[01mcopying images... #x1B[39;49;00m[ 14%] #x1B[33mimg.png#x1B[39;49;00m
#x1B[01mcopying images... #x1B[39;49;00m[ 28%] #x1B[33msubdir/img.png#x1B[39;49;00m
```


Test-Case: **test_maxwidth_with_prefix** *SPHINX_OEA_85406*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_maxwidth_with_prefix
case_name: test_maxwidth_with_prefix
classname: tests.test_build_text
time: 0.06146359443664551
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 8 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m8 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mlineblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mlistitems#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mmaxwidth#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mnonascii_maxwidth#x1B[39;49;
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mnonascii_table#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35mnonascii_title#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtable#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mlineblock#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mlistitems#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mmaxwidth#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 62%] #x1B[32mnonascii_maxwidth#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mnonascii_table#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 87%] #x1B[32mnonascii_title#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtable#x1B[39;49;00m
```

warning:

```
1448B[31m/tmp/build-text/listitems.txt: WARNING: document isn't includedChapter 2: Content
↪#x1B[39;49;00m
#x1B[31m/tmp/build-text/contents.txt:1: WARNING: toctree contains reference to_
↪document 'maxwidth'
that doesn't have a title; no link will be generated#x1B[39;49;00m
```

Test-Case: **test_lineblock** *SPHINX_OEA_94366*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_lineblock
case_name: test_lineblock
classname: tests.test_build_text
time: 0.008423805236816406
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```

Test-Case: **test_nonascii_title_line** *SPHINX_OEA_F2AF0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_nonascii_title_line
case_name: test_nonascii_title_line
classname: tests.test_build_text
time: 0.008050680160522461
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```

Test-Case: **test_nonascii_table** *SPHINX_OEA_03AED*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_nonascii_table
 case_name: test_nonascii_table
 classname: tests.test_build_text
 time: 0.008205652236938477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```

Test-Case: **test_nonascii_maxwidth** *SPHINX_OEA_FB4DB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_nonascii_maxwidth
case_name: test_nonascii_maxwidth
classname: tests.test_build_text
time: 0.008866071701049805
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```


Test-Case: **test_table_with_empty_cell** *SPHINX_OEA_42091*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_table_with_empty_cell
case_name: test_table_with_empty_cell
classname: tests.test_build_text
time: 0.00824284553527832
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```

Test-Case: **test_list_items_in_admonition** *SPHINX_OEA_2FCBI*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_list_items_in_admonition
case_name: test_list_items_in_admonition
classname: tests.test_build_text
time: 0.008248090744018555
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/build-text
# outdir: /tmp/build-text/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```


Test-Case: **test_compile_all_catalogs** *SPHINX_OEA_D8323*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_compile_all_catalogs
case_name: test_compile_all_catalogs
classname: tests.test_catalogs
time: 0.041658878326416016
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test-catalogs
# outdir: /tmp/test-catalogs/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mall of 25 po files
#x1B[01mwriting output... #x1B[39;49;00m[ 4%] #x1B[32mlocale/en/LC_MESSAGES/raw.mo
↪#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 8%]
#x1B[32mlocale/en/LC_MESSAGES/glossary_terms_inconsistency.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mlocale/en/LC_MESSAGES/sphinx.mo
↪#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mlocale/en/LC_MESSAGES/role_xref.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mlocale/en/LC_MESSAGES/label_
↪target.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mlocale/en/LC_MESSAGES/docfields.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mlocale/en/LC_MESSAGES/
↪literalblock.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 32%] #x1B[32mlocale/en/LC_MESSAGES/contents.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mlocale/en/LC_MESSAGES/
↪admonitions.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 40%] #x1B[32mlocale/en/LC_MESSAGES/index_
↪entries.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 44%]
#x1B[32mlocale/en/LC_MESSAGES/definition_terms.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mlocale/en/LC_MESSAGES/bom.mo
```

1456 **Chapter 2. Content**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 52%] #x1B[32mlocale/en/LC_MESSAGES/only.mo
↪#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlocale/en/LC_MESSAGES/
↪versionchange.mo#x1B[39;49;00m
```


Test-Case: **test_compile_specific_catalogs** *SPHINX_OEA_9B627*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_compile_specific_catalogs
case_name: test_compile_specific_catalogs
classname: tests.test_catalogs
time: 0.016279935836791992
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test-catalogs
# outdir: /tmp/test-catalogs/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 1 po files that are specified
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mlocale/en/LC_MESSAGES/
↳admonitions.mo#x1B[39;49;00m
[39;49;00m [ 8%] #x1B[32mlocale/en/LC_MESSAGES/glossary_terms_inconsistency.mo#x1B[39;
↳49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mlocale/en/LC_MESSAGES/sphinx.mo
↳#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mlocale/en/LC_MESSAGES/role_xref.
↳mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mlocale/en/LC_MESSAGES/label_
↳target.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 24%] #x1B[32mlocale/en/LC_MESSAGES/docfields.
↳mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mlocale/en/LC_MESSAGES/
↳literalblock.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 32%] #x1B[32mlocale/en/LC_MESSAGES/contents.
↳mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 36%] #x1B[32mlocale/en/LC_MESSAGES/
↳admonitions.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 40%] #x1B[32mlocale/en/LC_MESSAGES/index_
↳entries.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 44%]
#x1B[32mlocale/en/LC_MESSAGES/definition_terms.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 48%] #x1B[32mlocale/en/LC_MESSAGES/bom.mo
```

1458#x1B[39;49;00m **Chapter 2. Content**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 52%] #x1B[32mlocale/en/LC_MESSAGES/only.mo
↳#x1B[39;49;00m
```

```
#x1B[01mwriting output... #x1B[39;49;00m[ 56%] #x1B[32mlocale/en/LC_MESSAGES/
↳versionchange.mo#x1B[39;49;00m
```


Test-Case: **test_compile_update_catalogs** *SPHINX_OEA_7660B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_compile_update_catalogs
case_name: test_compile_update_catalogs
classname: tests.test_catalogs
time: 0.03504133224487305
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/test-catalogs
# outdir: /tmp/test-catalogs/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [en]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 24 po files that are out of date
#x1B[01mwriting output... #x1B[39;49;00m[ 4%] #x1B[32mlocale/en/LC_MESSAGES/raw.mo
↪#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 8%]
#x1B[32mlocale/en/LC_MESSAGES/glossary_terms_inconsistency.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 12%] #x1B[32mlocale/en/LC_MESSAGES/role_xref.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mlocale/en/LC_MESSAGES/label_
↪target.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mlocale/en/LC_MESSAGES/docfields.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mlocale/en/LC_MESSAGES/
↪literalblock.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 29%] #x1B[32mlocale/en/LC_MESSAGES/contents.
↪mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mlocale/en/LC_MESSAGES/
↪admonitions.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 37%] #x1B[32mlocale/en/LC_MESSAGES/index_
↪entries.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 41%]
#x1B[32mlocale/en/LC_MESSAGES/definition_terms.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 45%] #x1B[32mlocale/en/LC_MESSAGES/bom.mo
↪#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mlocale/en/LC_MESSAGES/only.mo
```

1460#x1B[39;49;00m **Chapter 2. Content**

```
#x1B[01mwriting output... #x1B[39;49;00m[ 54%] #x1B[32mlocale/en/LC_MESSAGES/
↪versionchange.mo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 58%] #x1B[32mlocale/en/LC_MESSAGES/seealso.mo
↪#x1B[39;49;00m
```


Test-Case: **test_core_config** *SPHINX_OEA_F298A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_core_config
case_name: test_core_config
classname: tests.test_config
time: 0.013975381851196289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: unknown config value 'nonexisting_value' in override, ignoring#x1B[39;
↪49;00m
```

Test-Case: **test_extension_values** *SPHINX_OEA_5187A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_extension_values
case_name: test_extension_values
classname: tests.test_config
time: 0.012158632278442383
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_errors_warnings** *SPHINX_OEA_ACBE8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_errors_warnings
case_name: test_errors_warnings
classname: tests.test_config
time: 0.2242603302001953
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_errors_if_setup_is_not_callable** *SPHINX_OEA_2AECB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_errors_if_setup_is_not_callable
case_name: test_errors_if_setup_is_not_callable
classname: tests.test_config
time: 0.0064697265625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_needs_sphinx** *SPHINX_0EA_42B2F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_needs_sphinx
case_name: test_needs_sphinx
classname: tests.test_config
time: 0.04312324523925781
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_config_eol** *SPHINX_0EA_3BF86*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_config_eol
case_name: test_config_eol
classname: tests.test_config
time: 0.0012335777282714844
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_builtin_conf** *SPHINX_OEA_7874B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_builtin_conf
case_name: test_builtin_conf
classname: tests.test_config
time: 0.011498212814331055
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [foo]... #x1B[39;49;00mnot available for built-in_
↪messages
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: The config value `master_doc' has type `int', defaults to `str'.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value1-True]** *SPHINX_OEA_55D31*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value1-True]
case_name: test_check_types
case_parameter: value1-True
classname: tests.test_config
time: 0.009735107421875
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value2-True]** *SPHINX_OEA_B6842*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value2-True]
 case_name: test_check_types
 case_parameter: value2-True
 classname: tests.test_config
 time: 0.009491205215454102
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value3-False]** *SPHINX_OEA_5971B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value3-False]
case_name: test_check_types
case_parameter: value3-False
classname: tests.test_config
time: 0.01065969467163086
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```


Test-Case: **test_check_types[value4-True]** *SPHINX_OEA_E5308*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value4-True]
 case_name: test_check_types
 case_parameter: value4-True
 classname: tests.test_config
 time: 0.008867025375366211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value5-False]** *SPHINX_OEA_581C6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value5-False]
case_name: test_check_types
case_parameter: value5-False
classname: tests.test_config
time: 0.00833439826965332
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value6-True]** *SPHINX_OEA_C3A31*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value6-True]
 case_name: test_check_types
 case_parameter: value6-True
 classname: tests.test_config
 time: 0.00931859016418457
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value7-False]** *SPHINX_OEA_8032F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value7-False]
case_name: test_check_types
case_parameter: value7-False
classname: tests.test_config
time: 0.009380817413330078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value8-False]** *SPHINX_OEA_4297B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value8-False]
 case_name: test_check_types
 case_parameter: value8-False
 classname: tests.test_config
 time: 0.008597850799560547
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value9-False]** *SPHINX_OEA_EBA8I*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value9-False]
case_name: test_check_types
case_parameter: value9-False
classname: tests.test_config
time: 0.00897836685180664
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value10-False]** *SPHINX_OEA_F4196*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value10-False]
 case_name: test_check_types
 case_parameter: value10-False
 classname: tests.test_config
 time: 0.008836507797241211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value11-False]** *SPHINX_OEA_A6F04*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value11-False]
case_name: test_check_types
case_parameter: value11-False
classname: tests.test_config
time: 0.009593725204467773
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```


Test-Case: **test_check_types[value12-False]** *SPHINX_OEA_6CAA7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value12-False]
 case_name: test_check_types
 case_parameter: value12-False
 classname: tests.test_config
 time: 0.008815765380859375
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value13-False]** *SPHINX_OEA_D09F2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value13-False]
case_name: test_check_types
case_parameter: value13-False
classname: tests.test_config
time: 0.00883936882019043
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value14-False]** *SPHINX_OEA_09D27*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value14-False]
 case_name: test_check_types
 case_parameter: value14-False
 classname: tests.test_config
 time: 0.010547876358032227
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value15-False]** *SPHINX_OEA_93A85*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_types[value15-False]
case_name: test_check_types
case_parameter: value15-False
classname: tests.test_config
time: 0.008322000503540039
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_types[value16-False]** *SPHINX_OEA_A197C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_types[value16-False]
 case_name: test_check_types
 case_parameter: value16-False
 classname: tests.test_config
 time: 0.009401559829711914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1` has type `int`, defaults to `str`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2` has type `int`, defaults to `list`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4` has type `bool`, defaults to `int`.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6` has type `tuple`, defaults to `list`.#x1B[39;
↪49;00m
```

Test-Case: **test_check_enum** *SPHINX_OEA_IDDF8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_check_enum
case_name: test_check_enum
classname: tests.test_config
time: 0.00843501091003418
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1' has type `int', defaults to `str'.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value2' has type `int', defaults to `list'.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value4' has type `bool', defaults to `int'.#x1B[39;49;
↪00m
#x1B[31mWARNING: The config value `value6' has type `tuple', defaults to `list'.#x1B[39;
↪49;00m
```

Test-Case: **test_check_enum_failed** *SPHINX_OEA_97D07*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_check_enum_failed
 case_name: test_check_enum_failed
 classname: tests.test_config
 time: 0.008690834045410156
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/config
# outdir: /tmp/config/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
#x1B[31mWARNING: The config value `value1' has type `int', defaults to `str'.#x1B[39;
↪49;00m
#x1B[31mWARNING: The config value `value2' has type `int', defaults to `list'.#x1B[39;
↪49;00m
#x1B[31mWARNING: The config value `value4' has type `bool', defaults to `int'.#x1B[39;
↪49;00m
#x1B[31mWARNING: The config value `value6' has type `tuple', defaults to `list'.
↪#x1B[39;49;00m
#x1B[31mWARNING: The config value `value17` has to be a one of ('default', 'one', 'two
↪'),
but `invalid` is given.#x1B[39;49;00m
```

Test-Case: **test_correct_year**[expect_date0] *SPHINX_OEA_9D2BE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_correct_year[expect_date0]
case_name: test_correct_year
case_parameter: expect_date0
classname: tests.test_correct_year
time: 0.13941359519958496
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/correct-year
# outdir: /tmp/correct-year/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_correct_year**[expect_date1] *SPHINX_OEA_56C8D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_correct_year[expect_date1]
 case_name: test_correct_year
 case_parameter: expect_date1
 classname: tests.test_correct_year
 time: 0.1326608657836914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/correct-year
# outdir: /tmp/correct-year/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_correct_year**[expect_date2] *SPHINX_OEA_6DC67*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_correct_year[expect_date2]
case_name: test_correct_year
case_parameter: expect_date2
classname: tests.test_correct_year
time: 0.1322798728942871
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/correct-year
# outdir: /tmp/correct-year/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_LiteralIncludeReader** *SPHINX_OEA_616BD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader
case_name: test_LiteralIncludeReader
classname: tests.test_directive_code
time: 0.00063323974609375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_lineno_start** *SPHINX_OEA_23E47*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lineno_start
case_name: test_LiteralIncludeReader_lineno_start
classname: tests.test_directive_code
time: 0.00045418739318847656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_pyobject1** *SPHINX_OEA_D538E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_pyobject1
case_name: test_LiteralIncludeReader_pyobject1
classname: tests.test_directive_code
time: 0.0006468296051025391
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_pyobject2** *SPHINX_OEA_63D95*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_pyobject2
case_name: test_LiteralIncludeReader_pyobject2
classname: tests.test_directive_code
time: 0.0004363059997558594
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_pyobject3** *SPHINX_OEA_75DF1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_pyobject3
case_name: test_LiteralIncludeReader_pyobject3
classname: tests.test_directive_code
time: 0.0005049705505371094
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_pyobject_and_lines** *SPHINX_OEA_293B3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_pyobject_and_lines
case_name: test_LiteralIncludeReader_pyobject_and_lines
classname: tests.test_directive_code
time: 0.0004832744598388672
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_lines1** *SPHINX_OEA_59F88*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lines1
case_name: test_LiteralIncludeReader_lines1
classname: tests.test_directive_code
time: 0.0005373954772949219
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_lines2** *SPHINX_OEA_C51FE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lines2
case_name: test_LiteralIncludeReader_lines2
classname: tests.test_directive_code
time: 0.0005178451538085938
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_lines_and_lineno_match1** *SPHINX_OEA_86BA0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lines_and_lineno_match1
case_name: test_LiteralIncludeReader_lines_and_lineno_match1
classname: tests.test_directive_code
time: 0.00042700767517089844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_lines_and_lineno_match2** *SPHINX_OEA_66EAE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lines_and_lineno_match2
case_name: test_LiteralIncludeReader_lines_and_lineno_match2
classname: tests.test_directive_code
time: 0.012161970138549805
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_LiteralIncludeReader_lines_and_lineno_match3** *SPHINX_OEA_C5BEE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_lines_and_lineno_match3
case_name: test_LiteralIncludeReader_lines_and_lineno_match3
classname: tests.test_directive_code
time: 0.0127410888671875
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: line number spec is out of range(1-14): '100-'#x1B[39;49;00m
```

Test-Case: **test_LiteralIncludeReader_start_at** *SPHINX_OEA_617CB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_start_at
case_name: test_LiteralIncludeReader_start_at
classname: tests.test_directive_code
time: 0.0005235671997070312
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_start_after** *SPHINX_OEA_0D955*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_start_after
case_name: test_LiteralIncludeReader_start_after
classname: tests.test_directive_code
time: 0.0004336833953857422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_start_after_and_lines** *SPHINX_OEA_0FB9B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_start_after_and_lines
case_name: test_LiteralIncludeReader_start_after_and_lines
classname: tests.test_directive_code
time: 0.0006074905395507812
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_start_at_and_lines** *SPHINX_OEA_C8068*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_start_at_and_lines
case_name: test_LiteralIncludeReader_start_at_and_lines
classname: tests.test_directive_code
time: 0.0005428791046142578
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_missing_start_and_end** *SPHINX_OEA_0DFD7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_missing_start_and_end
case_name: test_LiteralIncludeReader_missing_start_and_end
classname: tests.test_directive_code
time: 0.0006427764892578125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_prepend** *SPHINX_OEA_39EFF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_prepend
case_name: test_LiteralIncludeReader_prepend
classname: tests.test_directive_code
time: 0.00043201446533203125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_dedent** *SPHINX_OEA_5F8DF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_dedent
case_name: test_LiteralIncludeReader_dedent
classname: tests.test_directive_code
time: 0.0006208419799804688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_tabwidth** *SPHINX_OEA_D9241*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_tabwidth
case_name: test_LiteralIncludeReader_tabwidth
classname: tests.test_directive_code
time: 0.0008952617645263672
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_tabwidth_dedent** *SPHINX_OEA_BCF2B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_tabwidth_dedent
case_name: test_LiteralIncludeReader_tabwidth_dedent
classname: tests.test_directive_code
time: 0.0004451274871826172
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_LiteralIncludeReader_diff** *SPHINX_OEA_270E1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_LiteralIncludeReader_diff
case_name: test_LiteralIncludeReader_diff
classname: tests.test_directive_code
time: 0.0005509853363037109
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_code_block** *SPHINX_OEA_C9A95*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_code_block
 case_name: test_code_block
 classname: tests.test_directive_code
 time: 0.08071565628051758
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mcaption#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mclasses#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mlinenos#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mnamedblocks#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mpy-decorators#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mpython#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mcaption#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mclasses#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mlinenos#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mnamedblocks#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mpy-decorators#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mpython#x1B[39;49;00m

# warning:
```

Test-Case: **test_code_block_caption_html** *SPHINX_OEA_BA089*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_code_block_caption_html
case_name: test_code_block_caption_html
classname: tests.test_directive_code
time: 0.1609642505645752
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mcaption#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: search index couldn't be loaded, but not all documents will be built:↵
↵the index will
be incomplete.#x1B[39;49;00m
```


Test-Case: **test_code_block_caption_latex** *SPHINX_OEA_49AEE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_code_block_caption_latex
 case_name: test_code_block_caption_latex
 classname: tests.test_directive_code
 time: 0.04069876670837402
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mcaption#x1B[39;49;00m
#x1B[32mclasses#x1B[39;49;00m #x1B[32mlinenos#x1B[39;49;00m #x1B[32mnamedblocks#x1B[39;
↪49;00m
#x1B[32mpy-decorators#x1B[39;49;00m #x1B[32mpython#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_code_block_namedlink_latex** *SPHINX_OEA_A5ED9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_code_block_namedlink_latex
case_name: test_code_block_namedlink_latex
classname: tests.test_directive_code
time: 0.03959012031555176
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mcaption#x1B[39;49;00m
#x1B[32mclasses#x1B[39;49;00m #x1B[32mlinenos#x1B[39;49;00m #x1B[32mnamedblocks#x1B[39;
↪49;00m
#x1B[32mpy-decorators#x1B[39;49;00m #x1B[32mpython#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_literal_include** *SPHINX_OEA_C8BF4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_literal_include
 case_name: test_literal_include
 classname: tests.test_directive_code
 time: 0.019473791122436523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
# warning:
```

Test-Case: **test_literal_include_block_start_with_comment_or_brank** *SPHINX_OEA_13BA0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_literal_include_block_start_with_comment_or_brank
case_name: test_literal_include_block_start_with_comment_or_brank
classname: tests.test_directive_code
time: 0.018991708755493164
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mpython#x1B[39;49;00m

# warning:
```

Test-Case: **test_literal_include_linenos** *SPHINX_OEA_618D9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_literal_include_linenos
 case_name: test_literal_include_linenos
 classname: tests.test_directive_code
 time: 0.15881657600402832
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mlinenos#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_literalinclude_file_whole_of_emptyline** *SPHINX_OEA_156AF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_literalinclude_file_whole_of_emptyline
case_name: test_literalinclude_file_whole_of_emptyline
classname: tests.test_directive_code
time: 0.04050922393798828
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mcaption#x1B[39;49;00m
#x1B[32mclasses#x1B[39;49;00m #x1B[32mlinenos#x1B[39;49;00m #x1B[32mnamedblocks#x1B[39;
↪49;00m
#x1B[32mpy-decorators#x1B[39;49;00m #x1B[32mpython#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_literalinclude_caption_html** *SPHINX_OEA_45557*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_literalinclude_caption_html
 case_name: test_literalinclude_caption_html
 classname: tests.test_directive_code
 time: 0.14278078079223633
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_literalinclude_caption_latex** *SPHINX_OEA_A21DF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_literalinclude_caption_latex
case_name: test_literalinclude_caption_latex
classname: tests.test_directive_code
time: 0.0408933162689209
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mcaption#x1B[39;49;00m
#x1B[32mclasses#x1B[39;49;00m #x1B[32mlinenos#x1B[39;49;00m #x1B[32mnamedblocks#x1B[39;
↪49;00m
#x1B[32mpy-decorators#x1B[39;49;00m #x1B[32mpython#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```


Test-Case: **test_literalinclude_namedlink_latex** *SPHINX_OEA_DC6C4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_literalinclude_namedlink_latex
 case_name: test_literalinclude_namedlink_latex
 classname: tests.test_directive_code
 time: 0.03966236114501953
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mcaption#x1B[39;49;00m
#x1B[32mclasses#x1B[39;49;00m #x1B[32mlinenos#x1B[39;49;00m #x1B[32mnamedblocks#x1B[39;
↪49;00m
#x1B[32mpy-decorators#x1B[39;49;00m #x1B[32mpython#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_literalinclude_classes** *SPHINX_OEA_30826*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_literalinclude_classes
case_name: test_literalinclude_classes
classname: tests.test_directive_code
time: 0.08568906784057617
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mclasses#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m

# warning:
```

Test-Case: **test_literalinclude_pydecorators** *SPHINX_OEA_I3BEA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_literalinclude_pydecorators
 case_name: test_literalinclude_pydecorators
 classname: tests.test_directive_code
 time: 0.020175695419311523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/directive-code
# outdir: /tmp/directive-code/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mpy-decorators#x1B[39;49;00m

# warning:
```

Test-Case: **test_sectioning** *SPHINX_OEA_39EB6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_sectioning
case_name: test_sectioning
classname: tests.test_directive_only
time: 0.06116509437561035
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/directive-only
# outdir: /tmp/directive-only/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35monly#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32monly#x1B[39;49;00m

# warning:
```

Test-Case: **test_html_with_default_docutilsconf** *SPHINX_OEA_6E5B4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html_with_default_docutilsconf
 case_name: test_html_with_default_docutilsconf
 classname: tests.test_docutilsconf
 time: 0.1461803913116455
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_html_with_docutilsconf** *SPHINX_OEA_ABC42*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_html_with_docutilsconf
case_name: test_html_with_docutilsconf
classname: tests.test_docutilsconf
time: 0.14294767379760742
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_html** *SPHINX_OEA_2EFD5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_html
 case_name: test_html
 classname: tests.test_docutilsconf
 time: 0.13529086112976074
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_latex** *SPHINX_OEA_3AADI*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_latex
case_name: test_latex
classname: tests.test_docutilsconf
time: 0.022833824157714844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing SphinxdocutilsconfTests.tex...#x1B[32mcontents#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```


Test-Case: **test_man** *SPHINX_OEA_8FC52*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
 suite: pytest
 case: test_man
 case_name: test_man
 classname: tests.test_docutilsconf
 time: 0.011115789413452148
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: man
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/man
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mwriting... #x1B[39;49;00m#x1B[32msphinxdocutilsconftests.1#x1B[39;49;00m { }

# warning:
```

Test-Case: **test_texinfo** *SPHINX_OEA_17D91*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_texinfo
case_name: test_texinfo
classname: tests.test_docutilsconf
time: 0.010802745819091797
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: texinfo
# srcdir: /tmp/docutilsconf
# outdir: /tmp/docutilsconf/_build/texinfo
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing sphinxdocutilsconftests.texi... #x1B[32mcontents#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying Texinfo support files... #x1B[39;49;00m/tmp/docutilsconf/_build/
↪texinfo/Makefile done

# warning:
```

Test-Case: **test_docutils_source_link_with_nonascii_file** *SPHINX_OEA_F94F9*

tags: pytest_sphinx
style: tr_skipped
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_docutils_source_link_with_nonascii_file
case_name: test_docutils_source_link_with_nonascii_file
classname: tests.test_docutilsconf
time: 0.00029397010803222656
result: skipped

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

tests/test_docutilsconf.py:72: <py._xmlgen.raw object at 0x7ff4c6f0b240>

Message:

Python < 3.2 on Win32 doesn't handle non-ASCII paths right

Test-Case: **test_fundamental_types** *SPHINX_OEA_58ED5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_fundamental_types
case_name: test_fundamental_types
classname: tests.test_domain_cpp
time: 0.022498369216918945
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_expressions** *SPHINX_OEA_E20DC*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_expressions
case_name: test_expressions
classname: tests.test_domain_cpp
time: 0.061070919036865234
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_type_definitions** *SPHINX_OEA_09FAE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_type_definitions
case_name: test_type_definitions
classname: tests.test_domain_cpp
time: 0.01815056800842285
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_concept_definitions** *SPHINX_OEA_1A6D8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_concept_definitions
case_name: test_concept_definitions
classname: tests.test_domain_cpp
time: 0.0018563270568847656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_member_definitions** *SPHINX_OEA_5C4EE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_member_definitions
case_name: test_member_definitions
classname: tests.test_domain_cpp
time: 0.005604982376098633
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_function_definitions** *SPHINX_OEA_54DEB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_function_definitions
case_name: test_function_definitions
classname: tests.test_domain_cpp
time: 0.053540706634521484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_operators** *SPHINX_OEA_EB3B7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_operators
case_name: test_operators
classname: tests.test_domain_cpp
time: 0.0045223236083984375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_class_definitions** *SPHINX_OEA_C7246*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_class_definitions
case_name: test_class_definitions
classname: tests.test_domain_cpp
time: 0.0037267208099365234
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_enum_definitions** *SPHINX_OEA_DBDB9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_enum_definitions
case_name: test_enum_definitions
classname: tests.test_domain_cpp
time: 0.0020742416381835938
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_templates** *SPHINX_OEA_4F66A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_templates
case_name: test_templates
classname: tests.test_domain_cpp
time: 0.01841568946838379
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Warning: Too many template argument lists compared to parameter lists. Argument lists: **↪1**, Parameter lists: **0**, Extra empty parameters lists prepended: **1**. Declaration: A<T>

Test-Case: **test_template_args** *SPHINX_OEA_69FA3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_template_args
case_name: test_template_args
classname: tests.test_domain_cpp
time: 0.0029287338256835938
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_attributes** *SPHINX_OEA_6EE36*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_attributes
case_name: test_attributes
classname: tests.test_domain_cpp
time: 0.0055768489837646484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: `test_build_domain_cpp_with_add_function_parentheses_is_True` *SPHINX_OEA_FE2A6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_domain_cpp_with_add_function_parentheses_is_True
 case_name: test_build_domain_cpp_with_add_function_parentheses_is_True
 classname: tests.test_domain_cpp
 time: 0.18649005889892578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/domain-cpp
# outdir: /tmp/domain-cpp/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35many-role#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mroles#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32many-role#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/domain-cpp/any-role.rst: WARNING: document isn't included in any toctree
↪#x1B[39;49;00m
#x1B[31m/tmp/domain-cpp/roles.rst: WARNING: document isn't included in any toctree
↪#x1B[39;49;00m
```


Test-Case: `test_build_domain_cpp_with_add_function_parentheses_is_False` *SPHINX_OEA_IAD2D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_domain_cpp_with_add_function_parentheses_is_False
 case_name: test_build_domain_cpp_with_add_function_parentheses_is_False
 classname: tests.test_domain_cpp
 time: 0.1881427764892578
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/domain-cpp
# outdir: /tmp/domain-cpp/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 3 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35many-role#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mroles#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32many-role#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/domain-cpp/any-role.rst: WARNING: document isn't included in any toctree
↳#x1B[39;49;00m
#x1B[31m/tmp/domain-cpp/roles.rst: WARNING: document isn't included in any toctree
↳#x1B[39;49;00m
```

Test-Case: **test_domain_js_xrefs** *SPHINX_OEA_9F057*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_domain_js_xrefs
case_name: test_domain_js_xrefs
classname: tests.test_domain_js
time: 0.049817562103271484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-js
# outdir: /tmp/domain-js/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mmodule#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mroles#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```

Test-Case: **test_domain_js_objects** *SPHINX_OEA_63F21*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_domain_js_objects
 case_name: test_domain_js_objects
 classname: tests.test_domain_js
 time: 0.06795954704284668
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-js
# outdir: /tmp/domain-js/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```

Test-Case: **test_domain_js_find_obj** *SPHINX_OEA_0B401*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_domain_js_find_obj
case_name: test_domain_js_find_obj
classname: tests.test_domain_js
time: 0.01275324821472168
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-js
# outdir: /tmp/domain-js/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```


Test-Case: **test_get_full_qualified_name** *SPHINX_OEA_5BA7A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_full_qualified_name
case_name: test_get_full_qualified_name
classname: tests.test_domain_js
time: 0.0005309581756591797
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_function_signatures** *SPHINX_OEA_46144*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_function_signatures
case_name: test_function_signatures
classname: tests.test_domain_py
time: 0.000568389892578125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_domain_py_xrefs** *SPHINX_OEA_0436B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_domain_py_xrefs
case_name: test_domain_py_xrefs
classname: tests.test_domain_py
time: 0.052306175231933594
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-py
# outdir: /tmp/domain-py/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mmodule#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mroles#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```

Test-Case: **test_domain_py_objects** *SPHINX_OEA_E6A47*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_domain_py_objects
 case_name: test_domain_py_objects
 classname: tests.test_domain_py
 time: 0.01390218734741211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-py
# outdir: /tmp/domain-py/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```

Test-Case: **test_domain_py_find_obj** *SPHINX_OEA_73318*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_domain_py_find_obj
case_name: test_domain_py_find_obj
classname: tests.test_domain_py
time: 0.015140056610107422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/domain-py
# outdir: /tmp/domain-py/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmodule#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mroles#x1B[39;49;00m

# warning:
```

Test-Case: **test_get_full_qualified_name** *SPHINX_OEA_3A008*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_full_qualified_name
case_name: test_get_full_qualified_name
classname: tests.test_domain_py
time: 0.0006072521209716797
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_parse_directive** *SPHINX_OEA_BE65D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parse_directive
case_name: test_parse_directive
classname: tests.test_domain_rst
time: 0.0004470348358154297
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_process_doc_handle_figure_caption** *SPHINX_OEA_F1292*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_process_doc_handle_figure_caption
case_name: test_process_doc_handle_figure_caption
classname: tests.test_domain_std
time: 0.0008196830749511719
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_process_doc_handle_table_title** *SPHINX_OEA_I125D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_process_doc_handle_table_title
case_name: test_process_doc_handle_table_title
classname: tests.test_domain_std
time: 0.0006630420684814453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_full_qualified_name** *SPHINX_OEA_809AB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_full_qualified_name
case_name: test_get_full_qualified_name
classname: tests.test_domain_std
time: 0.0005757808685302734
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_first_update** *SPHINX_OEA_34859*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_first_update
case_name: test_first_update
classname: tests.test_environment
time: 0.5417520999908447
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_images** *SPHINX_OEA_34D6A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_images
case_name: test_images
classname: tests.test_environment
time: 0.0018634796142578125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_second_update** *SPHINX_OEA_EE544*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_second_update
case_name: test_second_update
classname: tests.test_environment
time: 0.05279541015625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_env_read_docs** *SPHINX_OEA_7FA57*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_env_read_docs
case_name: test_env_read_docs
classname: tests.test_environment
time: 0.08909749984741211
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_object_inventory** *SPHINX_OEA_E99E0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_object_inventory
case_name: test_object_inventory
classname: tests.test_environment
time: 0.0012691020965576172
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_single_index** *SPHINX_OEA_B2E7C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_single_index
case_name: test_create_single_index
classname: tests.test_environment_indexentries
time: 0.0007112026214599609
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_pair_index** *SPHINX_OEA_30B7F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_pair_index
case_name: test_create_pair_index
classname: tests.test_environment_indexentries
time: 0.0005235671997070312
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_triple_index** *SPHINX_OEA_9AFE4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_triple_index
case_name: test_create_triple_index
classname: tests.test_environment_indexentries
time: 0.0004982948303222656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_see_index** *SPHINX_OEA_DC936*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_see_index
case_name: test_create_see_index
classname: tests.test_environment_indexentries
time: 0.0004019737243652344
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_seealso_index** *SPHINX_OEA_63501*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_seealso_index
case_name: test_create_seealso_index
classname: tests.test_environment_indexentries
time: 0.0003981590270996094
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_create_index_by_key** *SPHINX_OEA_8CF36*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_create_index_by_key
case_name: test_create_index_by_key
classname: tests.test_environment_indexentries
time: 0.0005452632904052734
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_process_doc** *SPHINX_OEA_E8B41*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_process_doc
case_name: test_process_doc
classname: tests.test_environment_tocdepth
time: 0.05604100227355957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_tocdepth_basic
# outdir: /tmp/test_environment_tocdepth_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

# warning:
#x1B[31m/tmp/test_environment_tocdepth_basic/qux.rst: WARNING: document isn't included_
```

1546n any

Chapter 2. Content

toctree#x1B[39;49;00m

```
#x1B[31m/tmp/test_environment_tocdepth_basic/tocdepth.rst: WARNING: document isn't_
```

```
→included in any
```

```
toctree#x1B[39;49;00m
```


Test-Case: **test_glob** *SPHINX_OEA_ECC82*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_glob
case_name: test_glob
classname: tests.test_environment_toctree
time: 0.07871150970458984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/toctree-glob
# outdir: /tmp/toctree-glob/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [dummy]#x1B[39;49;00m: targets for 12 source files that are out of
↪date
#x1B[01mupdating environment: #x1B[39;49;00m12 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbar/bar_1#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mbar/bar_2#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar/bar_3#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mbar/bar_4/index#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mbar/index#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mqux/index#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 91%] #x1B[35mqux/qux_1#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mqux/qux_2#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 8%] #x1B[32mbar/bar_1#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mbar/bar_2#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar/bar_3#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mbar/bar_4/index#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 41%] #x1B[32mbar/index#x1B[39;49;00m
```


Test-Case: `test_get_toc_for SPHINX_OEA_5CEAI`

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_toc_for
case_name: test_get_toc_for
classname: tests.test_environment_tocdepth
time: 0.008537054061889648
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_tocdepth_basic
# outdir: /tmp/test_environment_tocdepth_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1550B[31m/tmp/test_environment_tocdepth_basic/qux.rst: WARNING: document **Chapter 2. Content**
→ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_tocdepth_basic/tocdepth.rst: WARNING: document isn't
included in any

Test-Case: `test_get_toc_for_only SPHINX_OEA_62D7E`

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_toc_for_only
case_name: test_get_toc_for_only
classname: tests.test_environment_toctree
time: 0.008225440979003906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_toctree_basic
# outdir: /tmp/test_environment_toctree_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1552B[31m/tmp/test_environment_toctree_basic/qux.rst: WARNING: document **Chapter 2. Content**
→ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_toctree_basic/tocdepth.rst: WARNING: document isn't
included in any

Test-Case: `test_get_toc_for_tocdepth SPHINX_OEA_84904`

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_get_toc_for_tocdepth
 case_name: test_get_toc_for_tocdepth
 classname: tests.test_environment_tocdepth
 time: 0.008244037628173828
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_tocdepth_basic
# outdir: /tmp/test_environment_tocdepth_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1554B[31m/tmp/test_environment_tocdepth_basic/qux.rst: WARNING: document **Chapter 2. Content**
 ↳ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_tocdepth_basic/tocdepth.rst: WARNING: document isn't
 ↳ included in any

Test-Case: `test_get_toctree_for SPHINX_OEA_A29CC`

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_toctree_for
case_name: test_get_toctree_for
classname: tests.test_environment_toctree
time: 0.012398481369018555
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_toctree_basic
# outdir: /tmp/test_environment_toctree_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1556B[31m/tmp/test_environment_toctree_basic/qux.rst: WARNING: document **Chapter 2. Content**
→ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_toctree_basic/tocdepth.rst: WARNING: document isn't
included in any

Test-Case: **test_get_toctree_for_collapse** *SPHINX_OEA_AF300*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_toctree_for_collapse
case_name: test_get_toctree_for_collapse
classname: tests.test_environment_toctree
time: 0.009641170501708984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_toctree_basic
# outdir: /tmp/test_environment_toctree_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1558#x1B[31m/tmp/test_environment_toctree_basic/qux.rst: WARNING: document **Chapter 2. Content**
→ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_toctree_basic/tocdepth.rst: WARNING: document isn't
included in any

Test-Case: `test_get_toctree_for_maxdepth` *SPHINX_OEA_DAD7E*

tags: `pytest_sphinx`
style: `tr_passed`
delete: `False`
jinja_content: `False`
file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
suite: `pytest`
case: `test_get_toctree_for_maxdepth`
case_name: `test_get_toctree_for_maxdepth`
classname: `tests.test_environment_toctree`
time: `0.012026548385620117`
result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_toctree_basic
# outdir: /tmp/test_environment_toctree_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1560 `B[31m/tmp/test_environment_toctree_basic/qux.rst: WARNING: document Chapter 2. Content`
→ `in any`

`toctree#x1B[39;49;00m`

`#x1B[31m/tmp/test_environment_toctree_basic/tocdepth.rst: WARNING: document isn't`
→ `included in any`

Test-Case: `test_get_toctree_for_includehidden` *SPHINX_OEA_6215E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_toctree_for_includehidden
case_name: test_get_toctree_for_includehidden
classname: tests.test_environment_toctree
time: 0.06167244911193848
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/test_environment_toctree_basic
# outdir: /tmp/test_environment_toctree_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
et created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 7 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m7 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 14%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 42%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 57%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 71%] #x1B[35mquux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 85%] #x1B[35mqux#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocdepth#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 14%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 28%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 42%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 57%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 71%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 85%] #x1B[32mqux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocdepth#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m
```

warning:

1562B[31m/tmp/test_environment_toctree_basic/qux.rst: WARNING: document **Chapter 2. Content**
→ in any

toctree#x1B[39;49;00m

#x1B[31m/tmp/test_environment_toctree_basic/tocdepth.rst: WARNING: document isn't
included in any

Test-Case: **test_autodoc** *SPHINX_OEA_C312C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_autodoc
 case_name: test_autodoc
 classname: tests.test_ext_autodoc
 time: 0.0196535587310791
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/ext-autodoc
# outdir: /tmp/ext-autodoc/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mcontents#x1B[39;49;00m

# warning:
```

Test-Case: **test_autosectionlabel_html** *SPHINX_OEA_4A2D3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_autosectionlabel_html
case_name: test_autosectionlabel_html
classname: tests.test_ext_autosectionlabel
time: 0.1492290496826172
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-autosectionlabel
# outdir: /tmp/ext-autosectionlabel/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_autosectionlabel_prefix_document_html** *SPHINX_OEA_56F3A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_autosectionlabel_prefix_document_html
 case_name: test_autosectionlabel_prefix_document_html
 classname: tests.test_ext_autosectionlabel
 time: 0.14594197273254395
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-autosectionlabel-prefix-document
# outdir: /tmp/ext-autosectionlabel-prefix-document/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_mangle_signature** *SPHINX_OEA_DE662*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_sphinx_data.xml

suite: pytest

case: test_mangle_signature

case_name: test_mangle_signature

classname: tests.test_ext_autosummary

time: 0.0009477138519287109

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_items_summary** *SPHINX_OEA_8DD7D*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_get_items_summary
 case_name: test_get_items_summary
 classname: tests.test_ext_autosummary
 time: 0.17685484886169434
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/autosummary
# outdir: /tmp/autosummary/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
[autosummary] generating autosummary for: contents.rst, sphinx.rst
[autosummary] generating autosummary for: /tmp/autosummary/dummy_module.rst,
/tmp/autosummary/generated/sphinx.application.Sphinx.rst, /tmp/autosummary/underscore_
↳module_.rst
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m5 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mdummy_module#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mgenerated/sphinx.application.
↳Sphinx#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35msphinx#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35munderscore_module_#x1B[39;49;
↳00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 40%] #x1B[32mdummy_module#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mgenerated/sphinx.application.
↳Sphinx#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 80%] #x1B[32msphinx#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32munderscore_module_#x1B[39;49;
↳00m
```

Test-Case: **test_escaping** *SPHINX_OEA_23DE0*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_escaping
 case_name: test_escaping
 classname: tests.test_ext_autosummary
 time: 0.02703690528869629
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: xml
# srcdir: /tmp/autosummary
# outdir: /tmp/autosummary/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
[autosummary] generating autosummary for: contents.rst, dummy_module.rst,
generated/sphinx.application.Sphinx.rst, sphinx.rst, underscore_module_.rst
#x1B[01mbuilding [xml]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 40%] #x1B[32mdummy_module#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mgenerated/sphinx.application.
↪ Sphinx#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 80%] #x1B[32msphinx#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32munderscore_module_#x1B[39;49;
↪ 00m

# warning:
```


Test-Case: **test_build** *SPHINX_OEA_7CD34*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build
 case_name: test_build
 classname: tests.test_ext_coverage
 time: 0.3244788646697998
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: coverage
# srcdir: /tmp/root
# outdir: /tmp/root/_build/coverage
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [coverage]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: /tmp/root/autodoc.txt:6: (WARNING/2) autodoc: failed to import module
↳ 'util'; the
following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,↳
↳ in
import_object
__import__(self.modname)
ModuleNotFoundError: No module named 'util'#x1B[39;49;00m
#x1B[31m/tmp/root/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:↳
↳ WARNING: Explicit markup ends
without a blank line; unexpected unindent.#x1B[39;49;00m
#x1B[31m/tmp/root/images.txt:9: WARNING: image file not readable: foo.png#x1B[39;49;00m
#x1B[31m/tmp/root/includes.txt:4: WARNING: download file not readable:
/tmp/root/nonexisting.png#x1B[39;49;00m
#x1B[31m/tmp/root/contents.txt:10: WARNING: extensions is already assigned section↳
```

2.6. Examples ↳ numbers (nested numbered

```
toctree?)#x1B[39;49;00m
#x1B[31m/tmp/root/robots.txt: WARNING: document isn't included in any toctree#x1B[39;
49;00m
```


Test-Case: **test_build** *SPHINX_OEA_5D20A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build
 case_name: test_build
 classname: tests.test_ext_doctest
 time: 0.030449628829956055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: doctest
# srcdir: /tmp/doctest
# outdir: /tmp/doctest/_build/doctest
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [doctest]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mdoctest#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mrunning tests...#x1B[39;49;00m
```

Document: doctest

```
-----
3 items passed all tests:
16 tests in default
2 tests in group1
2 tests in group2
20 tests in 3 items.
20 passed and 0 failed.
Test passed.
3 items passed all tests:
1 tests in default (cleanup code)
1 tests in group1 (cleanup code)
1 tests in group2 (cleanup code)
3 tests in 3 items.
3 passed and 0 failed.
Test passed.
```

Test-Case: **test_compare_version** *SPHINX_OEA_4B700*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_sphinx_data.xml

suite: pytest

case: test_compare_version

case_name: test_compare_version

classname: tests.test_ext_doctest

time: 0.0005152225494384766

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_githubpages** *SPHINX_OEA_B088B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_githubpages
 case_name: test_githubpages
 classname: tests.test_ext_githubpages
 time: 0.13814711570739746
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-githubpages
# outdir: /tmp/ext-githubpages/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_graphviz_html** *SPHINX_OEA_ED30C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_graphviz_html
case_name: test_graphviz_html
classname: tests.test_ext_graphviz
time: 0.29513072967529297
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-graphviz
# outdir: /tmp/ext-graphviz/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_graphviz_latex** *SPHINX_OEA_18C58*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_graphviz_latex
 case_name: test_graphviz_latex
 classname: tests.test_ext_graphviz
 time: 0.12659120559692383
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/ext-graphviz
# outdir: /tmp/ext-graphviz/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing SphinxTests.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_graphviz_i18n** *SPHINX_OEA_A99C9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_graphviz_i18n
 case_name: test_graphviz_i18n
 classname: tests.test_ext_graphviz
 time: 0.17613935470581055
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-graphviz
# outdir: /tmp/ext-graphviz/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 1 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-graphviz/index.rst:: WARNING: language "xx" not supported: Docutils-
↳generated
text will be in English.#x1B[39;49;00m
```

Test-Case: **test_ifconfig** *SPHINX_OEA_44EBB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_ifconfig
 case_name: test_ifconfig
 classname: tests.test_ext_ifconfig
 time: 0.0170135498046875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: text
# srcdir: /tmp/ext-ifconfig
# outdir: /tmp/ext-ifconfig/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [text]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m

# warning:
```

Test-Case: **test_ext_imgconverter** *SPHINX_OEA_376A2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_ext_imgconverter
case_name: test_ext_imgconverter
classname: tests.test_ext_imgconverter
time: 0.5214672088623047
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/ext-imgconverter
# outdir: /tmp/ext-imgconverter/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing Python.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying images... #x1B[39;49;00m[100%] #x1B[33msvgimg.svg#x1B[39;49;00m
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```


Test-Case: **test_inheritance_diagram_html** *SPHINX_OEA_C4990*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_inheritance_diagram_html
 case_name: test_inheritance_diagram_html
 classname: tests.test_ext_inheritance_diagram
 time: 0.17858386039733887
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-inheritance_diagram
# outdir: /tmp/ext-inheritance_diagram/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_inheritance_diagram_latex** *SPHINX_OEA_EFBEA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_inheritance_diagram_latex
case_name: test_inheritance_diagram_latex
classname: tests.test_ext_inheritance_diagram
time: 0.049263954162597656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/ext-inheritance_diagram
# outdir: /tmp/ext-inheritance_diagram/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing Python.tex...#x1B[32mindex#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_import_classes** *SPHINX_OEA_62EAC*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_import_classes
case_name: test_import_classes
classname: tests.test_ext_inheritance_diagram
time: 0.0060846805572509766
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_fetch_inventory_redirection** *SPHINX_OEA_BEE09*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_fetch_inventory_redirection
case_name: test_fetch_inventory_redirection
classname: tests.test_ext_intersphinx
time: 0.016176700592041016
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
intersphinx inventory has moved: http://hostname/new/objects.inv -> http://hostname/
↳ other/objects.inv

# warning:
```

Test-Case: **test_missing_reference** *SPHINX_OEA_18DC7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_missing_reference
 case_name: test_missing_reference
 classname: tests.test_ext_intersphinx
 time: 0.01344442367553711
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_missing_
↪reference0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_missing_
↪reference0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_missing_
↪reference0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_missing_
↪reference0/inventory...
# warning:
```

Test-Case: **test_missing_reference_pydomain** *SPHINX_OEA_IAD1E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_missing_reference_pydomain
case_name: test_missing_reference_pydomain
classname: tests.test_ext_intersphinx
time: 0.08580660820007324
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
loading intersphinx inventory from
/tmp/pytest-of-daniel/pytest-1/test_missing_reference_pydomai0/inventory...

# warning:
```

Test-Case: **test_missing_reference_std domain** *SPHINX_OEA_BB768*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_missing_reference_std domain
case_name: test_missing_reference_std domain
classname: tests.test_ext_intersphinx
time: 0.012021303176879883
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
loading intersphinx inventory from
/tmp/pytest-of-daniel/pytest-1/test_missing_reference_std domain0/inventory...

# warning:
```

Test-Case: **test_missing_reference_cppdomain** *SPHINX_OEA_1B984*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_missing_reference_cppdomain
case_name: test_missing_reference_cppdomain
classname: tests.test_ext_intersphinx
time: 0.14421534538269043
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-intersphinx-cppdomain
# outdir: /tmp/ext-intersphinx-cppdomain/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
loading intersphinx inventory from
/tmp/pytest-of-daniel/pytest-1/test_missing_reference_cppdoma0/inventory...
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_missing_reference_jsdomain** *SPHINX_OEA_F6A15*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_missing_reference_jsdomain
case_name: test_missing_reference_jsdomain
classname: tests.test_ext_intersphinx
time: 0.013152837753295898
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
loading intersphinx inventory from
/tmp/pytest-of-daniel/pytest-1/test_missing_reference_jsdomai0/inventory...

# warning:
```

Test-Case: **test_load_mappings_warnings** *SPHINX_OEA_3F9C4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_load_mappings_warnings
case_name: test_load_mappings_warnings
classname: tests.test_ext_intersphinx
time: 0.013152599334716797
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_load_mappings_
↪warnings0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_load_mappings_
↪warnings0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_load_mappings_
↪warnings0/inventory...
loading intersphinx inventory from /tmp/pytest-of-daniel/pytest-1/test_load_mappings_
↪warnings0/inventory...

# warning:
#x1B[31mWARNING: intersphinx identifier 12345 is not string. Ignored#x1B[39;49;00m
```

Test-Case: **test_auth_stripped** *SPHINX_OEA_7EC7F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_auth_stripped
case_name: test_auth_stripped
classname: tests.test_ext_intersphinx.TestStripBasicAuth
time: 0.0004305839538574219
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_having_port** *SPHINX_OEA_9192F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_having_port
case_name: test_having_port
classname: tests.test_ext_intersphinx.TestStripBasicAuth
time: 0.00036978721618652344
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_no_auth** *SPHINX_OEA_B3E7E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_no_auth
case_name: test_no_auth
classname: tests.test_ext_intersphinx.TestStripBasicAuth
time: 0.000362396240234375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getsafeurl_authed** *SPHINX_OEA_26B28*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_getsafeurl_authed
case_name: test_getsafeurl_authed
classname: tests.test_ext_intersphinx
time: 0.0003762245178222656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getsafeurl_authed_having_port** *SPHINX_OEA_AB62B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_getsafeurl_authed_having_port
case_name: test_getsafeurl_authed_having_port
classname: tests.test_ext_intersphinx
time: 0.0003898143768310547
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getsafeurl_unauthed** *SPHINX_OEA_70DCE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_getsafeurl_unauthed
case_name: test_getsafeurl_unauthed
classname: tests.test_ext_intersphinx
time: 0.00041937828063964844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_debug_noargs** *SPHINX_OEA_OCE0A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_debug_noargs
case_name: test_debug_noargs
classname: tests.test_ext_intersphinx
time: 0.00061798095703125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_debug_file** *SPHINX_OEA_303DF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_debug_file
case_name: test_debug_file
classname: tests.test_ext_intersphinx
time: 0.0010952949523925781
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_debug_url** *SPHINX_OEA_F9340*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_debug_url
case_name: test_debug_url
classname: tests.test_ext_intersphinx
time: 0.001409769058227539
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_jsmath** *SPHINX_OEA_A7C95*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_jsmath
case_name: test_jsmath
classname: tests.test_ext_math
time: 0.16360020637512207
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_imgmath_png** *SPHINX_OEA_8508E*

tags: pytest_sphinx
 style: tr_failure
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_imgmath_png
 case_name: test_imgmath_png
 classname: tests.test_ext_math
 time: 0.08259081840515137
 result: failure

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

```
app = <SphinxTestApp
buildname='html'>, status = <_io.StringIO object at 0x7ff4c4f42c18>, warning = <_io.
↳StringIO
object at 0x7ff4c4f42ca8>

@pytest.mark.sphinx('html', testroot='ext-math-simple',
confoverrides = {'extensions': ['sphinx.ext.imgmath']})
def test_imgmath_png(app, status, warning):
> app.builder.build_all()

tests/test_ext_math.py:40:
-----
↳ -----
-----
sphinx/builders/__init__.py:282: in build_all
self.build(None, summary='all source files', method='all')
sphinx/builders/__init__.py:391: in build
self.write(docnames, list(updated_docnames), method)
sphinx/builders/__init__.py:428: in write
self._write_serial(sorted(docnames))
sphinx/builders/__init__.py:437: in _write_serial
self.write_doc(docname, doctree)
sphinx/builders/html.py:555: in write_doc
self.docwriter.write(doctree, destination)
../../envs/sphinx/lib/python3.6/site-packages/docutils/writers/__init__.py:80: in write
self.translate()
sphinx/writers/html.py:56: in translate
self.document.walkabout(visitor)
../../envs/sphinx/lib/python3.6/site-packages/docutils/nodes.py:174: in walkabout
if child.walkabout(visitor):
../../envs/sphinx/lib/python3.6/site-packages/docutils/nodes.py:174: in walkabout
if child.walkabout(visitor):
1598 ../../envs/sphinx/lib/python3.6/site-packages/docutils/nodes.py:166: in walkabout
visitor.dispatch_visit(self)
../../envs/sphinx/lib/python3.6/site-packages/docutils/nodes.py:1882: in dispatch_visit
return method(node)
sphinx/ext/imgmath.py:325: in html_visit_displaymath
```

Test-Case: **test_imgmath_svg** *SPHINX_OEA_845F2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_imgmath_svg
 case_name: test_imgmath_svg
 classname: tests.test_ext_math
 time: 1.9634103775024414
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-math-simple
# outdir: /tmp/ext-math-simple/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_mathjax_align** *SPHINX_OEA_A1463*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_mathjax_align
 case_name: test_mathjax_align
 classname: tests.test_ext_math
 time: 0.1678321361541748
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[extensions changed] 2 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_math_number_all_mathjax** *SPHINX_OEA_70EFO*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_math_number_all_mathjax
 case_name: test_math_number_all_mathjax
 classname: tests.test_ext_math
 time: 0.16312503814697266
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 2 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_math_number_all_latex** *SPHINX_OEA_63617*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_math_number_all_latex
case_name: test_math_number_all_latex
classname: tests.test_ext_math
time: 0.037081241607666016
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 2 added, 0 changed, 0
↪removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```

Test-Case: **test_math_eqref_format_html** *SPHINX_OEA_6CDBF*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_math_eqref_format_html
 case_name: test_math_eqref_format_html
 classname: tests.test_ext_math
 time: 0.16287827491760254
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 2 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mmath#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mmath#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_math_eqref_format_latex** *SPHINX_OEA_DCFDA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_math_eqref_format_latex
case_name: test_math_eqref_format_latex
classname: tests.test_ext_math
time: 0.0220184326171875
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: latex
# srcdir: /tmp/ext-math
# outdir: /tmp/ext-math/_build/latex
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [latex]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
processing test.tex...#x1B[32mindex#x1B[39;49;00m #x1B[32mmath#x1B[39;49;00m
resolving references...
writing... done
#x1B[01mcopying TeX support files...#x1B[39;49;00m
done

# warning:
```


Test-Case: **test_modify_in_place** *SPHINX_OEA_C8FEF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_modify_in_place
case_name: test_modify_in_place
classname: tests.test_ext_napoleon.ProcessDocstringTest
time: 0.0008883476257324219
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_add_config_values** *SPHINX_OEA_25BC3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_add_config_values
case_name: test_add_config_values
classname: tests.test_ext_napoleon.SetupTest
time: 0.0009548664093017578
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_unknown_app_type** *SPHINX_OEA_71328*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_unknown_app_type
case_name: test_unknown_app_type
classname: tests.test_ext_napoleon.SetupTest
time: 0.00037288665771484375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_class_private_doc** *SPHINX_OEA_B285D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_class_private_doc
case_name: test_class_private_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0006306171417236328
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_class_private_undoc** *SPHINX_OEA_AFF30*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_class_private_undoc
case_name: test_class_private_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0004477500915527344
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_class_special_doc** *SPHINX_OEA_459D5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_class_special_doc
case_name: test_class_special_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.00045180320739746094
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_class_special_undoc** *SPHINX_OEA_9A5D3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_class_special_undoc
case_name: test_class_special_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0006124973297119141
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_exception_private_doc** *SPHINX_OEA_B8C7A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_exception_private_doc
case_name: test_exception_private_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0005669593811035156
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_exception_private_undoc** *SPHINX_OEA_DA28C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_exception_private_undoc
case_name: test_exception_private_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.000453948974609375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_exception_special_doc** *SPHINX_OEA_6740C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_exception_special_doc
case_name: test_exception_special_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0005154609680175781
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_exception_special_undoc** *SPHINX_OEA_A72ED*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_exception_special_undoc
case_name: test_exception_special_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0008914470672607422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_module_private_doc** *SPHINX_OEA_7E8F7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_module_private_doc
case_name: test_module_private_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0004413127899169922
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_module_private_undoc** *SPHINX_OEA_DB3DF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_module_private_undoc
case_name: test_module_private_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0004267692565917969
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_module_special_doc** *SPHINX_OEA_2F824*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_module_special_doc
case_name: test_module_special_doc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0004401206970214844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_module_special_undoc** *SPHINX_OEA_C611D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_module_special_undoc
case_name: test_module_special_undoc
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0004553794860839844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_namedtuple** *SPHINX_OEA_C75F1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_namedtuple
case_name: test_namedtuple
classname: tests.test_ext_napoleon.SkipMemberTest
time: 0.0008475780487060547
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_attributes_docstring** *SPHINX_OEA_9E2B9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_attributes_docstring
case_name: test_attributes_docstring
classname: tests.test_ext_napoleon_docstring.NamedtupleSubclassTest
time: 0.00079345703125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_attributes_with_class_reference** *SPHINX_OEA_CEE44*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_attributes_with_class_reference
case_name: test_attributes_with_class_reference
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0006453990936279297
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_code_block_in_returns_section** *SPHINX_OEA_65AE8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_code_block_in_returns_section
case_name: test_code_block_in_returns_section
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0005180835723876953
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_colon_in_return_type** *SPHINX_OEA_F5EAA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_colon_in_return_type
case_name: test_colon_in_return_type
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0005025863647460938
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_docstrings** *SPHINX_OEA_D51C2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_docstrings
case_name: test_docstrings
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.003038167953491211
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_kwargs_in_arguments** *SPHINX_OEA_FEF52*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_kwargs_in_arguments
case_name: test_kwargs_in_arguments
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0005674362182617188
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_list_in_parameter_description** *SPHINX_OEA_CAE85*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_list_in_parameter_description
case_name: test_list_in_parameter_description
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.003969907760620117
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_parameters_with_class_reference** *SPHINX_OEA_09997*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parameters_with_class_reference
case_name: test_parameters_with_class_reference
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0006909370422363281
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_raises_types** *SPHINX_OEA_13CEB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_raises_types
case_name: test_raises_types
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0024378299713134766
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_section_header_formatting** *SPHINX_OEA_45194*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_section_header_formatting
case_name: test_section_header_formatting
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0005850791931152344
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_xrefs_in_return_type** *SPHINX_OEA_4E681*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xrefs_in_return_type
case_name: test_xrefs_in_return_type
classname: tests.test_ext_napoleon_docstring.GoogleDocstringTest
time: 0.0004923343658447266
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_colon_in_return_type** *SPHINX_OEA_43B67*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_colon_in_return_type
case_name: test_colon_in_return_type
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0005514621734619141
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_docstrings** *SPHINX_OEA_9D03C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_docstrings
case_name: test_docstrings
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0021581649780273438
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_keywords_with_types** *SPHINX_OEA_D48DD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_keywords_with_types
case_name: test_keywords_with_types
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0005033016204833984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_list_in_parameter_description** *SPHINX_OEA_E0311*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_list_in_parameter_description
case_name: test_list_in_parameter_description
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.003370046615600586
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_parameters_with_class_reference** *SPHINX_OEA_E23AF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parameters_with_class_reference
case_name: test_parameters_with_class_reference
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0006504058837890625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_parameters_without_class_reference** *SPHINX_OEA_FFBB3*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parameters_without_class_reference
case_name: test_parameters_without_class_reference
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0005509853363037109
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_raises_types** *SPHINX_OEA_9BFC0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_raises_types
case_name: test_raises_types
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0029251575469970703
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_section_header_underline_length** *SPHINX_OEA_1E999*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_section_header_underline_length
case_name: test_section_header_underline_length
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0006690025329589844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_see_also_refs** *SPHINX_OEA_E3500*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_see_also_refs
case_name: test_see_also_refs
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0006155967712402344
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_underscore_in_attribute** *SPHINX_OEA_08BA6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_underscore_in_attribute
case_name: test_underscore_in_attribute
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.000919342041015625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_xrefs_in_return_type** *SPHINX_OEA_66131*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xrefs_in_return_type
case_name: test_xrefs_in_return_type
classname: tests.test_ext_napoleon_docstring.NumpyDocstringTest
time: 0.0008287429809570312
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_init_with_sentinel** *SPHINX_OEA_75A3C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_init_with_sentinel
case_name: test_init_with_sentinel
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0005185604095458984
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_iter** *SPHINX_OEA_6585D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_iter
case_name: test_iter
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0003790855407714844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_next_with_multi** *SPHINX_OEA_0A5C6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_next_with_multi
case_name: test_next_with_multi
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0004467964172363281
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_next_with_none** *SPHINX_OEA_004E2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_next_with_none
case_name: test_next_with_none
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0005035400390625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_next_with_one** *SPHINX_OEA_BBC37*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_next_with_one
case_name: test_next_with_one
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.00041794776916503906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_next_with_zero** *SPHINX_OEA_8BF13*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_next_with_zero
case_name: test_next_with_zero
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0004184246063232422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_peek_with_multi** *SPHINX_OEA_071DD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_peek_with_multi
case_name: test_peek_with_multi
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.00045108795166015625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_peek_with_none** *SPHINX_OEA_74E6F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_peek_with_none
case_name: test_peek_with_none
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0004215240478515625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_peek_with_one** *SPHINX_OEA_3D18A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_peek_with_one
case_name: test_peek_with_one
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.0004298686981201172
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_peek_with_zero** *SPHINX_OEA_F987C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_peek_with_zero
case_name: test_peek_with_zero
classname: tests.test_ext_napoleon_iterators.PeekIterTest
time: 0.00037980079650878906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_init_with_sentinel_args** *SPHINX_0EA_76DC9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_init_with_sentinel_args
case_name: test_init_with_sentinel_args
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.00040650367736816406
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_init_with_sentinel_kwargs** *SPHINX_0EA_7E1A6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_init_with_sentinel_kwargs
case_name: test_init_with_sentinel_kwargs
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.0003647804260253906
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_modifier_default** *SPHINX_OEA_0B3F7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_modifier_default
case_name: test_modifier_default
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.00035119056701660156
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_modifier_not_callable** *SPHINX_OEA_12F81*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_modifier_not_callable
case_name: test_modifier_not_callable
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.00034880638122558594
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_modifier_rstrip** *SPHINX_OEA_EB4C0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_modifier_rstrip
case_name: test_modifier_rstrip
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.0003521442413330078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_modifier_rstrip_unicode** *SPHINX_OEA_E854I*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_modifier_rstrip_unicode
case_name: test_modifier_rstrip_unicode
classname: tests.test_ext_napoleon_iterators.ModifyIterTest
time: 0.0005276203155517578
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_todo** *SPHINX_OEA_BD247*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_todo
case_name: test_todo
classname: tests.test_ext_todo
time: 0.18050003051757812
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-todo
# outdir: /tmp/ext-todo/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-todo/bar.rst:4: WARNING: TODO entry found: todo in bar#x1B[39;49;00m
#x1B[31m/tmp/ext-todo/foo.rst:4: WARNING: TODO entry found: todo in foo#x1B[39;49;00m
```

Test-Case: **test_todo_not_included** *SPHINX_OEA_682BC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_todo_not_included
 case_name: test_todo_not_included
 classname: tests.test_ext_todo
 time: 0.17737030982971191
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-todo
# outdir: /tmp/ext-todo/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-todo/bar.rst:4: WARNING: TODO entry found: todo in bar#x1B[39;49;00m
#x1B[31m/tmp/ext-todo/foo.rst:4: WARNING: TODO entry found: todo in foo#x1B[39;49;00m
```


Test-Case: **test_viewcode** *SPHINX_OEA_CA94E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_viewcode
 case_name: test_viewcode
 classname: tests.test_ext_viewcode
 time: 0.28781938552856445
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-viewcode
# outdir: /tmp/ext-viewcode/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex py-modindex
#x1B[01mhighlighting module code... #x1B[39;49;00m[ 50%] #x1B[34;01mspam.mod1#x1B[39;
↪49;00m
#x1B[01mhighlighting module code... #x1B[39;49;00m[100%] #x1B[34;01mspam.mod2#x1B[39;
↪49;00m
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-viewcode/index.rst:14: WARNING: error while formatting arguments for_
↪spam.Class1: <class
'spam.mod1.Class1'> is a builtin class#x1B[39;49;00m
```

2.6. Examples *SPHINX_OEA_CA94E* **1635**

```
#x1B[31m/tmp/ext-viewcode/index.rst:16: WARNING: error while formatting arguments for_
↪spam.Class2: <class
'spam.mod2.Class2'> is a builtin class#x1B[39;49;00m
#x1B[31m/tmp/ext-viewcode/index.rst:18: WARNING: error while formatting arguments for_
↪spam.mod1.Class1: <class
```


Test-Case: **test_linkcode** *SPHINX_OEA_77DF4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_linkcode
 case_name: test_linkcode
 classname: tests.test_ext_viewcode
 time: 0.3309295177459717
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-viewcode
# outdir: /tmp/ext-viewcode/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m[extensions changed] 2 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex py-modindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-viewcode/index.rst:14: WARNING: error while formatting arguments for
↳spam.Class1: <class
'spam.mod1.Class1'> is a builtin class#x1B[39;49;00m
#x1B[31m/tmp/ext-viewcode/index.rst:16: WARNING: error while formatting arguments for
↳spam.Class2: <class
'spam.mod2.Class2'> is a builtin class#x1B[39;49;00m
#x1B[31m/tmp/ext-viewcode/index.rst:18: WARNING: error while formatting arguments for
↳spam.Class1: <class
```

2.6. Examples

```
'spam.mod1.Class1'> is a builtin class#x1B[39;49;00m
#x1B[31m/tmp/ext-viewcode/index.rst:20: WARNING: error while formatting arguments for
↳spam.mod2.Class2: <class
'spam.mod2.Class2'> is a builtin class#x1B[39;49;00m
```

Test-Case: **test_add_lexer** *SPHINX_OEA_2EB46*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_add_lexer
case_name: test_add_lexer
classname: tests.test_highlighting
time: 0.013091087341308594
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_detect_interactive** *SPHINX_OEA_89812*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_detect_interactive
case_name: test_detect_interactive
classname: tests.test_highlighting
time: 0.0025539398193359375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_lexer_options** *SPHINX_OEA_F6EDE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_lexer_options
case_name: test_lexer_options
classname: tests.test_highlighting
time: 0.018947601318359375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_set_formatter** *SPHINX_OEA_C24B0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_set_formatter
case_name: test_set_formatter
classname: tests.test_highlighting
time: 0.0006809234619140625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_trim_doctest_flags** *SPHINX_OEA_93C8A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_trim_doctest_flags
case_name: test_trim_doctest_flags
classname: tests.test_highlighting
time: 0.0008919239044189453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_default_highlight** *SPHINX_OEA_EB233*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_default_highlight
case_name: test_default_highlight
classname: tests.test_highlighting
time: 0.002489805221557617
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_text_toctree** *SPHINX_OEA_2EAD2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_toctree
 case_name: test_text_toctree
 classname: tests.test_intl
 time: 0.7823307514190674
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;00m
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 84%] #x1B[35mpage_footer#x1B[39;49;00m
```

2.6. Examples 1643

↪00m

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 84%] #x1B[35mpage_footer#x1B[39;49;00m
```


Test-Case: **test_text_emit_warnings** *SPHINX_OEA_A3D94*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_emit_warnings
 case_name: test_text_emit_warnings
 classname: tests.test_intl
 time: 0.08526277542114258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1645

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_warning_node** *SPHINX_OEA_FEOCB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_warning_node
 case_name: test_text_warning_node
 classname: tests.test_intl
 time: 0.0255584716796875
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1647

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_title_underline** *SPHINX_OEA_16D6F*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_title_underline
 case_name: test_text_title_underline
 classname: tests.test_intl
 time: 0.025131940841674805
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1649

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_subdirs** *SPHINX_OEA_B9FEE*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_subdirs
 case_name: test_text_subdirs
 classname: tests.test_intl
 time: 0.02668285369873047
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1651

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_inconsistency_warnings** *SPHINX_OEA_64118*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_inconsistency_warnings
 case_name: test_text_inconsistency_warnings
 classname: tests.test_intl
 time: 0.02512669563293457
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1653

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_literalblock_warnings** *SPHINX_OEA_8A52C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_literalblock_warnings
 case_name: test_text_literalblock_warnings
 classname: tests.test_intl
 time: 0.02449488639831543
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1655

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_definition_terms** *SPHINX_OEA_5A266*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_definition_terms
 case_name: test_text_definition_terms
 classname: tests.test_intl
 time: 0.027042150497436523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1657

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_glossary_term** *SPHINX_OEA_67CEA*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_glossary_term
 case_name: test_text_glossary_term
 classname: tests.test_intl
 time: 0.025157451629638672
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1659

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_glossary_term_inconsistencies** *SPHINX_OEA_3192C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_glossary_term_inconsistencies
 case_name: test_text_glossary_term_inconsistencies
 classname: tests.test_intl
 time: 0.025672197341918945
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1661

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_seealso** *SPHINX_OEA_2C495*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_seealso
 case_name: test_text_seealso
 classname: tests.test_intl
 time: 0.026387691497802734
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1663

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_figure_captions** *SPHINX_OEA_I25D3*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_figure_captions
 case_name: test_text_figure_captions
 classname: tests.test_intl
 time: 0.025365591049194336
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1665

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_rubric** *SPHINX_OEA_E0353*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_rubric
 case_name: test_text_rubric
 classname: tests.test_intl
 time: 0.024956941604614258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1667

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrubric#x1B[39;49;00m
```


Test-Case: **test_text_docfields** *SPHINX_OEA_8A476*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_docfields
 case_name: test_text_docfields
 classname: tests.test_intl
 time: 0.026025056838989258
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1669

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_text_admonitions** *SPHINX_OEA_79CB2*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_text_admonitions
 case_name: test_text_admonitions
 classname: tests.test_intl
 time: 0.025519371032714844
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

2.6. Examples

1671

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_gettext_toctree** *SPHINX_OEA_281FB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_toctree
 case_name: test_gettext_toctree
 classname: tests.test_intl
 time: 0.7435929775238037
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↪date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```


Test-Case: **test_gettext_table** *SPHINX_OEA_12243*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_table
 case_name: test_gettext_table
 classname: tests.test_intl
 time: 0.02604842185974121
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```


Test-Case: **test_gettext_definition_terms** *SPHINX_OEA_OE759*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_definition_terms
 case_name: test_gettext_definition_terms
 classname: tests.test_intl
 time: 0.08735442161560059
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```


Test-Case: `test_gettext_glossary_terms SPHINX_OEA_8C1B4`

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_glossary_terms
 case_name: test_gettext_glossary_terms
 classname: tests.test_intl
 time: 0.026239871978759766
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```


Test-Case: `test_gettext_glossary_term_inconsistencies` *SPHINX_OEA_968C9*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_glossary_term_inconsistencies
 case_name: test_gettext_glossary_term_inconsistencies
 classname: tests.test_intl
 time: 0.02610945701599121
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```


Test-Case: **test_gettext_literalblock** *SPHINX_OEA_B2E25*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_literalblock
 case_name: test_gettext_literalblock
 classname: tests.test_intl
 time: 0.028387069702148438
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```


Test-Case: `test_gettext_buildr_ignores_only_directive` *SPHINX_OEA_66444*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_gettext_buildr_ignores_only_directive
 case_name: test_gettext_buildr_ignores_only_directive
 classname: tests.test_intl
 time: 0.026821374893188477
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: gettext
# srcdir: /tmp/test_intl_gettext
# outdir: /tmp/test_intl_gettext/_build/gettext
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [gettext]: #x1B[39;49;00mtargets for 1 template files
#x1B[01mreading templates... #x1B[39;49;00m[100%]
#x1B[35m/tmp/test_intl_gettext/_templates/index.html#x1B[39;49;00m
#x1B[01mbuilding [gettext]#x1B[39;49;00m: targets for 25 source files that are out of_
↳date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[40%] #x1B[35mglossary_terms_inconsistency
↳#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↳00m
#x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_rst_domain#x1B[39;49;00m
```

Test-Case: **test_gettext_dont_rebuild_mo** *SPHINX_OEA_FC83D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_gettext_dont_rebuild_mo
case_name: test_gettext_dont_rebuild_mo
classname: tests.test_intl
time: 1.5505030155181885
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_gettext_dont_rebuild_mo
# outdir: /tmp/test_gettext_dont_rebuild_mo/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created

# warning:
```


Test-Case: **test_html_meta** *SPHINX_OEA_821CD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
suite: pytest
case: test_html_meta
case_name: test_html_meta
classname: tests.test_intl
time: 1.2073826789855957
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 24 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 29%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 45%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 54%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 70%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
```

1688#x1B[01mreading sources... #x1B[39;49;00m[75%] #x1B[35mrefs_python_document#x1B[39;49;00m
↪00m

#x1B[01mreading sources... #x1B[39;49;00m[79%] #x1B[35mrole_xref#x1B[39;49;00m

#x1B[01mreading sources... #x1B[39;49;00m[83%] #x1B[35mrubric#x1B[39;49;00m

#x1B[01mreading sources... #x1B[39;49;00m[87%] #x1B[35mpage_footer#x1B[39;49;00m

Test-Case: **test_html_footnotes** *SPHINX_OEA_714A4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_footnotes
case_name: test_html_footnotes
classname: tests.test_intl
time: 0.02676558494567871
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

16900m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
```

↪00m

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_undefined_refs** *SPHINX_OEA_F3F8E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_undefined_refs
case_name: test_html_undefined_refs
classname: tests.test_intl
time: 0.02819991111755371
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

16920m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_index_entries** *SPHINX_OEA_C9990*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_index_entries
case_name: test_html_index_entries
classname: tests.test_intl
time: 0.030104875564575195
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

16940m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_versionchanges** *SPHINX_OEA_E4A36*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_versionchanges
case_name: test_html_versionchanges
classname: tests.test_intl
time: 0.02700209617614746
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

16960m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_docfields** *SPHINX_OEA_BFBDF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_docfields
case_name: test_html_docfields
classname: tests.test_intl
time: 0.027509689331054688
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

16980m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_template** *SPHINX_OEA_64DBE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_template
case_name: test_html_template
classname: tests.test_intl
time: 0.026398658752441406
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17000m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
```

↪00m

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_html_rebuild_mo** *SPHINX_OEA_B5D19*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_html_rebuild_mo
case_name: test_html_rebuild_mo
classname: tests.test_intl
time: 1.205286979675293
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 24 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 29%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 45%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 54%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 70%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mrefs_python_domain#x1B[39;49;
```

17020m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 79%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35mseealso#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 91%] #x1B[35mtable#x1B[39;49;00m
```


Test-Case: **test_xml_footnotes** *SPHINX_OEA_1068D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
suite: pytest
case: test_xml_footnotes
case_name: test_xml_footnotes
classname: tests.test_intl
time: 0.807631015775879
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [xml]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 24 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 29%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 45%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 54%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 70%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
1704#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mrefs_python_document#x1B[39;49;00m
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 79%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35mpage_footer#x1B[39;49;00m
```


Test-Case: **test_xml_footnote_backlinks** *SPHINX_OEA_1EDC7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xml_footnote_backlinks
case_name: test_xml_footnote_backlinks
classname: tests.test_intl
time: 0.0257565975189209
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17060m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
```

↪00m

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: `test_xml_refs_in_python_domain` *SPHINX_OEA_B9CAB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xml_refs_in_python_domain
case_name: test_xml_refs_in_python_domain
classname: tests.test_intl
time: 0.025394201278686523
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17080m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: `test_xml_keep_external_links SPHINX_OEA_92CB5`

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xml_keep_external_links
case_name: test_xml_keep_external_links
classname: tests.test_intl
time: 0.027242422103881836
result: passed

links outgoing: `SPHINX`, `SPHINX_OEA`

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17100m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_xml_role_xref** *SPHINX_OEA_CC11B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_xml_role_xref
case_name: test_xml_role_xref
classname: tests.test_intl
time: 0.025988340377807617
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17120m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_xml_warnings** *SPHINX_OEA_782AC*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_xml_warnings
 case_name: test_xml_warnings
 classname: tests.test_intl
 time: 0.026282787322998047
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17140m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_xml_label_targets** *SPHINX_OEA_CBA2E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/pytest_sphinx_data.xml
 suite: pytest
 case: test_xml_label_targets
 case_name: test_xml_label_targets
 classname: tests.test_intl
 time: 0.027371883392333984
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: xml
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/xml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17160m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mroles#x1B[39;49;00m
```


Test-Case: **test_additional_targets_should_not_be_translated** *SPHINX_OEA_5A517*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_additional_targets_should_not_be_translated
case_name: test_additional_targets_should_not_be_translated
classname: tests.test_intl
time: 0.028247833251953125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [text]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
```

17180m

Chapter 2. Content

```
#x1B[01mreading sources... #x1B[39;49;00m[ 72%] #x1B[35mrefs_python_domain#x1B[39;49;
↪00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 76%] #x1B[35mrole_xref#x1B[39;49;00m
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 80%] #x1B[35mrole_xref#x1B[39;49;00m
```


Test-Case: **test_additional_targets_should_be_translated** *SPHINX_OEA_9F39B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_additional_targets_should_be_translated
case_name: test_additional_targets_should_be_translated
classname: tests.test_intl
time: 1.2471089363098145
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: html
# srcdir: /tmp/test_additional_targets_should_be_translated
# outdir: /tmp/test_additional_targets_should_be_translated/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 25 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m25 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 24%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 28%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 32%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 36%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 40%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 44%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 48%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 52%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 56%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 60%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 64%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 68%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
```

1720 #x1B[01mreading sources... #x1B[39;49;00m[72%] #x1B[35mrefs_python_documentation#x1B[39;49;00m
↪00m

#x1B[01mreading sources... #x1B[39;49;00m[76%] #x1B[35mrole_xref#x1B[39;49;00m

#x1B[01mreading sources... #x1B[39;49;00m[80%] #x1B[35mrubric#x1B[39;49;00m

#x1B[01mreading sources... #x1B[39;49;00m[84%] #x1B[35mpage_footer#x1B[39;49;00m

Test-Case: **test_text_references** *SPHINX_OEA_236B4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_text_references
case_name: test_text_references
classname: tests.test_intl
time: 0.773573637008667
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['.']
# testroot: root
# builder: text
# srcdir: /tmp/test_intl_basic
# outdir: /tmp/test_intl_basic/_build/text
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mdone
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [text]#x1B[39;49;00m: 1 source files given on command line
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 24 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 4%] #x1B[35madmonitions#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 8%] #x1B[35mbom#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 12%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 16%] #x1B[35mdefinition_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 20%] #x1B[35mdocfields#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mexternal_links#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 29%] #x1B[35mfigure#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mfootnote#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 37%] #x1B[35mglossary_terms#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 41%] #x1B[35mglossary_terms_inconsistency
↪#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 45%] #x1B[35mindex_entries#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mlabel_target#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 54%] #x1B[35mliteralblock#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 58%] #x1B[35monly#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 62%] #x1B[35mraw#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mrefs#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 70%] #x1B[35mrefs_inconsistency#x1B[39;49;
↪00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mrefs_python_domain#x1B[39;49;
```

```
#x1B[01mreading sources... #x1B[39;49;00m[ 79%] #x1B[35mrole_xref#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 83%] #x1B[35mrubric#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 87%] #x1B[35mseealso#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 91%] #x1B[35mtable#x1B[39;49;00m
```

Test-Case: **test_image_glob_intl** *SPHINX_OEA_1A4C1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_image_glob_intl
 case_name: test_image_glob_intl
 classname: tests.test_intl
 time: 0.3330197334289551
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['locales']
# testroot: root
# builder: dummy
# srcdir: /tmp/test_intl_images
# outdir: /tmp/test_intl_images/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [dummy]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/index#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/index#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

# warning:
#x1B[31m/tmp/test_intl_images/subdir/index.rst: WARNING: document isn't included in any
toctree#x1B[39;49;00m
#x1B[31mWARNING: Could not fetch remote image: http://example.com/NOT_EXIST.PNG [404]
↪#x1B[39;49;00m
```

Test-Case: `test_image_glob_intl_using_figure_language_filename` *SPHINX_OEA_94803*

tags: `pytest_sphinx`
 style: `tr_passed`
 delete: `False`
 jinja_content: `False`
 file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
 suite: `pytest`
 case: `test_image_glob_intl_using_figure_language_filename`
 case_name: `test_image_glob_intl_using_figure_language_filename`
 classname: `tests.test_intl`
 time: `0.35236310958862305`
 result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# language: xx
# locale_dirs: ['locales']
# testroot: root
# builder: dummy
# srcdir: /tmp/test_intl_images
# outdir: /tmp/test_intl_images/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading translations [xx]... #x1B[39;49;00mnot available for built-in messages
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [dummy]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 2 added, 0 changed, 0
↳ removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35msubdir/index#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32msubdir/index#x1B[39;49;00m
#x1B[01mbuild succeeded, 2 warnings.#x1B[39;49;00m

# warning:
#x1B[31m/tmp/test_intl_images/subdir/index.rst: WARNING: document isn't included in any
toctree#x1B[39;49;00m
#x1B[31mWARNING: Could not fetch remote image: http://example.com/NOT_EXIST.PNG [404]
↳ #x1B[39;49;00m
```


Test-Case: test_inline[verify_re-``code sample``-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}] *SPHINX_OEA_7E33D*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: test_inline[verify_re-``code sample``-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}]

case_name: test_inline

case_parameter: verify_re-``code sample``-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}

classname: tests.test_markup

time: 0.035750389099121094

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify_re-:samp:`code sample`-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}]` *SPHINX_OEA_2502D*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: `test_inline[verify_re-:samp:`code sample`-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}]`

case_name: test_inline

case_parameter: `verify_re-:samp:`code sample`-<p><code class="(samp)?docutils literal">code sample</code></p>-\\sphinxcode{code sample}`

classname: tests.test_markup

time: 0.01717662811279297

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-:samp:`a{b}c`-<p><code class="samp docutils literal">abc</code></p>-\\sphinxcode{a\\sphinxstyleemphasis{b}c}]` *SPHINX_OEA_39BF7*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_inline[verify-:samp:`a{b}c`-<p><code class="samp docutils literal">abc</code></p>-\\sphinxcode{a\\sphinxstyleemphasis{b}c}]
 case_name: test_inline
 case_parameter: verify-:samp:`a{b}c`-<p><code class="samp docutils literal">abc</code></p>-\\sphinxcode{a\\sphinxstyleemphasis{b}c}
 classname: tests.test_markup
 time: 0.01893019676208496
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-:menuselection:`a --> b`-<p>a \u2023
b</p>-\\sphinxmenuselection{a \\(\\rightarrow\\) b}]` [SPHINX_OEA_10D07](#)

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/pytest_sphinx_data.xml

suite: pytest

case: `test_inline[verify-:menuselection:`a --> b`-<p>a \u2023
b</p>-\\sphinxmenuselection{a \\(\\rightarrow\\) b}]`

case_name: test_inline

case_parameter: `verify-:menuselection:`a --> b`-<p>a \u2023
b</p>-\\sphinxmenuselection{a \\(\\rightarrow\\) b}`

classname: tests.test_markup

time: 0.015742063522338867

result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: test_inline[verify-:guilabel:`&Foo -&&- &Bar`-<p>Foo -&- Bar</p>-\\sphinxmenuselection{\\sphinxaccelerator{F}oo -\\&- \\sphinxaccelerator{B}ar}] *SPHINX_OEA_80F1D*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: test_inline[verify-:guilabel:`&Foo -&&- &Bar`-<p>Foo -&- Bar</p>-\\sphinxmenuselection{\\sphinxaccelerator{F}oo -\\&- \\sphinxaccelerator{B}ar}]

case_name: test_inline

case_parameter: verify-:guilabel:`&Foo -&&- &Bar`-<p>Foo -&- Bar</p>-\\sphinxmenuselection{\\sphinxaccelerator{F}oo -\\&- \\sphinxaccelerator{B}ar}

classname: tests.test_markup

time: 0.016700029373168945

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify_re::option:--with-option`-<p><code(class="xref std std-option docutils literal")?>--with-option</code></p>${-}with-option}$]`
SPHINX_OEA_ECCAC

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: `test_inline[verify_re::option:--with-option`-<p><code(class="xref std std-option docutils literal")?>--with-option</code></p>${-}with-option}$]`

case_name: test_inline

case_parameter: `verify_re::option:--with-option`-<p><code(class="xref std std-option docutils literal")?>--with-option</code></p>${-}with-option}$]`

classname: tests.test_markup

time: 0.016077518463134766

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-"John"-<p>\u201cJohn\u201d</p>-\u201cJohn\u201d]` *SPHINX_OEA_11CD8*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_inline[verify-"John"-<p>\u201cJohn\u201d</p>-\u201cJohn\u201d]
case_name: test_inline
case_parameter: verify-"John"-<p>\u201cJohn\u201d</p>-\u201cJohn\u201d
classname: tests.test_markup
time: 0.07654356956481934
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-`"John"-<p><code class="docutils literal">"John"</code></p>-\\sphinxcode{"John"}] SPHINX_OEA_69EDA`

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utls/pytest_sphinx_data.xml
suite: pytest
case: test_inline[verify-`"John"-<p><code class="docutils literal">"John"</code></p>-\\sphinxcode{"John"}]
case_name: test_inline
case_parameter: verify-`"John"-<p><code class="docutils literal">"John"</code></p>-\\sphinxcode{"John"}
classname: tests.test_markup
time: 0.015498876571655273
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: `test_inline[verify-:manpage:`mp(1)`-<p><em class="manpage">mp(1)</p>-\\sphinxstyleliteralempphasis{mp(1)}] SPHINX_OEA_8FC0A`

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_inline[verify-:manpage:`mp(1)`-<p><em class="manpage">mp(1)</p>-\\sphinxstyleliteralempphasis{mp(1)}]
 case_name: test_inline
 case_parameter: verify-:manpage:`mp(1)`-<p><em class="manpage">mp(1)</p>-\\sphinxstyleliteralempphasis{mp(1)}
 classname: tests.test_markup
 time: 0.016546010971069336
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-\u0393\u221e$-None-\(\Gamma\)\textbackslash{}\(\infty\)\$]`
SPHINX_OEA_632E9

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_inline[verify-\u0393\u221e\$-None-\(\Gamma\)\textbackslash{}\(\infty\)\\$]
case_name: test_inline
case_parameter: verify-\u0393\u221e\$-None-\(\Gamma\)\textbackslash{}\(\infty\)\\$
classname: tests.test_markup
time: 0.014742612838745117
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify-::\n\n @\u0393\u221e$ {}-None-`
`\begin{sphinxVerbatim}[commandchars=\\\{\}`]\n@\\(\Gamma\\)\PYGZbs{ }\\(\infty\\)\PYGZdl{ }\PYGZob{ }\PYGZcb{ }\n\\e
SPHINX_OEA_4AC58

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: `test_inline[verify-::\n\n @\u0393\u221e$ {}-None-`

`\begin{sphinxVerbatim}[commandchars=\\\{\}`]\n@\\(\Gamma\\)\PYGZbs{ }\\(\infty\\)\PYGZdl{ }\PYGZob{ }\PYGZcb{ }\n\\e

case_name: test_inline

case_parameter: `verify-::\n\n @\u0393\u221e$ {}-None-`

`\begin{sphinxVerbatim}[commandchars=\\\{\}`]\n@\\(\Gamma\\)\PYGZbs{ }\\(\infty\\)\PYGZdl{ }\PYGZob{ }\PYGZcb{ }\n\\e

classname: tests.test_markup

time: 0.01613163948059082

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_inline[verify_re-`test`
<`http://example.com/~me/>`_-None-\\\\sphinxhref{http://example.com/~me/}{test}.*`] *SPHINX_OEA_2B408*

tags: `pytest_sphinx`
style: `tr_passed`
delete: `False`
jinja_content: `False`
file: `../tests/doc_test/utis/pytest_sphinx_data.xml`
suite: `pytest`
case: `test_inline[verify_re-`test`
<`http://example.com/~me/>`_-None-\\\\sphinxhref{http://example.com/~me/}{test}.*`]
case_name: `test_inline`
case_parameter: `verify_re-`test`
<`http://example.com/~me/>`_-None-\\\\sphinxhref{http://example.com/~me/}{test}.*`
classname: `tests.test_markup`
time: `0.01615285873413086`
result: `passed`

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_rst_prolog** *SPHINX_OEA_FC052*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_rst_prolog
 case_name: test_rst_prolog
 classname: tests.test_markup
 time: 0.023868799209594727
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/prolog
# outdir: /tmp/prolog/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mmarkdown#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mrestructuredtext#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mmarkdown#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mrestructuredtext#x1B[39;49;00m

# warning:
#x1B[31m/tmp/prolog/index.rst:7: WARNING: toctree contains reference to document
↪ 'markdown' that
doesn't have a title: no link will be generated#x1B[39;49;00m
```

Test-Case: **test_keep_warnings_is_True** *SPHINX_OEA_DDDD2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_keep_warnings_is_True
case_name: test_keep_warnings_is_True
classname: tests.test_markup
time: 0.013222455978393555
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/keep_warnings
# outdir: /tmp/keep_warnings/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m

# warning:
#x1B[31mWARNING: /tmp/keep_warnings/index.rst:2: (WARNING/2) Title underline too short.

keep_warnings
====#x1B[39;49;00m
```

Test-Case: **test_keep_warnings_is_False** *SPHINX_OEA_FC916*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_keep_warnings_is_False
 case_name: test_keep_warnings_is_False
 classname: tests.test_markup
 time: 0.012667655944824219
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/keep_warnings
# outdir: /tmp/keep_warnings/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[config changed] 1 added, 0 changed, 0
↳removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m

# warning:
#x1B[31mWARNING: /tmp/keep_warnings/index.rst:2: (WARNING/2) Title underline too short.

keep_warnings
=====#x1B[39;49;00m
```

Test-Case: **test_compact_refonly_bullet_list** *SPHINX_OEA_79277*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_compact_refonly_bullet_list
case_name: test_compact_refonly_bullet_list
classname: tests.test_markup
time: 0.018731117248535156
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: dummy
# srcdir: /tmp/refonly_bullet_list
# outdir: /tmp/refonly_bullet_list/_build/dummy
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [dummy]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m

# warning:
```


Test-Case: **test_docinfo** *SPHINX_OEA_F9AEB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_docinfo
case_name: test_docinfo
classname: tests.test_metadata
time: 0.645714282989502
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: pseudoxml
# srcdir: /tmp/root
# outdir: /tmp/root/_build/pseudoxml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 3 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautodoc#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mimages#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mincludes#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 20%] #x1B[32mautodoc#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 40%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 60%] #x1B[32mimages#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 80%] #x1B[32mincludes#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mmetadata#x1B[39;49;00m

# warning:
#x1B[31mWARNING: /tmp/root/autodoc.txt:6: (WARNING/2) autodoc: failed to import module
↳ 'util'; the
following exception was raised:
Traceback (most recent call last):
File "/home/daniel/workspace/sphinx/sphinx/sphinx/ext/autodoc/__init__.py", line 397,↳
↳ in
import_object
__import__(self.modname)
ModuleNotFoundError: No module named 'util'#x1B[39;49;00m
#x1B[31m/tmp/root/autodoc_fodder.py:docstring of autodoc_fodder.MarkupError:2:↳
```

174WARNING: Explicit markup ends

Chapter 2. Content

```
without a blank line; unexpected unindent.#x1B[39;49;00m
#x1B[31m/tmp/root/images.txt:9: WARNING: image file not readable: foo.png#x1B[39;49;00m
#x1B[31m/tmp/root/includes.txt:4: WARNING: download file not readable:
/tmp/root/...#x1B[39;49;00m
```

Test-Case: **test_ModuleAnalyzer_find_tags** *SPHINX_OEA_E4F6F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_ModuleAnalyzer_find_tags
case_name: test_ModuleAnalyzer_find_tags
classname: tests.test_pycode
time: 0.002154111862182617
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_ModuleAnalyzer_find_attr_docs** *SPHINX_OEA_7D39F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_ModuleAnalyzer_find_attr_docs
case_name: test_ModuleAnalyzer_find_attr_docs
classname: tests.test_pycode
time: 0.005599021911621094
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_quickstart_inputstrip** *SPHINX_OEA_6B1D4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_quickstart_inputstrip
 case_name: test_quickstart_inputstrip
 classname: tests.test_quickstart
 time: 0.0008285045623779297
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_do_prompt** *SPHINX_OEA_90296*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/pytest_sphinx_data.xml
 suite: pytest
 case: test_do_prompt
 case_name: test_do_prompt
 classname: tests.test_quickstart
 time: 0.0007216930389404297
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

* Please enter some text.
 * Please enter either 'y' or 'n'.

Test-Case: **test_do_prompt_with_nonascii** [SPHINX_OEA_7B885](#)

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_do_prompt_with_nonascii
case_name: test_do_prompt_with_nonascii
classname: tests.test_quickstart
time: 0.0005640983581542969
result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_quickstart_defaults** *SPHINX_OEA_D613C*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_quickstart_defaults
 case_name: test_quickstart_defaults
 classname: tests.test_quickstart
 time: 0.01652359962463379
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Welcome to the Sphinx 1.7+/aecb0082 quickstart utility.

Please enter values for the following settings (just press Enter to accept a default value, if one is given in brackets).

Enter the root path for documentation.

You have two options for placing the build directory for Sphinx output. Either, you use a directory "_build" within the root path, or you separate "source" and "build" directories within the root path.

Inside the root directory, two more directories will be created; "_templates" for custom HTML templates and "_static" for custom stylesheets and other static files. You can enter another prefix (such as ".") to replace the underscore.

The project name will occur in several places in the built documentation.

Sphinx has the notion of a "version" and a "release" for the software. Each version can have multiple releases. For example, for Python the version is something like 2.5 or 3.0, while the release is something like 2.5.1 or 3.0a1. If you don't need this dual structure, just set both to the same value.

If the documents are to be written in a language other than English, you can select a language here by its language code. Sphinx will then translate text that it generates into that language.

For a list of supported codes, see <http://sphinx-doc.org/config.html#confval-language>.

The file name suffix for source files. Commonly, this is either ".txt" or ".rst". Only files with this suffix are considered documents.

2.6. Examples

One document is special in that it is considered the top node of the "contents tree", that is, it is the root of the hierarchical structure of the documents. Normally, this is "index", but if your "index" document is a custom template, you can also set this to another filename.

Test-Case: **test_quickstart_all_answers** *SPHINX_OEA_9B3E1*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_quickstart_all_answers
 case_name: test_quickstart_all_answers
 classname: tests.test_quickstart
 time: 0.007739782333740234
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Welcome to the Sphinx 1.7+/aecb0082 quickstart utility.

Please enter values for the following settings (just press Enter to accept a default value, if one is given in brackets).

Enter the root path for documentation.

You have two options for placing the build directory for Sphinx output. Either, you use a directory "_build" within the root path, or you separate "source" and "build" directories within the root path.

Inside the root directory, two more directories will be created; "_templates" for custom HTML templates and "_static" for custom stylesheets and other static files. You can enter another prefix (such as ".") to replace the underscore.

The project name will occur in several places in the built documentation.

Sphinx has the notion of a "version" and a "release" for the software. Each version can have multiple releases. For example, for Python the version is something like 2.5 or 3.0, while the release is something like 2.5.1 or 3.0a1. If you don't need this dual structure, just set both to the same value.

If the documents are to be written in a language other than English, you can select a language here by its language code. Sphinx will then translate text that it generates into that language.

For a list of supported codes, see <http://sphinx-doc.org/config.html#confval-language>.

The file name suffix for source files. Commonly, this is either ".txt" or ".rst". Only files with this suffix are considered documents.

2.6. Examples

One document is special in that it is considered the top node of the "contents tree", that is, it is the root of the hierarchical structure of the documents. Normally, this is "index", but if your "index" document is a custom template, you can also set this to another filename.

Test-Case: **test_generated_files_eol** *SPHINX_OEA_84367*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_generated_files_eol
 case_name: test_generated_files_eol
 classname: tests.test_quickstart
 time: 0.012973546981811523
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Welcome to the Sphinx 1.7+/aecb0082 quickstart utility.

Please enter values for the following settings (just press Enter to accept a default value, if one is given in brackets).

Enter the root path for documentation.

You have two options for placing the build directory for Sphinx output. Either, you use a directory "_build" within the root path, or you separate "source" and "build" directories within the root path.

Inside the root directory, two more directories will be created; "_templates" for custom HTML templates and "_static" for custom stylesheets and other static files. You can enter another prefix (such as ".") to replace the underscore.

The project name will occur in several places in the built documentation.

Sphinx has the notion of a "version" and a "release" for the software. Each version can have multiple releases. For example, for Python the version is something like 2.5 or 3.0, while the release is something like 2.5.1 or 3.0a1. If you don't need this dual structure, just set both to the same value.

If the documents are to be written in a language other than English, you can select a language here by its language code. Sphinx will then translate text that it generates into that language.

For a list of supported codes, see <http://sphinx-doc.org/config.html#confval-language>.

The file name suffix for source files. Commonly, this is either ".txt" or ".rst". Only files with this suffix are considered documents.

2.6. Examples

One document is special in that it is considered the top node of the "contents tree", that is, it is the root of the hierarchical structure of the documents. Normally, this is "index", but if your "index" document is a custom template, you can also set this to another filename.

Test-Case: **test_quickstart_and_build** *SPHINX_OEA_2A90A*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_quickstart_and_build
 case_name: test_quickstart_and_build
 classname: tests.test_quickstart
 time: 0.16594386100769043
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Welcome to the Sphinx 1.7+/aecb0082 quickstart utility.

Please enter values for the following settings (just press Enter to accept a default value, if one is given in brackets).

Enter the root path for documentation.

You have two options for placing the build directory for Sphinx output. Either, you use a directory "_build" within the root path, or you separate "source" and "build" directories within the root path.

Inside the root directory, two more directories will be created; "_templates" for custom HTML templates and "_static" for custom stylesheets and other static files. You can enter another prefix (such as ".") to replace the underscore.

The project name will occur in several places in the built documentation.

Sphinx has the notion of a "version" and a "release" for the software. Each version can have multiple releases. For example, for Python the version is something like 2.5 or 3.0, while the release is something like 2.5.1 or 3.0a1. If you don't need this dual structure, just set both to the same value.

If the documents are to be written in a language other than English, you can select a language here by its language code. Sphinx will then translate text that it generates into that language.

For a list of supported codes, see <http://sphinx-doc.org/config.html#confval-language>.

The file name suffix for source files. Commonly, this is either ".txt" or ".rst". Only files with this suffix are considered documents.

2.6. Examples

One document is special in that it is considered the top node of the "contents tree", that is, it is the root of the hierarchical structure of the documents. Normally, this is "index", but if your "index" document is a custom template, you can also set this to another filename.

Test-Case: **test_default_filename** *SPHINX_OEA_7551E*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_default_filename
 case_name: test_default_filename
 classname: tests.test_quickstart
 time: 0.012220382690429688
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

Welcome to the Sphinx 1.7+/aecb0082 quickstart utility.

Please enter values for the following settings (just press Enter to accept a default value, if one is given in brackets).

Enter the root path for documentation.

You have two options for placing the build directory for Sphinx output. Either, you use a directory "_build" within the root path, or you separate "source" and "build" directories within the root path.

Inside the root directory, two more directories will be created; "_templates" for custom HTML templates and "_static" for custom stylesheets and other static files. You can enter another prefix (such as ".") to replace the underscore.

The project name will occur in several places in the built documentation.

Sphinx has the notion of a "version" and a "release" for the software. Each version can have multiple releases. For example, for Python the version is something like 2.5 or 3.0, while the release is something like 2.5.1 or 3.0a1. If you don't need this dual structure, just set both to the same value.

If the documents are to be written in a language other than English, you can select a language here by its language code. Sphinx will then translate text that it generates into that language.

For a list of supported codes, see <http://sphinx-doc.org/config.html#confval-language>.

The file name suffix for source files. Commonly, this is either ".txt" or ".rst". Only files with this suffix are considered documents.

2.6. Examples

One document is special in that it is considered the top node of the "contents tree", that is, it is the root of the hierarchical structure of the documents. Normally, this is "index", but if your "index" document is a custom template, you can also set this to another filename.

Test-Case: **test_extensions** *SPHINX_OEA_8A2F0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_extensions
case_name: test_extensions
classname: tests.test_quickstart
time: 0.009175539016723633
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
Creating file /tmp/pytest-of-daniel/pytest-1/test_extensions0/conf.py.  
Creating file /tmp/pytest-of-daniel/pytest-1/test_extensions0/index.rst.  
Creating file /tmp/pytest-of-daniel/pytest-1/test_extensions0/Makefile.  
Creating file /tmp/pytest-of-daniel/pytest-1/test_extensions0/make.bat.
```

Finished: An initial directory structure has been created.

You should now populate your master file /tmp/pytest-of-daniel/pytest-1/test_↵extensions0/index.rst **and**
create other documentation
source files. Use the Makefile to build the docs, like so:
make builder
where "builder" **is** one of the supported builders, e.g. html, latex **or** linkcheck.

Test-Case: **test_objects_are_escaped** *SPHINX_OEA_8E673*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_objects_are_escaped
 case_name: test_objects_are_escaped
 classname: tests.test_search
 time: 0.2884242534637451
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/ext-viewcode
# outdir: /tmp/ext-viewcode/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m[extensions changed] 2 added, 0 changed, 0
↳ removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mobjects#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mobjects#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex py-modindex
#x1B[01mhighlighting module code... #x1B[39;49;00m[ 50%] #x1B[34;01mspam.mod1#x1B[39;
↳ 49;00m
#x1B[01mhighlighting module code... #x1B[39;49;00m[100%] #x1B[34;01mspam.mod2#x1B[39;
↳ 49;00m
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/ext-viewcode/index.rst:14: WARNING: error while formatting arguments for
↳ spam.Class1: <class
```

1758am.mod1.Class1'> is a builtin class#x1B[39;49;00m

Chapter 2. Content

```
#x1B[31m/tmp/ext-viewcode/index.rst:16: WARNING: error while formatting arguments for
↳ spam.Class2: <class
```

'spam.mod2.Class2'> is a builtin class#x1B[39;49;00m

```
#x1B[31m/tmp/ext-viewcode/index.rst:18: WARNING: error while formatting arguments for
```

Test-Case: **test_meta_keys_are_handled_for_language_en** *SPHINX_OEA_030BB*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_meta_keys_are_handled_for_language_en
 case_name: test_meta_keys_are_handled_for_language_en
 classname: tests.test_search
 time: 0.21996283531188965
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/search
# outdir: /tmp/search/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m2 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mtocitem#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocitem#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: `test_meta_keys_are_handled_for_language_de` *SPHINX_OEA_88DEE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_meta_keys_are_handled_for_language_de
case_name: test_meta_keys_are_handled_for_language_de
classname: tests.test_search
time: 0.16644811630249023
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/search
# outdir: /tmp/search/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocitem#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in German (code: de) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_stemmer_does_not_remove_short_words** *SPHINX_OEA_0C233*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_stemmer_does_not_remove_short_words
 case_name: test_stemmer_does_not_remove_short_words
 classname: tests.test_search
 time: 0.14862966537475586
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/search
# outdir: /tmp/search/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mtocitem#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_stemmer** *SPHINX_OEA_2EBA0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_stemmer
case_name: test_stemmer
classname: tests.test_search
time: 0.008102178573608398
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
{'docnames': ['index', 'tocitem'], 'envversion': 53, 'filenames':  
['index.rst', 'tocitem.rst'], 'objects': {}, 'objnames': {}, 'objtypes':  
{}, 'terms': {'findthiskei': 0, 'findthisstemmedkei': 0, 'findthisstemmedkey':  
[], 'head': 0, 'heading': [], 'intern': 0, 'international': [],  
'ipsum': 1, 'lor': [], 'lorem': 1, 'notgerman': 0, 'onlygerman':  
[], 'onlytoogerman': [], 'rawword': 0, 'textinhead': 0, 'textinheading':  
[], 'thisonetoo': 0, 'thistoo': 0, 'zfs': 0}, 'titles': ['meta  
keywords', 'heading 1'], 'titleterms': {'head': 1, 'heading':  
[], 'keyword': 0, 'meta': 0, 'stemm': [], 'stemmer': 0, 'textinhead':  
1, 'textinheading': []}}  
# testroot: root  
# builder: html  
# srcdir: /tmp/search  
# outdir: /tmp/search/_build/html  
# status:  
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m  
#x1B[01mloading pickled environment... #x1B[39;49;00mdone  
  
# warning:
```

Test-Case: **test_term_in_heading_and_section** *SPHINX_OEA_C7610*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_term_in_heading_and_section
case_name: test_term_in_heading_and_section
classname: tests.test_search
time: 0.007873773574829102
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/search
# outdir: /tmp/search/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_term_in_raw_directive** *SPHINX_OEA_BF471*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_term_in_raw_directive
case_name: test_term_in_raw_directive
classname: tests.test_search
time: 0.00810551643371582
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/search
# outdir: /tmp/search/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_IndexBuilder** *SPHINX_OEA_E65D9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_IndexBuilder
case_name: test_IndexBuilder
classname: tests.test_search
time: 0.002660512924194336
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build_sphinx** *SPHINX_OEA_F576D*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_build_sphinx
case_name: test_build_sphinx
classname: tests.test_setup_command
time: 0.6268832683563232
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx0/test-setup/build\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx0/test-setup/build/sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx0/test-setup/build/sphinx/doctrees\
↪ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx0/test-setup/build/sphinx/html\
↪nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↪files that are out of
date\nbuilding [html]: targets for 1 source files that are out of date\nupdating_
↪environment: 1 added, 0
changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-outdated_
↪files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↪.. done\nwriting
output... [100%] contents\n\ngenerating indices... genindex\nwriting additional pages..
↪. search\ncopying
static files... done\ncopying extra files... done\ndumping search index in English_
↪(code: en) ...
done\ndumping object inventory... done\nbuild succeeded.\n'
b''
```


Test-Case: **test_build_sphinx_multiple_builders** *SPHINX_OEA_BD30B*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_multiple_builders
 case_name: test_build_sphinx_multiple_builders
 classname: tests.test_setup_command
 time: 0.6493077278137207
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_bui0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_bui0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_bui0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_bui0/test-setup/build/sphinx/
↳html\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_bui0/test-setup/build/sphinx/
↳man\nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↳files that are out of
date\nbuilding [html]: targets for 1 source files that are out of date\nupdating_
↳environment: 1 added, 0
changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-outdated_
↳files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↳.. done\nwriting
output... [100%] contents\n\ngenerating indices... genindex\nwriting additional pages..
↳. search\ncopying
static files... done\ncopying extra files... done\ndumping search index in English_
↳(code: en) ...
done\ndumping object inventory... done\nbuild succeeded.\nRunning Sphinx v1.7+\n
↳nloading pickled
environment... done\nbuilding [mo]: targets for 0 po files that are out of date\
↳nbuilding [man]: all
manpages\nupdating environment: 0 added, 0 changed, 0 removed\nlooking for now-
↳outdated files... none
found\nwriting... myproject.1 { } \nbuild succeeded.\n'
b''
```

Test-Case: **test_build_sphinx_multiple_invalid_builders** *SPHINX_OEA_3AC92*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_multiple_invalid_builders
 case_name: test_build_sphinx_multiple_invalid_builders
 classname: tests.test_setup_command
 time: 0.6408333778381348
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_inv0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_inv0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_inv0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_inv0/test-setup/build/sphinx/
↳html\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_multiple_inv0/test-setup/build/sphinx/
↳bar\nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↳files that are out of
date\nbuilding [html]: targets for 1 source files that are out of date\nupdating_
↳environment: 1 added, 0
changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-outdated_
↳files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↳.. done\nwriting
output... [100%] contents\n\ngenerating indices... genindex\nwriting additional pages..
↳. search\ncopying
static files... done\ncopying extra files... done\ndumping search index in English_
↳(code: en) ...
done\ndumping object inventory... done\nbuild succeeded.\nRunning Sphinx v1.7+\n'
b'\nSphinx error:\nBuilder name bar not registered or available through entry point\n'
```

Test-Case: `test_build_sphinx_with_nonascii_path` *SPHINX_OEA_9D463*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_with_nonascii_path
 case_name: test_build_sphinx_with_nonascii_path
 classname: tests.test_setup_command
 time: 0.6421153545379639
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_with_nonascii0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_with_nonascii0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_with_nonascii0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_with_nonascii0/test-setup/build/sphinx/
↳html\nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↳files that are out of
date\nbuilding [html]: targets for 2 source files that are out of date\nupdating_
↳environment: 2 added, 0
changed, 0 removed\nreading sources... [ 50%] contents\nreading sources... [100%]
\Xe6\x97\xa5\xE6\x9c\xac\xE8\xaa\x9e/\Xe6\x97\xa5\xE6\x9c\xac\xE8\xaa\x9e\n\nlooking_
↳for now-outdated
files... none found\npickling environment... done\nchecking consistency... done\
↳npreparing documents...
done\nwriting output... [ 50%] contents\nwriting output... [100%]
\Xe6\x97\xa5\xE6\x9c\xac\xE8\xaa\x9e/\Xe6\x97\xa5\xE6\x9c\xac\xE8\xaa\x9e\n\
↳ngenerating indices...
genindex\nwriting additional pages... search\ncopying static files... done\ncopying_
↳extra files...
done\ndumping search index in English (code: en) ... done\ndumping object inventory..._
↳done\nbuild
succeeded.\n'
b''
```


Test-Case: `test_build_sphinx_return_nonzero_status` *SPHINX_OEA_BE1E4*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_return_nonzero_status
 case_name: test_build_sphinx_return_nonzero_status
 classname: tests.test_setup_command
 time: 0.572744607925415
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b"running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_return_nonze0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_return_nonze0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_return_nonze0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_return_nonze0/test-setup/build/sphinx/
↳linkcheck\nRunning
Sphinx v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets
↳for 0 po files that are
out of date\nbuilding [linkcheck]: targets for 1 source files that are out of date\
↳nupdating environment: 1
added, 0 changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-
↳outdated files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↳.. done\nwriting
output... [100%] contents\n\n(line 1) broken http://localhost.unexistentdomain/index.
↳html -
HTTPConnectionPool(host='localhost.unexistentdomain', port=80): Max retries exceeded
↳with url:
/index.html (Caused by NewConnectionError('<urllib3.connection.HTTPConnection object at
0x7f4104139a58>: Failed to establish a new connection: [Errno -2] Name or service not
↳known',))\n\nbuild
finished with problems.\n"
b'\nException occurred:\n File "/home/daniel/workspace/sphinx/sphinx/sphinx/setup_
↳command.py",
line 195, in run\n \'caused by %s builder.\' %
app.builder.name)\ndistutils.errors.DistutilsExecError: caused by linkcheck builder.\
↳n
The full traceback has
been saved in /tmp/sphinx-err-4lgpsv5h.log, if you want to report the issue to the
↳developers.\nPlease also
```

1772 Report this if it was a user error, so that a better error message can be shown
 ↳next time.\nA bug report
 can be filed in the tracker at <<https://github.com/sphinx-doc/sphinx/issues>>. Thanks!\n
 ↳'

Test-Case: `test_build_sphinx_warning_return_zero_status` *SPHINX_OEA_29B82*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_warning_return_zero_status
 case_name: test_build_sphinx_warning_return_zero_status
 classname: tests.test_setup_command
 time: 0.6303834915161133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_retu0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_retu0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_retu0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_retu0/test-setup/build/sphinx/
↳html\nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↳files that are out of
date\nbuilding [html]: targets for 1 source files that are out of date\nupdating_
↳environment: 1 added, 0
changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-outdated_
↳files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↳.. done\nwriting
output... [100%] contents\n\ngenerating indices... genindex\nwriting additional pages..
↳. search\ncopying
static files... done\ncopying extra files... done\ndumping search index in English_
↳(code: en) ...
done\ndumping object inventory... done\nbuild succeeded, 1 warning.\n'
b'/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_retu0/test-setup/doc/
↳contents.txt:1:
WARNING: undefined label: unexisting-reference-label (if the link has no caption the_
↳label must precede a
section header)\n'
```

Test-Case: `test_build_sphinx_warning_is_error_return_nonzero_status` *SPHINX_OEA_B3702*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build_sphinx_warning_is_error_return_nonzero_status
 case_name: test_build_sphinx_warning_is_error_return_nonzero_status
 classname: tests.test_setup_command
 time: 0.6067953109741211
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
b'running build_sphinx\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_is_e0/test-setup/build\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_is_e0/test-setup/build/sphinx\
↳ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_is_e0/test-setup/build/sphinx/
↳doctrees\ncreating
/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_is_e0/test-setup/build/sphinx/
↳html\nRunning Sphinx
v1.7+\nloading pickled environment... not yet created\nbuilding [mo]: targets for 0 po_
↳files that are out of
date\nbuilding [html]: targets for 1 source files that are out of date\nupdating_
↳environment: 1 added, 0
changed, 0 removed\nreading sources... [100%] contents\n\nlooking for now-outdated_
↳files... none
found\npickling environment... done\nchecking consistency... done\npreparing documents.
↳.. done\nwriting
output... [100%] contents\n\n'
b'\nWarning, treated as
error:\n/tmp/pytest-of-daniel/pytest-1/test_build_sphinx_warning_is_e0/test-setup/doc/
↳contents.txt:1:undefined
label: unexisting-reference-label (if the link has no caption the label must precede_
↳a section header)\n'
```


Test-Case: **test_layout_overloading** *SPHINX_OEA_ED364*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_layout_overloading
 case_name: test_layout_overloading
 classname: tests.test_templating
 time: 0.2707028388977051
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/templating
# outdir: /tmp/templating/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
[autosummary] generating autosummary for: autosummary_templating.txt
[autosummary] generating autosummary for: /tmp/templating/generated/sphinx.application.
↳ TemplateBridge.txt
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 2 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m3 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 33%] #x1B[35mautosummary_templating#x1B[39;
↳ 49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 66%] #x1B[35mcontents#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%]
#x1B[35mgenerated/sphinx.application.TemplateBridge#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mautosummary_templating#x1B[39;
↳ 49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mcontents#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%]
#x1B[32mgenerated/sphinx.application.TemplateBridge#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
```

warning:

Test-Case: **test_autosummary_class_template_overloading** *SPHINX_OEA_5DEA5*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_autosummary_class_template_overloading
 case_name: test_autosummary_class_template_overloading
 classname: tests.test_templating
 time: 0.01119089126586914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/templating
# outdir: /tmp/templating/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
[autosummary] generating autosummary for: autosummary_templating.txt
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 0 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mno targets are out of date.#x1B[39;49;00m

# warning:
```


Test-Case: **test_theme_api** *SPHINX_OEA_57BA7*

tags: pytest_sphinx
 style: tr_failure
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_theme_api
 case_name: test_theme_api
 classname: tests.test_theming
 time: 0.01364278793334961
 result: failure

links outgoing: *SPHINX*, *SPHINX_OEA*

Text:

```
app = <SphinxTestApp buildname='html'>, status = <_io.StringIO
object at 0x7ff4b6c574c8>, warning = <_io.StringIO object at 0x7ff4b6c57798>
```

```
@pytest.mark.sphinx(
    confoverrides={'html_theme': 'ziptheme',
                  'html_theme_options.testopt': 'foo'})
def test_theme_api(app, status, warning):
    cfg = app.config

    # test Theme class API
    > assert set(app.html_themes.keys()) == \
    set(['basic', 'default', 'scrolls', 'agogo', 'sphinxdoc',
        'haiku',
        'traditional', 'testtheme', 'ziptheme', 'epub', 'nature',
        'pyramid', 'bizstyle', 'classic', 'nonav'])
E AssertionError: assert {'agogo', 'al...default', ...} == {'agogo', 'bas...,
'epub', ...}
E Extra items in the left set:
E 'alabaster'
E Use -v to get the full diff
```

```
tests/test_theming.py:26: AssertionError
```

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
```

```
# warning:
```

Test-Case: **test_js_source** *SPHINX_OEA_48361*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_js_source
case_name: test_js_source
classname: tests.test_theming
time: 0.17821741104125977
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/tocdepth
# outdir: /tmp/tocdepth/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mupdating environment: #x1B[39;49;00m4 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[ 25%] #x1B[35mbar#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 50%] #x1B[35mbaz#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[ 75%] #x1B[35mfoo#x1B[39;49;00m
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```


Test-Case: **test_double_inheriting_theme** *SPHINX_OEA_73354*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_double_inheriting_theme
 case_name: test_double_inheriting_theme
 classname: tests.test_theming
 time: 0.10671377182006836
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/double-inheriting-theme
# outdir: /tmp/double-inheriting-theme/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```

Test-Case: **test_nested_zipped_theme** *SPHINX_OEA_2722B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_nested_zipped_theme
case_name: test_nested_zipped_theme
classname: tests.test_theming
time: 0.11464643478393555
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/theming
# outdir: /tmp/theming/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [html]#x1B[39;49;00m: targets for 1 source files that are out of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m

# warning:
```


Test-Case: **test_relations** *SPHINX_OEA_E5D85*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_relations
 case_name: test_relations
 classname: tests.test_toctree
 time: 0.2725636959075928
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/toctree-glob
# outdir: /tmp/toctree-glob/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[01mbuilding [html]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m0 added, 0 changed, 0 removed
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[ 8%] #x1B[32mbar/bar_1#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 16%] #x1B[32mbar/bar_2#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 25%] #x1B[32mbar/bar_3#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 33%] #x1B[32mbar/bar_4/index#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 41%] #x1B[32mbar/index#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 50%] #x1B[32mbaz#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 58%] #x1B[32mfoo#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 66%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 75%] #x1B[32mquux#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 83%] #x1B[32mqux/index#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[ 91%] #x1B[32mqux/qux_1#x1B[39;49;00m
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mqux/qux_2#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping search index in English (code: en) ... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_singlehtml_toctree** *SPHINX_OEA_37D59*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_singlehtml_toctree
 case_name: test_singlehtml_toctree
 classname: tests.test_toctree
 time: 0.0892937183380127
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: singlehtml
# srcdir: /tmp/toctree-empty
# outdir: /tmp/toctree-empty/_build/singlehtml
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [singlehtml]#x1B[39;49;00m: all source files
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01massembling single document... #x1B[39;49;00m
#x1B[01mwriting... #x1B[39;49;00mdone
#x1B[01mwriting additional files...#x1B[39;49;00m
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_encode_uri** *SPHINX_OEA_908C9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_encode_uri
case_name: test_encode_uri
classname: tests.test_util
time: 0.00043511390686035156
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_splitdocinfo** *SPHINX_OEA_A5BE7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_splitdocinfo
case_name: test_splitdocinfo
classname: tests.test_util
time: 0.0004420280456542969
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_display_chunk** *SPHINX_OEA_AB225*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_display_chunk
case_name: test_display_chunk
classname: tests.test_util
time: 0.0003573894500732422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_status_iterator** *SPHINX_0EA_2C13F*

```
tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_status_iterator
case_name: test_status_iterator
classname: tests.test_util
time: 0.08270835876464844
result: passed
```

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

[illegible]

Test-Case: **test_parselinenos** *SPHINX_OEA_05D97*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parselinenos
case_name: test_parselinenos
classname: tests.test_util
time: 0.0005457401275634766
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_copy_asset_file** *SPHINX_OEA_AD7E5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_copy_asset_file
case_name: test_copy_asset_file
classname: tests.test_util_fileutil
time: 0.002691984176635742
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_copy_asset** *SPHINX_OEA_09DAD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_copy_asset
case_name: test_copy_asset
classname: tests.test_util_fileutil
time: 0.003629922866821289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_catalog_info_for_file_and_path** *SPHINX_OEA_D71CD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_catalog_info_for_file_and_path
case_name: test_catalog_info_for_file_and_path
classname: tests.test_util_i18n
time: 0.000446319580078125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_catalog_info_for_sub_domain_file_and_path** *SPHINX_OEA_B3B97*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_catalog_info_for_sub_domain_file_and_path
case_name: test_catalog_info_for_sub_domain_file_and_path
classname: tests.test_util_i18n
time: 0.00035572052001953125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_catalog_outdated** *SPHINX_OEA_OC8B1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_catalog_outdated
case_name: test_catalog_outdated
classname: tests.test_util_i18n
time: 0.0010037422180175781
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_catalog_write_mo** *SPHINX_OEA_0C99C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_catalog_write_mo
case_name: test_catalog_write_mo
classname: tests.test_util_i18n
time: 0.001520395278930664
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_for_xx** *SPHINX_OEA_AD5A0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_for_xx
case_name: test_get_catalogs_for_xx
classname: tests.test_util_i18n
time: 0.00150299072265625
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_for_en** *SPHINX_OEA_C593A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_for_en
case_name: test_get_catalogs_for_en
classname: tests.test_util_i18n
time: 0.001027822494506836
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_with_non_existent_locale** *SPHINX_OEA_199B0*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_with_non_existent_locale
case_name: test_get_catalogs_with_non_existent_locale
classname: tests.test_util_i18n
time: 0.0007011890411376953
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_with_non_existent_locale_dirs** *SPHINX_OEA_7BBAD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_with_non_existent_locale_dirs
case_name: test_get_catalogs_with_non_existent_locale_dirs
classname: tests.test_util_i18n
time: 0.000354766845703125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_for_xx_without_outdated** *SPHINX_OEA_D7168*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_for_xx_without_outdated
case_name: test_get_catalogs_for_xx_without_outdated
classname: tests.test_util_i18n
time: 0.0015790462493896484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_from_multiple_locale_dirs** *SPHINX_OEA_ACB72*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_from_multiple_locale_dirs
case_name: test_get_catalogs_from_multiple_locale_dirs
classname: tests.test_util_i18n
time: 0.001600503921508789
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_catalogs_with_compact** *SPHINX_OEA_F096C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_catalogs_with_compact
case_name: test_get_catalogs_with_compact
classname: tests.test_util_i18n
time: 0.001249551773071289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_format_date** *SPHINX_OEA_82AB5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_format_date
case_name: test_format_date
classname: tests.test_util_i18n
time: 0.005088329315185547
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: `test_get_filename_for_language` *SPHINX_OEA_3799C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_get_filename_for_language
case_name: test_get_filename_for_language
classname: tests.test_util_i18n
time: 0.011444807052612305
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
```

Test-Case: **test_get_image_size** *SPHINX_OEA_55917*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_image_size
case_name: test_get_image_size
classname: tests.test_util_images
time: 0.0005705356597900391
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_guess_mimetype** *SPHINX_OEA_0748B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_guess_mimetype
case_name: test_guess_mimetype
classname: tests.test_util_images
time: 0.0006730556488037109
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_image_extension** *SPHINX_OEA_182F4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_image_extension
case_name: test_get_image_extension
classname: tests.test_util_images
time: 0.0003533363342285156
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_parse_data_uri** *SPHINX_OEA_FE217*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_parse_data_uri
case_name: test_parse_data_uri
classname: tests.test_util_images
time: 0.0004642009735107422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getargspec** *SPHINX_OEA_0224B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_getargspec
case_name: test_getargspec
classname: tests.test_util_inspect
time: 0.00047969818115234375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getargspec_partial** *SPHINX_OEA_6225I*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_getargspec_partial
case_name: test_getargspec_partial
classname: tests.test_util_inspect
time: 0.0004894733428955078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getargspec_partial2** *SPHINX_OEA_9CB8B*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_getargspec_partial2
case_name: test_getargspec_partial2
classname: tests.test_util_inspect
time: 0.0005857944488525391
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getargspec_builtin_type** *SPHINX_OEA_24515*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_getargspec_builtin_type
case_name: test_getargspec_builtin_type
classname: tests.test_util_inspect
time: 0.0003800392150878906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_getargspec_bound_methods** *SPHINX_OEA_882FB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_getargspec_bound_methods
case_name: test_getargspec_bound_methods
classname: tests.test_util_inspect
time: 0.0005125999450683594
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_Signature** *SPHINX_OEA_F39D9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_Signature
case_name: test_Signature
classname: tests.test_util_inspect
time: 0.0004951953887939453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_Signature_partial** *SPHINX_OEA_384F4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_Signature_partial
case_name: test_Signature_partial
classname: tests.test_util_inspect
time: 0.0004553794860839844
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_Signature_methods** *SPHINX_OEA_A8A3A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_Signature_methods
case_name: test_Signature_methods
classname: tests.test_util_inspect
time: 0.0006473064422607422
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_Signature_annotations** *SPHINX_OEA_BOFFD*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_Signature_annotations
case_name: test_Signature_annotations
classname: tests.test_util_inspect
time: 0.001064300537109375
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_safe_getattr_with_default** *SPHINX_OEA_A82F5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_safe_getattr_with_default
case_name: test_safe_getattr_with_default
classname: tests.test_util_inspect
time: 0.0004298686981201172
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_safe_getattr_with_exception** *SPHINX_OEA_F24D9*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_safe_getattr_with_exception
case_name: test_safe_getattr_with_exception
classname: tests.test_util_inspect
time: 0.0007004737854003906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_safe_getattr_with_property_exception** *SPHINX_OEA_FC5A4*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_safe_getattr_with_property_exception
case_name: test_safe_getattr_with_property_exception
classname: tests.test_util_inspect
time: 0.0003731250762939453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_safe_getattr_with___dict___override** *SPHINX_OEA_75ACB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_safe_getattr_with___dict___override
case_name: test_safe_getattr_with___dict___override
classname: tests.test_util_inspect
time: 0.0005023479461669922
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_read_inventory_v1** *SPHINX_OEA_85B09*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_read_inventory_v1
case_name: test_read_inventory_v1
classname: tests.test_util_inventory
time: 0.0004558563232421875
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_read_inventory_v2** *SPHINX_OEA_BA8BE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_read_inventory_v2
case_name: test_read_inventory_v2
classname: tests.test_util_inventory
time: 0.0007343292236328125
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_jsdump** *SPHINX_OEA_C5EB7*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_jsdump
case_name: test_jsdump
classname: tests.test_util_jsdump
time: 0.0005328655242919922
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_info_and_warning** *SPHINX_OEA_5AC82*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_info_and_warning
 case_name: test_info_and_warning
 classname: tests.test_util_logging
 time: 0.013127565383911133
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[30;01mmessage1#x1B[39;49;00m
message2

# warning:
#x1B[31mWARNING: message3#x1B[39;49;00m
WARNING: message4
#x1B[31mWARNING: message5#x1B[39;49;00m
```

Test-Case: **test_verbosity_filter** *SPHINX_OEA_F76AF*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_verbosity_filter
case_name: test_verbosity_filter
classname: tests.test_util_logging
time: 0.011533975601196289
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
message1
message1
message2
message1
message2
#x1B[30;01mmessage3#x1B[39;49;00m

# warning:
```

Test-Case: **test_nonl_info_log** *SPHINX_OEA_F8C87*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_nonl_info_log
case_name: test_nonl_info_log
classname: tests.test_util_logging
time: 0.012218952178955078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
message1message2
message3

# warning:
```

Test-Case: **test_is_suppressed_warning** *SPHINX_OEA_E5DB0*

tags: pytest_sphinx

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/pytest_sphinx_data.xml

suite: pytest

case: test_is_suppressed_warning

case_name: test_is_suppressed_warning

classname: tests.test_util_logging

time: 0.00036597251892089844

result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_suppress_warnings** *SPHINX_0EA_DFD5D*

```
tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utlils/pytest_sphinx_data.xml
suite: pytest
case: test_suppress_warnings
case_name: test_suppress_warnings
classname: tests.test_util_logging
time: 0.01204061508178711
result: passed
```

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
```

```
# warning:  
#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
↳ #x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00#x00  
message2#x1B[39;49;00m  
#x1B[31mWARNING: message3#x1B[39;49;00m
```

Test-Case: **test_warningiserror** *SPHINX_OEA_2DBB1*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_warningiserror
case_name: test_warningiserror
classname: tests.test_util_logging
time: 0.012625455856323242
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: message#x1B[39;49;00m
```

Test-Case: **test_warning_location** *SPHINX_OEA_77194*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_warning_location
 case_name: test_warning_location
 classname: tests.test_util_logging
 time: 0.01143503189086914
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31m/tmp/root/index.txt: WARNING: message1#x1B[39;49;00m
#x1B[31m/tmp/root/index.txt:10: WARNING: message2#x1B[39;49;00m
#x1B[31mWARNING: message3#x1B[39;49;00m
#x1B[31mindex.txt:10: WARNING: message4#x1B[39;49;00m
#x1B[31mindex.txt:: WARNING: message5#x1B[39;49;00m
#x1B[31m<unknown>:10: WARNING: message6#x1B[39;49;00m
#x1B[31mWARNING: message7#x1B[39;49;00m
```

Test-Case: **test_pending_warnings** *SPHINX_OEA_ODF32*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_pending_warnings
case_name: test_pending_warnings
classname: tests.test_util_logging
time: 0.012936115264892578
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone

# warning:
#x1B[31mWARNING: message1#x1B[39;49;00m
#x1B[31mWARNING: message2#x1B[39;49;00m
#x1B[31mWARNING: message3#x1B[39;49;00m
```

Test-Case: **test_colored_logs** *SPHINX_OEA_6B390*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_colored_logs
case_name: test_colored_logs
classname: tests.test_util_logging
time: 0.012203693389892578
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+ /aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
#x1B[30;01mmessage1#x1B[39;49;00m
message2
message3
#x1B[37;01mmessage7#x1B[39;49;00m
#x1B[31;01mmessage8#x1B[39;49;00m

# warning:
#x1B[31mWARNING: message4#x1B[39;49;00m
WARNING: message5
#x1B[31mWARNING: message6#x1B[39;49;00m
```

Test-Case: **test_logging_in_ParallelTasks** *SPHINX_OEA_392AA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_logging_in_ParallelTasks
case_name: test_logging_in_ParallelTasks
classname: tests.test_util_logging
time: 0.06262874603271484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
#x1B[01mRunning Sphinx v1.7+/-aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mdone
message1

# warning:
#x1B[31m/tmp/root/index.txt: WARNING: message2#x1B[39;49;00m
```

Test-Case: **test_output_with_unencodable_char** *SPHINX_0EA_5FD3F*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_output_with_unencodable_char
case_name: test_output_with_unencodable_char
classname: tests.test_util_logging
time: 0.03485536575317383
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

System-out:

```
# testroot: root
# builder: html
# srcdir: /tmp/root
# outdir: /tmp/root/_build/html
# status:
unicode ?...

# warning:
```

Test-Case: **test_compile_matchers** *SPHINX_OEA_7196A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_compile_matchers
case_name: test_compile_matchers
classname: tests.test_util_matching
time: 0.0017406940460205078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_Matcher** *SPHINX_OEA_0A607*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_Matcher
case_name: test_Matcher
classname: tests.test_util_matching
time: 0.0006721019744873047
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_extract_messages**[\n .. admonition:: admonition title\n\n admonition body\n -title-1] [SPHINX_OEA_0D203](#)

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_extract_messages[\n .. admonition:: admonition title\n\n admonition body\n -title-1]
 case_name: test_extract_messages
 case_parameter: \n .. admonition:: admonition title\n\n admonition body\n -title-1
 classname: tests.test_util_nodes
 time: 0.0038673877716064453
 result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_extract_messages**[\n .. figure:: foo.jpg\n\n this is title\n -caption-1] [SPHINX_OEA_2B621](#)

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_extract_messages[\n .. figure:: foo.jpg\n\n this is title\n -caption-1]
 case_name: test_extract_messages
 case_parameter: \n .. figure:: foo.jpg\n\n this is title\n -caption-1
 classname: tests.test_util_nodes
 time: 0.0027196407318115234
 result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_extract_messages**[\n .. rubric:: spam\n -rubric-1] *SPHINX_0EA_6E2C5*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_extract_messages[\n .. rubric:: spam\n -rubric-1]
case_name: test_extract_messages
case_parameter: \n .. rubric:: spam\n -rubric-1
classname: tests.test_util_nodes
time: 0.0034673213958740234
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_extract_messages**[\n | spam\n | egg\n -line-2] *SPHINX_0EA_F9D7C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_extract_messages[\n | spam\n | egg\n -line-2]
case_name: test_extract_messages
case_parameter: \n | spam\n | egg\n -line-2
classname: tests.test_util_nodes
time: 0.0027518272399902344
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_extract_messages**[\n section\n =====\n\n +-----+\n | | **Title 1** \n | | Message 1 \n +-----+\n -line-2] [SPHINX_OEA_951B1](#)

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_extract_messages[\n section\n =====\n\n +-----+\n | | **Title 1** \n | | Message 1 \n +-----+\n -line-2]
 case_name: test_extract_messages
 case_parameter: \n section\n =====\n\n +-----+\n | | **Title 1** \n | | Message 1 \n +-----+\n -line-2
 classname: tests.test_util_nodes
 time: 0.003223419189453125
 result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_extract_messages**[\n * | **Title 1** \n | Message 1\n -line-2] [SPHINX_OEA_D7EF3](#)

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_extract_messages[\n * | **Title 1** \n | Message 1\n -line-2]
 case_name: test_extract_messages
 case_parameter: \n * | **Title 1** \n | Message 1\n -line-2
 classname: tests.test_util_nodes
 time: 0.0029175281524658203
 result: passed

links outgoing: [SPHINX](#), [SPHINX_OEA](#)

Test-Case: **test_extract_messages_without_rawsource** *SPHINX_OEA_5849E*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_extract_messages_without_rawsource
case_name: test_extract_messages_without_rawsource
classname: tests.test_util_nodes
time: 0.0014023780822753906
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_clean_astext** *SPHINX_OEA_4A6D2*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/pytest_sphinx_data.xml
suite: pytest
case: test_clean_astext
case_name: test_clean_astext
classname: tests.test_util_nodes
time: 0.0005505084991455078
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_escape** *SPHINX_OEA_EBC9A*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_escape
case_name: test_escape
classname: tests.test_util_rst
time: 0.0005872249603271484
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_get_ratio** *SPHINX_OEA_A2447*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_get_ratio
case_name: test_get_ratio
classname: tests.test_versioning
time: 0.2897326946258545
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_add_uids** *SPHINX_0EA_9C4EA*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_add_uids
case_name: test_add_uids
classname: tests.test_versioning
time: 0.0004107952117919922
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_picklability** *SPHINX_0EA_FF7D6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_picklability
case_name: test_picklability
classname: tests.test_versioning
time: 0.0006747245788574219
result: passed

links outgoing: *SPHINX*, *SPHINX_0EA*

Test-Case: **test_modified** *SPHINX_OEA_FD2DC*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_modified
case_name: test_modified
classname: tests.test_versioning
time: 0.19295835494995117
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_added** *SPHINX_OEA_B1632*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_added
case_name: test_added
classname: tests.test_versioning
time: 0.0005633831024169922
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_deleted** *SPHINX_OEA_011CB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_deleted
case_name: test_deleted
classname: tests.test_versioning
time: 0.01081705093383789
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_deleted_end** *SPHINX_OEA_0C819*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_deleted_end
case_name: test_deleted_end
classname: tests.test_versioning
time: 0.0004982948303222656
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_insert** *SPHINX_OEA_E803C*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_insert
case_name: test_insert
classname: tests.test_versioning
time: 0.03920459747314453
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_insert_beginning** *SPHINX_OEA_ADICE*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_insert_beginning
case_name: test_insert_beginning
classname: tests.test_versioning
time: 0.10544800758361816
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_insert_similar** *SPHINX_OEA_049F6*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_insert_similar
case_name: test_insert_similar
classname: tests.test_versioning
time: 0.02409982681274414
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_build** *SPHINX_OEA_734D6*

tags: pytest_sphinx
 style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/pytest_sphinx_data.xml
 suite: pytest
 case: test_build
 case_name: test_build
 classname: tests.test_websupport
 time: 0.3648707866668701
 result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

System-out:

```
#x1B[01mRunning Sphinx v1.7+/aecb0082#x1B[39;49;00m
#x1B[01mloading pickled environment... #x1B[39;49;00mnot yet created
#x1B[01mbuilding [mo]: #x1B[39;49;00mtargets for 0 po files that are out of date
#x1B[01mbuilding [websupport]#x1B[39;49;00m: targets for 1 source files that are out_
↳ of date
#x1B[01mupdating environment: #x1B[39;49;00m1 added, 0 changed, 0 removed
#x1B[01mreading sources... #x1B[39;49;00m[100%] #x1B[35mindex#x1B[39;49;00m
#x1B[01mlooking for now-outdated files... #x1B[39;49;00mnone found
#x1B[01mpickling environment... #x1B[39;49;00mdone
#x1B[01mchecking consistency... #x1B[39;49;00mdone
#x1B[01mpreparing documents... #x1B[39;49;00mdone
#x1B[01mwriting output... #x1B[39;49;00m[100%] #x1B[32mindex#x1B[39;49;00m
#x1B[01mgenerating indices...#x1B[39;49;00m genindex
#x1B[01mwriting additional pages...#x1B[39;49;00m search
#x1B[01mcopying static files... #x1B[39;49;00mdone
#x1B[01mcopying extra files... #x1B[39;49;00mdone
#x1B[01mdumping object inventory... #x1B[39;49;00mdone
#x1B[01mbuild succeeded.#x1B[39;49;00m
```

Test-Case: **test_rstdim_to_latexdim** *SPHINX_OEA_140FB*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_rstdim_to_latexdim
case_name: test_rstdim_to_latexdim
classname: tests.test_writer_latex
time: 0.0007483959197998047
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

Test-Case: **test_generate** *SPHINX_OEA_8F625*

tags: pytest_sphinx
style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/pytest_sphinx_data.xml
suite: pytest
case: test_generate
case_name: test_generate
classname: tests.py35.test_autodoc_py35
time: 0.3316631317138672
result: passed

links outgoing: *SPHINX*, *SPHINX_OEA*

CasperJs

Example data taken from: <https://gist.github.com/n1k0/4332371>

Shorten the data and removed double-entries (same classname and test-name for multiple entries).

Test-File: **CasperJs tests - Multi test suites** *CASPERJS_001*

delete: False
 jinja_content: False
 file: ../tests/doc_test/utills/casperjs.xml
 suites: 37
 cases: 241
 passed: 241
 skipped: -37
 failed: 0
 errors: -37

links incoming: *CASPERJS_001_47C, CASPERJS_001_47C_697AE, CASPERJS_001_47C_1D8F3, CASPERJS_001_D5A, CASPERJS_001_D5A_93B3B, CASPERJS_001_372, CASPERJS_001_372_10ED4, CASPERJS_001_8CD, CASPERJS_001_8CD_20713, CASPERJS_001_8CD_06F56, CASPERJS_001_8CD_A2D01, CASPERJS_001_277, CASPERJS_001_277_C8149, CASPERJS_001_277_E573A, CASPERJS_001_277_A31D4, CASPERJS_001_277_8D9F5, CASPERJS_001_277_A16BD, CASPERJS_001_277_E5E9D, CASPERJS_001_277_85427, CASPERJS_001_277_78B18, CASPERJS_001_277_15720, CASPERJS_001_277_FAC88, CASPERJS_001_277_57E8C, CASPERJS_001_277_388A2, CASPERJS_001_277_AAC5F, CASPERJS_001_277_0884F, CASPERJS_001_277_C091C, CASPERJS_001_277_E5145, CASPERJS_001_277_C8B9C, CASPERJS_001_277_F9C34, CASPERJS_001_277_1F92F, CASPERJS_001_277_7BE41, CASPERJS_001_277_C9B49, CASPERJS_001_277_EFE0E, CASPERJS_001_4F3, CASPERJS_001_4F3_0F51B, CASPERJS_001_4F3_709D7, CASPERJS_001_38F, CASPERJS_001_38F_79A6C, CASPERJS_001_38F_CA830, CASPERJS_001_2E4, CASPERJS_001_2E4_78DDB, CASPERJS_001_A1A, CASPERJS_001_A1A_A0CA6, CASPERJS_001_A1A_AA3C1, CASPERJS_001_4E0, CASPERJS_001_4E0_7D45E, CASPERJS_001_4E0_193BB, CASPERJS_001_4E0_0EE83, CASPERJS_001_4E0_0FDEB, CASPERJS_001_4E0_D89AF, CASPERJS_001_F68, CASPERJS_001_F68_46AF9, CASPERJS_001_F68_733C0, CASPERJS_001_F68_C0243, CASPERJS_001_F68_31FAA, CASPERJS_001_F68_ED6F5, CASPERJS_001_1F7, CASPERJS_001_1F7_D4461, CASPERJS_001_ABf, CASPERJS_001_ABf_1967D, CASPERJS_001_2B9, CASPERJS_001_2B9_E3B8A, CASPERJS_001_2B9_AF37F, CASPERJS_001_2B9_A9D84, CASPERJS_001_2B9_F6344, CASPERJS_001_2B9_04A19, CASPERJS_001_2B9_9F2D9, CASPERJS_001_2B9_D2362, CASPERJS_001_2B9_971A8, CASPERJS_001_2B9_CCC4F, CASPERJS_001_2B9_DF1E6, CASPERJS_001_2B9_8B5C8, CASPERJS_001_2B9_FE595, CASPERJS_001_2B9_20286, CASPERJS_001_240, CASPERJS_001_240_6CA51, CASPERJS_001_240_1E381, CASPERJS_001_240_DBD45, CASPERJS_001_240_52E2A, CASPERJS_001_240_BBEF3, CASPERJS_001_240_8E1E0, CASPERJS_001_240_9D817, CASPERJS_001_240_06B84, CASPERJS_001_240_2CAF1, CASPERJS_001_240_DD123, CASPERJS_001_240_953CB, CASPERJS_001_240_FD17B, CASPERJS_001_240_B9255, CASPERJS_001_240_93B89, CASPERJS_001_240_2DB6D, CASPERJS_001_240_C761D, CASPERJS_001_240_34D72, CASPERJS_001_240_86218, CASPERJS_001_240_715BB, CASPERJS_001_9EF, CASPERJS_001_9EF_E8B31, CASPERJS_001_9EF_EF2BD, CASPERJS_001_9EF_F41CA, CASPERJS_001_9EF_53B54, CASPERJS_001_9EF_80E23, CASPERJS_001_9EF_DFB43, CASPERJS_001_9EF_3D327, CASPERJS_001_9EF_9E511, CASPERJS_001_9EF_A5C78, CASPERJS_001_E29, CASPERJS_001_E29_6E3CC, CASPERJS_001_E29_3B924, CASPERJS_001_E29_3CFF2, CASPERJS_001_E4B, CASPERJS_001_E4B_156F3, CASPERJS_001_E4B_D76EF, CASPERJS_001_E4B_DE31E, CASPERJS_001_E4B_52E55, CASPERJS_001_02C, CASPERJS_001_02C_9EEAE, CASPERJS_001_02C_159D1,*

2.6.4 Examples *_02C_CAE1E, CASPERJS_001_02C_3FF31, CASPERJS_001_980, CASPERJS_001_980_B40DE, CASPERJS_001_980_751F7, CASPERJS_001_980_9FA09, CASPERJS_001_980_1430C, CASPERJS_001_980_165B4, CASPERJS_001_35F, CASPERJS_001_35F_3A538, CASPERJS_001_35F_48524, CASPERJS_001_6C2, CASPERJS_001_6C2_A5B43,*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/agent.js** *CASPERJS_001_47C*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/agent.js
cases: 3
passed: 3
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_47C_697AE*, *CASPERJS_001_47C_1D8F3*

Test-Case: **Default user agent matches /CasperJS/** *CASPERJS_001_47C_697AE*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/agent.js
case: Default user agent matches /CasperJS/
case_name: Default user agent matches /CasperJS/
classname: tests/suites/casper/agent
time: 0.103
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_47C*

Test-Case: **Default user agent matches /plop/** [CASPERJS_001_47C_1D8F3](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/agent.js
case: Default user agent matches /plop/
case_name: Default user agent matches /plop/
classname: tests/suites/casper/agent
time: 0.146
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_47C](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/alert.js** [CASPERJS_001_D5A](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/alert.js
cases: 1
passed: 1
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)

links incoming: [CASPERJS_001_D5A_93B3B](#)

Test-Case: **alert event has been intercepted** *CASPERJS_001_D5A_93B3B*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/alert.js
case: alert event has been intercepted
case_name: alert event has been intercepted
classname: tests/suites/casper/alert
time: 0.449
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_D5A*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/auth.js** *CASPERJS_001_372*

delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/auth.js
cases: 8
passed: 8
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_372_10ED4*

Test-Case: **Subject equals the expected value** *CASPERJS_001_372_10ED4*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/auth.js
case: Subject equals the expected value
case_name: Subject equals the expected value
classname: tests/suites/casper/auth
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_372*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/capture.js** *CASPERJS_001_8CD*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/capture.js
cases: 4
passed: 4
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_8CD_20713*, *CASPERJS_001_8CD_06F56*, *CASPERJS_001_8CD_A2D01*

Test-Case: **Casper.capture() captured a screenshot** *CASPERJS_001_8CD_20713*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/capture.js
case: Casper.capture() captured a screenshot
case_name: Casper.capture() captured a screenshot
classname: tests/suites/casper/capture
time: 0.681
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8CD*

Test-Case: **Casper.captureBase64() rendered a page capture as base64** *CASPERJS_001_8CD_06F56*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/capture.js
case: Casper.captureBase64() rendered a page capture as base64
case_name: Casper.captureBase64() rendered a page capture as base64
classname: tests/suites/casper/capture
time: 0.174
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8CD*

Test-Case: **Casper.captureBase64()** rendered a capture from a selector as base64
CASPERJS_001_8CD_A2D01

style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/capture.js
 case: Casper.captureBase64() rendered a capture from a selector as base64
 case_name: Casper.captureBase64() rendered a capture from a selector as base64
 classname: tests/suites/casper/capture
 time: 0.046
 result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8CD*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js** *CASPERJS_001_277*

delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
 cases: 22
 passed: 22
 skipped: -1
 failed: 0
 errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_277_C8149*, *CASPERJS_001_277_E573A*, *CASPERJS_001_277_A31D4*,
CASPERJS_001_277_8D9F5, *CASPERJS_001_277_A16BD*, *CASPERJS_001_277_E5E9D*,
CASPERJS_001_277_85427, *CASPERJS_001_277_78B18*, *CASPERJS_001_277_15720*,
CASPERJS_001_277_FAC88, *CASPERJS_001_277_57E8C*, *CASPERJS_001_277_388A2*,
CASPERJS_001_277_AAC5F, *CASPERJS_001_277_0884F*, *CASPERJS_001_277_C091C*,
CASPERJS_001_277_E5145, *CASPERJS_001_277_C8B9C*, *CASPERJS_001_277_F9C34*,
CASPERJS_001_277_1F92F, *CASPERJS_001_277_7BE41*, *CASPERJS_001_277_C9B49*,
CASPERJS_001_277_EFE0E

Test-Case: **Casper.click()** can click on a link *CASPERJS_001_277_C8149*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() can click on a link
case_name: Casper.click() can click on a link
classname: tests/suites/casper/click
time: 0.405
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.thenClick()** can click on a link *CASPERJS_001_277_E573A*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.thenClick() can click on a link
case_name: Casper.thenClick() can click on a link
classname: tests/suites/casper/click
time: 0.2
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** can click an ``href="javascript:`` link *CASPERJS_001_277_A31D4*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() can click an ``href="javascript:`` link
case_name: Casper.click() can click an ``href="javascript:`` link
classname: tests/suites/casper/click
time: 0.204
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** can click an ``href="#"`` link *CASPERJS_001_277_8D9F5*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() can click an ``href="#"`` link
case_name: Casper.click() can click an ``href="#"`` link
classname: tests/suites/casper/click
time: 0.002
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** can click an ``onclick="*.*; return false"`` link *CASPERJS_001_277_A16BD*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() can click an ``onclick="*.*; return false"`` link
case_name: Casper.click() can click an ``onclick="*.*; return false"`` link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** can click an unobstrusive js handled link *CASPERJS_001_277_E5E9D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() can click an unobstrusive js handled link
case_name: Casper.click() can click an unobstrusive js handled link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** has clicked an ``href="javascript:`` link [CASPERJS_001_277_85427](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() has clicked an ``href="javascript:`` link
case_name: Casper.click() has clicked an ``href="javascript:`` link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_277](#)

Test-Case: **Casper.click()** has clicked an ``href="#"`` link [CASPERJS_001_277_78B18](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() has clicked an ``href="#"`` link
case_name: Casper.click() has clicked an ``href="#"`` link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_277](#)

Test-Case: **Casper.click() has clicked an `onclick=".*; return false"` link** *CASPERJS_001_277_15720*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() has clicked an `onclick=".*; return false"` link
case_name: Casper.click() has clicked an `onclick=".*; return false"` link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click() has clicked an unobstrusive js handled link** *CASPERJS_001_277_FAC88*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() has clicked an unobstrusive js handled link
case_name: Casper.click() has clicked an unobstrusive js handled link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel()** can click an ``href="javascript:`` link *CASPERJS_001_277_57E8C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() can click an ``href="javascript:`` link
case_name: Casper.clickLabel() can click an ``href="javascript:`` link
classname: tests/suites/casper/click
time: 0.193
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel()** can click an ``href="#"`` link *CASPERJS_001_277_388A2*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() can click an ``href="#"`` link
case_name: Casper.clickLabel() can click an ``href="#"`` link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel()** can click an ``onclick=".*; return false"`` link [CASPERJS_001_277_AAC5F](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() can click an ``onclick=".*; return false"`` link
case_name: Casper.clickLabel() can click an ``onclick=".*; return false"`` link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_277](#)

Test-Case: **Casper.clickLabel()** can click an unobstrusive js handled link [CASPERJS_001_277_0884F](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() can click an unobstrusive js handled link
case_name: Casper.clickLabel() can click an unobstrusive js handled link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_277](#)

Test-Case: **Casper.clickLabel()** has clicked an ``href="javascript:`` link *CASPERJS_001_277_C091C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() has clicked an ``href="javascript:`` link
case_name: Casper.clickLabel() has clicked an ``href="javascript:`` link
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel()** has clicked an ``href="#"`` link *CASPERJS_001_277_E5145*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() has clicked an ``href="#"`` link
case_name: Casper.clickLabel() has clicked an ``href="#"`` link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel() has clicked an `onclick=".*; return false"` link** *CASPERJS_001_277_C8B9C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() has clicked an `onclick=".*; return false"` link
case_name: Casper.clickLabel() has clicked an `onclick=".*; return false"` link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.clickLabel() has clicked an unobstrusive js handled link** *CASPERJS_001_277_F9C34*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.clickLabel() has clicked an unobstrusive js handled link
case_name: Casper.clickLabel() has clicked an unobstrusive js handled link
classname: tests/suites/casper/click
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Mouse.down()** has pressed button to the specified position *CASPERJS_001_277_1F92F*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Mouse.down() has pressed button to the specified position
case_name: Mouse.down() has pressed button to the specified position
classname: tests/suites/casper/click
time: 0.095
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Mouse.up()** has released button to the specified position *CASPERJS_001_277_7BE41*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Mouse.up() has released button to the specified position
case_name: Mouse.up() has released button to the specified position
classname: tests/suites/casper/click
time: 0.002
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Mouse.move()** has moved to the specified position *CASPERJS_001_277_C9B49*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Mouse.move() has moved to the specified position
case_name: Mouse.move() has moved to the specified position
classname: tests/suites/casper/click
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Case: **Casper.click()** sets the focus on clicked element *CASPERJS_001_277_EFE0E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/click.js
case: Casper.click() sets the focus on clicked element
case_name: Casper.click() sets the focus on clicked element
classname: tests/suites/casper/click
time: 0.102
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_277*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/confirm.js** [CASPERJS_001_4F3](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/confirm.js
cases: 2
passed: 2
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)

links incoming: [CASPERJS_001_4F3_0F51B](#), [CASPERJS_001_4F3_709D7](#)

Test-Case: **confirmation received** [CASPERJS_001_4F3_0F51B](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/confirm.js
case: confirmation received
case_name: confirmation received
classname: tests/suites/casper/confirm
time: 0.398
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_4F3](#)

Test-Case: **confirmation message is ok** *CASPERJS_001_4F3_709D7*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/confirm.js
case: confirmation message is ok
case_name: confirmation message is ok
classname: tests/suites/casper/confirm
time: 0.098
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4F3*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/debug.js** *CASPERJS_001_38F*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/debug.js
cases: 2
passed: 2
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_38F_79A6C*, *CASPERJS_001_38F_CA830*

Test-Case: **Casper.getHTML()** retrieves inner HTML by default *CASPERJS_001_38F_79A6C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/debug.js
case: Casper.getHTML() retrieves inner HTML by default
case_name: Casper.getHTML() retrieves inner HTML by default
classname: tests/suites/casper/debug
time: 0.302
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_38F*

Test-Case: **Casper.getHTML()** can retrieve outer HTML *CASPERJS_001_38F_CA830*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/debug.js
case: Casper.getHTML() can retrieve outer HTML
case_name: Casper.getHTML() can retrieve outer HTML
classname: tests/suites/casper/debug
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_38F*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/elementattribute.js**
CASPERJS_001_2E4

delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/elementattribute.js
 cases: 1
 passed: 1
 skipped: -1
 failed: 0
 errors: -1

links outgoing: *CASPERJS_001*
 links incoming: *CASPERJS_001_2E4_78DDB*

Test-Case: **Casper.getElementAttribute() works as intended** *CASPERJS_001_2E4_78DDB*

style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/elementattribute.js
 case: Casper.getElementAttribute() works as intended
 case_name: Casper.getElementAttribute() works as intended
 classname: tests/suites/casper/elementattribute
 time: 0.4
 result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2E4*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/encode.js** *CASPERJS_001_A1A*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/encode.js
cases: 2
passed: 2
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_A1A_A0CA6*, *CASPERJS_001_A1A_AA3C1*

Test-Case: **Casper.base64encode() can retrieve base64 contents** *CASPERJS_001_A1A_A0CA6*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/encode.js
case: Casper.base64encode() can retrieve base64 contents
case_name: Casper.base64encode() can retrieve base64 contents
classname: tests/suites/casper/encode
time: 0.405
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_A1A*

Test-Case: **Casper.download() downloads a file** *CASPERJS_001_A1A_AA3C1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/encode.js
case: Casper.download() downloads a file
case_name: Casper.download() downloads a file
classname: tests/suites/casper/encode
time: 0.005
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_A1A*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js** *CASPERJS_001_4E0*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
cases: 13
passed: 13
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_4E0_7D45E*, *CASPERJS_001_4E0_193BB*, *CASPERJS_001_4E0_0EE83*,
CASPERJS_001_4E0_0FDEB, *CASPERJS_001_4E0_D89AF*

Test-Case: **Casper.evaluate() handles passed argument context correctly** *CASPERJS_001_4E0_7D45E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
case: Casper.evaluate() handles passed argument context correctly
case_name: Casper.evaluate() handles passed argument context correctly
classname: tests/suites/casper/evaluate
time: 0.189
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4E0*

Test-Case: **Casper.evaluate() handles evaluation with no context passed** *CASPERJS_001_4E0_193BB*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
case: Casper.evaluate() handles evaluation with no context passed
case_name: Casper.evaluate() handles evaluation with no context passed
classname: tests/suites/casper/evaluate
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4E0*

Test-Case: **Casper.evaluate() accepts natural arguments context** *CASPERJS_001_4E0_0EE83*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
case: Casper.evaluate() accepts natural arguments context
case_name: Casper.evaluate() accepts natural arguments context
classname: tests/suites/casper/evaluate
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4E0*

Test-Case: **Casper.thenEvaluate() sets args** *CASPERJS_001_4E0_0FDEB*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
case: Casper.thenEvaluate() sets args
case_name: Casper.thenEvaluate() sets args
classname: tests/suites/casper/evaluate
time: 0.202
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4E0*

Test-Case: **Casper.thenEvaluate() sets args the same way evaluate() does** *CASPERJS_001_4E0_D89AF*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/evaluate.js
case: Casper.thenEvaluate() sets args the same way evaluate() does
case_name: Casper.thenEvaluate() sets args the same way evaluate() does
classname: tests/suites/casper/evaluate
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4E0*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js** *CASPERJS_001_F68*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
cases: 5
passed: 5
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_F68_46AF9*, *CASPERJS_001_F68_733C0*, *CASPERJS_001_F68_C0243*,
CASPERJS_001_F68_31FAA, *CASPERJS_001_F68_ED6F5*

Test-Case: **on() has set an event handler** *CASPERJS_001_F68_46AF9*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
case: on() has set an event handler
case_name: on() has set an event handler
classname: tests/suites/casper/events
time: 0.193
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_F68*

Test-Case: **emit() emits an event** *CASPERJS_001_F68_733C0*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
case: emit() emits an event
case_name: emit() emits an event
classname: tests/suites/casper/events
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_F68*

Test-Case: **setFilter() has set a filter** *CASPERJS_001_F68_C0243*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
case: setFilter() has set a filter
case_name: setFilter() has set a filter
classname: tests/suites/casper/events
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_F68*

Test-Case: **filter() filters a value** *CASPERJS_001_F68_31FAA*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
case: filter() filters a value
case_name: filter() filters a value
classname: tests/suites/casper/events
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_F68*

Test-Case: **filter() applies the correct context** *CASPERJS_001_F68_ED6F5*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/events.js
case: filter() applies the correct context
case_name: filter() applies the correct context
classname: tests/suites/casper/events
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_F68*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/exists.js** *CASPERJS_001_1F7*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/exists.js
cases: 1
passed: 1
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_1F7_D4461*

Test-Case: **Casper.exists() can check if an element exists** [CASPERJS_001_1F7_D4461](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/exists.js
case: Casper.exists() can check if an element exists
case_name: Casper.exists() can check if an element exists
classname: tests/suites/casper/exists
time: 0.302
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_1F7](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/fetchtext.js** [CASPERJS_001_ABF](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/fetchtext.js
cases: 1
passed: 1
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)
links incoming: [CASPERJS_001_ABF_1967D](#)

Test-Case: **Casper.fetchText() can retrieve text contents** *CASPERJS_001_ABF_1967D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/fetchtext.js
case: Casper.fetchText() can retrieve text contents
case_name: Casper.fetchText() can retrieve text contents
classname: tests/suites/casper/fetchtext
time: 0.401
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_ABF*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee** *CASPERJS_001_2B9*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
cases: 13
passed: 13
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_2B9_E3B8A*, *CASPERJS_001_2B9_AF37F*, *CASPERJS_001_2B9_A9D84*,
CASPERJS_001_2B9_F6344, *CASPERJS_001_2B9_04A19*, *CASPERJS_001_2B9_9F2D9*,
CASPERJS_001_2B9_D2362, *CASPERJS_001_2B9_971A8*, *CASPERJS_001_2B9_CCC4F*,
CASPERJS_001_2B9_DF1E6, *CASPERJS_001_2B9_8B5C8*, *CASPERJS_001_2B9_FE595*,
CASPERJS_001_2B9_20286

Test-Case: **step 1** *CASPERJS_001_2B9_E3B8A*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1
case_name: step 1
classname: tests/suites/casper/flow
time: 0.467
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 1.1** *CASPERJS_001_2B9_AF37F*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1.1
case_name: step 1.1
classname: tests/suites/casper/flow
time: 0.501
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 1.1.1** *CASPERJS_001_2B9_A9D84*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1.1.1
case_name: step 1.1.1
classname: tests/suites/casper/flow
time: 0.3
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 1.1.1.1** *CASPERJS_001_2B9_F6344*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1.1.1.1
case_name: step 1.1.1.1
classname: tests/suites/casper/flow
time: 0.301
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 1.1.2.1** *CASPERJS_001_2B9_04A19*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1.1.2.1
case_name: step 1.1.2.1
classname: tests/suites/casper/flow
time: 0.101
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 1.2** *CASPERJS_001_2B9_9F2D9*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 1.2
case_name: step 1.2
classname: tests/suites/casper/flow
time: 0.5
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 2** *CASPERJS_001_2B9_D2362*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 2
case_name: step 2
classname: tests/suites/casper/flow
time: 0.301
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 3 sucessfully timed out** *CASPERJS_001_2B9_971A8*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 3 sucessfully timed out
case_name: step 3 sucessfully timed out
classname: tests/suites/casper/flow
time: 1.103
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 4** *CASPERJS_001_2B9_CCC4F*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 4
case_name: step 4
classname: tests/suites/casper/flow
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 4.1** *CASPERJS_001_2B9_DF1E6*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 4.1
case_name: step 4.1
classname: tests/suites/casper/flow
time: 0.4
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 4.1.1** *CASPERJS_001_2B9_8B5C8*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 4.1.1
case_name: step 4.1.1
classname: tests/suites/casper/flow
time: 0.4
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **step 5.2** *CASPERJS_001_2B9_FE595*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
case: step 5.2
case_name: step 5.2
classname: tests/suites/casper/flow
time: 0.201
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Case: **last step** *CASPERJS_001_2B9_20286*

style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/flow.coffee
 case: last step
 case_name: last step
 classname: tests/suites/casper/flow
 time: 0.1
 result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_2B9*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js** *CASPERJS_001_240*

delete: False
 jinja_content: False
 file: ../tests/doc_test/utis/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
 cases: 19
 passed: 19
 skipped: -1
 failed: 0
 errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_240_6CA51*, *CASPERJS_001_240_1E381*, *CASPERJS_001_240_DBD45*,
CASPERJS_001_240_52E2A, *CASPERJS_001_240_BBEF3*, *CASPERJS_001_240_8E1E0*,
CASPERJS_001_240_9D817, *CASPERJS_001_240_06B84*, *CASPERJS_001_240_2CAF1*,
CASPERJS_001_240_DD123, *CASPERJS_001_240_953CB*, *CASPERJS_001_240_FD17B*,
CASPERJS_001_240_B9255, *CASPERJS_001_240_93B89*, *CASPERJS_001_240_2DB6D*,
CASPERJS_001_240_C761D, *CASPERJS_001_240_34D72*, *CASPERJS_001_240_86218*,
CASPERJS_001_240_715BB

Test-Case: **Casper.fill() can fill an input[type=text] form field** *CASPERJS_001_240_6CA51*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can fill an input[type=text] form field
case_name: Casper.fill() can fill an input
case_parameter: type=text
classname: tests/suites/casper/formfill
time: 0.346
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() can fill an input[type=password] form field** *CASPERJS_001_240_1E381*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can fill an input[type=password] form field
case_name: Casper.fill() can fill an input
case_parameter: type=password
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() can fill a textarea form field** [CASPERJS_001_240_DBD45](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can fill a textarea form field
case_name: Casper.fill() can fill a textarea form field
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_240](#)

Test-Case: **Casper.fill() can pick a value from a select form field** [CASPERJS_001_240_52E2A](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can pick a value from a select form field
case_name: Casper.fill() can pick a value from a select form field
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_240](#)

Test-Case: **Casper.fill() can check a form checkbox** *CASPERJS_001_240_BBEF3*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can check a form checkbox
case_name: Casper.fill() can check a form checkbox
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() can check a form radio button 1/2** *CASPERJS_001_240_8E1E0*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can check a form radio button 1/2
case_name: Casper.fill() can check a form radio button 1/2
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() can check a form radio button 2/2** [CASPERJS_001_240_9D817](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can check a form radio button 2/2
case_name: Casper.fill() can check a form radio button 2/2
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_240](#)

Test-Case: **Casper.fill() can select a file to upload** [CASPERJS_001_240_06B84](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can select a file to upload
case_name: Casper.fill() can select a file to upload
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_240](#)

Test-Case: **Casper.fill()** can fill a list of checkboxes *CASPERJS_001_240_2CAF1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() can fill a list of checkboxes
case_name: Casper.fill() can fill a list of checkboxes
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.getFormValues()** retrieves filled values *CASPERJS_001_240_DD123*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.getFormValues() retrieves filled values
case_name: Casper.getFormValues() retrieves filled values
classname: tests/suites/casper/formfill
time: 0.089
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() input[type=email] field was submitted** *CASPERJS_001_240_953CB*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() input[type=email] field was submitted
case_name: Casper.fill() input
case_parameter: type=email
classname: tests/suites/casper/formfill
time: 0.102
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() input[type=password] field was submitted** *CASPERJS_001_240_FD17B*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() input[type=password] field was submitted
case_name: Casper.fill() input
case_parameter: type=password
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() textarea field was submitted** *CASPERJS_001_240_B9255*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() textarea field was submitted
case_name: Casper.fill() textarea field was submitted
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() input[type=checkbox] field was submitted** *CASPERJS_001_240_93B89*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() input[type=checkbox] field was submitted
case_name: Casper.fill() input
case_parameter: type=checkbox
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() input[type=radio] field was submitted** *CASPERJS_001_240_2DB6D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() input[type=radio] field was submitted
case_name: Casper.fill() input
case_parameter: type=radio
classname: tests/suites/casper/formfill
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill() select field was submitted** *CASPERJS_001_240_C761D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() select field was submitted
case_name: Casper.fill() select field was submitted
classname: tests/suites/casper/formfill
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill()** raises an exception when unable to fill a form *CASPERJS_001_240_34D72*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() raises an exception when unable to fill a form
case_name: Casper.fill() raises an exception when unable to fill a form
classname: tests/suites/casper/formfill
time: 0.197
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill()** handles multiple forms *CASPERJS_001_240_86218*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() handles multiple forms
case_name: Casper.fill() handles multiple forms
classname: tests/suites/casper/formfill
time: 0.299
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Case: **Casper.fill()** handles array syntax field names *CASPERJS_001_240_715BB*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/formfill.js
case: Casper.fill() handles array syntax field names
case_name: Casper.fill() handles array syntax field names
classname: tests/suites/casper/formfill
time: 0.301
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_240*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js** *CASPERJS_001_9EF*

delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
cases: 14
passed: 14
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_9EF_E8B31*, *CASPERJS_001_9EF_EF2BD*, *CASPERJS_001_9EF_F41CA*,
CASPERJS_001_9EF_53B54, *CASPERJS_001_9EF_80E23*, *CASPERJS_001_9EF_DFB43*,
CASPERJS_001_9EF_3D327, *CASPERJS_001_9EF_9E511*, *CASPERJS_001_9EF_A5C78*

Test-Case: **Page title is: "CasperJS frame 1"** *CASPERJS_001_9EF_E8B31*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: Page title is: "CasperJS frame 1"
case_name: Page title is: "CasperJS frame 1"
classname: tests/suites/casper/frames
time: 0.604
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **Found an element matching: #f1** *CASPERJS_001_9EF_EF2BD*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: Found an element matching: #f1
case_name: Found an element matching: #f1
classname: tests/suites/casper/frames
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **No element found matching selector: #f2** *CASPERJS_001_9EF_F41CA*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: No element found matching selector: #f2
case_name: No element found matching selector: #f2
classname: tests/suites/casper/frames
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **__utils__ object is available in child frame** *CASPERJS_001_9EF_53B54*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: __utils__ object is available in child frame
case_name: __utils__ object is available in child frame
classname: tests/suites/casper/frames
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **Page title is: "CasperJS frame 2"** *CASPERJS_001_9EF_80E23*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: Page title is: "CasperJS frame 2"
case_name: Page title is: "CasperJS frame 2"
classname: tests/suites/casper/frames
time: 0.298
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **Found an element matching: #f2** *CASPERJS_001_9EF_DFB43*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: Found an element matching: #f2
case_name: Found an element matching: #f2
classname: tests/suites/casper/frames
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **No element found matching selector: #f1** *CASPERJS_001_9EF_3D327*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: No element found matching selector: #f1
case_name: No element found matching selector: #f1
classname: tests/suites/casper/frames
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **__utils__ object is available in other child frame** *CASPERJS_001_9EF_9E511*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: __utils__ object is available in other child frame
case_name: __utils__ object is available in other child frame
classname: tests/suites/casper/frames
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Case: **Page title is: "CasperJS frame 3"** *CASPERJS_001_9EF_A5C78*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/frames.js
case: Page title is: "CasperJS frame 3"
case_name: Page title is: "CasperJS frame 3"
classname: tests/suites/casper/frames
time: 0.297
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_9EF*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/global.js** *CASPERJS_001_E29*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/global.js
cases: 3
passed: 3
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_E29_6E3CC*, *CASPERJS_001_E29_3B924*, *CASPERJS_001_E29_3CFF2*

Test-Case: **Casper.getGlobal() can retrieve a remote global variable** *CASPERJS_001_E29_6E3CC*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/global.js
case: Casper.getGlobal() can retrieve a remote global variable
case_name: Casper.getGlobal() can retrieve a remote global variable
classname: tests/suites/casper/global
time: 0.307
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E29*

Test-Case: **Casper.getGlobal() can retrieves a serializable object** *CASPERJS_001_E29_3B924*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/global.js
case: Casper.getGlobal() can retrieves a serializable object
case_name: Casper.getGlobal() can retrieves a serializable object
classname: tests/suites/casper/global
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E29*

Test-Case: **Casper.getGlobal() does not fail trying to encode an unserializable global**
CASPERJS_001_E29_3CFF2

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/global.js
case: Casper.getGlobal() does not fail trying to encode an unserializable global
case_name: Casper.getGlobal() does not fail trying to encode an unserializable global
classname: tests/suites/casper/global
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E29*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js** *CASPERJS_001_E4B*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js
cases: 4
passed: 4
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_E4B_156F3*, *CASPERJS_001_E4B_D76EF*, *CASPERJS_001_E4B_DE31E*,
CASPERJS_001_E4B_52E55

Test-Case: **No response available on local page** *CASPERJS_001_E4B_156F3*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js
case: No response available on local page
case_name: No response available on local page
classname: tests/suites/casper/headers
time: 0.395
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E4B*

Test-Case: **Checking existing header (case sensitive)** *CASPERJS_001_E4B_D76EF*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js
case: Checking existing header (case sensitive)
case_name: Checking existing header (case sensitive)
classname: tests/suites/casper/headers
time: 0.203
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E4B*

Test-Case: **Checking existing header (case insensitive)** *CASPERJS_001_E4B_DE31E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js
case: Checking existing header (case insensitive)
case_name: Checking existing header (case insensitive)
classname: tests/suites/casper/headers
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E4B*

Test-Case: **Checking unexisting header** *CASPERJS_001_E4B_52E55*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/headers.js
case: Checking unexisting header
case_name: Checking unexisting header
classname: tests/suites/casper/headers
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E4B*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js** *CASPERJS_001_02C*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js
cases: 4
passed: 4
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_02C_9EEAE*, *CASPERJS_001_02C_159D1*, *CASPERJS_001_02C_CAE1E*, *CASPERJS_001_02C_3FF31*

Test-Case: **Casper.back() can go back an history step** *CASPERJS_001_02C_9EEAE*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js
case: Casper.back() can go back an history step
case_name: Casper.back() can go back an history step
classname: tests/suites/casper/history
time: 0.801
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_02C*

Test-Case: **Casper.forward()** can go forward an history step *CASPERJS_001_02C_159D1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js
case: Casper.forward() can go forward an history step
case_name: Casper.forward() can go forward an history step
classname: tests/suites/casper/history
time: 0.2
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_02C*

Test-Case: **Casper.history** contains urls *CASPERJS_001_02C_CAE1E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js
case: Casper.history contains urls
case_name: Casper.history contains urls
classname: tests/suites/casper/history
time: 0.097
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_02C*

Test-Case: **Casper.history has the correct first url** *CASPERJS_001_02C_3FF31*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/history.js
case: Casper.history has the correct first url
case_name: Casper.history has the correct first url
classname: tests/suites/casper/history
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_02C*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js** *CASPERJS_001_980*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
cases: 5
passed: 5
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_980_B40DE*, *CASPERJS_001_980_751F7*, *CASPERJS_001_980_9FA09*,
CASPERJS_001_980_1430C, *CASPERJS_001_980_165B4*

Test-Case: **Casper.options.onStepComplete()** is called on step complete *CASPERJS_001_980_B40DE*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
case: Casper.options.onStepComplete() is called on step complete
case_name: Casper.options.onStepComplete() is called on step complete
classname: tests/suites/casper/hooks
time: 0.305
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_980*

Test-Case: **Casper.options.onResourceRequested()** retrieve a request object *CASPERJS_001_980_751F7*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
case: Casper.options.onResourceRequested() retrieve a request object
case_name: Casper.options.onResourceRequested() retrieve a request object
classname: tests/suites/casper/hooks
time: 0.198
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_980*

Test-Case: **Casper.options.onResourceRequested()** retrieve a valid request object
CASPERJS_001_980_9FA09

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
case: Casper.options.onResourceRequested() retrieve a valid request object
case_name: Casper.options.onResourceRequested() retrieve a valid request object
classname: tests/suites/casper/hooks
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_980*

Test-Case: **Casper.options.onResourceReceived()** retrieve a resource object *CASPERJS_001_980_1430C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
case: Casper.options.onResourceReceived() retrieve a resource object
case_name: Casper.options.onResourceReceived() retrieve a resource object
classname: tests/suites/casper/hooks
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_980*

Test-Case: **Casper.options.onResourceReceived()** retrieve a valid resource object [CASPERJS_001_980_165B4](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/hooks.js
case: Casper.options.onResourceReceived() retrieve a valid resource object
case_name: Casper.options.onResourceReceived() retrieve a valid resource object
classname: tests/suites/casper/hooks
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_980](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/keys.js** [CASPERJS_001_35F](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/keys.js
cases: 2
passed: 2
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)

links incoming: [CASPERJS_001_35F_3A538](#), [CASPERJS_001_35F_48524](#)

Test-Case: **Casper.sendKeys()** sends keys to given input *CASPERJS_001_35F_3A538*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/keys.js
case: Casper.sendKeys() sends keys to given input
case_name: Casper.sendKeys() sends keys to given input
classname: tests/suites/casper/keys
time: 0.522
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_35F*

Test-Case: **Casper.sendKeys()** sends keys to given textarea *CASPERJS_001_35F_48524*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/keys.js
case: Casper.sendKeys() sends keys to given textarea
case_name: Casper.sendKeys() sends keys to given textarea
classname: tests/suites/casper/keys
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_35F*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js** *CASPERJS_001_6C2*

delete: False

jinja_content: False

file: ../tests/doc_test/utils/casperjs.xml

suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js

cases: 4

passed: 4

skipped: -1

failed: 0

errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_6C2_A5B43*, *CASPERJS_001_6C2_BDCCB*, *CASPERJS_001_6C2_89C49*, *CASPERJS_001_6C2_FEB53*

Test-Case: **Casper.log() adds a log entry** *CASPERJS_001_6C2_A5B43*

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utils/casperjs.xml

suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js

case: Casper.log() adds a log entry

case_name: Casper.log() adds a log entry

classname: tests/suites/casper/logging

time: 0.177

result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_6C2*

Test-Case: **ClientUtils.log()** adds a log entry *CASPERJS_001_6C2_BDCCB*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js
case: ClientUtils.log() adds a log entry
case_name: ClientUtils.log() adds a log entry
classname: tests/suites/casper/logging
time: 0.304
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_6C2*

Test-Case: **ClientUtils.log()** adds a log entry at a given level *CASPERJS_001_6C2_89C49*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js
case: ClientUtils.log() adds a log entry at a given level
case_name: ClientUtils.log() adds a log entry at a given level
classname: tests/suites/casper/logging
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_6C2*

Test-Case: **Casper.log() logged messages** *CASPERJS_001_6C2_FEB53*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/logging.js
case: Casper.log() logged messages
case_name: Casper.log() logged messages
classname: tests/suites/casper/logging
time: 0.096
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_6C2*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js** *CASPERJS_001_111*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
cases: 16
passed: 16
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_111_DEC53*, *CASPERJS_001_111_0A4DC*, *CASPERJS_001_111_BB82C*,
CASPERJS_001_111_2EBAF, *CASPERJS_001_111_A21AE*, *CASPERJS_001_111_CAC62*,
CASPERJS_001_111_AF78F, *CASPERJS_001_111_5E981*, *CASPERJS_001_111_C69CE*,
CASPERJS_001_111_2246C, *CASPERJS_001_111_A671E*, *CASPERJS_001_111_CE194*,
CASPERJS_001_111_5C864, *CASPERJS_001_111_1F5C1*, *CASPERJS_001_111_26C43*,
CASPERJS_001_111_ED934

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mousedown event *CASPERJS_001_111_DEC53*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mousedown event
case_name: CasperUtils.mouseEvent() can dispatch a mousedown event
classname: tests/suites/casper/mouseevents
time: 0.403
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mousedown event handled by unobstrusive js
CASPERJS_001_111_0A4DC

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mousedown event handled by unobstrusive js
case_name: CasperUtils.mouseEvent() can dispatch a mousedown event handled by unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mouseup event *CASPERJS_001_111_BB82C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseup event
case_name: CasperUtils.mouseEvent() can dispatch a mouseup event
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mouseup event handled by unobstrusive js
CASPERJS_001_111_2EBAF

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseup event handled by unobstrusive js
case_name: CasperUtils.mouseEvent() can dispatch a mouseup event handled by unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() can dispatch a mouseover event** *CASPERJS_001_111_A21AE*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseover event
case_name: CasperUtils.mouseEvent() can dispatch a mouseover event
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() can dispatch a mouseover event handled by unobstrusive js** *CASPERJS_001_111_CAC62*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseover event handled by unobstrusive js
case_name: CasperUtils.mouseEvent() can dispatch a mouseover event handled by unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mouseout event *CASPERJS_001_111_AF78F*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseout event
case_name: CasperUtils.mouseEvent() can dispatch a mouseout event
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent()** can dispatch a mouseout event handled by unobstrusive js
CASPERJS_001_111_5E981

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() can dispatch a mouseout event handled by unobstrusive js
case_name: CasperUtils.mouseEvent() can dispatch a mouseout event handled by unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mousedown** *CASPERJS_001_111_C69CE*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mousedown
case_name: CasperUtils.mouseEvent() triggered mousedown
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mousedown via unobstrusive js** *CASPERJS_001_111_2246C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mousedown via unobstrusive js
case_name: CasperUtils.mouseEvent() triggered mousedown via unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseup** *CASPERJS_001_111_A671E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseup
case_name: CasperUtils.mouseEvent() triggered mouseup
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseup via unobstrusive js** *CASPERJS_001_111_CE194*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseup via unobstrusive js
case_name: CasperUtils.mouseEvent() triggered mouseup via unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseover** *CASPERJS_001_111_5C864*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseover
case_name: CasperUtils.mouseEvent() triggered mouseover
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseover via unobstrusive js** *CASPERJS_001_111_1F5C1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseover via unobstrusive js
case_name: CasperUtils.mouseEvent() triggered mouseover via unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseout** *CASPERJS_001_111_26C43*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseout
case_name: CasperUtils.mouseEvent() triggered mouseout
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Case: **CasperUtils.mouseEvent() triggered mouseout via unobstrusive js** *CASPERJS_001_111_ED934*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/mouseevents.js
case: CasperUtils.mouseEvent() triggered mouseout via unobstrusive js
case_name: CasperUtils.mouseEvent() triggered mouseout via unobstrusive js
classname: tests/suites/casper/mouseevents
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_111*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/onerror.js** *CASPERJS_001_B76*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/onerror.js
cases: 2
passed: 2
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_B76_60862*, *CASPERJS_001_B76_4D904*

Test-Case: **page.error event has been caught OK** *CASPERJS_001_B76_60862*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/onerror.js
case: page.error event has been caught OK
case_name: page.error event has been caught OK
classname: tests/suites/casper/onerror
time: 0.395
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_B76*

Test-Case: **page.error retrieves correct stack trace** *CASPERJS_001_B76_4D904*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/onerror.js
case: page.error retrieves correct stack trace
case_name: page.error retrieves correct stack trace
classname: tests/suites/casper/onerror
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_B76*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js** *CASPERJS_001_733*

delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
cases: 16
passed: 16
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_733_4494E*, *CASPERJS_001_733_DB9AC*, *CASPERJS_001_733_78D66*,
CASPERJS_001_733_177DA, *CASPERJS_001_733_8F6C7*, *CASPERJS_001_733_A7160*,
CASPERJS_001_733_0E6E1, *CASPERJS_001_733_520D1*, *CASPERJS_001_733_D8842*,
CASPERJS_001_733_496C7, *CASPERJS_001_733_1AD7D*, *CASPERJS_001_733_E8516*,
CASPERJS_001_733_8B27C, *CASPERJS_001_733_FF2C9*, *CASPERJS_001_733_3A7DF*,
CASPERJS_001_733_EF434

Test-Case: **Casper.open() used the expected GET settings** *CASPERJS_001_733_4494E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() used the expected GET settings
case_name: Casper.open() used the expected GET settings
classname: tests/suites/casper/open
time: 0.198
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.open() used the expected POST settings** *CASPERJS_001_733_DB9AC*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() used the expected POST settings
case_name: Casper.open() used the expected POST settings
classname: tests/suites/casper/open
time: 0.002
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.open() used the expected PUT settings** *CASPERJS_001_733_78D66*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() used the expected PUT settings
case_name: Casper.open() used the expected PUT settings
classname: tests/suites/casper/open
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.open() used the expected HTTP auth settings** *CASPERJS_001_733_177DA*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() used the expected HTTP auth settings
case_name: Casper.open() used the expected HTTP auth settings
classname: tests/suites/casper/open
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.open() can open and load a location using GET** [CASPERJS_001_733_8F6C7](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() can open and load a location using GET
case_name: Casper.open() can open and load a location using GET
classname: tests/suites/casper/open
time: 0.103
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_733](#)

Test-Case: **Casper.open() can open and load a location using POST** [CASPERJS_001_733_A7160](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() can open and load a location using POST
case_name: Casper.open() can open and load a location using POST
classname: tests/suites/casper/open
time: 0.099
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_733](#)

Test-Case: **Casper.open() can open and load a location using PUT** *CASPERJS_001_733_0E6E1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() can open and load a location using PUT
case_name: Casper.open() can open and load a location using PUT
classname: tests/suites/casper/open
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.open() can open and load a location using HTTP auth** *CASPERJS_001_733_520D1*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.open() can open and load a location using HTTP auth
case_name: Casper.open() can open and load a location using HTTP auth
classname: tests/suites/casper/open
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** used the expected GET settings *CASPERJS_001_733_D8842*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() used the expected GET settings
case_name: Casper.thenOpen() used the expected GET settings
classname: tests/suites/casper/open
time: 0.101
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** can open and load a location using GET *CASPERJS_001_733_496C7*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() can open and load a location using GET
case_name: Casper.thenOpen() can open and load a location using GET
classname: tests/suites/casper/open
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** used the expected POST settings *CASPERJS_001_733_1AD7D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() used the expected POST settings
case_name: Casper.thenOpen() used the expected POST settings
classname: tests/suites/casper/open
time: 0.101
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** can open and load a location using POST *CASPERJS_001_733_E8516*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() can open and load a location using POST
case_name: Casper.thenOpen() can open and load a location using POST
classname: tests/suites/casper/open
time: 0.101
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** used the expected PUT settings *CASPERJS_001_733_8B27C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() used the expected PUT settings
case_name: Casper.thenOpen() used the expected PUT settings
classname: tests/suites/casper/open
time: 0.098
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** can open and load a location using PUT *CASPERJS_001_733_FF2C9*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() can open and load a location using PUT
case_name: Casper.thenOpen() can open and load a location using PUT
classname: tests/suites/casper/open
time: 0.102
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_733*

Test-Case: **Casper.thenOpen()** used the expected HTTP auth settings [CASPERJS_001_733_3A7DF](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() used the expected HTTP auth settings
case_name: Casper.thenOpen() used the expected HTTP auth settings
classname: tests/suites/casper/open
time: 0.098
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_733](#)

Test-Case: **Casper.thenOpen()** can open and load a location using HTTP auth [CASPERJS_001_733_EF434](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/open.js
case: Casper.thenOpen() can open and load a location using HTTP auth
case_name: Casper.thenOpen() can open and load a location using HTTP auth
classname: tests/suites/casper/open
time: 0.101
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_733](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js** *CASPERJS_001_E7D*

delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
 cases: 25
 passed: 25
 skipped: -1
 failed: 0
 errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_E7D_C1B86, CASPERJS_001_E7D_74AF2, CASPERJS_001_E7D_82ABD, CASPERJS_001_E7D_6EDEC, CASPERJS_001_E7D_882E7, CASPERJS_001_E7D_C7839, CASPERJS_001_E7D_6BDFF, CASPERJS_001_E7D_9AD74, CASPERJS_001_E7D_3313E, CASPERJS_001_E7D_B3591, CASPERJS_001_E7D_4CCBF, CASPERJS_001_E7D_147B2, CASPERJS_001_E7D_BFD4B, CASPERJS_001_E7D_E2EAE*

Test-Case: **"popup.created" event is fired** *CASPERJS_001_E7D_C1B86*

style: tr_passed
 delete: False
 jinja_content: False
 file: ../tests/doc_test/utils/casperjs.xml
 suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
 case: "popup.created" event is fired
 case_name: "popup.created" event is fired
 classname: tests/suites/casper/popup
 time: 0.308
 result: passed

links outgoing: *CASPERJS_001, CASPERJS_001_E7D*

Test-Case: **"popup.created" event callback get a popup page instance** *CASPERJS_001_E7D_74AF2*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: "popup.created" event callback get a popup page instance
case_name: "popup.created" event callback get a popup page instance
classname: tests/suites/casper/popup
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **"popup.loaded" event is fired** *CASPERJS_001_E7D_82ABD*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: "popup.loaded" event is fired
case_name: "popup.loaded" event is fired
classname: tests/suites/casper/popup
time: 0.022
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **"popup.loaded" is triggered when popup content is actually loaded** [CASPERJS_001_E7D_6EDEE](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: "popup.loaded" is triggered when popup content is actually loaded
case_name: "popup.loaded" is triggered when popup content is actually loaded
classname: tests/suites/casper/popup
time: 0.0
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_E7D](#)

Test-Case: **Casper.waitForPopup() waits for a popup being created** [CASPERJS_001_E7D_882E7](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.waitForPopup() waits for a popup being created
case_name: Casper.waitForPopup() waits for a popup being created
classname: tests/suites/casper/popup
time: 0.47
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_E7D](#)

Test-Case: **A popup has been added** *CASPERJS_001_E7D_C7839*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: A popup has been added
case_name: A popup has been added
classname: tests/suites/casper/popup
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **A popup is a WebPage** *CASPERJS_001_E7D_6BDFF*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: A popup is a WebPage
case_name: A popup is a WebPage
classname: tests/suites/casper/popup
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **Casper.withPopup() switched to popup as current active one** [*CASPERJS_001_E7D_9AD74*](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.withPopup() switched to popup as current active one
case_name: Casper.withPopup() switched to popup as current active one
classname: tests/suites/casper/popup
time: 0.202
result: passed

links outgoing: [*CASPERJS_001*](#), [*CASPERJS_001_E7D*](#)

Test-Case: **Casper.withPopup() has client utils injected** [*CASPERJS_001_E7D_3313E*](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.withPopup() has client utils injected
case_name: Casper.withPopup() has client utils injected
classname: tests/suites/casper/popup
time: 0.001
result: passed

links outgoing: [*CASPERJS_001*](#), [*CASPERJS_001_E7D*](#)

Test-Case: **Casper.withPopup() can perform assertions on the DOM** *CASPERJS_001_E7D_B3591*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.withPopup() can perform assertions on the DOM
case_name: Casper.withPopup() can perform assertions on the DOM
classname: tests/suites/casper/popup
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **Casper.withPopup() can perform assertions on the DOM using XPath**
CASPERJS_001_E7D_4CCBF

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.withPopup() can perform assertions on the DOM using XPath
case_name: Casper.withPopup() can perform assertions on the DOM using XPath
classname: tests/suites/casper/popup
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **Casper.withPopup() has reverted to main page after using the popup** *CASPERJS_001_E7D_147B2*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Casper.withPopup() has reverted to main page after using the popup
case_name: Casper.withPopup() has reverted to main page after using the popup
classname: tests/suites/casper/popup
time: 0.196
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **"popup.closed" event is fired** *CASPERJS_001_E7D_BFD4B*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: "popup.closed" event is fired
case_name: "popup.closed" event is fired
classname: tests/suites/casper/popup
time: 0.102
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E7D*

Test-Case: **Popup is removed when closed** [CASPERJS_001_E7D_E2EAE](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/popup.js
case: Popup is removed when closed
case_name: Popup is removed when closed
classname: tests/suites/casper/popup
time: 0.103
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_E7D](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/prompt.js** [CASPERJS_001_193](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/prompt.js
cases: 1
passed: 1
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)
links incoming: [CASPERJS_001_193_C663C](#)

Test-Case: **prompted value has been received** *CASPERJS_001_193_C663C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/prompt.js
case: prompted value has been received
case_name: prompted value has been received
classname: tests/suites/casper/prompt
time: 0.501
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_193*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/request.js** *CASPERJS_001_4A5*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/request.js
cases: 3
passed: 3
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_4A5_31406*, *CASPERJS_001_4A5_D7E9A*, *CASPERJS_001_4A5_13440*

Test-Case: **Casper.open() sets no custom header by default** *CASPERJS_001_4A5_31406*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/request.js
case: Casper.open() sets no custom header by default
case_name: Casper.open() sets no custom header by default
classname: tests/suites/casper/request
time: 0.3
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4A5*

Test-Case: **Casper.open() can set a custom header** *CASPERJS_001_4A5_D7E9A*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/request.js
case: Casper.open() can set a custom header
case_name: Casper.open() can set a custom header
classname: tests/suites/casper/request
time: 0.102
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4A5*

Test-Case: **Casper.open() custom headers option is not persistent** *CASPERJS_001_4A5_13440*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/request.js
case: Casper.open() custom headers option is not persistent
case_name: Casper.open() custom headers option is not persistent
classname: tests/suites/casper/request
time: 0.1
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_4A5*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee**
CASPERJS_001_7B4

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
cases: 5
passed: 5
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_7B4_C0129*, *CASPERJS_001_7B4_EE1BA*, *CASPERJS_001_7B4_25A9C*,
CASPERJS_001_7B4_A80C5, *CASPERJS_001_7B4_EF55E*

Test-Case: **only one resource found** *CASPERJS_001_7B4_C0129*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
case: only one resource found
case_name: only one resource found
classname: tests/suites/casper/resources
time: 0.415
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7B4*

Test-Case: **two resources found** *CASPERJS_001_7B4_EE1BA*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
case: two resources found
case_name: two resources found
classname: tests/suites/casper/resources
time: 1.201
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7B4*

Test-Case: **phantom image found via test RegExp** *CASPERJS_001_7B4_25A9C*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
case: phantom image found via test RegExp
case_name: phantom image found via test RegExp
classname: tests/suites/casper/resources
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7B4*

Test-Case: **phantom image found via test Function** *CASPERJS_001_7B4_A80C5*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
case: phantom image found via test Function
case_name: phantom image found via test Function
classname: tests/suites/casper/resources
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7B4*

Test-Case: **phantom image found via test String** *CASPERJS_001_7B4_EF55E*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/resources.coffee
case: phantom image found via test String
case_name: phantom image found via test String
classname: tests/suites/casper/resources
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7B4*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js** *CASPERJS_001_8D9*

delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
cases: 6
passed: 6
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_8D9_AA795*, *CASPERJS_001_8D9_95E0A*, *CASPERJS_001_8D9_08FE5*,
CASPERJS_001_8D9_61112, *CASPERJS_001_8D9_C9A91*, *CASPERJS_001_8D9_C9F42*

Test-Case: **Casper.includeRemoteScripts() includes a first remote script on start**
CASPERJS_001_8D9_AA795

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a first remote script on start
case_name: Casper.includeRemoteScripts() includes a first remote script on start
classname: tests/suites/casper/scripts
time: 0.789
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Case: **Casper.includeRemoteScripts() includes a second remote script on start**
CASPERJS_001_8D9_95E0A

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a second remote script on start
case_name: Casper.includeRemoteScripts() includes a second remote script on start
classname: tests/suites/casper/scripts
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Case: **Casper.includeRemoteScripts() includes a really remote file on first step**
CASPERJS_001_8D9_08FE5

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a really remote file on first step
case_name: Casper.includeRemoteScripts() includes a really remote file on first step
classname: tests/suites/casper/scripts
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Case: **Casper.includeRemoteScripts() includes a first remote script on second step**
CASPERJS_001_8D9_61112

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a first remote script on second step
case_name: Casper.includeRemoteScripts() includes a first remote script on second step
classname: tests/suites/casper/scripts
time: 0.201
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Case: **Casper.includeRemoteScripts() includes a second remote script on second step**
CASPERJS_001_8D9_C9A91

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a second remote script on second step
case_name: Casper.includeRemoteScripts() includes a second remote script on second step
classname: tests/suites/casper/scripts
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Case: **Casper.includeRemoteScripts() includes a really remote file on second step**
CASPERJS_001_8D9_C9F42

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/scripts.js
case: Casper.includeRemoteScripts() includes a really remote file on second step
case_name: Casper.includeRemoteScripts() includes a really remote file on second step
classname: tests/suites/casper/scripts
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_8D9*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js** *CASPERJS_001_7AD*

delete: False

jinja_content: False

file: ../tests/doc_test/utis/casperjs.xml

suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js

cases: 4

passed: 4

skipped: -1

failed: 0

errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_7AD_12D56*, *CASPERJS_001_7AD_DED4B*, *CASPERJS_001_7AD_EAC8A*, *CASPERJS_001_7AD_9C376*

Test-Case: **Casper.start() started** *CASPERJS_001_7AD_12D56*

style: tr_passed

delete: False

jinja_content: False

file: ../tests/doc_test/utis/casperjs.xml

suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js

case: Casper.start() started

case_name: Casper.start() started

classname: tests/suites/casper/start

time: 0.197

result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7AD*

Test-Case: **Casper.start() can chain a next step** *CASPERJS_001_7AD_DED4B*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js
case: Casper.start() can chain a next step
case_name: Casper.start() can chain a next step
classname: tests/suites/casper/start
time: 0.202
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7AD*

Test-Case: **Casper.start() opened the passed url** *CASPERJS_001_7AD_EAC8A*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js
case: Casper.start() opened the passed url
case_name: Casper.start() opened the passed url
classname: tests/suites/casper/start
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7AD*

Test-Case: **Casper.start() injects ClientUtils instance within remote DOM** *CASPERJS_001_7AD_9C376*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/start.js
case: Casper.start() injects ClientUtils instance within remote DOM
case_name: Casper.start() injects ClientUtils instance within remote DOM
classname: tests/suites/casper/start
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_7AD*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js** *CASPERJS_001_1E7*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
cases: 8
passed: 8
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_1E7_76633*, *CASPERJS_001_1E7_A5A84*, *CASPERJS_001_1E7_E5C13*,
CASPERJS_001_1E7_7D184, *CASPERJS_001_1E7_8B280*, *CASPERJS_001_1E7_E4C79*

Test-Case: **Casper.then()** can add a new step *CASPERJS_001_1E7_76633*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.then() can add a new step
case_name: Casper.then() can add a new step
classname: tests/suites/casper/steps
time: 0.2
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Case: **Casper.thenOpen()** can add a new step *CASPERJS_001_1E7_A5A84*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.thenOpen() can add a new step
case_name: Casper.thenOpen() can add a new step
classname: tests/suites/casper/steps
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Case: **Casper.thenOpen()** can add a new step for opening, plus another step
CASPERJS_001_1E7_E5C13

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.thenOpen() can add a new step for opening, plus another step
case_name: Casper.thenOpen() can add a new step for opening, plus another step
classname: tests/suites/casper/steps
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Case: **Casper.each()** passes a contextualized index *CASPERJS_001_1E7_7D184*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.each() passes a contextualized index
case_name: Casper.each() passes a contextualized index
classname: tests/suites/casper/steps
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Case: **Casper.then()** added a new step *CASPERJS_001_1E7_8B280*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.then() added a new step
case_name: Casper.then() added a new step
classname: tests/suites/casper/steps
time: 0.305
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Case: **Casper.thenOpen()** opened a location and executed a step *CASPERJS_001_1E7_E4C79*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/steps.js
case: Casper.thenOpen() opened a location and executed a step
case_name: Casper.thenOpen() opened a location and executed a step
classname: tests/suites/casper/steps
time: 0.301
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_1E7*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/urls.js** *CASPERJS_001_467*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/urls.js
cases: 6
passed: 6
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*
links incoming: *CASPERJS_001_467_1B956*, *CASPERJS_001_467_A4F22*

Test-Case: **HTTP status code is: 200** *CASPERJS_001_467_1B956*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/urls.js
case: HTTP status code is: 200
case_name: HTTP status code is: 200
classname: tests/suites/casper/urls
time: 0.496
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_467*

Test-Case: **Casper.getCurrentUrl()** retrieves a raw unicode URL *CASPERJS_001_467_A4F22*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/urls.js
case: Casper.getCurrentUrl() retrieves a raw unicode URL
case_name: Casper.getCurrentUrl() retrieves a raw unicode URL
classname: tests/suites/casper/urls
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_467*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/viewport.js** *CASPERJS_001_BC1*

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/viewport.js
cases: 3
passed: 3
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_BC1_A4B44*, *CASPERJS_001_BC1_2A4CA*, *CASPERJS_001_BC1_47CB4*

Test-Case: **Casper.viewport()** can change the width of page viewport *CASPERJS_001_BC1_A4B44*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/viewport.js
case: Casper.viewport() can change the width of page viewport
case_name: Casper.viewport() can change the width of page viewport
classname: tests/suites/casper/viewport
time: 0.097
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_BC1*

Test-Case: **Casper.viewport()** can change the height of page viewport *CASPERJS_001_BC1_2A4CA*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/viewport.js
case: Casper.viewport() can change the height of page viewport
case_name: Casper.viewport() can change the height of page viewport
classname: tests/suites/casper/viewport
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_BC1*

Test-Case: **Casper.viewport() validates viewport size data** [CASPERJS_001_BC1_47CB4](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/viewport.js
case: Casper.viewport() validates viewport size data
case_name: Casper.viewport() validates viewport size data
classname: tests/suites/casper/viewport
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_BC1](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/visible.js** [CASPERJS_001_B3A](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/visible.js
cases: 4
passed: 4
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)

links incoming: [CASPERJS_001_B3A_95E03](#), [CASPERJS_001_B3A_0345D](#), [CASPERJS_001_B3A_09198](#)

Test-Case: **Casper.visible() can detect if an element is visible** *CASPERJS_001_B3A_95E03*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/visible.js
case: Casper.visible() can detect if an element is visible
case_name: Casper.visible() can detect if an element is visible
classname: tests/suites/casper/visible
time: 0.303
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_B3A*

Test-Case: **Casper.visible() can detect if an element is invisible** *CASPERJS_001_B3A_0345D*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utills/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/visible.js
case: Casper.visible() can detect if an element is invisible
case_name: Casper.visible() can detect if an element is invisible
classname: tests/suites/casper/visible
time: 0.0
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_B3A*

Test-Case: **Casper.waitForVisible()** can wait while an element is visible [CASPERJS_001_B3A_09198](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/visible.js
case: Casper.waitForVisible() can wait while an element is visible
case_name: Casper.waitForVisible() can wait while an element is visible
classname: tests/suites/casper/visible
time: 1.198
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_B3A](#)

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/wait.js** [CASPERJS_001_898](#)

delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/wait.js
cases: 3
passed: 3
skipped: -1
failed: 0
errors: -1

links outgoing: [CASPERJS_001](#)

links incoming: [CASPERJS_001_898_32A81](#), [CASPERJS_001_898_CB1F5](#), [CASPERJS_001_898_64DA0](#)

Test-Case: **Casper.wait()** can wait for a given amount of time *CASPERJS_001_898_32A81*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/wait.js
case: Casper.wait() can wait for a given amount of time
case_name: Casper.wait() can wait for a given amount of time
classname: tests/suites/casper/wait
time: 1.505
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_898*

Test-Case: **Casper.waitFor()** can wait for something to happen *CASPERJS_001_898_CB1F5*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/wait.js
case: Casper.waitFor() can wait for something to happen
case_name: Casper.waitFor() can wait for something to happen
classname: tests/suites/casper/wait
time: 2.303
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_898*

Test-Case: **Casper.waitForText() can wait for text** *CASPERJS_001_898_64DA0*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/wait.js
case: Casper.waitForText() can wait for text
case_name: Casper.waitForText() can wait for text
classname: tests/suites/casper/wait
time: 2.404
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_898*

Test-Suite: **Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js** *CASPERJS_001_E56*

delete: False
jinja_content: False
file: ../tests/doc_test/utils/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
cases: 6
passed: 6
skipped: -1
failed: 0
errors: -1

links outgoing: *CASPERJS_001*

links incoming: *CASPERJS_001_E56_69131*, *CASPERJS_001_E56_D2665*, *CASPERJS_001_E56_41F14*,
CASPERJS_001_E56_F3246, *CASPERJS_001_E56_1CE73*, *CASPERJS_001_E56_78213*

Test-Case: **XPath selector can find an element** *CASPERJS_001_E56_69131*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: XPath selector can find an element
case_name: XPath selector can find an element
classname: tests/suites/casper/xpath
time: 0.406
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E56*

Test-Case: **XPath selector does not retrieve an unexistent element** *CASPERJS_001_E56_D2665*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: XPath selector does not retrieve an unexistent element
case_name: XPath selector does not retrieve an unexistent element
classname: tests/suites/casper/xpath
time: 0.001
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E56*

Test-Case: **selectXPath() shortcut can find an element as well** [CASPERJS_001_E56_41F14](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: selectXPath() shortcut can find an element as well
case_name: selectXPath() shortcut can find an element as well
classname: tests/suites/casper/xpath
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_E56](#)

Test-Case: **Correct number of elements are found** [CASPERJS_001_E56_F3246](#)

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: Correct number of elements are found
case_name: Correct number of elements are found
classname: tests/suites/casper/xpath
time: 0.001
result: passed

links outgoing: [CASPERJS_001](#), [CASPERJS_001_E56](#)

Test-Case: **Clicking XPath works as expected** *CASPERJS_001_E56_1CE73*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: Clicking XPath works as expected
case_name: Clicking XPath works as expected
classname: tests/suites/casper/xpath
time: 0.196
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E56*

Test-Case: **Casper.fill() can fill an input[type=text] form field** *CASPERJS_001_E56_78213*

style: tr_passed
delete: False
jinja_content: False
file: ../tests/doc_test/utis/casperjs.xml
suite: Untitled suite in /Users/niko/Sites/casperjs/tests/suites/casper/xpath.js
case: Casper.fill() can fill an input[type=text] form field
case_name: Casper.fill() can fill an input
case_parameter: type=text
classname: tests/suites/casper/xpath
time: 0.003
result: passed

links outgoing: *CASPERJS_001*, *CASPERJS_001_E56*

2.7 Support

If you find any bugs or have an idea for an improvement, feel free to open an entry on our issue-tracker at [github](https://github.com/useblocks/sphinx-test-reports): <https://github.com/useblocks/sphinx-test-reports>


We are happy for each new entry and support wherever we can.

2.7.1 Professional Support

If you need professional support you should get in contact with our company [useblocks](#).

We are a bunch of passionated developers, who normally work on process, tool or embedded related projects for automotive companies around the world.

Fastest way of reaching us is via e-mail: mail@useblocks.com.



2.8 Changelog

2.8.1 1.0.3

Released

under development

- Updated project documentation to use the Useblocks theme customization.
- Improvement: Template file encoding could be configured. See [tr_import_encoding](#). #60

2.8.2 1.0.2

Released

21.12.2022

- Bugfix: Links in *test-suite* and co. do not raise error. #51
- Improvement: Allows empty text and message fields, which allows integration of ctest junit files #49

2.8.3 1.0.1

Released

04.11.2022

- Improvement: ID length can be configured to avoid conflicts. See *tr_suite_id_length* and *tr_case_id_length*. #45
- Bugfix: Multiple testsuites get documented correctly. #40

2.8.4 1.0.0

Released

26.09.2022

- Improvement: Supporting *Sphinx-Needs* ≥ 1.01 only.
- Improvement: Migrated nosetests to pytest.

2.8.5 0.3.7

Released

09.06.2022

- Improvement: Nested test suites are supported (like in Robot Framework 5.0) #30

2.8.6 0.3.6

Released

12.11.2021

- Improvement: Added support for parallel modes. #20
- Improvement: Support getting skipped tests. #18

2.8.7 0.3.5

Released

18.06.2021

- Bugfix: Minor bugfixes

2.8.8 0.3.4

Released

30.04.2021 (Recalled, contains major bugs)

- Bugfix: Removed Sphinx 4 deprecation warnings

2.8.9 0.3.3

- Improvement: Added *test-report* directive.
- Improvement: Introduces *tr_file*, *tr_suite* and *tr_case* options to customize names.
- Improvement: Not found files will throw warning instead of exception so that build goes on.
- Improvement: Provides css_classes *tr_passed*, *tr_failure*, *tr_skipped* to colorize needs and their rows in tables.
- Bugfix: Stabilised extension initialisation phase.

2.8.10 0.3.1

- Improvement: Support of case and table colors based on *result*.
- Bugfix: Hash-Id for autogenerated test-cases size was increased.

2.8.11 0.3.0

- Improvement: Using *sphinx-needs* for data representation and filtering.
- Improvement: New directives *test-file*, *test-suite* and *test-case*.
- Improvement: New possibilities to *filter test data*.
- Improvement: Much better documentation.

2.8.12 0.2.1

- Skipped support für Python < 3.5.
- Bugfix: junit-file-format of pytest > 5.1.0 supported. [#8](#)

2.8.13 0.2.0

Initial start for the changelog

- Improvement: added directive `:test-env:` to take tox-envreport.json as input and create a table.

SPHINX-NEEDS ECOSYSTEM

In the last years, we have created additional information and extensions, which are based on or related to Sphinx-Needs:



[Sphinx-Needs.com](https://sphinx-needs.com)

The website presents the essential Sphinx-Needs functions and related extensions.

Also, it is a good entry point to understand the benefits and get an idea about the complete ecosystem of Sphinx-Needs.

[Sphinx-Needs.com](https://sphinx-needs.com)



Sphinx-Needs

Create, update, link, filter and present need objects like Requirements, Specifications, Bugs and many more.

The base extension provides all of its functionality under the MIT license for free.

[Technical Docs](#)



Sphinx-Needs Enterprise

Synchronize Sphinx-Needs data with external, company internal systems like CodeBeamer, Jira or Azure Boards.

Provides scripts to baseline data and makes CI usage easier.

[Technical Docs](#)



Sphinx-Test-Reports

Extension to import test results from XML files as **need** objects.

Created **need** objects can be filtered and linked to specification objects.

[Technical Docs](#)

3.1 Other Sphinx extensions

During the use of Sphinx-Needs in popular companies' internal projects, we have created other Sphinx extensions to support the work of teams in the automotive industry:




Sphinx Collections

Extension to collect or generate files from different sources and include them in the Sphinx source folder.

It supports sources like Git repositories, Jinja based files or symlinks.

[Technical Docs](#)



Sphinx Bazel

Provides a Bazel domain in Sphinx documentation and allows the automated import of Bazel files and their documentation.

[Technical Docs](#)

MOTIVATION

`Sphinx-Test-Reports` was created for an automotive project, which needs to document test results and their used environment configuration in an human-readable format. The goal is to provide enough information to be able to setup an identical test environment in 20+ years.

`Sphinx-Test-Reports` is part of a software bundle, which was designed to fulfill the parameters of the [ISO 26262](#) standard for safety critical software in automotive companies.

Other tools are: [sphinx-needs](#), [sphinx-collections](#) and [tox-envreport](#).